

ISSN 0486-4271



International Organization
for Succulent Plant Study

Organización Internacional
para el Estudio de
Plantas Suculentas

Organisation Internationale
de Recherche sur les
Plantes Succulentes

Internationale Organisation
für Sukkulanten-Forschung

IOS

**Repertorium
Plantarum
Succulentarum
LX (2009)**

Repertorium Plantarum Succulentarum LX (2009)

*Index nominum novarum plantarum succulentarum anno MMIX
editorum nec non bibliographia taxonomica ab U. Eggli et R.
Nyffeler compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

November 2010

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type (except for epithets of new cultivars), accompanied, in the case of newly described taxa, by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is listed. For invalid, illegitimate or incorrect names, the articles of the ICBN or ICNCP which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the names of one or few new taxa are usually not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum Ed. 2 (BPH2) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben (ausgenommen Cultivar-Namen), ergänzt durch den nomenklatortischen Typ für neue Taxa (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Für Umkombinationen wird das Basionym angegeben. Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN oder ICNCP, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur die Namen eines oder weniger neuer Taxa veröffentlichen, werden in der Regel in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995)), für allgemein botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum Ed. 2 (BPH2).

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.

R. Nyffeler, Institut für Systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich,
Switzerland.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL, U.K.

© 2010: International Organization for Succulent Plant Study, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL,
U.K.

© 2010 (data compilation): Sukkulanten-Sammlung Zürich, Zürich (Switzerland).

ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holders.

Compilers' Preface

This issue of *Repertorium Plantarum Succulentarum* marks 60 years of continuity in the compilation of information on succulent plant diversity. The 60 issues now published cover the time from 1950 to 2009, and constitute the best available record of the results of 50 years of succulent plant research as far as the names of succulent plants are concerned.

Having assisted with the compilation of RPS for more than a decade, Daniela Zappi (Royal Botanic Gardens, Kew) has recently relinquished her role as Assistant Editor. We are very grateful to her for all her help since she joined the editorial team in 1996.

As in previous years, the compilation of the *Repertorium* would not have been possible without the help of numerous colleagues from around the world. First of all, a word of thanks goes to all the authors who supply the compilers directly with separate prints of their publications. Several colleagues have devoted their time to discussions of nomenclatural issues, and we are personally most grateful for this help. We specially thank Nigel Taylor for his helping hand. As in previous years, a special word of thanks goes to Katherine Challis of the IPNI Team at Kew. Rainer Mailänder, Zürich, has again scanned a good selection of more "general" biological journals, and we are grateful for his support of our work.

Future issues of RPS: As announced in the preface to RPS 59, the IOS Board is planning to publish and distribute future issues of RPS electronically. Until further notice, printed copies will continue to be available for regular subscribers and (at a charge towards printing and postage costs) for IOS members who do not have Internet access, or who prefer the printed publication.

Vorwort der Herausgeber

Diese Ausgabe des *Repertorium Plantarum Succulentarum* markiert 60 Jahre Kontinuität in der Zusammenstellung von Informationen über die Diversität der Sukkulanten. Die 60 bisher veröffentlichten Hefte decken den Zeitraum von 1950 bis 2009 ab und präsentieren sich als die beste erhältliche Auflistung der Resultate von 50 Jahren Sukkulantenforschung, zumindest soweit die Namen der sukkulenten Pflanzen betroffen sind.

Nach über über einem Jahrzehnt hat Daniela Zappi (Royal Botanic Gardens, Kew) leider das Herausgeberteam des RPS verlassen. Wir sind ihr für ihre seit 1996 im Redaktionsteam als Assistant Editor geleistete engagierte Arbeit sehr dankbar.

Wie in frühen Jahren wäre die Zusammenstellung des *Repertorium* ohne die Hilfe zahlreicher Kollegen aus der ganzen Welt nicht möglich gewesen. Ein Wort des Dankes geht zuerst an alle die Autorinnen und Autoren, welche uns als Herausgeber direkt mit Separatdrucken ihrer Arbeiten versorgt haben. Mehrere Kolleginnen und Kollegen haben sich Zeit für die Diskussion nomenklatorischer Fragen genommen, und wir sind persönlich für diese Hilfe sehr dankbar. Ein besonderer Dank gebührt in dieser Hinsicht Nigel Taylor. Ein spezielles Dankeswort geht in dieser Hinsicht an Katherine Challis vom IPNI-Team in Kew. Rainer Mailänder, Zürich, hat wieder eine gute Auswahl "allgemeiner" biologischer Zeitschriften durchgesehen, und wir sind für diese Unterstützung unserer Arbeit sehr dankbar.

Zukünftige Ausgaben: Wie bereits im Vorwort zu RPS 59 angekündigt, plant der Vorstand der IOS, zukünftige RPS-Ausgaben nur noch elektronisch zu veröffentlichen und zu verteilen. Bis auf weiteres werden gedruckte Hefte aber auch in Zukunft für die regelmässigen Bezieher des RPS sowie (gegen Übernahme der Druck- und Versandkosten) für IOS-Mitglieder ohne Internet-Anschluss sowie für diejenigen, welche ein gedrucktes Heft bevorzugen, erhältlich sein.

Corrections to previous volumes

- In the case of the new *Sansevieria* names included in RPS 59, and published by Mbugua in 2007, it was stated that they were published invalidly in the earlier thesis of that author. Since British theses are not published, there can't be any intention to actually publish a taxonomic novelty – new names can merely be proposed, and this was the status of the names in question in the 1995-thesis of P. Mbugua. We are grateful to Len Newton for pointing this out to us.
- The names *Aeonium ×davidii*, *A. ×gordonii* and *A. ×tahodiense* were all incorrectly shown as validly published in RPS 58. They are invalid since the replaced synonyms were not validly published themselves (Art. 36.1, 45.1), and the intended new names are themselves invalid under Art. 37.4.

Korrekturen zu früheren Bänden

- Für die in RPS 59 aufgelisteten, von Mbugua 2007 publizierten *Sansevieria*-Namen wurde gesagt, dass diese in der bereits vorher erschienenen Dissertation des Autors ungültig veröffentlicht worden wären. Da britische Dissertationen nicht in gedruckter Form veröffentlicht werden, kann dem Autor nicht unterstellt werden, dass er tatsächlich die Publikation von taxonomischen Neuheiten beabsichtigte – neue Namen können lediglich "vorgeschlagen" werden, und das ist auch der Status der Namen in der Dissertation von 1995 von P. Mbugua. Wir sind Len Newton für diese Klarstellung zu Dank verpflichtet.
- Die Namen *Aeonium ×davidii*, *A. ×gordonii* und *A. ×tahodiense* wurden im RPS 58 alle fälschlicherweise als gültig veröffentlicht betrachtet. Sie sind aber ungültig weil die ersetzen Synonyme ihrerseits nicht gültig veröffentlicht wurden (Art. 36.1, 45.1), und die aufgezählten Namen sind deshalb unter Art. 37.4 ungültig.

NOMINA NOVA

AGAVACEAE

- Hesperaloe parviflora** ssp. **bechtoldii** Hochstätter, Cact. World 27(2): 103-105, ills., 2009. Typus: *Bechtold* 733 (HEID).
- Manfreda parva** Aaron Rodríguez, Acta Bot. Mex. 88: 2-5, ills., 2009. Typus: *Rodríguez & Pérez-Álvarez* 5518 (IBUG, ENCB, IEB, ME-XU, WIS).

AIZOACEAE

- Conophytum antonii** S. A. Hammer, Cact. Succ. J. (US) 81(4): 194, ill. (p. 193), 2009. Typus: *Hammer & Arthurs* 2678 (NBG).
- Conophytum hyracis** S. A. Hammer, Cact. Succ. J. (US) 81(4): 194, ill. (p. 192), 2009. Typus: *Helme & al.* 2730 (NBG).
- Conophytum pium** S. A. Hammer, Cact. Succ. J. (US) 81(4): 194, ill. (p. 191), 2009. Typus: *Helme & Hammer* 2734 (NBG).

ALOACEAE

- Aloe acutissima** var. **itampoloana** J.-B. Castillon, Cact.-Avent. Int. No. 83: 30, ill. (p. 29), 2009. Typus: *Castillon* 43 (TAN).
- Aloe antandroi** ssp. **toliarana** J.-B. Castillon, Cact.-Avent. Int. No. 83: 31, ill. (p. 32), 2009. Typus: *Reynolds* 7857 (P).
- Aloe capitata** var. **angavoana** J.-P. Castillon, Cact.-Avent. Int. No. 81: 12-13, ills., 2009. Typus: *Castillon* 34 (TAN, HBG).
- Aloe darainensis** J.-P. Castillon, Cact. World 27(3): 177-178, ills., 2009. Typus: *Castillon* 44 (TAN).
- Aloe deltoideodonta** ssp. **amboahangensis** Rebmann, Cact.-Avent. Int. No. 84: 28-29, ills., 2009. Typus: *Rebmann* 17 (BR).
- Aloe deltoideodonta** ssp. **brevifolia** (H. Perrier) Rebmann, Cact.-Avent. Int. No. 84: 24, 26, 2009. Basionym: *Aloe deltoideodonta* var. *brevifolia*.
- Aloe deltoideodonta** ssp. **candicans** (H. Perrier) Rebmann, Cact.-Avent. Int. No. 84: 24, 26, 2009. Basionym: *Aloe deltoideodonta* var. *candicans*.
- Aloe deltoideodonta** ssp. **esomonyensis** Rebmann, Cact.-Avent. Int. No. 84: 30-31, ills., 2009. Typus: *Rebmann* 16 (BR).
- Aloe deltoideodonta** ssp. **fallax** (J.-B. Castillon) Rebmann, Cact.-Avent. Int. No. 84: 24, 26, 2009. *Nom. inval.* (Art. 33.4, Note 1), based

on *Aloe deltoideodonta* var. *fallax*.
Aloe fievetii var. **altimatsiatrae** (J.-B. Castillon) J.-B. Castillon, Cact.-Avent. Int. No. 84: 32, 2009. Basionym: *Aloe altimatsiatrae*. [Combination first published invalidly (Art. 33.4) in l.c. No. 83: 29, 2009.]

Aloe fontainei Rebmann, Cact.-Avent. Int. No. 82: 2-5, ills., 2009. Typus: *Rebmann* 18 (BR).

Aloe hahnii G. F. Smith & Klopper, Bothalia 39(1): 98-99, ills., 2009. Typus: *Hahn* 2172 (PRE).

Aloe johannis-philippei J.-B. Castillon, Cact. World 27(1): 52-55, ills., 2009. Typus: *Castillon* 42 (TAN).

Aloe kammelii van Jaarsveld, Aloe 46(2): 38-39, ills., 2009. Typus: *van Jaarsveld & al.* 22166 (NBG, PRE).

Aloe massawana ssp. **sakoankenke** (J.-B. Castillon) J.-B. Castillon, Cact.-Avent. Int. No. 84: 32, 2009. Basionym: *Aloe sakoankenke*. [Combination first published invalidly (Art. 33.4) in l.c. No. 83: 27, 2009.]

Aloe newtonii J.-B. Castillon, Bradleya 27: 152, ills. (p. 151), 2009. Based on *Reynolds* 7885. *Nom. illeg.* (Art. 52.1). [*Nom. illeg. superfl.* versus *A. subacutissima* G. D. Rowley, which is cited as synonym.]

Aloe perdita Ellert, Aloe 45(4): 76-77, ills., 2009. Based on *Ellert* 172. *Nom. inval.* (Art. 8.2). [Dated 2008, received at ZSS 3. 2. 2009.]

Aloe rapanarivoi J.-P. Castillon, Cact.-Avent. Int. No. 81: 16-19, ills., 2009. Typus: *Castillon* 39 (TAN).

ASCLEPIADACEAE

Angolluma doddsiae Plowes & T. A. McCoy, Asklepios No. 103: 14, ills. (pp. 9-15), 2009. Typus: *McCoy* 2632 (MO, P). [Dated Dec. 2008, received at ZSS 3. 3. 2009.]

Angolluma taitica (Bruyns) Plowes, Asklepios No. 103: 4, ill. (p. 3), 2009. Basionym: *Orbea taitica*. [Dated Dec. 2008, received at ZSS 3. 3. 2009.]

Asclepias minor (S. Moore) Goyder, Kew Bull. 64: 392, 2009. Basionym: *Odontostelma minor*.

Asclepias mtorwiensis Goyder, Kew Bull. 64(3): 391, 2009. Typus: *Brummitt & al.* 18142 (K).

Brachystelma pruinosum Bruyns, Novon 19(1): 18-19, ills., 2009. Typus: *Bruyns* 8021 (BOL, K, WIND).

Brachystelma tenuissimum Bruyns, Novon 19(1): 19-20, ills., 2009. Typus: *Bruyns* 9641 (BOL).

Brachystelma theronii Bruyns, Novon 19(1): 21-22, ills. (p. 20), 2009. Typus: *Bruyns & Theron* 4839 (BOL).

- Caralluma wilhelmii** Thulin, Kew Bull. 64(3): 477-478, ill., 2009. Typus: *Thulin & al.* 11219 (ETH, K, UPS).
- Ceropagia gypsophila** Thulin, Kew Bull. 64(3): 480-483, ill., 2009. Typus: *Thulin & al.* 11418 (ETH, K, UPS).
- Ceropagia kaariyei** Thulin, Kew Bull. 64(3): 479-480, ill. (pp. 481-482), 2009. Typus: *Thulin & al.* 11145 (ETH, K, UPS).
- Ceropagia thailandica** Meve, Bradleya 27: 161-163, ill., 2009. Typus: *Pooma & al.* 7347 (BKF, UBT).
- Eriostemma obtusifoloides** Gilding & T. Green, Fraterna 22(3): 5-6, ill., 2009. Typus: *Green* 97048TG (BISH 736375) [Ex cult. Hort. T. Green.]. [Sphalm. 'obtusifoloides'.]
- Hoya aurantiaca** Kloppenburg & al., Asia Life Sci. 18(1): 140-143, ill., 2009. Typus: *Siar & Cajano* 5962 (CAHUP 70395).
- Hoya baishaensis** S. Y. He & P. T. Li, Ann. Bot. Fenn. 46(2): 155-157, ill., 2009. Typus: *He & al.* 608011 (CANT).
- Hoya bawanglengensis** S. Y. He & P. T. Li, Novon 19(3): 357-359, ill., 2009. Typus: *He & Lin* 0708081 (CANT).
- Hoya fitchii** Kloppenburg, Fraterna 22(4): 16-20, ill., 2009. Typus: *Fitch* 8 (UC 20096) [Ex cult.].
- Hoya inflata** (P. I. Forster & al.) L. Wanntorp & P. I. Forster, Ann. Missouri Bot. Gard. 94(1): 45, 2007. Basionym: *Madangia inflata*. [Omitted previously.]
- Hoya krohniana** Kloppenburg & Siar, Fraterna 22(4): 9-12, ill., 2009. Typus: CAHUP 70365. *Nom. inval.* (Art. 37.1).
- Hoya landgrantesia** Kloppenburg & al., Asia Life Sci. 18(1): 147-150, ill., 2009. Typus: *Siar & Cajano* 5963 (CAHUP 70617).
- Hoya lucardenasiana** Kloppenburg & al., Asia Life Sci. 18(1): 144-147, ill., 2009. Typus: *Siar & Cajano* 5961 (CAHUP 70615).
- Hoya panayensis** Kloppenburg & Siar, Fraterna 22(4): 12-15, ill., 2009. Typus: *McGregor* s.n. (UC 32378, BO).
- Hoya paulshirleyi** T. Green & Kloppenburg, Fraterna 22(4): 5-8, ill., 2009. Based on *Shirley* 8844. *Nom. inval.* (Art. 36.1, 37.1).
- Hoya persicinicornaria** S. Y. He & P. T. Li, Novon 19(4): 475-478, ill., 2009. Typus: *He & Lin* 0708086 (CANT).
- Hoya savaiensis** Kloppenburg, Fraterna 22(4): 21-23, ill., 2009. Typus: *Whistler* s.n. (HAW 9456).
- Hoya smithii** Kloppenburg, Fraterna 22(4): 24-27, ill., 2009. Based on *Smith* 399. *Nom. illeg.* (Art. 52.1). [Illegitimate versus *Hoya intermedia* A. C. Smith 1942, which is based on the same collection.]
- Hoya soligamiana** Kloppenburg & al., Asia Life Sci. 18(1): 151-154, ill., 2009. Typus: *Siar & Cajano* 5868 (CAHUP 70619).
- Orbea cucullata** (Plowes) Meve, Asklepios No. 105: 20, 2009. Basionym: *Angolluma cucullata*.
- Orbea fenestrata** (Plowes) Meve, Asklepios No. 105: 20, ill. (p. 19), 2009. Basionym: *Angolluma fenestrata*.
- Orbea parviloba** (Bruyns) Meve, Asklepios No. 105: 22, ill. (pp. 20-21), 2009. *Nom. illeg.* (Art. 52.1), based on *Orbea wissmannii* var. *parviloba*. [*Nom. illeg.*, because *Orbea nardii* Raffaelli & al. 2008, included as synonym, has priority at species rank (cf. Meve, l.c. no. 106: 12, 2010 ('2009')).]
- Raphionacme splendens** ssp. **bingeri** (A. Chevalier) Venter, South Afr. J. Bot. 75: 337, 2009. Basionym: *Brachystelma bingeri*.

CACTACEAE

- xAstroferocactus** Licznerski, Kakt. Inne 6(3): 101, 2009. [= *Astrophytum* × *Ferocactus*.]
- Aylostera** Subgen. **Mediolobivia** (Backeberg) G. D. Rowley, Cact. World 27(2): 89, 2009. Basionym: *Mediolobivia*.
- Bragaia** Esteves & al., Kakt. and. Sukk. 60(12): 328, 2009. Typus: *Bragaia estevesii* Hofacker & P. J. Braun.
- Bragaia estevesii** Hofacker & P. J. Braun, Kakt. and. Sukk. 60(12): 328-331, ill., 2009. Typus: *Braga Nascimento* 118 (UFG).
- xCleistoechinocaneca** Licznerski, Kakt. Inne 6(3): 101, 2009. [= *Cleistocactus* × *Echinopsis* × *Matucana*.]
- Copiapoa coquimbana** ssp. **andina** I. Schaub & Keim, Cactus & Co. 13(1): 11-15, ill., 2009. Typus: *Schaub & Keim* s.n. (SGO 157240).
- Copiapoa schulziana** I. Schaub & Keim, Cactus & Co. 13(1): 16-23, ill., 2009. Typus: *Schaub & Keim* s.n. (SGO 157239).
- Cumulopuntia leucophaea** (Philippi) Hoxey, Tephrocactus Study Group 15(4): 57, 2009. Basionym: *Opuntia leucophaea*.
- Cylindropuntia ×cardenche** (Griffiths pro sp.) Pinkava & M. A. Baker, Haseltonia 15: 119, 2009. Basionym: *Opuntia cardenche*. [Treated as the hybrid *C. imbricata* × *C. kleiniae* by the combining authors. Name first used by E. F. Anderson, Cact. Fam. 209, 2001, and attributed to F. M. Knuth in Backeberg & Knuth, Kakteen-ABC, 126, 1936 ('1935') (*nom. inval.*, Art. 33.1).]
- Cylindropuntia imbricata** var. **spinifecta** (Griffiths) M. A. Baker, Haseltonia 15: 119, 2009. Basionym: *Opuntia spinifecta*.
- xDisolocereus** E. Meier, EPIG No. 64: 26, 2009. [= *Disocactus* × *Hylocereus*.]
- xDisophyllum charltonii** (G. D. Rowley) E. Meier, EPIG No. 62: 28, 2008. Basionym: *Phyllocactus charltonii*. [Erroneously omitted in RPS 59. First published invalidly (Art. 33.4) in l.c. No. 57: 17, 2006 (cf. RPS 57).]

- Echinocereus acifer** ssp. **ventanensis** Rischer, Echinocereenfreund 22(3): 63-65, illus. (pp. 67-69, 76), 2009. Typus: *Kimnach* 563 (HNT).
- Echinocereus chaletii** Rischer, Cactus & Co. 13(3): 49, 53-55, illus. (pp. 38-56), 2009. Typus: *Chalet* 4335 (IBUG). [Sphalm. 'chaleti'.]
- Echinocereus koehresianus** (G. R. W. Frank) Rischer, Echinocereenfreund 22(3): 73, 2009. Basionym: *Echinocereus scheeri* var. *koehresianus*.
- Echinopsis millarensis** Rausch, Echinopseen 6(2): 45-46, illus., 2009. Typus: *Rausch* 293 (LPB).
- Epicactus** 'Werner Uebelmann' E. Meier, EPIG No. 63: 29-31, illus., 2009. [Based on *Horst & Uebelmann HU* 988, allegedly collected in the wild in Santa Catarina, Brazil.]
- Eriosyce islayensis* fa. *bicolor* (Akers & Buining) S. Hinz, Swiat Kakt. 41(1): 17, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya bicolor*. [Omitted previously.]
- Eriosyce islayensis* fa. *brevicylindrica* (Rauh & Backeberg) S. Hinz, Swiat Kakt. 41(1): 17, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya brevicylindrica*. [Omitted previously.]
- Eriosyce islayensis* fa. *grandis* (Rauh & Backeberg) S. Hinz, Swiat Kakt. 41(2): 29, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya grandis*. [Omitted previously.]
- Eriosyce islayensis* fa. *kraainziana* (F. Ritter) S. Hinz, Swiat Kakt. 41(1): unnumbered p. following p. 18, in caption to illus., 2007. *Nom. inval.* (Art. 33.4), based on *Islaya kraainziana*. [Omitted previously. Basionym not given, and here deduced from the epithet.]
- Eriosyce islayensis* fa. *maritima* (F. Ritter) S. Hinz, Swiat Kakt. 41(2): 30, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya maritima*. [Omitted previously.]
- Eriosyce islayensis* fa. *minor* (Backeberg) S. Hinz, Swiat Kakt. 41(2): 31, 2007. *Nom. inval.* (Art. 33.4), based on *Echinocactus molendensis*. [Omitted previously.]
- Eriosyce islayensis* fa. *pseudomollendensis* (F. Ritter) S. Hinz, Swiat Kakt. 41(2): 28, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya copiapoides* var. *pseudomollendensis*. [Omitted previously.]
- Eriosyce islayensis* var. *divaricatiflora* (F. Ritter) S. Hinz, Swiat Kakt. 41(2): 29, 2007. *Nom. inval.* (Art. 33.4), based on *Islaya divaricatiflora*. [Omitted previously.]
- Estevesia** P. J. Braun, Kakt. and. Sukk. 60(3): 64-65, 2009. Typus: *Estevesia alex-bragae* P. J. Braun & Esteves.
- Estevesia alex-bragae** P. J. Braun & Esteves, Kakt. and. Sukk. 60(3): 64-65, illus. (pp. 63-70), 2009. Typus: *Braga Nascimento* 84 (UFG). [Sphalm. 'alex-bragai' but correctable under the mandatory recommendation 60C.1(a).]
- Ferocactus* group *Cylindraceus* Wozniak, Ferokaktusy, 91, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Ferocactus* group *Glaucescens* Wozniak, Ferokaktusy, 29, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Ferocactus* group *Hamatacanthus* Wozniak, Ferokaktusy, 53, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Ferocactus* group *Latispinus* Wozniak, Ferokaktusy, 39, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Ferocactus* group *Pottsii* Wozniak, Ferokaktusy, 99, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Ferocactus* group *Robustus* Wozniak, Ferokaktusy, 63, 2009. *Nom. inval.* (Art. 36.1, 37.1).
- Gymnocalycium baldianum** ssp. **sanguiniflorum** (Werdermann) C. A. L. Bercht, Succulenta 88(2): 59, illus. (p. 58), 2009. Basionym: *Echinocactus sanguiniflorus*.
- Gymnocalycium bruchii** fa. **svecianum** (Pazout ex H. Till) Neuhuber, Gymnocalycium 22(1): 847, ill., 2009. Basionym: *Gymnocalycium andreae* fa. *svecianum*.
- Gymnocalycium bruchii** ssp. **atroviride** Neuhuber, Gymnocalycium 22(3): 873, ill., 2009. Typus: *Neuhuber* 93-787 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **cumbrecitense** Neuhuber, Gymnocalycium 22(1): 843, ill., 2009. Typus: *Neuhuber* 90-232 (CORD [ex WU], WU). [Spelling of the subspecific epithet first given as 'cumbresitense', corrected l.c. (3): 874, 2009.]
- Gymnocalycium bruchii** ssp. **elegans** Neuhuber, Gymnocalycium 22(3): 869-870, ill., 2009. Typus: *Neuhuber* 99-1051 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **implexum** Neuhuber, Gymnocalycium 22(3): 870-871, ill., 2009. Typus: *Neuhuber* 99-1048 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **lacumbrense** Neuhuber, Gymnocalycium 22(1): 839, ill. (pp. 839, 841), 2009. Typus: *Neuhuber* 93-791 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **melojeri** Neuhuber, Gymnocalycium 22(1): 844-845, ill., 2009. Typus: *Neuhuber* 99-1063 p.p. (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **multicostatum** Neuhuber, Gymnocalycium 22(3): 871-872, ill., 2009. Typus: *Neuhuber* 99-1045 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **renatae** Neuhuber, Gymnocalycium 22(1): 843-844, ill., 2009. Typus: *Neuhuber* 90-236 (CORD [ex WU], WU).
- Gymnocalycium bruchii** ssp. **shimadae** Neuhuber, Gymnocalycium 22(1): 841, ill. (pp. 841-842), 2009. Typus: *Neuhuber* 93-531 (CORD [ex WU], WU).
- Gymnocalycium bruchii** var. **rubroalabastrum** Neuhuber, Gymnocalycium 22(1): 845, ill., 2009. Typus: *Neuhuber* 99-1063 p.p. (CORD [ex WU], WU).

- Gymnocalycium castellanosii** ssp. **armillatum** (Piltz) Papsch, Cactus & Co. 12(4): 200, 2009. Basionym: *Gymnocalycium castellanosii* var. *armillatum*. [Dated 2008, received Feb. 2009. First published invalidly (Art. 33.4, Note 1) l.c. 12(2): 98, 2008.]
- Gymnocalycium friedrichii** ssp. **eytianum** (Cárdenas) H. Till & Amerhauser, Gymnocalycium 22(4): 893, ills., 2009. Basionym: *Gymnocalycium eytianum*.
- Gymnocalycium horridispinum** ssp. **achirasense** (H. Till & Schatzl ex H. Till) G. Charles, Gymnocalycium Habitat & Culture, 154, ills., 2009. Basionym: *Gymnocalycium achirasense*.
- Gymnocalycium marianae** Perea & al., Kakt. und. Sukk. 60(2): 36-37, ills. (pp. 35-42), 2009. Typus: *Kiesling* & al. 10235 (MERL).
- Gymnocalycium marsoneri** ssp. **megatae** (Y. Ito) G. Charles, Gymnocalycium Habitat & Culture, 241, ills., 2009. Basionym: *Gymnocalycium megatae*.
- Gymnocalycium monvillei** var. **safronovii** Gapon, Gymnocalycium 22(4): 886, ill., 2009. Typus: *Neuhuber* 93-369 (CORD [ex WU]). [Also published simultaneously in Kakt. Klub 2009(1-2): 33, ills. (pp. 34-35), 2009, but with a confusing typification statement.]
- Gymnocalycium riojense** ssp. **vertongenii** Amerhauser, Gymnocalycium 21(2): 857-860, ills., 2009. Typus: *Vertongen* 1438 (CORD).
- Gymnocalycium schreiteri** H. Till, Gymnocalycium 22(1): 854-855, ills., 2009. Typus: *Bertz* 573 (CORD, WU) [Ex cult. H. Till, acc. no. 3550].
- Gymnocalycium tillianum** ssp. **montanum** (Sla- ba) F. Berger, Gymnocalycium 21(2): 866, ills. (pp. 864-865), 2009. Basionym: *Gymnocalycium carminanthum* var. *montanum*.
- ✗**Haagespostoa mirabilis** (Rauh & Backeberg) Ostolaza, Quepo No. 23: 67, ills., 2009. Basionym: *Neobinghamia mirabilis*.
- Lemaireocereus lepidanthus** (Eichlam) S. Arias & Terrazas, Syst. Bot. 34(1): 81-82, 2009. Basionym: *Cereus lepidanthus*.
- Lobivia hoevenii** Rausch, Kakt. and. Sukk. 60(12): 319-320, ills., 2009. Typus: *Rausch* 1013 (BA).
- Lobivia krahn-juckeri** Diers, Kakt. and. Sukk. 60(8): 216-220, ills., 2009. Typus: *Krahn* 1000 (LPB, WU).
- Lobivia kuehhasii** Rausch, Kakt. and. Sukk. 60(12): 320-321, ills., 2009. Typus: *Rausch* 817b (BA).
- Lophocereus marginatus** (De Candolle) S. Arias & Terrazas, Syst. Bot. 34(1): 82, 2009. Basionym: *Cereus marginatus*.
- Loxanthocereus acanthurus** ssp. **pullatus** (Rauh & Backeberg) Ostolaza, Cact. World 27(1): 46, 2009. Basionym: *Loxanthocereus pullatus*.
- Mammillaria bombyrosae** Linzen, J. Mammillaria Soc. 49(1): 5, 2009. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Mammillaria coyopoliana** Linzen, J. Mammillaria Soc. 49(1): 5, ills. (p. 13), 2009. Based on *Linzen* 34. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Mammillaria guelzowiana** ‘Zrzka’ Líbal, Kak-tusy 45(2): 66-67, 2009. [A redbrown-spined horticultural selection.]
- Mammillaria huitzilopochtli** fa. **minichii** Linzen, J. Mammillaria Soc. 49(1): 5, ills. (p. 13), 2009. Based on *Linzen* 329. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name, first used by W. Bruns, Mitteilungsbl. AfM 24(2): 103, 2000.]
- Mammillaria huitzilopochtli** fa. **multispina** Linzen, J. Mammillaria Soc. 49(1): 5, ill. (p. 13), 2009. Based on *Linzen* 327. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Mammillaria huitzilopochtli** var. **coyopoliana** Linzen, J. Mammillaria Soc. 49(1): 5, ills. (p. 13), 2009. Based on *Linzen* 34. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Mammillaria huitzilopochtli** var. **imperialis** Linzen, J. Mammillaria Soc. 49(1): 5-6, ill. (p. 14), 2009. Based on *Linzen* 185. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Mammillaria ixtaclanensis** Linzen, J. Mammillaria Soc. 49(1): 6, ill. (p. 14), 2009. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name, based on several field numbers.]
- Mammillaria maycobensis** Schreier ex Rogozinski & Plein, Mitteilungsbl. AfM 33(4): 193-195, ills. (pp. 188-191), 2009. Typus: *Rogozinski* 738 (UAT 22254). [First used as provisional name by Schreier, Kakt. and. Sukk. 27(2): 41-43, 1976 (*nom. inval.*, Art. 36.1, 37.1).]
- Mammillaria pseudohalbingeri** Linzen, J. Mammillaria Soc. 49(1): 6, ill. (p. 15), 2009. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name, based on several field numbers.]
- Mammillaria reyenensis** Linzen, J. Mammillaria Soc. 49(1): 6, ill. (p. 15), 2009. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name, based on several field numbers.]
- Mammillaria yoloensis** Linzen, J. Mammillaria Soc. 49(1): 6-7, ills. (p. 15), 2009. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name, based on several field numbers.]
- Opuntia chiangiana** Scheinvar & Manzanero, Novon 19(2): 222-224, ills., 2009. Typus: *Manzanero* 370 (MEXU, MO, OAX).
- Parodia hummeliana** var. **glischrocarpa** (F. Ritter) Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 26: 6, ills., 2009. Basionym: *Parodia glischrocarpa*.
- Parodia hummeliana** var. **rubristaminea** (F. Ritter) Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 26: 3, ill., 2009. Basionym: *Parodia rubristaminea*.
- Parodia rosariana** hort. ex H. Thiele, Succulenta 88(4): 175-176, ills., 2009. *Nom. inval.* (Art. 34.1a, 36.1). [Published as provisional name, previously mentioned in Mitteilungsbl. In-

- ter-Parodia-Kette No. 16: 17, 2001.]
Parodia samaensis H. Thiele, Succulenta 88(4): 173-175, ill., 2009. *Nom. inval.* (Art. 34.1a, 36.1). [Published as provisional name.]
- Parodia spegazziniana** var. *lembkei* (Weskamp) Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 26: 15, ill., 2009. Basionym: *Parodia lembkei*.
- Parodia spegazziniana** var. *spanica* (F. H. Brandt) Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 26: 19, ill., 2009. Basionym: *Parodia spanica*.
- Pilosocereus pseudosuperfloccosus** P. J. Braun & Esteves, Kakt. and. Sukk. 60(7): 185-188, ill., 2009. Typus: *Braun* 658 (UFG, HAL, ZSS). [Suspected hybrid *Pilosocereus densiareolatus* × *P. pachycladus*.]
- Pterocereus gaumeri** ssp. *foetidus* (T. MacDoughall & Miranda) S. Arias & Terrazas, Syst. Bot. 34(1): 81, 2009. Basionym: *Pterocereus foetidus*.
- Rebutia** Subgen. **Weingartia** (Werdermann) G. D. Rowley, Cact. World 27(2): 89, 2009. Basionym: *Weingartia*.
- Rebutia borealis** Diers & Krahn, Kakt. and. Sukk. 60(5): 119-121, ill., 2009. Typus: *Krahn* 1033 (LPB).
- Rebutia malochii** Slaba & L. Fischer ex Slaba, Kaktusy 45(1): 11, ill. (pp. 8-10), 2009. Typus: *Slaba* 31-02 (PR).
- Rhipsalis aurea** M. F. Freitas & J. M. A. Braga, Syst. Bot. 34(3): 505-507, ill., 2009. Typus: *Braga* 7494 (RB, R).
- Selenicereus dorschanianus** Ralf Bauer, EPIG No. 64: 16-17, ill. (pp. 6-8, 12), 2009. Typus: *Böhme* s.n. (ZSS).
- Tephrocactus dispar** (A. Castellanos & Lelong) G. Popov, Kakt. Klub 2009(1-2): 15, 2009. *Nom. illeg.* (Art. 52.1), based on *Opuntia weberi* var. *dispar*. [*Nom. illeg.* since the prioritable *Tephrocactus setiger* Backeberg 1936 is included as synonym (as fa. *setiger*).]
- Tephrocactus dispar** fa. *setiger* (Backeberg) G. Popov, Kakt. Klub 2009(1-2): 15, 2009. Incorrect name (Art. 11.4), based on *Tephrocactus setiger*.
- Tephrocactus dispar** ssp. *deminutus* (Rausch) G. Popov, Kakt. Klub 2009(1-2): 15, 2009. Incorrect name (Art. 11.4), based on *Tephrocactus weberi* var. *deminutus*.
- Weingartia mentosa** ssp. *cylindrica* (Donald & A. B. Lau) Gertel & J. de Vries, Cactus & Co. 12(4): 264, 2009. Basionym: *Sulcorebutia cylindrica* var. *cruicensis*. [Dated Dec. 2008, received 2. Feb. 2009.]
- Weingartia mentosa** var. *cylindrica* (Donald & A. B. Lau) Gertel & J. de Vries, Cactus & Co. 12(4): 264, 2009. Basionym: *Sulcorebutia cylindrica*. [Dated Dec. 2008, received 2. Feb. 2009.]
- Weingartia purpurea** ssp. *santiaginiensis* (Rausch) Gertel & de Vries, Echinopseen 6(1): 16, ill., 2009. Basionym: *Sulcorebutia santiaginiensis*. [Dated Dec. 2008, received 2. Feb. 2009.]
- Weingartia steinbachii** ssp. *markusii* (Rausch) Gertel & J. de Vries, Echinopseen 6(1): 16, ill., 2009. Basionym: *Sulcorebutia markusii*.
- Weingartia steinbachii** var. *mizquensis* (Rausch) Gertel & J. de Vries, Echinopseen 6(1): 16, 2009. Basionym: *Sulcorebutia mizquensis*.
- Weingartia steinbachii** var. *tintinensis* (Gertel) Gertel & J. de Vries, Echinopseen 6(1): 16, ill., 2009. Basionym: *Sulcorebutia markusii* ssp. *tintinensis*. [Sphalm. 'tintiniensis'.]
- Weingartia tiraquensis** ssp. *krahni* (Rausch) Gertel & J. de Vries, Echinopseen 6(1): 20, 2009. Basionym: *Sulcorebutia krahni*.
- Weingartia tiraquensis** ssp. *mariae* (Swoboda) Gertel & J. de Vries, Echinopseen 6(1): 20, 2009. Basionym: *Sulcorebutia mariae*. [Sphalm. 'mariana'.]
- Weingartia tiraquensis** ssp. *totorensis* (Cárdenas) Gertel & J. de Vries, Echinopseen 6(1): 19, ill., 2009. Basionym: *Rebutia totorensis*.
- Weingartia tiraquensis** var. *augustinii* (Hentzschel) Gertel & J. de Vries, Echinopseen 6(1): 20, 2009. Basionym: *Sulcorebutia austroginii*.
- Weingartia tiraquensis** var. *australis* (Rausch) Gertel & J. de Vries, Echinopseen 6(1): 20, 2009. Basionym: *Sulcorebutia steinbachii* var. *australis*.
- Weingartia tiraquensis** var. *lau* (Brederoo & Donald) Gertel & J. de Vries, Echinopseen 6(1): 20, 2009. Basionym: *Sulcorebutia vizcarrae* var. *lau*.
- Weingartia tiraquensis** var. *oenantha* (Rausch) Gertel & J. de Vries, Echinopseen 6(1): 19, 2009. Basionym: *Sulcorebutia oenantha*.
- Wigginsia** Subgen. *Gymnocephala* (Backeberg ex Sída) van Vliet, Succulenta 88(4): 156, 2009. *Nom. inval.* (Art. 36.1, 33.4).
- Wigginsia** Subgen. *Neonotocactus* (Backeberg) van Vliet, Succulenta 88(4): 156, 2009. *Nom. inval.* (Art. 33.4).
- Wigginsia** Subgen. *Notobrasilia* (Havlicek) van Vliet, Succulenta 88(4): 156, 2009. *Nom. inval.* (Art. 33.4).

CRASSULACEAE

- Adromischus coleorum** G. Williamson, Cactus & Co. 12(4): 267, ill. (pp. 266, 268-269), 2009. Typus: *Cole* & *Cole* A36 in Williamson 6055 (BOL). [Dated Dec. 2008, received 2. Feb.

- 2009.]
- Crassula perforata** ssp. **kougaensis** van Jaarsveld & A. E. van Wyk, Aloe 46(1): 22-23, ill., 2009. Typus: *van Jaarsveld* 9905 (NBG).
- Crassula smithii** van Jaarsveld & al., Aloe 45(4): 90-91, ill., 2009. Typus: *Styles* s.n. (PRE). [Dated 2008, received at ZSS 3. 2. 2009.]
- ×**Cremnosedum** ‘Penn Ar Ru’ Moullec, Subtropica No. 22: 5, ill., (p. 2), 2008. [Supposed parentage is *Cremnophila linguifolia* × *Sedum adolphi* or *S. nussbaumerianum*.]
- Echeveria cuicatecana** Reyes & al., Cact. Suc. Mex. 49(3): 80-81, ill., (pp. 65, 82-84), 2004. Typus: *Pérez* 584 (MEXU). [Erroneously omitted previously.]
- Echeveria duwei** Hort. Neuwirth, Kakt. and. Sukk. 60(2): 48-50, ill., 2009. *Nom. inval.* (Art. 36.1, 37.1). [Probably a hybrid *Echeveria derenbergii* × *E. multicaulis* (Lc., p. 51).]
- Echeveria krahni** Kimnach, Avonia 27(2): 42, ill., 2009. Typus: *Krahn* 1078 (HNT, LP).
- Echeveria tamaulipana** Martínez-Ávalos & al., Revista Mex. Biodivers. 80(2): 309-312, ill., 2009. Typus: *Martínez-Ávalos* 123 (UAT).
- ×**Graptosedum** ‘Blue Giant’ M. Stuetzer, Sedum Soc. Newslett. No. 90: 94-95, ill., 2009. [Based on cultivated material of unknown parentage, perhaps *Graptopetalum amethystinum* × *Sedum treleasei*.]
- ×**Graptosedum** ‘Gaëlle-Aline’ Carrot, Subtropica No. 26: 4-5, ill., (pp. 2, 5), 2009. [= *Graptopetalum paraguayense* × *Sedum confusum*.]
- Hylotelephium** ‘Thundercloud’ R. Stephenson, Sedum Soc. Newslett. No. 88: 42-43, ill., 2009. [Probably *Hylotelephium populifolium* × *H. spectabile*.]
- ×**Lenoveria** ‘Ajax’ M. Bischofberger, Sedum Soc. Newslett. No. 90: 89-92, ill., 2009. [Possibly *Echeveria fimbriata* × *Lenophyllum* sp., described on the base of cultivated material without known parentage.]
- ×**Pachevedum** M. Bischofberger, Cact.-Avent. Int. No. 81: 27, 2009. [= *Pachyphytum* × *Echeveria* × *Sedum*.]
- ×**Pachevedum** ‘Ray’s Comfit’ M. Bischofberger, Cact.-Avent. Int. No. 81: 27, ill., 2009. [= *Pachyphytum oviferum* × (*Echeveria derenbergii* × *Sedum morganianum*).]
- ×**Pachyveria** ‘Calypso’ M. Bischofberger, Sedum Soc. Newslett. No. 88: 44-46, ill., 2009. [Of unknown parentage.]
- Prometheum chrysanthum** ssp. **uludaghense** Kaynak & al., Ann. Bot. Fenn. 46(5): 456-457, ill., 2009. Typus: *Kaynak* & *Yilmaz* 28745 (BULU).
- Sedum isidorum** Pino, Haseltonia 15: 10, ill., (pp. 12-13), 2009. Typus: *Pino* 1710 (USM).
- Sedum palmeri** ‘Guatemalan Mimi’ R. Stephenson, Sedum Soc. Newslett. No. 90: 92-94, ill., 2009. [A dwarf form acquired on a market in Guatemala.]
- Sedum roberti** Veldkamp, Haseltonia 15: 79, 2009. Typus: *Clausen* 773022 (BH). [*Nom. nov. pro Sedum multiflorum* R. T. Clausen 1978 (*non Sedum multiflorum* Boenninghausen 1829/1830). The spelling of the specific epithet proposed by the author is in accordance with ICBN Rec. 60C2.]
- Sempervivum matricum** Blanár & Letz ex Letz, Preslia 81: 301-303, ill., 2009. Typus: *Futák* s.n. (SLO). [First used as provisional invalid name by Blanár & Letz, Reussia 2(2): 132, 2005 (cf. RPS 58), and also previously used as unpublished name “to be published 2007” by Hadrava & Miklánek, Kaktusy 43(Special 1): 14, 2007 (cf. RPS 58), and probably first used in the unpublished thesis of D. R. Letz.]
- ×**Tacisedum** M. Bischofberger, Cact.-Avent. Int. No. 81: 24, 2009. [= *Tacitus* × *Sedum*.]
- ×**Tacisedum** ‘Barton Glory’ M. Bischofberger, Cact.-Avent. Int. No. 81: 25-26, ill., 2009. [= ×*Tacisedum* ‘Heswall’? × *Tacitus bellus*.]
- ×**Tacisedum** ‘Barton Pink’ M. Bischofberger, Cact.-Avent. Int. No. 81: 24-25, ill., 2009. [= *Tacitus bellus* × ×*Tacisedum* ‘Heswall’?]
- Tylecodon bruynsii** van Jaarsveld & S. A. Hammer, Cact. Succ. J. (US) 81(5): 239, ill. (pp. 235-238), 2009. Typus: *van Jaarsveld* & al. 21117 (WIND).
- Villadia aureistella** Pino & Cieza, Haseltonia 15: 18-20, ill., 2009. Typus: *RRP* 810 (USM).
- Villadia kimmachii** Pino & Cieza, Haseltonia 15: 24-25, ill., 2009. Typus: *Pino* 1147 (USM).
- Villadia klopfensteinii** Pino & Cieza, Haseltonia 15: 16-19, ill., 2009. Typus: *Hutchison* & *Wright* 5117 (UCB, F, K).
- Villadia paniculata** Pino & Cieza, Haseltonia 15: 22-23, ill., 2009. Typus: *RRP* 321 (USM).
- Villadia thiedei** Pino & Cieza, Haseltonia 15: 20-21, ill., 2009. Typus: *Pino* 1882 (USM).

CUCURBITACEAE

- Momordica mossambica** H. Schaefer, Nordic J. Bot. 27(5): 360-361, ill., 2009. Typus: *Torre* & *Paiva* 9867 (MO, C, COI, EA, K, LMA, LISC, WAG).

DRACAENACEAE

- Sansevieria** Sect. **Cephalantha** Jankalski, Sansevieria No. 19: 10, 2009. Typus: *Sansevieria kirkii* Baker.
- Sansevieria** Sect. **Dracomima** Jankalski, Sansevieria No. 19: 9, 2009. Typus: *Sansevieria ehrenbergii* Schweinfurth ex Baker.
- Sansevieria dumetescens** L. E. Newton, Bradleya 27: 156-158, ill., 2009. Typus: *Newton* 3761 (K, EA).

- Sansevieria ×itumea** (Mbugua pro var.) Jankalski, Sansevieria No. 20: 20, 2009. Basionym: *Sansevieria aethiopica* var. *itumea*. [Interpreted as the possible hybrid *S. raffillii* × *S. gracilis*. Rank of the basionym erroneously given as ‘ssp.’.]
- Sansevieria pfisteri** D. J. Richards, Sansevieria No. 19: 4-7, ill., 2009. Typus: *Downs & Pfister s.n.* (SRGH).

EUPHORBIACEAE

- Euphorbia berevoensis** Lawant & Buddensiek, Euphorbia World 4(1): 6-9, ill., 2008. Typus: *Röösl & Hoffmann* 43/93 (P). [Erroneously omitted previously.]
- Euphorbia chamaeclada** Bruyns, Bothalia 39(2): 219-220, ill., 2009. Typus: *Bruyns* 10402a (BOL, E, MO).
- Euphorbia iloitaii** A. Powys & S. Carter, Cact. World 27(4): 211, ill. (pp. 209-212), 2009. Typus: *Powys* 420 (EA).
- Euphorbia maromokotrensis** Rebmann, Cact. Succ. 1(2): 44-45, ill., 2009. Typus: *Rebmann* 12 (BR). [Name first mentioned (*nom. inval.*, Art. 36.1, 37.1) in Succulentae 2007 (Spécial: 44, ill., 2007 (cf. RPS 58).]
- Euphorbia maryrichardsiae** G. Williamson, Euphorbia World 4(3): 9-11, ill., 2009. Typus: *Williamson* 6022A (BOL). [Dated Dec. 2008, received at ZSS 16. 3. 2009.]
- Euphorbia michaelii** Thulin, Kew Bull. 64(3): 474-476, ill. (incl. p. 472), 2009. Typus: *Thulin & al.* 11606 (ETH, K, UPS).
- Euphorbia otjingandu** Swanepoel, South Afr. J. Bot. 75: 497-498, ill. (pp. 499-500), 2009. Typus: *Swanepoel* 268 (WIND, PRU).
- Euphorbia piceoides** Thulin, Kew Bull. 64(3): 471, 473-474, ill., 2009. Typus: *Thulin & al.* 11329 (ETH, K, UPS).
- Euphorbia suborbicularis** Thulin, Kew Bull. 64(3): 469-470, ill., 2009. Typus: *Thulin & al.* 11302 (ETH, K, UPS).

GERANIACEAE

- Pelargonium carnosum** ssp. *ferulaceum* (Burman fil.) M. Becker & F. Albers, Bothalia 39(1): 76, 2009. Basionym: *Geranium ferulaceum*. [The combining authors propose to ascribe the basionym name to Cavanilles 1787, rather than to Burman fil. 1758, on the presumption that the Burman description does not belong to the plate published by Burman 1738, and proposed as type.]

HYACINTHACEAE

- Albuca** Sect. **Branciona** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 96, 2009. Basionym: *Branciona*.
- Albuca** Sect. **Falconera** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 97, 2009. Basionym: *Falconera*.
- Albuca** Sect. **Osmyne** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 94, 2009. Basionym: *Osmyne*.
- Albuca** Ser. **Clavifolia** (U. & D. Müller-Dobliies) J. C. Manning & Goldblatt, Taxon 58(1): 95, 2009. Basionym: *Ornithogalum* Ser. *Clavifolia*.
- Albuca** Ser. **Falconera** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 97, 2009. Basionym: *Falconera*.
- Albuca** Ser. **Zebrina** (U. & D. Müller-Dobliies) J. C. Manning & Goldblatt, Taxon 58(1): 95, 2009. Basionym: *Ornithogalum* Ser. *Zebrina*.
- Albuca** Subgen. **Osmyne** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 93, 2009. Basionym: *Osmyne*.
- Albuca** Subgen. **Urophylion** (Salisbury) J. C. Manning & Goldblatt, Taxon 58(1): 93, 2009. Basionym: *Urophylion*.
- Albuca bracteata** (Thunberg) J. C. Manning & Goldblatt, Taxon 58(1): 93, 2009. Basionym: *Ornithogalum bracteatum*.
- Albuca dilucula** (Obermeyer) J. C. Manning & Goldblatt, Taxon 58(1): 95, 2009. Basionym: *Ornithogalum diluculum*.
- Albuca kirstenii** (J. C. Manning & Goldblatt) J. C. Manning & Goldblatt, Taxon 58(1): 97, 2009. Basionym: *Ornithogalum kirstenii*.
- Albuca scabrocostata** (U. & D. Müller-Dobliies) J. C. Manning & Goldblatt, Taxon 58(1): 95, 2009. Basionym: *Ornithogalum scabrocostatum*.
- Albucae** J. C. Manning & Goldblatt, Taxon 58(1): 91, 2009. Typus: *Albuca* Linné.
- Dipcadi** Ser. **Uropetalon** (Burchell ex Ker Gawler) J. C. Manning & Goldblatt, Taxon 58(1): 99, 2009. Basionym: *Uropetalon*.
- Drimia fimbriarginata** Snijman, Bothalia 39(2): 234-235, ill., 2009. Typus: *Harrower* 2762 (NBG, PRE).
- Drimia oliverorum** J. C. Manning, Bothalia 39(2): 225-226, ill., map, 2009. Typus: *Oliver* & *Oliver* 9164 (NBG).
- Ornithogalum lithopsoides** van Jaarsveld, Aloe 46(1): 20-21, ill., 2009. Typus: *van Jaarsveld* 15240 (NBG).
- Ornithogalum pendens** van Jaarsveld & A. E. van Wyk, Aloe 46(2): 30-31, ill., 2009. Typus: *van Jaarsveld* & *al.* 21108 (NBG).

LAMIACEAE

Plectranthus auriglandulosus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 307, 2009. Typus: *Luke & al.* TPR605 (K, EA).

Plectranthus caninus ssp. **flavovirens** (Gürke) A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 345, 2009. Basionym: *Coleus flavovirens*.

Plectranthus cinereus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 247, 2009. Typus: *Greenway & Kanuri* 11151 (K, EA).

Plectranthus confertiflorus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 303, 2009. Typus: *Abdallah & al.* 96/129 (K, C, NHT, P).

Plectranthus dupuisii (Briquet) A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 329-330, 2009. Basionym: *Coleus dupuisii*.

Plectranthus gymnostomus (Gürke) A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 337, 2009. Basionym: *Coleus gymnostomus*.

Plectranthus mafiensis A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 267, 2009. Typus: *Greenway* 5218 (EA, K).

Plectranthus platyphyllus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 331-333, ills., 2009. Typus: *Richards* 17354 (K, EA).

Plectranthus radiatus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 277, 2009. Typus: *Milne-Redhead & Taylor* 7842 (K).

Plectranthus scopulicola A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 259-261, ills., 2009. Typus: *Drummond & Hemsley* 2846 (K, BR, EA, K).

Plectranthus strangulatus A. J. Paton, in A. J. Paton & al., Fl. Trop. East Afr., Lamiaceae, 246-247, figs. 39: 12 (p. 238), 40: 1-2 (p. 248), 2009. Typus: *Bruce* 957 (K).

Plectranthus tetradeniifolius A. J. Paton, Fl. Trop. East Afr., Lamiaceae, 304-306, ills., 2009. Typus: *Tweedie* 2665 (K). [Sphalm. 'tetradeniifolius'.]

Thornicroftia greenii Changwe & K. Balkwill, Flow. Pl. Afr. 61: 112-116, t. 2256, 2009. Typus: *Balkwill & al.* 12202 (J, K, PRE).

PORTULACACEAE

Avonia albissima var. **grisea** G. Williamson, Aloe 46(3): 70, ills. (pp. 69, 71), 2009. Typus: *van Thiel* s.n. in Williamson 6050 (BOL).

Avonia lavbleekiana G. Williamson, Aloe 46(3): 65, ills. (pp. 65-67), 2009. Typus: Williamson & Williamson 6057 (BOL).

Avonia lavbleekiana ssp. **major** G. Williamson, Aloe 46(3): 70, ills. (pp. 67-68), 2009. Typus: *van Thiel* s.n. in Williamson 6049 (BOL). [Sphalm. 'magniora'.]

Montia racemosa (Buchanan) Heenan, New Zealand J. Bot. 45: 438, 2007. Basionym: *Claytonia australasica* var. *racemosa*. [Erroneously omitted previously.]

Montia sessiliflora (G. Simpson) Heenan, New Zealand J. Bot. 45: 438, 2007. Basionym: *Claytonia australasica* var. *sessiliflora*. [Erroneously omitted previously.]

Portulaca socotrana Domina & Raimondo, Webbia 64(1): 10, ills., 2009. Typus: *Domina & al.* s.n. (PAL, PAL).

MELASTOMATACEAE

Sonerila anaimudica Lundin & B. Nordenstam, Novon 19(1): 76-77, ills., 2009. Typus: *Klaekenberg & Lundin* 429 (S, K).

BIBLIOGRAPHIA

- [1] APG [Angiosperm Phylogeny Group] (2009) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III. *Bot. J. Linn. Soc.* 161(2): 105-121.
- [2] Aditya, S. (2009) Habitat colour variances in *Caralluma sarkariae* Lavranos & R. M. I. Frandsen. *Aesklepios No.* 105: 5-8, illus.
- [3] Afferni, M. (2009) Presenza di *Sedum ochroleucum* Chaix nella Valle del Mugnone (Fi) ed in territori limitrofi. *Piante Grasse* 29(2): 56-58, illus., map.
- [4] Afferni, M. (2009) Uno strano caso di ritrovamento in Firenze: *Umbilicus horizontalis* (Guss.) D.C. *Piante Grasse* 29(3): 113-115, illus.
- [5] Ahmad, S. M. & al. (2009) Phylogenetic patterns and genetic diversity of Indian *Tinospora* species based on chloroplast sequence data and cytochrome P450 polymorphisms. *Pl. Syst. Evol.* 281: 87-96.
- [6] Al-Khulaidi, A. W. A. & Butler, A. (2009) *Ceropegia foliosa* Bruyns rediscovered... *Aesklepios No.* 103: 23-24, illus.
- [7] Albesiano, S. & Kiesling, R. (2009) Rehabilitation and synonymy of *Wigginsia corynodes* (*Cactaceae*). *Haseltonia* 15: 33-40, illus.
- [8] Arias, S. & Terrazas, T. (2009) Taxonomic revision of *Pachycereus* (*Cactaceae*). *Syst. Bot.* 34(1): 68-83, illus., key, maps.
- [9] Arruda, E. (2009) Histogénese de segmentos caulinares de espécies de *Opuntia* Miller (*Opuntioideae, Cactaceae*). *Bol. Soc. Latinoamer. Caripe Cact. otras Suc.* 6(3): 5-7, illus.
- [10] Assogbadjo, A. E. & al. (2009) Genetic fingerprinting using AFLP cannot distinguish traditionally classified Baobab morphotypes. *Agroforest. Systems* 75(2): 157-165.
- [11] Bachelier, J. B. & Endress, P. K. (2009) Comparative floral morphology and anatomy of *Anacardiaceae* and *Burseraceae* (*Sapindales*), with a special focus on gynoecium structure and evolution. *Bot. J. Linn. Soc.* 159: 499-571, illus.
- [12] Baker, M. A. & al. (2009) Chromosome numbers in some cacti of western North America – VIII. *Haseltonia* 15: 117-134, maps.
- [13] Baker, M. A. & al. (2009) Chromosome numbers of miscellaneous Angiosperm taxa. *J. Bot. Res. Inst. Texas* 3(1): 279-283. [Includes reports for *Agavaceae*, *Cactaceae*, *Crassulaceae*, *Nolinaceae* and *Portulacaceae*.]
- [14] Barrera, E. de la & Smith, W. K. (eds.) (2009) Perspectives in biophysical plant eco-physiology. A tribute to Park S. Nobel. México (MX): Universidad Nacional Autónoma de Méxi-
co. xxxvi + 400 pp.
- [15] Bartomeus, I. & Vila, M. (2009) Breeding system and pollen limitation in two supergeneralist alien plants invading Mediterranean shrublands. *Austral. J. Bot.* 57(2): 109-115. [On *Carpobrotus acinaciformis* and *Opuntia stricta* population biology.]
- [16] Basha, S. D. & Sujatha, M. (2009) Genetic analysis of *Jatropha* species and interspecific hybrids of *Jatropha curcas* using nuclear and organelle specific markers. *Euphytica* 168(2): 197-214.
- [17] Battista, L. (2009) Il genere *Haworthia*. *Piante Grasse* 29(Suppl.): 1-52, illus. map. [Illustrated synopsis.]
- [18] Bauer, R. (2009) *Epiphyllum anguliger* (Lemaire) Don ex Loudon, eine botanisch interessante Art aus dem westlichen Mexiko. *EPIG* 63: 5-15, illus., map.
- [19] Bauer, R. (2009) *Selenicereus dorschianus* Ralf Bauer spec. nov., eine neue Art aus dem westlichen México (Jalisco) mit grünen Früchten – Beschreibung unter Berücksichtigung neuer Erkenntnisse über *Selenicereus vagans* (K. Brandegee) Britton & Rose und *Selenicereus murrillii* Britton & Rose. *EPIG* 64: 5-19, illus., map.
- [20] Bayer, M. B. (2009) *Haworthia* supplement. London (GB): The Haworthia Society. 40 pp., illus., map. [Papers republished in *Haworthia* Update volume 5, part 1, published 2009 by H. Mays.]
- [21] Bayer, M. B. (2009) *Haworthia* update. Essays on *Haworthia*, volume 5. Part 1 / Part 2. St Michaels on Wyre (GB): Harry Mays. pp. 1-91, 92-199, illus. [Part of the papers in the first part of this collection of essays were already independently published in the same year in "Haworthia Supplement", published by the Haworthia Society.]
- [22] Bayer, M. B. (2009) *Haworthia mirabilis* and the interface with *Haworthia maraisii*. Supplementary information for *Haworthia* Update 3, Part 1. *Alsterworthia Int.* 9(1): 21-28, illus.
- [23] Bayer, M. B. (2009) *Haworthia minima*. *Haworthiad* 23(1): 5-7, illus.
- [24] Bayer, M. B. (2009) Some Robustiped pictures. *Haworthiad* 23(2): 36-40, illus. [On species of *Haworthia* Sect. *Robustipedunculares*.]
- [25] Bayer, M. B. (2009) Er... how was that again? *Haworthiad* 23(2): 47-51, illus. [On *Haworthia schoemannii*.]
- [26] Bayer, M. B. (2009) Another *H.[aworthia] glauca* variant. *Haworthiad* 23(2): 56-63, illus.
- [27] Bayer, M. B. (2009) *Haworthia 'enigma'* and *H. mutica* var. *nigra*. *Haworthiad* 23(3): 73-80, illus.

- [28] Bayer, M. B. (2009) *Haworthia*. The problem child of taxonomy. *Veld. Fl.* (1975+) 95(3): 158-159, ills.
- [29] Becerra, J. X. & al. (2009) Macroevolutionary chemical escalation in an ancient plant-herbivore arms race. *Proc. Nation. Acad. Sci. USA* 106(43): 18062-18066, ill. [On *Bursera* speciation.]
- [30] Becker, M. & Albers, F. (2009) Taxonomy and phylogeny of two subgroups of *Pelargonium* section *Otidia* (*Geraniaceae*). I. The *Pelargonium carnosum* complex. *Bothalia* 39(1): 73-85, ills., map, key.
- [31] Becker, R. W. & al. (2009) About sticks and pencils (part 1): *Euphorbia ephedroides* E. Mey. ex Boiss. *Euphorbia World* 5(2): 8-9, ills.
- [32] Békefi, J. & Rigerszki, Z. (2009) Cactus hunt in Cuba. Part 9. – Along the southern hillfoot of the Sierra Maestra. *Kakt. Világ* 33(1): 36-39, 41-46, ills., map. [On *Melocactus nagi*.]
- [33] Bensusan, K. (2009) Taxonomy and conservation status of Moroccan Stapeliads (*Apocynaceae* – *Asclepiadoideae* – *Ceropegiae* – *Stapeliniae*). *Bull. Inst. Sci. Rabat, Sect. Sci. Vie* 31(2): 67-77, ills., key.
- [34] Bensusan, K. & al. (2009) On the distribution and habits of *Apteranthes joannis* (Maire) Plowes. *Asklepios* No. 104: 3-8, ills.
- [35] Bercht, L. (2009) *Notocactus nigrispinus*. *Succulenta* 88(1): 6-13, ills. [German version in *Internoto* 30(4): 91-99, ills., 2009.]
- [36] Bercht, L. (2009) *Gymnocalycium mariannae*, een dubbelbeschrijving van *G. sanguiniflorum*. *Succulenta* 88(2): 57-59, ills.
- [37] Bercht, L. (2009) Het geslacht *Gymnocalycium*, een overzicht (I) / (II) / (III) / (IV) / (V). *Succulenta* 88(2): 84-90, (3): 120-127, (4): 182-189, (5): 213-219, 239 [erratum], (6): 266-272, ills., map. [Continued in l.c. vol. 89, 2010.]
- [38] Berendsohn, W. G. & al. (2009) Nova Silva Cuscatlanica. Árboles nativos e introducidos de El Salvador. Parte 1: Angiospermae – Familias A a L. *Englera* 29(1): 438 pp., ills. [Includes Agavaceae and Cactaceae.]
- [39] Bester, S. P. & Condy, G. (2009) *Aspidoglossum ovalifolium*. *Flow. Pl. Afr.* 61: 90-97, ills., t. 2253, map.
- [40] Bester, S. P. & Condy, G. (2009) *Lavraria haagnerae*. *Flow. Pl. Afr.* 61: 98-106, ills., t. 2254, map.
- [41] Bischofberger, M. (2009) *xPachyveria* checklist 2009. *Sedum Soc. Newslett.* No. 91: 15-18, ills.
- [42] Blancas, J. & al. (2009) Traditional management and morphological patterns of *Myrtillocactus schenckii* (*Cactaceae*) in the Tehuacan Valley, Central Mexico. *Econ. Bot.* 63(4): 375-387.
- [43] Blando, I. (2009) *xFerobergia*. Nuovi ibridi bigenerici. New bigeneric hybrids. *Cactus & Co.* 13(2): 4-11, ills.
- [44] Bockemühl, J. (2009) Boyles "Intergeneric 95-1" – die erste bewiesene intergenerische Hybride zwischen *Schlumbergera* Lemaire und *Hatiora* Britton & Rose. *EPIG* 64: 29-32, ills.
- [45] Böhme, K. (2009) Die Fahrt zu einem Standort der *Coryphantha krackii*. *Mitteilungsbl. AfM* 33(1): 10-13, ills. [Included for the illustrations.]
- [46] Boeuf, T. & al. (2009) Halbsträucher und Schopfbäume. *Yucca* und *Hesperoyucca*. Pforzheim (D): Deutsche Kakteen-Gesellschaft. 144 pp., ills., map.
- [47] Botes, C. & al. (2009) New evidence for bee-pollination systems in *Aloe* (*Asphodelaceae*: *Aloideae*), a predominantly bird-pollinated genus. *South Afr. J. Bot.* 75: 675-681.
- [48] Braun, P. J. & Esteves Pereira, E. (2009) *Melocactus alex-bragai* [sic!] – eine "neue alte" Art aus Bahia, Brasilien. *Kakt. and. Sukk.* 60(6): 155-159, ills. [The protologue of the species was published in 2008 (cf. RPS 59).]
- [49] Brockington, S. F. & al. (2009) Phylogeny of the Caryophyllales sensu lato: Revisiting hypotheses on pollination biology and perianth differentiation in the core Caryophyllales. *Int. J. Pl. Sci.* 170(5): 627-643.
- [50] Brummitt, R. K. (2009) Report of the Nomenclature Committee for Vascular Plants: 60. *Taxon* 58(1): 280-292. [Includes data on *Phyllanthaceae*.]
- [51] Bruyns, P. V. (2009) The Old World genus *Fockea* (*Apocynaceae* – *Asclepiadoideae*). *Aloe* 46(1): 10-19, ills., key. [Shortened version of a monograph published 2006 by Bruyns & Klak.]
- [52] Bruyns, P. V. & Miller, A. G. (2009) Lectotypifications of some Arabian *Apocynaceae*. *Edinburgh J. Bot.* 66(1): 97-101. [Includes species of *Adenium*, *Caralluma* and *Orbea*.]
- [53] Buddensiek, V. (2008) Simply a *Euphorbia leuconeura*? *Euphorbia World* 4(2): 12-15, ills. [Omitted previously. On a form with red-coloured lower leaf faces.]
- [54] Bulot, L. G. (2009) Flore succulente du Maputaland: Aperçu sur les genres *Stapelia*, *Huernia* et *Astralluma*. *Cact. Succ.* 1(2): 36-42, ills., map.
- [55] Burrows, J. E. (2009) The reinstatement of *Dorstenia campanulata*, and *Dorstenia verdickii* (*Moraceae*). *Aloe* 46(1): 7-9, ills.
- [56] Busch, L. (2009) Die gelbblütigen Digitorebutien. Teil 2: *Digitorebutia diersiana* var. *nigrescens*

- cens (atrovirens)*. Echinopseen 6(1): 23-25, illus.
- [57] Busch, L. (2009) Die gelbbütigen Digitorebutien. Teil 3: *Digitorebutia diersiana* var. *minor* WR 630. Echinopseen 6(2): 80-84, illus., map.
- [58] Butler, A. (2009) Is this the real *Sansevieria braunii* Engler & Krause? Sansevieria 19: 11-12, illus.
- [59] Butler, A. (2009) Defining the limits of *Sansevieria kirkii*. Sansevieria 19: 19-20, illus.
- [60] Butler, A. (2009) The Somali *Sansevieria* puzzle. Sansevieria 21: 3-7, illus.
- [61] Buys, M. H. & Singh, K. (2009) A preamble to the Dassie Vygies. Weeding out opposing views. Veld. Fl. (1975+) 95(1): 38-40, illus., maps. [On *Oscularia* systematics.]
- [62] Byalt, V. V. & al. (2009) Succulents of the Crimea. Piante Grasse 29(3): 90-107, illus., maps.
- [63] Campbell-Barker, T. (2009) Notes on *Aloe canis* – a new species found in Malawi. Haworthiad 23(3): 67-72, ill., map.
- [64] Carrillo-Reyes, P. & al. (2009) Molecular phylogeny of the *Acre* clade (*Crassulaceae*): Dealing with the lack of definitions for *Echeveria* and *Sedum*. Molec. Phylogen. Evol. 53(1): 267-276.
- [65] Carter, S. & Lavranos, J. J. (2009) Priority of *Aloe teissieri* over *Aloe andohahelensis*. Bradleya 27: 159-160.
- [66] Castillo, R. F. del & Trujillo Argueta, S. (2009) Reproductive implications of combined and separate sexes in a trioeious population of *Opuntia robusta* (*Cactaceae*). Amer. J. Bot. 96(6): 1148-1158.
- [67] Castillon, J.-B. (2009) Corrections and description of two new taxa in the genus *Aloe* (*Asphodelaceae*) in Madagascar. Cact.-Avent. Int. No. 83: 26-32, illus., map; No. 84: 32, 2009 [erratum].
- [68] Charles, G. (2009) *Gymnocalycium* in habitat and culture. Stamford (GB): Published by the author. 288 pp., illus., maps.
- [69] Charles, G. (2009) *Micranthocereus*, a view from the field of a popular genus of columnar cacti. Cact. Succ. J. (US) 81(3): 150-155, illus. [Illustrated synopsis.]
- [70] Chase, M. W. & al. (2009) A subfamilial classification for the expanded Asparagalean families *Amaryllidaceae*, *Asparagaceae* and *Xanthorrhoeaceae*. Bot. J. Linn. Soc. 161(2): 132-136.
- [71] Cházaro-Basáñez, M. J. & Acevedo-Rosas, R. (2009) *Graptopetalum mendozae*. Cact. Succ. J. (US) 81(1): 32-33, illus.
- [72] Cházaro-Basáñez, M. J. & al. (2009) *Agave arcedianoensis* (Agavaceae): Another brand new species from Jalisco, Mexico. Int. Cact.- Advent. No. 82: 33-37, illus.
- [73] Chen, Y. & al. (2009) Terpenoids from *Euphorbia antiquorum* L. Yaoxue Xuebao 44(10): 1118-1122.
- [74] Chvastek, J. (2009) [Czech:] How we searched for and found *Gymnocalycium tillianum* Rausch. Cactaceae etc. 19(4): 142-145, illus. [Included for the illustrations.]
- [75] Cieza Padilla, N. & Briones Rojas, M. (2009) Cacti of Peru: *Matucana fruticosa*, new contributions. Cact.-Avent. Int. No. 81: 33-36, illus.
- [76] Cieza Padilla, N. & Briones Rojas, M. (2009) *Matucana fruticosa*: Variety or species?. Cact.-Avent. Int. No. 84: 2-7, illus.
- [77] Cjuno, M. & al. (2009) El género *Trichocereus*, ecología y contenido mescalínico. Quepo No. 23: 38-45, illus., map.
- [78] Clement, W. L. & Weible, G. D. (2009) Morphological evolution in the Mulberry family (*Moraceae*). Syst. Bot. 34(3): 530-552, illus.
- [79] Conn, B. J. & Hadiah, J. T. (2009) Nomenclature of tribes within *Urticaceae*. Kew Bull. 64: 349-352.
- [80] Crook, I. & al. (2009) Observations on the seed dispersal strategy of *Gasteria excelsa*. Haworthiad 23(2): 52-54, illus.
- [81] Crouch, N. R. & al. (2009) *Aloe vossii*. Flow. Pl. Afr. 61: 8-16, t. 2242, map.
- [82] Crouch, N. R. & al. (2009) *Kalanchoe crenata* subsp. *crenata*. Flow. Pl. Afr. 61: 62-68, t. 2249, map.
- [83] Díaz Hernández, H. & al. (2009) Aspectos de la morfometría y fenología reproductiva de *Echinocactus platyacanthus* en la Barranca Huexotitlanapa en Tecali de Herrera, Puebla. Cact. Suc. Mex. 53(4): 100-107, illus. [Dated 2008, received at ZSS 1.4. 2009.]
- [84] Dimech, A. M. & al. (2009) Population diversity of *Doryanthes excelsa* (*Doryanthaceae*) in eastern Australia. Cunninghamia 11(2): 213-219.
- [85] Dimmitt, M. & al. (2009) *Adenium*: Sculptural elegance, floral extravagance. Tucson (US): Scathingly Brilliant Idea. 152 pp., illus., map.
- [86] Dolezalová, J. (2009) [Czech:] *Sempervivum pumilum*. SempPress No. 2: 26-27, [32], illus. [Included for the illustrations showing variability.]
- [87] Driant, F. Le (2009) 14 orpins des Alpes du Sud. Terra Seca 2009(3): 24-33, illus., key. [Synopsis of *Sedum* (s.l.) taxa in the S Alps of France.]
- [88] Eerkens, G. (2009) *Melocactus macrodiscus* teruggeweonden. Succulenta 88(3): 117-119, illus.
- [89] Egli, U. & Nyffeler, R. (2009) Living under temporarily arid conditions – succulence as an adaptive strategy. Bradleya 27: 13-36, illus.

- [90] Ellert, A. (2009) *Aloe perdita*, a long-lost species from the Chimanimani Mountains on the Zimbabwe/Moçambique border. *Aloe* 45(4): 76-77, illus. [Dated 2008, received at ZSS 3. 2. 2009.]
- [91] Ernshwiler, E. & al. (2009) Origins of domestication and polyploidy in oca (*Oxalis tuberosa*; *Oxalidaceae*). 3. AFLP data of oca and four wild, tuber-bearing taxa. *Amer. J. Bot.* 96(10): 1839-1848, illus., map.
- [92] Eraville, M.-J. & al. (2009) *Melocactus intortus* in St Barthélemy. Presence of a form with yellowish-white cephalium / presenza di una forma con il cefalio bianco-giallastro. *Cactus & Co.* 13 (3): 59-73, illus.
- [93] Erre, P. & al. (2009) Diversity and spatial distribution of *Opuntia* spp. in the Mediterranean Basin. *J. Arid Environm.* 73(12): 1058-1066.
- [94] Esfeld, K. & al. (2009) Little interspecific pollen transfer despite overlap in pollinators between sympatric *Aeonium* (*Crassulaceae*) species pairs. *Flora (Jena)* 204(10): 709-717.
- [95] Esser, H.-J. & al. (2009) *Euphorbia*: A global inventory of the spurge. *Blumea* 54: 11-12.
- [96] Essl, F. & Kobler, J. (2009) Spiny invaders – patterns and determinants of cacti invasion in Europe. *Flora (Jena)* 204: 485-494.
- [97] Etter, J. & Kristen, M. (2009) Pachyphyten am Standort in Zentralmexiko / Pachyphytums at their localities in Central Mexico. *Avonia* 27(2): 58-67, viii-ix, illus. [Included for the illustrations.]
- [98] Etter, J. & Kristen, M. (2009) La sfuggente / The elusive *Agave albopilosa*. *Cactus & Co.* 13 (1): 44-57, illus.
- [99] Etter, J. & Kristen, M. (2009) *Agave ovatifolia* in Sierra de Lampazos. *Cactus & Co.* 13(3): 5-19, illus. [Included for the superb photographs.]
- [100] Ewest, W. (2009) Le euforbie geofite del Cile. Geophytic Euphorbias from Chile. *Cactus & Co.* 13(2): 54-63, illus.
- [101] Ewest, W. (2009) Wanted!!! *Euphorbia prona* S. Carter. *Euphorbia World* 4(3): 5-7, illus., map. [Dated Dec. 2008, received at ZSS 16. 3. 2009.]
- [102] FNA Editorial Committee (2009) Flora of North America north of Mexico. Volume 8: *Magnoliophyta: Paeoniaceae to Ericaceae*. New York (US): Oxford University Press. 585 pp., illus., maps., keys. [Includes *Crassulaceae* (pp. 147-229).]
- [103] Ferryman, R. (2009) Searching for Pyrrhocacti. *Cact. World* 27(3): 141-150, illus. [Included for the illustrations and the distribution data.]
- [104] Figueiredo, E. & Smith, G. F. (2009) The succulent flora of Angola. *Haseltonia* 15: 69-78, illus.
- [105] Figueiredo, C. J. & Nassar, J. M. (2009) Fenología reproductiva y genética poblacional de *Agave cocui* Trelease (*Agavaceae*), una especie silvestre con potencial económico en Venezuela. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 6(1): 5-7, illus.
- [106] Fitz Maurice, W. A. & Fitz Maurice, B. (2009) Stylothelae dilemmas, old and new. *Cact. Succ. J. (US)* 81(4): 210-213, illus. [On *Mammillaria crinita* etc.]
- [107] Fitz Maurice, W. A. & Fitz Maurice, B. (2009) *Mammillaria* seria *Stylothelae*. *Kakt. Inne* 6(1): 18-25, illus., key. [Revised version of a paper first published in *J. Mammillaria Soc.* 46(1), 2006.]
- [108] Fleming, T. H. & al. (2009) The evolution of bat pollination: A phylogenetic perspective. *Ann. Bot. (Oxford)*, n.s. 104: 1017-1043, illus.
- [109] Freitas, M. de Fátima & al. (2009) A new species of *Rhipsalis* (*Cactaceae*) from Brazil. *Syst. Bot.* 34(3): 505-509, illus., key. [Includes a key to the species of *Rhipsalis* subgen. *Erythrorhipsalis*.]
- [110] Fremstad, E. (2009) Aquatic plants in central Norway, some new finds. *Blyttia* 67(1): 7-14. [Includes *Tillaea aquatica*.]
- [111] Fritz, G. (2009) Branched inflorescence forms of *Aloe ecklonis* in Gauteng. *Aloe* 46(2): 28-29, illus.
- [112] Füleki, J. (2009) Two *Mammillaria* species and their interactions. *Kakt. Világ* 33(4): 149-153, illus., map. [On *Mammillaria petterssonii* and *M. uncinata*, and intermediates.]
- [113] Funk, V. A. & al. (2009) Systematics, evolution, and biogeography of *Compositae*. Wien (AT): IAPT. xxiv + 965 pp., illus.
- [114] Gallo, L. & Jarvis, C. E. (2009) Proposal to conserve the name *Sedum rupestre* (*Crassulaceae*) with a conserved type. *Taxon* 58(1): 307-308.
- [115] Galvez, M. J. & al. (2009) Antigenic patterns of seed proteins in *Opuntioideae* (*Cactaceae*). *Biochem. Syst. Ecol.* 37: 91-97.
- [116] Gao, Q. & al. (2009) Chloroplast DNA phylogeography of *Rhodiola alsia* (*Crassulaceae*) in the Qinghai-Tibet Plateau. *Botany* 87: 1077-1088, map.
- [117] Gapon, V. (2009) [Russian:] Problems of taxonomical rank concepts using the family *Cactaceae* as example. *Kakt. Klub* 2008(3-4): 37-50, illus. [Vol. for 2008, publ. Feb. 2009.]
- [118] Gapon, V. (2009) [Russian:] South American "grusonii". *Kakt. Klub* 2009(1-2): 29-36, illus. [On *Gymnocalycium monvillei* variability.]
- [119] Garabelli, G. (2009) Kakteen der La-Plata-Küste. Teil 2. Cerro Montevideo. *Internoto* 30(2):

27-33, ills. map.

- [120] Garcia de Almeida, O. J. & al. (2009) Morfo-anatomia da plântula de indivíduos somaclones de *Cereus hildmannianus* Schumann (*Cactaceae*). Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 6(3): 29-35, ills.
- [121] García-Zambrano, E. A. & al. (2009) Estimación de la diversidad genética del Nopal, usando marcadores moleculares tipo AFLP. Phyton (Buenos Aires) 78: 117-120.
- [122] Garrick, R. C. & al. (2009) Not just vicariance: Phylogeography of a Sonoran Desert euphorb indicates a major role of range expansion along the Baja peninsula. Molec. Ecol. 18(9): 1916-1931.
- [123] Geiger, E. (2009) Die Rotspitz(en)hauswurz: *Sempervivum calcareum* Jord. Avonia 27 (1): 16-22, ills. [Included for the photographs illustrating variability.]
- [124] Gerloff, N. (2009) *Notocactus minimus* Fric & Kreuzinger ex Buining mit Hakendornen. Internoto 30(1): 17-24, ills.
- [125] Gerloff, N. (2009) *Notocactus scopula* fa. *succineus* (F. Ritter) N. Gerloff & J. Neduchal kritisch betrachtet. Internoto 30(4): 103-104, ills.
- [126] Gertel, W. & Vries, J. de (2009) *Sulcorebutia* (IV). Una revisione delle specie dell'area di distribuzione centrale / A revision of the species of the central distribution area. Cactus & Co. 12(4): 237-265, ills. [Dated Dec. 2008, received 2. 2. 2009. Partial German version published in Echinopseen 6(2): 47-62, 2009.]
- [127] Gertel, W. & Vries, J. de (2009) Ergänzende taxonomische Veränderungen infolge der Einbeziehung von *Sulcorebutia* Backeberg zu *Weingartia* Werdermann. Echinopseen 6(1): 12-23, ills.
- [128] Gilmer, K. (2009) Die Gattung *Sinningia* – ein Überblick. Avonia 27(4): 127-138, ills. [Illustrated synopsis of cultivated species.]
- [129] Gontcharova, S. B. & Gontcharov, A. A. (2009) Molecular phylogeny and systematics of flowering plants of the family *Crassulaceae*. DC. Molec. Biol. (Moscow) 43(5): 794-803.
- [130] Gontcharova, S. B. & al. (2009) Seed surface morphology in some representatives of the genus *Rhodiola* Sect. *Rhodiola* (*Crassulaceae*) in the Russian Far East. Flora (Jena) 204(1): 17-24.
- [131] González Elizondo, M. & al. (2009) Agaves. Magueyes, lechuguillas y noas del Estado de Durango y sus alrededores. Durango (MX): CIIDIR Unidad Durango / CONABIO. 163 pp., ills., maps, keys.
- [132] Goodall-Copestake, W. P. & al. (2008) The origin of a mega-diverse genus: Dating *Begonia* (*Begoniaceae*) using alternative datasets, calibrations and relaxed clock methods. Bot. J. Linn. Soc. 159: 363-380. [Omitted previously.]
- [133] Gorelick, R. (2009) Evolution of cacti is largely driven by genetic drift, not selection. Bradleya 27: 37-48.
- [134] Gotelli, M. M. & al. (2009) Pollen development and morphology in four species of *Pterocactus* (*Cactaceae*). Ann. Bot. Fenn. 46: 409-415.
- [135] Grace, O. M. & al. (2009) Taxonomic significance of leaf surface morphology in *Aloe* section *Pictae* (*Xanthorrhoeaceae*). Bot. J. Linn. Soc. 160: 418-428, ills.
- [136] Greuter, W. & Raus, T. (eds.) (2009) Med-Checklist Notulae, 28. Willdenowia 39(2): 335-345. [*Tetragonia tetragonoides* mentioned as naturalized in Israel (p. 335).]
- [137] Grieve, G. & Grieve, K. (2009) Extending *Adenia wilmsii*. Veld. Fl. (1975+) 95(4): 206-207, ills.
- [138] Griffin, K. J. (2009) The search for Madagascar's *Aloe andringitrensis* and a chance encounter with *Perrierosedium madagascariense*. Cact. Succ. J. (US) 81(4): 206-209, ills.
- [139] Griffith, M. P. (2009) Evolution of leaf and habit characters in *Opuntioideae* (*Cactaceae*): Reconstruction of ancestral form. Bradleya 27: 49-58, ills.
- [140] Griffith, M. P. & Porter, M. (2009) Phylogeny of *Opuntioideae* (*Cactaceae*). Int. J. Pl. Sci. 170(1): 107-116.
- [141] Groeninckx, I. & al. (2009) Phylogeny of the herbaceous tribe *Spermacoceae* (*Rubiaceae*) based on plastid DNA data. Ann. Missouri Bot. Gard. 96(1): 109-132.
- [142] Guglielmone, L. & al. (2009) The Italian "Succulent Flora": A taxonomical, chorological and historical approach. Boccone 23: 5-11.
- [143] Guglielmone, L. & al. (2009) Allioni's *Aloe* names (*Asphodelaceae*): Nomenclature and typification. Bothalia 39(2): 177-183, ills., maps.
- [144] Guiggi, A. (2009) Ein Beleg für das frühere Vorkommen von *Melocactus* (*Cactaceae*) auf den Galapagos-Inseln? Kakt. und. Sukk. 60(10): 264-265, ill. [See note by W. Barthlott in l.c. 61(1): 24, 2010, resolving the enigma.]
- [145] Guillot Ortiz, D. & Meer, P. van der (2009) Claves para los taxones infraespecíficos de *Agave attenuata* Salm-Dyck cultivados en España. Bouteloua 6: 134-140, ills., key.
- [146] Guillot Ortiz, D. & Meer, P. van der (2009) *Agave sisalana* Perr. ex Engelm. y sus cultivares en España. Bouteloua 6: 72-75, ills., key.
- [147] Haage, W. & Haage, U. (ed.) (2008) Kakteen von A bis Z. Köln (GE): Anaconda Verlag. 731 pp., ills. [Republished from the original edition of 1981, but with new illustrations and an appendix covering all names up to 2007.]

- [148] Habrova, H. & al. (2009) Dragon's Blood Tree – Threatened by overmaturity, not by extinction: Dynamics of a *Dracaena cinnabari* woodland in the mountains of Soqotra. Biol. Conservation 142(4): 772-778.
- [149] Haevermans, T. & al. (2009) Chaos revisited: Nomenclature and typification of the Malagasy endemic *Euphorbia* subgenus *Lacanthis* (Raf.) M. G. Gilbert. Adansonia, sér. 3, 31(2): 279-299.
- [150] Hanáček, P. (2009) [Czech:] *Caralluma hexagona* Lavranos. Adenium 22: 12-14, illus. [Included for the illustrations depicting variability.]
- [151] Hand, R. (ed.) (2009) Supplementary notes to the flora of Cyprus VI. Willdenowia 39 (2): 301-325, illus, maps. [*Crassulaceae*: p. 306.]
- [152] Hargreaves, B. J. (2008) Variation in *Euphorbia duseimata* R. A. Dyer in Botswana. Euphorbia World 4(1): 5, illus. [Omitted previously.]
- [153] Hargreaves, B. J. (2008) *Euphorbia bergii* White, Dyer & Sloane in Botswana. Euphorbia World 4(2): 27-29, illus. [Omitted previously.]
- [154] Hargreaves, B. J. (2009) *Aloe aculeata* Pole Evans in Botswana. Alsterworthia Int. 9(2): 23, illus.
- [155] Hargreaves, B. J. (2009) Rocks and the *Euphorbia schinzii* complex. Euphorbia World 5 (3): 22-24, illus., map.
- [156] Hart, G. (2009) Succulent tabloids – Baobabs in northern Australia. Cact. Succ. J. (Woolahra) 26(8): 143-149, illus. [On *Adansonia gibbosa*.]
- [157] Hartmann, H. E. K. (2009) A revision of the species of *Delosperma* (Aizoaceae) in Gauteng, South Africa. Haseltonia 15: 53-68, illus., map, key.
- [158] Hartmann, H. E. K. (2009) Phyogeography of the genus *Drosanthemum*: The distribution of subgenera. Mesemb Study Group Bull. 24(3): 58-62, maps.
- [159] Hartmann, H. E. K. & Niesler, I. M. (2009) On the evolution of nectaries in Aizoaceae. Bradleya 27: 69-120, illus.
- [160] Hayashi, M. (2009) [*Haworthia*] *obtusa* complex / section. Haworthia Study No. 20: 18-20, 22-23.
- [161] He, S.-Y. & al. (2009) *Hoya baishanensis* (Apocynaceae), a new species from Hainan, China. Ann. Bot. Fenn. 46(2): 155-158, illus. [Includes a checklist of *Hoya* distribution in China by province.]
- [162] Hearn, D. J. (2009) Descriptive anatomy and evolutionary patterns of anatomical diversification in *Adenia* (Passifloraceae). Aliso 27: 13-38.
- [163] Hearn, D. J. (2009) Developmental patterns in anatomy are shared among separate evolutionary origins of stem succulent and storage root-bearing growth habits in *Adenia* (Passifloraceae). Amer. J. Bot. 96(11): 1941-1956, illus.
- [164] Heek, W. van (2009) Was ist eigentlich *Discocactus zehntneri*? Kakt. and. Sukk. 60(1): 15-21, illus.
- [165] Helsen, P. & al. (2009) Galápagos' *Opuntia* (prickly pear) cacti: Extensive morphological diversity, low genetic variability. Biol. J. Linn. Soc. 96: 451-461, map.
- [166] Helsen, P. & al. (2009) Low levels of genetic differentiation between *Opuntia echios* varieties on Santa Cruz (Galapagos). Pl. Syst. Evol. 279: 1-10, map.
- [167] Henssen, H. H. (2009) *Notocactus auri-setus* var. *longispinus* n.n. HU 73. Internoto 30(4): 100-102, illus.
- [168] Hentzschel, G. (2009) 40 Jahre *Weingartia* oder *Sulcorebutia* – ein persönlicher Rückblick. Echinopseen 6(1): 1-8, illus. [Includes illustrations of numerous hybrids between species of *Sulcorebutia* and *Weingartia*.]
- [169] Hesse, M. & al. (2009) *Beschorneria yuccoides* and *Asimina triloba* (L.) Dun: Examples for proximal polar germinating pollen in angiosperms. Grana 48(3): 151-159.
- [170] Hochstätter, F. (2009) The genus *Hesperaloe* (Agavaceae). Cact. World 27(2): 97-106, illus., key.
- [171] Hoeve, W. ten (2009) Notes on *Mammillaria* *zublerae*. J. Mammillaria Soc. 49(4): 104-105, illus. (pp. 97-98).
- [172] Hoffmann, A. (2009) Fürst Joseph zu Salm-Reifferscheidt-Dyck: Die Publikationen. Kakt. and. Sukk. 60(11): 295-300, illus.
- [173] Hornát, M. & Hadrava, J. (2009) [Czech:] Distribution of *Jovibarba globifera* ssp. *globifera* in the south Bohemian region. SempPress No. 2: 20-21, illus.
- [174] Horner, H. T. & al. (2009) Evolution and systematic value of leaf crystal macropatterns in the genus *Peperomia* (Piperaceae). Int. J. Pl. Sci. 170(3): 343-354, illus.
- [175] Houston, D. & Stead, J. (2009) Camelhair brush confidential. Hybridizing *Fouquieria*. Cact. Succ. J. (US) 81(4): 179-190, illus. [Included for the illustrations.]
- [176] Hoxey, P. (2009) A brief review of *Cumulopuntia sphaerica*. Part 2 / Part 3. Tephrocactus Study Group 15(2): 19-27, (4): 47-54, 56-58, illus. [Continued from l.c. 14(3), 2008.]
- [177] Huaylla Limachi, L. (2009) Diversidad y distribución de la familia Cactaceae en el Departamento de Chuquisaca (Bolivia). Revisión preliminar. Bol. Soc. Latinoamer. Caribe Cact. otras Suc.

- 6(2): 18-22, ills.
- [178] Hübner, F. & Tränkle, U. (2009) *Stapelia* & Co. Sukkulente Ascleps. Pforzheim (D): Deutsche Kakteen-Gesellschaft e.V. 144 pp., ills. [= Sonderausgabe der Deutschen Kakteen-Gesellschaft e.V. Included for the illustrations.]
- [179] Hunt, D. & Taylor, N. (2009) Kew and its collections of succulent plants. Bradleya 27: 121-128, ills.
- [180] Illing, N. & al. (2009) Duplication of the Asymmetric Leaves 1 / Rough Sheath 2 / Phantastica (ARP) gene precedes the explosive radiation of the *Ruschioideae*. Developm. Genes Evol. 219 (6): 331-338.
- [181] Jaarsveld, E. J. van (2009) New *Gasteria* cultivars. Aloe 45(3): 52-55, ills. [Dated 2008, received at ZSS 3. 2. 2009. Includes numerous new cultivar names, which are not indexed separately in this database.]
- [182] Jaarsveld, E. J. van (2009) The Kaokoveld (northern Namibia) reveals new plant treasures; new records, species, and the first record of *Aloe catenigiana* Reynolds. Aloe 45(3): 56-64, ills. [Dated 2008, received at ZSS 3. 2. 2009.]
- [183] Jaarsveld, E. J. van (2009) Kleinduimpie grass. *Dregeochloa pumila*, the only succulent grass in the world. Veld. Fl. (1975+) 95(1): 19-21, ills.
- [184] Jaarsveld, E. J. van & al. (2009) *Dewinteria petrophila*. Flow. Pl. Afr. 61: 124-130, t. 2258, map.
- [185] Jacques, F. M. (2009) Survey of the *Menispermaceae* endocarps. Adansonia, sér. 3, 31 (1): 47-87, ills.
- [186] Jaekel, A. & Jaekel, F. (2009) Ein desolater Fundort bei Minas do Camaquã. Internoto 30 (3): 81-86, ills. [Illustrates flower colour variation in *Notocactus uebelmannianus* fa. *nilssonii* in habitat.]
- [187] Janeba, Z. (2009) Insect flower visitors and pollinators of cacti from the southwest USA. A contribution to the identification of insect flower visitors/pollinators of some globular cacti (tribe *Cacteae*) and Opuntias (tribes *Opuntiaeae* and *Cylindropuntiaeae*) from the southwest USA. Bradleya 27: 59-68, ills.
- [188] Janeba, Z. (2009) Hybridisation in the evolution of cacti. Cact. World 27(1): 63-65, ills.
- [189] Janeba, Z. (2009) *Sclerocactus polyancistrus* (Engelm. & J. M. Bigelow) Britton & Rose: The big-flowered giant of the genus from the Barren Lands. Cact. World 27(3): 167-176, ills. [Included for the illustrations.]
- [190] Janeba, Z. (2009) [Czech:] *Utahia sileri* v Utahu. Cactaceae etc. 19(4): 127-132, ills. [Included for the illustrations.]
- [191] Janeba, Z. & Snicer, J. (2009) *Ariocarpus retusus*: Two extreme geographical ecotypes of the Mexican Living Rock and a new northernmost record of the species. Cact. Succ. J. (US) 81(2): 78-81, ills.
- [192] Jankalski, S. (2009) The *Sanseveria* inflorescence and new sections proposed. Sansevieria No. 19: 8-10, ills.
- [193] Jankalski, S. (2009) *Sansevieria* hybrids. Sansevieria No. 20: 15-21, ills. [Several new cultivar names, not listed in this database.]
- [194] Jankalski, S. (2009) The typification of *Sansevieria arborescens*. Sansevieria No. 20: 22-26, ills.
- [195] Janssens, S. B. & al. (2009) Rapid radiation of *Impatiens* (Balsaminaceae) during pliocene and pleistocene: Result of a global climate change. Molec. Phylogen. Evol. 52: 806-824.
- [196] Ji, G.-X. & Chu, Q.-G. (2009) Developmental structure and distribution of mucilage cells in *Basella alba*. Xibei Zhiwu Xuebao 29(9): 1816-1821.
- [197] John, K. J. & al. (2009) Tuber morphology, germination behaviour and propagation efficiency in three edible *Momordica* (Cucurbitaceae) species of India. Genetic Resources Crop Evol. 56(6): 861-868, ills.
- [198] Johnson, S. B. & al. (2009) The biology of Australian weeds 53. *Cylindropuntia rosea* (DC.) Backeb. and *Cylindropuntia tunicata* (Lehm.) F. M. Knuth. Pl. Protect. Quart. 24(2): 42-49.
- [199] Johnson, S. D. & al. (2009) The incredible journey of an *Albuca* pollen grain. South Afr. J. Bot. 75(2): 406-407. [Abstract only.]
- [200] Jones, C. S. & al. (2009) Leaf shape evolution in the South African genus *Pelargonium* L'Hér. (Geraniaceae). Evolution 63(2): 479-497, ills.
- [201] Jonkers, H. A. (2009) *Stapelia hirsuta* L. in an early portrait. Bradleya 27: 139-143, ill.
- [202] Kässinger, F. (2009) *Parodia spegazziniana* Brandt. Mitteilungsbl. Inter-Parodia-Kette 26: 11-13, ills., map.
- [203] Kainulainen, K. & al. (2009) Molecular phylogenetic analysis of the tribe *Alberteae* (Rubiaceae), with description of a new genus, *Razafimandimbisonia*. Taxon 58(3): 757-768, ills., key. [Includes data on *Nematosylyis* with semi-succulent leaves.]
- [204] Kalpesh, I. & Mohan, J. S. S. (2009) Assessment of genetic diversity in the medicinal climber *Tinospora cordifolia* (Willd.) Miers (Menispermaceae) from Gujarat, India. Afr. J. Biotechnol. 8(23): 6499-6505.

- [205] Kanwal, D. & al. (2009) The seed atlas of Pakistan. I. *Aizoaceae*. *Pakistan J. Bot.* 41(4): 1557-1564.
- [206] Kiesling, R. & al. (2009) *Pterocactus gonjianii*. *Curtis's Bot. Mag.*, ser. nov., 26(1-2): 43-53, ills., t. 639.
- [207] Kiss, L. (2009) [Hungarian:] *Austrocactus* overview. *Debreceni Pozsgás-Tár* 2009(3): 9-27, ills., maps. [Included for the illustrations.]
- [208] Klein, S. H. (2009) Auf der Suche nach *Notoactus rutilans* v. *gutierrezii* – Teil 1. *Internoto* 30(1): 3-10, ills.
- [209] Klein, S. H. (2009) Auf der Suche nach *Notoactus rutilans* var. *gutierrezii* (W. R. Abraham) N. Gerloff & J. Neduchal. Teil 2. Die Malacocarpen auf Fazenda Pedregulho. *Internoto* 30(2): 34-40, ills.
- [210] Kleszewski, K.-P. (2009) Kreuzung zwischen *Astrophytum coahuilense* (Möller) Kayser und *Astrophytum capricorne* var. *senile* Fric. *Kakteenblüte* 26: 44-47, ills.
- [211] Klimko, M. & Wiland-Szymánska, J. (2008) Scanning electron microscopic studies of leaf surface in taxa of genus *Dracaena* L. (*Dracaenaceae*). *Bot. Steciana* 12: 1-22, ills. [Omitted previously.]
- [212] Klopper, R. R. & al. (2009) *Aloe* in Angola (*Asphodelaceae: Alooideae*). *Bothalia* 39(1): 19-35, maps, keys.
- [213] Klopper, R. R. & al. (2009) The genus *Aloe* L. (*Asphodelaceae: Alooideae*) in the Free State Province of South Africa. *Haseltonia* 15: 41-52, ills., maps, key.
- [214] Kock, D. de (2009) Random notes on *Ceropagia*. *Asklepios* No. 105: 23-28, ills.
- [215] Köllner, G. & Wittau, H.-J. (2009) Der Formenkreis um *Lobivia caespitosa*. *Echinopseen* 6(1): 26-35, ills., map.
- [216] Konings, G. & Konings, A. (2009) Cacti of Texas in their natural habitat. El Paso (US): Cichlid Press. 216 pp., ills., maps.
- [217] Kumar, R. S. & al. (2009) Molecular characterization of *Jatropha* genetic resources through inter-simple sequence repeat (ISSR) markers. *Molec. Biol. Rep.* 36(7): 1951-1956.
- [218] Kunath, C. (2009) In cultivation: *Euphorbia nana* Royle (syn. *Euphorbia panchganiensis* Blatt. & McCann ex Blatt.). *Euphorbia World* 5 (1): 10-11, ills. [Included for the flower illustrations.]
- [219] Kurzweil, H. & Burgoyne, P. (2009) Closing bodies in the capsular fruits of *Ruschioidae* (*Aizoaceae*) – a review. *Bothalia* 39(1): 107-116, ills.
- [220] Kyndt, T. & al. (2009) Spatial genetic structuring of Baobab (*Adansonia digitata*, *Malvaceae*) in the traditional agroforestry systems of West Africa. *Amer. J. Bot.* 96(5): 950-957, map.
- [221] Lamb, B. M. & al. (2009) Moroccan Asclepiads following autumn storms. *Cact. Succ. J. (US)* 81(5): 240-255, ills., map. [Includes a synopsis of Moroccan succulents.]
- [222] Las Peñas, M. L. & al. (2009) Karyotypes, heterochromatin, and physical mapping of 18S-26S rDNA in *Cactaceae*. *Cytogenet. Genome Res.* 124: 72-80.
- [223] Lens, F. & al. (2009) Vessel grouping patterns in subfamilies *Apocynoideae* and *Periplocoideae* confirm phylogenetic value of wood structure within *Apocynaceae*. *Amer. J. Bot.* 96(12): 2168-2183, ills.
- [224] Linzen, T. (2009) The mystery of *M. (americana) yoloensis* n.n. *J. Mammillaria Soc.* 49(1): 5-7, ills. (pp. 13-15).
- [225] Linzen, T. & Appenzeller, O. (2009) Ergänzungslieferung zum Werk Die Mammillarien (LBS-Lieferung 2008). Mesendorf (GE): Arbeitskreis für Mammillarienfreunde. 40 loose sheets, ills. [Dated 2008 but published in April 2009.]
- [226] Lisowski, S. (2009) Flore (Angiospermes) de la République de Guinée. Meise (BE): Jardin Botanique National de Belgique. [= Scripta Botanica Belgica, Vol. 41 (2 parts, text and illustrations).]
- [227] Loaiza Salazar, C. R. (2008) Distribución y estado poblacional de *Melocactus bellavistensis* (*Caryophyllales: Cactaceae*), con notas sobre su proceso reproductivo en el valle de Catamayo, provincia de Loja. *Arnaldoa* 15: 1-19. [Omitted previously.]
- [228] Loaiza Salazar, C. R. (2009) Revisión del género *Melocactus* en el sur del Ecuador – Análisis biogeográfico, distribución y conservación. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 6(1): 7-8, ill.
- [229] Loaiza Salazar, C. R. & al. (2009) Estado del conocimiento de la familia *Cactaceae* en el Ecuador. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 6(3): 11-22, ills., map.
- [230] Lodé, J. (2009) Le genre *Peniocereus* (Berg) Britton & Rose. *Cact. Succ.* 1(1): 20-24, ills., map. [Illustrated synopsis.]
- [231] Lodé, J. (2009) Flowering after 29 years: *Opuntia salvadorensis*. *Int. Cact.-Advent.* No. 82: 19, ills. [Included for the illustrations.]
- [232] Loflin, B. & Loflin, S. (2009) Texas cacti. Texas (US): A&M University Press. xv + 291 pp., ills., maps. [= W. L. Moody Jr. Natural History Series, No. 42.]
- [233] Lokhande, V. H. & al. (2009) *Sesuvium portulacastrum* (L.) L. A promising halophyte: Cultivation, utilization and distribution in India. *Genetic Resources Crop Evol.* 56(5): 741-747.

- [234] Lokhande, V. H. & al. (2009) Morphological and molecular diversity analysis among the Indian clones of *Sesuvium portulacastrum* L. Genetic Resources Crop Evol. 56(5): 705-717.
- [235] Lozada Castillo, J. W. (2009) Cactáceas de la Provincia de Tumbes, Tumbes, Perú. Quepo No. 23: 70-69, illus., maps.
- [236] Lüthy, J. (2009) Eine interessante *Mammillaria*-Hybride: *M. plumosa* × *M. schiedeana* subsp. *giselae*. Kakt. and. Sukk. 60(4): 85-88, illus.
- [237] Lüthy, J. (2009) Winterharte *Phemeranthus*-Arten (*Portulacaceae*) aus Kanada, USA und Mexiko. Kakt. and. Sukk. 60(8): 197-200, illus. [Included for the illustrations.]
- [238] Lv, L. & al. (2009) Determination of chromosomal ploidy in *Agave* spp. Afr. J. Biotechnol. 8(20): 5248-5252.
- [239] Maarseveen, C. van & Jetter, R. (2009) Composition of the epicuticular and intracuticular wax layers on *Kalanchoe daigremontiana* (Hamet et Perr. de la Bathie) leaves. Phytochemistry 70 (7): 899-906.
- [240] Machado, M. (2009) *Apodanthera*, caudiciform cucumbers of Bahía, Brazil. Cact. Succ. J. (US) 81(3): 147-149, illus.
- [241] Machado, M. (2009) The genus *Melocactus* in eastern Brazil: Part 1 – an introduction to *Melocactus*. Cact. World 27(1): 5-20, illus.
- [242] Maddams, B. (2009) *Mammillaria* species GX919. J. Mammillaria Soc. 49(4): 100-101, ill. (p. 95). [On a possible *Mammillaria mammillaris* from Colombia.]
- [243] Mahr, D. L. (2009) Some succulent trees of Bahía and Minas Gerais, Brazil. Cact. Succ. J. (US) 81(3): 138-146, illus. [Included for the illustrations.]
- [244] Mahr, S. (2009) Hummingbirds like cacti, too. Cact. Succ. J. (US) 81(3): 130-136, illus.
- [245] Manning, J. C. & al. (2009) A molecular phylogeny and a revised classification of *Ornithogalioideae* (*Hyacinthaceae*) based on an analysis of four plastid DNA regions. Taxon 58(1): 77-107, illus., key.
- [246] Marx, G. (2009) *Euphorbia polygona* 'Snowflake' in the wild. Aloe 46(3): 59-61, illus.
- [247] Marx, G. (2009) *Haworthia emelyae*, the 'Klein Karoo Kliprosie'. Aloe 46(4): 76-95, illus., map.
- [248] Marx, G. (2009) A few notes on *Haworthia devriesii* Breuer. Alsterworthia Int. 9(1): 10-12, illus.
- [249] Marx, G. (2009) Bastard beauties. Alsterworthia Int. 9(3): 2-12, illus. [Numerous new *Haworthia* cultivars based on hybridisation in cultivation, not indexed separately in this RPS.]
- [250] Marx, G. (2009) Some thoughts and observations regarding the *H. [aworthia] marumiana*, *H. archeri* and *H. nortieri* groups. Haworthiad 23(1): 12-19, illus.
- [251] Massow, M. (2009) Die lang ersehnte Fahrt zum Toroweap Point. Echinocereenfreund 22(2): 49-54, illus. [On hybrids *Echinocereus toroweapensis* × *E. engelmannii*.]
- [252] Masterson, M. (2009) Anmerkungen zu / Some comments on *Mammillaria cobrensis*. Mitteilungsbl. AfM 33(2): 98-100, illus.
- [253] Mathieu, G. (2009) Proposal to conserve the name *Tildenia mexicana* (*Peperomia mexicana*) against *Peperomia galeottiana* (*Piperaceae*). Taxon 58(4): 1374-1375.
- [254] Matulová, R. (2009) *Lenophyllum guttatum* (Rose) Rose. Avonia-News 2009(5): 3-4, illus. [Included for the illustrations.]
- [255] Matulová, R. (2009) [Czech]: The Argentinian *Echeveria peruviana* Meyen (1834) and the confusions around it. Cactaceae etc. 19(1): 17-19, illus.
- [256] Matuszewski, G. (2009) Die Coryphanthen aus dem Kreis der *Coryphantha echinus* (Engelm.) Britton & Rose. Mitteilungsbl. AfM 33(4): 200-207, illus.
- [257] Mays, H. (2009) Hybrids & cultivars of the succulent Asphodelaceae. Volume 1. *Aloe*, *Astroloba*, *Bulbine*, *Gasteria* & nothogenera. St Michaels on Wyre (GB): Harry Mays. 80 pp., illus.
- [258] McLellan, T. & al. (2009) *Begonia homonyma*. Flow. Pl. Afr. 61: 76-82, t. 2251, map.
- [259] Medhanie, G. (2009) Notes on *Sansevieria* from Eritrea: A lost or new species. Sansevieria 21: 20-24, illus.
- [260] Mehwald, A. (2009) Ein Mexikaner in der Felswand? Überraschende Entdeckungen auf Kuba. Kakt. and. Sukk. 60(6): 160-164, illus. [Original version: Kaktusy 44(3): 91-93, illus., 2008.]
- [261] Meier, E. (2009) Hybriden der Gattung *Hilocereus* – Teil 1. Intergenerische Hybriden. EPIG No. 64: 20-28, illus.
- [262] Meissner, K. (2009) Lobivien in Nordchile. Echinopseen 6(2): 63-65, illus., map.
- [263] Méndez, E. (2009) Variación estructural y hábitat de poblaciones de *Gymnocalycium schickendantzii* (Cactaceae) en Mendoza, Argentina. Efecto de las plantas nurses. Revista Fac. Ci. Agrar. Univ. Nac. Cuyo 41(2): 1-11.
- [264] Meve, U. (2009) *Baynesia* und *Socotrella* – noch wenig bekannte Taxa der *Stapeliinae*. Kakt. and. Sukk. 60(8): 211-214, illus.
- [265] Middleditch, H. (ed.) (2009) What is *Echinopsis minuana*? Chileans 21(67): 11-22, illus. [Dated 2008, received at ZSS 11. 2. 2009.]

- [266] Middleton, D. J. (2009) A revision of *Aeschynanthus* (*Gesneriaceae*) in Cambodia, Laos and Vietnam. *Edinburgh J. Bot.* 66(3): 391-446, key, maps, illus.
- [267] Midgley, J. J. & Iling, N. (2009) Were Malagasy *Uncarina* fruits dispersed by the extinct elephant bird? *South Afr. J. Sci.* 105(11-12): 467-469.
- [268] Mieczkowski, M. (2007) Stoneczna ajlostera. *Swiat Kakt.* 41(1): 20-27, illus. (3 unnumbered pages preceding p. 19 and following p. 22). [Omitted previously.]
- [269] Miklánek, M. (2009) [Czech:] The type locality of *Jovibarba globifera* ssp. *hirta* var. *glabrescens* in Bratislava. *SempPress No. 2:* 24-25, illus.
- [270] Minuth, W. (2009) Variation in *Euphorbia francoisii* Leandri. *Euphorbia World* 5(1): 20-23, illus.
- [271] Möller, M. & al. (2009) A preliminary phylogeny of the 'didymocarpoid *Gesneriaceae*' based on three molecular data sets: Incongruence with available tribal classifications. *Amer. J. Bot.* 96 (5): 989-1010. [Includes data on *Chirita*.]
- [272] Montanucci, R. R. (2009) Infrageneric taxonomy of *Astrophytum* (*Cactaceae*), with remarks on the status of *Digitostigma*. *J. Bot. Res. Inst. Texas* 3(1): 251-256.
- [273] Moran, R. V. (2009) *Crassulaceae*. In: FNA Editorial Committee: Flora of North America north of Mexico. Volume 8: 147-168, 171-199, 224-229, illus., maps, keys. New York (US): Oxford University Press.
- [274] Morawetz, J. J. (2009) *Euphorbia* seed atlas – part 1. *Euphorbia World* 5(3): 26-29, illus.
- [275] Morree, J. J. de (2009) Aeoniums op La Palma. *Succulenta* 88(5): 198-208, illus.
- [276] Mort, M. E. & al. (2009) Analyses of cpDNA matK sequence data place *Tillaea* (*Crassulaceae*) within *Crassula*. *Pl. Syst. Evol.* 283: 211-217.
- [277] Mosco, A. (2009) Micro-morphology and anatomy of *Turbinicarpus* (*Cactaceae*) spines. *Revista Mex. Biodivers.* 80: 119-128, illus.
- [278] Mota Lambert, S. (2009) *Tacinga*, the hummingbird-pollinated prickly pear. *Cact. Succ. J. (US)* 81(3): 156-161, illus. [Included for the illustrations depicting variability.]
- [279] Müller, K. & Neumann, P. (2009) *Echinopsis* (*Lobivia*) *caineana* (Cárd.) Hunt. Das Pflanzenporträt. *Echinopseen* 6(2): 69-76, illus., map.
- [280] Mugaburu, D. M. (2009) New populations of *Cylindropuntia* ×*viridiflora* (*Cactaceae*) in Canyon de Chelly National Monument, Arizona. *Haseltonia* 15: 108-116, illus., map.
- [281] Munguía-Rosas, M. A. & al. (2009) Removal of *Pilosocereus leucocephalus* (*Cactaceae*, tribe *Cereeae*) seeds by ants and their potential role as primary seed dispersers. *J. Arid Environm.* 73: 578-581.
- [282] Munguía-Rosas, M. A. & al. (2009) Specialization clines in the pollination systems of Agaves (*Agavaceae*) and columnar cacti (*Cactaceae*): A phylogenetically controlled meta-analysis. *Amer. J. Bot.* 96(10): 1887-1895.
- [283] Muro Pérez, G. & al. (2009) Algunos aspectos sobre el nodrizaje en *Astrophytum myriostigma* Lem. (1839) (*Cactae* [sic!]: *Cactaceae*), en la Sierra El Sarnoso, Durango, México. *Nakari* 20 (3): 43-48.
- [284] Nassar, J. M. & Emaldi, U. (2009) Fenología reproductiva y capacidad de regeneración natural de dos cardones venezolanos con potencial agroecológico, *Stenocereus griseus* (Haw.) Buxb. y *Cereus repandus* (L.) Mill. (*Cactaceae*). *Acta Bot. Venez.* 31(2): 495-528, map. [Dated 2008, received at K 14. 4. 2009.]
- [285] Nee, M. & al. (2009) The relationship between *Anisosperma* and *Fevillea* (*Cucurbitaceae*), and a new species of *Fevillea* from Bolivia. *Syst. Bot.* 34(4): 704-708, illus., key.
- [286] Neuhuber, G. J. A. (2009) *Gymnocalycium bruchii* (Speg.) Hosseus: Geografische und morphologische Radiation mit taxonomischer Gliederung. Teil 1 / Teil 2. *Gymnocalycium* 22(1): 839-850, (3): 867-876, illus., map.
- [287] Newton, L. E. (2008) The distribution of *Euphorbia sebsebei*. *Euphorbia World* 4(1): 18-19, illus. [Omitted previously.]
- [288] Newton, L. E. (2009) Where is the type locality of *Caralluma subterranea*? *Asklepios* 103: 7-8, ill., map. [Dated Dec. 2008, received at ZSS 3. 3. 2009.]
- [289] Newton, L. E. (2009) The identity of *Sansevieria arborescens* (*Ruscaceae*), with an amplified description, and description of a new species. *Bradleya* 27: 153-158, illus.
- [290] Newton, L. E. (2009) A sense of history. *Sansevieria* 19: 20. [On *Sansevieria grandiceps*.]
- [291] Newton, L. E. (2009) Comments on "*Sansevieria bacularis*". *Sansevieria* 21: 15-16.
- [292] Norton, C. (2009) More 'cereously' big plants. *Cact. World* 27(2): 81-87, illus. [Included for the illustrations.]
- [293] Nyhuus, T. (ed.) (2009) Artbeskrivningar. *Hoya nabawanensis*, *Hoya pandurata*, *Hoya davidecummingii*. *Hoyatelegrafen* 16(1): 4-17, illus.
- [294] Nyhuus, T. (ed.) (2009) Artbeskrivningar. *Hoya parvifolia*, *Hoya inflata*, *Hoya micrantha*. *Hoyatelegrafen* 16(2): 4-19, illus.
- [295] Nyhuus, T. (ed.) (2009) Artpresentationer.

- Hoya cinnamomifolia* var. *cinnamomifolia*. *Hoya cinnamomifolia* var. *purpureofusca*. *Hoya burmannica*. Hoyatelegrafen 16(3): 4-15, illus.
- [296] Nyhuus, T. (ed.) (2009) Artbeskrivningar. *Hoya wightii* subsp. *palmensis*. *Hoya densifolia*. *Hoya cumingiana*. Hoyatelegrafen 16(4): 4-16, illus.
- [297] Oberlander, K. C. & al. (2009) A model of bulb evolution in the eudicot genus *Oxalis* (*Oxalidaceae*). Molec. Phylogen. Evol. 51: 54-63.
- [298] Odehnal, J. (2009) [Czech]: *Notocactus sessiliflorus* (Mackie ex Hooker) Krainz. Kaktusy 45(3): 102-103, illus., map. [Included for the illustrations.]
- [299] Odehnal, J. (2009) [Czech:] *Gymnocalycium marsoneri* Y. Ito. Kaktusy 45(4): 134-137, illus., map.
- [300] Ogburn, R. M. & Edwards, E. J. (2009) Anatomical variation in *Cactaceae* and relatives: Trait liability and evolutionary innovation. Amer. J. Bot. 96(2): 391-408, illus.
- [301] Ohba, H. (2009) *Crassulaceae: Sedum*. In: FNA Editorial Committee: Flora of North America north of Mexico. Volume 8: 199-222, illus., maps, keys. New York (US): Oxford University Press.
- [302] Ohr, M. & Ohr, A. (2009) Das Farbspiel der Echinocereen von Orogroande. Rosstal (GE): Published by the authors. 80 pp., illus.
- [303] Ollerton, J. & al. (2009) Fly pollination in *Ceropegia* (*Apocynaceae: Asclepiadoideae*): Biogeographic and phylogenetic perspectives. Ann. Bot. (Oxford) 103: 1501-1514, illus.
- [304] Orr, A. (2009) Invalid names in the genus *Lophophora*. Kakt. Vilag 33(3): 126-133, illus.
- [305] Ostolaza, C. (2009) *xHaagespostaos*. Quepo No. 23: 64-69, illus., map.
- [306] Ostolaza, C. & al. (2009) Cacti of the Chancay and Chillón river basins, Lima, Peru: A research and conservation study. Cact. World 27 (1): 39-50, illus., map.
- [307] Pamidimari, D. V. N. S. & al. (2009) Genetic divergence and phylogenetic analysis of genus *Jatropha* based on nuclear ribosomal DNA ITS sequence. Molec. Biol. Rep. 36(7): 1929-1935.
- [308] Paterson, L. D. & al. (2009) Using molecular methods to determine the origin of weed populations of *Pereskia aculeata* in South Africa and its relevance to biological control. Biol. Control 48(1): 84-91.
- [309] Paton, A. J. & al. (2009) *Lamiaceae (Labiatae)*. In: Beentje, H. J. & Ghazanfar, S. A. (eds.): Flora of Tropical East Africa. Richmond (GB): Royal Botanic Gardens, Kew.
- [310] Pautz, F. (2009) Quelques observations sur les Cactacées endémiques des Galápagos. Terra Seca 2009(4): 12-23, illus.
- [311] Pedraza-Peña, P. (2009) Systematics of the neotropical Blueberry genus *Disterigma* (*Ericaceae*). Syst. Bot. 34(2): 406-413, illus. [Includes data on the phylogeny of *Sphyrospermum*.]
- [312] Peters, E. M. & al. (2009) The adaptive value of cued seed dispersal in desert plants: Seed retention and release in *Mammillaria pectinifera* (*Cactaceae*), a small globose cactus. Amer. J. Bot. 96(2): 537-541, illus.
- [313] Piccione, G. M. (2009) Transparencies in *Lithops*. Mesemb Study Group Bull. 24(3): 48, 50-51, illus. [Photographs of *Lithops* spp. "windows".]
- [314] Pino, G. & Nelson, C. (2009) The *Crassulaceae* of Cajamarca, Peru. Haseltonia 15: 3-26, illus.
- [315] Pinto, R. & Kirberg, A. (2009) Cactus del extremo norte de Chile. Santiago (CL): Raquel Pinto Bahamonde. 246 pp., illus., maps.
- [316] Pinto, R. & Luebert, F. (2009) Data on the vascular flora of the coastal desert of Arica and Tarapacá, Chile, and its phytogeographical relationships with southern Peru. Gayana, Bot. 66(1): 28-49. [Includes data on *Tetragonia crystallina*.]
- [317] Plein, W. & Rogozinski, H. (2009) Zur Verbreitung und Klassifizierung der Mammillarien der Reihe *Mammillaria* in Nordwestmexiko, Teil 3 / Teil 4 / Teil 5. Mitteilungsbl. AfM 33(1): 14-25, (3): 130-135, (4): 178-197, illus., map. [Continued in l.c. 34.]
- [318] Plowes, D. (2009) The Transkei *Orbea* saga. Asklepios No. 105: 9-18, illus.
- [319] Popov, G. (2009) [Russian:] A revision of *Tephrocactus weberi* (Speg.) Backeb. Kakt. Klub 2009(1-2): 9-19, illus., map.
- [320] Pot, J. (2009) I dati morfologici di / Morphological data of *Weingertia* and *Sulcorebutia*. Cactus & Co. 13(2): 12-29, illus.
- [321] Pot, J. (2009) Sleutel voor planten van het geslacht *Weingertia* (*Sulcorebutia*). Succulenta 88 (3): 132-138, illus.
- [322] Potgieter, C. J. & al. (2009) Pollination of *Plectranthus* spp. (*Lamiaceae*) with sigmoid flowers in southern Africa. South Afr. J. Bot. 75 (4:Spec.Ed.): 646-659.
- [323] Powys, G. (2009) *Euphorbia scheffleri* with a difference. Euphorbia World 4(3): 14-15, illus. [Dated Dec. 2008, received at ZSS 16. 3. 2009.]
- [324] Pritchard, A. & Pritchard, D. (2009) *Euphorbia albertainis*? Euphorbia World 5(2): 10-12, illus., map.
- [325] Pritchard, D. & Pritchard, A. (2009) Some unusual *Euphorbia obesa* ssp. *symmetrica* plants. Euphorbia World 4(3): 20-23, illus. [Dated Dec. 2008, received at ZSS 16. 3. 2009. Included for the illustrations.]

- [326] Probatova, N. S. & al. (2009) [Chromosome counts] In: Marhold, K. (ed.): IAPT/IOPB chromosome data 8. *Taxon* 58(4): 1284-1288. [Data for *Sedum acre*, confirming $2n=16$.]
- [327] Ramdhani, S. & al. (2009) Molecular phylogenetic studies in *Haworthia* Duval (*Asphodelaceae*). *Alsterworthia Int.* 9(3): 13-17, ills.
- [328] Randal, M. (2008) A look at *Hoya* sections. Part 1 / Part 2. *Stemma* 2(3): 10-52, (4): 14-32, ills. [Continued l.c. 3(1), 2009. Omitted previously.]
- [329] Randal, M. (2009) A look at *Hoya* sections. Part 3 / Part 4. *Stemma* 3(1): 5-15, (2): 12-28, ills. [Continued from l.c. 2(4), 2008.]
- [330] Rebmann, N. (2009) Les Euphorbes des îles Canaries et de Madère. *Cact. Succ.* 1(1): 25-31, ills., map. [Illustrated synopsis.]
- [331] Rebmann, N. (2009) [Czech:] The correct name for a Madagascan species of *Aloe*. *Kaktusy* 45(2): 59, ills. [On the names *Aloe edouardii* and *A. fianarantsoae*.]
- [332] Reveal, J. L. (2009) Proposal to conserve *Melianthaceae*, nom. cons., against *Francoaceae* (*Magnoliophyta*), a "superconservation" proposal. *Taxon* 58(4): 1373-1374.
- [333] Reveal, J. L. & Jarvis, C. E. (2009) Typification of names of temperate North American plants proposed by Linnaeus. *Taxon* 58(3): 977-894. [Includes data on *Agave virginica*.]
- [334] Ribbens, E. & Flores, V. L. (2009) *Opuntia fragilis* in Iowa. *Cact. Succ. J. (US)* 81(1): 9-13, ills., map.
- [335] Richtr, V. (2009) [Czech:] *Jatropha* sp. Río Paichu – possibly a new species from Bolivia. *Adenium* 22: 15-17, ills.
- [336] Rideout-Hanzák, S. & al. (2009) *Echinocereus viridiflorus* var. *viridiflorus* mortality in shortgrass plains of Texas: Observations following wildfire and drought. *Haseltonia* 15: 102-107, ills.
- [337] Riegerszki, Z. & Ríha, J. (2009) [Czech:] *Melocactus matanzanus* León subsp. *matanzanus* a *Melocactus matanzanus* subsp. *actinacanthus* (Areces) Rigerszki et Ríha. Two nice small melocacti from central Cuba. *Kaktusy* 45(1): 12-16, ills.
- [338] Rischer, W. (2009) *Echinocereus palmeri* Britton & Rose und seine Unterarten. *Echinocereenfreund* 22(2): 32-44, ills., map.
- [339] Rischer, W. (2009) *Echinocereus huitcholensis* - *acifer* - *ortegae*. *Echinocereenfreund* 22(3): 60-77, ills., map.
- [340] Rodríguez-Garay, B. & al. (2009) Morphological and molecular diversity of *Agave tequilana* Weber var. Azul and *Agave angustifolia* Haw. var. Lineño. *Industr. Crops Prod.* 29: 220-228.
- [341] Rogozinski, H. (2009) Eine vergleichende Betrachtung von *M. [ammillaria] orcuttii* Böd. und *M. amajacensis* Christian Brachet & Michael LaCoste. *Mitteilungsbl. AfM* 33(3): 124-129, ills.
- [342] Rogozinski, H. (2009) *M. [ammillaria] sinforosensis* and *M. sinforosensis* ssp. *marionae* Linzen & Schumacher. *Mitteilungsbl. AfM* 33(4): 210-223, ills.
- [343] Rojas-Sandoval, J. & Meléndez-Ackerman, E. (2009) Pollination biology of *Harrisia portoricensis* (Cactaceae), an endangered Caribbean species. *Amer. J. Bot.* 96(12): 2270-2278, ills.
- [344] Rojas-Sandoval, J. (2009) Avances sobre la historia natural de *Harrisia portoricensis*, un cactus endémico y amenazado en Isla de Mona. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 6(3): 27-29, ills.
- [345] Roux, J. & al. (2009) Results of a disease investigation of *Aloe dichotoma* in Goegap Nature Reserve, South Africa. *South Afr. J. Bot.* 75(2): 418-419.
- [346] Rowley, G. D. (2009) Charles Darwin's succulent plants. *Bradleya* 27: 3-12, ills.
- [347] Rowley, G. D. (2009) Girolamo Molon and his "lost" *Yucca* book. *Cact. Succ. J. (US)* 81(5): 230-234, ills.
- [348] Rowley, G. D. (2009) *Rebutia* reappraised. *Cact. World* 27(2): 88-90, ills.
- [349] Rowley, G. D. (2009) *Gymnocalycium* in cultivation – a survey of cultivars. *Haseltonia* 15: 80-101, ills.
- [350] Ruinaard, H. (2009) Wie unterscheidet man *Echinocereus bonkeriae*, *Echinocereus engelmannii* ssp. *fasciculatus*, *Echinocereus fendleri* ssp. *rectispinus*. *Echinocereenfreund* 22(4): 94-106, ills.
- [351] Ruinaard, H. (2009) *Echinocereus pensilis*: Ter nagedachtenis aan Jan Essers. *Succulenta* 88(2): 61-64, ills. [Included for the illustrations.]
- [352] Ruinaard, H. (2009) *Anacampseros vanthielii*. *Succulenta* 88(2): 80-83, ills.
- [353] Rulkens, A. J. H. & Baptista, O. J. (2009) Field observations and local uses of the poorly known *Sansevieria pedicellata* from Manica province in Mozambique. *Sansevieria* No. 20: 2-7, ills.
- [354] Rulkens, A. J. H. & Baptista, O. J. (2009) Field impressions and ethno-veterinary plant use of *Sansevieria hallii* and related species in central Mozambique. *Sansevieria* No. 21: 8-14, ills.
- [355] Saldivia, P. (2009) Cactáceas de la Patagonia Chilena: Historia, distribución y antecedentes sobre sus estados de conservación. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 6(2): 15-18, ills., maps.
- [356] Salengue, E. & Salengue, D. (2009) No-

- tocactus erinaceus* (Haworth) Krainz mit zwei Blütenfarben. Internoto 30(4): 114, ills.
- [357] Samek, R. (2009) *Euphorbia larica* in the United Arab Emirates. Euphorbia World 5(2): 5-7, ills.
- [358] Sánchez-Martínez, E. & al. (2009) *Mammillaria herrerae* Werderm., eine mexikanische Art kurz vor der Ausrottung / a Mexican species on the brink of extinction. Mitteilungsbl. AfM 33 (1): 26-37, (2): 70-79, ills., map. [English version also published in J. Mammillaria Soc. 49(2): 30-34, 39, (3): 73-80, ills., 2009; Czech version published in Kaktusy 45(4): 128-131, 2009.]
- [359] Sánchez-Teyer, F. & al. (2009) Genetic variability of wild *Agave angustifolia* populations based on AFLP: A basic study for conservation. J. Arid Environm. 73: 611-616.
- [360] Santa Anna del Conde Juárez, H. & al. (2009) Biogeographic analysis of endemic cacti of the Sierra Madre Oriental, Mexico. Biol. J. Linn. Soc. 97: 373-389, map.
- [361] Santecchia, S. H. & Rajal, M. V. (2009) *Yavia cryptocarpa*. First observations on the ecology of the species / prime osservazioni sull'ecologia della specie. Cactus & Co. 13(3): 21-37, ills.
- [362] Sasaki, Y. & al. (2009) Rapid and sensitive detection of *Lophophora williamsii* by loop-mediated isothermal amplification. Biol. Pharm. Bull. 32(5): 887-891.
- [363] Schädlich, V. (2009) *Gymnocalycium chiquitanum* Cárdenas, eine gut bekannte Art aus der Serranía de Chiquitos. *Gymnocalycium* 22(3): 877-882, ills., map.
- [364] Schäferhoff, B. & al. (2009) *Caryophyllales* phylogenetics: Disentangling *Phytolaccaceae* and *Molluginaceae* and description of *Microteaceae* as a new isolated family. Willdenowia 39(2): 209-228.
- [365] Scheinvar, L. & al. (2009) Diez especies mexicanas productoras de Xoconostles: *Opuntia* spp. y *Cylindropuntia imbricata* (Cactaceae). México D.F. (MX): Universidad Nacional Autónoma de México, Instituto de Biología. 180 pp., ills.
- [366] Schlegel, U. (2009) The composite structure of cactus spines. Bradleya 27: 129-138, ills.
- [367] Schlumberger, B. O. & al. (2009) Extreme variation in floral characters and its consequences for pollinator attraction among populations of an Andean cactus. Ann. Bot. (Oxford), n.s. 103: 1489-1500.
- [368] Schmid, J. (2009) *Adenia glauca* - Pflegehinweise für eine südafrikanische Sukkulente. Kakt. and. Sukk. 60(3): 71-75, ills. [Included for the illustrations of flowers and fruits.]
- [369] Schmidt, S. (2009) *Pediocactus bradyi* subsp. *winkleri* in der Natur. Kakt. and. Sukk. 60 (1): 7-10, ills. [Included for the illustrations.]
- [370] Schmied, R. (2009) *Brachystelma dinteri* aus dem südlichen Afrika. Kakt. and. Sukk. 60 (12): 324-326, ills. [Included for the illustrations.]
- [371] Schönenberger, J. (2009) Comparative floral structure and systematics of *Fouquieriaceae* and *Polemoniaceae* (*Ericales*). Int. J. Pl. Sci. 170 (9): 1132-1167, ills.
- [372] Schrempf, E. (2009) Gedanken zur Gattung *Coryphantha*. Mitteilungsbl. AfM 33(2): 60-69, ills.
- [373] Schrempf, E. (2009) Zur Verbreitung von *Coryphantha kracikii* J. J. Halda et al. Mitteilungsbl. AfM 33(3): 138-139, ills.
- [374] Schrempf, E. (2009) *Escobaria grata* Kaplan et al. Mitteilungsbl. AfM 33(4): 172-176, ills.
- [375] Schulz, R. (2009) *Haworthia* for the collector. San Bruno (US): Schulz Publishing. 240 pp., ills. [Included for the superb illustrations.]
- [376] Seda, V. (2009) [Czech:] *Sulcorebutia krahni* Rausch. Cactaceae etc. 19(3): 89-91, ills. [Illustrating variability.]
- [377] Serebryanaya, A. & Shipunov, A. (2009) Morphological variation of plants on the uprising islands of northern Russia. Ann. Bot. Fenn. 46(2): 81-89. [Includes data on *Rhodiola rosea*.]
- [378] Shimpale, V. B. & Yadav, S. R. (2009) New records to the flora of Great Nicobar Island. J. Econ. Taxon. Bot. 33(2): 430-433. [Includes *Hoya globulosa*.]
- [379] Simonsson, N. E. (2009) *Dischidia hirsuta* – en liten skönhet. Hoyatelegrafen 16(3): 22-27, (4): 4, ills. [Illustrating variability.]
- [380] Singh, K. & al. (2009) Assessing relationships between *Oscularia* (Aizoaceae) and possible sister taxa using pollen. South Afr. J. Bot. 75(2): 440.
- [381] Sklaney, M. R. & al. (2009) Characterization of polymorphic microsatellite loci in *Yucca filamentosa*. Molec. Ecol. Resources 9(3): 894-896.
- [382] Slaba, R. (2009) [Czech:] *Lobivia jajoana* Backeb. – a species from the high mountains of northern Argentina. Kaktusy 45(4): 111-117, ills. [Included for the illustrations depicting flower colour variations.]
- [383] Slaba, R. (2009) Bolvíe – kaktusarský kaleidoskop slovem a obrazem. Kaktusy 45 (Speciál 1): 67 pp., ills. [Included for the illustrations. Also published in a German edition.]
- [384] Sliwińska, E. & al. (2009) Measuring genome size of desert plants using dry seeds. Botany 87: 127-135.
- [385] Smith, C. I. & al. (2009) Host specificity and reproductive success of yucca moths (*Tegeticula* spp. *Lepidoptera: Prodoxidae*) mirror patterns of gene flow between host varieties of

- the Joshua Tree (*Yucca brevifolia*: *Agavaceae*). Molec. Ecol. 18(24): 5218-5229.
- [386] Smith, G. F. & Figueiredo, E. (2009) *Aloe arborescens* Mill. (*Asphodelaceae*) is spreading in Portugal. Bradleya 27: 165-167, illus.
- [387] Smith, G. F. & al. (2009) *Aloe pronkii*. Flow. Pl. Afr. 61: 2-6, t. 2241, map.
- [388] Snicer, J. & al. (2009) The littlest *Lophophora*. Cact. Succ. J. (US) 81(6): 294-300, illus., key. [On *Lophophora alberto-vojtechii*. Includes a key to the taxa of the genus.]
- [389] Snicer, J. & al. (2009) [Czech]: The smallest *Lophophora* – *Lophophora alberto-vojtechii* J. Bohata, V. Mysák & J. Snicer. Kaktusy 45(2): 60-65, illus.
- [390] Sofiatti, P. & Angyalossy, V. (2009) Increased water storage capacity in cactus wood: A study in the tribe *Cereeae* (*Cactoideae*, *Cactaceae*). Haseltonia 15: 17-32, illus.
- [391] Solichon, J. M. (2009) *Kalanchoe marnieriana*. Cact. Succ. 1(2): 66-67, illus.
- [392] Solórzano, S. & al. (2009) Isolation, characterization and cross-amplification of polymorphic microsatellite loci in the threatened endemic *Mammillaria crucigera* (*Cactaceae*). Molec. Ecol. Resources 9: 156-158.
- [393] Staník, R. (2009) [Czech]: *Neopoteria confinis* (Ritter) Donald et Rowley from Barranquillas. Cactaceae etc. 19(1): 3-5, illus.
- [394] Staník, R. (2009) [Czech]: *Thelocepha lembckei* (Backeberg) Ritter. Cactaceae etc. 19(4): 123-126, illus.
- [395] Stephenson, R. (2009) Sukkulanten aus zwei grundverschiedenen Hochlandregionen der Algarve sowie ein neuer Art-Nachweis für Portugal. Succulents of two highly contrasting uplands of the Algarve including a new record for Portugal. Avonia 27(2): 67-73, x - xi, illus., maps.
- [396] Stephenson, R. (2009) Front cover. Sedum Soc. Newslett. No. 88: front cover, illus. [Illustrations of *Sedum actinocarpum*.]
- [397] Stephenson, R. (2009) New species for Portugal. Sedum Soc. Newslett. No. 90: 78-81, illus., maps. [On *Sedum gypsicola* distribution.]
- [398] Streisfeld, M. A. & Rausher, M. D. (2009) Genetic changes contributing to the parallel evolution of red floral pigmentation among *Ipomoea* species. New Phytol. 183: 751-763, illus.
- [399] Strid, A. & al. (2009) Rhodes (Rodos) – towards a checklist. Sedum Soc. Newslett. No. 88: 43-44, illus., map. [Preliminary checklist of *Crasulaceae*.]
- [400] Stuchlík, S. (2009) [Czech]: *Notocactus roseoluteus* van Vliet – visit at the locality. Kaktusy 45(2): 46-49, illus., map.
- [401] Stuchlík, S. (2009) [Czech:] Corridor Collares – a locality of *Notocactus neohorstii* (Ritter) Theunissen var. *prestlei* Gerloff. Kaktusy 45 (4): 120-123, illus., map.
- [402] Sule, D. O. & Scheinvar, L. (2009) Diversidad de nopaleras silvestres del Estado de Chihuahua, México (*Opuntia* Mill. y *Nopalea* Salm-Dyck, *Cactaceae*). Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 6(1): 31-35, illus., map.
- [403] Surveswaran, S. & al. (2009) Molecular phylogeny of *Ceropegia* (*Asclepiadoideae*, *Apocynaceae*) from Indian Western Ghats. Pl. Syst. Evol. 281: 51-63.
- [404] Taylor, N. (2009) Two Bolivian Echeverias. Cact. World 27(4): 217-218, illus.
- [405] Thiede, J. & al. (2009) A gorgeous gem. *Sansevieria downsi* at Njakwa Gorge, Malawi. Cact. Succ. J. (US) 81(5): 224-229, 255, illus., map.
- [406] Thiele, H. (2009) Nieuwe *Parodia*'s uit Bolivia (I). Succulenta 88(4): 169-178, illus.
- [407] Thomson, G. (2009) *Melocactus* care and cultivation. Tradate (IT): Cactus & Co Libri. [4] + 94 pp., illus., map. [Included for the illustrations.]
- [408] Till, H. & Amerhauser, H. (2009) Die Gymnocalycien des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay Teil IX. Zur Klärung von *Gymnocalycium eytalianum* Cárdenas. Gymnocalycium 22(4): 891-896, illus.
- [409] Tóth, N. & Libnár, A. (2009) Hordókaktuszok. A *Ferocactus* nemzetség. sine loco (HU): A Magyar Kaktuszgyűjtők Országos Egyesülete. 368 pp., illus., map.
- [410] Tsy, J.-M. L. P. & al. (2009) Chloroplast DNA phylogeography suggests a West African centre of origin for the Baobab, *Adansonia digitata* L. (*Bombacoideae*, *Malvaceae*). Molec. Ecol. 18 (8): 1707-1715.
- [411] Turner, S. R. & Dixon, K. W. (2009) Seed dormancy and germination in the Australian Baobab, *Adansonia gregorii* F. Muell. Seed Sci. Res. 19(4): 261-266.
- [412] Uys, N. & al. (2009) The status of *Aloe dichotoma* subsp. *dichotoma* (Quiver Tree) populations in Goegap Nature Reserve. South Afr. J. Bot. 75(2): 423.
- [413] Vargas-Ponce, O. & al. (2009) Diversity and structure of landraces of *Agave* grown for spirits under traditional agriculture: A comparison with wild populations of *A. angustifolia* (*Agavaceae*) and commercial plantations of *A. tequilana*. Amer. J. Bot. 96(2): 448-457.
- [414] Vazquez-Garcia, J. A. & al. (2009) *Agave chazaroi* (*Agavaceae*), another brand new species from Jalisco, Mexico. Cact.-Avent. Int. No. 84: 8-13, illus.
- [415] Veldhuisen, R. van (2008) *Euphorbia*

- horwoodii* S. Carter & Lavranos. *Euphorbia World* 4(1): 20-26, illus. [Omitted previously. Included for the comparison with related taxa.]
- [416] Veldhuisen, R. van (2008) *Euphorbia multiceps* A. Berger. *Euphorbia World* 4(2): 20-26, illus. [Included for the illustrations. Omitted previously.]
- [417] Veldhuisen, R. van (2009) About the identity and relationships of *Euphorbia gorgonis* Berger. [Part 1] / Part 2. *Euphorbia World* 5(2): 18-29, (3): 6-13, illus.
- [418] Veldhuisen, R. van (2009) *Euphorbia schoenlandii*. *Succulenta* 88(3): 110-116, illus. [Included for the illustrations.]
- [419] Vélez Pérez, M. E. & Arias, S. (2009) Rediscovery of *Lemaireocereus lepidanthus* (Eichlam) S. Arias & Terrazas (Cactaceae) from Guatemala. Cact.-Avent. Int. No. 83: 2-9, illus., maps.
- [420] Venter, H. J. T. (2009) A taxonomic revision of *Raphionacme* (Apocynaceae: Periplocoideae). *South Afr. J. Bot.* 75: 292-350, illus., maps, key.
- [421] Verheulpen, W. (2009) Hoe zou het nog zijn met ... *Parodia gibbosoides* Brandt (I) / (slot). *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 22(7): 103-109, (8): 115-121, 128, illus., maps.
- [422] Villiers, B. J. de & al. (2009) A phylogenetic study of the genus *Cussonia* (Araliaceae) based on morphological, anatomical and molecular data. *South Afr. J. Bot.* 75(2): 398.
- [423] Vladimirov, V. & al. (2008) New floristic records in the Balkans: 7. *Phytol. Balcan.* 14(1): 131-148, illus. [Includes data on *Sedum annuum* and *Portulaca oleracea*.]
- [424] Vliet, D. J. van (2009) Hoezo consensus? Herstel van drie geslachten: *Notocactus* Fric 1928, *Brasilicactus* Backbg. 1942 en *Wigginsia* Porter 1964. *Succulenta* 88(4): 150-157, illus.
- [425] Vrskovy, B. P. (2009) [Czech]: The genus *Adenium* in continental Yemen and on the island of Sokotra. *Cactaceae etc.* 19(1): 6-14, illus.
- [426] Vrskovy, B. P. (2009) A brief account of the Sansevierias of Yemen. *Sansevieria* No. 20: 11-14, illus.
- [427] Wagner, G. F. & Schröder, C. (2009) Einige Bemerkungen zur Familie Mesembryanthemaceae (4). *Delosperma asperulum* (Salm-Dyck) L. Bolus oder *Drosanthemum asperulum* (Salm-Dyck) Schwantes? – eine Art mit schwieriger taxonomischer Einordnung. *Avonia* 27(3): 115-121, illus.
- [428] Walker, C. C. (2009) *Brachystelma bracteolatum* Meve, a rare Nigerian endemic. *Aesklepios* No. 103: 19-22, illus. [Dated Dec. 2008, received at ZSS 3. 3. 2009.]
- [429] Wanntorp, L. (2009) Phylogenetic systematics of *Hoya* (Apocynaceae). *Blumea* 54: 228-232, illus., map.
- [430] Wanntorp, L. & Kunze, H. (2009) Identifying synapomorphies in the flowers of *Hoya* and *Dischidia* – toward phylogenetic understanding. *Int. J. Pl. Sci.* 170(3): 331-342, illus.
- [431] Weber, R. (2009) Gedanken zur Erstbeschreibung von *Rebutia borealis* Diers & Krahn. *Echinopseen* 6(2): 84-87, illus.
- [432] Weihe, A. & al. (2009) Biparental inheritance of plastidial and mitochondrial DNA and hybrid variegation in *Pelargonium*. *Molec. Genet. Genomics* 282(6): 587-593.
- [433] Wester, P. (2009) Mice pollinators in the Cederberg. The first field observations with photographic documentation of rodent pollination in South Africa. *Veld. Fl.* (1975+) 95(2): 82-85, illus. [On pollination of *Whiteheadia bifolia*.]
- [434] Wester, P. & al. (2009) Mice pollinate the Pagoda Lily, *Whiteheadia bifolia* (Hyacinthaceae) – first field observations with photographic documentation of rodent pollination in South Africa. *South Afr. J. Bot.* 75(4:Spec.Ed.): 713-719.
- [435] Wozniak, J. (2009) Ferokaktusy. Warszawa (PL): Wydawnictwo MoJe. 115 pp., illus. [Included for the illustrations.]
- [436] Záruba, M. (2009) [Czech]: A visit at the locality of *Ortegocactus macdougallii* Alexander. *Kaktusy* 45(3): 94-98, illus.
- [437] Zhang, D.-G. & al. (2009) Some newly recorded plants of Wulingshan Mt. in Hunan Province (I). *Jishou Daxue Xuebao (Ziran Kexue Ban)* 30(1): 104-106, 118. [Includes *Hylotelephium verticillatum* and *Sedum elatinoides*.]
- [438] Zietsman, J. & al. (2009) Genetic differentiation in *Oxalis* (Oxalidaceae): A tale of rarity and abundance in the Cape Floristic Region. *South Afr. J. Bot.* 75(1): 27-33.
- [439] Zimer, E. (2009) *Aeonium* of Rangitoto. *New Zealand Cact. Succ. J.* 62(2): 58-61, illus. [On naturalized *Aeonium haworthii* hybrids.]
- [440] Zini, E. & al. (2009) Eight novel microsatellite DNA markers in *Rhodiola rosea* L. *Conservation Genet.* 10(5): 1397-1399.
- [441] Zizumbo-Villarreal, D. & al. (2009) Archeological evidence of the cultural importance of *Agave* spp. in pre-hispanic Colima, Mexico. *Econ. Bot.* 63(3): 288-302.
- [442] Zuijlen, A. van (2009) Op de vindplaats van *Mammillaria dioica*. *Succulenta* 88(3): 102-109, illus., map. [Included for the distribution map and the photographs illustrating variability.]

BIBLIOGRAPHIA

Cross-References of Author Names

- Acevedo-Rosas, R.: → Cházaro-Basáñez, M. J.
Albers, F.: → Becker, M.
Amerhauser, H.: → Till, H.
Angyalossy, V.: → Soffiatti, P.
Appenzeller, O.: → Linzen, T.
Arias, S.: → Vélez Pérez, M. E.
Baptista, O. J.: → Rulkens, A. J. H.
Briones Rojas, M.: → Cieza Padilla, N.
Burgoyne, P.: → Kurzweil, H.
Butler, A.: → Al-Khulaidi, A. W. A.
Chu, Q.-G.: → Ji, G.-X.
Condy, G.: → Bester, S. P.
Dixon, K. W.: → Turner, S. R.
Edwards, E. J.: → Ogburn, R. M.
Emaldi, U.: → Nassar, J. M.
Endress, P. K.: → Bachelier, J. B.
Esteves Pereira, E.: → Braun, P. J.
Figueiredo, E.: → Smith, G. F.
Fitz Maurice, B.: → Fitz Maurice, W. A.
Flores, V. L.: → Ribbens, E.
Gontcharov, A. A.: → Gontcharova, S. B.
Grieve, K.: → Grieve, G.
Haage, U. (ed.): → Haage, W.
Hadiah, J. T.: → Conn, B. J.
Hadraiva, J.: → Hornát, M.
Illing, N.: → Midgley, J. J.
Jaekel, F.: → Jaekel, A.
Jarvis, C. E.: → Gallo, L.
Jarvis, C. E.: → Reveal, J. L.
Jetter, R.: → Maarseveen, C. van
Kiesling, R.: → Albesiano, S.
Kirberg, A.: → Pinto, R.
Kobler, J.: → Essl, F.
Konings, A.: → Konings, G.
Kristen, M.: → Etter, J.
Kunze, H.: → Wanntorp, L.
Lavranos, J. J.: → Carter, S.
Libnár, A.: → Tóth, N.
Loflin, S.: → Loflin, B.
Luebert, F.: → Pinto, R.
Meer, P. van der: → Guillot Ortiz, D.
Meléndez-Ackerman, E.: → Rojas-Sandoval, J.
Miller, A. G.: → Bruyns, P. V.
Mohan, J. S. S.: → Kalpesh, I.
Nassar, J. M.: → Figueiredo, C. J.
Nelson, C.: → Pino, G.
Neumann, P.: → Müller, K.
Niesler, I. M.: → Hartmann, H. E. K.
Nyffeler, R.: → Eggli, U.
Ohr, A.: → Ohr, M.
Porter, M.: → Griffith, M. P.
Pritchard, A.: → Pritchard, D.
Pritchard, D.: → Pritchard, A.
Rajal, M. V.: → Santecchia, S. H.
Raus, T. (eds.): → Greuter, W.
Rausher, M. D.: → Streisfeld, M. A.
Rigerszki, Z.: → Békefi, J.
Rogozinski, H.: → Plein, W.
Rifa, J.: → Riegerszki, Z.
Salengue, D.: → Salengue, E.
Scheinvar, L.: → Sule, D. O.
Schröder, C.: → Wagner, G. F.
Shipunov, A.: → Serebryanaya, A.
Singh, K.: → Buys, M. H.
Smith, G. F.: → Figueiredo, E.
Smith, W. K. (eds.): → Barrera, E. de la
Snicer, J.: → Janeba, Z.
Stead, J.: → Houston, D.
Sujatha, M.: → Basha, S. D.
Taylor, N.: → Hunt, D.
Terrazas, T.: → Arias, S.
Trujillo Argueta, S.: → Castillo, R. F. del
Tránkle, U.: → Hübner, F.
Vila, M.: → Bartomeus, I.
Vries, J. de: → Gertel, W.
Weiblen, G. D.: → Clement, W. L.
Wiland-Szymánska, J.: → Klimko, M.
Wittau, H.-J.: → Köllner, G.
Yadav, S. R.: → Shimpale, V. B.