



PRECISION AIRGUN GUIDE



SPORTING AIR RIFLES

BEEMAN® R1



The "Elegant Workhorse" • Best in the High Efficiency, Flat Shooting .20

Long known as "the workhorse" of the Beeman line, the R1 is universally recognized for bringing adult airgunning to the forefront with its high power and stunning looks.

From the ground up, the R1 was built to be an airgun that a shooter could use and cherish for a lifetime. The Beeman "R" Series trigger, universally recognized as one of the finest available on a sporting gun, has a crisp, delightful feel that is fully adjustable. The solid body tube has deep dovetail grooves machined into the sides for maximum accuracy and stability. The safety automatically engages each time the rifle is cocked. It has a convenient thumb

release and a red indicator shows that the rifle is ready to fire. The elegant hardwood stock has a long forearm that adds grace and increased functionality for those who prefer to grasp the rifle further out.

As an example of the workmanship of the rifle, examine the end cap of the receiver. Notice how the cap has been machined from a solid block of steel and carefully designed so that when it screws onto the back of the rifle it mates flush with the body tube. If this much care goes into one component, imagine how much thought and care has gone into the rest of the rifle!

One of the first airguns to break the mystical 1000 fps mark, the R1 really delivers. We have chosen to rate the R1 conservatively at 950 fps in .177 caliber but to truly harness the power we recommend the .20 caliber. The larger caliber gives a shooter better energy and greater mass and frontal area than the .177 caliber. The large swept air volume of the R1 makes it particularly well suited to the heavier calibers. The rifle is available in .177, .20, and .22 calibers. For those preferring a shorter barrel, a carbine model is available in .177 and .20 calibers.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
R1	11010 (Rt) 11011 (Lt)	.177	8.8 lbs.	45.2"	950	14.23 FP	0.15"	Break Barrel	34 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R1 Carbine	11010C (Rt) 1011C (Lt)	.177	8.3 lbs.	42.0"	950	14.23 FP	0.15"	Break Barrel	42 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R1	11015 (Rt) 1016 (Lt)	.20	8.8 lbs.	45.2"	860	15.1 FP	0.19"	Break Barrel	34 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R1 Carbine	1015C (Rt) 1016C (Lt)	.20	8.3 lbs.	42.0"	860	15.1 FP	0.19"	Break Barrel	42 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R1	1012 (Rt) 1013 (Lt)	.22	8.7 lbs.	45.2"	765	16.4 FP	0.21"	Break Barrel	34 lbs.	Spring Piston	6	Beech Stained	Two-Stage Adjustable	Automatic

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

BEEMAN® R11 MKII



For Field Target Competition or General Use • Adjustable Stock and Butt Plate

The R11 air rifle represents a quantum leap forward in design. Built for the competitor, small game hunter, or backyard shooter, the R11 has features that everyone will appreciate. The cheekpiece can be adjusted up almost two inches. The superb butt plate assembly allows a similar range of movement up or down, plus has the ability to cant or twist the butt. The infinite combination of adjustments can provide a strainless fit for any shooter in any position!

A beautifully blued, all-steel barrel sleeve covers the carbine barrel and

helps dampen muzzle movement. The forestock and palm swell are stippled to give a sure grip under all shooting conditions, and the black highlights of the stippling and grooves along the forestock accent the rich brown hardwood stock. The two-staged Beeman "R" Series trigger, already one of the finest available today, is also fully adjustable to the shooter's preference.

For those who enjoy field target competition, the R11 will be a genuine contender in the standard piston class right out of the box. No additions or accessories are

needed, except for a good scope and rings. This is one of the models successfully used by our own shooting team.

Available only in .177 caliber this rifle shoots at velocities well over 900 fps, and comes with an automatic safety that can easily be operated with the right thumb. No sights mar the sleek profile of this delightful rifle; its dovetailed receiver is intended to be used only with a scope.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
R11 MKII	1030	.177	8.6 lbs.	43.5"	925	13.5 FP	0.13"	Break Barrel	33 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic



SPORTING AIR RIFLES

FH500 and GT650



FH500

Shown with 4x20 scope, wide angle, target turrets with caps, adjustable objective (7.5 yards to infinity) and matte finish. The FH500 combo features a "muzzle brake" to ensure barrel stability and assist in ease of cocking.

A new product in 2001. The Beeman "Gold Series FH 500" has been the most successful new product introduction in Gold Series history. For 2002, this product has been made even better, with a NEW Wide Angle 4x20 Scope.

Scope Features

- Wide angle for improved field of view and target clarity
- Finger adjustable "Target turrets with caps for quick windage and elevation adjustment
- Adjustable objective (Parallax) from 7.5 yards to infinity
- Matte finish
- Scope has been professionally mounted and sighted in at 10 meters

Rifle Features

- Sportier styled stock with Monte Carlo and ambidextrous cheekpiece
- All weather "Belgium Matte" finish on the receiver and barrel
- Automatic Safety
- Match quality trigger
- Solid one (1) piece rifled (1/16 RT) barrel
- .177 cal. pellet
- 525 FPS (Beeman Silver Bear Pellet)



GT650

Shown With Optional Scope – 3-7x20 scope, variable power, target turrets with caps, adjustable objective (7.5 yards to infinity) and matte finish. The GT650 Combo features a "ported muzzle brake" to ensure barrel stability and assist in ease of cocking.

Ideal Airgun for General Field Use, Plinking, Target Shooting and Pest Control

- Sportier styled hardwood stock with recoil pad and Monte Carlo cheekpiece
- Receiver dovetailed for easy mounting

- of scope or red dots sights
- Fully adjustable rear sight with globe and post front sight

- Automatic safety
- .177 cal. pellet
- 650 FPS (Beeman Silver Bear Pellet)

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
GT650	1032	.177	5.9 lbs.	41.5"	650	5.5 FP	0.36"	Break Barrel	24 lbs.	Spring Piston	12	Beech Stained	Sporter	Automatic
FH500	1028	.177	5 lbs.	37"	525	5.5 FP	0.22"	Break Barrel	16 lbs.	Spring Piston	10	Composite	Sporter	Automatic

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.



SPORTING AIR RIFLES

GS950



The GS950 is available in both .177 and .22 cal. with two scope options.

- 4x32 Scope, target turrets with caps, adjustable objective (7.5 yards to infinity) and matte finish.
- 3-9x32 Scope, variable power, target turrets with caps, adjustable objective (7.5 yards to infinity) and matte finish.

The GS950 combo features a “ported muzzle brake” to ensure barrel stability and assist in ease of cocking.

A True Magnum Power Airgun. A Great Gun for All Around Use, Including Plinking, Field Target and Small Game Hunting.

- A contemporary styled hardwood stock with recoil pad, Monte Carlo, cheekpiece and satin finish
- All steel receiver and rifled (1/16 RT) steel barrel
- Receiver is dovetailed and includes a scope stop
- Adjustable two (2) stage match grade trigger
- Automatic safety
- Fiber optic sight system. This three (3) dot system, two (2) green rear and one (1) red front is fully adjustable, enhances your sight picture under all light conditions
- .177 cal. shoots 950 FPS (Beeman Silver Bear Pellet)
- .22 cal. shoots 765 FPS (Beeman Silver Bear Pellet)

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
GS950	1037	.177	7.25 lbs.	46.25"	950	14.0 FP	0.20"	Break Barrel	38 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
GS950	103722	.22	7.25 lbs.	46.25"	765	15.8 FP	0.18"	Break Barrel	38 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic



SPORTING AIR RIFLES

GS1000



The GS1000 is available in both .177 and .22 cal. with two scope options.

- 3-9x32 Scope, variable power, target turrets with caps, adjustable objective (7.5 yards to infinity) and matte finish.
- 3-12x40 Scope, variable power, target turrets with caps, adjustable objective (50 ft. to infinity) and matte finish.

The GS1000 combo features a “ported muzzle brake” to ensure barrel stability and assist in ease of cocking.

The “Flagship” of the Beeman Gold Series. Elegant styling, precision accuracy, and magnum power.

- European hardwood, sportier stock with recoil pad, cheekpiece, checkered pistol grip and forend. Finished in a deluxe stain walnut stain
- All steel receiver and rifled (1/16 RT) barrel
- Dovetailed receiver with scope stop
- Adjustable two (2) stage trigger
- Automatic safety
- Full adjustable micrometer rear sight. Front sight is a blade with brass bead
- .177cal., 1000 FPS (Beeman Silver Bear Pellet)
- .22 cal., 765 FPS (Beeman Silver Bear Pellet)

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
GS1000	1038	.177	7.5 lbs.	46.75"	1000	14.4 FP	0.20"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
GS1000	103822	.22	7.5 lbs.	46.75"	765	16 FP	0.18"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic

R9 and R9 DELUXE



Beeman R9



Beeman R9 Deluxe

Smashing Velocity • Available in .177 or the most popular .20

The R9 break barrel .177 caliber air rifle shoots hard at a velocity of 930 fps, and at only 7.3 pounds is among the lightest rifles for this power level. The traditional spring piston powerplant will give years of reliable use.

The Beeman reputation for quality is evident throughout this German crafted gun, hand assembled for generations of shooting pleasure. The elegant hardwood stock has a graceful styling. Although there is a slight Monte Carlo cheekpiece designed for right-handed shooters, the stock is truly ambidextrous and suitable for those shooting from either shoulder. There is

even a soft rubber butt plate trimming off the end.

The famous Beeman "R" Series trigger is standard fare, and has long been regarded as among the finest sporting triggers ever designed. Factory set at approximately two pounds, the trigger is fully adjustable to your preference. The automatic safety engages each time the rifle is cocked, and can easily be released by depressing the button on the back of the receiver. At only 43 inches in length, the R9 is compact and easy to handle. The rear sights are fully adjustable for windage and elevation, and the scope dovetails are machined

right into the receiver for better stability.

The R9 Deluxe, in addition to all of the features of the standard R9, the deluxe version features hand-checked panels, a pistol grip cap and a carved Monte Carlo cheekpiece, all of which replicates the classic design first found on the elegant workhorse, the R1. The interchangeable globe front sight with inserts allows you the flexibility to accommodate various shooting conditions and locations.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
R9	1039	.177	7.3 lbs.	43"	930	13.6 FP	0.15"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R9	103920	.20	7.3 lbs.	43"	800	14.0 FP	0.15"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R9 Deluxe	1044	.177	7.5 lbs.	43"	930	13.6 FP	0.15"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R9 Deluxe	104420	.20	7.5 lbs.	43"	800	14.0 FP	0.15"	Break Barrel	40 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic

SPORTING AIR RIFLES

HW30 and R7



Beeman R7



Beeman HW30

Finest German Craftsmanship • Excellent for Women and Smaller Shooters

The R7 air rifle is, without question, the finest intermediate sporting air rifle available anywhere. We guarantee that once you have one in your hands you will agree, and won't want to put the air rifle down. At just a shade over 6 pounds, the R7 is easy to pack around in the field, or for women and smaller shooters to handle with ease. The gun still packs plenty of punch with velocities reaching 700 fps in the .177 caliber version. This rifle is also offered in .20 caliber for those who prefer the advantages of the slightly larger and heavier pellet. The R7 is extremely accurate, and has a very pleasant, smooth firing action; in fact, the R7 is a favored rifle among the Beeman employees and our top dealers.

The R7 rifle features a unique double jointed cocking lever which eliminates the customary long slot under the forearm of break barrel air rifles. This provides a more comfortable grip and a better sling mounting point on the forearm.

Pay attention to the details on this air rifle: Crisp, multi-lever trigger with full adjustability. Finest non-drying breech and piston seals. Checkering on the pistol grip and a rubber butt plate. Click micrometer rear sight, and scope grooves cut directly into the receiver for added stability. Beautiful precision cast trigger guard. The satin finish on the

hardwood stock resists minor scratches. Simply put, there are few guns made with all the features, style and grace of the R7.

Frankly, it's not easy to select an economical spring piston airgun, therefore, it may be a real relief to rediscover the HW30. The HW30 is easy to handle and has excellent power and accuracy. A solid built tribute to German craftsmanship, it features an ambidextrous walnut stained beech stock, an auto-safety, and a double-jointed cocking lever. New and improved is the rearsight, which features a rotating leaf, with four available options, for all your shooting requirements.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
HW30	1060	.177	5.5 lbs.	40.0"	675	6.6 FP	0.16"	Break Barrel	18 lbs.	Spring Piston	12	Beech Stained	Two-Stage Non-Adjustable	Automatic

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
R7	1107	.177	6.1 lbs.	40.2"	700	7.0 FP	0.11"	Break Barrel	18 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
R7	110720	.20	6.1 lbs.	40.2"	620	7.9 FP	0.11"	Break Barrel	18 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

CROW MAGNUM IV and SLR-98



*Crow Magnum IV
Shown With Optional Scope*



*Beeman SLR-98 Repeater
Shown With Optional Scope*

“High Efficiency” Gas Spring System Over 1000 fps in .20 caliber

Created for the serious airgun hunting enthusiast, the Crow Magnum IV is the ultimate high performance field sport rifle. At the heart of this extraordinary hand-built gun is the famous HE gas spring system; a self-contained power unit that affords both maximum power and reasonable cocking effect in a single design. The HE gas spring system can also be held in cocked mode for extended periods, without the fear of fatigue associated with conventional metal mainsprings. It's ideal for field situations where a hunting air rifle must be ready for immediate use!

The Crow Magnum isn't only about raw power. Virtually hand-built from the ground up, each rifle is a showpiece of European gun-making art. The fine ordinance steel barrel and action is meticulously hand polished and blued to custom grade standards. The elegant ambidextrous sporter stock is carved from Imported Walnut, finished to a flawless satin sheen. The stock also features: a full-length tapered forend, hand-cut checkering, high comb with raised cheekpiece and a

ventilated rubber recoil pad.

Other standard Crow Magnum perks include an adjustable two-stage trigger and automatic safety that can be quickly disengaged in complete silence. Hunters will further appreciate the elegant steel Crow Magnum muzzle weight, which adds steadiness to offhand field shooting. Likewise for the famed Dampa Mount system, with its unique recoil-absorbing rubber bushings. It's no wonder why the Beeman Crow Magnum IV is America's premier sporter air rifle!

SLR-98: Complementing the raw power and grace of the Crow Magnum, the SLR-98 7-shot underlever repeater, features a sophisticated underlever system that both cocks the HE power unit and automatically loads a .22 caliber pellet from its removable 7-shot magazine. And with a single pass of the underlever!

Equaling the superb quality of the Crow Magnum, the SLR-98 features the same impeccably blued action and Imported

Walnut sporter stock. You also get the elegant Crow Magnum muzzle weight, adjustable two-stage trigger with automatic safety, and the famed Dampa Mount system as standard features. Of course, the proven HE gas spring system provides the power behind this magnificent hunting air rifle.

Lighter and handier than the Crow Magnum, the SLR-98 is somewhat less potent than the big single-shot. Still a formidable hunting tool in the hands of an experienced shooter, the SLR-98 adds the advantage of a removable 7-shot magazine combined with outstanding field accuracy. Together, the stunning power of the Crow Magnum and repeatability of the SLR-98 make an unbeatable team in any neck of the woods.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
Crow Magnum IV	10720	.20	8.6 lbs.	46.0"	1060	22.9 FP	0.13"	Break Barrel	60 lbs.	Gas Spring	12	Imported Walnut	Two-Stage Adjustable	Automatic
Crow Magnum IV	10722	.22	8.6 lbs.	46.0"	935	24.5 FP	0.13"	Break Barrel	60 lbs.	Gas Spring	12	Imported Walnut	Two-Stage Adjustable	Automatic
Crow Magnum IV	10725	.25	8.6 lbs.	46.0"	815	26.1 FP	0.13"	Break Barrel	60 lbs.	Gas Spring	10	Imported Walnut	Two-Stage Adjustable	Automatic

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
SLR-98	1075	.22	7.9 lbs.	39.0"	780	17.0 FP	0.13"	Underlever	27 lbs.	Gas Spring	12	Imported Walnut	Two-Stage Adjustable	Automatic

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

SPORTING AIR RIFLES

HW77 MKII and HW97 MKIII



Beeman HW77 MKII



Beeman HW97 MKIII

Underlever Accuracy • Sleek Muzzle Weight

Internationally recognized for its outstanding field accuracy, the classic HW-77 was the most successful underlever spring-piston sport rifle ever made. Several years ago, the stalwart HW-77 was upgraded to an even more formidable and stylish sporter. The revised model was designated the HW-97, and it too has received its share of praise from adult airgunners the world over.

Still enthusiastic about further developing the hidden potential of the basic HW-77 design, Weihrauch engineers have now succeeded in dramatically increasing the rifle's performance. The latest HW-97 series model now has performance approaching our famous R-1, and it does this with little increase in cocking effort or felt recoil!

As always, quality is what our valued customers have come to expect from Germany's premier sport air rifle maker. The fine ordinance steel action, barrel and cocking lever are hand polished and blued to a standard that exceeds most comparably priced firearms. Likewise for the elegant beech sporter stock, which features a long tapered forend, hand-cut checkering on the pistol grip, high comb with raised cheekpiece and a soft rubber recoil pad.

Intended for use with optical sights, the receiver is grooved to accept 11mm ring or one-piece mounts. Of course, you also get the famous Rekord adjustable two-stage trigger and automatic safety; the trigger that has been the industry

standard for over four decades! Field shooters will further delight in the HW-97's smooth cocking, handling and overall feel. It's an underlever sport air rifle that carries on the HW tradition of excellence.

So now field sport airgunners have the choice of two exceptional underlever sporters. Whether you choose the sleek lines of the HW-97 MKIII, or the handy size of the HW-77 MKII, you really can't go wrong. Both have the performance and features that make them winners whenever they're carried afield.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
HW77 MKII	1078	.177	8.7 lbs.	39.7"	930	13.6 FP	0.13"	Underlever	35 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
HW97 MKIII	1097	.177	9.2 lbs.	40.25"	930	13.6 FP	0.13"	Underlever	35 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic
HW97 MKIII	1098	.20	9.2 lbs.	40.25"	820	14.6 FP	0.13"	Underlever	35 lbs.	Spring Piston	12	Beech Stained	Two-Stage Adjustable	Automatic

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

SPORTING AIR RIFLES

SUPER 12 MKII



*Super 12 MKII
Shown With Optional Scope*

Recoilless Accuracy and High Power • Super 12 MKII available in .20, .22 and .25 caliber

Arguably the most sophisticated pre-charged pneumatic repeating sport rifle in the world, the Super-12 series has set the standard by which all other PCP repeaters are now judged. With its effortless bolt-action cocking, superb accuracy and smashing power, the Super-12 is a precision-hunting tool that will exceed the expectations of the most demanding air rifle hunter!

While famous for its exceptional performance, the total Super-12 experience is really much more. It begins with a hand-built action and fine ordinance steel barrel that are beautifully machined to exacting tolerances. From there you add a crisp adjustable two-stage trigger with manual safety and integral ring mounts for convenient mounting of optical sights. Last but certainly not least, an ambidextrous walnut stock featuring

hand-cut checkering, high comb with raised cheekpiece and ventilated rubber recoil pad adds a final touch of class to this extraordinary air rifle.

Powered by a detachable 400cc air bottle, velocity can be manually adjusted to suit various pellet types and hunting situations. It thus becomes possible to "fine tune" your rifle for both maximum performance and shot-to-shot consistency.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
Super 12 MKII	10882	.20	8 lbs.	37.75"	1085	25.8 FP	0.13"	Bolt	14 lbs.	Pre-charged Pneumatic	12	Walnut	Match	Manual
Super 12 MKII	10862	.22	8 lbs.	38.75"	1000	28.5 FP	0.13"	Bolt	14 lbs.	Pre-charged Pneumatic	10	Walnut	Match	Manual
Super 12 MKII	10872	.25	8 lbs.	42.25"	800	37.5 FP	0.13"	Bolt	14 lbs.	Pre-charged Pneumatic	10	Walnut	Match	Manual

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

SPORTING AIR RIFLES

RX-2



Revolutionary "Gas Spring" Powerplant • Cannot Take a Set or Tire with Age

The Beeman RX-2 uses a "gas spring" for its powerplant. What is a "gas spring" you ask? Imagine an air filled shock absorber in place of a conventional metal mainspring, and you have the insides of the RX-2 in your mind.

The RX-2 is cocked like any other barrel cocking airgun, but the single cocking stroke compresses a cylinder of air instead of a steel mainspring. When the trigger is pulled the compressed air expands and drives the piston forward.

Unlike a pneumatic or CO2 airgun, the sealed air is never expended. And unlike a steel mainspring, a "gas spring" cannot take a set, or tire with age.

Due to the extremely short lock time (the time it takes the pellet to exit the barrel from when the trigger was pulled), this air rifle can have a pronounced jolt during firing; the short lock time, however, aids in field accuracy as there is less time for the shooter to "pull" off the target. The optional "Super Gas"

charge by our gunsmiths will also aid in smoothing the cocking effort and firing motion.

The classy laminated stock has the famous Beeman long forearm for grace and functionality. The rifle is trimmed with a rubber butt pad, grip cap, and the traditional white line spacers. The trigger is crisp and predictable. The automatic safety is located at the front of the cast metal trigger guard.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
RX-2	1802	.177	9.8 lbs.	45.7"	1125	18.3 FP	0.16"	Break Barrel	46 lbs.	Gas Spring	12	Beech Stained	Non-Adjustable Two-Stage	Automatic
RX-2	1804	.20	9.8 lbs.	45.7"	950	18.4 FP	0.16"	Break Barrel	46 lbs.	Gas Spring	12	Beech Stained	Non-Adjustable Two-Stage	Automatic
RX-2	1806	.22	9.8 lbs.	45.7"	860	20.8 FP	0.19"	Break Barrel	46 lbs.	Gas Spring	6	Beech Stained	Non-Adjustable Two-Stage	Automatic

SPORTING AIR RIFLES

KODIAK



*Kodiak
Shown With Optional Scope*

The World's Most Powerful Conventional Mainspring Airgun The Ultimate Air Rifle for the Adult Airgunner

Describing the Beeman Kodiak air rifle with a single word is difficult, but it could be summed up as "POWER!" This is the world's most powerful conventional mainspring airgun.

Hunting and pest control airguns should be compared where it counts - at the target animal. The .25 caliber Kodiak delivers an astonishingly flat shooting quarter inch projectile. At 50 yards that projectile is moving faster than many .177 caliber pellets at the same range, and hitting with about triple the force!

The Kodiak is as handsome as it is powerful. The rifle is beautifully finished with a deep blueing that is so rich it has a velvet sheen. The stock is trimmed with stylish white line spacers, and the ambidextrous safety is set in a massive end block. Both safety and receiver end block are beautifully machined out of solid blocks of high tensile aircraft aluminum - both electrostatically finished with the most durable finish known to the gun industry; an epoxy so tough it is difficult to sand off. The rich appearance

and the style of the rifle are sure to delight not only new shooters to the sport, but those adding to an existing collection.

The Kodiak is available in .22 or .25 caliber.

The Beeman Kodiak air rifle was awarded the prestigious Product Award of Merit at the 1995 SHOT Show by American Firearms Industry magazine

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
Kodiak	1822	.22	9.0 lbs.	45.6"	865	33 FP	0.18"	Break Barrel	48 lbs.	Spring Piston	12	Beech Stained	Adjustable Two-Stage	Automatic
Kodiak	1825	.25	9.0 lbs.	45.6"	750	28 FP	0.18"	Break Barrel	48 lbs.	Spring Piston	12	Beech Stained	Adjustable Two-Stage	Automatic

FWB/603



Olympic-Level, Single Stroke Pneumatic • Ergonomic Design

When a shooter reaches the world class level they typically only look to one company to provide their equipment, Feinwerkbau.

The FWB 603 is a next generation single stroke pneumatic. The cocking stroke was designed to flow with the body. The large handle fits the palm comfortably, and the power stroke is towards the shooter, not awkwardly away as some other brands. Consequently, cocking the FWB 603 is much easier than other single stroke pneumatics leading to less effort which can raise the heart rate, tire the shooter, and lower the scores.

One of the most unique aspects of the rifle is the laminated stock. This handsome stock is constructed from hardwoods and hard rubber. Each layer is cross laid to each other and the result is a stock so rigid that stability is assured regardless of humidity or temperature changes. Wood gun stocks absorb moisture or dry out causing subtle changes in shape and altering the point of impact, but the 603 stock completely eliminates this problem. Feinwerkbau even tested the materials by holding a

stock underwater for days, and it still held it's shape! There is even an improved three point mounting system for the action.

The cheekpiece and butt plate are highly adjustable, not only can the cheekpiece be moved up or down in a full 30mm range but can also be canted top to bottom or bottom to top by 20 degrees. The left to right can be canted 15 degrees and the entire unit can be moved 5mm left or right. The butt plate has a similar range of adjustments making this rifle a custom fit to any shooter of any size or shape.

Feinwerkbau airguns have always been recognized as having some of the finest triggers ever designed, and the 603 is no exception. Pull weight adjusts from approximately 3.5 ounces to a bit more than a pound, and there are adjustments for pull-off point, initial travel, finger length, and even lateral position. Now both the trigger and trigger slack weight are separately adjustable with small knurled knobs located in the trigger guard. Adjustments can be made with the turn of a finger, no tools are required, and even be changed in the middle of a

match! A new dry firing device has been included for easy practice of position and trigger control, and a lighter firing pin gives an even faster lock time than before.

The 603 appears to have a long 25 inch barrel, but in reality that is only a shroud. The rifled inner barrel is only 16.6 inches long with the remainder a wide, hollow tube that does not touch the pellet once it leaves the rifled barrel. So what is the advantage of the short barrel? The answer lies in shooter motion once the shot is fired. The longer the barrel the more opportunity the shooter has to move, even ever so slightly, and to pull the rifle off the target. The three barrel weights on the end are moveable allowing the shooter to balance the rifle to their preference.

With all these features, and accuracy of 0.04", it's no wonder why the FWB 603 is the rifle of choice. It is this type of technological advancement that allowed this air rifle to win the first Gold Medal of the 1996 Olympics.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
FWB 603 Match	1161 (Rt) 1161L (Lt)	.177	10.8 lbs.	43.0"	570	5.0 FP	0.04"	Sidelever	19 lbs.	Single Stroke Pneumatic	12	Laminate Wood	Match Adjustable	None

*Winner of 2000 Olympic Games, Sydney, Australia.
Current World Record Holder, 600/600.*

MATCH AIR RIFLES

FWB P70 and P70 JR.



*Beeman/FWB P70
Also Available in Red or Blue Aluminum Stock*



Beeman/FWB P70 JR.

Virtually No Cocking Effort • Precharge Pneumatic Version of the FWB 603

Feinwerkbau, the people that produced the most amount of medals by any one manufacturer at the 1996 Olympic Games, (5 out of 9 medals), and had the most amount of competitors use their products, (68 out of 113 shooters), stay the best by being on the cutting edge of technology.

The P70 uses compressed air filled from a scuba tank to 3,000 P.S.I. like the proven P34 air pistol. The rifle comes with one cylinder. An ingenious regulator fitted as an integral part of the rifle allows the cylinders to be changed while leaving your point of impact unchanged. The use of compressed air also eliminates the need to contend with changes in temperature negating yet another factor that can affect your point of impact. Regardless of whether you are a serious airgun competitor or just an

airgun enthusiast, the ultra consistent velocities this air rifle achieves allows you to shoot through the same hole time and time again!

The Beeman P70 is one of the easiest air rifles on the market to cock - just pushing the slide ahead with either thumb charges the firing area, sets the trigger, opens the loading port and blocks the sighting line. The shooter then loads the pellet directly into the bore, clicks the loading gate shut, aims, and fires. And with accuracy at 0.04" more often than not the shot goes right into the bull's eye!

The simplicity of the system provides an unequaled lack of distraction to the shooter, something that is critical to competitive shooters. In a match the rhythm of the shooting is as important as the feel of the rifle, and the FWB P70

was designed so that the shooting motions are the same shot after shot.

The laminated stock provides the same full range of adjustments as the 603 does. Not only can the cheekpiece and butt plate be adjusted up and down, but they can also be moved in or out and even canted as much as 15 degrees to the side. This unparalleled range of adjustments tailors the rifle to fit nearly all shooters regardless of size or shape. The trigger unit also provides the same benefits and range of adjustments as the 603 assembly.

The ease and simplicity of the P70 makes this an outstanding rifle for men, women, younger shooters, disabled persons, three-position competitors, and anyone else interested in medal winning performance.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Stock	Trigger	Safety
P70	1163 (Rt) 1163L (Lt)	.177	10.6 lbs.	42.6"	570	5.0 FP	0.04"	Lever	2 lbs.	Precharged Pneumatic	12	Laminated Wood	Match Adjustable	None
P70 Junior	1163J (Rt) 1163JL (Lt)	.177	7.3 lbs.	40.0"	570	5.0 FP	0.04"	Lever	2 lbs.	Precharged Pneumatic	12	Laminated Wood	Match Adjustable	None

FWB P34



Available in Red, Blue and Steel Blue

*Pre-charged Pneumatic Simplicity • Fully Adjustable Grips and Trigger
Now Comes With F.A.A. Approved Lined Carry Case*

More elegant than ever before, the P34 has received a face-lift in the form of a contoured barrel shroud that also accepts a new sliding weight system. You can now alter the forward balance of your pistol with great ease and precision! Of course, the P34 still retains the proven built-in FWB muzzle brake and ported barrel, which maximizes accuracy while totally eliminating muzzle flip. Moreover, the valve housing has been reduced in size and a new removable trigger guard has been added. The look is thoroughbred racehorse all the way!

Mechanical refinements include a redesigned dry fire system, positioned just above the trigger and within easy reach. The unit consists of a simple cross-bolt button for convenient engagement when desired. Current P30 owners can also interchange air cylinders with the P34, which likewise feature a built-in pressure gauge for quick reference of fill status.

Considered the finest match trigger in the world, FWB engineers have somehow managed to refine this incredible unit even further. The multi-adjustable system allows extremely

precise shot control, and can be fine-tuned to suit virtually any preference. The P34's anatomical hardwood match grip is also fully adjustable for rake and palm size. Carved from select European walnut (supplied by Morini), both right and left-hand versions are available.

Technically refined to an unparalleled degree and more elegant than ever, the FWB P34 continues the success story of FWB match pistols. It's a tradition of excellence that started in the twentieth century, that now continues into the twenty first century.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
Beeman FWB P34	2134 (Rt) 2134L (Lt)	.177	2.4 lbs.	16.5"	515	4.2 FP	0.04"	Lever	4.5 lbs.	Pre-charged Pneumatic	12	Walnut	Match Adjustable	None

MATCH AIR PISTOLS

FWB C55P



World's Most Advanced "Air" Pistol • Rapid Fire! • Now in Pre-Charged Pneumatic Now Comes With F.A.A. Approved Lined Carry Case

Countless repeating guns have been designed. Many are great fun, but virtually all have been reasonably inaccurate, best suited for informal plinking at cans and such. Now there is the Feinwerkbau C55P, a 5 shot semi-automatic that has single hole accuracy.

The C55P fires .177 caliber pellets from a rapid fire 5 shot magazine using a jolt-free mechanism. The airgun comes complete with a five shot magazine. In the rapid fire mode the clip is advanced each time the trigger is pulled - you can put all five

shots through the bull's eye as fast as you can pull the trigger!

The four sets of three lateral openings allow four sets of tiny vents to prevent muzzle jump with a truly negligible loss of velocity. The C55P now accepts the same muzzle weights as the P34, they come as a pair weighing 30 grams each.

With the new horizontal tank and regulator, shooters can expect to get around 200 shots from a cylinder before refilling is required. All cylinders come

equipped with a gauge for checking pressure "at-a-glance". The excellent, widely adjustable, anatomical grip (now supplied by Morini), is considered by many as the most comfortable, steadiest grip ever produced.

The trigger is vintage Feinwerkbau perfection, adjustable in multiple ways, and crisp to the touch. For competition or fun, the C55P is an air pistol that all airgun aficionados should add to their collection.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
Beeman FWB C55P	2156 (Rt) 2156L (Lt)	.177	2.5 lbs.	15.0"	510	3.8 FP	0.05"	Loading Lever	4.5 lbs.	Pre-charged Pneumatic	12	Walnut	Match Adjustable	None

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

FWB 103



New Steel Blue Color

*Unsurpassed Trigger Control • Ease of Cocking
Now Comes With F.A.A. Approved Lined Carry Case*

The FWB 103 is the single stroke pneumatic entry in the line of Feinwerkbau air pistols. The unique aspect of the gun is that the FWB 103 incorporates a detachable single lever, for reduced firing weight and improved balance.

Swinging the cocking lever forward opens the loading gate. The pellet is loaded into the bore, and with the loading

gate in the open position the line of sight is blocked. This aids the shooter in focusing on the task at hand and eliminates lost shots by not loading a pellet during the intense concentration of a match.

The FWB 103 comes with a muzzle brake fitted as standard, which diverts air flow from the pellet flight, for improved follow through, and target placement.

As is standard with the Feinwerkbau airguns, the wonderfully sensitive trigger is near perfection. The unit is completely adjustable in almost every conceivable way, and there is even a dry-fire mechanism to allow sight control and trigger practice. The grip, available for right and left handed shooters, is also adjustable, and seems to fit the hand like a glove.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
Beeman FWB 103	2194 (Rt) 2195 (Lt)	.177	2.5 lbs.	16.5"	510	3.8 FP	0.04"	Under Lever	12 lbs.	Pneumatic	12	Walnut	Match Adjustable	None

SPORTING AIR PISTOLS

TEMPEST and HURRICANE

Tempest



Hurricane



The Tempest air pistol ranks consistently among our best sellers year after year. It is easy to understand why considering this airgun packs some of the highest velocities available in an air pistol in one of the most compact frames on the market.

To make the airgun as light as possible without sacrificing any strength or durability, the frame is made out of a high tensile aircraft aluminum. The Tempest is coated externally with a black epoxy finish that accents its clean lines. And at 500 fps in .177 caliber, the Tempest is the first choice of air pistol enthusiasts around the world.

To cock and load simply release the thumb latch at the rear and swing the barrel up and forward to the front of the gun. The pellet is inserted directly into the bore and the barrel then swung back down into place. A manual safety is conveniently located next to the right thumb, and the rear sight is adjustable with screw-tension sliders. The grips have a comfortable thumb shelf for the right hand. For left handed shooters, and those preferring the good looks and comfort of wooden grips, we highly recommend adding the optional combat grips.

The Hurricane is essentially the same airgun with an extended frame in the back to accommodate a click adjustable rear sight. Changes to windage and elevation can quickly and easily be made without guesswork, and the hooded front sight makes getting on-target easier. For those preferring the accuracy of a scope, the rear sight can be removed and the enclosed scope mount installed in its place. (There are no provisions for mounting a scope on the Tempest.)

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
Tempest	2281	.177	2.0 lbs.	8.9"	500	3.6 FP	0.75"	Overlever	25 lbs.	Spring Piston	12	Composite	Single-Stage	Manual

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
Hurricane	2261	.177	2.4 lbs.	11.3"	500	3.6 FP	0.75"	Overlever	25 lbs.	Spring Piston	12	Composite	Single-Stage	Manual

SPORTING AIR PISTOLS

P1



The P1 is a unique combination of Beeman airgun experience and design with the assistance of our German partners engineering and manufacturing skills. The result is a blend of two cultures to make one of the most popular adult air pistols ever produced.

A major objective of the P1 design was to give it an "American" flavor, and it seemed nothing but the famous Colt .45 Auto could come closer to being recognized around the world as one of America's finest. Although the P1 is not a replica, many of the design features between the two guns are similar as virtually all shooters hold the .45 in the highest regard.

This spring piston gun is cocked by a single stroke. The "hammer" on the back is really the catch for the cocking lever. Release the "hammer" and the top cocks over the gun until it locks into place. The pellet is loaded directly into the barrel and the unit then snaps back down, ready to fire. Accuracy is increased as

the sights move with the entire cocking arm and barrel, never changing position. A scope can be mounted on the 11mm dovetail grooves along the top of the action.

At only 11 inches in length, the small size of the pistol is remarkable considering the velocity. To get the optimum power a full size compression tube must be installed, and this was accomplished by the overhead cocking design of the gun. Furthering the concept, the .177 caliber version of the pistol has a dual power mode - cocking the gun to the first "lock point" will result in "low" power, around 380 fps which is still better than many other air pistols. Cocking the gun a bit further will click into the "high" power position for a full 600 fps making the P1 one of the most powerful spring piston airguns ever made! The full compression tube also results in a nicely balanced pistol as it runs the full length of the gun.

The two stage trigger is adjustable from the 28 ounce factory setting. The wide

trigger blade has a serrated surface that makes the trigger pull feel extra light and gives a smooth, controlled feel to the unit. The incredible trigger is constantly one of the things that people comment on being one of the best features of the gun.

Finally, we carefully and deliberately designed the dimensions of the grip and trigger area so that it is possible to fit any .45 Auto grips on the P1. Shooters can thus maintain the feel of their firearm while training inexpensively with the P1. The rearward expanding mainspring adds to the effectiveness as a firearm trainer as the modest recoil goes into the hand, like a firearm. Shooters can be confident this air pistol will present a reliable measure of their marksmanship skills while training with a P1.

The Beeman P1 air pistol is available in .177 caliber, or the popular .20 caliber. The larger .20 caliber pellets are much less sensitive to wind drift (even indoor convection currents) and provide a greater impact than .177 caliber.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
P1	22300	.177	2.5 lbs.	11.0"	600	5.1 FP	0.30"	Overlever	18 lbs.	Spring Piston	12	Walnut	Two-Stage Adjustable	Manual
P1	2320	.20	2.5 lbs.	11.0"	500	5.1 FP	0.31"	Overlever	18 lbs.	Spring Piston	12	Walnut	Two-Stage Adjustable	Manual

SPORTING AIR PISTOLS

P3



Also Available in Scope Combo
Catalog No. 2360SC

Recoilless Air Pistol without Sheet Metal, Plastic or Complex Mechanisms Extra Fine Trigger

When you see and hold the P3, you know that you have a serious pistol in hand. Its design, and even its weight and heft, gives a solid feeling of the very best in the world's semi-automatic handguns: the looks and feel of guns which are not only the arms of the latest James Bond 007 movie, but also the choice of the top military and police forces of the world. The similarity of the P3 to a fine firearm is astonishing: it even sports a simulated decocking lever, magazine release button, trigger guard shaped for two handed firing, and cartridge ejection port and the muzzle opening is an awesome 9 mm (.38) caliber! A very solid rail is built into the top frame.

The P3 is the first quality air pistol to join the ranks of the now elite polymer firearm pistols now being produced in Europe and America. That is, it is a marriage of the finest ordinance steel

critical parts wrapped in super strong, fiber-reinforced, space age polymers like the famous Glock and latest Walther firearm pistols. The very reasonable price of this gun represents a manufacturing shift to a more efficient, better method of construction, rather than any reduction of quality. This pistol is simply in a much higher league than the lower grade plastic and/or pot metal air pistols, even ones of higher price that depend on gadgetry features, such as inaccurate rapid fire, for their sales appeal. Not only does the P3 embrace a quantum leap in material technology, but it benefits from functional evolution of valves and other key internal features. It looks and feels like solid German quality, and it is!

Pulling back what appears to be the hammer allows the top frame to be swung up as a charging lever. Just swing

it forward, insert the pellet, and then swing it back to compress the air charge - an easy, natural action. An automatic safety prevents "beartrap" closing or accidental discharge. This top frame contains the beautifully rifled steel barrel and both the front and rear sights, all as a single rigid unit. The sights cannot get out of alignment with each other during cocking. As a single stroke pneumatic, the P3 has absolutely no recoil or spring jump. A functional, built-in muzzle brake prevents any tendency for muzzle flip. Couple this steadiness with its wonderfully crisp trigger and you have a pistol which just naturally shoots accurately offhand - not just from special testing clamps. Practice, very quietly and inexpensively, with the P3 until you can place all your shots well and you will be able to shoot even more accurately with a good firearm pistol. The P3 is a practical pistol, but it is just a joy to shoot!

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
P3	2360	.177	1.7 lbs.	9.6"	410	2.4 FP	0.20"	Overlever	27 lbs.	Pneumatic	12	Polymer Composite	Two-Stage	Automatic

HW70A

*Top Quality • Quiet and Smooth*

The HW70A air pistol represents more than just value for the money, it represents a good investment in the future. This airgun will provide many hours of shooting fun for the entire family for years to come.

This simple spring piston airgun is cocked just like the break barrel air rifles. The single cocking stroke will generate up to 440 fps making this a powerful airgun, despite its moderate size and light weight. These aspects alone make the HW70A the perfect choice for shooters small and large to take along on an outing.

Considered a very attractive air pistol, the fine barrel and receiver bear an

extremely durable dark blue-black epoxy finish with an unusually high luster. The stock is molded in a deep brown with a durable scratch resistant texture. There is even a thumb shelf in the grip for both right and left-handed shooters making this an ambidextrous design.

For an economy gun, the HW70A has one of the finest triggers available. The two stage unit pulls back evenly and consistently to a stop, at which point the shooter knows just the slightest bit more pressure will set off the unit. A wide, beautifully grooved trigger blade is machined from aluminum, and adds to the control of the unit. The pistol includes an automatic safety on the left

side; it is engaged each time the gun is cocked, and can easily be disengaged (or re-engaged) with the thumb.

The accuracy is very good for a sporting pistol thanks to the full six inch barrel with the fine 12 groove rifling. The rear sight is adjustable for windage and elevation, and the hooded post front sight allows for quick centering on the target. The gentle firing behavior of the HW70 is another benefit of the gun. The gun shoots very smoothly, with little vibration, and just enough recoil to get a "sense of shooting."

Attractive and fun to shoot, the HW70 air pistol would make an excellent addition to any gun collection.

Model	Catalog Number	Cal.	Total Wt.	Overall Length	Velocity fps	Muzzle Energy	Accuracy c-t-c	Cocking Method	Cocking Effort	Powerplant	Rifling (Grooves)	Grips	Trigger	Safety
HW70A	2370A	.177	2.4 lbs.	12.8"	440	2.8 FP	0.32"	Barrel Cocking	31 lbs.	Spring Piston	12	Composite	Two-Stage Adjustable	Automatic

SCOPES

Sooner or later most shooters will scope their airgun. Not only for those with aging eyesight, a scope really allows the airgun to show its true pinpoint accuracy! Be wary of putting any "firearm" scope on your air rifle as most will be broken within a handful of shots (even many of the more expensive brands!) due to the unique vibrations and double recoil of spring piston airguns. Many firearm scopes are parallax corrected for distances of 50 yards or further, well beyond normal airgun ranges. Airgun scopes are designed to withstand the punishing recoil of the gun, and have been parallax corrected to work in the 10 to 50 yard range airguns are most frequently shot in. When you purchase a scope with the Beeman brand name on it, you can rest assured it is built to our exact specifications to be used as an airgun scope. (Scope offerings subject to change at any time.)



Beeman/Bushnell 4 x 32mm Rifle Scope.

Although this is the most economical scope in the line, bright, crisp optics are the hallmark of this model. A full 4 power magnification, this scope has fully coated lenses for brightness and contrast, and a rigid one-piece body tube sealed against moisture and fog. The turret knobs adjust in 1/4" clicks for both windage and elevation, and the scales can quickly be reset to your zero. The parallax is adjustable from 10 yards to infinity. This model is not recommended for higher power airguns. Catalog No. 5050.



Beeman/Bushnell 6-18 x 40mm Rifle Scope.

Without a doubt one of the finest airgun scopes on the market, especially considering the price point. Our Beeman Shooting Team members frequently use this model in field target and silhouette competitions with great results. The amber coated optics provide the best image clarity and highest brightness, and the 1/8" windage and elevation adjustments allow for pinpoint accuracy. This model has a standard one inch body tube that is completely waterproof and fogproof. The parallax can be adjusted the full range from 10 yards to infinity, and the ranges are clearly marked on the bezel making it suitable for range finding. Catalog No. 5065.



Beeman/Bushnell 3-9 x 32mm Rifle Scope.

Zoom instantly from a magnification of three times all the way up to nine times with the high-torque power change ring. Enjoy shooting at the lower magnifications giving a wide field of view, and when situations dictate the need for pinpoint accuracy zoom in for the critical shot. The 1/4" windage and elevation adjustments allow for fine shot placement, and the fully coated lenses give increased contrast and brightness. One of the best values on the scope market, the parallax is adjustable from 10 yards to infinity. This model is not recommended for higher power airguns. Catalog No. 5055.



Beeman/Bushnell 4-12 x 40mm Deluxe Rifle Scope.

This scope is for the true connoisseur. The multi coated optics give the best possible image, while the extra lens inside improves resolution, color correction, and minimizes reflection. Even the reticle assembly is blackened to reduce reflection. The erector assembly is made from both brass and aluminum (instead of just aluminum as other brands) while the reticle is attached with screws, a metal ring, and a sealant (most other makes use only the sealant). The parallax can be adjusted the full range from 10 meters to infinity. Catalog No. 5045.



Beeman/Bushnell 4-12 x 40mm Rifle Scope.

Moving up a step in quality, the Beeman 4-12 offers a wide range of power settings and a full three times zoom ratio. Better glass than the above models, this scope has amber coated high contrast optics for even better image clarity and brightness. The 40mm objective lets in plenty of light for shooting at all times of the day, even in the dim light of the early morning or during the twilight hours. The 1/4" minute of adjustments allows for critical shot placement, and the one inch body tube is waterproof and fogproof. This is an excellent all-around model that is as versatile in the field as it is in the backyard. The parallax can be adjusted the full range from 10 yards to infinity, and the ranges are clearly marked on the bezel. Catalog No. 5060.



Beeman/Bushnell 6-24 x 40mm Deluxe Rifle Scope.

Unless you only want the very best, stop reading at this point! This model offers the widest magnification range, a full four-fold power change from the wide angle 6 power to the ultra close 24 power image! At 24 power the field of view at 100 yards is only 4.5 feet making this an excellent range finder for those choosing to shoot field target, bench rest, or silhouette competitions. There are two additional lenses which provide improved resolution, color correction, and minimizes aberration better than other models. The adjustable objective has a spring behind the lens to cushion impact and force the lens to remain in alignment, as well as a full 270 degree adjustment range allowing for more precision. The matte black finish is classy and durable, and the black anodized internal tube has a crinkle finish to minimize unwanted reflections. A sunshade is also included. The parallax can be adjusted the full range from 10 meters to infinity. Catalog No. 5046.

Scope Specification Table

Rifle scopes:		Power	Obj. Lens mm	Tube Dia. in. (mm)	Weight oz. (gm)	Length in. (mm)	Field of View 100 yards	Eye Relief in. (mm)	Reticle
Catalog No.	Series								
5021	Beeman Pistol Scope	2	20	1.0" (25)					
5045	Bushnell	4-12	40	1.0" (25)	15.0 (420)	13.2" (330)	26.9'-9" (24.21-8.1m)	3.0 (76)	Multi-X®
5046	Bushnell	6-24	40	1.0" (25)	20.2 (566)	16.9" (423)	18'-4.5" (16.2-4.05m)	3.0 (76)	Multi-X®
5048	Bushnell	8-32	40	1.0" (25)	22 (623)	18" (457)	14'-3.75" (4.7-1.3m)	3.3 (83)	Multi-X®
5050	Bushnell	4	32	1.0" (25)	11.0 (311)	11.7" (297)	26' (7.92m)	3.5 (90)	Multi-X®
5055	Bushnell	3-9	32	1.0" (25)	11.2 (314)	10.75" (269)	38'-13" (34.2-11.7m)	3.5 (90)	Multi-X®
5060	Bushnell	4-12	40	1.0" (25)	16.2 (459)	12.5" (317)	30'-10.1" (3.07-9.14m)	3.0 (76)	Multi-X®
5065	Bushnell	6-18	40	1.0" (25)	17.3 (490)	14.7" (373)	17'-6" (1.82-5.18m)	3.0 (76)	Multi-X®

TL: Thin Line reticle. Multi-X® Reticle is a Registered Trademark of Bausch & Lomb Inc.

Beeman Precision Airguns • 5454 Argosy Drive • Huntington Beach, California 92649 • 714/890-4800 or 800/227-2744 (Orders Only) • FAX 714/890-4808

All velocity and muzzle energy figures for sporting guns were achieved with Silver Bear pellets under controlled conditions. Your results may vary due to changes in altitude, temperature, humidity and equipment.

SCOPE MOUNTS

All Models shown on this page have clamps which can be reversed to adapt to a wider dovetail.



5030M



5030H



5040

Scope Mount Selection Table

5030H	Deluxe 2-piece double screw mount with removable arrestor pin, 1" High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5030M	Deluxe 2-piece double screw mount with removable arrestor pin, 1" Medium for use with scopes up to 45 mm lens and dovetails from 9.5 mm – 11.5 mm
5031	Deluxe 2-piece double screw mount, 30 mm High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5032	One-piece single screw mount, 1" High for use on Weihrauch Air Rifles with drooping barrels. For use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5033	2-piece double screw mount, 30 mm High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5034	2-piece double screw extended mounts give 25 mm extension to mounting points. 1" High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5035	2-piece double screw mounts with high tensile steel recoil arrestor bolt to suit all weaver and weaver style bases. 1" Medium for use with scopes up to 45 mm lens
5036	One-piece double screw mount, 1" High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5037	One-piece double screw mount, 30 mm High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5038	One-piece single screw mount with hardened cross pin to suit recoil arrestor grooves on Kodiak and other Webley models. 1" Medium for use with scopes up to 45 mm lens and dovetails from 9.5 mm – 11.5 mm
5038H	One-piece single screw mount with hardened cross pin to suit recoil arrestor grooves on Kodiak and other Webley models. 1" High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5039	One-piece double screw mount is fully adjustable for windage and elevation. 1" High for use with scopes up to 56 mm lens and dovetails from 9.5 mm – 11.5 mm
5040	One-piece double screw mount with removable arrestor pin, 1" Medium for use with scopes up to 45 mm lens and dovetails from 9.5 mm – 11.5 mm

SCOPE ACCESSORIES

Pistol Scope Base Filler Screws.

Should you wish to remove a Beeman Mounted scope base, these custom screws will make the holes seemingly vanish. They have precision micro-heads for exact depth. CAUTION: Ordinary plug screws can damage gun. Blued.

Cat. Number 5143—Use only for 5140 base.



Rear Sight Filler Screws.

To fill holes left when rear sight is removed for scope use.

Cat. Number 5080—For Beeman R series, Beeman/HW and Weihrauch rifles.

Beeman Scope Stop.

Highly recommended to prevent movement of any scope on spring-piston air-guns or stronger recoiling firearms. Just slip on behind position of scope mount and secure with included Allen wrench.



Cat. Number 5092—Install behind mount: Beeman C1 and P2; Spitfire; all Webley; BSA; Falcon 2, FX-2, Kodiak, Feinwerkbau 124, 127, 300 and 5435 riser block. Install ahead of mount: Beeman P1, Hurricane, 5140.

Beeman Professional Scope Stop.

Same function as 5090 unit, but more sophisticated. Multiple part design clamps firmly onto sides of gun's dovetail and has a large stop pin as well. Beautifully made, beautifully blued—you'll be delighted if you appreciate extra quality and fine details. Fits only



Beeman R series rifles, Beeman/HW, Weihrauch air rifles, and Marksman 60-61, 28, 40, 55, 59 and 70 Series, Diana.

Cat. Number 5093.

Rear Sight Replacement Plates.

These plates neatly replace the rear sight when scope or receiver sights are installed. A better arrangement than using filler screws as the plates also cover an unsightly hole or groove that is revealed when rear sight is removed. Uses existing rear sight screw holes. Screws provided.



Cat. Number 5150—Fits Beeman R1, R9, RX. Blued gun steel.

Cat. Number 5151—Same as above, but fits Beeman R7/R8, HW30, HW50.

FWB Intermount. This factory unit raises the scope mount or aperture sight up to a "heads-up" position that is most suitable for running target and which is also preferred by many for other forms of shooting. Fits FWB 300S Match, Mini-300, Running Boar, etc., rifles. Especially for use with Beeman 66R and 66RL scopes. Also provides extra room for easier loading.



Cat. Number 5435.

Air Pistol Scope Bases.

Standard anodized aluminum scope bases precisely machined to fit most air pistols generally mounted with scopes. Requires drilling and tapping gun. A two hand hold is recommended when firing scoped pistols. Can be installed by Beeman gunsmiths.



Cat. Number 5140—FWB 65, 80, 90, LP-53, S&W 78G-79G, Daisy 790. (See screws 5143.)

Cat. Number 5142—HW70A, HW70S

Note: 5142 does not require drilling and tapping, use existing rear mount screw holes.

Spirit Level Kit.



One of the biggest problems that can affect accuracy is not holding the gun level. Even the slightest cant to the left or right can throw off a shot high or low. The Beeman Spirit Level Kit is the remedy. You can tell at a glance, even with your eye to the scope in the shooting position, if you are holding the gun steady and flat. The spirit level kit is machined from the highest grade of aluminum, and black anodized for an attractive finish. Perfect for bench rest shooters, silhouette shooters, field target competitors, or anyone wanting to obtain the absolute top accuracy from their scoped gun. Fits Beeman Scope Mounts 5030M, 5030H, 5040, 5041, 5042 and 5096. Cat. Number 5099.

APERTURES

Beeman Sport Aperture Sights.

Take a huge step up by clamping on one of these small but elegant aperture sights. The right side of the mounting dovetail can be fitted exactly by simply tightening hidden precision lock screws onto the male receiver grooves of most adult air rifles. These units allow the sight to be switched from gun to gun (even though different makes), and can be attached to guns which have receiver grooves that are not open to the rear, such as the Webley Hawk or Vulcan air rifles. Securement

screws bear against this sights clamping jaw, not against the gun. Positive click micrometer adjustments can be locked securely. The target knobs on the deluxe version are a welcome addition for shooters who prefer the convenience of readily turned knobs. Built of rust proof alloy with a tensile strength of over 85,000 lbs., it is compact and weighs only 1-1/2 oz. Special anodized deep blue-black finish is extremely durable. No machining



required—just slip onto receiver grooves and tighten Allen screws with wrench provided. Note: When using an aperture sight barrel, angle must be adjusted to droop downward.

Cat. Number 5823—Instantly fits air rifles with built-in scope grooves. (FWB, Beeman, HW, Hy-Score, El Gamo, old and new Webley, Winchester, RWS, Geco, Sharp, Marksman, BSA, BSF, etc.) But with finger adjustable knobs. Very popular.

OPEN SIGHTS

Frontsight Insert Sets—For rifles only.

Cat. Number 5770—Beeman/HW foresight insert set. Fits Beeman R series plus HW models which take interchangeable inserts. Set of five.



Note: Items shown are not to scale nor complete sets.

Frontsight Insert Sets—For FWB 65/P34 pistols.

Cat. Number 5939

For Feinwerkbau 65 (in recoilless mode), and other FWB match pistols. Set of four. Low.



5949 same as above. Set of four. High.

BEEMAN® PELLETS . . . WADCUTTER

Beeman H&N Match and Hi-Speed Match — Competitive shooters from around the world recognize the German firm Haendler & Natermann as the leading pellet manufacturer. That's why H&N pellets have won nearly every medal in Olympic and International competition, and set several world records. That is also why we have been



granted the exclusive United States distributorship for their pellets. The **H&N Match** is a wadcutter that is one of the most accurate pellets on the market due to the tight tolerances and strict quality control. Excellent for use in match airguns, as well as for sporting uses. Many hunters prefer the wadcutter due to the impact of the flat head and the rather limited penetration. Weight variation is significantly less than other match pellets on the market.

The **Hi-Speed Match** is a very similar pellet designed to give significantly higher velocities. They are especially useful for bringing pistols up to their maximum potential. Be sure to do some experimental shooting; some rifles will prefer the Hi-Speed pellets and some pistols will shoot the H&N Match better. Both models are competition grade.

Beeman Laser Sport — At first glance you will see that this pellet looks identical to the Beeman H&N Match. The Laser Sport does not have quite as tight the tolerances that the H&N Match does, so we can pass on the cost savings to you! They will still shoot quite well for all but the most strict target shooting uses. These pellets are proof positive that identical appearing pellets, under different labels, are not the same! Only available in .177 caliber.

POINTED

Beeman Silver Arrow — This heavy pellet is best used with the most powerful airguns. Although the heavy weight will lower the velocity they will shoot with greater stability and impact. The triple rings seal the pellet into the bore, and helps lead to less in-flight wobble.



Silver Jets —

Its unique design gives it superior velocity (for its weight), penetration, and accuracy — especially at long range. The penetration and velocity characteristics are the result of a sharply pointed nose, a smaller head and skirt (to reduce friction), and the multiple forward sealing rings that very efficiently trap air that so many other pellets waste. The outstanding accuracy of Silver Jets is the natural outcome of design, extreme precision, and the unique nature of their manufacture. Examine some with a magnifying lens and see that each one has actually been “lathe-turned;” other pellets show irregularities where the two halves of a die come together. Silver Jets have been copied but never even approached for precision and performance.



Beeman Silver Sting — One of the most popular pellets in our line due to the simple design that produces results out in the field. Outstanding and well balanced, the Silver Sting has a larger waist that apparently provides greater stability and better air flow than the thinner waisted copies. Very efficient, this pellet retains much of its energy for 30 yards and beyond. Note the gentle slope of the rear side of the pellet, a shape



which produces less turbulence than the sharply undercut head found on other brands.

Beeman Ram Point — Available only in .25 caliber, the Ram Point offers exceptional knock down power for both field uses as well as informal shooting fun. The head was specially designed to give a combination of excellent ballistics, penetration, and accuracy.



HOLLOW POINT

Beeman Silver Bear — A true classic, this was the very first hollow point airgun pellet ever designed, and remains the best known today. Over two years in development, the Silver Bear gives excellent expansion; in magnum guns it just gets larger and larger on impact! Even guns of lower power can benefit from the forward cup which was designed to allow for maximum impact, even at velocities too low for expansion. The head is unique with the sharp edge that can cut a clean hole in a paper target or catch the edge of a silhouette - it could be considered a semi-wadcutter. A lightweight pellet in all but the .25 caliber, the Silver Bear will allow for higher velocities. Great for field uses, or just informal shooting.



Beeman Crow Magnum — We designed the Crow Magnum pellet for those shooters who wanted a heavier hollow point with a gigantic forward expansion cup. A key objective of the new design was to provide exceptional stability, and thus long range accuracy for the higher power adult airguns on the market. A yawning mouth and greater forward weight was included resulting in one of the world's most accurate field pellets. In independent testing, a .25 caliber Crow Magnum pellet recovered from a feral pigeon had nearly doubled in size to .41 caliber when shot at 25 yards! Easily one of the most unique pellets we have ever designed, the Crow Magnum was bestowed a Product Award of Merit by *American Firearms Industry* magazine.



ROUND NOSE

Beeman Ram Jet — Named after the desert ram silhouette that is shot at 45 yards (about the size of two quarters). The Ram Jet was designed with the competitions of silhouette and field target in mind, but has found an equal home in the airguns of hunters and “plinkers.” The round nose allows for minimal forward air resistance and the pellet has an exceptional lack of yaw and drift, even in unstable air. The semi-wadcutter edge will catch and knock down a target, even with a glancing blow, and the heavily weighted nose adds to the knock-down power. Tom Holzel, author of the *Air Rifle Hunters Guide* and an independent airgun hunting and ballistics expert selects the Ram Jet as the “pellet of choice” in .20 caliber.



Beeman Bearcub —

Although this is an entry price point for a Beeman pellet, it is superior to all other economy pellets. Available in both .177 and .22 calibers this pellet is good for overall shooting uses, from backyard fun to some small game hunting or pest control. A medium weight model that should perform well in all airguns. Give it a try and see for yourself.



Beeman Silver Ace — A long time Beeman favorite. It has long range accuracy and impact. The triple rings around the head and the skirt design are the same as on the Silver Arrow and offer the same advantages. The head has only a slight roundness to it, many would consider it almost a wadcutter which makes it a hunters favorite due to the higher weight than many flat nose models but still offering a limited penetration. Try the Silver Ace when experimenting with the different pellets at various distances. It is sure to become one of your top performers.



Beeman Kodiak — A favorite for field target shooters. As one of the world's heaviest pellets the Kodiak has a tremendous amount of inertia that delivers super impact on those hard to knock down targets. The great weight also provides good wind resistance and is more efficient in the higher powered airguns and the pre-charged pneumatics such as the Beeman Mako air rifle. The head is very conical in shape, like a rounded point, providing outstanding aerodynamics.



Beeman Kodiak Match — Knowledgeable airgunners know that the Kodiak pellet already gets the most efficiency out of magnum power airguns, and gives the best power far down range at the targets that are out 50 yards and beyond. This pellet is now available in selected, match lot marked batches for maximum accuracy. Dubbed the Kodiak Match, these pellets receive extra attention and care in manufacturing, have a super smooth surface all over, and are selected by test firing each batch. Available in .177 and .25 calibers only.



Beeman Laser - The world's lightest .177 caliber pellet, only 6.5 grains! This is to help boost the velocities in moderate powered airguns, and for those needs when the highest velocity is needed. Due to the extremely light weight, this pellet may not shoot accurately in the ultra-high powered air rifles as it can come out faster than the speed of sound and tumble in flight. A great choice for the Marksman, Crosman, or Daisy airguns on the market. The Laser is one of the standard pellets we use to measure velocity.



Beeman Trophy — Designed for long range accuracy for both hunting and target shooting, whether it's silhouette or field target. This round nosed pellet is our only 7.88 grain pellet in .177, which will be ideal for the shooter that wants the accuracy of the famed Kodiak Match, but with a lighter weight, flatter shooting projectile. This pellet will also work well in our pistols and lower powered rifles.



Beeman FTS - Becoming a new favorite of field target shooters, this pellet was designed for long range accuracy for both hunting or target shooting. This mid-weight pellet has the accuracy of the Kodiak with a flatter trajectory



PELLETS

Pellet Comparison Table

Average measurements. Listed by weight within calibers.

Blue: .177/4.5mm caliber Yellow: .20/5.0mm caliber Green: .22/5.5mm caliber Red: .25/6.3mm caliber

Pellet	Cat. No.	Cal.	Wt.	% De- viation	Head Dia.	Skirt Dia.	Lgth.	Head	Pellets/ Tin	Tins/ Case
Laser	3090	.177	6.50	0.6	0.177	0.185	0.220	Rd	500	100
Silver Bear	33030	.177	7.10	0.2	0.177	0.187	0.215	HPWC	500	100
H&N Match Hi-Speed	3011HS	.177	7.55	0.1	0.177	0.187	0.218	WC	500	100
Laser Sport	3160	.177	7.70	0.2	0.177	0.185	0.218	WC	500	100
Trophy	3500	.177	7.88	0.1	0.175	0.185	0.228	Rd	500	100
Perfect Rounds	3450	.177	8.02	0.1	0.175	N/A	0.175	Rd	500	100
Bearcub	3171	.177	8.09	1.0	0.178	0.188	0.236	WC	500	100
H&N Match	3011	.177	8.09	0.1	0.177	0.187	0.218	WC	500	100
Silver Ace	33050	.177	8.12	0.6	0.176	0.178	0.229	Rd	500	100
Silver Jet	33070	.177	8.39	0.2	0.177	0.182	0.259	Pt	500	100
Silver Sting	33020	.177	8.61	0.2	0.178	0.186	0.276	Pt	500	100
Crow Magnum	3000	.177	8.80	0.1	0.178	0.187	0.252	HP	500	60
FTS	31250	.177	9.20	0.2	0.178	0.187	0.238	Rd	500	100
Ram Jet	3140	.177	9.80	0.8	0.177	0.188	0.280	WC-Rd	500	100
Kodiak	3245	.177	10.60	0.8	0.178	0.187	0.270	Rd	500	60
Kodiak Match	3246	.177	10.60	0.1	0.178	0.187	0.270	Rd	500	100
Silver Arrow	3086	.177	11.50	0.1	0.177	0.188	0.300	Pt	500	60
Laser	3095	.20	9.20	0.6	0.197	0.206	0.235	Rd	300	100
Silver Bear	3035	.20	9.88	0.3	0.199	0.209	0.244	HPWC	200	100
Silver Sting	3021	.20	10.53	0.3	0.197	0.207	0.297	Pt	200	100
Silver Ace	33055	.20	11.44	0.2	0.198	0.204	0.256	Rd	300	100
Ram Jet	3145	.20	11.70	0.5	0.196	0.206	0.256	WC-Rd	200	100
FTS	31252	.20	12.27	0.3	0.198	0.209	0.244	Rd	200	100
H&N Match	3016	.20	11.87	0.1	0.200	0.210	0.220	WC	500	60
Crow Magnum	3001	.20	12.80	0.1	0.199	0.210	0.280	HP	200	100
Kodiak	3247	.20	13.32	0.8	0.197	0.208	0.310	Rd	200	100
Silver Arrow	3087	.20	15.50	0.1	0.200	0.211	0.301	Pt	300	100
Silver Bear	33040	.22	12.65	0.4	0.217	0.228	0.246	HPWC	200	100
Laser	33100	.22	13.36	0.6	0.216	0.219	0.254	Rd	250	100
H&N Match	3018	.22	13.75	0.4	0.215	0.217	0.306	WC	200	100
Bearcub	3172	.22	14.44	1.0	0.218	0.226	0.240	WC	200	100
Ram Jet	3150	.22	14.76	0.5	0.217	0.228	0.270	WC-Rd	200	100
FTS	31255	.22	15.1	0.8	0.218	0.224	0.258	Rd	200	100
Silver Ace	33060	.22	15.24	0.8	0.214	0.223	0.271	Rd	250	100
Silver Sting	33025	.22	15.74	0.6	0.217	0.228	0.327	Pt	200	100
Silver Arrow	3088	.22	17.10	0.1	0.217	0.227	0.301	Pt	200	100
Crow Magnum	3002	.22	18.20	0.1	0.217	0.228	0.305	HP	200	100
Kodiak	3250	.22	21.10	0.8	0.217	0.227	0.333	Rd	200	100
Trophy	3502	.22	14.00	0.8	0.214	0.227	0.257	Rd	200	100
Laser	3125	.25	17.70	0.6	0.248	0.257	0.280	Rd	180	100
H&N Match	3019	.25	21.60	0.1	0.250	0.259	0.285	WC	200	60
Silver Ace	3065	.25	21.60	0.2	0.248	0.254	0.315	Rd	180	100
Perfect Rounds	3463	.25	23.61	0.3	0.249	N/A	0.249	Rd	200	60
Ram Jet	3155	.25	24.18	0.5	0.250	0.257	0.333	WC-Rd	200	60
Silver Arrow	3089	.25	24.30	0.1	0.250	0.259	0.341	Pt	200	60
Silver Sting	33026	.25	25.12	0.1	0.250	0.259	0.383	Pt	200	60
Crow Magnum	3003	.25	26.20	0.1	0.249	0.260	0.343	HP	200	60
Silver Bear	33042	.25	26.42	0.3	0.250	0.258	0.330	HPWC	200	60
Ram Point	3265	.25	27.10	0.3	0.249	0.259	0.384	WC-Pt	200	60
Kodiak	3252	.25	30.70	0.8	0.248	0.255	0.400	Rd	200	60
Kodiak Match	3253	.25	30.90	0.1	0.248	0.255	0.400	Rd	200	60

HP = Hollow Point

WC = Wadcutter

Rd = Round

Pt = Point

Specifications are subject to change without notice. All pellet counts per tin are approximate. Above measurements are in inches and grains.



Color of tin indicates caliber: Blue .177, Yellow .20, Green .22, Red .25 caliber

BEEMAN PULLS OUT THE STOPS FOR .20!

Flat shooting with a Heavy, Hard Hitting Pellet!

Beeman was the pioneer in developing .20 precision adult airguns. Now, responding to the amazing reception by U.S. shooters of Beeman's .20 airguns and pellets, we have expanded our offerings so that .20 fans now have a full line of guns, pellets, and accessories.

Now there's no excuse for not adding guns of this exciting caliber to your battery of airguns. Robert Beeman, and many other airgun experts, consider .20 to be the ideal caliber for airgun field shooting. The combination of greater projectile weight than .177 and higher velocity than .22 makes .20 an ideal caliber for many uses. The higher velocity means a considerably flatter trajectory than .22 while maintaining an outstanding in-flight stability due to a diameter/length ratio which is closer to the .177 caliber. Recent independent tests also indicate that .20 pellets are unusually efficient and may have a higher lateral wind resistance than either .177 or .22 pellets. Shooters also find .20 pellets to be easier to handle and more forgiving of handling damage.

Sheridan's domestic airguns, primarily shot by older youth, were virtually the only airguns of .20 caliber for many years. Beeman's precision grade .20 pellets have been extremely popular with shooters of these guns due to greater accuracy and velocity.

.25 CALIBER MAKES A BIG HIT!

By introducing airguns powerful enough to really handle the huge .25 caliber pellets, and by introducing the first precision pellets of this caliber Beeman was the first to make .25 caliber a key part of the adult airgun scene. This great caliber has now become so well accepted that many .25 caliber guns and fine pellets are available.

One actually has to handle some .25 caliber pellets to appreciate how really BIG and HEAVY they are! This size and mass means not only tremendous impact but also great stability and inertia which can translate into wonderful long range accuracy and velocity retention. What was difficult for smaller calibers becomes easy with the .25. The big bore allows an almost unrestricted flow of the massive air thrust which occurs in the most powerful models. Not only is .25 caliber the most efficient and most powerful in these guns, it often is the most accurate. And hunters appreciate how it holds on to its velocity, actually going faster and with up to triple the impact of light pellets far down-range.

(Note: Beeman's .25 caliber airguns and pellets are made to international size standards. Certain .25 caliber airguns are made to an obsolete British standard. Pellets made to that standard may give impressive velocities in normal .25 bores, due to the lack of normal friction, but long range stability, and thus accuracy, may suffer drastically.)

Calibers In Perspective

Beeman Ram Jet
.177" caliber



Beeman Ram Jet
.20" caliber



Beeman Ram Jet
.22" caliber



Beeman Ram Jet
.25" caliber



The illustrations shown compare the head sizes of the four different Beeman pellet calibers. (Shown at actual size.)

PELLETS AND PELLET ACCESSORIES

Beeman "Perfect Rounds".



Lead BB's are best. Precision lead balls are very popular among knowledgeable airgun shooters.

The spherical shape cannot tumble at long distance and makes these projectiles the fastest and easiest to load. "Perfect Rounds," are especially popular as a substitute for the steel BB, with much more impact. "BB" is now an official caliber, listed as .177, or 4.5 mm, but actually having a maximum diameter of .175" and a minimum diameter of .162" and a weight of only 5.3 grains for steel BB's; and a diameter of approximately .177 and a weight of about 8.0 grains for equivalent lead airgun shot (with a maximum shot start force of 22.5 lbs.). Precision lead balls thus fit the gun's bore much better, waste less air, and give greater accuracy and impact. The .177 precision lead ball works well in the repeating mechanism of most U.S. air and CO₂ guns. (Retaining the lead BB may be a problem in some models using magnets.) Our latest addition: .25 Perfect Rounds which produce amazing penetration and the very highest muzzle energy in our magnum .25 air rifles – and they are fast and fun to load! For extra accuracy, extra impact – try "Perfect rounds" – to out perform domestic lead shot sold under other brands. *(Note: Not suitable for use in precision airguns. Made expressly for use in older repeater style U.S. made air and CO₂ guns.)*

Cat. Number 3450—.177 caliber

Cat. Number 3463—.25 caliber

Beeman Quick Cleaning Pellets.



Here's the easiest way to clean an airgun barrel. Just pop these cylindrical, precision cut, heavy felt pellets into the breech

of any kind of airgun, and fire them like regular pellets. The felt expands to wipe rifling detail clean in seconds. Great for emergency clean-ups in the field or between times when you use a cleaning rod. International match shooters squeeze the last bit of accuracy from their guns by cleaning their barrels with QCP's before a match. Great for applying oil to barrels—just squeeze a drop of light polarizing oil onto the felt and shoot. Imaginative airgunners have suggested many other uses, such as pest chasing, applying ink to show impact point in snap shooting practices, etc. **CAUTION:** These pellets may produce pain, or even injury, at extremely close ranges.

Cat. Number 3860—.177 Quick Cleaning

Cat. Number 3861—.177 Quick Cleaning (500)

Cat. Number 3862—.22 Quick Cleaning

Cat. Number 3865—.20 Quick Cleaning

Cat. Number 3870—.25 Quick Cleaning

The Finale Match Pellet Box.



Shaker will hold 100 pellets and give the ultimate protection to each pellet, since they are all individually separated. The box can be refilled time and time again. Pellets sold separately.

Catalog No. 3260

Beeman "Automatic" Pell Size® Assembly with Beeman Pell Stand.

Beeman
"Automatic"
Pell Size®
Assembly with
Beeman Pell
Stand

7201A



Our deluxe Automatic Pell Size Assembly can make sizing so fast and easy that it's downright fun! The deluxe sizer has a spring loaded sizing plunger which automatically opens the feed area after each sizing stroke; it is here combined with the Pell Stand for fast, one-handed operation. The complete assembly:

Cat. No. 7201A—.177 caliber, with .1785" Die.

Cat. No. 7201.1—Die only, .1785"

Cat. No. 7202 —Die only, .1780"

Cat. No. 7203 —Die only, .1790"

Cat. No. 7204 —Die only, .1800"

Beeman Pell Seat®.



The Pell Seat is a tool that seats a pellet into the bore after it has been loaded the regular way. A shooter uses the Pell Seat's round end to smooth out any irregularities in the shape of the pellet skirt, and to "form fit" the pellet skirt to the bore, creating a perfect air seal. This produces greater pellet uniformity and prevents wasted blow-by air. The

Beeman Pell Seat may be used at any angle to smooth and seat pellets.

The Pell Seat is beautifully built from high stress, aircraft aluminum, and has a special hardened surface that is nearly as hard as glass. It comes complete with a pocket clip and a hole for a wrist or neck cord.

Cat. No. 7199

Beeman Belt Pouch.



This handsome pouch has a fine spring action top which is opened by one hand and stays open until you snap it closed. Beautifully crafted of finest grade supple cowhide and soft vinyl lining. Sturdy belt loop fits on belts up to 2-1/4" wide. Generous 4" x 6" size.

Cat. No. 7290—Black.


Beeman "Drop Pouch."



Wear it on your belt or other strap. Quick, easy and secure. Beautifully built of an incredibly tough ballistic nylon. Extra smooth nylon liner sandwiched over a tough protective padding. Neat, trim, washable. Handy size—3-1/2" x 5".

Cat. No. 7295—Green

TARGETS AND TRAPS



33' (10 Meter) Official Air Pistol Target. The latest official NRA air pistol target. Four bull's eyes on one target. 14" x 14" tagboard. Packs of

50. NRA No. B40/4.

Catalog No. 4134.



33' (10 Meter) Official Air Pistol Target. Single bull's eye. Used in NRA airgun program. 7" x 8" tagboard. Sold in packs of 100. NRA No. B40.


Catalog No. 4132.



33' (10 Meter) Air Rifle Target. Official single bull's eye. ISU official bull's eye specifications. 1-10 count; 4 to 9 black (ea. 1 1/4" diameter with center white dot for ten rings).

3-3/4" x 3-3/4" tagboard, fits metal pellet traps. Sold in packs of 100. NRA No. AR5/1.


Catalog No. 4151.



33' (10 Meter) Air Rifle Target. Official 5 bull's eye. Same bull's eye specifications. 1-10 count; 4 to 9 black (ea. 1-1/4" diameter with center white dot for 10 rings). 7" x 9" tagboard, fits metal

pellet traps. Sold in packs of 100. NRA No. AR5/5.

Catalog Number 4152.



33' (10 Meter) Air Rifle Target. Official 12 bull's eye. New target official for NRA air rifle competition. Two sighting bull's eyes. One shot at each of 10 scoring

bull's eyes. 10-1/2" x 12-1/4" tagboard—sold in packs of 100., NRA No. AR5/10.

Catalog No. 4153.

Number 4402

Metallic Silhouettes.



Solid metal alloy casting. For use only over 20 meters (18 yards) with airguns. These silhouettes do not meet the NRA official regulation for steel silhouettes and they may be distorted or broken by close

range impacts from high power airguns. One each chicken, pig, turkey and ram.

Cat. No. 4042—Economy Metallic Silhouettes. Group of 4 Different

Beeman Deluxe Silent Pellet Trap.



4030

Safest type of trap for airgun shooters; a must for apartment dwellers. Pellets are trapped silently and safely in a deep layer of ballistic putty. No hanging stop sheet to fail after repeated use, especially with magnum air rifles. Just remove the face and take out clumps of fused pellets every few hundred shots—then smooth down the putty and it's ready again. Disposable support face provides easy scoring and allows easy attachment of various size targets. 8" x 10" inside. Fitted with carrying handle and non-scratching feet. Free standing.

Cat. No. 4030—Pellet Trap.

Cat. No. 4033—Extra 8" x 10" faces, pkg. of 10.

Beeman Metallic Silhouette Trap.

This completely portable heavy-duty trap is made of thick steel to withstand shots from even the powerful Beeman magnum air rifles. The backstop safely captures pellets at 10 meters (33') and beyond. The trap is black with white metallic silhouette figures that freely hang on a steel crossbar and swing when hit. Silhouette crossbar can be replaced with an optional bar that holds paper targets. Measures 14" x 9".


Cat. No. 4021—Silhouette Trap

Cat. No. 4022—Paper Target Bar

Beeman Super-Tuff Swinging Silhouettes.

Hanger bars are welded to sections of thick steel tubing which are fitted around the horizontal support bars. Spot welds on the support bars keep the targets from wandering along the bars. All steel is extra thick and

Super-Tuff Swinging Silhouettes



tough. A horizontal bracing bar adds extra rigidity and provides a step for your foot to aid in shoving the legs into the ground. The airgun "shooting gallery" has the four silhouette shapes on one support arch.

Cat. No. 4050—Airgun Gallery 14"x14-1/2", 4 animals in one arch support.

Pellet Trap.

Versatile pellet trap holds paper targets or hanging metal silhouette (targets and four silhouettes included). Pellets only.



Cat. No. 4085—Pellet Trap

Ballistic Putty. Packed in resealable plastic bags with instructions and ballistic tables. Provides easy evaluation of approximate velocity without chronograph or for replacement in 4030 Pellet Trap. (Not Pictured).

Cat. No. 7243—5 lbs.

Heavy Duty Metal Pellet and Bullet Trap.



A really solid trap made of heavy sheet steel. It weighs well over 20 pounds. 11"(W) x 12"(H) x 8"(L). Withstands the most powerful pellet guns and lead bullets up to and including .22 Long Rifle rimfire. Noisy, but it allows recycling of the lead. Use with lead projectiles only!

Cat. No. 4025—Metal Pellet and Bullet Trap (Paper Targets Not Included)

CASES AND HOLSTERS

RIFLE CASES

Beeman Super Tuff Case.



6448*

* Actual product may vary slightly.

Solid protection in a low cost case. Cover: Black Cordura nylon—very light, but it fights punctures, tears and scuffing very well. Will not mildew or deteriorate. Breathes. Lining: Heavy twill. Padding: Super protective and light polyurethane. Zipper: Heavy-duty, self repairing nylon. Handles: Thick nylon straps.

Cat. Number 6448—48"

HOLSTERS

Beeman Tempest-Hurricane Holster.


Handsome, tough holster designed for a perfect fit. Durable, black nylon makes the holsters outer shell almost indestructible. A special cell foam layer protects against impact and water. Also fits the Beeman P3.

Cat. Number 6309



6309

ACCESSORIES




Beeman Universal Muzzle Brake

Fits virtually every air rifle. Protects the muzzle area and makes an excellent cocking handle.

The Beeman Universal Muzzle Brake outsells all other brands because it's built better and attaches to almost every air rifle available today thanks to its unique internal design (see diagram). Instead of being cast from pot metal like competitive units, our muzzle brake is precision-turned from the finest aircraft-grade aluminum, then given a tough, anodized, matte black finish. When it's slipped onto a scoped air rifle it:

- Hides ugly muzzle grooves left when the front sight is removed.
- Guards the critical crown area from damage in case the rifle is dropped or banged against a hard object.
- Serves as a convenient cocking handle.
- Protects the bluing around the muzzle.
- Adds muzzle steadiness when firing (weighs four ounces).
- Directs sound forward.
- Looks sharp!



Cat. Number 7129 — FWB 124/ 127; Beeman 100, 200, 250; RWS, Diana, Original, Hy-Score (except recoilless). Beeman R1, 6, 7, 9, 10, X, and C1, Beeman HW (except HW77, 97), Weihrauch, Webley (except Eclipse), Wischo, BSF, Falcon 1, FX-1, BSA, Marksman 70, Challenger, many RWS, and other rifle barrels up to 0.635" O.D. Patents Pending.

NOTE: Do not use this device on airguns or firearms with a caliber larger than .32 (7.65 mm). Above list not inclusive.



New all steel Crow Magnum style muzzle break, three screw fitting. Recommended installation by gunsmith. Fits all "R" Series air rifles except for R7. Catalog Number 7128.

Leather Sandbag Rests.



These are the only top grain, genuine cowhide bags in the U.S. with a beautifully tanned finish. Precision workmanship down to the rot-proof nylon thread used in the stitching. These rests are easily filled with a deheaded cartridge case and a small funnel. No inner bags are used or needed. After filling with your sand, the integral leather spout is folded flat and tucked into a pocket sewn to the bag, preventing even a grain of sand from escaping. Set of rabbit-ear rear bag plus heavy, grooved front bag.

Cat. Number 7160—Set of two bags.

ACCESSORIES

Forearm Screw Cup Kit.



Fits Beeman R Series (except for R7), HW97 and HW77. Replaces original forearm screws with special screws and washers nesting in handsomely blued steel or solid brass cups. Adds beauty plus durability and accuracy by preventing recoil-induced screw loosening and burrowing of screws. Cups press into original forearm holes (hole may need to be deepened or widened).

Cat. Number 7777—Forearm Screw Cup Kit, Blued Steel.

Cat. Number 7778—Forearm Screw Cup Kit, Solid Brass.

Charging Adapters & Gas-Spring Pressure Gauge.



Used to check pressure in rifle's power unit; for monitoring and adjusting pressure. Not available for high pressure gas-spring guns like the Crow Magnum, use a chronograph.

Cat. Number 71371 — FWB P30/P34, P75, C55P and P70 Tank Adapter.

Cat. Number 7703 — Super 12 and Super 17 (no hose. Not Shown)

Cat. Number 7704 — Mako

Cat. Number 7705 — Pressure Gauge for RX-1, RX, RX2.

Super 12 Magazines.



Increase your firepower with additional 12 shot magazines, and enjoy more shooting time and less reloading time. Will fit into all existing Super 12 rifles. The .22 caliber magazines will also fit the older Super 7 air rifles for those who would like to get a few additional shots from the magazine. Calibers are not interchangeable so be sure to get the right size for your air rifle.

Cat. Number 7714-.20 caliber

Cat. Number 7712-.22 caliber

Cat. Number 7713-.25 caliber

C55 Magazines.

Spare magazines to increase your rapid fire shooting fun.

Cat. Number 7155-Five Shot Magazine

7175 - Gunsmith Screwdriver Set



Gunsmith Screwdriver Set – 7175.

It can be frustrating to work on your gun and not have the right sized tool. Usually the only ones on the workbench are too large, which can be ineffectual at best, and often leave scratches and other damage to your rifle. The Gunsmith Screwdriver Set contains one handle, one midget ratchet, and one

extension for use with over a dozen head adapters to ensure that you will have the right tool at the right time, whatever gun or hobby you are working on. Extremely versatile, the unit comes in a pocket sized polyethylene case specifically designed to hold each piece.

7176 - Allen Head Adapter Pack



Allen Head Adapter Pack - 7176.

Designed to make the GunsmithScrewdriver Set even more versatile! This pack contains nineteen additional adapters for broader applications. Includes Allen hex adapters, metric hex adapters, and a 1/4" square drive adapter. An excellent companion to the Gunsmith Screwdriver Set that nobody should be without.

ACCESSORIES AND SPECIAL ITEMS

GRIPS

Beeman Tempest/Hurricane Combat Grip.

Hand-shaped of Bolong Eta—an especially handsome, very dense, stable tropical wood. Wraparound finger grooves for a firm grip, steady hold, and dramatic appearance.

Cat. Number 7395

Beeman "Combat" Grip.

Beautifully shaped exotic hardwood grip with finger grooves that wrap around the front on the grip, giving the shooter a very firm and steady hold.

Cat. Number 73705—Fits P1, P2 Standard, Colt .45 Auto.



SLINGS AND SWIVELS

Sling Fittings Selection Table

Desired Width of Sling	3/4"	1"	1 5/8"
FWB 300S Match FWB 300S Universal FWB 300S Mini Anschutz 250, 380 Walther LGR Beeman 400, RWS 75 HW55MM, FWB 601 FWB C60, C60 Mini	N/A	7411	N/A
Manitou FT, Mako FWB 300 Run. Boar FWB 300S Tyrolean FWB 601 Run. Boar FWB C60 Run. Boar	N/A	7410	7140
HW55, SM, T R6, R7, R8 Wischo 55 HW 30, 50 Beeman C1, S1 Beeman 100 Vulcan I, Bearcub, Hawk	7450	7439 + 7410	N/A
FWB 124/127D, Omega	FE	7440 + 7410	N/A
Crow Magnum Classic Magnum Kodiak FWB 124/127S R1, R10, R9, RX, Vulcan II Vulcan III, Beeman 250 RWS, Challenger Sport	N/A	7440 + 7410 or 7440 + 7420**	N/A
Air Wolf, Wolf Pup Osprey Falcon 1, FX-1	N/A	7410	N/A
R10, R9	N/A	7440 + 7420	N/A
HW97, Eclipse Falcon 2, FX-2	N/A	7439 + 7410	N/A

** = Sling comes with swivels.


FE = Factory equipped with this size swivel; may be removed if larger swivels and sling are desired.

N/A = Not Available.

NOTE: Sling installation not practical on El Gamo 68 series or Sheridan Model C or other pump pneumatics. Use swivel set 7410 on most CO₂ rifles with solid wood forearms and buttstocks.
List Not All Inclusive

Quick Detachable Sling Swivels.

Special airgun set with two wood screws and two 1" swivels. Unlike most QD swivels, these do not need a socket set into the stock. Installs without dismantling gun. Special 1/2" wood screw fits forearms as thin as 5/8". New white line base spacer.




Cat. Number 7410—w/instructions, screws.

Cat. Number 7411—1/2 set.

Cat. Number 7420—Wood screw.

Outside Barrel Band for QD Swivels.

Use on FWB 124/127, RWS 36, 38, 45, Beeman R models and other rifles that have a slot in the forearm which prevents installation of a forward swivel screw. No. 7410 swivels not included.




Cat. Number 7439—.535"-.585" barrel.

Cat. Number 7440—.585"-.635" barrel

Brownell Quick-Set Latigo Sling.

"Pull Down—Snap Out." No hooks or laces to adjust. One continuous piece of leather that can be set to any length desired.


Specially modified for airgun use, still perfect for firearms too.



Cat. Number 7520—Supple, natural tan 1".

Beeman Professional Tapered Strap.

The back is lined with tough, top quality suede leather saddle-stitched for a completely finished appearance. This provides a nice slip-resistant surface. Extra quality quick detachable sling swivels are solidly sewn right in. (Just attach No. 7420 swivel studs and/or barrel band No. 7438, 7439 or 7440 on each gun to which you wish to instantly attach this sling.) Finest saddle leather tapers from almost 2" wide (50 mm) to 7/8" (20 mm).



Cat. Number 7507.

Beeman Deluxe Saddle Leather Tapered Strap.

Our latest special design to fit the 20 mm (7/8") swivels of our top airguns. Also excellent on 3/4"-1" swivels. Very popular tapered design with wide area to provide maximum comfort and stability on shoulder. Top grade saddle leather stamped with very attractive basket weave design and border. Easily adjustable.

Cat. Number 75055.

SPECIAL ITEMS AND LITERATURE

LITERATURE

The Collector's Guide to Air Pistols

by Dennis Hiller

This interesting book is for the collector of air pistols. Now in the third edition, this 282 page book contains many interesting facts about the guns such as the model and manufacturer, date of production, and an approximated valuation. All details are documented with several good photographs of the guns, and in many cases also the schematic and original blueprints have been reproduced. In some cases, even old advertising and packaging have been shown for a fascinating look at the history of the model. This British book gives an abundance of useful information not found anywhere else, and is sure to be used time and time again as reference material for the air pistol collector.

Cat. Number 8035.

Air Rifle Hunter's Guide

by Tom Holzel

Author Tom Holzel helps hunters fill their game bags by exploring several areas of airgun hunting such as: how to get started, techniques, equipment, camouflage and airgun ballistics. While the book is tailored towards hunting crows (one of the trickiest of quaries) the information and techniques are applicable to nearly all airgun game.

Cat. Number 8037.

The Art of Airgun Collecting

by Robert Beeman

Authored by Dr. Robert Beeman, founder of Beeman Precision Airguns and the owner of perhaps the finest private collection of airguns in the world. This 23 page booklet explores several different areas such as what to collect, how to start a collection, and collectible American airguns. There is also an extremely interesting historical look at airgun development from the 1600's to the modern era, and the entire book is extremely well documented with photographs of guns from Beeman's own collection that are normally only seen in museums.

Cat. Number 8484.

MAINTENANCE PRODUCTS

Beeman Zip Cleaning Kit



Fits any gun with an open breech, even those that won't take a rigid rod. Cleans thoroughly and will not injure the crown of the barrel. Complete with zippered nylon belt or pocket pouch fitted inside with roll-up rod, patch holder, pull thru handle and adapter, .177-.20 brush, .22-.25 brush, obstruction clearer, instructions, and small plastic bottle of MP-5 (avoid kits with low flash oils which can damage airguns and their seals.) You should obtain a bottle of MP-5 oil No. 9205 for refills and No. 9500 Cleaner-Degreaser for first stage cleaning when at home, and drop in some appropriate sized Beeman Quick Cleaning Pellets.

Cat. Number 9005—Beeman "Zip Clean," for .177-.25 pistols or rifles.

Cat. Number 9006—100% cotton flannel patches for flexible rod in 9005. 50 per pkg.

Cleaning Patches.

Suitable for .177-.22 calibers. 100 per pack. Cat. Number 9040.



Silicone Gun Cloth.

Heavy 100% cotton flannel treated with Dow Corning silicone.

Cat. Number 9400.



Beeman MP-5 Metalphilic Oil.



MP-5's key action is one of penetrating rather than trapping moisture, but it also lubricates very effectively and neutralizes sweat and salt. MP-5 penetrates into the smallest crevices and finally dries to a thin, non-gumming, lubricating film which lasts through almost indefinite storage. It is harmless to steel, non-ferrous metals, wood, airgun seals, and leather. Apply it to external parts, joints, and bores. (Do not use in compression or spring chambers!)

Cat. Number 9205—4 oz. dispenser bottle.

Beeman/FWB Joint Grease.



Extremely effective for reducing friction and galling at points of high metal to metal pressure such as cocking lever and other joints of match and sport airguns and firearms.

Cat. Number 9131—1/4 oz. tube (7 gms).

Beeman Metal-2-Metal (M2M) Moly Paste.

Over 60% moly. Used for super tuning and almost eliminating wear. Externally, use it on all moving joints, etc. Beautifully smooths rough joints, etc. Generally too slick for trigger sears, but excellent in chambers. Also used in breech to ease pellet insertion. Use sparingly for best results. Great for all air and CO₂ guns.

Cat. Number 99130—1/2 oz. jar.

Tibet Almond Stick.



Stock scratch and rubmark treatment. Just burnish the big, fibrous stick of material over any or all of the stock, concentrating on the blemishes. Wipe of excess with absorbent tissue. Can't spill or stain.

Cat. Number 9860