

STANDARDIZED PLANT NAMES

**AMERICAN JOINT COMMITTEE ON
HORTICULTURAL NOMENCLATURE**

QK11

A5

N.C. STATE UNIVERSITY D.H. HILL LIBRARY




S00264303 |


Date Due

| | | |
|-------------|--|--|
| Je 5 - '35 | | |
| Jl 3 - '36 | | |
| JUN 2 1938 | | |
| MAY 20 1938 | | |
| Je - 8 '39 | | |
| MAY 31 1955 | | |
| JAN 20 1965 | | |
| REB C 1968 | | |
| MAT 20 1968 | | |

15064



STANDARDIZED PLANT NAMES



STANDARDIZED PLANT NAMES

A CATALOGUE OF APPROVED
SCIENTIFIC AND COMMON NAMES OF PLANTS
IN AMERICAN COMMERCE



Prepared by

FREDERICK LAW OLMS TED

FREDERICK V. COVILLE

HARLAN P. KELSEY

Sub-Committee

1923

AMERICAN JOINT COMMITTEE
ON HORTICULTURAL NOMENCLATURE
SALEM, MASS.

COPYRIGHT, 1923, BY
AMERICAN JOINT COMMITTEE
ON HORTICULTURAL NOMENCLATURE

J. HORACE McFARLAND, *Chairman*
HARLAN P. KELSEY, Salem, Mass., *Secretary*

Organization of the American Joint Committee:

AMERICAN ASSOCIATION OF NURSERYMEN
ORNAMENTAL GROWERS' ASSOCIATION
AMERICAN SOCIETY OF LANDSCAPE ARCHITECTS
AMERICAN PHARMACEUTICAL ASSOCIATION
AMERICAN INSTITUTE OF PARK EXECUTIVES
SOCIETY OF AMERICAN FLORISTS AND ORNAMENTAL HORTICULTURISTS

And in Coöperation with

| | |
|----------------------------|---------------------------------|
| AMERICAN DAHLIA SOCIETY | AMERICAN POMOLOGICAL SOCIETY |
| AMERICAN GLADIOLUS SOCIETY | AMERICAN ROSE SOCIETY |
| AMERICAN IRIS SOCIETY | AMERICAN SEED TRADE ASSOCIATION |
| AMERICAN PEONY SOCIETY | AMERICAN SWEET PEA SOCIETY |

Mount Pleasant Press
J. Horace McFarland Company
Harrisburg, Pa.

PREFACE

THE American Joint Committee on Horticultural Nomenclature was formed in 1915 by committees of the American Association of Nurserymen and of the Ornamental Growers' Association. Gradually enlarging in scope and representative character, its present make-up is as indicated on page xv.

Purposes. As first constituted, the stated purpose of the Committee was to "make buying easy" by bringing about, so far as practicable, the consistent use of a single standardized "scientific" name, and a single standardized "common" name for every tree, shrub, and plant in American commerce.

Related subjects which the Committee has had under consideration are a standard list of plant name abbreviations, and, of far greater importance, a well-organized mechanism for the registration and identification of horticultural varieties and the adoption of standard rules of nomenclature for the guidance of those naming new horticultural-varieties.

Statement of the Problem. Included in its first publication in 1917 was the following statement by the Committee:

Practical Importance of Stability in Nomenclature. The confusion of names in the horticultural plant world is at present so great as to clog popular plant knowledge and actually to limit to no small degree the use of certain trees, shrubs, and flowers in our American plantings. The consequent loss to the tradesman and planter is obvious. For example, take the common Virginia creeper: We find this catalogued in 1916 under no less than six Latin binomials—*Ampelopsis quinquefolia*, *A. virginica*, *Parthenocissus quinquefolia*, *P. virginica*, *Vitis hederacea*, and *Psedera quinquefolia*, while as common names we have Woodbine, American Woodbine, Virginia Creeper, American Ivy, Common Virginia Creeper, Virginian Creeper, Wild Woodvine, and Five-fingered Ivy. Today both American and foreign nursery catalogues are filled largely with confused and contradictory lists of plant names, while popular books on gardening and horticulture and the horticultural press themselves are at sea, and little if any better off than the tradesman. It is thus often impossible for the buyer to know whether he will get what he has in mind when placing an order, or something entirely different.

Further, owing to the differing names under which both new and old plants are often catalogued, described, and disseminated, the plantsman and buyer become perplexed and discouraged, and proper interest is not awakened. This often results in the over-use of the commoner and less worthy trees and plants to the exclusion of many beautiful things.

Causes of Confusion. Even when there is complete and well-established agreement among botanists as to the classification and naming of any given plant, mistakes by nurserymen or dealers in identification and labeling are liable to occur, giving rise to much confusion. When a dealer, either through

ignorance or accident, sends out a comparatively unknown plant labeled with the name of some other little-known plant, the misapplied name is likely to follow the first plant and become established in trade.

A striking case of this sort is that of the tree so widely disseminated for street planting under the common name "Carolina Poplar." Experts on the poplar state that this is probably *Populus eugenei*, a hybrid originated in Europe, and that the native Carolina Poplar practically never passes in the trade under that name. In this extreme case the transferred name is so universally accepted by the trade that an attempt to correct the original mistake would be inadvisable at present.

When, however, a plant has been widely distributed under the name of some other plant, through a mere mistake in identification, and the plant whose name was mistakenly applied to the other is also in cultivation, there is serious confusion, which can usually best be settled by correcting the original mistake even if it has become widely accepted.

Botanists Disagree. Other causes than mistaken identification of plants have contributed to the existing confusion. These involve differences of opinion and of practice among botanists in regard to plant names when there is no question at all about the identity of the plants. For one thing, in doubtful cases they are not yet wholly agreed upon the rules or "code" which shall apply, to decide which of two or more names shall stand; but these differences are comparatively few. Much more important are differences of personal judgment among botanists as to what constitutes in any given case a sufficient difference between two groups of related plants to place them in different genera; for example, whether the known difference between apples and pears is enough to separate them into two genera, *Malus* and *Pyrus*, or is so slight that they should be consolidated into a single genus. The same sort of difference in judgment arises as to what constitutes a sufficient difference to call for separation into distinct species, and as to what are of varietal rank. These differences are inevitable and are independent of rules or other arbitrary decisions.

For example, Azalea is now classed under *Rhododendron* by some botanists, yet for trade reasons it seems inexpedient to catalogue the Azaleas as *Rhododendrons*.

Why Botanical Names Change. Probably the most important cause of changes in botanical nomenclature in recent years is the constant collection of new evidence as to the facts. This evidence is of two sorts: evidence found in botanical literature as to the first proper description and naming of each kind of plant, and evidence as to the structure and habits of the plants themselves. When any group of plants is studied more carefully and thoroughly than before, new facts are sure to be discovered which may alter the classification and nomenclature based on previous incomplete knowledge.

Absolute and permanent fixity of botanical nomenclature, therefore, cannot be insured by any arbitrary agreement.

General Basis of the Committee's Work. In the face of the above facts the representatives of the organizations constituting this Committee have decided that the only practicable remedy is, for purposes of practical convenience in the horticultural trades, *to agree arbitrarily upon some one name for each plant, by*

which name it can be designated for a definite term of years, with provision for revising and correcting the list at probably five- or ten-year intervals, after due notice to all concerned.

In this catalogue it should be noted that this necessary arbitrary agreement upon a name does not imply criticism of any botanical authority. The Committee has been at the greatest pains to inform itself concerning the usage of the best authorities, and it has in most cases followed the usage of such authorities. In a few cases, and for reasons deemed adequate, deliberate departure from such usage has occurred. It should be noted that two codes of botanical nomenclature are in use among botanists—the American Code and the International, or Vienna, Code.

Official Code of 1917. In the winter of 1915–1916 the Committee took advantage of an opportunity afforded by the publication of the sixth volume of the Standard Cyclopedia of Horticulture, in which Dr. L. H. Bailey, its editor, included a Finding List of Latin or Latinized binomials commonly used in North American literature and commerce, with their equivalents in the Cyclopedia. The Committee was permitted, through the courtesy of Dr. Bailey, to insert in this list “stars” to indicate the names recommended by the Committee as the standard names for use in the horticultural trades for a considerable number of plants, mainly trees and shrubs. A reprint of the list as it appeared in the Cyclopedia was distributed as the 1917 OFFICIAL CODE OF STANDARDIZED PLANT NAMES, and has been extensively adopted and used. It is now superseded by this work, which records in the slight changes that may be observed the orderly progress of name revision above referred to.

Subsequent Work. The matter rested during the war, but in 1919 the Committee took up its work seriously, and after much labor and many delays due to the constant enlargements in scope and the ramifications of the subject, it has brought this work to the point of the present publication, which contains not only a vastly increased list of scientific names, including herbaceous as well as woody species, but also their approved common names, and the approved names of great numbers of horticultural varieties.

Horticultural Necessity and Convenience Paramount. What the Committee seeks to do is not to hamper the progressive correction and improvement of botanical nomenclature, and least of all the freedom of research, publication, and discussion among taxonomic botanists; but rather to provide a convenient and prac-

ticable means for bringing the matured results of such scientific research into use in the horticultural trades without damage and by agreement at definite periods.

The Basis Adopted. For many reasons, not the least of which was convenience in attaching each name to a generally accessible description, the Committee adopted as a general basis the scientific names given in Bailey's Standard Cyclopedia of Horticulture, and whenever the approved scientific name in this work differs from the Cyclopedia name, the latter is given in parentheses followed by the abbreviation "Cy." Similarly, whenever a name in this work differs from the name applied to the same plant by the Economic Herbarium of the United States Department of Agriculture, the latter is given in parentheses followed by the abbreviation "Ag." In certain genera, notably Azalea and Rhododendron, the names used at the Arnold Arboretum, where they differ from our usage, are similarly indicated by the Abbreviation "Ar."

*Disuse of Capital Initials.** In regard to two matters of typography and spelling, the Committee has broken with the prevailing practice among botanists, by a large majority vote but not without a vigorous and well-presented opposition by a minority. One of these decisions was to use no capitals in scientific names except for invariably beginning a genus name with a capital. This is a practice which some botanists and some horticulturists have long followed and which is universally followed by American zoölogists. The rule as to capitalizing species names as followed, for example, in Bailey's Cyclopedia and by many botanical authorities seems unnecessarily complicated in its application. The simple rule adopted by the American Joint Committee standardizes horticultural name typography and is unmistakable in meaning and use.

*Double "ii" Ending of Species Names Changed to Single "i."***

*It should be noted in regard to such matters as the capitalizing or the decapitalizing of species names, the retention or omission of the second "i" in second declension genitives (as *Thunbergii* for *thunbergii*), and the insertion or omission of hyphens in compound names (as Horse-chestnut, Horse-chestnut), that no serious confusion of meaning is likely to be caused by diversity of usage or lack of standardization in these matters. While the Joint Committee believes the standards adopted in this publication in these matters are convenient, economical, and desirable as trade usages, the one essential purpose of the publication, namely, the *standardization of the names themselves*, will not be affected if some users of the publication choose to adhere to other standards in regard to these less essential details of typography.

On the other hand, in the case of compound names in which a name properly belonging to one genus is applied in compound to a different genus, like HORSECHESTNUT or MAY-APPLE, failure to write or print them as compound words, either with a hyphen or "solid," is in many cases likely to cause serious confusion and should be consistently avoided. The committee prefers and prints MAY-APPLE. It makes no serious objection to MAY-APPLE. It objects very positively to MAX-APPLE, which is apt to mean, for any one not familiar with the plant, that it is a species or variety of the genus Malus.

The other of these decisions was to end all species names having the form of a second declension genitive with a single "i" instead of with "ii." This practice also has been followed for some time by zoölogists and by some horticulturists. There is just as good classic Latin authority for the "i" form as there is for the "ii" form, and it seems absurd to burden ourselves with trying to follow with precision the choice of each particular original author of a Latin plant name as to whether he would spell his genitive in "ii" or in the equally proper "i."

One Standard Common Name for Each Plant. The confusion in common names has been, of course, even worse than in scientific names. A single plant is sometimes known by twenty or more different names, some very closely localized, some very widespread. For example, Van Wijk's Dictionary of Plant Names credits the European White Waterlily, *Nymphaea alba*, with 15 English, 44 French, 105 German, and 81 Dutch common names, or a total of 245 vernacular appellations—a ridiculous state of affairs. Many other examples similarly absurd could be cited. More confusing still, the same common name is often applied in different parts of the country to wholly different plants. Some of these contradictory and confusing names are so firmly entrenched in local popular usage that it may be quite impossible to eradicate them. The Committee, in proposing one of a plant's common names as a national standard common name for that plant, does not imply that some of the other common names in use for it are not just as good, or even in some respects better. But if we are ever going to reduce the confusion some *one* name must be selected more or less arbitrarily.

Common Name Suggestions Desired. It will be noticed that in this work many plants are listed only by their Latin names. In such cases the Committee will welcome the suggestion of suitable common names for insertion in future editions.

Committee's Procedure in Adopting Common Names. In general, the procedure of the Committee in regard to common names has been as follows: First, the collation of all the common names given for the plant in various publications. Among those most resorted to were Bailey's Cyclopedias, over 200 leading nursery catalogues, the leading American and English botanical and horticultural works and publications, the Century Dictionary, Sudworth's Trees of the United States, and Van Wijk's Dictionary of Plant Names, a monumental work on the common names of

plants in five languages, with frequent reference for comparison to many other works and sources.

Eliminating Synonyms. Second, we have undertaken the elimination of a name for any genus, species, or variety, of names clearly belonging more properly, according to accepted usage, to some other genus, species, or variety. The recklessness with which people, on moving into a new locality, have applied familiar old plant names to totally different plants of the new locality has been responsible for a great deal of existing confusion. For example, first settlers in a new country are likely to fix the name "Laurel" to almost anything that has handsome evergreen leaves, and any evergreen conifer is likely to be called "Cedar" or "Pine." Some of these misnomers have become so firmly and so widely established in popular usage, even where the plant is now growing along with the plants which have the first right to the name, that they cannot be changed. But in such cases the Committee has adopted this rule: *Whenever a common name properly belonging to one genus is used as a name for a plant of some other genus (unless rarely where very closely related) it is to be used only as part of a compound name, written either with a hyphen or solid.* Thus Apple (*Malus*), Pineapple (*Ananas*), Pond-apple (*Annona*), and Star-apple (*Chrysophyllum*); not Pine Apple, Pond Apple, or Star Apple.

Confusion of Common Name Synonyms Illustrated. In this book the Committee has to deal with no less than thirty-one genera in which the common name "Lily," usually with a qualifying adjective, has been heretofore applied—genera other than the true Lily genus, *Lilium*. In these cases the name "Lily" has obviously been used on account of the resemblance of the subjects to the true Lily. Many of these Lily combinations are too well fixed in common usage to change. To overcome this difficulty the Committee has therefore *applied its rule of consolidating these compounds* where a different suitable common name could not be supplied. Examples: Amazonlily (*Eucharis*), not Amazon Lily; Daylily (*Hemerocallis*), not Day Lily; Glorylily (*Gloriosa*); Rainlily (*Cooperia*); Plantainlily (*Hosta*); Troutlily (*Erythronium*); Waterlily (*Nymphaea*); Zephyrlily (*Zephyranthes*). No other satisfactory solution of this major difficulty was discovered, and this procedure is believed to be sound.

Horticultural Variety Synonyms in Chaos. In plant groups with a large and rapidly increasing number of purely horticultural

varieties the chaos of name duplication is especially prevalent. Lack of authoritative registration mechanism and other coöperative action among horticulturists, and the disappearance of thousands of horticultural varieties as they were superseded, has fostered the duplication of names.

This situation is well known to all horticulturists, and no group of plants is free from this name confusion; it is only too well illustrated in cultivated fruits, Rose, Peony, Iris, Gladiolus, Carnation, and other plant groups, including vegetables, grains, and annual flowering plants. For example, consider potato varieties. In Great Britain, out of 242 varieties of potatoes tested at Ormskirk in 1920 by the National Institute of Agricultural Botany, the Potato Synonym Committee found that 72 per cent were synonyms. Conditions cannot be said to be much better in America.*

Common Names for Horticultural Hybrids. For many reasons the Committee prefers the practice of calling horticultural hybrids and other horticultural varieties by distinctive non-Latinized names—like the American Beauty Rose or the Baldwin Apple—in preference to the use of Latinized names (in imitation of those applied by botanists to natural species and subspecies) which attempt to set forth the genealogy of the variety, such as *Prunus cerasus rhexi* Cy, Rhex Cherry; *Chamaecyparis pisifera plumosa argentea* Cy, Silvertip Retinospora; *Nephrolepis exaltata bostoniensis elegantissima compacta cristata*, Cockatoo Boston Fern.

These pseudo-scientific Latinized names of horticultural varieties tend to become cumbersome, and there has been the utmost inconsistency and lack of science in devising them. A hybrid is sometimes given the name of one of its parents with a varietal addition which makes its name a trinomial or a polynomial of the *n*th degree; sometimes it is given a brand-new binomial that looks like the name of a newly discovered natural species.

Use of Hyphen in Compound Names.† Some difficulty has been experienced in establishing a standard practice in the use or omission of hyphens in compound words. The trend of usage in English is undoubtedly toward the closer consolidation of the parts of a compound as the combination becomes familiar.

*As an example of the confusion in the names of vegetables the following quotation is made from an authoritative British publication: "In the case of vegetables it is probable that the 'orgy of synonyms' is more marked than in any other group of plants. Of the thousands of names of peas at present on the market there are probably less than 100 varieties, and these in turn include probably less than 20 types. Cabbages, turnips, and beans also suffer from a multitude of unnecessary names."

†See footnote on page viii referring to the use of hyphens.

Therefore, for simplicity and convenience, hyphens are avoided where they are not clearly desirable; but a hyphen must be used where the meaning is made clearer, or where the pronunciation of the compound would be seriously difficult to recognize when printed as a single word.

Examples: Vi-apple, *not* Viapple, for *Spondias cytherea*; but Pineapple, *not* Pine-apple *nor* Pine Apple, for *Ananas sativus*, because this compound has become sufficiently familiar. Bellflower, *not* Bell Flower *nor* Bell-flower; Pelicanflower, *not* Pelican Flower; Longleaf, *not* Long-leaf *nor* Long Leaf; Longspur, *not* Long-spur.

Sign of the Possessive ('') Omitted. In possessive adjectival names the possessive sign has been dropped, and the accompanying letter "s" except where required for euphony or clearness. Examples: Schwedler Maple, *not* Schwedler's Maple; Wier Maple, *not* Wier's Maple; Josephs-coat (a horticultural variety of *Amaranthus*), *not* Joseph's-coat; Rivers Beech, *not* Rivers' Beech; Browns Lily, *not* Brown's Lily or Brown Lily, etc. This rule has already been adopted by the American Pomological Society, and we believe is sound practice.

Standardization of Nomenclature Unfinished. The following three large plant groups have yet to be considered and standard names adopted; viz., 1. VEGETABLES, such as Cabbage, Potato, Celery, Radish, Bean, Pea, etc. 2. FLOWERING ANNUALS, such as Petunia, Zinnia, Nasturtium, Cosmos, etc. 3. BULBOUS PLANTS, such as Narcissus, Jonquil, Hyacinth, Crocus, Ranunculus, Scilla, etc. (The genus *Tulipa* has been adequately considered.)

The first two groups, Vegetables and Flowering Annuals, are now being considered by a committee of the American Seed Trade Association, and it is expected that the result will be available for future editions of Standardized Plant Names. The "name-chaos" existing is easily seen by an even casual comparison of current seed catalogues. In Bulbous Plants, the Tulip group discloses another form of "name-chaos" in the use of identical names for varieties in different groups of the same genus.

Continuance of Joint Committee, and Revision. Obviously while the work of standardizing plant names is well begun it must be continuous. Files must be kept that will list all new names and show all name changes that experience and use make advisable, and it is certain that revision will be desirable in five-year or possibly longer periods.

The Joint Committee welcomes constructive criticism and

suggestions both as to the subject matter of this work and as to ways, means, and mechanism for establishing authoritative plant-name identification and registration.

Horticultural Variety Names Should be Registered. It is the hope of the Committee that ultimately all horticultural hybrids and other horticultural varieties may be known by individual non-Latinized names, registered in connection with type specimens, illustrations, and descriptions of each variety, and, so far as possible, free from duplication of varietal names within the same genus, or even within closely related genera. This seems a remote ideal today, but its influence on the present publication is shown in many genera where horticultural varieties known both by Latinized polynomials and by vernacular names have been listed in suitable groups under the latter, with the Latinized names given only as synonyms.

Mechanism Needed for Name Registration and Identification. The American Joint Committee urges as a first step that there be established in suitable locations in the different geographical regions and climatic zones of the United States, Government botanical gardens, arboreta, and test-gardens, with herbaria attached, where all varieties of horticultural and agricultural plant material may, so far as possible, be grown and accurately labeled in the field, and be accompanied by corresponding herbarium specimens of flower, fruit, and plant, and with accurate descriptions and photographs.

Nomenclature Code. The adoption by the American Joint Committee of a Code for use in the future naming of new horticultural varieties according to standardized rules and procedure, obviously is of the greatest importance in relation to simplified and definite horticultural terminology. Such a Code should be based on the principles adopted and practiced by the American Joint Committee in preparing Standardized Plant Names. The American Joint Committee may prepare and issue such a Nomenclature Code.

Names as Published in Standardized Plant Names are Declared Standard for Not Less Than a Five-Year Period. The American Joint Committee hereby adopts as standard, by authority of its constituent organizations, the scientific and common names as published in this 1923 edition of Standardized Plant Names for a period of not less than five years.

Reprints may be made as necessary, but the only permissible

changes are typographic or other errors, and the addition of new approved names or lists of names.

Every horticultural organization in America is invited and urged to endorse and adopt Standardized Plant Names to the common end that all plant names in horticultural use in America may become standardized.

Acknowledgment to Collaborators. The American Joint Committee wishes to acknowledge with gratitude the invaluable assistance rendered by many organizations and individuals in the preparation of Standardized Plant Names, and particularly in certain genera and groups, as follows:

COLLABORATORS

- Agave, Bean Trees, Dahlia, Peony, Rosewoods, various tropical plants and fruits, particularly Annona: DR. WILLIAM E. SAFFORD, Bureau of Plant Industry, Washington, D. C.
- Annuals: F. L. MULFORD, U. S. Department of Agriculture, Washington, D. C.; ALFRED PUTZ, W. Atlee Burpee Co., Philadelphia, Pa.
- Azalea, Japanese: BOBBINK & ATKINS, Rutherford, N. J.
- Begonia: PETER ARNOTT, Chestnut Hill, Mass.; L. A. BOBBINK, Rutherford, N. J.; J. A. PETERSON, Cincinnati, Ohio.
- Cactus: DR. J. N. ROSE, Smithsonian Institution, Washington, D. C.
- Camellia and Indian Azalea: JAS. G. BAILIE, Augusta, Ga.
- Canna: ROBERT PYLE, West Grove, Pa.
- Carnation: PROF. E. A. WHITE, N. Y. State College of Agriculture, Cornell University, Ithaca, N. Y.
- China Aster: W. H. DILDINE, James Vick's Sons, Rochester, N. Y.
- Citrus: A. D. SHAMEL, DR. W. T. SWINGLE, and T. R. ROBINSON, of the Bureau of Plant Industry, Washington, D. C.
- Dahlia: PROF. J. B. S. NORTON, Hyattsville, Md.; WM. J. RATHGEBER, 198 Norton St., New Haven, Conn.
- Ferns: DR. W. R. MAXON, U. S. National Museum, Washington, D. C.; R. C. BENEDICT, Brooklyn Botanic Garden, Brooklyn, N. Y.
- Fruits: DR. L. H. BAILEY, Ithaca, N. Y.; DR. W. H. CHANDLER, New York State College of Agriculture, Ithaca, N. Y.; LEONARD COATES, Lakeport, Calif.; R. B. CRUICKSHANK, University of Ohio, Columbus, Ohio; ORLANDO HARRISON, Berlin, Md.; PROF. U. P. HEDRICK, N. Y. State Experiment Station, Geneva, N. Y.; H. HAROLD HUME, Glen St. Mary, Fla.; PROF. E. R. LAKE, Bureau of Plant Industry, Washington, D. C.; GEORGE C. ROEDING, Niles, Calif.; ROBERT A. SIMPSON, Vincennes, Ind.; PAUL STARK, Louisiana, Mo.
- Fiber Plants: L. H. DEWEY, Bureau of Plant Industry, Washington, D. C.
- Gladiolus: PROF. A. C. BEAL, Ithaca, N. Y.
- Grasses: DR. A. S. HITCHCOCK, Bureau of Plant Industry, Washington, D. C.
- Indexing, Tulip, and many minor genera: O. M. FREEMAN, Bureau of Plant Industry, Washington, D. C.
- Iris: JOHN C. WISTER, Wister St. and Clarkson Ave., Germantown, Philadelphia, Pa.; R. S. STURTEVANT, Wellesley Farms, Mass.

PREFACE

xv

Japanese Flowering Cherry: HOMER C. SKEELS, Bureau of Plant Industry, Washington, D. C.; DR. T. TANAKA, Kanagawa Agricultural Experiment Station, Ofuna, near Yokohama, Japan.

Lilac (*Syringa*) and Willow (*Salix*) and special proofreading: DR. ALFRED REHDER, Arnold Arboretum, Jamaica Plain, Mass.

Nuts: WILLARD G. BIXBY, Baldwin, N. Y.

Oaks (*Quercus*): J. W. W. ASHE, Washington, D. C.

Orchids: OAKES AMES and F. TRACY HUBBARD, Ames Botanical Laboratory, North Easton, Mass.

Peony: DR. A. P. SAUNDERS, Clinton, N. Y.

Palms: DR. O. F. COOK, Bureau of Plant Industry, Washington, D. C.

Phlox: J. D. EISELE, Henry A. Dreer, Inc., Philadelphia, Pa.; PROF. C. L. THAYER, Massachusetts Agricultural College, Amherst, Mass.

Prunus: JOHN DUNBAR, 208 Municipal Bldg., Rochester, N. Y.

Rose: J. HORACE McFARLAND, Harrisburg, Pa.; ROBERT PYLE, West Grove, Pa.

Rocky Mountain Plants: S. R. DE BOER, Denver, Colo.

Sweet Pea: GEORGE W. KERR, Doylestown, Pa.; S. C. VICK, 205 Elwood Ave., Newark, N. J.

Waterlily: PETER BISSET, Bureau of Plant Industry, Washington, D. C.

Common names and abbreviations: WARREN H. MANNING, North Billerica, Mass.

Research work on common names: E. S. STEELE, 1522 Q St., N. W., Washington, D. C.

Research work on Latin names: DR. SIDNEY F. BLAKE, Bureau of Plant Industry, Washington, D. C.

Acknowledgment is also made to numerous correspondents rendering special service in proofreading and suggesting common name changes: GORDON D. COOPER, 4614 Prospect Ave., Cleveland, Ohio; L. P. JENSEN, Missouri Botanical Garden, St. Louis, Mo.; B. W. POND, 18 Tremont St., Boston, Mass.; PROF. C. S. SARGENT, Arnold Arboretum, Jamaica Plain, Mass.; NORMAN TAYLOR, Brooklyn Botanic Garden, Brooklyn, N. Y.; ROBERT WHEELWRIGHT, 56 W. 45th St., New York, N. Y.

AMERICAN JOINT COMMITTEE

ON HORTICULTURAL NOMENCLATURE

Sub-Committee:

FREDERICK LAW OLMFSTED

J. HORACE McFARLAND, *Chairman*

FREDERICK V. COVILLE

HARLAN P. KELSEY

HARLAN P. KELSEY, *Secretary*

Participating Organizations:

AMERICAN ASSOCIATION OF NURSERYMEN

ORNAMENTAL GROWERS' ASSOCIATION

AMERICAN SOCIETY OF LANDSCAPE ARCHITECTS

AMERICAN PHARMACEUTICAL ASSOCIATION

AMERICAN INSTITUTE OF PARK EXECUTIVES

SOCIETY OF AMERICAN FLORISTS AND ORNAMENTAL HORTICULTURISTS

Coöoperating Organizations:

AMERICAN DAHLIA SOCIETY

AMERICAN POMOLOGICAL SOCIETY

AMERICAN GLADIOLUS SOCIETY

AMERICAN ROSE SOCIETY

AMERICAN IRIS SOCIETY

AMERICAN SEED TRADE ASSOCIATION

AMERICAN PEONY SOCIETY

AMERICAN SWEET PEA SOCIETY

The membership of the participating committees is given on page 547.

HOW TO USE STANDARDIZED PLANT NAMES

This Catalogue includes both the scientific and the common names, approved and synonymous, of plants in American commerce, very fully cross-indexed and arranged in one continuous main alphabetic sequence.

Throughout, the approved scientific names are in **bold-face**, whether in **CAPITALS** or in **small letters**. Synonyms and unapproved names are invariably in *italic*, either *small letters* or **CAPITALS**. Approved common names are always in **SMALL CAPITALS**.

These typographic distinctions make the use of the catalogue easy. The cross-indexing will facilitate finding approved names, directly or through synonyms.

The words constituting the main alphabetic sequence are at the left-hand margin of the columns. They are mainly the genus names, common and scientific, such as **ABIES** and **FIR**, cross-referenced to each other.

Following a scientific genus name is the alphabetic list of species of that genus, each accompanied by its common name, and by an italicized synonym when a synonym is in well-established and authoritative use, as, under **ABIES**, "**A. pectinata** (*A. picea* Cy; *A. alba* Ag-Ar) . . . SILVER FIR." Cross references are given from such synonyms in their proper alphabetic order.

Following a scientific species name and further indented to the right are listed alphabetically the names of natural varieties of that species recognized by botanists and found in American commerce, as, "**A. homolepis umbilicata** (*umbellata*) . . . DIMPLECONE FIR." The horticultural varieties of a genus are placed together in a special list, following the list of species of that genus, and arranged in the alphabetic order of their common names. There is usually a reference to this special horticultural variety list under each species of which there are varieties to be found in the list. Thus, under **A. pectinata** is the note "See also hort. var. list on page 2," and under the heading "Hort. var. of *Abies*" is found "SENTINEL SILVER FIR (*A. pectinata pyramidalis*† Cy)." In very short species lists, such as **Allamanda**, and in genera in which most of the species have horticultural varieties, such as **Azalea** and **Rosa**, the references to the horticultural variety list are omitted.

A plant having a recognized Latin name and a recognized common name is entered under each of its names; for example **SUGAR MAPLE**, **Acer saccharum**, is entered under **A**, **M**, and **S**. In the case, however, of the very large number of horticultural varieties that have no recognized Latin name, no entry is made under the adjective; for example, **FIREFLY AZALEA** is entered under **A** but not under **F**.

Following the common name of a genus in the main alphabetical list is an alphabetical list of common names of species and varieties of that genus (except when the great length of such a list, as in case of **ROSE** makes it reasonable to refer to the full list under the scientific name of the genus) and also of compounds of that genus name applied to plants belonging to other genera; as under the heading **APPLE** (*Malus*), is found *Custard-apple*, although, of course, **CUSTARD-APPLE** also appears in the main alphabetical list under **C**.

STANDARDIZED PLANT NAMES

BOLD-face, whether capitals or small letters, indicates approved scientific names.

ITALIC, whether capitals or *small letters*, indicates synonyms or unapproved names.

SMALL CAPITALS indicate approved common names.

Abbreviations: Ag = Economic Herbarium of the United States Department of Agriculture; Ar = Arnold Arboretum, Harvard University; Cy = Bailey's Standard Cyclopedia of Horticulture.

A dagger (†) indicates a horticultural variety for which the Joint Committee recommends the use of the common name alone, although recognizing that the scientific name in italics, followed by the dagger, has good botanical standing according to the authority cited.

AARONSBEARD CACTUS

Opuntia leucotricha

| | |
|--------------------------------|-----------------|
| ABELIA | ABELIA |
| <i>chinensis (rupestris)</i> . | CHINESE A. |
| <i>engleriana</i> | ENGLER A. |
| <i>floribunda</i> | MEXICAN A. |
| <i>grandiflora</i> | GLOSSY A. |
| ABELMOSCHUS | HIBISCUS |
| ABERIA | DOVYALIS |

| | |
|-----------------------------|---------------------|
| ABIES | FIR |
| <i>alba</i> Ag-Ar | <i>A. pectinata</i> |

The name *A. alba* is often misapplied to *Picea canadensis*.

| | |
|--|-------------------------|
| <i>alcockiana</i> | <i>Picea alcockiana</i> |
| The name <i>A. alcockiana</i> has often been misapplied to <i>Picea jezoensis hondoensis</i> . | |

| | |
|--|--------------------|
| <i>amabilis</i> | CASCADE FIR |
| The name <i>A. amabilis</i> is sometimes misapplied to <i>A. grandis</i> . | |

| | |
|--|---------------------------------|
| <i>apollinis</i> . | <i>A. cephalonica apollinis</i> |
| <i>arizonica</i> (<i>Abies lasiocarpa arizonica</i> Cy) | <i>CORK FIR</i> |

| | |
|--------------------------------|--------------------|
| <i>baborensis</i> Cy | <i>A. numidica</i> |
| <i>balsamea</i> | <i>BALSAM FIR</i> |

| | |
|---------------------------------------|---------------------|
| <i>—hudsonia(hudsonica)</i> | <i>HUDSON F.</i> |
| <i>brachyphylla</i> | <i>A. homolepis</i> |

| | |
|-----------------------------|-------------------------|
| <i>bracteata</i> | <i>A. venusta</i> |
| <i>canadensis</i> | <i>Tsuga canadensis</i> |

| | |
|------------------------------|------------------|
| <i>cephalonica</i> | <i>GREEK FIR</i> |
| <i>—apollinis</i> | <i>APOLLO F.</i> |

| | |
|---------------------------|--------------------|
| <i>cilicica</i> | <i>CILICIAN F.</i> |
| <i>concolor</i> | <i>WHITE F.</i> |

| | |
|-------------------------------------|-------------------------|
| <i>—lowiana</i> | <i>PACIFIC WHITE F.</i> |
| See also hort. var. list on page 2. | |

| | |
|---------------------------|------------------------------|
| <i>douglasi</i> | <i>Pseudotsuga douglasii</i> |
| <i>excelsa</i> | <i>Picea excelsa</i> |

| | |
|-------------------------------|------------------|
| <i>firma (momi)</i> | <i>MOMI FIR</i> |
| <i>fraseri</i> | <i>FRASER F.</i> |

| | |
|-------------------------------------|------------------------|
| <i>grandis</i> | <i>GREAT SILVER F.</i> |
| See also hort. var. list on page 2. | |

ABIES, continued

holophylla NEEDLE FIR

homolepis (brachyphylla) . NIKKO F.

—umbilicata (umbellata) DIMPLECONE F.

hudsonica . A. *balsamea hudsonia*

lasiocarpa (subalpina) . ALPINE FIR

—arizonica Cy . . . A. *arizonica*

lowiana . . . A. *concolor lowiana*

magnifica RED FIR

—shastensis SHASTA F.

See also hort. var. list on page 2.

mariesi MARIES F.

menziesi *Picea sitchensis*

momi A. *firma*

nobilis NOBLE FIR

See also hort. var. list on page 2.

nordmanniana . . . NORDMANN F.

numidica (A. baborensis Cy) ALGERIAN F.

orientalis *Picea orientalis*

pectinata (A. picea Cy; A. alba

Ag-Ar) SILVER FIR

See also hort. var. list on page 2.

picea Cy A. *pectinata*

pindrow PINDROW FIR

pinsapo SPANISH F.

See also hort. var. list on page 2.

pungens *Picea pungens*

sachalinensis . . . SAKHALIN FIR

sibirica SIBERIAN F.

spectabilis (A. webbiana Cy) HIMALAYAN F.

subalpina A. *lasiocarpa*

umbellata (A. homolepis umbilicata

venusta (bracteata)) BRISTLECONE FIR

veitchi VEITCH F.

webbiana Cy A. *spectabilis*

STANDARDIZED PLANT NAMES

Hort. var. of *Abies*:

- AZURE FIR (*A. magnifica glauca*† Cy)
 BLUE SPANISH F. (*Abies pinsapo glauca*† Cy)
 BLUELEAF NOBLE F. (*A. nobilis glauca*† Cy)
 PURPLECONE WHITE F. (*Abies concolor violacea*† Cy)
 SENTINEL SILVER F. (*A. pectinata pyramidalis*† Cy)
 WEEPING SILVER F. (*A. pectinata pendula*† Cy)

ABOBRA CRANBERRY-GOURD
tenuifolia (viridiflora) CRANBERRY-GOURD

ABRONIA SANDVERBENA
latifolia (arenaria) YELLOW S.
umbellata PINK S.
villosa WOOLLY S.

ABRUS ROSARY-PEA
precatorius
Absinth COMMON WORM-
 WOOD: *Artemisia absinthium*

ABUMON Ag **AGAPANTHUS**
ABUTILON ABUTILON
hybridum

A gardener's name loosely and erroneously used for various hybrids. See hort. var. list below.

megapotamicum (*vexillarium*) BRAZILIAN ABUTILON
pictum PAINTED A.
striatum REDVEIN A.
 A. *striatum* often miscalled A. *pictum*.

Hort. var. of *Abutilon*:
 BOULE DE NEIGE (*Snowball*)

CAPRICE
 FIREBALL
 GOLDBALL
 GOLDENFLEECE

SAVITZ (*savitzii*)
 SOUVENIR DE BONN
 THOMPSON (*thomsonii*; *A. striatum thompsonii*† Cy)

ABYSSINIAN BANANA . *Musa ensete*

ACACIA ACACIA
armata KANGAROO THORN
baileyana . COOTAMUNDRA WATTLE
cavenia CAVENIA

ACACIA, continued

- cornigera* BULLHORN ACACIA
cultiformis KNIFE A.
cyanophylla BLUELEAF A.
cyclops CYCLOPS A.
dealbata **A. decurrens** dealbata
decurrens GREEN WATTLE
—dealbata SILVER W.
—mollis (mollissima) BLACK W.
drummondii . DRUMMOND ACACIA
farnesiana SWEET A.
floribunda . **A. longifolia** floribunda
julibrissin **Albizia julibrissin**
juniperina PRICKLY WATTLE
latifolia BROADLEAF ACACIA
longifolia SYDNEY WATTLE
—floribunda GOSSAMER W.
lophantha **Albizia lophantha**
melanoxyton BLACKWOOD ACACIA
mollissima **A. decurrens** mollis
nemu **Albizia julibrissin**
neriifolia BALD ACACIA
podalyriæfolia PEARL A.
pravissima SCREWPOD A.
pubescens HAIRY WATTLE
pycnantha GOLDEN W.
riceana RICE ACACIA
saligna WILLOW A.
verticillata STAR A.

ACACIA **Acacia**
 BALD A. **A. neriifolia**
 BLACK WATTLE A. **decurrens** mollis
 BLACKWOOD A. **A. melanoxyton**
 BLUELEAF A. **A. cyanophylla**
 BROADLEAF A. **A. latifolia**
 BULLHORN A. **A. cornigera**
 CAVENIA **A. cavenia**
 COOTAMUNDRA WATTLE

A. baileyana
 CYCLOPS A. **A. cyclops**
 DRUMMOND A. **A. drummondii**
 GOLDEN WATTLE **A. pycnantha**
 GOSSAMER W. **A. longifolia** floribunda
 GREEN W. **A. decurrens**
 HAIRY W. **A. pubescens**
 KANGAROO THORN **A. armata**
 KNIFE A. **A. cultiformis**
 PEARL A. **A. podalyriæfolia**
 PRICKLY WATTLE **A. juniperina**

ACACIA, continued

- RICE A. *Acacia riceana*
 ROSE-ACACIA *Robinia hispida*
 SCREWPOD A. *A. pravissima*
 SILVER WATTLE
 A. decurrens dealbata
 STAR A. *A. verticillata*
 SWEET A. *A. farnesiana*
 SYDNEY WATTLE *A. longifolia*
 WILLOW A. *A. saligna*

- ACAENA** **ACAENA**
 argentea SILVER A.
 microphylla NEW ZEALAND BUR

- ACALYPHA** COPPERLEAF
 hispida (*sanderi*) CHENILLE C.
 marginata CRIMSONEDGE C.
 Hort. var. of *A. wilkesiana*. The true
A. marginata of botanists is not in the
 trade.

wilkesiana . PAINTED COPPERLEAFHort. var. of *Acalypha*:

- BANANA COPPERLEAF (*A. wilkesiana musaica*† Cy; *mosaica*)
 CRIMSONEDGE C. (*A. wilkesiana marginata*† Cy)
 MACAfee C. (*A. w. macafeana*† Cy)
 MILTON C. (*miltoniana*)
 TRIUMPH C. (*A. wilkesiana triumphans*† Cy)

- ACANTHOCEREUS**
 pentagonus (*Cereus baxaniensis*)

- ACANTHOLIMON** PRICKLY-THRIFT
 glumaceum COMB P.

- ACANTHOPanax**
 pentaphyllum (*Aralia pentaphylla*)
 ricinifolium (*Kalopanax ricinifolium* Ag) CASTOR-ARALIA
 —maximowiczi (*Kalopanax ricinifolium maximowiczi* Ag; *Aralia maximowiczi*)
 sessiliflorum (*Panax sessiliflorum*)

- ACANTHOPHOENIX**
 rubra (*Areca rubra*) RED SPINE-DATE

- ACANTHORHIZA**
 aculeata ROOTSPINE PALM
ACANTHUS ACANTHUS
 mollis SOFT A.
 —latifolius BROADLEAF A.

ACANTHUS, continued

- spinosus SPINY ACANTHUS
ACER MAPLE
 buergerianum(*trifidum*) TRIDENT M.
 campestre HEDGE M.
 See also hort. var. list on page 4.

- capillipes
 cappadocicum (*coccinum*; *laetum*) COLISEUM MAPLE
 circinatum VINE M.
 colchicum *A. cappadocicum*
 dasycarpum (*A. saccharinum* Cy-
 Ag) SILVER MAPLE
 See also hort. var. list on page 4.

- diabolicum DEVIL M.
 —purpurascens RED-DEVIL M.
 ginnala AMUR M.
 glabrum ROCKY MOUNTAIN M.
 grandidentatum BIGTOOTH M.
 griseum
 heldreichi BALKAN M.
 henryi HENRY M.
 insigne PERSIAN M.
 —velutinum VELVET M.
 japonicum FULLMOON M.
 See also hort. var. list on page 4.

- laetum *A. cappadocicum*
 leucoderme CHALK MAPLE
 longipes (*longifolium*)
 macrophyllum OREGON M.
 mandschuricum MANCHURIAN M.
 monspessulanum MONTPELIER M.
 negundo (*Negundo aceroides*; *N. fraxinifolium*) BOXELDER
 —californicum CALIFORNIA B.
 See also hort. var. list on page 4.

- nigrum BLACK MAPLE
 palmatum (*polymorphum*) JAPANESE M.
 See also hort. var. list on page 4.

- pennsylvanicum (*striatum*) STRIPED M.
 pictum PAINTED M.
 platanoides NORWAY M.
 See also hort. var. list on page 4.

- polymorphum* *A. palmatum*
 pseudoplatanus SYCAMORE MAPLE
 See also hort. var. list on page 4.
 rubrum RED M.
 —globosum DWARF RED M.

STANDARDIZED PLANT NAMES*

ACER, continued

*rufinerve**saccharinum* Cy-Ag*Acer dasycarpum*Much of the stock listed as *A. saccharinum* is Sugar Maple, *A. saccharum*.*saccharum* . . . SUGAR MAPLEThis species was formerly known as *A. saccharinum*, but that name is now applied by botanists to Silver Maple.

See also hort. var. list below.

sanguineum

SCARLET JAPANESE MAPLE

Hort. var. of *A. palmatum*.*schwedleri* . . . SCHWEDLER M.Hort. var. of *A. platanoides*.*spicatum* . . . MOUNTAIN M.*striatum* . . . *A. pennsylvanicum**tataricum* . . . TATARIAN MAPLE*trautvetteri* . . . REDBUD M.*trifidum* . . . *A. buergerianum**truncatum**velutinum* . . . VELVET MAPLEHort. var. of *A. insigne*. The name *A. velutinum* is sometimes used erroneously for *A. traутветтери*.Hort. var. of *Acer*:*BENTLEAF NORWAY MAPLE* (*A. platanoides laciniatum*† Cy)*BIGMOON M.* (*A. japonicum macrophyllum*† Cy)*BLOODLEAF JAPANESE M.* (*A. palmatum atropurpureum*† Cy)*BLOODLEAF NORWAY M.* (*A. platanoides rubrum*† Cy; *reitenbachi*)*BLOODVEIN M.* (*A. palmatum atrolineare*† Cy)*COLUMN M.* (*A. platanoides columolare*† Cy)*CRESTED M.* (*Acer palmatum crispum*† Cy)*CRIMPED NORWAY M.* (*A. platanoides cucullatum*† Cy)*CUTLEAF NORWAY M.* (*A. platanoides dissectum*† Cy)*DUSTY M.* (*A. campestre pulverulentum*† Cy)*FERNLEAF M.* (*A. japonicum parsonsi*† Cy; *filicifolium*)*GENEVA M.* Hort. var. of *A. platanoides*.*GLOBE M.* (*A. p. globosum*† Cy)*GOLDEN BOXELDER* (*A. negundo auratum*† Cy)

ACER, continued

GOLDENMOON MAPLE (*Acer japonicum aureum*† Cy)*GREEN-NET M.* (*A. palmatum reticulatum*† Cy)*LEOPOLD M.* (*A. pseudoplatanus leopoldi*† Cy)*PINKEDGE M.* (*A. palmatum roseo-marginatum*† Cy)*PURPLE SYCAMORE M.* (*A. pseudoplatanus purpurascens*† Cy)*PYRAMIDAL SILVER M.* (*dasycarpum pyramidale*)*RED JAPANESE M.* (*A. palmatum rubrum*† Cy)*SCARLET JAPANESE M.* (*A. p. sanguineum*† Cy)*SCHWEDLER M.* (*A. platanoides schwedleri*† Cy)*SENTRY M.* (*A. saccharum monumentale*† Cy)*SEVENLOBE M.* (*A. palmatum septentlobum*† Cy)*SPIDERLEAF M.* (*A. palmatum ornatum*† Cy)*STOLL M.* (*A. platanoides stollii*† Cy)*SUNRISE M.* (*Acer palmatum aureum*† Cy)*THREADLEAF M.* (*A. palmatum dissectum*† Cy)*VEINY SYCAMORE M.* (*A. pseudoplatanus nervosum*† Cy)*WIER M.* (*A. saccharinum wieri* Cy; *laciniatum*)*YELLOW SYCAMORE M.* (*A. pseudoplatanus worleii*† Cy)ACERANTHUS . . . MAPLEWORT
diphyllus (*Epimedium diphyllum*)

MAPLEWORT

ACHANIA . . . MALVAVISCUS

ACHILLEA . . . YARROW
aegyptiaca Ag . . . *A. tourneforti*ageratum . . . SWEET YARROW
filipendulina (*eupatorium*)fernleaf Y.
millefolium . . . COMMON Y.

See also hort. var. list on page 5.

mongolica . . . *A. sibirica*
ptarmica . . . SNEEZEWORT

See also hort. var. list on page 5.

ACHILLEA, continued

sibirica (mongolica)

SIBERIAN YARROW

tomentosa

WOOLLY Y.

tourneforti (A. aegyptiaca Ag.)

GREEK Y.

Hort. var. of *Achillea*:

The first four in the list below are horticultural varieties of Sneezewort, *A. ptarmica*.

BOULE DE NEIGE

GLOBE (*florepleno*)

PEARL

PERRY WHITE

PINK YARROW (*A. millefolium rosea* Cy)RED Y. (*A. m. rubra* Cy)

ACHIMENES **ACHIMENES**
longiflora (haageana) TRUMPET A.
patens VIOLET A.

ACHRAS*sapota (A. zapota Ag.)* SAPODILLA

ACHYRANTHES **IRESINE**
The species of true Achyranthes of
botanists are not in the trade.

ACHYRODES*aureum (Lamarkia aurea* Cy;
Chrysurus aureus; C. cynosuroides) GOLDENTOP GRASSACID MULBERRY *Morus acidosa***ACIDANTHERA***bicolor***ACONITE** *Aconitum napellus*BICOLOR A. (*A. napellus bicolor* Cy)SPARKS A. Hort. var. of *A. napellus*WHITE A. (*A. n. album* Cy)

WINTER-ACONITE

*Eranthis; E. hyemalis***ACONITE BUTTERCUP***Ranunculus aconitifolius***ACONITUM** MONKSHOOD*anthora (pyrenaicum)*

PYRENEES M.

autumnale AUTUMN M.*bicolor*

This name is sometimes used by gardeners erroneously for Bicolor Aconite, hort. var. of *A. napellus*, and for Azure Monkshood, *A. fischeri*.

chinense . . . CHINESE MONKSHOOD*fischeri* AZURE M.*wilsoni* VIOLET M.**ACONITUM**, continued*lycoctonum* WOLFBANE*napellus (pyramidatum)* . . . ACONITE

See also hort. var. list below.

pyramidatum . . . *Aconitum napellus**pyrenaicum* *A. anthora**uncinatum*

CLAMBERING MONKSHOOD

variegatum MANCHURIAN M.*wilsoni* *A. fischeri wilsoni*Hort. var. of *Aconitum*:ARBOR MONKSHOOD (*volubile latise-**tum*) Hort. var. of *A. variegatum*BICOLOR ACONITE (*A. napellus bicolor* Cy)SPARKS A. Hort. var. of *A. napellus*WHITE A. (*A. n. album* Cy)**ACORUS** SWEETFLAG*calamus* SWEETFLAG*gramineus (japonicus)* JAPANESE S.Hort. var. of *Acorus*:WHITESTRIPE SWEETFLAG (*A. gra-*
mineus variegatus Cy)YELLOWSTRIPE S. (*A. calamus variegatus* Cy)**ACROCLINIUM** HELIPTERUM**ACTAEA** BANEERRY*alba* WHITE B.*japonica* *Cimicifuga japonica**rubra (spicata rubra)* RED BANEERRY*spicata* BLACK B.**ACTINIDIA** ACTINIDIA*arguta* (*Tara Vine*) BOWER A.*chinensis* (*Chinese A.*) YANGTAO*kolomikta* KOLOMIKTA*polygama* SILVERVINE**ACTINOLEPIS** SUNBURST*coronaria (Shortia californica)* CORONET S.**ACUAN** Ag . . . DESMANTHUSADAM LABURNUM (*L. adami* Cy)

Adams Needle

COMMON YUCCA: *Yucca filamentosa*ADDERSTONGUE . . . *Ophioglossum*COMMON A. *O. vulgatum***ADELIA** FORESTIERA**ADELIA** *Forestiera*

STANDARDIZED PLANT NAMES

ADELIA, continued

- PRIVET A. . *Forestiera ligustrina*
 TEXAS A. *F. acuminata*
- ADENANTHERA . . . BEADTREE
pavonina REDBEAD
- ADENOPHORA . . . LADYBELL
communis (*A. liliifolia* Ag.)
 COMMON L.
potanini BUSH L.
- ADENOSTOMA . . . CHAMISO
fasciculatum CHAMISO
- ADIANTUM . MAIDENHAIR FERN
aemulum *A. cuneatum*
bausei BAUSÉ MAIDENHAIR
 Hort. var. of *A. tenerum*.
bellum BERMUDA M.
capillus-veneris (*fergusoni*)
 SOUTHERN M.
caudatum TRAILING M.
croweanaum CROWE M.
 Hort. var. of *A. cuneatum*.
cuneatum (*aemulum*; *hybridum*;
mundulum) DELTA MAIDENHAIR
 See also hort. var. list below.
- farleyense* Cy . . BARBADOS M.
 Hort. var. of *A. tenerum*.
- fergusoni* . . *A. capillus-veneris*
formosum . . . AUSTRALIAN M.
gracillimum . . . MIST M.
hybridum . . . *A. cuneatum*
lunulatum WALKING MAIDENHAIR
mundulum . . . *A. cuneatum*
pedatum AMERICAN MAIDENHAIR
rhodophyllum . . . ROSY M.
 Hort. var. of *A. tenerum*.
sanctae-catharinæ
 ST. CATHARINE M.
 Hort. var. of *A. trapeziforme*.
- tenerum* (*scutum*) . . FAN M.
 See also hort. var. list below.
- trapeziforme* . . DIAMOND M.
 See also hort. var. list below.
- wagneri* (*weigandi*) . PERUVIAN M.
 Hort. var. of *Adiantum*:
- BARBADOS MAIDENHAIR (*A. farleyense* Cy). Hort. var. of *A. tenerum*.
- BAUSÉ M. (*bausei*) Hort. var. of *A. tenerum*.

ADIANTUM (Hort. var.), continued

- CROWE MAIDENHAIR (*Adiantum cuneatum croweanaum*† Cy)
 ROSY M. (*rhodophyllum*) Hort. var.
 of *A. tenerum*.
- ST. CATHARINE M. (*sanctae-catharinæ*) Hort. var. of *Adiantum trapeziforme*.
- TASSEL M. (*Adiantum cuneatum grandiceps*† Cy)
- ADLUMIA CLIMBING FUMITORY
fungosa (*cirrhosa*) . CLIMBING F.
- ADONIS ADONIS
aestivalis SUMMER A.
amurensis AMUR A.
autumnalis PHEASANTEYE
pyrenaica PYRENEES ADONIS
vernalis SPRING A.
- ADZUKI BEAN *Phaseolus angularis*
- AEGOPODIUM GOUTWEED
podograria GOUTWEED
 Hort. var. of *Aegopodium*:
 SILVEREDGE GOUTWEED (*A. podograria variegatum*† Cy)
- AESCULUS . . HORSECHESTNUT
arguta TEXAS BUCKEYE
austrina *A. discolor mollis*
briotii RUBY HORSECHESTNUT
 Hort. var. of *A. carnea*.
bushi ARKANSAS BUCKEYE
californica . . . CALIFORNIA B.
carnea† Cy . . RED HORSECHESTNUT
 See hort. var. list on page 7.
- discolor* WOOLLY BUCKEYE
mollis (*austrina*) . SCARLET B.
flava *A. octandra*
georgiana . . . GEORGIA BUCKEYE
glabra OHIO B.
buckleyi SEVENLEAF B.
leucodermis . . . WHITEBARK B.
harbisoni HARBISON B.
hippocastanum HORSECHESTNUT
 See also hort. var. list on page 7.
- humilis* GROUND BUCKEYE
 Hort. var. of *A. pavia*.
- hybrida*† Cy HYBRID B.
 See hort. var. list on page 7.
- macrostachya* *A. parviflora*
michauxii MICHAUX BUCKEYE

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

AESCULUS, continued

- octandra* (*flava*; *Pavia flava*)
YELLOW BUCKEYE
parviflora (*macrostachya*; *Pavia macrostachya*) . . . BOTTLEBRUSH B.
pavia (*rubra*; *Pavia rubra*) RED B.
See also hort. var. list below.
- plantierensis*
DAMASK HORSECHESTNUT
Hort. var. of *A. carnea*.
- rubicunda* RED H.
See hort. var. list below.
- rubra* *A. pavia*
turbinata JAPANESE HORSECHESTNUT
versicolor . . . HYBRID BUCKEYE
See hort. var. list below.
- woerlitzensis ellwangeri*† Cy
ELLWANGER B.
See hort. var. list below.

Hort. var. of **Aesculus**:

- BAUMANN HORSECHESTNUT (*A. hippocastanum baumanni*† Cy;
alba; *florepleno*)
CUTLEAF H. (*A. h. laciñata*† Cy)
DAMASK H. (*A. carnea plantierensis*† Cy)
DARK RED BUCKEYE (*A. pavia atrosanguinea*† Cy)
ELLWANGER B. (*A. woerlitzensis ellwangeri*† Cy)
GROUND B. (*A. pavia humilis*† Cy;
Pavia nana)
HYBRID B. (*A. hybrida*† Cy; *octandra* × *pavia*; *versicolor*)
PYRAMID HORSECHESTNUT (*A. hippocastanum pyramidalis*† Cy)
RED H. (*A. carnea*† Cy; *hippocastanum* × *pavia*; *A. hippocastanum rubicunda*)
RUBY H. (*A. carnea briotii*† Cy)
SAWTOOTH H. (*A. hippocastanum incisa*† Cy)
UMBRELLA H. (*A. hippocastanum umbraculifera*† Cy)
YELLOWSPOT H. (*A. hippocastanum variegata*† Cy)

AETHEOPAPPUS. CENTAUREA**AETHIONEMA** . . . STONECRESS**AETHIONEMA**, continued

- coridifolium* (*jucundum*; *Iberis jucunda*) . . . LEBANON STONECRESS
grandiflorum . . . PERSIAN S.
AETNA BROOM . . . *Genista aetnensis*
AFGHAN BLISTERCRESS Erysimum perofskianum
AFRICAN MILLET, AFRICAN TAMARIX,
etc. See MILLET, TAMARIX, etc.
AFRICAN-VIOLET *Saintpaulia ionantha*
AGAPANTHUS . . . AGAPANTHUS
The name of this genus under the
American Rules is Abumon.
umbellatus . . . AGAPANTHUS
Hort. var. of **Agapanthus**:
MOORES AGAPANTHUS (*A. umbellatus mooreanus*† Cy)
SNOWFLAKE A. (*A. u. albida*† Cy)
AGATHAEA Ag **FELICIA**
AGATHIS DAMMAR-PINE
alba (*Dammara alba* Ag). WHITE D.
australis (*Dammara australis* Ag)
KAURI-PINE
robusta (*Dammara robusta* Ag)
AUSTRALIAN DAMMAR-PINE
AGATHOSMA . . . AGATHOSMA
ventenatiana (*Hartogia ventenatiana* Ag)
villosa (*H. villosa* Ag; *Diosma purpurea*)
AGAVE AGAVE
americana . . . CENTURYPLANT
atrovirens . . . PULQUE AGAVE
caeruleascens
ferox
fourcroydes HENEQUEN
lecheguilla LECHUGUILA
lophantha CRESTED AGAVE
potatorum
sisalana SISAL
stricta HEDGEHOG AGAVE
See also hort. var. list below.
tequilana TEQUILA A.
Hort. var. of **Agave**:
BLUE HEDGEHOG A. (*Agave stricta glauca*† Cy)
AGERATUM AGERATUM
The plants known to gardeners as
Ageratum are in a state of great con-
fusion botanically. They apparently

STANDARDIZED PLANT NAMES

AGERATUM, continued

includes species of the genera Ageratum, Alomia, and Eupatorium. A botanical study of these plants is in progress.

album

Probably *Eupatorium mieranum*.

conspicuum

Eupatorium glechonophyllum
houstonianum (mexicanum)

MEXICAN AGERATUM

—*muticescens* BLUE PERFECTIONA.

lasseauxii . . *Eupatorium lasseauxii*

latifolium LITTLE BLUESTAR AGERATUM

nanum

A dwarf form of *A. houstonianum*.

roseum . . . *Eupatorium lasseauxii*

AGERATUM See *Ageratum*

CHILE-AGERATUM

Eupatorium glechonophyllum

AGLAONEMA*costatum***AGONIS** Ag . LEPTOSPERMUM**AGROSTEMMA**

coeli *Lychnis coelirosa*

coelirosa *L. coelirosa*

coronaria *L. coronaria*

flosjovis *L. flosjovis*

AGROSTIS BENTGRASS

capillaris (*vulgaris*; *tenuis*)

RHODE ISLAND BENT

Rhode Island Bent is sometimes misidentified as *Agrostis canina*, a species not in the trade.

nebulosa CLOUDGRASS

palustris (*A. alba* Cy) . REDTOP

stolonifera

(Creeping Bent) CARPET BENT

AILANTHUS AILANTHUS

glandulosa (*A. altissima* Cy-Ag)

(Tree-of-heaven) AILANTHUS

AIRA

caerulea *Molinia caerulea*

AIRPOTATO *Dioscorea bulbifera***AIZOON** SAXIFRAGE, AIZOON STONE-

CROP, etc. See SAXIFRAGE,

STONECROP, etc.

AJUGA BUGLE

genevensis GENEVA B.

reptans CARPET B.

Hort. var. of *Ajuga*:

CURLY BUGLE (*Ajuga metallica*
crispata† Cy)

PURPLELEAF B. (*Ajuga reptans*
rubra† Cy)

AKEBIA AKEBIA

lobata THREELEAF A.

—australis
quinata FIVELEAF A.

AKEE Blighia sapida
AKITA COLUMBINE Aquilegia akitensis
ALABAMA FOTHERGILLA, ALABAMA

SUPPLEJACK, etc. See FOTHER-
GILLA, SUPPLEJACK, etc.

ALASKA FLEABANE

Erigeron salsuginosus

ALBANIAN FORSYTHIA . F. europaea

ALBERT HONEYSUCKLE

Lonicera spinosa alberti

ALBERTA SPRUCE

Picea canadensis albertiana

ALBINO ELDER, ALBINO GOATSRUE,
etc. See ELDER, GOATSRUE, etc.

ALBIZZIA ALBIZZIA

julibrissin (*Acacia julibrissin*; *Aca-
cia nemu*) SILKTREE

lebbeck LEBBEK
lophantha (*Acacia lophantha*)

PLUME ALBIZZIA

procera

ALCICORNİUM . STAGHORN FERN

bifurcatum (*Platycerium alcicorne*
Cy) . COMMON STAGHORN FERN

stemaria (*P. aethiopicum* Cy; *P.
stemmaria*)

TRIANGLE STAGHORN FERN
willincki (*P. willincki* Cy)

JAVA STAGHORN F.

ALCOCK SPRUCE . Picea alcockiana

ALDER Alnus

AMERICAN GREEN A. A. mitchelliana

Black A. COMMON

WINTERBERRY: *Ilex verticillata*
CUTLEAF A. (*Alnus glutinosa la-
ciniata*† Cy)

EUROPEAN A. A. glutinosa

EUROPEAN GREEN A. . . . A. viridis

FEATHERLEAF A. (*A. incana pin-
natifida*† Cy)

HAZEL A. A. rugosa

ITALIAN A. A. cordata

ALDER, continued

- MANCHURIAN A. . . . *Alnus hirsuta*
 MOUNTAIN A. . . . *A. tenuifolia*
 REDVEIN A. (*A. glutinosa rubrivenia*† Cy)
 ROYAL A. (*A. g. imperialis*† Cy)
 SPECKLED A. . . . *A. incana*
- ALDER BUCKTHORN *Rhamnus alnifolia*
- ALECTRYON *Titoki excelsum* *Titoki*
- ALEPPO IRIS, ALEPPO PINE, etc. See IRIS, PINE, etc.
- ALETRIS STARGRASS
farinosa STARGRASS
- ALEURITES
fordii TUNG-OIL TREE
moluccana (*Lumbang* Pom) CANDLENUT-TREE
- ALEXANDER MAGNOLIA (*M. soulangiana alexandrina*† Cy)
- ALFALFA *Medicago sativa*
 TREE A. *M. arborea*
- ALFILERIA *Erodium cicutarium*
- ALGERIAN FIR, ALGERIAN IVY, etc.
 See FIR, IVY, etc.
- ALISMA WATERPLANTAIN
plantago-aquatica WATERPLANTAIN
- ALLAMANDA *Allamanda cathartica*. COMMON A.
 —*hendersonii* *HENDERSON A*
neriifolia *OLEANDER A*
- Hort. var. of Allamanda:
 WILLIAMS A. (*A. cathartica williamsii*† Cy)
- ALLEGHENY BLACKBERRY, ALLEGHENY NAILWORT, etc. See BLACKBERRY, NAILWORT, etc.
- ALLIGATOR JUNIPER *Juniperus pachyphloea*
- ALLIONI SPEEDWELL *Veronica allioni*
- ALLIUM ONION
ascalonicum SHALLOT
canadense MEADOW GARLIC
cepa ONION
cernuum NODDING O.
fistulosum WELSH O.
moly LILY LEEK
porrum LEEK
sativum GARLIC

ALLIUM, continued

- schoenoprasum CHIVE
tricoccum WOOD LEEK
- ALLSPICE *Pimenta officinalis*
Carolina A. COMMON SWEET-SHRUB; *Calycanthus floridus*
- ALMOND *Amygdalus*; *A. communis*
 For hort. var. of Almond grown for their nuts, see American Pomological Society's List of Fruits and Nuts, in Appendix
- DOUBLE PINKFLOWERING A. Hort. var. of *Prunus glandulosa*.
- DOUBLE WHITEFLOWERING A. Hort. var. of *P. glandulosa*.
- FLOWERING A.
 This name applies to double-flowered varieties of *Prunus glandulosa*.
- INDIA-ALMOND *Terminalia catappa*
- RUSSIAN A. . . . *Amygdalus nana*
- ALMOND EUCALYPTUS, ALMOND PEAR, etc. See EUCALYPTUS, PEAR, etc.
- ALNUS ALDER
alnobetula See note under *A. viridis*.
- cordata* ITALIAN A.
crispa Ag-Ar *A. mitchelliana*
glutinosa EUROPEAN ALDER
 See also hort. var. list below.
- hirsuta* MANCHURIAN A.
incana SPECKLED A.
 See also hort. var. list below.
- lacinata* CUTLEAF A.
 Hort. var. of *A. glutinosa*. The name *A. lacinata* is often misapplied also to Featherleaf Alder, hort. var. of *A. incana*.
- mitchelliana* (*A. crispa Ag-Ar*)
 AMERICAN GREEN ALDER
- rugosa* HAZEL A.
tenuifolia MOUNTAIN A.
viridis EUROPEAN GREEN A.
 Often confused with American Green Alder. The name *Alnus alnobetula* has sometimes been used in nurseries for both the European and the American Green Alder.
- Hort. var. of *Alnus*:
 CUTLEAF ALDER (*A. glutinosa lacinata*† Cy)
 FEATHERLEAF A. (*A. incana pinnatifida*† Cy)
 REDVEIN A. (*A. glutinosa rubrivenia*† Cy)
 ROYAL A. (*A. g. imperialis*† Cy)

| | | |
|--|--------------------------------|--|
| ALOCASIA | ALOCASIA | |
| indica | GIGANT TARO | |
| macrorhiza | HAWAIIAN GIANT T. | |
| Hort. var. of A. macrorhiza: | | |
| MOTTLED TARO (<i>variegata</i>) | | |
| ALONSOA | MASKFLOWER | |
| acutifolia | LANCELEAF M. | |
| linifolia | FLAXLEAF M. | |
| warscewiczi (<i>grandiflora</i>) | HEARTLEAF M. | |
| Hort. var. of Alonsoa: | | |
| WHITE MASKFLOWER (<i>A. acutifolia</i> <i>candida</i> † Cy; <i>albiflora</i>) | | |
| ALOPECURUS | | |
| pratensis | MEADOW FOXTAIL | |
| ALOYSIA | LIPPIA | |
| ALPENCRESS | Hutchinsia alpina | |
| ALPINE BUCKTHORN, ALPINE FIR, etc. | | |
| See BUCKTHORN, FIR, etc. | | |
| ALPINE-AZALEA | Loiseleuria procumbens | |
| ALPINIA | ALPINIA | |
| nutans | SHELLFLOWER | |
| sanderae | BANDED ALPINIA | |
| ALPORT HEATHER (<i>Calluna vulgaris</i> <i>alportii</i> † Cy) | | |
| ALSATIAN PEAR | <i>Pyrus auricularis</i> | |
| ALSIKE CLOVER | <i>Trifolium hybridum</i> | |
| ALSINE Ag | STELLARIA | |
| ALSOPHILA | TREEFERN | |
| australis | AUSTRALIAN T. | |
| glaуca (<i>dealbata</i>) | | |
| ALSTROEMERIA | ALSTROEMERIA | |
| aurantiaca (<i>aurea</i>) | YELLOW A. | |
| brasiliensis | BRAZILIAN A. | |
| chilensis | CHILIAN A. | |
| pulchella (<i>psittacina</i>) | PARROT A. | |
| versicolor | SPOTTED A. | |
| ALTAY COLUMBINE, ALTAY ROSE, etc. | | |
| See COLUMBINE, ROSE, etc. | | |
| ALTERNANTHERA Ag | TELANTHERA | |
| ALTERNANTHERA | Telanthera | |
| COPPER A. | T. <i>versicolor</i> | |
| GARDEN A. | T. <i>bettzickiana</i> | |
| PINK A. | Hort. var. of T. <i>amoena</i> | |
| ALTHAEA | | |
| ficifolia | FIGLEAF HOLLYHOCK | |
| ALTHAEA , continued | | |
| <i>frutescens</i> | Hibiscus syriacus | |
| <i>officinalis</i> | MARSHMALLOW | |
| <i>rosea</i> | HOLLYHOCK | |
| Hort. var. of A. <i>rosea</i> : | | |
| ALLEGHENY HOLLYHOCK | | |
| NEWPORT PINK H. | | |
| Althea | | |
| SHRUB-ALTHEA: Hibiscus syriacus | | |
| ALTMANN HONEYSUCKLE | | |
| Lonicera altmanni | | |
| ALUMROOT | Heuchera | |
| AMERICAN A. | H. <i>americana</i> | |
| CORALBELLS | H. <i>sanguinea</i> | |
| HAIRY A. | H. <i>villosa</i> | |
| MARBLED A. | H. <i>pubescens</i> | |
| PINKBELLS | H. <i>brizoides</i> | |
| ALYSSUM | ALYSSUM | |
| argenteum | SILVER A. | |
| maritimum (<i>Lobularia maritima</i> Ag) | SWEET ALYSSUM | |
| See also hort. var. list below. | | |
| rostratum | YELLOWHEAD A. | |
| saxatile | GOLDENTUFT | |
| See also hort. var. list below. | | |
| Hort. var. of ALYSSUM, all of A. maritimum except the first: | | |
| DWARF GOLDENTUFT (<i>A. saxatile</i> <i>compactum</i> † Cy) | | |
| LILAC QUEEN | | |
| LITTLE GEM | | |
| ROCKMAT (<i>procumbens</i>) | | |
| Tom THUMB (<i>benthami</i>) | | |
| WHITEFLEECE | | |
| AMARILIS DRACENA (<i>Cordyline amabilis</i> <i>ilis</i> † Cy) | | |
| AMARANTH | Amaranthus | |
| BLOOD A. (<i>Amaranthus paniculatus</i> <i>cruentus</i> † Cy) | | |
| BLOODRED PRINCESFEATHER (<i>A.</i> <i>hypochondriacus sanguineus</i> † Cy) | | |
| CHAMELEON A. | A. <i>salicifolius</i> | |
| GANGES A. | A. <i>gangeticus</i> | |
| GLOBE-AMARANTH | Gomphrena | |
| JOSEPHS-COAT (<i>A. gangeticus melanochlorus</i> † Cy) | | |
| LOVE-LIES-BLEEDING | A. <i>caudatus</i> | |
| PRINCESFEATHER | A. hypochondriacus | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

AMARANTH—AMMOBIUM

11

AMARANTH, continued

- REDLEAF LOVE-LIES-BLEEDING (*Amaranthus caudatus atropurpureus*† Cy)
- RUSSET A. . . . *Amaranthus henderi*
- TASSEL A. . . . *A. paniculatus*
- AMARANTHUS** AMARANTH
atropurpureus
- REDLEAF LOVE-LIES-BLEEDING
Hort. var. of *A. caudatus*.
- bicolor JOSEPHS-COAT
Hort. var. of *A. gangeticus*.
- caudatus . . . LOVE-LIES-BLEEDING
See also hort. var. list below.
- cruentus
A name misapplied to Blood Amaranth and Bloodred Princesfeather. See hort. var. list below.
- gangeticus . . . GANGES AMARANTH
See also hort. var. list below.
- henderi RUSSET A.
- hypochondriacus PRINCESFEATHER
See also hort. var. list below.
- melancholicus . . . JOSEPHS-COAT
Hort. var. of *A. gangeticus*.
- paniculatus . . . TASSEL AMARANTH
See also hort. var. list below.
- salicifolius . . . CHAMELEON A.
tricolor JOSEPHS-COAT
Hort. var. of *A. gangeticus*.

Hort. var. of **Amaranthus**:

- BLOOD AMARANTH (*A. paniculatus cruentus*† Cy)
- BLOODRED PRINCESFEATHER (*A. hypochondriacus sanguineus*† Cy)
- JOSEPHS-COAT (*A. gangeticus melanocholicus*† Cy; bicolor; tricolor)
- REDLEAF LOVE-LIES-BLEEDING (*A. caudatus atropurpureus*† Cy)

AMARANTUS . . . **AMARANTHUS**

AMARYLLIS

- alamasco . . . *Zephyranthes atamasco*
- belladonna . . . BELLADONNA-LILY
- equestris . . . *Hippeastrum equestre*
- formosissima
Sprekelia formosissima
- halli *Lycoris squamigera*
- johsonii . . . *Hippeastrum johnsoni*
- lutea *Sternbergia lutea*
- solandraeflora
Hippeastrum solandriflorum

AMARYLLIS, continued

- vittata . . . *Hippeastrum vittatum*
- Amaryllis HOUSE-AMARYLLIS: *Hippeastrum equestre*
- CLUSTER-AMARYLLIS . . . *Lycoris*
- AMATUNGULA . . . *Carissa bispinosa*
- AMAZONLILY *Eucharis*
- GREAT A. . . . *E. grandiflora*
- AMAZONVINE *Stigmaphyllon*
- FRINGED A. . . . *S. ciliatum*
- AMBER CHOKECHERRY (*Prunus virginiana leucocarpa*† Cy)
- AMBERBOA** Ag VOLUTARELLA
- AMBERBOA SPINY A. . . *Volutarella muricata*
- AMBROSIA**
mexicana . . . *Chenopodium botrys*
- AMELANCHIER** . . . (Serviceberry,
Shadbush, Juneberry) SHADBLOW
alnifolia SASKATOON
- pumila DWARF SASKATOON
- amabilis SNOWY SHADBLOW
- bartramiana(*oligocarpa*) BARTRAM S.
- canadensis (*botryapium*) DOWNTY S.
- grandiflora APPLE S.
- humilis LOW S.
- laevis ALLEGHENY S.
- Often miscalled *A. canadensis*.
- oblongifolia (*obovalis*) . THICKET S.
- oligocarpa *A. bartramiana*
- ovalis (*A. spicata* Ar) GARDEN SHADBLOW
- pumila *A. alnifolia pumila*
- rotundifolia (*vulgaris*; *A. ovalis* Ar) EUROPEAN SHADBLOW
- sanguinea ROUNDLEAF S
- spicata *A. ovalis*
- stolonifera RUNNING SHADBLOW
- vulgaris *A. rotundifolia*
- AMERICAN BEECH, AMERICAN COLUMBINE, etc. See BEECH, COLUMBINE, etc.
- AMERIMNON** . . . DALBERGIA
- AMETHYST ASTER, AMETHYST ERYNGO, etc. See ASTER, ERYNGO, etc.
- AMIANTHIUM** . . . ZYGADENUS
- AMMOBIUM**
alatum WINGED EVERLASTING

SMALL CAPITALS=approved common names.

Abbreviations: (Ag) (Ar) (Cy) (†) see page 1.

Hort. var. of *Ammobium*:

BIG WINGED EVERLASTING (*Ammobium alatum grandiflorum*† Cy)

AMMOPHILA BEACHGRASS
arenaria BEACHGRASS

AMOENA AZALEA, AMOENA PHLOX, etc.
See AZALEA, PHLOX, etc.

AMORPHA FALSE-INDIGO
canescens LEADPLANT
fruticosa (fragrans) . . . INDIGO-BUSH
glabra (montana) MOUNTAIN-INDIGO
microphylla (nana) DWARF-INDIGO
tennesseensis TENNESSEE-INDIGO

AMORPHOPHALLUS
rivieri DEVILSTONGUE

AMPELOPSIS

Consult also the allied genera *Cissus* and *Vitis*.

aconitifolia (*Vitis aconitifolia*) MONKSHOOD-VINE

—*palmiloba*
arborea PEPPERVINE
brevipedunculata Ag-Ar

A. heterophylla amurensis

cordata (*Vitis cordata*) HEARTLEAF AMPELOPSIS
dumetorum *A. vitacea*

engelmanni SILVER-VEIN CREEPER

heterophylla (*A. brevipedunculata maximowiczi* Ag-Ar; *Vitis heterophylla*) PORCELAIN AMPELOPSIS

—*amurensis* (*A. brevipedunculata* Ag-Ar; *V. brevipedunculata*) AMUR AMPELOPSIS

See also hort. var. list below.

humulifolia (*Vitis humulifolia*) HOP A.

hypoglauca (*Vitis hypoglauca*)

The creeper sold by nurserymen under the name *Ampelopsis hypoglauca* is probably the plant known to botanists as *Cissus hypoglauca*.

leeooides *A. watsoniana*

The true *A. leeooides* of botanists is not in the trade.

loui GERANIUM CREEPER

Hort. var. of *A. tricuspidata*.

megalophylla (*Vitis megalophylla*) SPIKENARD AMPELOPSIS

AMPELOPSIS, continued

muralis *A. quinquefolia murorum*
quinquefolia (*Parthenocissus quinquefolia* Cy-Ag)

VIRGINIA CREEPER

—*engelmanni* (*P. q. engelmanni* Cy-Ag) ENGELMANN CREEPER

—*hirsuta* (*P. quinquefolia hirsuta* Cy-Ag) HAIRY CREEPER

—*murorum* (*P. q. murorum* Cy-Ag; *A. muralis*) WALL CREEPER

—*saintpauli* (*P. q. saintpauli* Cy-Ag) ST. PAUL CREEPER

stricta Probably an erroneous name for *Cissus striata*.

thomsoni (*Parthenocissus thomsoni* Cy-Ag; *Vitis thomsoni*) THOMSON CREEPER

tricolor BASKET AMPELOPSIS
Hort. var. of *A. heterophylla*.

tricuspidata (*Parthenocissus tricuspidata* Cy-Ag; *veitchii*) (Japanese Ivy, Boston Ivy)

JAPANESE CREEPER

See also hort. var. list below.

veitchii *A. tricuspidata*
vitacea (*Parthenocissus vitacea* Cy-Ag; *A. dumetorum*)

THICKET CREEPER

watsoniana (*A. leeooides* of nurseries) . . . ASHLEAF AMPELOPSIS

Hort. var. of *Ampelopsis*:

BASKET A. (*A. heterophylla elegans*† Cy; *tricolor*)

GERANIUM CREEPER (*A. tricuspidata lowii*; *Parthenocissus tricuspidata lowii* Cy)

PURPLE C. (*A. t. purpurea*; *P. tricuspidata purpurea* Cy)

AMPELOPSIS

AMUR A. AMPELOPSIS heterophylla amurensis

ASHLEAF A. *A. watsoniana*

BASKET A. (*Ampelopsis heterophylla elegans*† Cy; *tricolor*)

HEARTLEAF A. *A. cordata*

HOP A. *A. humulifolia*

PORCELAIN A. *A. heterophylla*

SPIKENARD A. *A. megalophylla*

AMSONIA AMSONIA

AMSONIA, continued

- angustifolia** (*Amsonia ciliata* Ag)
FEATHER AMSONIA
tabernaemontana (*salicifolia*; *amsonia*) WILLOW AMSONIA

AMULETPLANT

- INDIA A . . . *Putranjiva roxburghii*
AMUR DAYLILY, AMUR MAPLE, etc.
See DAYLILY, MAPLE, etc.

AMYGDALUS

PEACH, ALMOND

For cultivated fruits see ALMOND, NECTARINE, and PEACH, in American Pomological Society's List of Fruits and Nuts in Appendix.

For ornamental horticultural varieties see list at the end of the species list below.

chinensis

This name is often misapplied to *Prunus japonica* and *P. glandulosa*.

communis (*Prunus communis* Cy;
P. amygdalus) ALMOND**davidiana** (*P. davidiana* Cy)

CHINESE WILD PEACH

nana (*Prunus nana* Cy)

RUSSIAN ALMOND

persica (*P. persica* Cy; *Persica vulgaris*) PEACH**—nectarina** (*Prunus persica nucipersica*;
P. nucipersica Cy; *P. nucipersica*)

NECTARINE

—platycarpa (*P. persica platycarpa* Cy; *P. platycarpa*; *P. persica compressa* Ar) FLAT PEACH**persicoidea** ALMOND P.

See hort. var. list below.

sibirica *Prunus armeniaca sibirica***triloba** *P. triloba*

This species was printed by accident as "Amygdalus triloba, Flowering Almond," in the 1917 Official Code of the American Joint Committee. It has never passed among nurserymen, however, as an Amygdalus. Its horticultural variety, the Doubleflowering Plum, is in the trade under the proper species name, *Prunus triloba*. The common Flowering Almonds are horticultural varieties of *P. glandulosa*.

Ornamental hort. var. of **A. persica**:ALMOND PEACH (*Prunus persicoidea* Cy; *P. amygdalo-persica* Ar; *Amygdalus persica* × *communis*)BLOODLEAF P. (*atropurpurea*)CHRYSANTHEMUM P. (*chrysanthema*;
Persica chrysanthemum)**AMYGDALUS**, continued

- DOUBLE RED PEACH (*rubroplena*)
DOUBLE WHITE P. (*alboplena*)
PURPLELEAF P. (*purpurea*)
REDFLOWERING P. (*rubra*; *Persica rubra*)
WHITEFLOWERING P. (*alba*; *P. alba*)

ANACARDIUM**occidentale** CASHEW**ANACHARIS** ELODEA**ANAGALLIS** PIMPERNEL
linifolia (*grandiflora*) FLAXLEAF P.**ANANAS**

- sativus** PINEAPPLE
For horticultural varieties see PINEAPPLE in American Pomological Society's List of Fruits, in Appendix.

ANAPHALIS**margaritacea** (*Antennaria margaritacea*) PEARL EVERLASTING

ANATOLIAN BELLFLOWER

*Campanula macrostyla*ANATTO-TREE *Bixa orellana*

ANCHISTEA WOODWARDIA

ANCHORPLANT *Colletia cruciata***ANCHUSA** BUGLOSS*barrelieri* EARLY B.*capensis* CAPE B.*italica* ITALIAN B.

See also hort. var. list below.

myosotidiflora SIBERIAN B.*officinalis* COMMON B.*sempervirens* EVERGREEN B.Hort. var. of *Anchusa italicica*:

DROPMORE BUGLOSS

OPAL B.

ANDELY RETINOSPORA. (*Chamaecyparis thyoides andelyensis*† Cy)

ANDERSON SPEEDWELL

*Veronica andersonii***ANDIRA** ANGELIN

The name of this genus under the American Rules is Vouacapoua.

inermis (*jamaicensis*)

CABBAGE ANGELIN

ANDROMEDA . . . BOG-ROSEMARY*arborea* . . . *Oxydendron arboreum calyculata**Chamaedaphne calyculata catesbeiae* . . . *Leucothoe catesbeiae*

STANDARDIZED PLANT NAMES

ANDROMEDA, continued

- coriacea* *Pieris lucida*
floribunda *P. floribunda*
glaucophylla DOWNY BOG-ROSEMARY
japonica *Pieris japonica*
mariana *P. mariana*
nitida *P. lucida*
polifolia BOG-ROSEMARY
racemosa *Leucothoe racemosa*
speciosa *Zenobia pulverulenta*

ANDROMEDA

- JAPANESE A. *Pieris japonica*
 MOUNTAIN A. *P. floribunda*

ANDROPOGON

- BEARDGRASS
halepensis *Holcus halepensis*
saccharoides (*A. argenteus* Cy) SILVER BEARDGRASS
sorghum *Holcus sorghum*

ANEMONE

- ANEMONE
apennina APENNINE A.
canadensis (*pennsylvanica*) MEADOW A.
coronaria POPPY A.
cylindrica CANDLE A.
fulgens FLAME A.
hortensis GARDEN A.
hupehensis
japonica JAPANESE A.
 See also hort. var. list below.

- nemorosa EUROPEAN WOOD A.
 See also hort. var. list below.

- nuttalliana* . . *A. patens nuttalliana*
patens . . . SPREADING ANEMONE
 —*nuttalliana*

- AMERICAN PASQUEFLOWER
pennsylvanica . . *A. canadensis*
pulsatilla

- EUROPEAN PASQUEFLOWER
 See also hort. var. list below.

quinquefolia

- AMERICAN WOOD ANEMONE
robinsoniana . . . ROBINSON A.
 Hort. var. of *A. nemorosa*.

- sylvestris* SNOWDROP A.
vitifolia GRAPELEAF A.

Hort. var. of **Anemone**:

- LADY ARDILAUN A. Hort. var. of
A. japonica.

ANEMONE (Hort. var.), continued

- PRINCE HEINRICH ANEMONE. Hort.
 var. of *A. japonica*.
 QUEEN CHARLOTTE A. Hort. var.
 of *A. japonica*.

- RED PASQUEFLOWER (*A. pulsatilla*
rubra† Cy)

- ROBINSON A. (*A. nemorosa robin-*
soniana† Cy)

- ROSE A. (*A. japonica hybrida*† Cy)

- WHIRLWIND A. (*A. j. alba*† Cy)
 WHITE PASQUEFLOWER (*A. pulsa-*
tilla alba)

ANEMONE **Anemone**

AMERICAN PASQUEFLOWER

- A. patens nuttalliana*

AMERICAN WOOD A. **A. quinquefolia**APENNINE A. **A. apennina**CANDLE A. **A. cylindrica**

EUROPEAN PASQUEFLOWER

- A. pulsatilla*

EUROPEAN WOOD A. **A. nemorosa**FLAME A. **A. fulgens**GARDEN A. **A. hortensis**GRAPELEAF A. **A. vitifolia**JAPANESE A. **A. japonica**LADY ARDILAUN A. Hort. var. of
A. japonica.MEADOW A. **A. canadensis**POPPI A. **A. coronaria**PRINCE HEINRICH A. Hort. var.
 of *A. japonica*.QUEEN CHARLOTTE A. Hort. var.
 of *A. japonica*.ROBINSON A. (*A. nemorosa robin-*
soniana† Cy)ROSE A. (*A. japonica hybrida*† Cy)Rue A. **ANEMO-****NELLA: Anemonella thalictroides**SNOWDROP A. **A. sylvestris**SPREADING A. **A. patens**WHIRLWIND A. (*Anemone japonica*
alba† Cy)**ANEMONE CLEMATIS****Clematis montana****ANEMONELLA** . . . **ANEMONELLA**
thalictroides (*Syndesmon thalic-*
troides Ag; *Thalictrum anemo-*
noides) **ANEMONELLA**

| | | |
|---|--------------------------------------|--|
| ANEMONOPSIS | | Hort. var. of <i>Anopteris</i> : |
| <i>macrophylla</i> | | MOORES BRAKE (<i>Pteris heterophylla internata</i> Cy). Hort. var. of <i>A. hexagona</i> . |
| ANEMOPAEGMA Ag BIGNONIA | | |
| ANETHUM | | ANTELOPE-BRUSH |
| <i>graveolens</i> | DILL | <i>Purshia</i> ; <i>P. tridentata</i> |
| ANGELICA | <i>ANGELICA</i> | ANTENNARIA PUSSYTOES |
| <i>atropurpurea</i> | PURPLESTEM A. | <i>dioica</i> COMMON P. |
| <i>curtisi</i> | FILMY A. | <i>margaritacea</i> Anaphalis margaritacea |
| <i>villosa</i> (<i>Archangelica hirsuta</i>) | HAIRY A. | |
| ANGELIN | <i>Andira</i> | ANTHEMIS CAMOMILE |
| CABBAGE A. | <i>A. inermis</i> | <i>arabicus</i> . . . <i>Cladanthus arabicus</i> |
| ANGELONIA | <i>ANGELONIA</i> | <i>kelwayi</i> . . . KELWAY CAMOMILE |
| <i>grandiflora</i> | | Hort. var. of <i>A. tinctoria</i> . |
| ANGEL-TRUMPET | <i>Datura suaveolens</i> | <i>nobilis</i> COMMON C. |
| ANGIOPTERIS | | <i>tinctoria</i> YELLOW C. |
| <i>evecta</i> | | Hort. var. of <i>Anthemis</i> : |
| ANGOPHORA | GUM-MYRTLE | BIG CAMOMILE (<i>A. nobilis grandiflora</i> † Cy) |
| <i>intermedia</i> | KINO G. | KELWAY C. (<i>tinctoria kelwayi</i>) |
| <i>lanceolata</i> (<i>A. costata</i> Ag) | RUSTY G. | PALE C. (<i>tinctoria pallida</i>) |
| ANHALONIUM | <i>ARIOCARPUS</i> | WHITE-RIM C. (<i>tinctoria alba</i>) |
| <i>lewini</i> | <i>Lophophora williamsi</i> | |
| <i>williamsii</i> | <i>L. williamsi</i> | ANTHERICUM |
| ANIMATED OATS | <i>Avena sterilis</i> | <i>comosum</i> Chlorophytum comosum |
| ANISE | <i>Pimpinella</i> ; <i>P. anisum</i> | <i>liliago</i> ST.BERNARDLILY |
| ANISE MAGNOLIA | <i>Magnolia salicifolia</i> | <i>liliastrum</i> . . . <i>Paradisea liliastrum</i> |
| ANISETREE | <i>Ilicium</i> | <i>vittatum</i> Chlorophytum elatum |
| JAPANESE A. | <i>I. anisatum</i> | |
| ANISOSTICHUS Ag . . . BIGNONIA | | ANTHRISCUS |
| ANNONA | | <i>cerefolium</i> CHERVIL |
| <i>cherimola</i> | CHERIMOYA | ANTHURIUM ANTHURIUM |
| For horticultural varieties of Cherimoja see American Pomological Society's Lst of Fruits, in Appendix. | | <i>andraeanum</i> . . . FLAMINGOFLOWER |
| <i>diversifolia</i> | ILAMA | <i>crystallinum</i> . CRYSTAL ANTHURIUM |
| <i>glabra</i> | POND-APPLE | <i>regale</i> ROYAL A. |
| <i>muricata</i> | SOURSOP | <i>scherzerianum</i> . . . COMMON A. |
| <i>reticulata</i> | CUSTARD-APPLE | Hort. var. of <i>A. scherzerianum</i> : |
| <i>scleroderma</i> | | BLOODRED ANTHURIUM (<i>A. s. sanguineum</i> † Cy) |
| HARDHELL CUSTARD-APPLE | | FLESH A. (<i>carneum</i>) |
| <i>squamosa</i> | SUGAR-APPLE | ROSEGAY A. (<i>A. scherzerianum roseum</i> † Cy) |
| ANNUAL CHRYSANTHEMUM , ANNUAL STOCK, etc. See CHRYSANTHEMUM, STOCK, etc. | | WHITECUP A. (<i>A. s. album</i> † Cy) |
| ANOMATHECA | LAPEYROUSIA | ANTIGONON |
| ANONA | ANNONA | <i>leptopus</i> . . . ROSA-DE-MONTANA |
| ANOPTERIS | | ANTIRRHINUM . . . SNAPDRAGON |
| <i>hexagona</i> (<i>Pteris heterophylla</i> Cy) | | The Joint Committee has been unable to prepare an authentic list of the many horticultural varieties of Antirrhinum. |
| | | <i>coulterianum</i> CHAPARRAL SNAPDRAGON |

STANDARDIZED PLANT NAMES

ANTIRRHINUM, continued

- majus* COMMON SNAPDRAGON
maurandiooides (*A. antirrhiniflora*
Ag; *Maurandia antirrhiniflora*)

APENNINE ANEMONE

- Anemone apennina*
 APIOIS
tuberosa (*Glycine apios* Ag)

- APIUM
graveolens (*Celeri graveolens* Ag)
 Hort. var. of Apium: CELERY

- CELERIAC (*Apium graveolens rapaceum*† Cy)

- APLECTRUM PUTTYROOT
hyemale PUTTYROOT

- APOCYNUM DOGBANE
androsaemifolium . SPREADING D.
cannabinum HEMP D.

- APOLLO FIR
Abies cephalonica apollinis

- APONOGETON
 The name of this genus under the American Rules is Ouvirandra.

- distachyus* . . . CAPE-PONDWEED
fenestralis (*Ouvirandra fenestralis*
Ag) LATTICELEAF

- APOROCACTUS
conzatti
flagelliformis (*Cereus flagelliformis*)
 RATTAI CACTUS
martianus (*C. martianus* Cy)

- APPLE *Malus*; *M. sylvestris*
 See also CRAB. For cultivated varieties of Apple see American Pomological Society's List of Fruits, in Appendix.

- BALSAMAPPLE
Momordica; *M. balsamina*
 BLADEAPPLE . . . *Pereskia aculeata*
 CHINESE A. *Malus prunifolia rinki*
 CUSTARD-APPLE . . . *Annona* species
 KEI-APPLE *Dovyalis caffra*
 MAYAPPLE *Podophyllum*
 PINEAPPLE *Ananas sativus*
 POND-APPLE *Annona glabra*
Rose-apple

- MALABAR-PLUM: *Eugenia jambos*

- STAR-APPLE
Chrysophyllum; *C. cainito*
 SUGAR-APPLE . . . *Annona squamosa*
 VI-APPLE *Spondias cytherea*

APPLE GUM, APPLE MINT, etc. See
 GUM, MINT, etc.

APPLE-OF-PERU

- Nicandra; *N. physalodes*
 APRICOT *Prunus*; *P. armeniaca*

For cultivated varieties of Apricot see
 American Pomological Society's List of
 Fruits, in Appendix.

- JAPANESE A. *P. mume*
 PURPLE A. *P. dasycarpa*

SIBERIAN A. *P. armeniaca sibirica*

- APRICOT PALM, APRICOT PLUM, etc.
 See PALM, PLUM, etc.

- APRIL SPIREA *Spiraea nudiflora*

- AQUILEGIA COLUMBINE
ikitensis AKITA C.
alpina ALPINE C.
 See also hort. var. list below.

- caerulea* COLORADO C.
 The state flower of Colorado.
 See also hort. var. list below.

- californica* . . . *A. formosa truncata*
canadensis AMERICAN COLUMBINE
chrysanthia GOLDEN C.
 See also hort. var. list below.

- flabellata* FAN C.
 See also hort. var. list below.

- formosa* SITKA C.
 —*truncata* (*californica*) CALIFORNIA C.

- glandulosa* ALTAI C.
haylodgensis HAYLOGE C.
heleneae HELEN C.
 Hort. var. of *A. caerulea*.

- jaeschkani* REDSPUR C.
 Hort. var. of *A. chrysanthia*.

- nivea* MUNSTEAD WHITE C.
 Hort. var. of *A. vulgaris*.

- olympica* . . . *A. vulgaris olympica*
oxysepala EARLY COLUMBINE
sibirica SIBERIAN C.
skinneri MEXICAN C.
stuarti STUART C.
truncata *A. formosa truncata*
vervaeneana VERVAENE COLUMBINE
 Hort. var. of *A. vulgaris*.

- vulgaris* EUROPEAN C.
 —*olympica* OLYMPIC C.
 See also hort. var. list below.

- Hort. var. of Aquilegia:
 DOUBLE EUROPEAN COLUMBINE
 (*vulgaris florepleno*)

AQUILEGIA (Hort. var.), continued

- DOUBLE GOLDEN COLUMBINE (*Aquilegia chrysanthia albaplena* Cy)
 HELEN C. (*A. caerulea helenaef* Cy)
 HYBRID COLORADO C. (*A. caerulea hybrida* Cy)
 MUNSTEAD WHITE C. (*A. vulgaris nivea* Cy)
 REDSPUR C. (*A. chrysanthia jaeschkanii* Cy)
 VERAENE C. (*A. vulgaris vervaenae* Cy)
 WHITE ALPINE C. (*Aquilegia alpina alba* Cy)
 WHITE COLORADO C. (*A. caerulea alba* Cy)
 WHITE FAN C. (*A. flabellata nana-alba* Cy)
 ARABIAN COFFEE, ARABIAN JASMINE,
 etc. See COFFEE, JASMINE, etc.

- ARABIS** ROCKCRESS
albida WALLCRESS
 See also hort. var. list below.

alpina ALPINE ROCKCRESS
 See also hort. var. list below.

mollis DOWNY R.
muralis (*A. rosea* Ag) ITALIAN R.

Hort. var. of *Arabis*:

- DOUBLE ALPINE ROCKCRESS (*A. alpina floreploeno* Cy)
 DOUBLE WALLCRESS (*A. albida floreploeno* Cy)
 DWARF ALPINE ROCKCRESS (*A. alpina nana compacta* Cy)

ARAB-PRIMROSE . . . *Arnebia cornuta*

- ARACHIS** PEANUT
hypogaea PEANUT

ARACHNIS
See ORCHID GENERA.

- ARALIA** ARALIA
 The common name Aralia applies also
 to the allied genus Dizygotheca.

balfouriana *Polyscias balfouriana*
cachemirica (*cashmeriana*)

CASHMERE ARALIA

chabrieri *Elaeodendron orientale*

chinensis CHINESE ARALIA

—*glabrescens* SMOOTH CHINESE A.

—*mandshurica* (*Dimorphanthus mandshuricus*)

cordata UDO

ARALIA, continued

- elegantissima* Dizygotheca elegantissima
filicifolia *Polyscias filicifolia*
guilfoylei *P. guilfoylei*
hispida BRISTLY ARALIA
japonica *Fatsia japonica*
kerchoveana Dizygotheca kerchoveana
mandshurica *A. chinensis* mandshurica
maximowiczii Acanthopanax maximowiczi
nudicaulis WILD-SARSAPARILLA
papyrifera Tetrapanax papyriferum
pentaphylla Acanthopanax pentaphyllum
quinquefolia *Panax quinquefolium*
racemosa AMERICAN SPIKENARD
sieboldii *Fatsia japonica*
spinosa DEVILS-WALKINGSTICK
veitchii Dizygotheca veitchii

- ARALIA** Aralia
 AMERICAN SPIKENARD *A. racemosa*
 BRISTLY A. *A. hispida*
 CASHMERE A. *A. cachemirica*
 CASTOR-ARALIA

- Acanthopanax ricinifolium
 CHINESE A. *A. chinensis*
 DEVILS-WALKINGSTICK Aralia spinosa
 FALSE A. Dizygotheca
 KERCHOVE A. *D. kerchoveana*
 LINELEAF A. Hort. var. of *D. veitchii*
 SMOOTH CHINESE A. *A. chinensis glabrescens*

- THREADLEAF A. Dizygotheca elegantissima
 UDO Aralia cordata
 VEITCH A. Dizygotheca veitchii
 WILD SARSAPARILLA Aralia nudicaulis

- ARALIA POLYSCIAS (*Polyscias guilfoylei monstrosa* Cy)

- ARAR-TREE *Callitris quadrivalvis*

- ARAUCARIA** ARAUCARIA
araucana Ag *A. imbricata*
bidwilli BUNYA-BUNYA
brasiliiana (*brasiliensis*) BRAZILIAN ARAUCARIA

ARAUCARIA, continued

excelsa . . . NORFOLK-ISLAND-PINE
In the wild state this is a large timber-tree known as Norfolk-island-pine. In horticultural use it is grown in pots as a house plant. See hort. var. list below.

imbricata (*A. araucana* Ag-Ar)
MONKEYPUZZLE

Hort. var. of Araucaria:

BLUE ARAUCARIA (*A. excelsa glauca*† Cy)
EMERALD A. (*A. robusta*† Cy)
SILVERSTAR A. (*Araucaria excelsa albospica* Ar)

ARBORVITAE *Thuja*

AMERICAN A. . . . *T. occidentalis*

AMERICAN GLOBE A. (*T. occidentalis globosa*† Cy)

AMERICAN GREEN A. Hort. var. of *T. occidentalis*.

AMERICAN PYRAMIDAL A. Hort. var. of *T. occidentalis*.

AMERICAN WEEPING A. (*T. oc. pendula*† Cy)

BERCKMANS GOLDEN A. Hort. var. of *T. orientalis*.

COLUMBIA A. (*T. occidentalis columbiana*† Cy)

CRESTED A. (*T. oc. cristata*† Cy)

DIANA A. (*T. orientalis gracilis*† Cy)

DOUGLAS PYRAMIDAL A. Hort. var. of *T. occidentalis*.

DUTCH GLOBE A. Hort. var. of *T. occidentalis*.

EVERGOLDEN A. (*T. orientalis semperaurea*‡ Cy)

FALSE-ARBORVITAE

Thujopsis dolabrata

FERNLEAF A. Hort. var. of *Thuja occidentalis*.

GEORGE PEABODY A. (*T. occidentalis lutea*† Cy)

GIANT A. *Thuja plicata*

GOLDEN ORIENTAL A. (*T. orientalis aurea*† Cy)

GOLDSPIRE A. Hort. var. of *T. orientalis*.

GOLDSpot A. (*T. occidentalis aureo-variegata*† Cy)

GOLDTwig A. (*T. orientalis aureo-variegata*† Cy)

ARBORVITAE, continued

GREEN GLOBE A. (*Thuja occidentalis pumila*† Cy)

HALFHIGH A. (*T. oc. intermedia*† Cy)

HOVEY A. (*T. oc. hoveyi*† Cy)

KOREAN A. . . . *Thuja koraiensis*

LITTLE GEM A. Hort. var. of *T. occidentalis*.

LITTLE GLOBE A. (*T. oc. nana*† Cy)

Moss A. (*T. oc. plicata*† Cy)

ORIENTAL A. . . . *Thuja orientalis*

ORIENTAL PYRAMIDAL A. (*T. orientalis pyramidalis*† Cy)

PARSONS A. (*Thuja occidentalis compacta*† Cy)

POMPADOUR A. Hort. var. of *T. orientalis*.

PYGMY A. (*T. occidentalis pygmaea*† Cy)

QUEEN VICTORIA A. (*T. oc. alba*† Cy)

REID A. (*T. oc. reidi*† Cy)

RIVERS A. Hort. var. of *Thuja occidentalis*.

ROSENTHAL A. Hort. var. of *T. occidentalis*.

SIEBOLD A. (*Thuja orientalis sieboldii*† Cy)

SILVER ORIENTAL A. Hort. var. of *T. orientalis*.

SPAETH A. (*Thuja occidentalis spaethii*† Cy)

STANDISH A. *Thuja standishi*

THREADLEAF A. (*T. occidentalis filiformis*† Cy)

TOM THUMB A. (*T. oc. ellwangeriana*† Cy)

VARIEGATED ORIENTAL A. Hort. var. of *T. orientalis*.

VERVAENE A. (*T. occidentalis vervaeneana*† Cy)

WARE A. (*T. oc. wareana*† Cy)

WEEPING ORIENTAL A. (*T. orientalis pendula*† Cy)

WOODWARD A. (*T. occidentalis woodwardii*† Cy)

YELLOW COLUMN A. (*T. orientalis elegantissima*† Cy)

ARBITUS

menziesi MADRONE

unedo STRAWBERRY-TREE

| | |
|--|---|
| AR BUTUS | Hort. var. of Arenaria: |
| TRAILING-AR BUTUS | Moss SANDWORT (<i>A. verna caespitosa</i> † Cy) |
| Epigaea; E. repens | ARENDS PHLOX Phlox arendsi |
| ARCH SPIREA (<i>Spiraea schinabeckii</i> Cy) | ARENKA saccharifera SUGAR PALM |
| ARCHANGELICA ANGELICA | ARETHUSA bulbosa ARETHUSA |
| ARCHONTOPHOENIX | ARGEMONE PRICKLEPOPPY |
| The palms cultivated in California under this name are Loroma amethystina. The true Archontophoenix is not known to be in cultivation in the United States. See note under Loroma amethystina in the consolidated list of the genera and species of Palms under the heading PALM GENERA. | grandiflora SHOWY P. platyceras CRESTED P. —hispida HEDGEHOG P. |
| ARCTIC CAMPION, ARCTIC CHRYSANTHEMUM, etc. See CAMPION, CHRYSANTHEMUM, etc. | ARGENTINA POTENTILLA |
| ARCTOSTAPHYLOS | ARGENTINE JUJUBE, ARGENTINE MONKEYCOMB etc. See JUJUBE, MONKEYCOMB, etc. |
| glauca GREAT MANZANITA | ARGYREIA splendens SILVER MORNING-GLORY |
| tomentosa WOOLLY M. | ARIOCARPUS LIVING-ROCK |
| uva-ursi BEARBERRY | fissuratus (<i>Anhalonium fissuratum</i> ; <i>An. engelmanni</i>) . LIVING-ROCK |
| ARCTOTIS ARCTOTIS | kotschoubeyanus (<i>An. kotschoubeyanum</i> ; <i>An. sulcatum</i>) |
| breviscapa STEMLESS A. | lloydii prismaticus (<i>An. prismaticum</i>) |
| grandis (<i>A. stoechadifolia</i> Ag) BUSHY A. | SEVENSTARS |
| ARDISIA ARDISIA | retusus (<i>An. retusum</i>) COBBLERSTHUMB |
| The name of this genus under the Ameri- can Rules is Icacorea. | ARISAEMA dracontium DRAGONROOT |
| crenulata CORAL ARDISIA | fimbriatum PLUME CALLA |
| pickereria (<i>Icacorea paniculata</i> Ag) MARLBERRY | triphyllum (Indian-turnip) JACK-IN-THE-PULPIT |
| Hort. var. of Ardisia: | ARISTOLOCHIA brasiliensis macrophylla |
| VARIEGATED A. (<i>A. crenulata varie- gata</i> † Cy) | durius Ag-Ar. A. siphonanthoides |
| ARECA ARECA | elegans CALICOFLOWER |
| baueri Rhopalostylis baueri | grandiflora PELICANFLOWER |
| catechu (<i>A. catechu</i> Ag) BETEL PALM | —sturtevanti GREAT P. |
| lutescens Chrysalidocarpus lutescens | serpentaria VIRGINIA SNAKEROOT |
| rubra Acanthophoenix rubra | siphonanthoides (A. macrophylla Cy; A. |
| sapida Rhopalostylis sapida | durius Ag-Ar) DUTCHMANS-PIPE |
| verschaffeltii <i>Hyophorbe verschaffeltii</i> | sturtevanti A. grandiflora sturtevanti |
| ARENARIA SANDWORT | ARIZONA CYPRESS, ARIZONA PINE, etc. |
| balearica CORSICAN S. | See CYPRESS, PINE, etc. |
| caespitosa Moss S. | ARKANSAS BUCKEYE, ARKANSAS OAK, etc. See BUCKEYE, OAK, etc. |
| Hort. var. of <i>A. verna</i> . | |
| grandiflora SHOWY S. | |
| groenlandica GREENLAND S. | |
| montana MOUNTAIN S. | |
| verna TUFTED S. | |

| | |
|---|---|
| ARMAND CLEMATIS, ARMAND PINE, etc. See CLEMATIS, PINE, etc. | ARROWHEAD NORWAY SPRUCE (<i>Picea excelsa conica</i> † Cy) |
| ARMENIAN BELLFLOWER, ARMENIAN CRANESBILL, etc. See BELL- FLOWER, CRANESBILL, etc. | ARROWLEAF VIOLET <i>Viola sagittata</i> |
| ARMERIA STATICE | ARROWROOT <i>Maranta</i> |
| ARMORACIA Ag . . RADICULA | BERMUDA A. <i>M. arundinacea</i> |
| ARNEBIA | ARROWWOOD <i>Viburnum dentatum</i> |
| cornuta ARAB-PRIMROSE | ARTABOTRYS TAILGRAPE |
| ARNICA ARNICA | odoratissima FRAGRANT T. |
| montana MOUNTAIN A. | ARTEMISIA WORMWOOD |
| ARNOLD CRAB, ARNOLD HAWTHORN, etc. See CRAB, HAWTHORN, etc. | abrotanum SOUTHERNWOOD |
| ARONIA CHOKEBERRY | absinthium COMMON WORMWOOD |
| arbutifolia (<i>erythrocarpa</i> ; <i>Pyrus arbutifolia</i>) . . RED CHOKEBERRY | annua SWEET W. |
| atropurpurea (<i>A. floribunda</i> Ag) | arbuscula LOW SAGEBRUSH |
| PURPLE CHOKEBERRY | dracunculus TARRAGON |
| <i>erythrocarpa</i> <i>A. arbutifolia</i> | frigida FRINGED WORMWOOD |
| <i>floribunda</i> Ag <i>A. atropurpurea</i> | gracilis <i>A. scoparia</i> |
| melanocarpa (<i>nigra</i> ; <i>Pyrus nigra</i>) | <i>lactiflora</i> WHITE MUGWORT |
| BLACK CHOKEBERRY | Hort. var. of <i>A. vulgaris</i> . |
| —elata GLOSSY C. | montana (<i>A. pedemontana</i> Ag) |
| —grandifolia GREAT BLACK C. | PIEDMONT WORMWOOD |
| nigra <i>A. melanocarpa</i> | pontica ROMAN W. |
| ARPOPHYLLUM | purshiana CUDWEED W. |
| giganteum | sacrorum RUSSIAN W. |
| ARRHENATHERUM . . OATGRASS | scoparia (<i>gracilis</i>) . . ORIENTAL W. |
| bulbosum (<i>Arrhenatherum elatius</i> <i>tuberosum</i> Cy) TUBER OATGRASS | serrata SAWTOOTH W. |
| <i>elatius</i> (<i>Avena elatior</i>) . . TALL O. | stelleriana BEACH W. |
| Hort. var. of <i>Arrhenatherum</i> : | tridentata SAGEBRUSH |
| VARIEGATED OATGRASS (<i>bulbosum</i> <i>variegatum</i>) | vulgaris MUGWORT |
| ARROW ASTER, ARROW BAMBOO, etc. See ASTER, BAMBOO, etc. | Hort. var. of <i>Artemisia</i> : |
| ARROW-ARUM Peltandra | SUMMER-FIR (<i>Artemisia sacrorum</i> <i>viridis</i> † Cy) |
| VIRGINIA A. <i>P. undulata</i> | WHITE MUGWORT (<i>lactiflora</i>). Hort. |
| ARROWHEAD Sagittaria | var. of <i>A. vulgaris</i> . |
| AWL-LEAF A. <i>S. subulata</i> | ARTICHOKE <i>Cynara scolymus</i> |
| BEACH A. <i>S. natans</i> | JERUSALEM-ARTICHOKE (<i>Girasole Ar-</i> |
| COMMON A. <i>S. latifolia</i> | <i>ticchone</i>) . . <i>Helianthus tuberosus</i> |
| DOUBLE OLD-WORLD A. Hort. var. of Sagittaria sagittifolia. | ARTOCARPUS BREADFRUIT |
| GIANT A. <i>S. montevidensis</i> | incisa BREADFRUIT |
| LONGBARB A. <i>S. longiloba</i> | integerrifolia (<i>A. integra</i> Ag) |
| OLD-WORLD A. <i>S. sagittifolia</i> | JACKFRUIT |
| SHORTBEAK A. <i>S. brevirostra</i> | ARUM ARUM |
| STIFF A. <i>S. rigida</i> | <i>crinitum</i> <i>Helicodiceros muscivorus</i> |
| | <i>dracunculus</i> <i>Dracunculus vulgaris</i> |
| | <i>italicum</i> ITALIAN ARUM |
| | <i>maculatum</i> LORDS-AND-LADIES |
| | <i>palaestinum</i> BLACK CALLA |
| | ARUM Arum |
| | ARROW-ARUM Peltandra |
| | BLACK CALLA <i>Arum palaestinum</i> |
| | ITALIAN A. <i>A. italicum</i> |
| | IVY-ARUM <i>Scindapsus pictus</i> |

ARUM, continued

LORDS-AND-LADIES

Arum maculatum

TWIST-ARUM

*Helicodiceros muscivorus*ARUM WILDGINGER *Asarum arifolium*ARUNCUS GOATSBEARD
astilboides JAPANESE G.
sylvester (*aruncus*; *Spiraea aruncus*; *S. humboldti*)

COMMON GOATSBEARD

Hort. var. of *A. sylvester*:CUTLEAF GOATSBEARD (*A. s. kneiffii*
Cy; *Spiraea kneiffii*)

ARUNDINARIA

auricoma (*Bambusa auricoma*)*chrysanthia* (*B. chrysanthia*)*debilis**falcata* (*B. falcata*)

NINGALA BAMBOO

falconeri FALCONER B.*fastuosa* (*narihira*; *Bambusa fastuosa* Cy) . . . NARIHIRA BAMBOO*fortunei* (*B. fortunei*)—*viridis* *A. humilis**hindsi* (*B. erecta*) RAMROD BAMBOO*hookeriana* HOOKER B.*humilis* (*fortunei viridis*)*japonica* (*B. metake*) . . ARROW B.*macrosperma* . . SOUTHERN CANE*marmorea* (*B. marmorea*)*narihira* *A. fastuosa**nitida**nobilis**pumila* (*B. pumila*)*simoni* (*B. simoni*)

See also hort. var. list below.

tecta SMALL CANE*veitchi* (*B. veitchi*)Hort. var. of *Arundinaria simoni*:SILVERSTRIPE BAMBOO (*viridistriata*)

ARUNDO

donax GIANT REEDHort. var. of *Arundo*:STRIPED GIANT REED (*A. donax variegata* Cy)

ASARUM WILDGINGER

arifolium ARUM W.*canadense* CANADA W.*reflexum* CURLY W.

ASARUM, continued

shuttleworthi (*macranthum*)

MOTTLED WILDGINGER

virginicum (*Hexastylis virginica*)

HEARTLEAF W.

| | | |
|--------------|-----------|--------------------|
| ASCLEPIAS | | MILKWEED |
| curassavica | | BLOODFLOWER |
| halli | | |
| incarnata | | SWAMP MILKWEED |
| —rosea | | PINK SWAMP M. |
| pulchra | | HAIRY M. |
| rubra | | RED M. |
| sullivanti | | SMOOTH M. |
| syriaca | | COMMON M. |
| tuberosa | | BUTTERFLYWEED |
| verticillata | | HORSETAIL MILKWEED |

| | | |
|--|--------------------------------------|-------------------------|
| ASH | | <i>Fraxinus</i> |
| BILTMORE A. | | <i>F. biltmoreana</i> |
| BLACK A. | | <i>F. nigra</i> |
| BLUE A. | | <i>F. quadrangulata</i> |
| CALIFORNIA SHRUB A. | | <i>F. dipetala</i> |
| CHINESE A. | | <i>F. chinensis</i> |
| EUROPEAN A. | | <i>F. excelsior</i> |
| FLOWERING A. | | <i>F. ornus</i> |
| FRAGRANT A. | | <i>F. cuspidata</i> |
| GOLDEN EUROPEAN A. | (<i>F. excelsior aurea</i> Cy) | |
| GOLDEN WEEPING A. | (<i>F. e. aurea-pendula</i> Cy) | |
| GREEN A. | | <i>F. lanceolata</i> |
| GREGG A. | | <i>F. greggi</i> |
| MANCHURIAN A. | <i>F.</i> | <i>mandschurica</i> |
| _MOUNTAIN-ASH | | <i>Sorbus</i> |
| OREGON A. | | <i>F. oregona</i> |
| PAX A. | | <i>F. paxiana</i> |
| PRICKLY-ASH | | <i>Zanthoxylum</i> |
| RED A. | | <i>F. pennsylvanica</i> |
| ROUNDLEAF A. | | <i>F. rotundifolia</i> |
| SINGLELEAF A. | | <i>F. anomala</i> |
| SYRIAN A. | | <i>F. syriaca</i> |
| TEXAS A. | | <i>F. texensis</i> |
| TURKESTAN A. | | <i>F. potamophila</i> |
| WEEPING EUROPEAN A. | (<i>F. excelsior pendula</i> Cy) | |
| WEEPING ROUNDLEAF A. | (<i>F. rotundifolia pendula</i> Cy) | |
| WHITE A. | | <i>F. americana</i> |
| ASHLEAF AMPELOPSIS, ASHLEAF POLYPODY, etc. | See AMPELOPSIS, POLYPODY, etc. | |

| | |
|---|--|
| ASHY HYDRANGEA, ASHY SUNFLOWER, etc. See HYDRANGEA, SUN- FLOWER, etc. | |
| ASIATIC LABURNUM, ASIATIC MOON- SEED, etc. See Laburnum, MOONSEED, etc. | |
| ASIMINA PAPAW triloba PAPAW | |
| ASPARAGUS ASPARAGUS asparagooides (<i>medeoloides</i> ; <i>Myrsi- phyllum asparagooides</i>) | |
| SMILAX ASPARAGUS <i>blampiedi</i> LARGE FERN A. Hort. var. of <i>A. plumosus</i> . | |
| cooperi COOPER A. <i>crispus (decumbens)</i> . DROOPING A. <i>hatcheri</i> LARGE FERN A. Hort. var. of <i>A. plumosus</i> . | |
| madagascariensis MADAGASCAR A. <i>medeoloides</i> <i>A. asparagooides</i> <i>nanus</i> . DWARF FERN ASPARAGUS Hort. var. of <i>A. plumosus</i> . | |
| officinalis GARDEN A. <i>plumosus</i> FERN A. See also hort. var. list below. | |
| scandens BASKET A. sprengeri SPRENGER A. <i>tenuissimus</i> WIESTEM FERN A. Hort. var. of <i>A. plumosus</i> . | |
| Hort. var. of ornamental Asparagus: DWARF FERN ASPARAGUS (<i>A. plu- mosus nanus</i> † Cy) LARGE FERN A. (<i>A. p. robustus</i> Cy; <i>blampiedi</i> ; <i>hatcheri</i>) WIESTEM FERN A. (<i>A. plumosus</i> <i>tenuissimus</i> † Cy) | |
| ASPARAGUS <i>Asparagus</i> BASKET A. <i>A. scandens</i> COOPER A. <i>A. cooperi</i> DROOPING A. <i>A. crispus</i> FERN A. <i>A. plumosus</i> GARDEN A. <i>A. officinalis</i> MADAGASCAR A. <i>A. madagascariensis</i> | |
| SMILAX A. <i>A. asparagooides</i> SPRENGER A. <i>A. sprengeri</i> | |
| ASPARAGUS-BEAN <i>Vigna sesquipedalis</i> Asparagus-fern FERN AS- PARAGUS: <i>Asparagus plumosus</i> | |
| ASPASIA See ORCHID GENERA. | |

| | |
|--|--|
| ASPEN | |
| CHINESE A. <i>Populus adenopoda</i> | |
| EUROPEAN A. <i>P. tremula</i> | |
| LARGETOOTH A. <i>P. grandidentata</i> | |
| QUAKING A. <i>P. tremuloides</i> | |
| WEEPING A. (<i>Populus tremula</i> <i>pendula</i> † Cy) | |
| ASPERULA WOODRUFF | |
| hexaphylla MISTY W. | |
| odorata SWEET W. | |
| orientalis (<i>azurea</i>) ORIENTAL W. | |
| ASPHODEL <i>Asphodelus</i> | |
| BRANCHING A. <i>A. albus</i> | |
| ASPHODELINE JACOBS-ROD | |
| lutea COMMON J. | |
| ASPHODELUS ASPHODEL | |
| albus BRANCHING A. | |
| luteus <i>Asphodeline lutea</i> | |
| ASPIDISTRA ASPIDISTRA | |
| lurida COMMON A. | |
| Hort. var. of <i>Aspidistra</i> : | |
| STRIPED ASPIDISTRA (<i>A. lurida</i> <i>variegata</i> † Cy) | |
| ASPIDIUM | |
| <i>acrostichoides</i> | |
| Polystichum acrostichoides | |
| <i>aculeatum</i> <i>P. aculeatum</i> | |
| <i>bootti</i> <i>Dryopteris bootti</i> | |
| <i>brauni</i> <i>Polystichum brauni</i> | |
| <i>cristatum</i> <i>Dryopteris cristata</i> | |
| <i>filixmas</i> <i>D. filixmas</i> | |
| <i>goldianum</i> <i>D. goldiana</i> | |
| <i>marginale</i> <i>D. marginalis</i> | |
| <i>munitum</i> <i>Polystichum munitum</i> | |
| <i>noveboracense</i> | |
| <i>Dryopteris noveboracensis</i> | |
| <i>spinulosum</i> <i>D. spinulosa</i> | |
| <i>thelypteris</i> <i>D. thelypteris</i> | |
| <i>tsussimense</i> | |
| Polystichum tsussimense | |
| ASPLENIUM SPLEENWORT | |
| <i>acrostichoides</i> Cy | |
| <i>Athyrium pycnocarpon</i> | |
| <i>angustifolium</i> Cy <i>Ath. thelypteroides</i> | |
| <i>bulbiferum</i> MOTHER SPLEENWORT | |
| <i>ebeneum</i> <i>Asplenium platyneuron</i> | |
| <i>filixfemina</i> Cy <i>Athyrium filixfemina</i> | |
| <i>goringianum</i> Cy . <i>Ath. goringianum</i> | |
| <i>longissimum</i> | |

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names

ASPLENIUM, continued

- nidus (nidus-avis)* BIRDSNEST FERN
platyneuron (ebeneum) EBONY SPLEENWORT
pycnocarpon *Athyrium pycnocarpon*
thelypteroides . *Ath. thelypteroides*
trichomanes MAIDENHAIR SPLEENWORT
viviparum
ASSONIA Ag **DOMBEYA**
ASTER **ASTER**
acris
—nanus
albus *A. amellus*
alpinus ROCK ASTER
 See also hort. var. list opposite.
amellus (albus) . . . ITALIAN A.
—bessarabicus . BESSARABIAN A.
amethystinus . . . AMETHYST A.
azureus AZURE A.
bessarabicus
A. amellus bessarabicus
bigelovii (townshendii) BIGELOW ASTER
chapmani SAVANNAH A.
cordifolius BLUE WOOD A.
corymbosus (A. divaricatus Ag) WHITE WOOD A.
curtisi CURTIS A.
decorus *A. laevis*
divaricatus Ag . . . *A. corymbosus*
ericoides HEATH ASTER
formosissimus
grandiflorus GREAT A.
himalaicus (himalayensis) HIMALAYAN A.
incisus Ag *Calimeris incisa*
laevis (decorus) . SMOOTH ASTER
lilacinus LILAC A.
linosyris Ag . . . *Linosyris vulgaris*
longifolius LONGLEAF ASTER
maackii HAKONE A.
macrophyllus (polyphyllus) BIGLEAF A.
multiflorus WREATH A.
novae-angliae . NEW ENGLAND A.
—roseus ROSY NEW ENGLAND A.
novibelgi NEW YORK A.
patens SKY-DROP A.
polyphyllus . . . *A. macrophyllus*

ASTER, continued

- ptarmicoides* WHITE UPLAND ASTER
puniceus SWAMP A.
sagittifolius ARROW A.
shortii GEORGIA A.
speciosus BIG ROCK A.
 Hort. var. of *A. alpinus*. The true A.
speciosus of botanists is not in the trade.
spectabilis SEASIDE ASTER
subcaeruleus INDIA A.
tataricus TATARIAN A.
thomsonii THOMSON A.
townshendii *A. bigelovii*
tradescantii MICHAELMAS DAISY
trinervius
turbinellus PRAIRIE ASTER
umbellatus FLAT-TOP A.
undulatus WAVE A.
versicolor
 Hort. var. of hardy Aster:
 For hort. var. of China-aster, see *Calistephus*.
 BIG ROCK (*Aster alpinus speciosus* Cy)
 CLEOPATRA
 CLIMAX
 CLOUDY BLUE
 COLLARETTE
 EDITH GOODWIN
 FELTHAM BLUE
 GLORY OF COLWALL
 LIL FARDELL
 MAUVE CUSHION
 PEGGY BALLARD
 ROBERT PARKER
 SNOWFLAKE
 ST. EGWIN
 THE QUEEN
 TOP SAWYER
 WHITE CLIMAX
 WHITE NEW ENGLAND. Hort. var.
 of *A. novae-angliae*.
ASTER Aster
 See also hort. var. list above.
 For hort. var. of China-aster, see *Calistephus*.
 AMETHYST A. *A. amethystinus*
 ARROW A. *A. sagittifolius*
 AZURE A. *A. azureus*
 BESSARABIAN A. *A. amellus bessarabicus*

ASTER, continued

| | |
|--|-------------------------|
| BIGELOW A. | Aster bigelovii |
| BIGLEAF A. | A. macrophyllus |
| BLUE WOOD A. | A. cordifolius |
| CHINA-ASTER | Callistephus chinensis |
| CURTIS A. | A. curtisi |
| FLAT-TOP A. | A. umbellatus |
| GEORGIA A. | A. shortii |
| GOLDEN-ASTER | Chrysopsis |
| GREAT A. | A. grandiflorus |
| HAKONE A. | A. mackii |
| HEATH A. | A. ericoides |
| HIMALAYAN A. | A. himalaicus |
| INDIA A. | A. subcaeruleus |
| ITALIAN A. | A. amellus |
| LILAC A. | A. lilacinus |
| LONGLEAF A. | A. longifolius |
| MICHAELMAS DAISY | A. tradescantii |
| NEW ENGLAND A. | A. novae-angliae |
| NEW YORK A. | A. novibegii |
| PRAIRIE A. | A. turbinellus |
| ROCK A. | A. alpinus |
| ROSY NEW ENGLAND A. | A. novae-angliae roseus |
| SAVANNAH A. | A. chapmani |
| SEASIDE A. | A. spectabilis |
| SKYDROP A. | A. patens |
| SMOOTH A. | A. laevigata |
| SWAMP A. | A. puniceus |
| TATARIAN A. | A. tataricus |
| THOMSON A. | A. thomsonii |
| WAVE A. | A. undulatus |
| WHITE UPLAND A. | A. ptarmicoides |
| WHITE WOOD A. | A. corymbosus |
| WREATH A. | A. multiflorus |
| ASTILBE | ASTILBE |
| astilbe | arendsi |
| A name applied to a group of hybrids of A. davidi with other species. | |
| astilboides (<i>Spiraea astilboides</i>) | |
| GOATSBEARD ASTILBE | |
| chinensis | CHINESE A. |
| compacta | DWARF JAPANESE A. |
| Hort. var. of A. japonica. | |
| davidi (<i>Spiraea davidi</i>) | DAVID A. |
| grandis | GREAT A. |
| hybrida | A. rosea |
| japonica | JAPANESE ASTILBE |
| See also hort. var. list following. | |
| rosea (<i>hybrida</i>) | ROSE A. |
| simplicifolia | STAR A. |

Hort. var. of *Astilbe*:

| | |
|---|--|
| CERES | |
| DWARF | JAPANESE (<i>A. japonica compacta</i> † Cy) |
| GRUNO | |
| JUNO | |
| MOERHEIM | |
| PEACH BLOSSOM | |
| PINK PEARL | |
| PRINCESS JULIANA | |
| QUEEN ALEXANDRA | |
| ROSE PEARL | |
| SALLAND | |
| SALMON QUEEN | |
| SNOWCLOUD (<i>Astilbe japonica multiflora</i> † Cy) | |
| VENUS | |
| VESTA | |
| WASHINGTON | |
| W. E. GLADSTONE | |
| ASTILBE | ASTILBE |
| See also hort. var. list above. | |
| CHINESE A. | A. chinensis |
| DAVID A. | A. davidi |
| GOATSBEARD A. | A. astilboides |
| GREAT A. | A. grandis |
| JAPANESE A. | A. japonica |
| ROSE A. | A. rosea |
| STAR A. | A. simplicifolia |
| ASTRAGALUS | MILKVETCH |
| alopecuroides | FOXTAIL M. |
| ASTRANTIA | MASTERWORT |
| major | GREAT M. |
| ASTROPHYTUM | STAR CACTUS |
| capricornis (<i>Echinocactus capricornis</i> Cy) | |
| myriostigma (<i>Echinocactus myriostigma</i> Cy) | BISHOPSHOOD |
| ornatum (<i>E. ornatum</i> Cy) | |
| ATALANTIA | |
| trimera (<i>Triphasia monophylla</i>) | LIMEBERRY |
| ATAMASCO-LILY | Zephyranthes atamasco |
| ATAMOSCO | ZEPHYRANTHES |
| ATHYRIUM | |
| filixfemina (<i>Asplenium filixfemina</i> Cy) | LADY FERN |
| goringianum (<i>Asplenium goringianum</i> Cy) | GORING SPLEENWORT |

ATHYRIUM, continued

| | | | |
|---|---|--|---|
| pycnocarpon | (<i>Asplenium angustifolium</i> Cy; <i>As. pycnocarpon</i>) | AUTUMN-CROCUS | Colchicum |
| NARROWLEAF SPLEENWORT | | COMMON A. | <i>C. autumnale</i> |
| thelypteroides | (<i>Asplenium acrostichoides</i> Cy; <i>As. thelypteroides</i>) | AVENA | OATS |
| SILVERY SPLEENWORT | | <i>elatior</i> | <i>Arrhenatherum elatius</i> |
| ATLAS CEDAR | Cedrus atlantica | <i>sativa</i> | OATS |
| ATRIPLEX | SALTBUSH | <i>sterilis</i> | ANIMATED O. |
| hortensis | GARDEN ORACH | AVENS | <i>Geum</i> |
| ATROPA | BELLADONNA | BULGARIAN A. | <i>G. bulgaricum</i> |
| belladonna | BELLADONNA | CHILOE A. | <i>G. chiloense</i> |
| AUBRIETIA | AUBRIETIA | DOUBLE CRIMSON. Hort. var. of <i>G. chiloense</i> . | |
| deltoidea | COMMON A. | JAPANESE A. | <i>G. japonicum</i> |
| Hort. var. of <i>A. deltoidea</i> : | | MOUNTAIN A. | <i>G. montanum</i> |
| BOUGAINVILLE AUBRIETIA (<i>A. d. bougainvillae</i> † Cy) | | MRS. BRADSHAW. Hort. var. of <i>G. coccineum</i> . | |
| CAMPBELL A. (<i>A. d. campbellii</i> † Cy) | | ORANGE. Hort. var. of <i>G. montanum</i> . | |
| GREEK A. (<i>A. d. graeca</i> † Cy) | | VERMILION. Hort. var. of <i>G. chiloense</i> . | |
| HENDERSON A. (<i>A. deltoidea hendersonii</i> Cy) | | AVERRHOA | |
| LEICHTLIN A. (<i>A. d. leichlinii</i> † Cy) | | carambola | CARAMBOLA |
| MOERHEIM A. (<i>A. d. moerheimii</i> † Cy) | | AVOCADO | <i>Persea americana</i> |
| OLYMPIC A. (<i>A. d. olympica</i> † Cy) | | TRAPP A. | <i>P. leiogyna</i> |
| PURPLE-LADY A. (<i>A. deltoidea purpurea</i> † Cy) | | For horticultural varieties of Avocado see American Pomological Society's List of Fruits, in Appendix. | |
| TRUMPET A. (<i>A. d. eyrei</i> † Cy) | | AWL-LEAF ARROWHEAD | |
| AUCUBA | AUCUBA | | <i>Sagittaria subulata</i> |
| himalaica | HIMALAYAN A. | AXONOPUS compressus | CARPET GRASS |
| japonica | JAPANESE A. | AZALEA | AZALEA |
| Hort. var. of <i>Aucuba</i> : | | Azalea is retained as a genus name in accordance with the universal horticul- tural distinction between Azaleas and Rhododendrons, although leading botani- cal authorities regard the distinction as of subgeneric rank and apply the name Rhododendron to both groups, as is done in Bailey's Cyclopedia and in the Arnold Arboretum "Monograph of Azaleas," April 15, 1921. The latter is the most authoritative work on the identi- fication and classification of Azaleas, and for purposes of identification refer- ence is made to it and the names used therein are given in parentheses in the list below with the mark "Ar" added. No citation of Department of Agriculture preferred names is given in this genus. | |
| AUDIBERTIA | | amoena (<i>Rhododendron obtusum</i> <i>amoenum</i> Cy-Ar) | AMOENA AZALEA |
| grandiflora | (<i>Ramona grandiflora</i> Ag) | | Although treated in Standardized Plant Names as a distinct species, in agree- ment with the Official Code of 1917, the Amoena Azalea is without doubt a horti- |
| polystachya | (<i>R. polystachya</i> Ag) | | |
| | WHITE B. | | |
| AURICULA | Primula auricula | | |
| ALPINE A. Hort. var. of <i>P. auricula</i> | | | |
| AUSTRALIAN BRAKE, AUSTRALIAN LO- BELIA, etc. See BRAKE, LOBELIA, etc. | | | |
| AUSTRALIAN-PEA | Dolichos lignosus | | |
| WHITE A. Hort. var. of <i>D. lignosus</i> | | | |
| AUSTRIAN FLAX, AUSTRIAN PINE, etc. See FLAX, PINE, etc. | | | |
| AUTUMN LABURNUM, AUTUMN MONKS- HOOD, etc. See Laburnum , MONKSHOOD, etc. | | | |

STANDARDIZED PLANT NAMES

AZALEA, continued

cultural variety belonging to the Kurume group of cultivated Azaleas. See note under *A. obtusa kiusiana*.

arborescens (*R. arborescens* Cy-Ar)

SWEET AZALEA

atlantica (*R. atlanticum* Ar) COAST A.

balsaminaeflora A. *indica rosaeflora*

calendulacea (*A. lutea* Ag; *R.*

calendulaceum Cy-Ar)

FLAME AZALEA

canadensis . . . *Rhodora canadensis*

canescens (*R. canescens* Ar; *R.*

canescens Cy, in part)

PIEDMONT AZALEA

The northern plant heretofore included under *A. canescens* of the South proves to be a distinct species named *A. rosea*.

gandavensis (*R. gandavense* Ar)

GHENT AZALEA

In horticultural usage these names have been loosely applied to hybrid Azaleas of a very ill-defined group. In the Arnold Arboretum Monograph the group, under the name *Rhododendron gandavense*, has apparently been restricted to forms which have been derived from the hybridization of *A. pontica* (*R. luteum*) with the different species of American Azaleas exclusive of *A. occidentalis* (*R. occidentale*) and "which cannot be traced to any of the binary hybrids but are apparently of more mixed and uncertain parentage." At times the Ghent Azaleas have passed under the Latin species name *mortieri*, *mortieriana*, or *morteri*.

hinodegiri (*hinodigiri*)

HINODEGIRI AZALEA

Following the Official Code of 1917 this book treats this plant as a distinct species although it undoubtedly is a horticultural variety belonging to the Kurume group of cultivated Azaleas. See note under *A. obtusa kiusiana*.

indica (*R. indicum* Cy-Ar)

INDICA AZALEA

The large-flowered greenhouse plants known as Indian Azaleas are apparently not derived from *A. indica*, but chiefly from *A. sinensis*, which is a Chinese species. *A. indica* is a Japanese species.

—alba *A. ledifolia*

—rosea SEKIDERA AZALEA

See common-name list of Azalea on p. 27.

—rosaeflora (*A. balsaminaeflora*;

R. indicum rosiflorum Cy; *R.*

indicum balsaminaeflorum Ar)

BALSAM AZALEA

AZALEA, continued

japonica (*Rhododendron japonicum*

Cy-Ar) JAPANESE AZALEA

—alba AMETHYST A.

See common-name list of Azalea on p. 27.

—grandiflora superba SEKIDERA A.

See common-name list of Azalea on p. 27.

kaempferi (*R. kaempferi* Cy; *R.*

obtusum kaempferi Ar)

TORCH AZALEA

ledifolia (*R. ledifolium* Cy; *R. mu-*

cronatum Ar; *A. indica alba*; *A.*

alba; *A. rosmarinifolia*; *A. ledi-*

folia alba) SNOW AZALEA

—alba A. *ledifolia*

—rosea SEKIDERA AZALEA

See common-name list of Azalea on p. 27.

linearifolia (*R. linearifolium* Cy-

Ar) SPIDER AZALEA

lutea Ag. A. *calendulacea*

mollis (*R. sinense* Cy; *R. molle* Ar;

A. sinensis) . . . CHINESE AZALEA

This species, the true *A. mollis* of botanists, is rarely, if at all, in the trade.

Varieties of it and of *A. japonica*, and

hybrids between the two species, con-

stitute the *A. mollis* of the trade.

mortieri, *mortieriana*

See note under *A. gandavensis*.

nudiflora (*R. nudiflorum* Cy-Ar)

PINXTERBLOOM

obtusa (*R. obtusum* Cy-Ar)

HIRYU AZALEA

—kiusiana (*R. obtusum japonicum*

Ar) KYUSHU AZALEA

This is the wild azalea, native in the

mountains of the Japanese Island of

Kyushu, from which have been derived,

through long cultivation by the Japa-

nese, especially at the town of Kurume,

the many horticultural varieties now

becoming known as Kurume Azaleas.

To be classed in this group are the

well-known magenta-colored Amoena,

the crimson Hinodegiri, the scarlet

Kirishima, and another scarlet variety

called Hiryu. On this last-named va-

riety was based the original description

of Azalea *obtusa*.

occidentalis (*R. occidentale* Cy-Ar)

WESTERN AZALEA

pentaphylla (*R. pentaphyllum* Ar)

FIVELEAF A.

phoenicea (*R. phoeniceum* Ar)

PURPLE A.

AZALEA, continued

pontica (*Rhododendron luteum* Cy-Ar)

PONTIC AZALEA

poukhanensis (*R. poukhanense* Cy;*R. yedoense poukhanense* Ar; *R.**coreanum* . . . KOREAN AZALEA**quinquefolia** (*R. quinquefolium* Cy-

Ar) CORK AZALEA

rhombica (*R. rhombicum* Cy; *R.**reticulatum* Ar) . . ROSE AZALEA**rosea** (*R. roseum* Ar; *R. canescens*

Cy, in part)

DOWNY PINXTERBLOOM

This is the more northern type of Azalea heretofore erroneously included under *A. canescens*, which is a southern species.**rosmarinifolia** **A. ledifolia****sanderi** (*R. sanderi* Ar)

SANDER AZALEA

A name applied to a group of hybrids between forms of *A. simsii* and *A. obtusa*. The Latin name *sanderi* is herein dropped and replaced by Sander.**schlippenbachi** (*R. schlippenbachi*

Cy-Ar) ROYAL AZALEA

serpyllifolia (*R. serpyllifolium* Ar)

WILDETHYME AZALEA

simsii INDIAN A.See note under *A. indica*.**sinensis** **A. mollis****speciosa** (*R. speciosum* Ar)**sublanceolata** (*R. sublanceolatum*Cy; *R. scabrum* Ar)

LUCHU AZALEA

vaseyi (*R. vaseyi* Cy-Ar)

PINKSHELL A.

viscosa (*R. viscosum* Cy-Ar)

SWAMP A.

—**glaucia** (*R. viscosum glaucum*Cy-Ar; *A. viscosa floribunda*)

BLUELEAF AZALEA

yodogawa (*R. poukhanense yodo-**gawa* Cy; *R. yedoense* Ar)

YODOGAWA AZALEA

Hort var. of Azalea:

Because of the very large number of horticultural varieties in Azalea the common-name list and the hort. var. list have been combined in the special list opposite.

AZALEA Azalea

Abbreviations indicating the name of the group to which a horticultural variety is reported to belong are as follows:

Alb. Albicans (*occidentalis* × *mollis* and other species).Gh. Ghent (hybrids of *pontica*, *calendulacea*, and other species).Ind. Indian Azalea of commerce, apparently not derived from *A. indica*, but mostly from *A. simsii*.Kur. Kurume. See note under *A. obtusa kiusiana* in the Latin-name list.

Led. Ledifolia.

Mix. A group of double-flowered Azaleas, hybrids between Ghent Azaleas and *A. mollis* and *A. japonica*, known in the trade as *A. rustica flore pleno* and designated in the Arnold Arboretum Monograph as *R. mixtum*.Mol. Mollis. This group, as usually and loosely classified in the trade and as classified here, consists of derivatives of *A. mollis*, *A. japonica*, and hybrids of these species. *R. kosterianum*, given in the Arnold Arboretum Monograph as the accepted name for the Azalea *mollis* of the trade, consists only of hybrids of *A. mollis*—the Chinese species—and *A. japonica*, and does not include any of the non-hybrid varieties of these two species.

Pho. Phoenicea.

San. Sander (forms of *simsii* × *obtusa*)

ADMIRABLE. Mol.

ADMIRAL DE RUYTER. Gh.

AGEMAKI. Kur.

AIDA. Mix.

AIOI. Kur.

AKADAI. Kur.

ALBERT. Ind.

ALICE. Ind.

ALICE SARGENT. San.

ALPHONSE LAVALLÉE. Mol.

ALTACLAIRE. Mollis × *viscosa*.*Altaclarensis*.

America. MATTAPAN.

AMETHYST. Led. *A. japonica alba*;*R. mucronatum amethystinum* Ar.AMOENA A. Kur. *A. amoena*.

ANTHONY KOSTER. Mol.

ANTIGONE. Ind.

APOLLO. Ind.

APPELES. Mix.

ARETHUSA. Gh.

ARIADNE. Mix.

ASAGASUMI. Kur.

ASAHI. Kur.

AZALEA, continued

ASUKAGAWA. Kur.
 AUGUSTE MECHELYNCK. Gh.
 AURORE DE ROYGHEM. Gh.
 AYA KAMMURI. Kur.
 AYAGROMO. Kur.
 AZUMA KAGAMI. Kur.
 AZUMA SHIBORI. Kur.
 BALSAM A. *A. indica rosaeflora*.
 BARON CONSTANT REBECQUE. Mol.
 BARON EDMOND DE ROTHSCHILD
 Mol.
 BARON N. DE ROTHSCHILD. Ind.
 BARON PYCKE. Mol.
 BARTHOLI LAZZARI. Gh.
 BEAUTÉ CELESTE. Gh.
 BENIFUDE. Kur.
 BENIGIRI. Kur.
 BERNARD ANDRÉ. Ind.
Bernard André alba. WHITE BER-
 NARD ANDRÉ.
 BETSY DE BRUIN. Mol.
 BIJNSUI. Kur.
 BIJOU DE GENDBRUGGE. Gh.
 BIJOU DES AMATEURS. Gh.
 BLONDINE. Gh.
 BLUELEAF A. *A. viscosa glauca*.
 BLUSH BEAUTY. Alb. *Graciosa*
 BLUSHING BRIDE. Ind.
 BORSIG. Ind.
 BOUQUET DE FLORE. Gh.
 BOUQUET D'ORANGE. Mol.
 BRONZE UNIQUE. Gh.
 BROOKLINE. San.
 BYRON. Mix.
 CARDINAL. Gh.
 CARDON. Gh. *Cardoniiana*.
 CHARLEMAGNE. Gh.
 CHARLES BAUMANN. Gh. *Direc-
 teur Charles Baumann*.
 CHARLES DICKENS. Mol.?
 CHARLES ENCKE. A form of the
 true *A. indica*.
 CHARLES KEKULE. Mol.
 CHARLES ROGIER. Gh.?
 CHARMER. Ind.
 CHEVALIER DE REALI. Mol
 CHICAGO. Ind.
 CHINESE A. *A. mollis*.
 CHIYONO-AKEBONO. Kur.
 CHROMATELLA. Gh.
 C. MAARSCHALK. Mol.

AZALEA, continued

COAST A. *A. atlantica*.
Coccinea speciosa. RUDDY GHENT
 COMTE DE FLANDRES. Gh.
 COMTE DE GOMER. Mol.
 COMTE DE QUINCEY. Mol.
 COMTE DE PAPADOPOLI. Mol
 COMTESSE DE BEAUFORT. Ind.
 COMTESSE EUGENIE DE KERCHOVE.
 Ind.
 CONSUL CERESOLE. Mol.
 CONSUL PECHER. Mol.
 CORK A. *A. quinquefolia*.
 CRITERION. Ind.
 CYMODOCÉE. Gh.
 CZARINE. Mol. *Tsarina*.
 DAFFODIL. Gh. *Narcissiflora*.
 DAVIES. *Mollis* × *viscosa*. *Davies*.
 DAYBREAK. Ind.
 DECUS HORTORUM. Gh.
 DE SCHRYVER. Ind. *De Schry-
 veriana*.
 DEUTSCHE PERLE. Ind.
 DIAMOND. Ind.
Directeur Charles Baumann.
 CHARLES BAUMANN.
 DOMINIQUE VERTVAENE. Ind.
 DOMINICO SCASSI. Gh.
 DOUBLE VANHOUTTE. Gh. *Van
 houttei florepleno*.
 DOWNY PINXTERBLOOM *A. rosea*
 DR. LEON VIGNES. Mol.
 DR. MOORE. Ind.
 DR. REITENBACH. Mol.
 DR. REVAL. Mol.
 DUC DE NASSAU. A form of *A
 simsii*.
 DUC DE PROVENCE. Gh.
 DUCHESS OF PORTLAND. Mol.
 DULCINÉE. Gh?
 EASTER GREETINGS. Ind.
 EBENEZER PYCKE. Mol.
 ECLATANTE. Ind.
 EDISON. Gh.
 EGGBRECHT. Ind. *Eggebrechtii*.
 ELISABETH. Mol.
 ELLEN CUTHBERT. Mol.
 EMIL LIEBIG. Ind.
 EMPEREUR DU BRESIL. Ind.
 EMPRESS OF INDIA. Ind.
 ERNEST BACH. Mol.
 ERNEST EECKHAUTE. Ind.

AZALEA, continued

ERNEST THIERS. Ind.
 ESMERALDA. Gh.?
 EXQUISITE. Alb.
 FAMA. Gh.
 FANNY. Gh.
 FANNY IVERY. Ind.
 FIELDER WHITE. Ind.
 FIREFLAME. Gh. *Ignaea nova*.
 FIREFLY. San. *Hexe*.
 FIVELEAF A. *A. pentaphylla*.
 F. J. SEIDEL. Mol.
 FLAMBEAU. Ind.
 FLAME A. *A. calendulacea*.
 FLORADORA. Mol.?
 FOSTER. Ind. *Fosteriana*
Fragrans. SWEET GHENT.
 FRANÇOIS DE VOS. Ind.
 FRANZ VAN DER BOM. Mol
 FRAU HERMANN SEIDEL. Ind.
 FRED DE MERODE. Gh.?
 FRÈRE ORBAN. Gh.?
 FREYA. Mix.
 FRISIA. Mol.
 FRITZ QUINOU. Gh.
 FUDESUTEYAMA. Kur.
 FUERST CAMILLE VON ROHAN. Gh.
 FUERSTIN BARO TRYSKY. Ind.
 FUJIMOTO. Led.
 FUTA-EKUBŌ. Kur.
 FUTAE-TSURU. Indica.
 GEANT DES BATAILLES. Gh.
 GENERAL BRIALMONT. Gh.
 GENERAL COFFINET. Gh.
 GENERAL TRAUFF. Gh.
 GENERAL VETTER. Mol.
 GEORGE CUTHBERT. Mol.
 GHENT A. *A. gandavensis*.
 GLORIA MUNDI. Gh.
 GLORY OF BOSKOOP. Mol.
 GOSHŌ ZAKURA. Kur.
Graciosa. BLUSH BEAUTY.
 GRAF ALFRED VON NIEPPERG. Gh.
 GRAF VON MERAN. Gh.
 GRANDEUR TRIOMPHANTE. Gh.
 GRAND MONARQUE. Gh.
 GUELDER ROSE. Gh.
 HACHI KATSUGI. Kur.
 HAEREN LORRAINE. Ind.
 HAERENS. Ind. *Haerensiiana*.
 HAGOROMO. Kur.
 HAKATA SHIRO. Ind.

AZALEA, continued

HANA ASOBI. Kur.
 HANAIKADA. Kur.
 HATSUGIRI. Kur.
 HATSUHINODE. Kur.
 HAVEMEYER. San.
 HEBE. San.
 HELENA. San.
 HELENE THELEMANN. Ind.
 HENRI CONSCIENCE. Gh.?
 HERMIONE. San.
 HEUREUSE SURPRISE. Gh.
Hexe. FIREFLY.
 HILDA
 HILDA HEDLUND. San.
 HINAMOYŌ. Kur.
 HINODEGIRI A. Kur. *A.hinodegiri*.
 HINODENOTAKA. Kur.
 HINOTSUKASA. Kur.
 HIRYU A. Kur. *A. obtusa*.
 HOLLAND BEAUTY. Mol. *Mollis*
hollandia.
 HOLM LEA. San.
 Hōwō. Kur.
 Hōwōden. Kur.
 HORA. Mix.
 HORTULANUS WITTE. Mol.
 HUGO HARDYZE. Mix.
 HUGO KOSTER. Mol.
Ignaea nova. FIREFLAME.
 IL TASSO. Mix.
 IMA SHŌJŌ. Kur.
 IMPERATRICE. Gh.
 IMPERATRICE DES INDES. Ind.
 INDIAN A. *A. simsii*.
 INDICA A. *A. indica*.
Indica rosea. SEKIDERÄ.
 IRENE KOSTER. Alb.
 IROHAYAMA. Kur.
 IRUSAYAMA. Kur.
 ISABELLA VANHOUTTE. Mol.
 IWATOKAGAMI. Kur.
 JAPANESE A. *A. japonica*.
Japonica alba. AMETHYST.
Japonica grandiflora superba. SEKIDERÄ.
 J. C. VAN TOL. Mol.
 JEAN PEETERS. Ind.
 JEAN VERVAENE. Ind.
 JEANNE A. KOSTER. Mol.
 JEANNETTE K. SIEMENE. Mol.
 J. J. DE VINK. Mol.

AZALEA, continued

JOHANNA GOTTSCHALK. Ind.
 JOHN GOULD VEITCH. Ind.
 JOHN LEWELYN. Ind.
 JOHN PETERS. Ind.
 JOSEPHINE KLINGER. Gh.
J. T. Lovett. INDICA A.
 JULDA SCHIPP. Gh.
 JULIA SECOND. Gh. *Juliana nova.*
 JULIUS CAESAR. Gh.
 JULIUS ROEHR'S. Ind.
 JUNO. Alb. *Magnifica.*
 JUPITER. San.
 KASANE KAGARIBI. Kur.
 KASUMIGASEKI. Kur.
 KATSURANOHANA. Kur.
 KIMIGAYO. Kur.
 KINKUJAKU. Kur.
 KIRIN. Kur.
 KIRISHIMA. Kur.
 KIRITSUBO. Kur.
 KUMONO-UYE. Kur.
 KOCHONO-MAI. Kur.
 KONISHIKI. Kur.
 KOREAN A. A. *poukhanensis*
 KUMONOHIMO. Kur.
 KUMONOHOMARE. Kur.
 KURAINOHIMO. Kur.
 KURENOSAKE. Kur.
 KURENOYUKI. Kur.
 KYUSHU A. A. *obtusa kiusiana.*
 LADY ROOSEVELT. Ind.
 LAVENDER. Ind.? *Malvatica.*
 LA VICTOIRE. Ind.
Ledifolia rosea. SEKIDERA.
 LE TITIEN. Mix.
 LOUIS AIMÉ VANHOUTTE. Gh.
 LOUIS HELLEBUYCK. Gh.
 LOUISA HUNNEWELL. Mol. *Miss Louisa Hunnewell.*
 LOUISE COUVELIER. Ind.
 LOUISE PYNAERT. Ind.
 LOUISE VON BADEN. Ind.
 LUCHU A. A. *sublanceolata.*
Macrantha. RED SALMON.
 MME. ANTHONY KOSTER. Mol.
 MME. ARTHUR DE WARELLES.
 Mol.
 MME. CAMILLE VAN LANGENHOVE.
 Ind.

AZALEA, continued

MME. CAROLINE LERGELLE
 d'HANIS. Mol.
 MME. CHARLES VAN EECKHAUTE.
 Ind.
 MME. GUSTAVE GUILLEMOT. Gh
 MME. HERMAN SEIDEL. Ind.
 MME. IRIS LEFEBRE. Ind.
 MME. JOHN HAERENS. Ind.
 MME. JOS. VERVAENE. Ind.
 MME. L. VANHOUTTE. Ind.
 MME. MARIE LOUISE. Kur.?
 MME. MORREUX. Ind.
 MME. PETRICK. Ind.
 MME. RORN. DE SMET. Ind.
 MME. VAN DER CRUYSSSEN Ind.
 MADELEINE. Ind.
Magnifica. JUNO.
Malvatica. LAVENDER.
 MARCONI. Mol.
 MARGO KOSTER. Mol.
 MARIE LOUISE. Ind.
 MARIE VERSCHAFFELT. Gh.
 MARQUIS OF LORNE. Ind.
 MARS. San.
 MARY KOSTER. Mol.
 MATHILDE. Gh.
 MATTAPAN. Led. *America.*
 MAXWELL. Pho.
 MECENE. Mix.
 MELANIE. Gh.
 MEMOIRE DE LOUIS VANHOUTTE.
 Ind.
 METEORE. Gh.
 MILTON. Mix.
 MINA VANHOUTTE. Gh.
 MINERVA. Gh.
 MINISTER THORBECKE. Ind.
 MISS E. JARRETT. Ind.
Miss Louisa Hunnewell. LOUISA
 HUNNEWELL.
 MIYAGINO. Kur.
 MIYAKOJISHI. Kur.
Mollis hollandia. HOLLAND BEAUTY.
 MONS. THIBAUT. Ind.
 MR. DESBOIS. Gh.?
 MR. L. J. ENDTZ. Mol.
 MRS. A. E. ENDTZ. Mol
 MRS. TURNER. Ind.
 MURIEL. San.

AZALEA, continued

MURILLO. Mix.
 NANCY WATERER. Gh.
 NANIWAGATA. Kur.
Narcissiflora. DAFFODIL.
 NARUMI SHIBORI. Kur.
 NATALIE. San.
 NERO. Gh.
 NICOLAAS BEETS. Mol.
 NIOBE. Ind.
 NISHIKIGASANE. Kur.
 NISHIKINOMORI. Kur.
 NORMA. Mix.
 OIMATSU. Kur.
Oinomesame. Kur.
 OMOINE. Kur.
 ŌMURASAKI. Pho.
 OPHERIE. Gh.
 OPTIMA. Gh.
 ŌRYUKYU SHIBORI. Kur.
 OSARAKU. Kur.
 OSARAKU SEEDLING. Kur.
 OTOME. Kur.
 PALLAS. Gh.
 PAUL WEBER. Ind.
 PERFECTION. Gh. *Perfecta*.
 PERLE DE LA BELGIQUE. Ind.
 PHARAILDE MATHILDE. Ind.
 PHIDIAS. Mix.
 PHOEBE. Mix.
 PIEDMONT A. *A. canescens*.
 PINK PEARL. Ind.
 PINKSHELL A. *A. vaseyi*.
 PINXTERBLOOM. *A. nudiflora*.
 PONTIC A. *A. pontica*.
 PRAXITELES. Mix.
 PRESIDENT GHELLINCK DE WALLE.
 Ind.
 PRESIDENT OSWALD DE KERCHOVE.
 Ind.
 PRESIDENT VICTOR DEN HECKE.
 Ind.
 PRINCE BAUDOUIN. Gh.
 PRINCE HENRI DES PAYS-BAS. Gh.
 PRINCESSE ADRIENNE. Gh.
 PRINCESS ALICE. Ind.
 PRINCESSE CLEMENTINE. Ind.
 PRINCESSE D'ORANGE
 PROFESSOR WALTERS. Ind.
 PROF. W. KOSTER. Mol.

AZALEA, continued

PUCELLA. Gh.
 PURPLE A. *A. phoenicea*.
 QUEEN SOPHIA. Mol.
 QUEEN VICTORIA. Gh.
 RACINE. Mix.
 RAPHAEL. Ind.
 RAPHAEL DE SMET. Gh.
 RASHŌMON. Kur.
 REDLIGHT. *Sanguinea*.
 RED SALMON. *Macrantha*.
 The name Azalea macrantha of botanists
 is a synonym of the true *A. indica*, but
 the name Macrantha has been applied in
 the trade to a particular variety of that
 species, now known as Red Salmon.
 REINE DES PAY-BAS. Ind.
 REMARQUABLE. Gh.
 REMBRANDT. Gh.
 RIBEIRA. Mix.
 ROI DE HOLLANDE. Ind.
 ROI DES BELGES. Gh.
 ROI DES FEUX. Gh.
Rosaeflora. BALSAM.
 ROSE A. *A. rhombica*.
 ROSE CHERRY. Gh.
 ROSE MARIE. Gh.
 ROSE QUEEN. San.
Rosea. SEKIDERA.
 For the true Azalea rosea of botanists,
 which is a different plant, see the Latin-
 name list on page 27.
 ROSETTE. Gh.
Rosiflora. BALSAM.
 ROYAL A. *A. schlippenbachi*.
 RUBY. San.
 RUDDY GHENT. Gh. *Coccinea spe-*
ciosa.
 RUDYARD KIPLING. Mol.
 SAKON. Kur.
 SAKUNTULA. Ind.
 SAKURA TSUKASA. Kur.
 SAKURAGASANE. Kur.
 SANDER
 See note under *Azalea sanderi* in the
 Latin-name list on page 27.
 SANG DE GANDBRUGGE. Gh.
Sanguinea. REDLIGHT.
 SAOTOME. Kur.
 SEBASTOPOL. Mol.
 SEIKAI. Kur.

AZALEA, continued

SEKIDERA. Led. *A. indica rosea*;
A. ledifolia rosea; *A. japonica grandiflora superba*; *R. mucronatum sekidera* Ar.
SHEBA. Alb. *Superba*.
SHIN SEIKAI. Kur.
SHIN TOBINOHAGASANE. Kur.
SHIN UTENA. Kur.
SHIRATAKI. Kur.
SHIRO BOTAN. Kur.
SIGISMUND RUCKER. Ind.
SIMON MARDNER. Ind.
SNOW A. *A. ledifolia*.
SOLEIL D'ORANGE. Gh.
SOUV. DE LOUIS VANHOUTTE. Gh.? .
SOUV. DU PRINCE ALBERT. Ind.
SPIDER A. *A. linearifolia*.
STELLA. Ind.
SUETSUMU. Kur.
SUGANO-ITO. Kur.
SUI YŌHI. Kur.
Superba. SHEBA.
SURUGA MANYO. Kur.
SUZUKI. San.
SWAMP A. *A. viscosa*.
SWEET A. *A. arborescens*.
SWEET GHENT. Gh. *Fragrans*.
TAGONO-URA. Kur.
TAKASAGO. Kur.
TAMAFUYŌ. Kur.
TAMANOTAKA. Kur.
TAMANO-UTENA. Kur.
TANCHŌ. Kur.
TEBOTAN. Kur.
TEMPERANCE. Ind.
TERUKIMI. Kur.
THE BRIDE. Sims \times *indica*.
THEODORE REIMERS. Ind.
TOBINOHAGASANE. Kur.
TORCH A. *A. kaempferi*.
TRICOLOR VAN AKEN. Gh.
Tsarina. CZARINE.
TSUTA MOMIJI. Kur.
TUBANTIA. Mol.
UCHIWAGASANE. Kur.
UKAMUSE. Kur.
UMMU. Kur.
UNCAS. San.
UNIQUE. Gh.
VAN DYCK. Mix.

AZALEA, continued

Vanhouttei florepleno. DOUBLE
VANHOUTTE.
VELASQUEZ. Mix.
VENUS. San.
VERVAENE. Ind. *Vervaeneana*.
Vervaeneana alba. WHITE VERVAENE.
VICTORIA. Mol.
VIRGILE. Mix.
Viscosa floribunda. BLUELEAF.
VIVID. San.
VULCAN. San.
VUYLSTEKE. San. *Vuylstekeana*.
WAKA KAYEDE. Kur.
W. E. GLADSTONE. Mol.
W. E. GUMBLETON. Mol.
WESTERN A. *A. occidentalis*.
WHITE BERNARD ANDRÉ. Ind.
WHITE VERRAENE. Ind. *Vervae- neana alba*.
WILDTHYME A. *A. serpyllifolia*.
WILLIAM III. Gh.
WILSON SAUNDERS. Ind.
YACHIYO. Kur.
YAMATO BOTAN. Kur.
YAYEGIRI. Kur.
YAYEHIME. Kur.
YAYEHIRYU. Kur.
YEZONISHIKI. Kur.
YODOGAWA A. *A. yodogawa*.
YOROZUYO. Kur.
ZEELANDIA. Mol.
AZARA AZARA
gilliesi GOLDEN A.
microphylla BOXLEAF A
AZOLLA caroliniana
AZORES BELLFLOWER, AZORES JASMINE, etc. See BELLFLOWER, JASMINE, etc.
AZTEC DAHLIA, AZTEC MARIGOLD, etc. See DAHLIA, MARIGOLD, etc.
AZURE ASTER, AZURE FIR, etc. See ASTER, FIR, etc.
BABY HAWTHORN, BABY PRIMROSE, etc. See HAWTHORN, PRIMROSE, etc.
BABY-BLUE-EYES *Nemophila menziesii insignis*

| | | |
|--|--|---|
| BABYLON WEEPING WILLOW | <i>Salix babylonica</i> | BALM-OF-GILEAD POPLAR <i>Populus candicans</i> |
| BABYSBREATH | <i>Gypsophila paniculata</i> | BALSAM |
| DOUBLE B. | Hort. var. of <i>G. paniculata</i> . | GARDEN B. <i>Impatiens balsamina</i> LIVER-BALSAM <i>Erinus</i> |
| BACCHARIS | <i>genistelloides</i> | BALSAM AZALEA, BALSAM FIR, etc. See AZALEA, FIR, etc. |
| halimifolia . . . | GROUNDSELBUSH | BALSAMAPPLE |
| <i>pillularis</i> | KIDNEYWORT | <i>Momordica</i> ; <i>M. balsamina</i> |
| Bachelor Button | CORNFLOWER: <i>Centaurea cyanus</i> | BALSAM-OF-PERU <i>Toluifera pereirae</i> |
| BACTRIS | SPINY CLUB PALM | BALSAM-PEAR <i>Momordica charantia</i> |
| <i>major</i> Cy . . . | <i>Pyrenoglyphis major</i> | BALTZ FLOWERING QUINCE. Hort. |
| <i>minor</i> | | var. of <i>Cydonia japonica</i> . |
| BAERIA | GOLDFIELDS | BAMBOO |
| <i>gracilis</i> | SLENDER G. | For consolidated list of the genera, species, and varieties of Bamboo and Cane, see BAMBOO GENERA on p. 34. |
| BAIKAL SKULLCAP | <i>Scutellaria baicalensis</i> | ALPHONSE KARR B. Hort. var. of Bambusa nana. |
| BAILEY DOGWOOD | <i>Cornus baileyi</i> | ARROW B. <i>Arundinaria japonica</i> |
| BAIRNSDALE GRAYBOX | Eucalyptus bosistoana | BEAUTY B. <i>Bambusa tessellata</i> |
| BAKER IRIS | <i>Iris bakeriana</i> | BLACK B. Hort. var. of <i>Phyllostachys nigra</i> . |
| BALD ACACIA | <i>Acacia neriiifolia</i> | BLACKJOINT B. <i>Phyllostachys nigra</i> |
| BALDCYPRESS | <i>Taxodium</i> | BLACKSPOT B. (<i>P. n. punctata</i> † Cy) |
| COMMON B. | <i>T. distichum</i> | CANE |
| MONTEZUMA B. | <i>T. mucronatum</i> | DWARF C. |
| PONDYCYPRESS | <i>T. ascendens</i> | <i>Phyllostachys ruscifolia</i> |
| WEEPING P. | Hort. var. of <i>T. ascendens</i> . | SMALL C. . . <i>Arundinaria tecta</i> |
| BALD-HIP ROSE . . . | <i>Rosa gymnocarpa</i> | SOUTHERN C. . . <i>A. macroisperma</i> |
| BALDWIN IRONWEED | Vernonia baldwini | CARPET B. . . <i>Bambusa pygmaea</i> |
| BALFOUR POLYSCIAS | Polyscias balfouriana | CASTILLO B. (<i>Phyllostachys bambusoides castillonis</i> †) |
| BALKAN DAPHNE, BALKAN MAPLE, etc. See DAPHNE, MAPLE, etc. | Davallia bullata | FALCONER B. <i>Arundinaria falconeri</i> |
| BALLFERN | Platycodon grandiflorum | FEATHER B. . . <i>Bambusa vulgaris</i> |
| BALLOONFLOWER | JAPANESE B. (<i>P. g. japonicum</i> † Cy) | FERN B. <i>B. disticha</i> |
| | MARIES B. (<i>P. g. mariesii</i> † Cy) | GIANT B. <i>Dendrocalamus</i> |
| | WHITE B. (<i>P. g. album</i> † Cy) | GOLDEN B. (<i>Bambusa vulgaris aureoariegata</i> † Cy) |
| BALLOONVINE | Cardiospermum halicacabum | GOLDEN JAPANESE B. (<i>Phyllostachys bambusoides aurea</i> †) |
| BALM | Melissa | HAMILTON B. |
| BEEBALM | Monarda | <i>Dendrocalamus hamiltoni</i> |
| CANARYBALM | Cedronella triphylla | HEDGE B. <i>Bambusa nana</i> |
| COMMON B. | <i>Melissa officinalis</i> | HEMP B. <i>Dendrocalamus latiflorus</i> |
| HORSEBALM | <i>Collinsonia canadensis</i> | HOOKER B. <i>Arundinaria hookeriana</i> |
| MOLUCCA-BALM | Moluccella; <i>M. laevis</i> | JAPANESE TIMBER B. |

BAMBOO, continued

RAMROD B. . . *Arundinaria hindsii*
 SILVER B. . . *Bambusa argentea*
 SILVERSTRIBE B. Hort. var. of
Arundinaria simoni.

SQUARE B. *Bambusa quadrangularis*
 VIOLET B. *Phyllostachys violeascens*
 WRINKLED B. (*P. bambusoides mar-*
liacea†)

For consolidated list of the genera,
 species, and varieties of Bamboo and
 Cane, see BAMBOO GENERA below.

BAMBOO FERN *Coniogramme japonica*

BAMBOO GENERA

For convenience of reference the genera,
 species, and varieties of Bamboo and
 Cane are here brought together in one
 consolidated list.

ARUNDINARIA

auricoma (*Bambusa auricoma*)
chrysanthia (*B. chrysanthia*)
debilis
falcata (*B. falcata*)
 NINGALA BAMBOO
falconeri FALCONER B.
fastuosa (*narihira*; *Bambusa fastu-*
osa Cy; *B. narihira*)
 NARIHIRA BAMBOO
fortunei (*B. fortunei*)
—viridis *A. humilis*
hindsii (*B. erecta*) RAMROD BAMBOO
hookeriana HOOKER B.
humilis (*fortunei viridis*)
japonica (*B. metake*) . . . ARROW B.
macrospurma . . . SOUTHERN CANE
marmorea (*B. marmorea*)
narihira *A. fastuosa*
nitida
nobilis
pumila (*B. pumila*)
simoni (*B. simoni*)
 See also hort. var. list below.

tecta SMALL CANE
veitchii (*B. veitchii*)

Hort. var. of *Arundinaria simoni*:
 SILVERSTRIBE BAMBOO (*viridistriata*;
Bambusa viridistriata)

BAMBUSA

alphonsei ALPHONSE KARR BAMBOO
 Hort. var. of *B. nana*.
angustifolia (*vilmorini*)

BAMBOO GENERA (BAMBUSA), cont.

argentea SILVER BAMBOO
arundinacea
area GOLDEN JAPANESE B.
 Hort. var. of *Phyllostachys bambu-*
soides.

auricoma . . . *Arundinaria auricoma*
castillonis CASTILLO BAMBOO
 Hort. var. of *Phyllostachys bambu-*
soides.

chrysanthia *Arundinaria chrysanthia*
disticha FERN BAMBOO
erecta *Arundinaria hindsii*
falcata *A. falcata*
fastuosa Cy. . . *Arundinaria fastuosa*
fortunei *A. fortunei*
henonis *Phyllostachys nigra*
marmorea . . . *Arundinaria marmorea*
mazeli GOLDEN JAPANESE BAMBOO
 Hort. var. of *Phyllostachys bambu-*
soides.

metake . . . *Arundinaria japonica*
mitis *Phyllostachys mitis*
nana HEDGE BAMBOO

The name *B. nana* is often misapplied to
B. disticha.
 See also hort. var. list below.

narihira . . . *Arundinaria fastuosa*
nigra *Phyllostachys nigra*
palmata
pumila *Arundinaria pumila*
pygmaea CARPET BAMBOO
quadrangularis SQUARE B.
quilioi *Phyllostachys bambusoides*
ragamowskii . . . *Bambusa tessellata*
simoni *Arundinaria simoni*
tessellata (*ragamowskii*)

BEAUTY BAMBOO
veitchii *Arundinaria veitchii*
vilmorini *Bambusa angustifolia*
vininalis *Phyllostachys ruscifolia*
violeascens *P. violeascens*
viridi-glaucescens

P. viridi-glaucescens
viridistriata SILVERSTRIBE BAMBOO
 Hort. var. of *Arundinaria simoni*.

vulgaris FEATHER B.
 See also hort. var. list below.

Hort. var. of *Bambusa*:
 ALPHONSE KARR BAMBOO. Hort.
 var. of *B. nana*.

BAMBOO GEN. (BAMBUSA, Hort. var.), continued

GOLDEN BAMBOO (*Bambusa vulgaris aureovariegata*† Cy)

CEPHALOSTACHYUM
*pergracile***DENDROCALAMUS**

GIANT BAMBOO

hamiltoni HAMILTON B.

latiflorus HEMP B.

membranaceus

strictus MALE B.

PHYLLOSTACHYS

aurea Cy GOLDEN JAPANESE BAMBOO
Hort. var. of *P. bambusoides*.

bambusoides (*quilioi*; *Bambusa quilioi*) JAPANESE TIMBER BAMBOO

See also hort. var. list below.

castillonis Cy CASTILLO B.
Hort. var. of *P. bambusoides*.

edulis *P. mitis*

henonis Cy *P. nigra*

marliacea Cy WRINKLED BAMBOO
Hort. var. of *P. bambusoides*.

mitis (*pubescens*; *edulis*; *Bambusa mitis*) MOSO BAMBOO

nigra (*P. henonis* Cy; *puberula*;
Bambusa henonis; *B. nigra*)

BLACKJOINT BAMBOO

The name *Phyllostachys nigra* is often applied, erroneously, to Black Bamboo, hort. var. of Blackjoint Bamboo.
See hort. var. list below.

puberula *P. nigra*

pubescens *P. mitis*

quilioi *P. bambusoides*

ruscifolia (*Bambusa viminalis*)

DWARF CANE

violescens (*B. violescens*)

VIOLET BAMBOO

viridi-glaucescens (*B. viridi-glaucescens*)

Hort. var. of *Phyllostachys*:

BLACK BAMBOO (*P. nigra* Cy).

Hort. var. of *P. nigra*.

BLACKSPOT B. (*P. n. punctata*† Cy)

CASTILLO B. (*P. bambusoides castillonis*†; *P. castillonis* Cy; *Bambusa castillonis*)

BAMBOO GEN. (PHYLLOSTACHYS, Hort. var.), continued

GOLDEN JAPANESE BAMBOO (*P. bambusoides aurea*†; *P. aurea* Cy;
Bambusa aurea; *B. mazeli*)

WRINKLED B. (*P. bambusoides marliacea*†; *P. marliacea* Cy)

BAMBUSA

See under **BAMBOO GENERA** above.

BANANA *Musa*

ABYSSINIAN B. *M. ensete*

CAVENDISH B. *M. cavendishi*

COMMON B. *M. sapientum*

For horticultural varieties see **BANANA** in American Pomological Society's List of Fruits, in Appendix.

BANANA COPPERLEAF, **BANANA YUCCA**, etc. See **COPPERLEAF**, **YUCCA**, etc.

BANANA-SHRUB *Michelia fuscata*

BANAT CAMPION *Silene asterias*

BANDED ALPINIA, **BANDED KALMIA**, etc. See **ALPINIA**, **KALMIA**, etc.

BANEERRY *Actaea*

BLACK B. *A. spicata*

RED B. *A. rubra*

WHITE B. *A. alba*

BANGALAY *Eucalyptus botryoides*

BANK RASPBERRY *Rubus palmatus*

BANKSIA Ag *PIMELEA ferruginea* Ag *P. ferruginea*

BANKSIAN ROSE *Rosa banksiae*

BAPHIA

racemosa **CAMWOOD**

BAPTISIA **WILD-INDIGO**

australis *Blue W.*

bracteata *Cream W.*

leucantha *White W.*

tinctoria *Yellow W.*

BARBADOS MAIDENHAIR. Hort. var. of *Adiantum tenerum*.

BARBAREA **WINTERCRESS**

praecox (*Campe verna* Ag)

EARLY W.

vulgaris (*C. barbarea* Ag) BITTER W.

BARBARY MATRIMONY-VINE

Lycium barbarum

BARBERRY *Berberis*

ALLEGHENY B. *B. canadensis*

AMUR B. *B. amurensis*

BLACK B. *B. gagnepainii*

BARBERRY, continued

- BOX B. (*Berberis thunbergi minor*†
Cy)
BROADLEAF B. (*Berberis neuberti*
lutifolia† Cy)
CHALKLEAF B. *Berberis dictyophylla*
CHILIAN B. *B. hakeoides*
CHINESE B. *B. sinensis*
COLORADO B. *B. fendleri*
CORAL B. B. *thunbergi maximowiczii*
CROW B. *B. empetrifolia*
CURRANT B. (*B. vulgaris dulcis*† Cy)
DARWIN B. *B. darwini*
EUROPEAN B. *B. vulgaris*
HAKODATE B. B. *amurensis japonica*
HIMALAYAN B. *B. asiatica*
HOLLY B. *B. ilicifolia*
JAPANESE B. *B. thunbergi*
KANSU B. *B. diaphana*
KOREAN B. *B. koreana*
MAGELLAN B. *B. buxifolia*
NEUBERT B. (*B. neuberti*† Cy)
POIRET B. *B. poireti*
PRATT B. *B. aggregata pratti*
PURPLE B. (*B. vulgaris atropurpurea*† Cy)
ROSEMARY B. *B. stenophylla*
SALMON B. *B. aggregata*
SARGENT B. *B. sargentiana*
SHORTCLUSTER B. B. *brevipaniculata*
SIEBOLD B. *B. sieboldii*
THREESPINE B. B. *triacanthophora*
TURKESTAN B. *B. heteropoda*
VERNA B. *B. vernae*
WARTY B. *B. verruculosa*
WILSON B. *B. wilsonae*
WINTERGREEN B. *B. julianae*

BARCLAY MAURANDIA

*Maurandia barclaiana*BARKERIA . . . EPIDENDRUM
See ORCHID GENERA.

- BARLEY *Hordeum vulgare*
BARLOW LARKSPUR (*Delphinium hybridum barlowi*† Cy)
BARNUM IRIS *Iris barnumae*
Barrel Cactus ARIZONA WATER CACTUS: *Ferocactus wislizeni*
BARREN-STRAWBERRY *Waldsteinia fragarioides*

BARRY HAWTHORN, BARRY SPRUCE,
etc. See HAWTHORN, SPRUCE, etc.

BARTONIA

- aurea* *Mentzelia aurea*
BARTRAM SHADBLOW

*Amelanchier bartramiana*BASIL *Ocimum**SWEET B.* *O. basilicum*

BASKET AMPELOPSIS, BASKET ASPAR-

AGUS, etc. See AMPELOPSIS, AS-
PARAGUS, etc.BASKETFLOWER *Centaurea americana**Basswood* AMERI-CAN LINDEN: *Tilia american*BASTARD SPEEDWELL *Veronica spuria*BASTARDBOX *Eucalyptus goniocalyx*

BASUTO CRIMSON-FLAG

*Schizostylis coccinea*BATEMANN LILY *Lilium batemanniae*

BATEMANNIA

burtii *Zygopetalum burtii*BAUER PALM *Rhopalostylis baueri*BAUHINIA *Bauhinia**acuminata* SNOWY B.*forficata* BELL B.*monandra* (*B. kappleri* Cy; *B. krugii*) . BUTTERFLY BAUHINIA*picta* MOTTLED B.*purpurea* PURPLE B.*racemosa**tomentosa* . . . ST. THOMAS TREE*vahli* MALU-CREEPER*variegata* . BUDDHIST BAUHINIA

Hort. var. of Bauhinia:

GREEN-VEIN BAUHINIA (*B. variegata candida*† Cy)BAUMANN HORSECHESTNUT (*Aesculus hippocastanum baumanni*† Cy)

BAY

LOBLOLLY-BAY *Gordonia lasianthus*MADEIRA-BAY . . . *Persea indica*REDBAY *P. borbonia*SWEETBAY *Magnolia glauca*BAY FORGET-ME-NOT . *Myosotis laxa*BAYBERRY *Myrica*NORTHERN B. *M. carolinensis*SOUTHERN WAXMYRTLE *M. cerifera*SWEETGALE *M. gale*WAXMYRTLE *Myrica*

BAYONET

SPANISH-BAYONET *Yucca treculeana*

BEACH ARROWHEAD, BEACH PLUM,

etc. See ARROWHEAD, PLUM, etc.

| | |
|--|--|
| BEACHGRASS <i>Ammophila</i> ; <i>A. arenaria</i> | BEARBERRY HONEYSUCKLE, BEARBERRY WILLOW, etc. See HONEYSUCKLE, WILLOW, etc. |
| BEADLE MOCKORANGE <i>Philadelphus floridus</i> | BEARDED BELLFLOWER <i>Campanula barbata</i> |
| BEADPLANT <i>Nertera depressa</i> | BEARDGRASS <i>Andropogon SILVER B.</i> <i>A. argenteus</i> |
| BEADTREE <i>Adenanthera</i> | BEARGRASS <i>Xerophyllum tenax</i> |
| REDBEAD <i>A. pavonina</i> | BEARSTAIL CRETAN B. <i>Celsia arcturus</i> |
| BEAK WILLOW <i>Salix rostrata</i> | BEAUTY BAMBOO <i>Bambusa tessellata</i> |
| BEAKED HAZLENUT <i>Corylus rostrata</i> | BEAUTYBERRY <i>Callicarpa</i> |
| BEAMTREE | AMERICAN B. <i>C. americana</i> |
| WHITE B. <i>Sorbus aria</i> | CHINESE B. <i>C. purpurea</i> |
| YELLOW B. (<i>S. a. lutescens</i> † Cy) | JAPANESE B. <i>C. japonica</i> |
| BEAN <i>Phaseolus</i> | WHITE B. (<i>C. americana alba</i> † Cy) |
| ADZUKI B. <i>P. angularis</i> | BEAVERTAIL CACTUS <i>Opuntia basilaris</i> |
| ASPARAGUS-BEAN | BEDDING CALCEOLARIA, BEDDING DAHLIA, etc. See CALCEOLARIA, DAHLIA, etc. |
| Vigna sesquipedalis | BEDSTRAW <i>Galium</i> |
| Aztec Bean WHITE RUNNER | NORTHERN B. <i>G. boreale</i> |
| Hort. var. of <i>Phaseolus coccineus</i> . | WHITE B. <i>G. mollugo</i> |
| BOGBEAN <i>Menyanthes</i> | YELLOW B. <i>G. verum</i> |
| BROADBEAN <i>Vicia faba</i> | BEDSTRAW ST.JOHNSWORT <i>Hypericum galiooides</i> |
| BUTTERFLY RUNNER. Hort. var. of | BEE LARKSPUR <i>Delphinium elatum</i> |
| <i>Phaseolus coccineus</i> . | BEEBALM <i>Monarda</i> |
| CASTOR-BEAN <i>Ricinus</i> | AMARANTH B. Hort. var. of <i>M. didyma</i> . |
| CIVET B. <i>Phaseolus lunatus</i> | BLAZING B. Hort. var. of <i>M. didyma</i> . |
| COMMON B. <i>P. vulgaris</i> | OSWEGO B. <i>M. didyma</i> |
| CORALBEAN <i>Erythrina arborea</i> | ROSE B. (<i>M. didyma rosea</i> † Cy) |
| HARICOT B. <i>Phaseolus vulgaris</i> | RUSSELL B. <i>M. russelliana</i> |
| HYACINTH-BEAN <i>Dolichos lablab</i> | SALMON B. (<i>Monarda didyma salmonea</i> † Cy) |
| KIDNEY B. <i>Phaseolus vulgaris</i> | SPOTTED B. <i>M. punctata</i> |
| KUDZU-BEAN | WHITE B. (<i>didyma alba</i>) |
| Pueraria thunbergiana | WILDBERGAMOT <i>M. fistulosa</i> |
| LIMA B. | BEECH <i>Fagus</i> |
| Phaseolus lunatus macrocarpus | AMERICAN B. <i>F. americana</i> |
| MESCALBEAN <i>Sophora secundiflora</i> | Blue B. AMERICAN |
| METCALFE B. <i>Phaseolus retusus</i> | HORNBEAM: <i>Carpinus caroliniana</i> |
| MOTH B. <i>P. aconitifolius</i> | CUTLEAF BEECH (<i>Fagus sylvatica incisa</i> † Cy) |
| MUNG B. <i>P. aureus</i> | EUROPEAN B. <i>F. sylvatica</i> |
| POTATOBEAN <i>Apis tuberosa</i> | FERNLEAF B. (<i>F. sylvatica heterophylla</i> † Cy) |
| RICE B. <i>Phaseolus calcaratus</i> | JAPANESE B. <i>F. sieboldii</i> |
| ROSARYBEAN | |
| Rhynchosia; <i>R. phaseoloides</i> | |
| SCARLET RUNNER | |
| Phaseolus coccineus | |
| SNAIL B. <i>P. caracalla</i> | |
| SOYBEAN <i>Soja max</i> | |
| VELVETBEAN <i>Stizolobium</i> | |
| WHITE RUNNER. Hort. var. of | |
| Phaseolus coccineus. | |
| BEAN THERMOPSIS | |
| Thermopsis fabacea | |
| BEARBERRY <i>Arctostaphylos uva-ursi</i> | |

BEECH, continued

- MILTON B. Hort. var. of *Fagus sylvatica*.
 PURPLE B. (*F. s. purpurea*† Cy)
 RIVERS B. (*F. s. riversi*† Cy)
 ROSEPINK B. Hort. var. of *F. sylvatica*.
 SAWTOOTH B. Hort. var. of *F. sylvatica*.
 TRICOLOR B. Hort. var. of *F. sylvatica*.
 Water B. AMERICAN
 HORNBEECH: *Carpinus caroliniana*
 WEEPING B. (*Fagus sylvatica pendula*† Cy)
 WEEPING PURPLE B. Hort. var. of *F. sylvatica*.
 BEECH VIBURNUM *Viburnum erosum*
 BEECHFERN
 NARROW B. *Dryopteris phegopteris*
 BEEFWOOD *Casuarina*
 CUNNINGHAM B. C. *cunninghamiana*
 BEEHIVE CACTUS
Echinocactus johnsonii
 BEE-SAGE . . *Audibertia grandiflora*
 WHITE B. *A. polystachya*
 BEET *Beta*
 COMMON B. *B. vulgaris*
 BEETREE LINDEN *Tilia heterophylla*
BEGONIA *BEGONIA*
albopicta *SILVERSPOT B.*
argentea *B. maculata*
baumannii
cathayana (*bouwingiana*)
coccinea (*rubra*) SCARLET *BEGONIA*
conchaeifolia (*B. warscewiczi* Ag.)
corallina *SHELL B.*
corallina *CORAL B.*
 Hort. var. of *B. maculata*.
credneri *CREDNER B.*
 See hort. var. list opposite.
crispa *CURLY B.*
 Hort. var. of *B. manicata*.
davisi *DAVIS B.*
dichroa
dregei (*parvifolia*)
froebelii
fuchsioides
geranioides
gracilis *SLENDER B.*

BEGONIA, continued

- haageana** **HANGING BEGONIA**
ingramii† Cy **INGRAM B.**
 See hort. var. list below.
maculata (*argentea*) **SPOTTED B.**
 See also hort. var. list below.
manicata
 See also hort. var. list below.
metallica **STEEL B.**
parvifolia **B. dregei**
pearcei **PEARCE BEGONIA**
rex **REX B.**
rubra **B. coccinea**
scharffiana
semperflorens **PERPETUAL BEGONIA**
socotrana **SOCOTRA B.**
thurstonii† Cy **THURSTON B.**
 See hort. var. list below.
tubehybrida† Cy (*tuberosa*)
TUBER B.
 See hort. var. list below.
warscewiczi Ag **B. conchaeifolia**
 Hort. var. of **Begonia**:
 The hort. var. list and the common-name list have been combined in the special list below. Varieties marked Soc. were derived from *B. socotrana*.
BEGONIA **Begonia**
altrincham PINK. Soc.
 BEAUTY OF HALE. Soc.
 BOWDEN BEAUTY. Soc.
 CLIBRAN CRIMSON. Soc.
 CLIBRAN PINK. Soc.
 CLIBRAN RED. Soc.
 CORAL (*corallina*). Hort. var. of *B. maculata*.
 CORBEILLE DE FEU
credneri (*credneri*; *scharffiana* × *metallica*)
 CURLY (*B. manicata crispa*† Cy)
 DAVIS B. **B. davisii**.
 DAZZLER
 DEWDROP (*B. carrierei*† Cy)
 DIGSWELL (*B. digswelliana*† Cy)
 ECLIPSE
elatior. LINCOLN.
 EMILY CLIBRAN. Soc.
 ERFORD (*B. erfordii*† Cy)
 EXQUISITE
 FIREFLAME
 FLAMBEAU

BEGONIA, continued

- GLOIRE DE LORRAINE. Soc.
 GLOIRE DE SCEAUX
 GLORY OF CINCINNATI. Soc.
 GREEN IMPERIAL (*B. imperialis smagdarina*† Cy)
 HANGING B. *B. haageana*.
 INGRAM (*B. ingrami*† Cy; *nitida* × *fuchsioides*)
 LINCOLN. *Elatior*.
 LUCY CLIBRAN. Soc.
 MME. DE LESSEPS
 MELIOR
 MISS CLIBRAN. Soc.
 MOONBEAM. Soc.
 MOONLIGHT
 MRS. HEAL
 MRS. J. A. PETERSON. Soc.
 OPTIMA. Soc.
 ORANGE KING. Soc.
 PEARCE B. *B. pearcei*.
 PEERLESS. Soc.
 PERPETUAL B. *B. semperflorens*.
 PINK PERFECTION. Soc.
 PRESIDENT
 PRESIDENT CARNOT
 REX B. *B. rex*.
 ROSALIND
 SCARLET B. *B. coccinea*.
 SHELL B. *B. conchaeifolia*.
 SILVERSPOT B. *B. albopicta*.
 SLENDER B. *B. gracilis*.
 SNOWFLAKE (*Begonia argenteo-guttata*† Cy)
 SOCOTRA B. *B. socotrana*.
 SPOTTED B. *B. maculata*.
 STEEL B. *B. metallica*.
 SUNRISE
 THURSTON (B. *thurstoni*† Cy; *metallica* × *sanguinea*)
 TRIOMPHE DE LEMOINE
 TUBER (*B. tubehybrida*† Cy)
 TURNFORD HALL. Soc.
 VERNON (*semperflorens atropurpurea compacta*)
 WINTER CHEER. Soc.
 BEGONIA TREEBINE. *Cissus discolor*
 BELAMCANDA . BLACKBERRY-LILY

BELAMCANDA, continued

- chinensis* (*Gemmigia chinensis*; *Pardanthus chinensis*; *P. sinensis*) BLACKBERRY-LILY
 BELGIAN ELM, BELGIAN WOODBINE, etc. See ELM, WOODBINE, etc.
 BELIS Ag CUNNINGHAMIA
 BELL BAUHINIA . *Bauhinia forficata*
 BELLADONNA . *Atropa*; *A. belladonna*
 BELLADONNA-LILY *Amaryllis belladonna*
 BELLE HONEYSUCKLE (*Lonicera bella*† Cy)
 BELLFLOWER *Campanula*
 ANATOLIAN B. *C. macrostyla*
 ARMENIAN B. *C. phytidocalyx*
 AZORES B. *C. vidali*
 BEARDED B. *C. barbata*
 BLUESTAR B. *C. ramosissima*
 CANTERBURY-BELLS *C. medium*
 CARPATHIAN B. *C. carpatica*
 CHIMNEY B. *C. pyramidalis*
 COVENTRY-BELLS *C. trachelium*
 CUP-AND-SAUCE R CANTERBURY-BELLS (*Campanula medium calycanthemata* Cy)
 DAHURIAN B. *C. glomerata dahurica*
 DANESBLOOD *C. glomerata*
 DALMATIAN B. *C. portenschlagiana*
 DIAMOND B. *C. rhomboidalis*
 FAIRY B. Hort. var. of *C. persicifolia*.
 GREAT B. *C. latifolia*
 GREEK B. *C. drabifolia*
 GROSSEK B. *C. grosseki*
 HAREBELL *C. rotundifolia*
 ITALIAN B. *C. isophylla*
 LOW CLUSTER B. (*C. glomerata acaulis* Cy)
 MILKY B. *C. lactiflora*
 MOERHEIM B. (*C. persicifolia moerheimi*† Cy)
 OLYMPIC B. *C. latiloba*
 PEACHLEAF B. *C. persicifolia*
 PETTICOAT B. Hort. var. of *C. persicifolia*.
 PORTUGUESE B. *C. primulaefolia*
 RAMPION *C. rapunculus*
 ROYAL B. *C. latifolia macrantha*

BELLMOWER, continued

- SHOWY CLUSTER B. (*Campanula glomerata superba*† Cy)
 SPOTTED B. *C. punctata*
 SPURRED B. *C. alliariaefolia*
 TALL B. *C. americana*
 TOP B. (*C. carpatica turbinata*† Cy)
 VANHOUTTE B. (*C. vonhouttei*† Cy)
 WAND B. (*C. persicifolia macrantha*† Cy)
 WHITE CARPATIAN B. (*C. carpatica alba*† Cy)
 WHITE CHIMNEY B. (*C. pyramidalis alba*† Cy)
 WONDER B. *C. mirabilis*
 BELLMOWER DEUTZIA (*Deutzia rosea campanulata*† Cy)

BELLIS

- perennis* ENGLISH DAISY

BELLVINE

- PURPLE B. *Rhodochiton volubile*
 BELMORE PALM *Howea belmoreana*
 BELVEDERE *Kochia scoparia*
 BENGAL CLOCKVINE

Thunbergia grandiflora

- BENINCASA Waxgourd
hispida (cerifera) Waxgourd
 BENJAMIN FIG *Ficus benjamina*
 BENT

CARPET B. (*Creeping B.*)

Agrostis stolonifera

- RHODE ISLAND B. *A. capillaris*
 BENTGRASS *Agrostis*
 CARPET BENT *A. stolonifera*
 CLOUDGRASS *A. nebulosa*
 REDTOP *A. palustris*
 RHODE ISLAND BENT . *A. capillaris*
 BENTHAM CYPRESS

Cupressus benthamii

- BENTLEAF NORWAY MAPLE (*Acer platanoides laciniatum*† Cy)

- BENZOIN SPICEBUSH
aestivale (odoriferum; Laurus benzoin; Lindera benzoin) SPICEBUSH
obtusilobum JAPANESE S.

- BERBERIS BARBERRY
aggregata SALMON B.
 —*pratti (B. pratti Cy)* . PRATT B.
amurensis AMUR B.
 —*japonica (regeliana)* HAKODATE B.
aquifolium Ag *Mahonia aquifolium*

BERBERIS, continued

- asiatica* HIMALAYAN BARBERRY
atropurpurea PURPLE B.
 Hort. var. of *B. vulgaris*.
bealei Ag *Mahonia bealei brevipaniculata*

SHORTCLUSTER BARBERRY

- buxifolia* MAGELLAN B.
canadensis ALLEGHENY B.
congestiflora B. *hakeoides*
darwini DARWIN BARBERRY
diaphana KANSU B.
dictyophylla CHALKLEAF B.
dulcis B. *buxifolia*

The name B. *dulcis* is sometimes misapplied also to the Currant Barberry, hort. var. of *B. vulgaris*.

- empetrifolia* CROW BARBERRY

- fascicularis* *Mahonia pinnata*
fendleri COLORADO BARBERRY
gagnepaini BLACK B.
hakeoides (congestiflora) CHILIAN B.
heteropoda TURKESTAN B.
ilicifolia HOLLY B.
japonica

See *Mahonia bealei*.

- julianae* WINTERGREEN B.

- koreana* KOREAN B.

- nervosa* Ag *Mahonia nervosa*
neuberti† Cy . NEUBERT BARBERRY

See hort. var. list on page 41.

- nevini* Ag *Mahonia nevini*

- pinnata* Ag *Mahonia pinnata*

- poireti* POIRET BARBERRY

- pratti* *B. aggregata pratti*
purpurea PURPLE BARBERRY

Hort. var. of *B. vulgaris*.

- regeliana* *B. amurensis japonica*

- repens* Ag *Mahonia repens*

- sanguinolenta* *B. sinensis*

- sargentiana* SARGENT BARBERRY

- sieboldi* SIEBOLD B.

- sinensis (sanguinolenta)* CHINESE B.

- stenophylla* ROSEMARY B.

See hort. var. list on page 41.

- thunbergi* JAPANESE B.

- maximowiczi* CORAL B.

See also hort. var. list on page 41.

- triacanthophora* THREESPINE B.

- vernae* VERA B.

- verruculosa* WARTY B.

- vulgaris* EUROPEAN B.

See also hort. var. list on page 41.

BERBERIS, continued*wallichiana*

A name sometimes misapplied to *B. julianae* and *B. sargentiana*. The true *B. wallichiana* of botanists is not in the trade.

wilsonae . . . WILSON BARBERRY
—stapfianaHort. var. of *Berberis*:BOX BARBERRY (*Berberis thunbergii minor*† Cy)BROADLEAF B. (*B. neuberti latifolia*† Cy)Currant B. (*Berberis vulgaris dulcis*† Cy)NEUBERT B. (*B. neuberti*† Cy; *B. vulgaris* × *Mahonia aquifolium*)PURPLE B. (*B. vulgaris atropurpurea*† Cy; *purpurea*)ROSEMARY B. (*B. stenophylla*† Cy; *darwini* × *empetrifolia*)**BERCHEMIA** . . . SUPPLEJACK
racemosa . . . JAPANESE S.
scandens . . . ALABAMA S.

BERGAMOT

WILDBERGAMOT *Monarda fistulosa*
BERGAMOT MINT . *Mentha citrata***BERGEROCACTUS***emoryi* (*Cereus emoryi*)

VELVET CACTUS

BERMUDA ARROWROOT, BERMUDA
MAIDENHAIR, etc. See ARROW-
ROOT, MAIDENHAIR, etc.

BERRY

BANEBERRY . . . *Actaea*BARBERRY . . . *Berberis*BAYBERRY . . . *Myrica*BEARBERRY . . . *Arctostaphylos uva-ursi*BEAUTYBERRY . . . *Callicarpa*BLACKBERRY . . . *Rubus*BLUEBERRY . . . *Vaccinium*BUCKBERRY . . . *Gaylussacia ursina*BUFFALOBERRY . . . *Shepherdia*BUNCHBERRY . . . *Cornus canadensis*CHINABERRY . . . *Melia azedarach*CHOKEBERRY . . . *Aronia*CHRISTMASBERRY . . . *Photinia arbutifolia*CORALBERRY . . . *Symporicarpos vulgaris*COWBERRY . . . *Vaccinium vitisidaea*

BERRY, continued

CROWBERRY . . . *Empetrum*; *E. nigrum*

DANGLEBERRY

*Gaylussacia frondosa*DEERBERRY *Vaccinium stamineum*DEWBERRY *Rubus*DINGLEBERRY *Vaccinium erythrocarpum*GOOSEBERRY *Ribes*HACKBERRY *Celtis*HIMALAYA-BERRY *Rubus thysanthurus*HUCKLEBERRY *Gaylussacia*INKBERRY *Ilex glabra*Juneberry SHADBLOW: *Amelanchier*LIMEBERRY *Atalantia trimera*MARLBERRY *Ardisia pickeringia*MULBERRY *Morus*NANNYBERRY *Viburnum lentago*PAPER-MULBERRY *Paper-mulberry* *Broussonetia*; *B. papyrifera*PARTRIDGEBERRY *Mitchella repens*POKEBERRY *Phytolacca*RASPBERRY *Rubus*Serviceberry *Serviceberry* SHADBLOW: *Amelanchier*SILVERBERRY *Elaeagnus argentea*SNOWBERRY *Symporicarpos*SOAPBERRY *Sapindus*SOLANBERRY *Solanum nigrum guineense*STAR-GOOSEBERRY *Phyllanthus acidus*STRAWBERRY *Fragaria*SUGARBERRY *Celtis mississippiensis*WINEBERRY *Rubus* speciesWINTERBERRY *Ilex* speciesWonderberry *Solanberry*BERRY BLADDERFERN *Cystopteris bulbifera*BERTINI CHERRY-LAUREL (*Laurocerasus officinalis bertinii*)BESSARABIAN ASTER *Aster amellus bessarabicus*

BESSERA CORALDROPS

elegans (*Pharium elegans Ag*)

CORALDROPS

BESSEY CHERRY *Prunus besseyi*BESSON LOCUST (*Robinia pseudoacacia bessoniana*† Cy)

| | | |
|--|--|--|
| BETA | BEET | BETULA (Hort. var.), continued |
| <i>vulgaris</i> | COMMON B. | <i>Youngs</i> WEEPING BIRCH (<i>B. pendula youngi</i> Cy; <i>alba pendula youngi</i>) |
| BETEL PALM | <i>Areca catechu</i> | BHUTAN CYPRESS <i>Cupressus torulosa</i> |
| BETHLEHEM LUNGWORT | <i>Pulmonaria saccharata</i> | BICOLOR ACONITE, BICOLOR MANETIA, etc. See ACONITE, MANETIA, etc. |
| BETONICA | STACHYS | BICUCULLA . . . DICENTRA |
| BETONY | <i>Stachys</i> | BIDENS |
| BIG B. | <i>S. grandiflora</i> | <i>atrosanguinea</i> <i>Cosmos diversifolius</i> |
| CHOROGI | <i>S. sieboldii</i> | <i>dahliae</i> . . . <i>C. diversifolius</i> |
| COMMON B. | <i>S. officinalis</i> | <i>trichosperma</i> . DITCH-SUNFLOWER |
| MAUVE B. | (<i>Stachys grandiflora superba</i> † Cy) | BIFRENARIA |
| WOODBETONY | <i>Pedicularis</i> | See ORCHID GENERA. |
| WOOLLY B. | <i>Stachys lanata</i> | BIG BETONY, BIG CAMOMILE, etc. See BETONY, CAMOMILE, etc. |
| BETULA | BIRCH | BIGBERRY PRIVET (<i>Ligustrum acuminatum</i> † Cy) |
| <i>alba</i> (<i>B. pubescens</i> Cy) | EUROPEAN WHITE B. | BIGCONE-SPRUCE <i>Pseudotsuga macrocarpa</i> |
| — <i>pendula</i> . | EUROPEAN WEEPING B. | BIGELOW ASTER, BIGELOW SNEEZE-WEED, etc. See ASTER, SNEEZE-WEED, etc. |
| See also hort. var. list below. | | BIGFLOWER BROOM, BIGFLOWER GILIA, etc. See BROOM, GILIA, etc. |
| <i>fastigiata</i> | PYRAMIDAL WHITE B. | BIGLEAF ASTER, BIGLEAF MAGNOLIA, etc. See ASTER, MAGNOLIA, etc. |
| Hort. var. of <i>B. alba</i> . | | BIGMOON MAPLE (<i>Acer japonicum macrophyllum</i> † Cy) |
| <i>fontinalis</i> | WATER B. | BIGNONIA . . . TRUMPETCREEPER |
| <i>gracilis</i> | CUTLEAF WEEPING B. | <i>argyreoviolascens</i> SILVERPURPLE TRUMPET |
| Hort. var. of <i>B. alba</i> . | | <i>buccinatoria</i> (<i>Phaeodanthus buccinatorius</i> Cy-Ag; <i>B. cherere</i>) |
| <i>lacinata</i> | CUTLEAF WEEPING B. | BLOODRED TRUMPET |
| Hort. var. of <i>B. alba</i> . | | <i>capreolata</i> (<i>Anisostichus capreolatus</i> Ag; <i>Tecoma capreolata</i>) |
| <i>lenta</i> | SWEET B. | CROSSVINE |
| <i>lutea</i> | YELLOW B. | <i>chamberlaynei</i> (<i>Anemopaegma chamberlaynei</i> Ag) |
| <i>maximowiczi</i> | MONARCH B. | GOLDEN TRUMPET |
| <i>nigra</i> | RIVER B. | <i>cherere</i> . . . <i>B. buccinatoria</i> |
| <i>papyrifera</i> (<i>papyracea</i>) | CANOE B. | <i>chinensis</i> Ag-Ar . . . <i>B. grandiflora</i> |
| <i>pendula</i> Cy-Ag | <i>B. alba pendula</i> | <i>grandiflora</i> (<i>Campsis chinensis</i> Cy; <i>B. chinensis</i> Ag; <i>Tecoma grandiflora</i>) CHINESE TRUMPETCREEPER |
| <i>populifolia</i> | GRAY BIRCH | <i>hybrida</i> † Cy . . . HYBRID T. |
| <i>pubescens</i> Cy | <i>B. alba</i> | See hort. var. list on page 43. |
| <i>purpurea</i> | PURPLELEAF WHITE BIRCH | |
| Hort. var. of <i>B. alba</i> . | | |
| <i>youngi</i> | YOUNGS WEEPING B. | |
| Hort. var. of <i>B. alba</i> . | | |
| Hort. var. of <i>Betula</i> : | | |
| CUTLEAF WEEPING BIRCH (<i>B. pendula gracilis</i> Cy; <i>gracilis</i> ; <i>alba gracilis</i> ; <i>alba lacinata</i>) | | |
| DALECARLIA B. (<i>B. pendula dalecarlica</i> Cy) | | |
| PURPLELEAF WHITE B. (<i>B. pendula purpurea</i> Cy; <i>alba purpurea</i>) | | |
| PYRAMIDAL WHITE B. (<i>B. pendula fastigiata</i> Cy; <i>alba fastigiata</i> ; <i>fastigiata</i> ; <i>alba pyramidalis</i>) | | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

BIGNONIA, continued

- radicans** (*Campsis radicans* Cy; *Tecoma radicans*) TRUMPETCREEPER
smithi *Tecoma smithi*
speciosa (*Clytostoma callistegioides* Cy-Ag) . . PAINTED TRUMPET
stans *Tecoma stans*
unguis-cati (*tweediana*; *Doxantha unguis-cati* Ar) CATCLAW TRUMPET
venusta (*Pyrostegia venusta* Cy-Ag) FLAMING TRUMPET

Hort. var. of *Bignonia*:

- HYBRID TRUMPETCREEPER (*B. hybrida*† Cy; *radicans* × *chinensis*)

BIGTOOTH MAPLE

- Acer grandidentatum*

- BIHAI** **HELICONIA**
BIKUKULLA Ag . . **DICENTRA**
BILLIARD SPIREA (*Spiraea billiardii* Cy)

- Billion-dollar Grass* . JAPANESE MILLET: *Echinochloa crusgalli edulis*
BILTMORE ASH *Fraxinus biltmoreana*

- BINDWEED**
 HEDGE B. . . *Convolvulus sepium*
BIOTA **THUJA**
BIRCH *Betula*
 CANOE B. *B. papyrifera*
 CUTLEAF WEEPING B. Hort. var. of B. alba.

- DALECARLIA B. Hort. var. of B. alba.

- EUROPEAN WEEPING B.
 B. alba pendula

- EUROPEAN WHITE B. B. alba

- GRAY B. *B. populifolia*

- MONARCH B. *B. maximowiczii*

- PURPLELEAF WHITE B. Hort. var. of B. alba.

- PYRAMIDAL WHITE B. Hort. var. of B. alba.

- RIVER B. *B. nigra*

- SWEET B. *B. lenta*

- WATER B. *B. fontinalis*

- YELLOW B. *B. lutea*

- YOUNGS WEEPING B. Hort. var. of B. alba.

- BIRCHLEAF PEAR** *Pyrus betulaefolia*
BIRD-OF-PARADISE-FLOWER
Strelitzia; *S. reginae*
 LANCE B. *S. parvifolia*
BIRDSEYE GILIA, **BIRDSEYE PRIMROSE**,
 etc. See *GILIA*, *PRIMROSE*, etc.
BIRDSFOOT TREFOIL, **BIRDSFOOT VIOLET**, etc. See *TREFOIL*, *VIOLET*, etc.
BIRDSNEST FERN . *Asplenium nidus*
BISCAV HEATH . *Erica mediterranea*

BISCHOFFIA

- trifoliata* (*javanica*)

- BISHOP PINE** *Pinus muricata*
BISHOPSCAP *Mitella*
 COMMON B. *M. diphylla*
BISHOPSHOOD

- *Astrophytum myriostigma*
BISSELL HAWTHORN

- Crataegus apposita* *bisselli*
BITTER NIGHTSHADE, **BITTER WINTERCRESS**, etc. See *NIGHTSHADE*, *WINTERCRESS*, etc.

- BITTERCRESS** *Cardamine*
 BULB B. *C. bulbosa*
 CUCKOOFLOWER *C. pratensis*
 NORTHERN B. *C. douglassii*

- BITTERNUT** . . . *Hicoria cordiformis*
BITTERROOT *Lewisia rediviva*

- BITTERSWEET** *Celastrus*
 AMERICAN B. *C. scandens*
CHRISTMAS B.

- *C. orbiculatus punctatus*
 KOREAN B. *C. flagellaris*
 ORIENTAL B. *C. orbiculatus*

- BITTERVETCH**
 SPRING B. *Lathyrus vernus*
BITTERWEED *Helenium tenuifolium*

- BITTERWOOD**
 WHITE B. *Trichilia spondioides*

- BIXA** **ANATTO-TREE**
orellana **ANATTO-TREE**

- Black Alder** **COMMON**
WINTERBERRY: *Ilex verticillata*

- BLACK ASH**, **BLACK CHERRY**, etc. See ASH, CHERRY, etc.

- BLACKBEAD**
Pithecellobium unguis-cati
BLACKBEAD ELDER

- Sambucus melanocarpa*

| | | |
|---|---------------|--|
| BLACKBERRY | Rubus | BLADDER-SENNA, continued |
| See also DEWBERRY and RASPBERRY. For horticultural varieties see BLACKBERRY in American Pomological Society's List of Fruits, in Appendix. | | COMMON B. Colutea arborescens ORIENTAL B. C. orientalis |
| ALLEGHENY B. R. allegheniensis | R. laciniatus | BLADDERWORT Utricularia |
| CUTLEAF B. R. ulmifolius | R. argutus | COMMON B. U. vulgaris |
| ELMLEAF B. R. thysanthurus | R. linkianus | BLADEAPPLE Pereskia aculeata |
| HIGHBUSH B. R. cuneifolius | R. canadensis | BLANDFORD ELM (<i>Ulmus hollandica</i> <i>superba</i> Cy) |
| HIMALAYA-BERRY R. thyrsanthus | | BLAZING-STAR Mentzelia |
| LINK B. R. linkianus | | Blazing Star GAYFEATHER: Liatris |
| SAND B. R. cuneifolius | | BLECHNUM BLECHNUM |
| THORNLESS B. R. canadensis | | brasiliense BRAZILIAN B. |
| BLACKBERRY-LILY Belamcanda chinensis | | moorei (<i>Lomaria ciliata</i>) |
| BLACKBOX Eucalyptus bicolor | | occidentale |
| BLACKBUD INULA Inula royleana | | serratum SAWFERN |
| BLACKBURN PALMETTO Sabal blackburniana | | spicant (<i>Lomaria spicant</i>) |
| BLACKBUTT Eucalyptus pilularis | | DEERFERN |
| BLACKCAP Rubus occidentalis | | BLEEDINGHEART Dicentra spectabilis |
| COMMON B. BLACK-EYED CLOCKVINE, BLACK-EYED HEATH, etc. See CLOCKVINE, HEATH, etc. | | FRINGED B. D. eximia |
| BLACK-EYED CUCKOO-PLANT Rudbeckia hirta | | WESTERN B. D. formosa |
| BLACKHAW Viburnum prunifolium | | BLEPHARIGLOTTIS HABENARIA |
| SOUTHERN B. V. rufidulum | | See ORCHID GENERA. |
| BLACKJACK OAK Quercus marilandica | | BLESSED THISTLE Cnicus benedictus |
| BLACKJOINT BAMBOO Phyllostachys nigra | | BLETIA |
| BLACKPURPLE IRIS Iris atropurpurea | | <i>hyacinthina</i> Bletilla hyacinthina |
| BLACKSPOT BAMBOO (<i>Phyllostachys nigra punctata</i> Cy) | | BLETILLA |
| BLACK-SALSIFY Scorzonera hispanica | | See ORCHID GENERA. |
| BLACKTHORN Prunus spinosa | | BLIGHIA |
| BLACKWOOD ACACIA Acacia melanoxylon | | sapida AKEE |
| BLADDERFERNS Cystopteris | | BLISTERCRESS Erysimum |
| BERRY B. C. bulbifera | | AFGHAN B. E. perofskianum |
| BRITTLE FERN C. fragilis | | ARKANSAS B. |
| BLADDERNUT Staphylea | | E. asperum arkansanum |
| AMERICAN B. S. trifolia | | ASIATIC B. E. rupestre |
| BOLANDER B. S. bolanderi | | COAST B. E. capitatum |
| BUMALDA B. S. bumalda | | ROCKERY B. E. pulchellum |
| CHINESE B. S. holocarpa | | ROUGH B. E. asperum |
| COLCHIS B. S. colchica | | TURF B. E. ochroleucum |
| EUROPEAN B. S. pinnata | | BLOOD AMARANTH, BLOOD LOBELIA, etc. See AMARANTH, LOBELIA, etc. |
| FRENCH B. S. pinnata coulombieri | | BLOODFLOWER Asclepias curassavica |
| HIMALAYAN B. S. emodi | | BLOODLEAF Iresine |
| BLADDER-SENNA Colutea | | LINDEN B. I. lindeni |
| CILICIAN B. C. cilicica | | BLOODLEAF JAPANESE MAPLE, BLOOD- LEAF NORWAY MAPLE, etc. See MAPLE, etc. |
| | | BLOODLILY Haemanthus |
| | | SALMON B. H. puniceus |
| | | SCARLET B. H. coccineus |
| | | WHITE B. H. albiflos |

- BLOODRED ANTHURIUM, BLOODRED CRANESBILL, etc. See ANTHURIUM, CRANESBILL, etc.
- BLOODROOT *Sanguinaria canadensis*
- BLOODTWIG DOGWOOD *Cornus sanguinea*
- BLOODVEIN MAPLE (*Acer palmatum atropurpureum* Cy)
- BLOOMERIA**
- aurea* GOLDEN STARS
- BLOOMING SALLY *Epilobium angustifolium*
- BLUE ASH, BLUE COHOSH, etc. See ASH, COHOSH, etc.
- BLUEBEAD *Clintonia borealis*
- BLUEBEARD *Caryopteris*
- COMMON B. *C. incana*
- WHITE B. (*C. incana candida* Cy)
- Bluebell *Campanula rotundifolia*
- HAREBELL: *Campanula rotundifolia*
- BLUEBELL PHACELIA *Phacelia whitlavia*
- BLUEBELL-CREEPER *Sollya*
- AUSTRALIAN B. . . *S. heterophylla*
- BLUEBELLS *Mertensia*
- MOUNTAIN B. *M. ciliata*
- VIRGINIA B. *M. virginica*
- BLUEBERRY *Vaccinium*
- For horticultural varieties see BLUEBERRY in American Pomological Society's List of Fruits, in Appendix.
- BLUERIDGE B. *V. pallidum*
- CANADA B. *V. canadense*
- DINGLEBERRY . . *V. erythrocarpum*
- DRYLAND B. *V. vacillans*
- Highbush B. *V. corymbosum*
- LOWBUSH B. *V. pensylvanicum*
- RABBITYEYE B. *V. virgatum*
- BLUEBERRY ELDER *Sambucus caerulea*
- BLUEBLOSSOM *Ceanothus thyrsiflorus*
- BLUECROWN PASSIONFLOWER *Passiflora caerulea*
- BLUE CURLS *Trichostema; T. dichotomum*
- ROMERO *T. lanatum*
- BLUE-EYED CAPE-MARIGOLD *Dimorphotheca sinuata*
- BLUE-EYED-GRASS . . *Sisyrinchium*
- COMMON B. *S. angustifolium*
- WESTERN B. *S. bellum*
- BLUE-EYED-MARY . . *Collinsia verna*
- BLUEFLAG IRIS *Iris versicolor*
- BLUEGRASS *Poa*
- CANADA B. *P. compressa*
- KENTUCKY B. *P. pratensis*
- ROUGH B. *P. trivialis*
- WOOD B. *P. nemoralis*
- BLUELEAF ACACIA, BLUELEAF AZALEA, etc. See ACACIA, AZALEA, etc.
- BLUELIPS *Collinsia grandiflora*
- BLUERIDGE BLUEBERRY *Vaccinium pallidum*
- BLUESTAR BELLFLOWER *Campanula ramosissima*
- BLUESTEM PALMETTO, BLUESTEM WILLOW, etc. See PALMETTO, WILLOW, etc.
- BLUET MOUNTAIN-BLUET *Centaurea montana*
- BLUET RHODODENDRON *Rhododendron intricatum*
- BLUETOPIA ERYNGO *Eryngium alpinum*
- BLUETS *Houstonia caerulea*
- CREEPING B. *H. serpyllifolia*
- LONGLEAF B. *H. longifolia*
- BLUMENBACHIA STINGLILY
- The name of this genus under the American Rules is Saloa.
- lateritia (*Loasa aurantiaca*) ORANGE STINGLILY
- BLUSH HONEYSUCKLE, BLUSH STONECROP, etc. See HONEYSUCKLE, STONECROP, etc.
- BO TREE SACRED BO TREE . *Ficus religiosa*
- BOCCONIA PLUMPOPPI
- cordata (japonica)* . . . PINK P.
- microcarpa* BRONZE P.
- BOG KALMIA, BOG SAGE, etc. See KALMIA, SAGE, etc.
- BOGBEAN *Menyanthes*
- COMMON B. *M. trifoliata*
- BOG-ORCHID WHITE B *Habenaria dilatata*
- BOG-ROSEMARY *Andromeda polifolia*
- DOWNTOWN B. *A. glaucophylla*
- BOHEA TEA *Thea sinensis bohea*
- BOKHARA IRIS *Iris bucharica*
- BOLANDER BLADDERNUT *Staphylea bolanderi*

| | | |
|---|--|--|
| BOLLEA | ZYGOPETALUM | |
| See ORCHID GENERA. | | |
| BOLLEANA POPLAR | <i>Populus bolleana</i> | |
| BOLTONIA | BOLTONIA | |
| <i>asteroides</i> | WHITE B. | |
| <i>laevigata</i> . Probably B. <i>asteroides</i> . | | |
| <i>latisquama</i> | VIOLET B. | |
| Hort. var. of <i>Boltonia</i> : | | |
| DWARF PINKRAY B. (<i>B. latisquama nana</i> † Cy) | | |
| BOMBAX | BOMBAX | |
| <i>malabatum</i> | MALABAR B. | |
| BONESET | Eupatorium perfoliatum | |
| BONFIRE TORCHLILY | (<i>Kniphofia uvaria grandis</i> † Cy) | |
| BONNET PALM | Cocos bonneti | |
| BONYTIP FLEABANE | Erigeron mucronatus | |
| BOOTT GOLDENROD, BOOTT WOODFERN, etc. See GOLDENROD, WOODFERN, etc. | | |
| BORAGO | BORAGE | |
| <i>officinalis</i> | COMMON BORAGE | |
| BORDER FORSYTHIA | (<i>Forsythia intermedia</i> † Cy) | |
| BORDERED PINK | Dianthus marginatus | |
| Borecole | | |
| KALE: <i>Brassica oleracea acephala</i> | | |
| BOSTON FERN | Ne- phrolepis exaltata bostoniensis | |
| <i>Boston Ivy</i> | JAPANESE | |
| CREEPER : <i>Ampelopsis tricuspidata</i> | | |
| BOTRYCHIUM | GRAPEFERN | |
| <i>dissectum</i> | CUTLEAF G. | |
| <i>matricariae</i> | BROADLEAF G. | |
| <i>obliquum</i> | | |
| <i>ternatum</i> | B. obliquum | |
| The true B. <i>ternatum</i> of botanists is not in the trade. | | |
| virginianum (<i>virginicum</i>) | RATTLESNAKE FERN | |
| BOTTLE PALM | Hyophorbe amaricaluis | |
| BOTTLEBRUSH | Callistemon | |
| CUNNINGHAM B. | C. cunninghamii | |
| GREEN B. | C. salignus viridiflorus | |
| HYBRID B. | C. hybridus | |
| LEMON B. | C. lanceolatus | |
| SCARLET B. | C. coccineus | |
| SHOWY B. | C. speciosus | |
| STOUT B. | C. robustus | |
| | | BOTTLEBRUSH BUCKEYE |
| | | <i>Aesculus parviflora</i> |
| | BOTTLETREE | Sterculia |
| | BLACK KURRAJONG | <i>S. diversifolia</i> |
| | CHINESE PARASOLTREE | |
| | | <i>S. platanifolia</i> |
| | HAZEL B. | <i>S. foetida</i> |
| | MOTTLED PARASOLTREE | (<i>S. platanifolia variegata</i> † Cy) |
| | VICTORIAN B. | S. acerifolia |
| | BOUGAINVILLE AUBRIETIA | (<i>A. deltoidea bougainvillei</i> † Cy) |
| | BOUGAINVILLEA | BOUGAINVILLEA |
| | The name of this genus was originally spelled Bugainvillea. | |
| | <i>brasiliensis</i> | B. spectabilis |
| | <i>glabra</i> | LESSER BOUGAINVILLEA |
| | <i>refulgens</i> | SHINY B. |
| | <i>spectabilis</i> (<i>brasiliensis</i>) | GREAT B. |
| | Hort. var. of <i>Bougainvillea</i> : | |
| | BRICKRED B. (<i>B. spectabilis late-</i> <i>ritia</i> † Cy) | |
| | CRIMSON LAKE B. Hort. var. of <i>B.</i> spectabilis. | |
| | SANDER B. (<i>Bougainvillea glabra</i> <i>sanderiana</i> † Cy) | |
| | VARIEGATED B. (<i>B. g. variegata</i> † Cy) | |
| | BOULDER RASPBERRY | |
| | <i>Rubus deliciosus</i> | |
| | BOUNCING-BET | Saponaria officinalis |
| | DOUBLE B. | (<i>S. officinalis flo-</i> <i>plena</i> Cy) |
| | ROSY B. (<i>S. o. caucasica</i> † Cy) | |
| | BOURGEAU ROSE | |
| | <i>Rosa acicularis bourgeauiana</i> | |
| | BOURQUIN GRAPE | |
| | <i>Vitis aestivalis bourquiniana</i> | |
| | BOUSSINGAULTIA | |
| | <i>baselloides</i> | MADEIRA-VINE |
| | BOUVARDIA | |
| | <i>humboldti</i> | BOUVARDIA |
| | <i>triphylla</i> (<i>jacquini</i>) | SWEET B. |
| | | SCARLET B. |
| | BOWER ACTINIDIA | <i>Actinidia arguta</i> |
| | BOWIE OXALIS | <i>Oxalis bowiei</i> |
| | BOWMANSROOT | <i>Gillenia trifoliata</i> |
| | BOWSTRING-HEMP | |
| | | <i>Sansevieria zeylanica</i> |
| | BOX | <i>Buxus</i> |
| | BASTARDBOX | <i>Eucalyptus goniocalyx</i> |
| | BLACKBOX | <i>E. bicolor</i> |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

Box, continued

- BRISBANE-BOX . *Tristania conferta*
 COMMON B. . *Buxus sempervirens*
Dwarf B. *TRUEDWARF B.*
GOLDEdge B. (*B. s. marginata*† Cy)
GOLDEN B. (*B. s. aurea*† Cy)
 GRAYBOX . . *Eucalyptus* species
 HANDSWORTH B. (*B. sempervirens handsworthii*†)
 JAPANESE B. . . . *Buxus japonica*
 MYRTLELEAF B. (*B. sempervirens myrtifolia*† Cy)
 REDBOX *Eucalyptus polyanthemos*
 ROSEMARY B. (*B. sempervirens rosmarinifolia*† Cy)
 ROUNDLEAF B. (*B. sempervirens rotundifolia*† Cy)
 SEEDBOX *Ludwigia*
 SILVER B. (*B. s. argentea*† Cy)
 SPANISH B. . . . *Buxus balearica*
 TRUEDWARF B. (*B. sempervirens suffruticosa*† Cy)
 TRUETREE B. (*B. sempervirens arborescens*† Cy)
 VARIEGATED OLIVE B. (*B. sempervirens elegans*† Cy)
 WILLOW B. (*B. s. angustifolia*† Cy)
 BOX HUCKLEBERRY, BOX SANDMYRTLE, etc. See HUCKLEBERRY,
 SANDMYRTLE, etc.
 BOXELDER *Acer negundo*
 CALIFORNIA B. . *A. n. californicum*
 GOLDEN B. (*A. n. auratum*† Cy)
 BOXLEAF AZARA, BOXLEAF BURNING-BUSH, etc. See AZARA, BURNING-BUSH, etc.
 BOYNTON HAWTHORN
 Crataegus boytoni
 BRACHYCHITON Ag STERCULIA
 BRACHYCOME
 iberidifolia . . SWAN-RIVER-DAISY
 BRACKEN . Pteridium; *P. aquilinum*
 BRACTED IRIS, BRACTED SPIDERWORT, etc. See IRIS, SPIDERWORT, etc.
 BRADBURYA Ag CENTROSEMA
 BRAHEA
 dulcis PALMA DULCE
 filifera *Washingtonia filifera*
- BRAKE *Pteris*
 AUSTRALIAN B. *P. tremula*
 CHILDS B. Hort. var. of *P. cretica*
 CLIFFBRAKE *Pellaea*
 CRESTED SPIDER B. Hort. var. of
 Pteris multifida.
 CRETAN B. *Pteris cretica*
 MAYS B. (*P. cretica mayi*† Cy)
 MOORES B. Hort. var. of *Anopteris hexagona*.
 OUVRARD B. Hort. var. of *Pteris multifida*.
 RIBBON B. (*Pteris cretica albolineata*† Cy)
 RIVERTON B. Hort. var. of *P. cretica*.
 ROCKBRAKE *Cryptogramma*
 SIEBOLD B. Hort. var. of *Pteris ensiformis*.
 SILVER B. (*P. quadriaurita argyrea*† Cy)
 SPIDER B. *Pteris multifida*
 STRIPED B. (*P. quadriaurita argyraea*† Cy)
 SWORD B. *P. ensiformis*
 TALL CRETAN B. Hort. var. of *P. cretica*.
 VICTORIA B. (*P. ensiformis victoriae*† Cy)
 WILSON B. (*P. cretica wilsoni*† Cy)
 WIMSETT B. Hort. var. of *P. cretica*.
 BRANCHING ASPHODEL, BRANCHING FRANCOA, etc. See ASPHODEL, FRANCOA, etc.
 BRANDEGEE PALM *Erythea brandegeei*
 BRASENIA WATERSHIELD
 schreberi (*peltata*) . WATERSHIELD
 BRASSAVOLA
 See ORCHID GENERA.
 BRASSIA SPIDER-ORCHID
 See ORCHID GENERA.
 BRASSICA
 acephala . . *B. oleracea acephala*
 alba WHITE MUSTARD
 arvensis (*Sinapis arvensis*) CHARLOCK
 botrytis *B. oleracea botrytis*
 campestris RUTABAGA
 capitata *B. oleracea capitata*

BRASSICA, continued

- chinensis* . . . PAKCHOI CABBAGE
japonica . . . POTHERB MUSTARD
napus RAPE
oleracea WILD CABBAGE
—*acephala* (Borecole, Collards) KALE
—*botrytis* CAULIFLOWER, BROCCOLI
—*capitata* CABBAGE
—*caulo-rapa* KOHLRABI
—*gemmifera* BRUSSELS SPROUTS
pekinensis (*B. pe-tsai* Cy) PETSAI CABBAGE
rapa TURNIP

BRASSOCATTLEALIA

See ORCHID GENERA.

BRASSOCATTLEYA

See ORCHID GENERA.

BRASSO-CATTLEYA-LAELIA

See ORCHID GENERA.

BRASSOLAELIA

See ORCHID GENERA.

BRAUN HOLLYFERN

Polystichum brauni

BRAUNERIA . . . ECHINACEA

BRAVOA

geminiflora MEXICAN TWINBLOOM

BRAZILIAN ABUTILON, BRAZILIAN ARAUCARIA, etc. See ABUTILON, ARAUCARIA, etc.

BREADFRUIT . Artocarpus; *A. incisa* JACKFRUIT . . . *A. integrifolia*BREADROOT INDIAN B. . . *Psoralea esculenta*BREATH-OF-HEAVEN *Diosma ericoides*BRETSCHNEIDER PEAR *Pyrus bretschneideri*BRICK GLOBEMALLOW *Sphaeralcea cispalatina*BRICKRED BOUGAINVILLEA (*B. spectabilis lateritia*† Cy)BRIDAL CANYON-POPPY *Romneya trichocalyx*BRIDAL-VEIL BROOM *Genista monosperma*BRIDALWREATH . *Spiraea prunifolia* DOUBLE B. (*S. prunifolia plena*† Cy)BRIDE HONEYSUCKLE (*Lonicera tatarica grandiflora*† Cy)BRIDESMAID PEA (*Lathyrus latifolius grandiflorus*† Cy)

BRIER

- DOGBRIER *Rosa canina*
GREENBRIER *Smilax*
SWEETBRIER *Rosa rubiginosa*

BRIER GRAPE *Vitis davidii*BRILLIANT CAMPION *Lychnis fulgens*BRISBANE-BOX . . *Tristania conferta*BRISTLEcone FIR, BRISTLEcone PINE,
etc. See FIR, PINE, etc.BRISTLELEAF MAME CHERRY *Prunus incisa serrata*BRISTLETOOTH OAK *Quercus serrata*BRISTLY BUTTERCUP, BRISTLY GREEN-
BRIER, etc. See BUTTERCUP,
GREENBRIER, etc.BRITISH INULA . . *Inula brittanica*BRITTLE FERN, BRITTLE WILLOW,
etc. See FERN, WILLOW, etc.

- BRIZA QUAKING GRASS
geniculata . . . *Eragrostis obtusa*
maxima BIG QUAKING GRASS
minor (*gracilis*) LITTLE QUAKING G.

BRIZOPYRUM

- siculum* . . . *Desmazeria sicula*
BROAD BLUELEAF HONEYSUCKLE (*Lon-
icera korolkowii floribunda*† Cy)

BROADBEAN *Vicia faba*BROADLEAF ACACIA, BROADLEAF
ACANTHUS, etc. See ACACIA,
Acanthus, etc.BROCOLLI *Brassica oleracea botrytis*
BROMEGRASS . . . See *Bromus*, below

- BROMUS BROMEGRASS
brizaeformis . . . QUAKING B.
erectus MEADOW B.

- inermis* COMMON B.
macrostachys

- madritensis* MADRID B.
unioloides RESCUE GRASS

BRONZE ELAEAGNUS, BRONZE ECHE-
VERIA, etc. See ELAEAGNUS,
Echeveria, etc.BRONZELEAF . *Rodgersia podophylla*BRONZY HAWTHORN *Crataegus cuprea*BROOK EUONYMUS, BROOK PARNA-
SIA, etc. See EUONYMUS, Par-
nassia, etc.BROOM *Cytisus*; *Genista*AETNA B. . . . *Genista aetnensis*BIGFLOWER B. . . *Cytisus supinus*

BROOM, continued

BRIDAL-VEIL B.*Genista monosperma***BULGARIAN B.***Cytisus leucanthus schipkaensis***BUTCHERSBROOM***Ruscus; R. aculeatus***CANARY B.** . . . *Cytisus canariensis***Dyers B.**WOADWAXEN: *Genista tinctoria***EASTER B.** . . . *Cytisus racemosus***GERMAN B.** . . . *Genista germanica***GREEK B.** . . . *Cytisus triflorus***LEAFY MADEIRA B.***C. maderensis magnifoliosus***MADEIRA B.** . . . *C. maderensis***PALE B.** . . . *C. leucanthus***PALE SCOTCH B.** (*C. scoparius albus*† Cy)**PARADISE B.** (*C. s. andreanus*† Cy)**PROVENCE B.** . . . *C. purgans***SCOTCH B.** . . . *C. scoparius***SESSILE B.** . . . *C. sessilifolius***SILKY-LEAF B.** . . . *Genista pilosa***SPANISH B.** . . . *G. hispanica***SPIKE B.** . . . *Cytisus nigricans***SWEET B.** . . . *C. fragrans***TALL WOADWAXEN***Genista tinctoria virgata***WARMINSTER B.** . . . *Cytisus praecox***WEAVERS-BROOM** *Spartium junceum***WHITE SPANISH B.***Cytisus multiflorus***WOADWAXEN** . . . *Genista tinctoria***BROOM LUPINE, BROOM YEW, etc.**

See LUPINE, YEW, etc.

BROOMCORN. Hort. var. of *Holcus sorghum*.**BROOMCORN MILLET***Panicum miliaceum***BROOM-CROWBERRY** . *Corema conradi***BROUGHTONIA**
*sanguinea***BROUSSONETIA** PAPER-MULBERRY*papyrifera* (*Papryrus papyrifera*

Ag) . . . PAPER-MULBERRY

secundiflora Ag*Sophora secundiflora***BROWALLIA***demissa* (*B. americana* Ag; *elata*)*grandiflora* (*roezlii*)**BROWALLIA**, continued*jamesoni* . . . *Streptosolen jamesoni**speciosa**viscosa***BROWN GUM** . . . *Eucalyptus robusta***BROWN-EYED NEMOPHILA**, BROWN-EYED ROCKROSE, etc. See *Nemophila*, ROCKROSE, etc.**BROWN-EYED-SUSAN***Rudbeckia triloba***BROWNIE LADYSLIPPER***Cypripedium fasciculatum***BROWNS LILY, BROWNS ROSE, etc.**
See LILY, ROSE, etc.**BROWNSTEM EASTER LILY** (*Lilium longiflorum giganteum*† Cy)**BRUCKENTHALIA** . SPIKEHEATH
spiculifolia . . . SPIKEHEATH**BRUNELLA** . . . **PRUNELLA****BRUNFELSIA***americana*

FRANCISCAN-NIGHTSHADE

*macrophylla***BRUNNICHIA***cirrhosa* . . . BUCKWHEAT-VINEBRUSH DEWBERRY, BRUSH HEATHER,
etc. See DEWBERRY, HEATHER,
etc.**BRUSH-CHERRY**AUSTRALIAN B. *Eugenia myrtifolia***BRUSHTIP SOTOL***Dasyllirion acrotriche***BRUSSELS SPROUTS***Brassica oleracea gemmifera***BRYONIA***laciniosa* . . . *Bryonopsis laciniosa***BRYONOPSIS** . . . **BRYONOPSIS**
laciniosa (*Bryonia laciniosa*)

BRYONOPSIS

BRYOPHYLLUM*crenatum**pinnatum**Buck Bean* . BOGBEAN: *Menyanthes***BUCKBERRY** . . . *Gaylussacia ursina***BUCKEYE**

See also HORSECHESTNUT.

ARKANSAS B. . . . *Aesculus bushi***BOTTLEBRUSH B.** . . . *A. parviflora***CALIFORNIA B.** . . . *A. californica*

BUCKEYE, continued

- DARK RED B. (*Aesculus pavia atrosanguinea*† Cy)
 ELLWANGER B. (*A. woerlitzensis ellwangeri*† Cy)
 GEORGIA B. *Aesculus georgiana*
 GROUND B. (*A. pavia humilis*† Cy)
 HARBISON B. *A. harbisoni*
 HYBRID B. (*A. hybrida*† Cy)
 MICHAUX B. *A. michauxii*
 OHIO B. *A. glabra*
 RED B. *A. pavia*
 SCARLET B. *A. discolor mollis*
 SEVENLEAF B. *A. glabra buckleyi*
 TEXAS B. *A. arguta*
 WHITEBARK B. *A. glabra leucodermis*

- WOOLLY B. *A. discolor*
 YELLOW B. *A. octandra*

BUCKLEY HAWTHORN

- Crataegus buckleyi*

- BUCKLEYA . . . SAPSUCK-BUSH
distichophylla . . . SAPSUCK-BUSH
 BUCKTHORN *Rhamnus*
 ALDER B. *R. alnifolia*
 ALPINE B. *R. alpina*
 CALIFORNIA B. *R. californica*
 CAROLINA B. *R. caroliniana*
 CASCARA B. *R. purshiana*
 CAUCASIAN B. *R. imeretina*
 COMMON B. *R. cathartica*
 DAHURIAN B. *R. dahurica*
 GLOSSY B. *R. frangula*
 ITALIAN B. *R. alaternus*
 JAPANESE B. *R. crenata*
 SEA-BUCKTHORN *Hippophae*
 VEINY B. *R. fallax*
 WHITELEAF B. *R. californica tomentella*

- BUCKTHORN BUMELIA, BUCKTHORN
 HONEYSUCKLE, etc. See Bume-
 lia, HONEYSUCKLE, etc.

- BUCKWHEAT *Fagopyrum*
 COMMON B. *F. esculentum*
 KANGRA B. *F. tataricum*

- BUCKWHEAT-VINE *Brunnichia cirrhosa*
 BUDDHIST BAUHINIA

- Bauhinia variegata*

- BUDDLEIA . . . BUTTERFLYBUSH
asiatica WHITE B.

BUDDLEIA, continued

- davidi* (*variabilis*)

- ORANGE-EYE BUTTERFLYBUSH
 See also hort. var. list below.

- globosa* GLOBE B.
insignis Ag *B. intermedia insignis*
intermedia

- WISTERIA BUTTERFLYBUSH
 —*insignis* (*B. insignis* Ag)

- japonica* JAPANESE B.
lindleyana LINDLEY B.
magnifica OXEYE B.

- Hort. var. of *B. davidi*.
officinalis PALE B.

- variabilis* *B. davidi*
veitchii VEITCH BUTTERFLYBUSH
 Hort. var. of *B. davidi*.

Hort. var. of *Buddleia*:

- JUNO BUTTERFLYBUSH (*B. davidi superba*† Cy)

- OXEYE B. (*B. d. magnifica*† Cy)

- VEITCH B. (*B. d. veitchiana*† Cy)

- WILSON B. (*B. d. wilsoni*† Cy)

BUFFALO GOURD

- Cucurbita foetidissima*

- BUFFALOBERRY *Shepherdia*
 RUSSET B. *S. canadensis*
 SILVER B. *S. argentea*
 YELLOW B. Hort. var. of Shep-
 herdia canadensis.

- BUGBANE *Cimicifuga*
 AMERICAN B. *C. americana*

- COHOSH B. *C. racemosa*
 DAHURIAN B. *C. dahurica*
 JAPANESE B. *C. japonica*

- KAMCHATKA B. *C. foetida simplex*
 BUGLE *Ajuga*

- CARPET B. *A. reptans*
 CURLY B. (*A. metallica crispa*† Cy)

- GENEVA B. *A. genevensis*
 PURPLELEAF B. (*Ajuga reptans rubra*† Cy)

- BUGLELILY *Watsonia*
 IRISLEAF B. *W. iridifolia*
 WHITE B. (*W. iridifolia obrieni*† Cy)

- BUGLER
 SCARLET-BUGLER
Pentstemon centranthifolius

- BUGLEWEED *Lycopus*
 AMERICAN B. *L. americanus*

- EUROPEAN B. *L. europaeus*

- BUGLOSS Anchusa
 CAPE B. A. capensis
 COMMON B. A. officinalis
 DROPMORE B. Hort. var. of A. italica.
 EARLY B. A. barrelieri
 EVERGREEN B. A. sempervirens
 ITALIAN B. A. italicica
 OPAL B. Hort. var. of A. italicica.
 SIBERIAN B. A. myosotidifolia
 VIPERS-BUGLOSS Echium
 BULB BITTERCRESS, BULB BUTTER-CUP, etc. See BITTERCRESS, BUTTERCUP, etc.
- BULBOPHYLLUM**
 See ORCHID GENERA.
- BULGARIAN AVENS, BULGARIAN BROOM, etc. See AVENS, BROOM, etc.
- BULLHORN ACACIA Acacia cornigera
 BULRUSH Scirpus
 GREAT B. S. lacustris
 GREEN B. S. atrovirens
 WEEPING B. S. cernuus
 ZEBRA B. (*Scirpus lacustris zebra-nus*† Cy)
- BUMALDA BLADDERNUT, BUMALDA SPIREA, etc. See BLADDERNUT, SPIREA, etc.
- BUMELIA** BUMELIA lycioides BUCKTHORN B.
 BUNCH HAWTHORN Crataegus delosii
 BUNCHBERRY Cornus canadensis
 BUNCHBERRY HONEYSUCKLE (*Lonicera minutiflora*† Cy)
- BUNCHFLOWER Melanthium
 BUNCHLEAF ENGLISH IVY (*Hedera helix conglomerata*† Cy)
 BUNNY SPIREA (*Spiraea blanda*† Cy)
 BUNYA-BUNYA . . . Araucaria bidwillii
 BUNYARD GROUNDCHERRY Physalis buniardi
- BUPHTHALMUM** OXEYE salicifolium WILLOWLEAF O. speciosum (*cordifolium*; *Telekia cordifolia*) HEARTLEAF OXEYE
- BUR BUTTERBUR Petasites NEW ZEALAND BUR Acaena microphylla
- BUR IRONWEED . . . Vernonia crinita
- BURLINGTONIA**
 See ORCHID GENERA.
- BURMA CONEHEAD, BURMA VALLARIS, etc. See CONEHEAD, Vallaris, etc.
- BURNET . . . Poterium; Sanguisorba AMERICAN B. . . . S. canadensis JAPANESE B. . . . Poterium obtusum SMALL B. . . . Sanguisorba minor
- BURNINGBUSH BOXLEAF B. (*Euonymus japonicus microphyllus*†)
 BROADLEAF B. Euonymus latifolius DUC D'ANJOU B. (*E. japonicus viridivariegatus*†)
 DWARF B. E. nanus EUROPEAN B. . . . E. europaeus EVERGREEN B. . . . E. japonicus GILTEDGE B. (*E. japonicus aureo-marginatus*†)
 GOLDLEAF B. (*E. j. aureus*†)
 GOLDSOTP B. (*E. j. aureovariegatus*†)
 MOSSY-GREEN B. Hort. var. of E. japonicus.
 PEARLEDGE B. (*E. japonicus albo-marginatus*†)
 SILVERSPOT B. Hort. var. of E. japonicus.
 WAHOO (Waahoo). E. atropurpureus YELLOWEYE B. (*E. japonicus mediopictus*†)
- BURSER SAXIFRAGE Saxifraga burseriana
 BURSTWORT . . . Herniaria; H. glabra BUSH
- BURNINGBUSH . . . Euonymus species
 BUTTERFLYBUSH . . . Buddleia
 BUTTONBUSH . . . Cephalanthus CORALBUSH . . . Templetonia species CRANBERRYBUSH Viburnum species FETTERBUSH . . . Pieris lucida GLORYBUSH . . . Tibouchina GROUNDSSELBUSH Baccharis halimifolia HOBBLEBUSH Viburnum alnifolium HOPBUSH Dodonaea INDIGOBUSH . . . Amorpha fruticosa PEARLBUSH Exochorda RIBBONBUSH Muehlenbeckia platyclada

BUSH, continued

| | |
|--------------------------------|--|
| SALTBUCK | Atriplex |
| SAPSUCK-BUSH | |
| Buckleya; B. distichophylla | |
| SCARLETBUSH | Hamelia patens |
| Shadbush | Amelanchier |
| SNOWBUSH | Phylanthus species |
| SPICEBUSH | Benzoin; B. aestivale |
| STAGGERBUSH | Pieris mariana |
| Strawberrybush | Brook Eu- |
| ONYMUS: Euonymus americanus | |
| VIOLETBUSH | Iochroma |
| BUSH ELM, BUSH REDPEPPER, etc. | |
| See ELM, REDPEPPER, etc. | |
| BUSHCLOVER | Lespedeza |
| JAPANESE B. | L. formosa albiflora |
| PURPLE B. | L. formosa |
| ROUNDHEAD B. | L. capitata |
| SHRUB B. | L. bicolor |
| BUSH-HONEYSUCKLE | Diervilla |
| DWARF B. | D. trifida |
| GEORGIA B. | D. rivularis |
| SOUTHERN B. | D. sessilifolia |
| BUSHY ARCTOTIS, BUSHY PENTSTE- | |
| MON, etc. See Arctotis, PENT- | |
| STEMON, etc. | |
| BUTCHERSBROOM | Ruscus; R. aculeatus |
| BUTNERIA | CALYCANTHUS |
| BUTOMUS | |
| umbellatus | FLOWERING-RUSH |
| Butter-and-eggs | |
| COMMON TOADFLAX | Linaria vulgaris |
| BUTTERBUR | Petasites |
| Giant B. | (<i>Petasites japonica gigantea</i> Cy) |
| JAPANESE B. | P. japonica |
| SWEET B. | P. fragrans |
| BUTTERCUP | Ranunculus |
| ACONITE B. | R. aconitifolius |
| BRISTLY B. | R. hispidus |
| BULB B. | R. bulbosus |
| CREEPING B. | R. repens |
| GRASSY B. | R. gramineus |
| PERSIAN B. | R. asiaticus |
| SWAMP B. | R. septentrionalis |
| TALL B. | R. acris |
| TUFTED B. | R. fascicularis |
| WATER B. | R. delphinifolius |
| YELLOW-EYE B. | R. amplexicaulis |

| | |
|---|----------------------------|
| BUTTERCUP OXALIS, BUTTERCUP WIN- | TERHAZEL, etc. See OXALIS, |
| | WINTERHAZEL, etc. |
| BUTTERFLY BAUHINIA, BUTTERFLY | |
| VIOLET, etc. See Bauhinia, | |
| VIOLET, etc. | |
| BUTTERFLYBUSH | Buddleia |
| GLOBE B. | B. globosa |
| JAPANESE B. | B. japonica |
| JUNO B. (<i>B. davidi superba</i> Cy) | |
| LINDLEY B. | B. lindleyana |
| ORANGE-EYE B. | B. davidi |
| OXEYE B. (<i>B. d. magnifica</i> Cy) | |
| PALE B. | B. officinalis |
| VEITCH B. (<i>B. davidi veitchii</i> Cy) | |
| WHITE B. | B. asiatica |
| WILSON B. (<i>B. davidi wilsonii</i> Cy) | |
| WISTERIA B. | B. intermedia |
| BUTTERFLYFLOWER | Schizanthus |
| GRAHAM B. | S. grahamii |
| MARBLED B. (<i>S. pinnatus papilio-</i> | |
| <i>naceus</i> Cy) | |
| ORANGE-ROSE B. | S. retusus |
| WINGLEAF B. | S. pinnatus |
| WISETON B. | S. wisetonensis |
| BUTTERFLY-PEA | |
| Centrosema; Clitoria | |
| PIEDMONT B. | |
| Centrosema virginianum | |
| PORCELAIN B. | Clitoria mariana |
| BUTTERFLYWEED | Asclepias tuberosa |
| BUTTERNUT | Juglans cinerea |
| For horticultural varieties of Butternut | |
| see American Pomological Society's List | |
| of Fruits and Nuts, in Appendix. | |
| BUTTON CACTUS | |
| Mammillaria micromeris | |
| BUTTONBUSH | Cephalanthus |
| COMMON B. | C. occidentalis |
| BUTTON-SNAKEROOT | |
| Eryngium aquaticum | |
| BUXUS | Box |
| balearica | SPANISH B. |
| japonica (B. fortunei; B. micro- | |
| <i>phylla japonica</i>) JAPANESE Box | |
| sempervirens | COMMON B. |
| Hort. var. of Buxus: | |
| GOLDEDGE Box (<i>B. sempervirens</i> | |
| <i>marginata</i> Cy) | |
| GOLDEN B. (<i>B. s. aurea</i> Cy) | |
| HANDSWORTH B. (<i>B. s. handsworthii</i> Cy) | |
| <i>B. s. handworthii</i> Cy) | |

BUXUS (Hort. var.), continued

- MYRTLELEAF BOX (*Buxus sempervirens myrtifolia*† Cy)
 ROSEMARY B. (*B. sempervirens rosmarinifolia*† Cy)
 ROUNDLEAF B. (*B. sempervirens rotundifolia*† Cy)
 SILVER B. (*B. s. argentea*† Cy)
 TRUEDWARP B. (*B. sempervirens suffruticosa*† Cy)
 TRUETREE B. (*B. sempervirens arborescens*† Cy)
 VARIEGATED OLIVE B. (*B. s. elegans*† Cy)
 WILLOW B. (*B. s. angustifolia*† Cy)

- CABBAGE . *Brassica oleracea capitata*
 KOHLRABI . . . *B. o. caulo-rapa*
 PAKCHOI C. . . . *B. chinensis*
 PETSAI C. . . . *B. pekinensis*
 SKUNKCABBAGE

Symplocarpus foetidus

- WILD C. . . . *Brassica oleracea*
 CABBAGE ANGELIN, CABBAGE GUM,
 etc. See ANGELIN, GUM, etc.

- CABOMBA** FANWORT
caroliniana (*viridifolia*) FANWORT
pulcherrima PURPLE F.
 Hort. var. of Cabomba:
 ROSE FANWORT (*C. caroliniana rosaefolia*† Cy)

- CACALIA**
coccinea *Emilia flammea*
CACAO *Theobroma cacao*
CACTUS TURKSCAP
melocactus (*Melocactus communis*)

- COMMON TURKSCAP
 CACTUS
 AARONSBEARD C.

Opuntia leucotricha

- BEAVERTAIL C. . . . *O. basilaris*
 BEEHIVE C. . . . *Ferocactus johnsoni*
 BISHOPSHOOD

Astrophytum myriostigma

- BLADEAPPLE *Pereskia aculeata*
 BROADLEAF C.

Epiphyllum oxypetalum

- BUTTON C. . . . *Mammillaria micromeris*
 CHAIN C. . . . *Rhipsalis paradoxa*
 CHRISTMAS C. . . . *Zygocactus truncatus*

CACTUS, continued

- COBBLERSTHUMB Ariocarpus *retusus*
 COCHINEAL C. Nopalea *cochenillifera*
 CORAL C. . . . Hatiiora *salicornioides*
 CRAB C. . . . Zygodactus
 CREEPINGDEVIL C. Machaerocereus *eruca*
 DEERHORN C. Peniocereus *greggi*
 DEVILS-PINCUSHION Homalocephala *texensis*
 EASTER C. Schlumbergera *gaertneri*
 FISHHOOK C. Ferocactus *uncinatus*
 GARAMBULLO Myrtillocactus *geometrizans*
 GIANT C. . . . Carnegiea *gigantea*
 GOLDEN C. . . . Echinocactus *grusoni*
 GOLDENSTAR C. Mammillaria *stella-aurata*
 HAIRBRUSH C. Pachycereus *pectenaboriginum*
 HATCHET C. Pelecyphora *aselliformis*
 KING C. . . . Heliocereus *speciosus*
 LIVING-ROCK
 — Ariocarpus; A. *fissuratus*
 MANDACARU Cereus *jamacaru*
 MISTLETOE C. . . . Rhipsalis *cassutha*
 NIGGERHEAD C. Echinocactus *horizonthalonius*
 NIGHTBLOOMING CEREUS Hylocereus
 OLDMAN CACTUS Cephalocereus *senilis*
 ORGANPIPE C. Pachycereus *marginatus*
 PERESKIA Pereskia
 BUSH P. . . . P. *grandifolia*
 PEYOTE Lophophora *williamsii*
 PRICKLYPEAR Opuntia
 COMMON P. . . . O. *compressa*
 QUEEN-OF-THE-NIGHT Selenicereus *grandiflorus*
 RAINBOW C. Echinocereus *rigidissimus*
 RATTAIL C. Aporocactus *flagelliformis*
 SAND C. . . . Opuntia *arenaria*
 SERPENT C. Nyctocereus *serpentinus*

CACTUS, continued

- SEVENSTARS *Ariocarpus prismaticus*
 SNOWBALL C. *Pediocactus simpsoni*
 STAR C. *Astrophytum*
 TURKSCAP *Cactus*
 COMMON T. *C. melocactus*
 VELVET C. *Bergerocactus emoryi*
 WALKINGSTICK C. *Opuntia imbricata*

WATER C.

ARIZONA WATER C.

Ferocactus wislizenii

- SONORA WATER C. *F. covillei*
 CACTUS DAHLIA *Dahlia juarezi*

CACTUS GENERA

For convenience of reference the genera and species of Cactus are here brought together in one consolidated list.

ACANTHOCEREUS

- pentagonus* (*Cereus baxaniensis*)

- ANHALONIUM ARIOCARPUS**
lewini . . . *Lophophora williamsii*
williamsii . . . *L. williamsii*

APOROCACTUS

- conzatti*

- flagelliformis* (*Cereus flagelliformis*)

- RATTAIL CACTUS
martianus (*Cereus martianus* Cy)

- ARIOCARPUS** . . . LIVING-ROCK
fissuratus (*Anhalonium fissuratum*;

- An. engelmanni*) . . . LIVING-ROCK
kotschoubeyanus (*An. kotschou-*
beyanum; *An. sulcatum*)

- lloydii*
prismaticus (*Anhalonium prisma-*
tum) SEVENSTARS
retusus (*An. retusum*)

COBBLERSTHUMB

- ASTROPHYTUM** STAR CACTUS
capricornis (*Echinocactus capri-*
cornis Cy)

- myriostigma* (*Echinocactus myrio-*
stigma Cy) BISHOPSHOOD
ornatum (*E. ornatus* Cy)

- BERGEROCACTUS**
emoryi (*Cereus emoryi*)

VELVET CACTUS

- CACTUS** TURKSCAP
melocactus (*Melocactus communis*)

COMMON TURKSCAP

CACTUS GENERA, continued

- CARNEGIEA** . . . GIANT CACTUS
gigantea (*Cereus giganteus*)

GIANT C.

CEPHALOCEREUS

- chrysomallus*
Pachycereus chrysomallus
euphorbioides (*Cereus euphorbioi-*
des Cy; *C. olfersi*)
polylophus (*C. nickelsi*)
senilis (*Pilocereus senilis*)

OLDMAN CACTUS

- CEREUS**
aethiops (*coeruleascens*; *C. caeru-*
lescens Cy)

alacriportanus

- alamosensis* *Rathbunia alamosensis*
amecamensis

- Heliocereus amecamensis**
atropurpureus . . . *Harrisia tortuosa*
azureus

- baumanni* *Cleistocactus baumannii*
baxaniensis

- Acanthocereus pentagonus**
bonplandi Cy . . . *Harrisia bonplandi*
caeruleascens Cy . . . *Cereus aethiops*
calcaratus . . . *Hylocereus calcaratus*
candicans Cy

Trichocereus candicans

- The name *C. candicans* is often misapplied to *Echinocereus rigidissimus*.

- chiotilla* *Escontria chiotilla*
coccineus *Heliocereus speciosus*
coeruleascens *Cereus aethiops*
colubrinus *Monvillea cavendishi*
costaricensis

- Hylocereus costaricensis**
donkelaari *Selenicereus donkelaari*
dumortieri

- Lemaireocereus dumortieri**
eburneus *L. eburneus*
emoryi *Bergerocactus emoryi*
eriophorus *Harrisia eriophora*
eruca *Machaerocereus eruca*
euphorbioides Cy

- Cephalocereus euphorbioides**
flagelliformis

- Aporecactus flagelliformis**
forbesi *Cereus validus*
gemmatus

Myrtillocactus geometrizans

CACTUS GENERA (CEREUS), continued

geometrizans

Myrtillocactus geometrizans
giganteus . . . *Carnegiea gigantea*
gracilis *Harrisia gracilis*
grandiflorus

Selenicereus grandiflorus
greggi *Peniocereus greggi*
gummosus

Machaerocereus gummosus
hamatus . . . *Selenicereus hamatus*
hankeanus Cy . . . *Cereus validus*
hildmannianus
irradians *Selenicereus boeckmanni*
jamacaru *MANDACARU*
lamprochlorus Cy

Trichocereus lamprochlorus
lemairei . . . *Hylocereus lemairei*
macdonaldiae

Selenicereus macdonaldiae
macrogonus Cy

Trichocereus macrogonus
mammillatus

Echinocereus mammillatus
marginatus

Pachycereus marginatus
martianus Cy

Aporocactus martianus
martini Cy . . . *Harrisia martini*
nickelsi *Cephalocereus polylophus*
nycticallus *Selenicereus pteranthus*
obtusangulus

Epiphyllanthus obtusangulus
ocamponis . *Hylocereus ocamponis*
olfersii

Cephalocereus euphorbioides
pecten-aboriginum

Pachycereus pectenaboriginum
pentagonus

Acanthocereus pentagonus
peruvianus
pringlei . . . *Pachycereus pringlei*
repandus

The plant in cultivation under this name
 is *Harrisia gracilis*. The true *Cereus*
 repandus of botanists is not in the trade.

rostratus . . . *Selenicereus hamatus*
serpentinus

Nyctocereus serpentinus
setaceus . . . *Mediocactus coccineus*

CACTUS GENERA (CEREUS), continued

spachianus Cy

Trichocereus spachianus
speciosus . . . *Heliocereus speciosus*
spinulosus *Selenicereus spinulosus*
stellatus . . . *Trichocereus stellatus*
stenopterus *Hylocereus stenopterus*
thelegonus *Trichocereus thelegonus*
thurberi . *Lemaireocereus thurberi*
tortuosus . . . *Harrisia tortuosa*
triangularis *Hylocereus triangularis*
tuberosus . . . *Wilcoxia poselgeri*
validus (*forbesi*; *C. hankeanus* Cy)
weberi . . . *Lemaireocereus weberi*

CLEISTOCACTUS
baumanni (*Cereus baumannii*)

DISOCACTUS
biformis (*Phyllocactus biformis*)

ECHINOCACTUS
albatus
anfractuosus
beguini . . . *Neolloydia beguini*
bicolor Cy . . . *Thelocactus bicolor*
capricornis Cy

Astrophytum capricornis
cottonogonus
cornigerus Cy *Ferocactus latispinus*
crispatus
cylindraceus Cy . . . *F. acanthodes*
denudatus

Gymnocalycium denudatum
electracanthus Cy

Ferocactus melocactiformis
emoryi Cy . . . *Ferocactus covillei*
gibbosus *Gymnocalycium gibbosum*
grusoni *GOLDEN CACTUS*
helophorus
heterochromus

Thelocactus heterochromus
hexaedrophorus Cy

T. hexaedrophorus
horizonthalonius

NIGGERHEAD CACTUS
humilis
ingens

intertextus Cy
Echinomastus intertextus
johnsoni Cy . . . *Ferocactus johnsoni*
krausei

| | |
|---|-------------------------------|
| CACTUS GENERA (ECHINOCACTUS), cont. | |
| lecontei Cy . . . | Ferocactus lecontei |
| leninghausei | Malacocarpus leninghausei |
| leucacanthus Cy | Thelocactus leucacanthus |
| longihamatus Cy | Ferocactus longihamatus |
| lophothele . . . | Thelocactus lophothele |
| macdowellii | Echinomastus macdowellii |
| mammulosus | Malacocarpus mammulosus |
| minusculus . . . | Rebutia minuscula |
| mostii . . . | Gymnocalycium mostii |
| multicostatus | |
| multiflorus . . . | G. multiflorum |
| myriostigma Cy | Astrophytum myriostigma |
| ornatus Cy . . . | A. ornatum |
| ottonis Cy . . . | Malacocarpus ottonis |
| peninsulae . . . | Ferocactus peninsulae |
| pfeifferi Cy . . . | F. glaucescens |
| pilosus Cy . . . | F. pilosus |
| polycephalus | |
| recurvus Cy . . . | F. nobilis |
| robustus Cy . . . | F. robustus |
| scheeri . . . | F. scheeri |
| schickendantzi | Gymnocalycium schickendantzii |
| schilinzkyanus | Frailea schilinzkyanus |
| setispinus Hamatocactus setispinus | |
| simpsoni Pediocactus simpsoni | |
| submammulosus | |
| Malacocarpus submammulosus | |
| tabularis . . . | M. tabularis |
| tetraphyllum | |
| texensis Homalocephala texensis | |
| turbiniformis | |
| Strombocactus turbiniformis | |
| uncinatus Cy Ferocactus uncinatus | |
| unguispinus | |
| Echinomastus unguispinus | |
| whipplei Cy . . . | Ferocactus whipplei |
| wislizenii Cy . . . | F. wislizenii |
| ECHINOCEREUS | |
| acifer | |
| baileyi | |
| berlandieri | |
| caespitosus | |
| CACTUS GENERA (ECHINOCEREUS), cont. | |
| candicans . . . | E. rigidissimus |
| chloranthus | |
| cinerascens | |
| coccineus | |
| conglomeratus | |
| ctenoides | |
| dasyacanthus | |
| dubius | |
| engelmanni | |
| enneacanthus | |
| fendleri | |
| knippelianus | |
| mammillatus (Cereus mammillatus) | |
| merkeri | |
| mojavensis | |
| paucispinus | |
| pectinatus | |
| phoeniceus | |
| polyacanthus | |
| procumbens | |
| rigidissimus (candicans) | |
| RAINBOW CACTUS | |
| roemerii | |
| stramineus | |
| viridiflorus | |
| ECHINOMASTUS | |
| intertextus (Echinocactus intertextus Cy) | |
| macdowellii (E. macedowellii) | |
| unguispinus (E. unguispinus) | |
| ECHINOPSIS | |
| eyriesi | |
| gemmata | |
| muelleri | |
| multiplex | |
| nigricans | |
| oxygona | |
| pentlandii | |
| tubiflora | |
| EPIPHYLLANTHUS | |
| obtusangulus (Cereus obtusangulus) | |
| EPIPHYLLUM | |
| ackermannii (Phyllocactus ackermannii) | |
| anguliger (P. anguliger) | |
| crenatum (P. crenatus) | |
| gaertneri Schlumbergera gaertneri | |
| hookeri (Phyllocactus hookeri) | |
| oxyptetalum (latifrons; P. latifrons) | |
| BROADLEAF CACTUS | |

- CACTUS GENERA (EPIPHYLLUM), cont.**
- phyllanthoides (*Phyllocactus phyllanthoides*)
 - russelianum
 - Schlumbergera russelliana
 - gaertneri . . . S. gaertneri
 - stenopetalum (*Phyllocactus stenopetalus*)
 - strictum (*P. strictus*)
 - truncatum . . *Zygocactus truncatus*
 - ESCONTRIA**
 - chiotilla (*Cereus chiotilla*)
 - FEROCACTUS**
 - acanthodes (*Echinocactus cylindraceus* Cy)
 - covillei (*E. emoryi* Cy)
 - SONORA WATER CACTUS
 - glaucescens (*E. pfeifferi* Cy)
 - johsonii (*E. johnsonii* Cy)
 - BEEHIVE C.
 - latispinus (*E. cornigerus* Cy)
 - lecontei (*E. lecontei* Cy)
 - longihamatus (*E. longihamatus* Cy)
 - melocactiformis (*Echinocactus elec-tracanthus* Cy)
 - nobilis (*E. recurvus* Cy)
 - peninsulae (*E. peninsulae*)
 - pilosus (*E. pilosus* Cy)
 - robustus (*E. robustus* Cy)
 - scheeri (*E. scheeri*)
 - uncinatus (*E. uncinatus* Cy)
 - whipplei (*E. whipplei* Cy)
 - wislizeni (*E. wislizenii* Cy)
 - ARIZONA WATER CACTUS
 - GYMNOCALYCIUM**
 - denudatum (*Echinocactus denudatus*)
 - gibbosum (*E. gibbosus*)
 - mosti (*E. mostii*)
 - multiflorum (*E. multiflorus*)
 - schickendantzi (*E. schickendantzii*)
 - HAMATOCACTUS**
 - setispinus (*E. setispinus*)
 - HARIOTA . . . HATIORA**
 - HARRISIA**
 - bonplandi (*Cereus bonplandi* Cy)
 - eriophora (*C. eriophorus*)
 - gracilis
 - martini (*C. martini* Cy)
 - tortuosa (*C. atropurpureus*; *C. tortuosus* Cy)

CACTUS GENERA, continued

- HATIORA**
- salicornioides (*Hariota salicornioides*; *Rhipsalis salicornioides*)
- CORAL CACTUS**
- HELIOCEREUS**
- amecamensis (*Cereus amecamensis*; *H. amecamensis* Cy)
- elegantissimus
- speciosus (*Cereus speciosus*; *C. coccineus*) . . . KING CACTUS
- HOMALOCEPHALA**
- texensis (*Echinocactus texensis* Cy)
- HYLOCEREUS**
- NIGHTBLOOMING CEREUS
- calcaratus (*Cereus calcaratus*)
- costaricensis (*C. costaricensis*)
- lemairei (*C. lemairei*)
- ocamponis (*C. ocamponis*)
- stenopterus (*C. stenopterus*)
- triangularis (*C. triangularis*)
- undatus
- LEMAIREOCEREUS**
- dumontieri (*Cereus dumontieri*)
- eburneus (*C. eburneus*)
- eruca . . . **MACHAEROCEREUS eruca**
- stellatus (*C. stellatus*)
- thurberi (*C. thurberi*)
- weberi (*C. weberi*)
- LOPHOPHORA . . . PEYOTE**
- williamsi (*Lewinii*; *Anhalonium lewinii*; *A. williamsii*) . . . PEYOTE
- MACHAEROCEREUS**
- eruca (*Cereus eruca*; *Lemaireocereus eruca* Cy)
- CREEPINGDEVIL CACTUS
- gummosus (*C. gummosus*; *L. gummosus* Cy)
- MALACOCARPUS**
- leninghausii (*Echinocactus leninghausii*)
- mammulosus (*E. mammulosus*)
- ottonis (*E. ottonis* Cy)
- submammulosus (*E. submammulosus*)
- tabularis (*E. tabularis*)
- MAMMILLARIA**
- angularis
- applanata
- arizonica

CACTUS GENERA (MAMMILLARIA), cont.

bicolor
bocasana
candida
caputmedusae
carnea
carreti
celsiana
centricirrha
—macrantha
cirrhifera
clava
conoidea
cornifera
decipiens
dioica
dolichocentra
echinus
elegans
elephantidens
elongata
erecta
eriacantha
formosa
gigantea
gracilis
grahami
gummifera
halei
heeseana
heyderi
lasiacantha
leona
lesaunieri
longimamma
macromeris
meiacantha
melanocentra
micromeris
microthele
minima
missouriensis
mutabilis
nickelsi
nivea
nuttalli
parkinsoni
pectinata
perbella
phellosperma

BUTTON CACTUS

CACTUS GENERA (MAMMILLARIA), cont.

plumosa
polyedra
potosina
pusilla
radians
radiosa
raphidacantha
recurvata
rhodantha
robustispina
roseana
scheeri
schelhasei
seitziana
sempervivi
senilis
setispina
sphaerica
spinosissima
stella-aurata . GOLDENSTAR CACTUS
strobiliformis
tuberculata
uncinata
vivipara
wildi
wrighti
zephyranthoides

MEDIOCACTUS
coccineus (*Cereus setaceus*)MONVILLEA
cavendishi (*Cereus cavendishi*)MYRTILLOCACTUS
geometrizans (*Cereus geometrizans*)
GARAMBULLONEOLLOYDIA
beguini (*Echinocactus beguini*)NOPALEA
auberi
cochenillifera . COCHINEAL CACTUS
*dejecta*NYCTOCEREUS
serpentinus (*Cereus serpentinus*)
SERPENT C.OPUNTIA . . . PRICKLYPEAR
arborescens O. *imbricata*
arenaria SAND CACTUS
basilaris BEAVERTAIL C.

| | |
|---|--|
| CACTUS GENERA (OPUNTIA), continued | |
| bigelovii | |
| brasiliensis | |
| compressa . COMMON PRICKLYPEAR | |
| emoryi | |
| engelmanni | |
| ficus-indica | |
| fragilis | |
| imbricata (<i>arborescens</i>) | |
| WALKINGSTICK CACTUS | |
| leptocaulis | |
| leucotricha . . . AARONSBEARD C. | |
| mesacantha | |
| microdasys | |
| monacantha . . . O. vulgaris | |
| phaeacantha | |
| polyacantha | |
| robusta | |
| subulata (<i>Pereskia subulata</i>) | |
| tomentosa | |
| tuna | |
| vulgaris (<i>monacantha</i>) | |
| PACHYCEREUS | |
| chrysomallus (<i>Cephalocereus chrysomallus</i>) | |
| marginatus (<i>Cereus marginatus</i>) | |
| ORGANPIPE CACTUS | |
| pectenaboriginum (<i>C. pecten-aboriginum</i>) . HAIRBRUSH CACTUS | |
| pringlei (<i>C. pringlei</i>) | |
| PEDIOCACTUS | |
| simpsoni (<i>Echinocactus simpsoni</i>) | |
| SNOWBALL CACTUS | |
| PELECYPHORA | |
| aselliformis . . . HATCHET C. | |
| pectinata | |
| PENIOCEREUS | |
| greggi (<i>Cereus greggi</i>) DEERHORN C. | |
| PERESKIA . . . PERESKIA | |
| aculeata . . . BLADEAPPLE | |
| grandifolia (<i>bleo</i>) BUSH PERESKIA | |
| nicoiana | |
| subulata . . . <i>Opuntia subulata</i> | |
| PHYLLOCACTUS | |
| EPIPHYLLUM | |
| biformis . . . <i>Disocactus biformis</i> | |
| PILOCEREUS | |
| CEPHALOCEREUS | |

| | |
|--|--|
| CACTUS GENERA, continued | |
| RATHBUNIA | |
| alamosensis (<i>Cereus alamosensis</i>) | |
| REBUTIA | |
| minuscula (<i>Echinocactus minusculus</i>) | |
| RHIPSALIS | |
| cassutha (<i>R. cassytha</i> Cy) | |
| MISTLETOE CACTUS | |
| paradoxa . . . CHAIN C. | |
| salicornioides | |
| Hatiora salicornioides | |
| SCHLUMBERGERA | |
| gaertneri (<i>Epiphyllum gaertneri</i>) | |
| EASTER CACTUS | |
| russelliana (<i>E. russelliana</i>) | |
| SELENICEREUS | |
| boeckmanni (<i>Cereus irradians</i>) | |
| donkelaari (<i>C. donkelaari</i>) | |
| grandiflorus (<i>C. grandiflorus</i>) | |
| QUEEN-OF-THE-NIGHT | |
| hamatus (<i>C. hamatus</i> ; <i>C. rostratus</i>) | |
| macdonaldiae (<i>C. macdonaldiae</i>) | |
| pteranthus (<i>C. nycticallus</i>) | |
| spinulosus (<i>C. spinulosus</i>) | |
| STROMBOCACTUS | |
| turbiniformis (<i>Echinocactus turbiniformis</i> Cy) | |
| THELOCACTUS | |
| bicolor (<i>Echinocactus bicolor</i> Cy) | |
| heterochromus (<i>E. heterochromus</i>) | |
| hexaedrophorus (<i>Echinocactus hexaedrophorus</i> Cy) | |
| leucacanthus (<i>E. leucacanthus</i> Cy) | |
| lophothele (<i>E. lophothele</i> ; <i>E. lophothele</i> Cy) | |
| TRICHOCEREUS | |
| candicans (<i>Cereus candicans</i> Cy) | |
| lamprochlorus (<i>Cereus lamprochlorus</i> Cy) | |
| macrogonus (<i>C. macrogonus</i> Cy) | |
| spachianus (<i>C. spachianus</i> Cy) | |
| thelegonus (<i>C. thelegonus</i>) | |
| WILCOXIA | |
| posegleri (<i>Cereus tuberosus</i>) | |
| ZYGOCACTUS . CRAB CACTUS | |
| truncatus (<i>Epiphyllum truncatum</i>) | |
| CHRISTMAS CACTUS | |

CAESALPINIA

| | |
|--|------------------------|
| coriaria | DIVI-DIVI |
| crista | NICKERNUT |
| echinata | BRAZILWOOD |
| gilliesii | |
| nuga | WOOD-GOSSIP |
| pulcherrima (<i>Poinciana pulcherrima</i> Ag) | FLOWERFENCE |
| regia | <i>Poinciana regia</i> |
| sappan | SAPPAN |
| sepiaria | MYSORE THORN |

Caimito Pom STAR-APPLE: *Chrysophyllum cainito*

CAJEPUT-TREE *Melaleuca leucadendron*

CALABASH SWEET-CALABASH *Passiflora quadrangularis*

CALABASH GOURD *Lagenaria leucantha*

CALABASH-TREE *Crescentia; C. cujete*

CALABA-TREE *Calophyllum calaba*

CALABRIAN SOAPWORT *Saponaria calabrica*

CALACINUM Ag MUEHLENBECKIA

CALADIUM *esculentum* . . *Colocasia esculenta*

CALADIUM BLACK C. Hort. var. of *Colocasia*

SPOTTED C. *Colocasia neoguineensis*

CALAMINTHA *alpina* *Satureia alpina*

CALAMONDIN *Citrus mitis*

CALAMPELIS ECCREMOCARPUS

Calamus-root SWEETFLAG: *Acorus calamus*

CALANDRINIA . . ROCKPURSLANE *grandiflora* COMMON R. *menziesii* (*speciosa*) . . REDMAIDS *umbellata*

PERUVIAN ROCKPURSLANE

CALANTHE See ORCHID GENERA.

CALATHEA *illustris* (*Maranta illustris*)

insignis (*M. insignis*)

makoyana (*M. makoyana*)

CALATHEA, continued

| | |
|--|--|
| <i>roseopicta</i> | |
| <i>sanderiana</i> (<i>Maranta sanderiana</i>) | |
| <i>vandenheckei</i> (<i>C. picturata</i> Ag; <i>M. vandenheckei</i>) | |
| <i>vittata</i> (<i>M. vittata</i>) | |

CALCEOLARIA **CALCEOLARIA**

Under the American Rules, the name of this genus is *Fagelia*.

herbeohybrida† Cy Voss CALCEOLARIA

See hort. var. list below.

integrifolia (*rugosa*) BUSH C.

pinnata FEATHER C.

profusa† Cy CLIBRAN C.

scabiosaefolia BEDDING C.

veitchii† Cy VEITCH C.

See hort. var. list below.

Hort. var. of **Calceolaria**:

CLIBRAN CALCEOLARIA (*Calceolaria profusa*† Cy)

VEITCH C. (*C. veitchii*† Cy)

Voss C. (*C. herbeohybrida*† Cy; *hybrida*)

CALENDULA **CALENDULA**

officinalis

(*Pot-marigold*) CALENDULA

pluvialis *Dimorphotheca annua*

pongei DOUBLE CAPE-MARIGOLD

Hort. var. of *Dimorphotheca annua*.

Calico Bush. KALMIA: *Kalmia latifolia*

CALICO COLLINSIA (*Collinsia bicolor multicolor*† Cy)

CALICOFLOWER Aristolochia elegans

CALIFORNIA BUCKEYE, CALIFORNIA BUCKTHORN, etc. See BUCKEYE, BUCKTHORN, etc.

CALIFORNIA-LAUREL *Umbellularia californica*

CALIFORNIA-NUTMEG

Torreya californica

CALIFORNIA-POPPY *Eschscholtzia*

COMMON C. *E. californica*

DOUGLAS C. *E. c. douglasii*

ORANGE C. *E. c. crocea*

THREADLEAF C. *E. tenuifolia*

CALIMERIS incisa (*Aster incisus* Ag)

CALLA *aethiopica* *Zantedeschia aethiopica*

elliottiana *Z. elliottiana*

CALLA, continued

- palustris** WILD CALLA
richardia
 Probably *Zantedeschia aethiopica*
- CALLA** *Zantedeschia*
 BLACK C. *Arum palaestinum*
 COMMON C. *Zantedeschia aethiopica*
 GOLDEN C. *Zantedeschia elliotiana*
 PLUME C. *Arisaema fimbriatum*
 SPOTTED C. *Z. albomaculata*
 WILD C. *Calla palustris*
- CALLERY PEAR** . . *Pyrus calleryana*
- CALICARPA** . . . BEAUTYBERRY
americana AMERICAN B.
japonica JAPANESE B.
purpurea (*C. dichotoma* Cy-Ag-Ar)
 CHINESE BEAUTYBERRY

Hort. var. of *Callicarpa*:
 WHITE BEAUTYBERRY (*C. americana alba* Cy)

- CALLIOPSIS** . . . COREOPSIS
CALLIOPSIS . . . *Coreopsis tinctoria*
- CALLIRHOE** . . . POPPY-MALLOW
involuta (verticillata) . . LOW P.
pedata TALL P.
- CALLISTEMMA** Ag

- CALLISTEPHUS**
- citrinus* Ag . . . BOTTLEBRUSH
coccineus . . . SCARLET BOTTLEBRUSH
cunninghamii . . CUNNINGHAM B.
floribundus . . . *C. lanceolatus*
hybridus . . . HYBRID BOTTLEBRUSH
lanceolatus (*C. citrinus* Ag; *C. floribundus*; *Metrosideros floribunda*; *M. semperflorens*)
 LEMON BOTTLEBRUSH

- robustus* STOUT B.
salignus viridiflorus . . GREEN B.
speciosus SHOWY B.
splendens
- CALLISTEPHUS** . . CHINA-ASTER
chinensis (*Callistemma chinense*
 Ag) CHINA-ASTER

Hort. var. of *C. chinensis*:
 The American Joint Committee acknowledges its indebtedness to W. H. Dildine, President of James Vick's Sons, Rochester, N. Y., who has compiled the following list of China-aster names. Among the names of originators that of James Vick's Sons is shortened to Vick.

CALLISTEPHUS (Hort. var.), continued

- AMERICA. (Vick & Hill Co.)
 AMERICAN BEAUTY. (Bodger.)
American Branching. VICK
 BRANCHING.
 AMERICAN COMET
Asternums. TRIUMPH COMET.
 AUTUMN GLORY. (Vick.)
 BEAUTY. *American Beauty*
 BETTRIDGE QUILLED
 BOLTZER DWARF BOUQUET
 BRANCHING COMET. *Hohenzollern.*
 CARDINAL. (Vick.)
Carlson Branching. VICK
 BRANCHING.
Chrysanthemum.
 This name is used indiscriminately for
 Giant Comet, American Comet, and
 Ostrich Plume.
- Crego.* MIKADO.
 CREGO PINK
 DAYBREAK IMPERIAL. (Vick.)
 EARLY WONDER
 EMPRESS
Express Comet. GIANT COMET.
 GIANT COMET. *Express Comet.*
 GIANT IMPERIAL
Hohenzollern. BRANCHING COMET.
 HEART OF FRANCE. (Vick.)
 HEART OF ROCHESTER. (Vick.)
 IMPERIAL PURITY. *Purity.*
Invincible. VICK BRANCHING.
 KING. (Vick.)
Lady Roosevelt. VICK ROSE BRANCH-
 ING.
Late Branching. VICK BRANCH-
 ING.
 LATE UPRIGHT. (Vick.)
 LAVENDER GEM. (Vick.) . .
 LAVENDER PINK. (Vick.) . .
Mary Semple. SEMPLE PINK.
 MIKADO. (Vick.) *Crego.*
 MORETON PINK. (Harris.)
 OSTRICH PLUME
Pacific Beauty. AMERICAN BEAUTY.
 PEERLESS PINK. (Dreer.)
 PEERLESS YELLOW. (Vick.)
 PINK BEAUTY. (Burpee.)
 PINK ENCHANTRESS. (Vick.)
Purity. IMPERIAL PURITY.
 QUEEN OF MARKET. *Queen of the*
Earlies.

- CALLISTEPHUS** (Hort. var.), continued
Queen of the Earlies. QUEEN OF MARKET.
 ROCHESTER. (Vick.)
 ROSY RED. (Vick.)
 ROYAL. (Vick.)
 ROYAL STRIPE. (Storrs & Harrison.)
 SEMPLE BRANCHING
 SEMPLE PINK. *Mary Semple.*
 SENSATION
 SILVERY PINK. (Vick.)
 SILVERY ROSE. (Vick.)
 SNOWDRIFT. (Vick.)
 TRIUMPH COMET. (Vick.) *Aster-mums.*
 TRUFFAUT PEONY-FLOWERED
 VICK BRANCHING. *American Branching, Carlson Branching, Invisible, Late Branching.*
 VICK ROSE BRANCHING. *Lady Roosevelt.*
 VICTORIA
 WHITE FLEECE. (Dreer.)
- CALLITRIS**
quadrivalvis ARAR-TREE
rhomboidea (australis) DROOPING CYPRESS-PINE
robusta CYPRESS-PINE
- CALLUNA** HEATHER
vulgaris (Erica vulgaris) (Scotch Heather) HEATHER
 Hort. var. of *C. vulgaris*:
 ALPORT HEATHER (*C. vulgaris alportii* Cy)
 BRUSH H. (*rigida*)
 DWARF WHITE H. (*alba minor*)
 FLESH H. (*C. vulgaris carnei* Cy)
 MOSS H. (*C. v. nana* Cy; *pygmaea*)
 RED H. (*C. v. rubra* Cy)
 SEARLE H. (*C. v. searlei* Cy)
 SLENDER H. (*tenella*)
 WHITE H. (*C. v. alba* Cy)
 WOOLLY H. (*C. v. hirsuta* Cy; *tomentosa*)
- CALOCARPUM** Ag . . . LUCUMA
- CALOCHORTUS** . . . MARIPOSA
albus WHITE GLOBE-TULIP
—rubellus (amoenus; A. albus amoenus Cy). PINK GLOBE-TULIP
 See also hort. var. list opposite.

- CALOCHORTUS**, continued
amabilis Cy
Calochortus pulchellus amabilis
amoenus *C. albus rubellus*
benthami Cy *C. monophyllus*
caeruleus SIERRA PUSSY-EARS
—maweanus *C. maweanus*
catalinae CATALINA MARIPOSA
clavatus GOLDENBOWL M.
gunnisoni GUNNISON M.
howelli HOWELL M.
leichtlini SMOKY M.
lilacinus *C. uniflorus*
luteus YELLOW MARIPOSA
—citrinus (venustus citrinus) LEMON M.
—oculatus BROWN-EYED M.
—vestae VESTA M.
macrocarpus SAGEBRUSH M.
maweanus (caeruleus maweanus) COAST PUSSY-EARS
—major BIG P.
 See also hort. var. list below.
monophyllus (C. benthami Cy) YELLOW P.
nitidus PURPLE-EYE MARIPOSA
nuttalli SEGO-LILY
plummerae (Calochortus weedi purascens Cy). SANTA MARIPOSA
pulchellus CANARY GLOBE-TULIP
—amabilis (A. amabilis Cy) GOLDEN G.
purdyi PURDY PUSSY-EARS
splendens LILAC MARIPOSA
uniflorus (lilacinus) . . FAIRY M.
venustus WHITE M.
—citrinus *C. luteus citrinus*
 See also hort. var. list below.
weedi SAN DIEGO MARIPOSA
—purpurascens Cy *C. plummerae*
 Hort. var. of *Calochortus*:
 EL DORADO MARIPOSA. Hort. var. of *C. venustus*.
 PEARL GLOBE-TULIP. Hort. var. of *C. albus*.
 PINK PUSSY-EARS (*C. maweanus roseus* Cy)

CALONYCTION . . . MOONFLOWER
aculeatum (Ipomoea bona-nox; I. noctiflora) MOONFLOWER

BOLD-face=approved scientific names. ITALIC=synonyms or unapproved names.

CALOPHYLLUM

- calaba CALABA-TREE
CALOPOGON
 pulchellus (*Limodorum tuberosum*
 Ag; *L. pulchellum*) GRASS-PINK ORCHID

- CALTHA** MARSHMARIGOLD
 leptosepala
 palustris MARSHMARIGOLD
 polypetala GREAT M.
 Hort. var. of MARSHMARIGOLD, *C.*
 palustris:

DOUBLE (*monstrosa-plena*)

SEMI-DOUBLE (*semiplena*)

- CALYCANTHUS (BUTNERIA)** SWEETSHRUB
 fertilis (*C. fertilis ferax* Ag-Ar)
 SMOOTH S.
 —glaucus (*C. fertilis* Ag-Ar) PALES.
 floridus COMMON S.
 —ovatus BROADLEAF S.
 occidentalis (*macrophyllus*) CALIFORNIA S.

- praecox* *Meratia praecox*

- CALYPSO** CALYPSO
 bulbosa (*Cytherea bulbosa* Ag;
Calypso borealis) CALYPSO

- CALYSTEGIA** . CONVOLVULUS

- CAMAROTIS** See ORCHID GENERA.

- CAMAS** See Camassia, below

- CAMASSIA** CAMAS
 cusicki (*Quamasia cusicki* Ag)

CUSICK C.

leichtlini (*Q. leichtlini* Ag)

LEICHTLIN C.

quamash (*Q. quamash* Ag; *C. esculenta*) COMMON CAMAS

- CAMELLIA** CAMELLIA

japonica COMMON C.

sasanqua SASANQUA TEA

thea Thea sinensis

- CAMOMILE** *Anthemis*

Big C. (*A. nobilis grandiflora* Cy)

COMMON C. . . . *A. nobilis*

FALSE-CAMOMILE *Matricaria*

FEVERFEW-CAMOMILE

M. parthenoides

CAMOMILE, continued

KELWAY C. Hort. var. of *Anthemis tinctoria*.

PALE C. . *Anthemis tinctoria pallida*
 WHITE-RIM C. Hort. var. of *A. tinctoria*.

YELLOW C. . . . *A. tinctoria*

CAMPANULA BELLFLOWER

alliariaefolia SPURRED B.
anabilis *C. phytidocalyx*

americana TALL BELLFLOWER
attica *C. drabifolia*

barbata . . . BEARDED BELLFLOWER

calycanthema . . . CUP-AND-SAUCER B.
 Hort. var. of *C. medium*.

carpathica CARPATHIAN B.

See also hort. var. list on page 64.

dahurica . . . *C. glomerata dahurica*
drabifolia (attica)

GREEK BELLFLOWER
glomerata DANESBLOOD

—*dahurica* DAHURIAN BELLFLOWER
 See also hort. var. list on page 64.

grandiflora Platycodon grandiflorum

grandis *C. latiloba*

grosseki GROSSEK BELLFLOWER

isophylla ITALIAN B.

lactiflora MILKY B.

latifolia GREAT B.

—*macrantha* ROYAL B.

latiloba (grandis) . . . OLYMPIC B.

longestyla

lorei (loreyi) . . . *C. ramosissima*

macrantha

A name sometimes misapplied to *C. latifolia macrantha* and to Wand Bellflower, hort. var. of *C. persicifolia*.

macrostyla ANATOLIAN BELLFLOWER

medium CANTERBURY-BELLS

See also hort. var. list on page 64.

mirabilis . . . WONDER BELLFLOWER

nobilis *C. punctata*

persicifolia

PEACHLEAF BELLFLOWER

See also hort. var. list on page 64.

phytidocalyx (amabilis)

ARMENIAN B.

portenschlagiana . . . DALMATIAN B.

primulaefolia . . . PORTUGUESE B.

CAMPANULA, continued

punctata (*nobilis*)

SPOTTED BELLFLOWER

pyramidalis CHIMNEY B.
See also hort. var. list below.*ramosissima* (*lorei*; *loreyi*)

BLUESTAR B.

rapunculoides FALSE RAMPION
rapunculus RAMPION
rhomboidalis

DIAMOND BELLFLOWER

rotundifolia HAREBELL
speculum *Specularia speculum**trachelium* COVENTRY-BELLS
turbinata TOP BELLFLOWERHort. var. of *C. carpatica*.*vanhouttei*† Cy VANHOUTTE B.
See hort. var. list below.*vidali* AZORES B.Hort. var. of *Campanula*:CUP-AND-SAUCER BELLFLOWER (*C. medium calycanthemum*† Cy)FAIRY B. Hort. var. of *C. persicifolia*.LOW CLUSTER B. (*C. glomerata acaulis*† Cy)MOERHEIM B. (*C. persicifolia moerheimi*† Cy)PETTICOAT B. (*persicifolia alba grandiflora*)SHOWY CLUSTER B. (*C. glomerata superba*† Cy)TOP B. (*C. carpatica turbinata*† Cy)VANHOUTTE B. (*C. vanhouttei*† Cy)WAND B. (*C. persicifolia macrantha*† Cy)WHITE CARPATHIAN B. (*C. carpatica alba*† Cy)WHITE CHIMNEY B. (*C. pyramidalis alba*† Cy)CAMPBELL AUBRIETIA (*A. deltoidea campbellii*† Cy)

CAMPE Ag BARBAREA

CAMPERDOWN ELM (*Ulmus glabra camperdownii*† Cy)

CAMPHORA CINNAMOMUM

CAMPHOR-TREE Cinnamomum camphora

CAMPION Lychnis; Silene
See also CATCHFLY.

ARCTIC C. . . . Lychnis alpina

CAMPION, continued

BANAT C. . . . Silene asterias
BRILLIANT C. . . . *Lychnis fulgens*CLAMMY C. . . . *L. viscaria*

CRIMSON GLOBE C.

Silene asterias *grandiflora*CROWN C. . . . *Lychnis coronata*DOUBLE RAGGED-ROBIN (*L. flosculi plenissima*† Cy)DOUBLE RED ARCTIC C. Hort. var. of *L. alpina*.DOUBLE ROSEPINK C. Hort. var. of *L. viscaria*.EVENING C. . . . *L. alba*FLAG CAMPION (*Lychnis viscaria elegans*† Cy)FLOWER-OF-JOVE *L. flos-jovis*HAAGE C. (*Lychnis haageana*† Cy)MALTESE CROSS *L. chalcedonica*MEXICAN CAMPION *Silene laciniata*MOSS C. . . . *S. acaulis*PURPLE-EYE ROSE-OF-HEAVEN (*Lychnis coelirosa oculata*† Cy)RAGGED-ROBIN *Lychnis flosculi*RED C. . . . *L. dioica*ROSE C. . . . *L. coronaria*ROSE-OF-HEAVEN *L. coelirosa*ROSEPINK C. (*Lychnis viscaria splendens*† Cy)SEA C. . . . *Silene maritima*SIEBOLD C. (*Lychnis coronata sieboldii*† Cy)SNOWY C. . . . *Silene nivea*STARRY C. . . . *S. stellata*WHITE ARCTIC C. Hort. var. of *Lychnis alpina*.WHITE MALTESE CROSS. Hort. var. of *L. chalcedonica*.

CAMPsis Cy BIGNONIA

CAMPTOSORUS WALKING FERN *rhizophyllum* WALKING FERNCAMWOOD *Baphia racemosa*

CANADA BARBERRY, CANADA BLUE-BERRY, etc. See BARBERRY, BLUEBERRY, etc.

CANAIGRE *Rumex hymenosepalus*CANANGIUM YLANG-YLANG *odoratum* YLANG-YLANG

CANARY BROOM, CANARY PINE, etc. See BROOM, PINE, etc.

CANARYBALM *Cedronella triphylla*

| | | |
|------------------------------|--|------------------------------------|
| CANBY PACHISTIMA | CANBY VIBURNUM, etc. See <i>Pachistima</i> , <i>Viburnum</i> , etc. | CANNA (Hort. var.), continued |
| CANDELABRA DAHLIA | CANDELABRA DEUTZIA, etc. See <i>Dahlia</i> , <i>Deutzia</i> , etc. | AMERICA |
| CANDLE | DESERTCANDLE <i>Eremurus</i> | AMERICAN BEAUTY |
| | SWAMPANDLE | AMERICAN FLAG |
| | <i>Lysimachia terrestris</i> | AMI PICHON |
| CANDLE ANEMONE | <i>Anemone cylindrica</i> | ANNIE LAURIE |
| CANDLENUT-TREE | | ANTOINE CROZY |
| | <i>Aleurites moluccana</i> | APHRODITE |
| CANDLESTICK LILY | . <i>Lilium dauricum</i> | APRICOT |
| CANDLETREE | . <i>Parmentiera cerifera</i> | AUGUSTA |
| CANDYTUFT | <i>Iberis</i> | <i>Augusta</i> . CUBA. |
| COMBLEAF C. | <i>I. pectinata</i> | AURORA |
| COMMON WHITE C. | <i>I. amara</i> | AUSTRIA |
| EVERGREEN C. | <i>I. sempervirens</i> | BALTIMORE |
| GIBRALTAR C. | <i>I. gibraltarica</i> | BEACON |
| PURPLE C. | <i>I. umbellata</i> | BEAUTÉ DES MARCHES |
| ROCK C. | <i>I. saxatilis</i> | BEAUTÉ POITEVINE |
| ROCKET C. | (<i>I. amara coronaria</i> † Cy) | BETSY ROSS |
| SWEET C. | <i>I. odorata</i> | BISZTRA |
| TENORE C. | <i>I. tenoreana</i> | BLACK BEAUTY |
| CANE | | BLACK PRINCE |
| DWARF C. | <i>Phyllostachys ruscifolia</i> | BLACK WARRIOR |
| SMALL C. | <i>Arundinaria tecta</i> | BLANCHE WINTZER |
| SOUTHERN C. | <i>A. macroperma</i> | BLAZING TORCH |
| SUGARCANE | <i>Saccharum officinarum</i> | BRACIA HOSER |
| | See also BAMBOO. For consolidated list of the genera, species, and varieties of Bamboo and Cane, see BAMBOO | BRANDYWINE |
| GENERA, | page 34. | BRILLIANT |
| CANISTEL | <i>Lucuma nervosa</i> | <i>Bronze Olympic</i> . POCAHONTAS |
| CANNA | <i>Canna</i> | BURBANK |
| <i>indica</i> | <i>Canna</i> | BUTTERCUP |
| Hort. var. of <i>Canna</i> : | | CALIFORNIA. <i>Klondike</i> . |
| | This list compiled by Robert Pyle, Pres. Conard & Jones Co., West Grove, Pa. | CANDELABRA |
| ABRAHAM LINCOLN | | CARMINE BEAUTY |
| ADMIRAL AVELLAN | | CHAMELEON |
| ADMIRAL SCHLEY | | CHAMPION |
| A. EISENBARTH | | CHARLES HENDERSON |
| AFRICA | | CHAUTAUQUA |
| ALBA ROSEA GRANDIFLORA. | <i>Peach-</i> <i>blow.</i> | CHEERFULNESS |
| ALBERTA | | CHEROKEE |
| ALBINO | | CHICAGO |
| ALLEMANIA | | CINNABAR |
| ALPHONSE BOUVIER | | CITY OF PORTLAND |
| ALSACE | | CLARA BARTON |
| | | CLEOPATRA |
| | | CLOTH OF GOLD |
| | | COLUMBIA |
| | | COMTE DE BOUCHAUD |
| | | COMTE DE SACHS |
| | | COMTE HORACE CHOISEL |
| | | CONARD JUNIOR |
| | | CONOWINGO |
| | | CONQUEROR |

CANNA (Hort. var.), continued

CORONET
CORONET IMPROVED
COUNT RAOUL CHANDON
CUBA. *Augusta.*
CZERNA
DAVID HARUM
DAYBREAK
DAZZLER
DEFENDER
DÉPUTÉ RAVARIN
DIRECTEUR POTIER
DIRECTOR HOLTZE
DISCOLOR
DISTINCTION
DR. BALZ. *Prof. Dr. Balz.*
DR. CAVET
DR. DOCK
DR. E. ACKERNECHT
DR. MENE
DR. NANSEN
DR. VIDAL
DRAGON
DRUID HILL
DUCHESS OF MARLBOROUGH
DUCHESS OF YORK
DUKE OF MARLBOROUGH
DUKE OF YORK
EASTERN BEAUTY
EDOUARD ANDRÉ
EGANDALE
E. G. HILL
ELDORADO
ELIZABETH HOSS
EMMA
EMPEROR OF INDIA
ENCHANTRESS
EUREKA
EVOLUTION
EXPLORATEUR CRAMPBEL
EXPRESS
FAIR PERSIAN
FAIRY QUEEN
FANAL
FAVORITE
FEUERMEER
F. F. HUNT
FIERY CROSS
FIREBIRD
FLAG OF TRUCE

CANNA (Hort. var.), continued

FLAMINGO
FLASHLIGHT
FLORENCE VAUGHAN
FLORIDA
F. NEUVESSEL
FRANÇOIS RELF
FRANZ BUCHNER
FRAU C. SIEBERT
FRAU DAISY HULTSCH
FRAU WENDHAUSEN
F. R. PIERSON
FUERST BISMARCK
GAIETY
GARAM
GARTEN INSPECTOR JUNGE
GEORGE WASHINGTON
GIANT CRIMSON
GLADIATOR
GLADIIFLORA
GLORIOSA
GOLDBIRD
GOLDEN CITY
GOLDEN EAGLE
GOLDEN GATE
GOLDEN GEM
GOLDEN PEARL
GOLDEN SCEPTRE
GOLDEN STAR
G. O. QUINTUS
GOVERNOR ROOSEVELT
GOVERNOR VON ZIMMER
GRAF OSWALD DE KERCHOVE
GRAND DUKE ERNST LUDWIG
GUSTAV GUMPBER
HALLEY COMET
HANS WERTHMULLER
HARMONY
HARRY LAING
HIAWATHA
HUGO DE VRIES. *Prof. Hugo de Vries.*
HUNGARIA
H. WEHRENPFENNIG
H. WENDLAND
HYDE PARK
IMPROVED RAINBOW
IMPROVED STELLA KANST
INDIANA
INSPECTOR EHMAN

CANNA (Hort. var.), continued

ITALIA
 JACKSON. *Jacksoni.*
 JACKSONVILLE FIRE
 JAMES H. VEITCH
 JAMES WOOD
 JANE ADDAMS
 JANUS
 J. AYMARD
 J. B. DELEUIL
 J. C. VAUGHAN
 J. D. CABOS
 J. D. EISELE
 JEAN TISSOT
 JENNIE WALLS FANNLINE
 JOHN B. DUTCHER
 JOHN LAING
 JOHN WHITE
 JUANITA
 JUPITER
 KATE F. DEEMER
 KING HUMBERT
Klondike. CALIFORNIA.
 KOROS
 KRONUS
 LA FRANCE
 LAFAYETTE
 LAHNECK
 LEON PEPIN LEHALLEUR
 LEON VASSILLIERE
 LEONARD VAUGHAN
 LEOPARD
 LITTLE GEM
 LORRAINE
 LORRAINE IMPROVED
 LOUIS COLOMB
 LOUIS REVERCHON
 LOUISE
 LOUISIANA
 LOVELINESS
 L. PATRY
 LUCIENNE GUILLAUD
 LUDWIG TEDSDORF
 LURAY
 MAID OF ORLEANS
 MAIDEN BLUSH
 MANDARIN
 MARANTA
 MARECHAL VAILLANTE
 MARS

CANNA (Hort. var.), continued

MARTHA WASHINGTON
 MARVEL
 MAURICE MUSSEY
 MENELEK
 MEPHISTO
 METEOR. *Wintzer.*
 MINE D'OR
 MINNEHAHA
 MIRIFIQUE
 MISS SARAH HILL
 MLLÉ. BERAT
 MLLÉ. BERTHINE BRUNNER
 MLLÉ. FREY
 MLLÉ. MERIENE LOMBARD
 MME. ALFRED BLANC
 MME. CELESTIN DUBOST
 MME. CROZY
 MME. FERDINAND CAYEUX
 MME. J. AYNARD
 MME. LEON LECLERC
 MME. LOUIS DRUZ
 MME. MESMER
 MME. MONTEFIORE
 MME. SALLIER
 MOHAWK
 MONS. JARRY DESLOGES
 MONT BLANC
Mont Blanc Improved. SNOWTOP
 MONTANA
 MORNING GLOW
 MORNING STAR
 MOUNT ETNA
 MRS. A. F. CONARD
 MRS. ANTOINE WINTZER
 MRS. CARL KELSEY
 MRS. C. W. WARD
 MRS. FAIRMAN ROGERS
 MRS. GEORGE A. STROHLEIN
 MRS. KATE GRAY
 MRS. PIERRE DU PONT
 MRS. WILLIAM F. DREER
 MRS. WILLIAM STONE
 MRS. WOODROW WILSON
 MUSAEFOLIA
 NERA
 NEW YORK
 NIAGARA
 NIGRICANS
 NOKOMIS

CANNA (Hort. var.), continued

OCEANUS
OLIFANT
OLYMPIA
ORANGE BEDDER
ORANGE QUEEN
OTHELLO
OTTAWA
OTTAWA IMPROVED
PANAMA
PANDORA
PAOLA RADAELLI
PAPA CANNA
PAPA NARDY
PARTHENOPE
PATRIE
PAUL BRUANT
PAUL GROTH
PAUL MARQUANT
Peach-blow. ALBA ROSEA GRANDIFLORA.
PENNNSYLVANIA
PHILADELPHIA
PIERSON PREMIER
PILLAR OF FIRE
PINK EHMAN. *Pink Ehmani.*
P. J. BERCKMANS
PLUTO
POCAHONTAS. *Bronze Olympic.*
PONCE DE LEON
POPPY
PREMIER
President. THE PRESIDENT.
PRESIDENT CLEVELAND
PRESIDENT FAURE
PRESIDENT MCKINLEY
PRESIDENT MEYER
PRIMROSE
PRINCE OF INDIA
PRINCETON
Prof. Dr. Balz. DR. BALZ.
Prof. Hugo de Vries. HUGO DE VRIES.
QUEEN CHARLOTTE
QUEEN ELEANOR
QUEEN HELEN
QUEEN OF HOLLAND
RED CROSS
RED INDIAN
RICHARD WALLACE
ROBERT CHRISTIE
ROBUSTA

CANNA (Hort. var.), continued

ROI DES ROUGES
ROSALBA
ROSE OF MAY
ROSE UNIQUE
ROSEA GIGANTEA
ROSEMAWR
ROSLINDALE
RUBIN
SALMON QUEEN
SAM TRELEASE
SAM TRELEASE IMPROVED
SAN DIEGO
SATURNUS
SECRETAIRE CHABANNE
SEMAPHORE
SENSATION
SHENANDOAH
SIR TREVOR LAWRENCE
SNOW QUEEN
SNOWTOP. *Mont Blanc Improved.*
SOPHIE BUCHNER
SOUVENIR D'ANTOINE CROZY
SOUVENIR DE CHARGUERAUD
SOUVENIR DE FRANCOIS PORCHER
SOUVENIR DE J. H. KRELAGE
SOUVENIR DE LEONIE VINNOT
SOUVENIR DE MME. HARDY
SOUVENIR DU PRESIDENT CARNOT
SPLENDOR
ST. JOHNS
ST. LOUIS
STARLIGHT
STATUE OF LIBERTY
STRIPED BEAUTY
S. T. WRIGHT
SUNBEAMS
SUNNY JIM
SUNRAY
SUNSET GLOW
SUSQUEHANNA
SZAVA
TARRYTOWN
TEMES
TENNYSON
THE GEM
THE PRESIDENT. *President.*
TRIUMPH
UNCLE SAM
VAN DEN BERG, JR.
VAROUNA
VENUS

CANNA (Hort. var.), continued

VERMILION
VICE-PRESIDENT LUIZET
VICTORY
VIRGINIA
WABASH
WAWA
WEST GROVE
WEST VIRGINIA
W. G. EISELE
WILHELM BECK
WILHELM BOFFINGER
WILLIAM GRIESINGER
WILLIAM SAUNDERS
WILMER ATKINSON
WINDMAR
WINONA
Wintzer. METEOR.
WINTZER COLOSSAL
WONDERFUL
WYOMING
YELLOW BIRD
YELLOW CROZY
ZENITH
ZEPHYR

CANNABIS HEMP
sativa COMMON H.

Hort. var. of *Cannabis*:

GIANT HEMP (*gigantea; sativa gigantea*)

CANNART REDCEDAR (*Juniperus virginiana cannartii* Cy)

CANOE BIRCH . . . *Betula papyrifera*

CANTALOUE *Cucumis melo*

CANTERBURY PALM

Hedyscepe canterburyana

CANTERBURY-BELLS

Campanula medium

CUP-AND-SAUCE C. (*C. m. caly-canthemata* Cy)

CANYON GRAPE . . . *Vitis arizonica*

CANYON-POPPY *Romneya*

BRIDAL C. *R. trichocalyx*

COULTER C. *R. coulteri*

CAPE BUGLOSS, CAPE OXALIS, etc.

See BUGLOSS, OXALIS, etc.

CAPE COD WATERLILY

Nymphaea odorata rosea

CAPE-COWSLIP *Lachenalia*

FOURCOLOR C. *L. quadricolor*

LEMON C. *L. luteola*

CAPE-COWSLIP, continued

NELSON C. *Lachenalia nelsoni*
NODDING C. *L. pendula*
THREECOLOR C. *L. tricolor*
CAPE-GOOSEBERRY *Physalis edulis*
CAPE-HONEYSUCKLE

Tecomaria capensis
CAPE-JASMINE *Gardenia florida*
DWARF C. *G. radicans*
FORTUNE C. *G. fortunei*
VEITCH C. *G. veitchii*

CAPE-MARIGOLD
Dimorphotheca; D. annua
BLUE-EYED C. *D. sinuata*
DOUBLE C. (*D. annua ligulosa*† Cy)
WINTER C. *D. aurantiaca*

CAPE-PONDWEED
Aponogeton distachyus

CAPE-WEDDINGFLOWER
Dombeya natalensis

CAPER *Capparis spinosa*

CAPNOIDES Ag *CORYDALIS*

CAPPARIS
spinosa CAPER

CAPRIOLA
dactylon (*Cynodon dactylon* Cy)
BERMUDA GRASS

CAPSICUM REDPEPPER
annuum COMMON R.
frutescens BUSH R.

CARAGANA PEA-SHRUB
arborescens SIBERIAN PEA-TREE
See also hort. var. list below.

chamlagu MONGOLIAN PEA-SHRUB
frutex (*frutescens*) . . . RUSSIAN P.
maximowicziana

microphylla LITTLELEAF P.
pygmaea DWARF P.

Hort. var. of *Caragana*:

WEEPING PEA-TREE (*C. arborescens pendula*† Cy)

CARAWAY *Carum carvi*

CARDAMINE BITTERCRESS
bulbosa BULB B.
douglasi NORTHERN B.
pratensis CUCKOOFLOWER

CARDINAL GESNERIA, CARDINAL LARK-
SPUR, etc. See *Gesneria*, LARK-
SPUR, etc.

CARDINALFLOWER . *Lobelia cardinalis*

| | | |
|---|---|--|
| CARDIOSPERMUM | HEARTSEED | CARPET BAMBOO, CARPET BENT, etc. |
| halicacabum | BALLOONVINE | See BAMBOO, BENT, etc. |
| CARDOON | Cynara cardunculus | |
| CARDUUS | | CARPINUS HORNBEAM |
| benedictus | Cnicus benedictus | betulus EUROPEAN H. |
| | | See also hort. var. list below. |
| CAREX | | caroliniana (<i>americana</i>) |
| fraseri | FRASER SEDGE | AMERICAN H. |
| morrowi | MORROW S. | |
| plantaginea | PLANTAINLEAF S. | |
| CARIB HELICONIA | Heliconia bihai | Hort. var. of <i>Carpinus</i> : |
| CARIBBEAN SPIDERLILY | Hymenocallis calathina | PURPLE HORNBEAM (<i>C. betulus purpurea</i> † Cy) |
| CARICA | PAPAYA | PYRAMID H. (<i>C. betulus pyramidalis</i> † Cy) |
| papaya | PAPAYA | WEEPING H. (<i>betulus pendula</i>) |
| CARISSA | CARISSA | CARRIERE HAWTHORN |
| acuminata | | <i>Crataegus carrieri</i> |
| bispinosa | AMATUNGULA | CARROT Daucus |
| caranda | KARANDA | COMMON C. <i>D. carota</i> |
| grandiflora | CARISSA | CARTHAGE CRAPE-JASMINE |
| CARMINE CRAB, CARMINE DEUTZIA, etc. See CRAB, DEUTZIA, etc. | | <i>Tabernaemontana grandiflora</i> |
| CARNATION | Dianthus; <i>D. caryophyllus</i> | CARTHAMUS |
| | See also PINK. | <i>tinctorius</i> SAFFLOWER |
| | For horticultural varieties of Carnation see Dianthus. | CARTHUSIAN PINK |
| CARNEGIEA | Giant Cactus | <i>Dianthus carthusianorum</i> |
| gigantea (<i>Cereus giganteus</i>) | Giant C. | CARUM |
| CAROB | Ceratonia siliqua | <i>carvi</i> CARAWAY |
| | For varieties of Carob cultivated for their fruit see American Pomological Society's List of Fruits, in Appendix. | CARYA HICORIA |
| Carolina Allspice | COMMON SWEET- SHRUB: <i>Calycanthus floridus</i> | <i>CARYOPHYLLUS</i> Ag. . EUGENIA |
| CAROLINA BUCKTHORN, CAROLINA HEMLOCK, etc. See BUCKTHORN, HEMLOCK, etc. | | CARYOPTERIS BLUEBEARD |
| CAROLINA-JESSAMINE | <i>Gelsemium sempervirens</i> | <i>incana</i> (<i>mastacanthus</i>). COMMON B. |
| | DOUBLE C. Hort. var. of <i>G. sem- pervirens</i> . | Hort. var. of <i>Caryopteris</i> : |
| CAROLINA-VANILLA | <i>Trilisa odoratissima</i> | WHITE BLUEBEARD (<i>C. incana can- dida</i> † Cy) |
| | <i>Carosella</i> (<i>Foeniculum vulgare piperi- tum</i> † Cy) ITALIAN FENNEL | CARYOTA CARYOTA |
| CARPATHIAN BELLFLOWER | <i>Campanula carpatica</i> | <i>mitis</i> (<i>sobolifera</i>) |
| CARPENTERIA | CARPENTERIA | <i>urens</i> TODDY PALM |
| california | CARPENTERIA | CASABANANA <i>Sicana odorifera</i> |
| | | CASCADE FIR, CASCADE TOOTHWORT, etc. See FIR, TOOTHWORT, etc. |
| | | CASCARA BUCKTHORN |
| | | <i>Rhamnus purshiana</i> |
| | | CASHEW <i>Anacardium occidentale</i> |
| | | CASHMERE ARALIA, CASHMERE LARK- SPUR, etc. See ARALIA, LARK- SPUR, etc. |
| | | CASIMIROA |
| | | <i>edulis</i> WHITE-SAPOTE |
| | | For cultivated varieties see WHITE- SAPOTE, in American Pomological So- ciety's List of Fruits, in Appendix. |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

- CASSANDRA** . CHAMAEDAPHNE
CASSAVA *Manihot esculenta*
CASSIA
 alata RINGWORM CASSIA
 artemisioides . . WORMWOOD SENNA
 corymbosa (*floribunda*) FLOWERY S.
 fistula GOLDEN-SHOWER
 grandis PINK-SHOWER
 laevigata SMOOTH SENNA
 marilandica WILD S.
 polyantha
 siamea (*florida*) . . . SIAMESE S.
 tomentosa WOOLLY S.
CASSIABARK-TREE *Cinnamomum cassia*
CASSIAFLOWER-TREE *Cinnamomum loureiri*
CASTALIA Ag . . . NYMPHAEA
CASTANEA . . . CHESTNUT
 For horticultural varieties of Chestnut grown for their nuts see American Pomological Society's List of Fruits and Nuts, in Appendix.
dentata (*americana*)
 AMERICAN CHESTNUT
japonica (*C. crenata* Cy-Ag-Ar)
 JAPANESE C.
mollissima HAIRY C.
pumila CHINQUAPIN
sativa (*vesca*) SPANISH CHESTNUT
 Ornamental hort. var. of *Castanea*:
 SILVERLEAF CHESTNUT (*saliva argenteo-variegata*)
CASTANOPSIS
chrysophylla . . . GIANT CHINQUAPIN
cuspidata (*Quercus cuspidata*)
 JAPANESE C.
sempervirens . . . CALIFORNIA C.
CASTANOSPERMUM
australe . MORETON-BAY-CHESTNUT
CASTILLA MEXICAN RUBBERTREE
elastica (*Castilloa elastica* Cy)
CASTILLEJA . . . PAINTED-CUP
coccinea . . . INDIAN PAINTBRUSH
foliolosa . . . WOOLLY PAINTED-CUP
indivisa TEXAS P.
martini
CASTILLO BAMBOO (*Phyllostachys bambusoides castillonis*)
- CASTILLOA** Cy . . . CASTILLA
 CASTOR-ARALIA
 Acanthopanax ricinifolium
CASTOR-BEAN . . . *Ricinus communis*
 For horticultural varieties of Castor-bean see *Ricinus*.
- CASUARINA** BEEFWOOD
cunninghamiana . CUNNINGHAM B.
equisetifolia . . . HORSETAIL-TREE
stricta (*quadrivalvis*)
- CAT GRAPE** *Vitis rubra*
CATALINA CHERRY, CATALINA NIGHT-SHADE, etc. See *CHERRY*, NIGHT-SHADE, etc.
- CATALPA** CATALPA
bignonioides (*syringaeifolia*)
 COMMON C.
 See also hort. var. list below.
- bungei** MANCHURIAN C.
 The name *Catalpa bungei* is commonly misapplied to the Umbrella *Catalpa*, a horticultural variety of *C. bignonioides*, given in the hort. var. list below. The true *C. bungei*, the Manchurian *Catalpa*, a different and distinct species, is now coming into cultivation.
- duclouxi**
fargesi
hybrida† Cy . . . TEAS CATALPA
 See hort. var. list below.
- kaempferi** (*C. ovata* Cy-Ag)
 JAPANESE C.
speciosa WESTERN C.
syringaeifolia . . . *C. bignonioides*
- Hort. var. of *Catalpa*:
GOLDEN CATALPA (*C. bignonioides aurea†* Cy)
PURPLELEAF C. (*C. hybrida purpurea†* Cy)
 TEAS C. (*C. hybrida†* Cy; *bignonioides* × *ovata*)
UMBRELLA C. (*Catalpa bignonioides nana†* Cy-Ar.; incorrectly *C. bungei*)
- CATANANCHE** . . . CUPIDS-DART
caerulea BLUE C.
 Hort. var. of *Catananche*:
BICOLOR CUPIDS-DART (*C. caerulea bicolor†* Cy)
WHITE C. (*C. c. alba†* Cy)
- CATASETUM**
 See ORCHID GENERA.

CATAWBA RHODODENDRON

*Rhododendron catawbiense*CATCHFLY *Silene*
See also CAMPION.ALPINE C. *S. alpestris*
DROOPING C. *S. pendula*
FIREPINK *S. virginica*
ORIENTAL C. *S. orientalis*
PEATPINK *S. pennsylvanica*
SAXIFRAGE C. *S. saxifraga*
SCHAFTA C. *S. schaffta*
SWEET-WILLIAM C. *S. armeria*CATCHFLY-GENTIAN
Eustoma silenifolium

CATCLAW TRUMPET

*Bignonia unguis-cati*CATESBEA LILYTHORN
spinosa HEDGE L.CATESBY PITCHERPLANT
*Sarracenia catesbaei*CATHA
edulis KATCATHAY ROSE
*Rosa multiflora cathayensis*CATJANG-PEA *Vigna catjang*CATNIP *Nepeta cataria*CATS-EAR *Hypochaeris; H. uniflora*CATTAIL *Typha*COMMON C. *T. latifolia*NARROWLEAF C. *T. angustifolia*CATTAIL GAYFEATHER
*Liatris pycnostachya*CATTLEYA
See ORCHID GENERA.

CAUCASIAN BUCKTHORN, CAUCASIAN

DAPHNE, etc. See BUCKTHORN,
DAPHNE, etc.CAULIFLOWER
*Brassica oleracea botrytis*CAULOPHYLLUM
thalictroides BLUE COHOSHCAVENDISH BANANA *Musa cavendishi*CAVENIA *Acacia cavenia*

CEANOOTHUS CEANOOTHUS

americanus JERSEY-TEA*azureus* (*C. caeruleus* Ag-Ar)

AZURE CEANOOTHUS

divaricatus TALL MOUNTAIN-LILAC*fendleri* . . . FENDLER CEANOOTHUS

CEANOOTHUS, continued

hybridus

A name loosely applied to Ceanothus hybrids of diverse parentage. See hort. var. list below.

ovatus INLAND JERSEY-TEA

prostratus MAHALA-MATS

thyrsiflorus BLUEBLOSSOM

Hort. var. of Ceanothus:

ARNOULD (*arnouldii*)

CIEL DE PROVENCE

DOUBLE WHITE (*albo-plenus*)

GLOIRE DE PLANTIERES

GLOIRE DE VERSAILLES

MARIE SIMON

ROSE (*roseus*)

CEBATHA COCCULUS

CEDAR (the true Cedar) . . . Cedrus

The common name Cedar is widely misapplied, especially to species and varieties of Juniperus (*Red Cedar*), Chamaecyparis (*White Cedar*), Libocedrus (*Incense Cedar*), Thuja (*White Cedar, Red Cedar*), Cupressus (*White Cedar*), and Cryptomeria (*Japanese Cedar*). This illustrates the importance of the principle adopted by the Joint Committee, that a common name properly belonging to one genus should not be used for a plant of another genus, except as part of a compound word; thus for Chamaecyparis thyoides, Whitecedar is advised, not White Cedar.ATLAS C. *Cedrus atlantica*CEDAR OF LEBANON . . . *C. libani*CIGARBOX-CEDAR . . . *Cedrela odorata*DEODAR *Cedrus deodara*GOLDEN ATLAS C. Hort. var. of *C. atlantica*.GOLDEN DEODAR (*Cedrus deodara aurea*† Cy)GREEN D. (*C. d. viridis*† Cy)

GROUNDCEDAR

Lycopodium complanatum

HARDY DEODAR (*Cedrus deodara verticillata*† Cy)INCENSE-CEDAR . . . *Libocedrus*LONGLEAF DEODAR (*Cedrus deodara robusta*† Cy)REDCEDAR . . . *Juniperus virginiana*SENTINEL C. (*Cedrus atlantica fastigiata*† Cy)SILVER ATLAS C. (*C. a. glauca*† Cy)

WHITECEDAR

Chamaecyparis thyoides

| | |
|---|--|
| CEDAR RETINOSPORA (<i>Chamaecyparis thyoides ericoides</i> † Cy) | CELSIA |
| CEDRELA CEDRELA | <i>arcturus</i> . . . CRETAN BEARSTAIL |
| <i>odorata</i> CIGARBOX-CEDAR | <i>cretica</i> CRETAN-MULLEIN |
| <i>sinensis</i> (<i>Toona sinensis</i> Ag) | CELTIS |
| CHINESE CEDRELA | <i>australis</i> HACKBERRY |
| CEDRONELLA CEDRONELLA | <i>mississipiensis</i> (<i>C. laevigata</i> Ag) |
| <i>cana</i> HOARY C. | SUGARBERRY |
| <i>mexicana</i> MEXICAN C. | <i>occidentalis</i> HACKBERRY |
| <i>triphylla</i> CANARYBALM | — <i>crassifolia</i> BIGLEAF H. |
| CEDRUS CEDAR | <i>reticulata</i> PALOBLANCO |
| This is the true Cedar. See note under | <i>sinensis</i> . . . CHINESE HACKBERRY |
| CEDAR. | <i>tourneforti</i> (<i>orientalis</i>) ORIENTAL H. |
| <i>atlantica</i> ATLAS CEDAR | CENTAUREA CENTAUREA |
| <i>deodara</i> DEODAR | <i>americana</i> BASKETFLOWER |
| <i>libani</i> CEDAR OF LEBANON | <i>babylonica</i> SYRIAN CENTAUREA |
| Hort. var. of <i>Cedrus</i> : | <i>benedicta</i> <i>Cnicus benedictus</i> |
| BLUE ATLAS CEDAR (<i>C. atlantica glauca</i> † Cy) | <i>cineraria</i> (<i>candidissima</i>) |
| GOLDEN ATLAS C. (<i>atlantica aurea</i>) | DUSTY-MILLER |
| GOLDEN DEODAR (<i>Cedrus deodara aurea</i> † Cy) | <i>clementei</i> . SPANISH CENTAUREA |
| GREEN D. (<i>C. d. viridis</i> † Cy) | <i>cyanus</i> CORNFLOWER |
| HARDY D. (<i>C. d. verticillata</i> † Cy) | <i>dealbata</i> PERSIAN CENTAUREA |
| LONGLEAF D. (<i>C. d. robusta</i> † Cy) | <i>gymnocarpa</i> VELVET C. |
| SENTINEL CEDAR (<i>C. atlantica fastigiata</i> † Cy) | <i>imperialis</i> . ROYAL SWEET-SULTAN |
| SILVER ATLAS C. (<i>C. atlantica argentea</i> † Ar) | <i>macrocephala</i> . GLOBE CENTAUREA |
| CEIBA CEIBA | <i>montana</i> . . . MOUNTAIN-BLUET |
| <i>pentandra</i> (<i>casearia</i> Cy; <i>Erioden-dron anfractuosum</i>) . . . CEIBA | See also hort. var. list below. |
| CELANDINE-POPPY | <i>moschata</i> (<i>odorata</i> ; <i>suaveolens</i>) |
| Stylophorum diphyllum | SWEET-SULTAN |
| CELASTRUS BITTERSWEET | <i>nigra</i> KNPAPWEED |
| <i>flagellaris</i> KOREAN B. | See also hort. var. list below. |
| <i>orbiculatus</i> (<i>articulatus</i>) | <i>odorata</i> <i>Centaurea moschata</i> |
| ORIENTAL B. | <i>orientalis</i> CAUCASIAN CENTAUREA |
| — <i>punctatus</i> CHRISTMAS B. | <i>pulcherrima</i> (<i>Aethopappus pulcher-rimus</i>) ROSE CENTAUREA |
| <i>scandens</i> (<i>Wax-work</i>) AMERICAN B. | <i>ruthenica</i> RUTHENIAN C. |
| CELERİ Ag APIUM | <i>suaveolens</i> <i>Centaurea moschata</i> |
| CELERIAC (<i>Apium graveolens r-a-paceum</i> † Cy) | Hort. var. of <i>Centaurea</i> : |
| CELERY <i>Apium graveolens</i> | CREAM KNPAPWEED (<i>C. nigra varie-gata</i> † Cy) |
| WILDCELERY <i>Vallisneria spiralis</i> | MAJOR MOUNTAIN-BLUET (<i>montana grandiflora</i>) |
| CELOSIA COCKSCOMB | PINK M. (<i>montana carnea</i>) |
| <i>argentea</i> (<i>plumosa</i>) . . . FEATHER C. | PURPLE M. (<i>montana purpurea</i>) |
| <i>cristata</i> (<i>coccinea</i>) . . . COMMON C. | ROSE M. (<i>C. montana rosea</i> † Cy) |
| <i>huttoni</i> HUTTON C. | WHITE M. (<i>C. m. alba</i> † Cy) |
| | CENTAURIDIUM . XANTHISMA |
| | CENTAURIUM |
| | <i>venustum</i> (<i>Erythraea venusta</i> Cy) |
| | PINK CENTAURIUM |

CENTRANTHUS*albus*

A name sometimes applied erroneously to the white hort. var. of *C. macrosiphon* and of *C. ruber*.

macrosiphon . . . SPUR-VALERIAN
ruber (*Valeriana coccinea*; *V. rubra*)

JUPITERSBEARD

Hort. var. of *Centranthus*:

WHITE JUPITERSBEARD (*ruber albus*)

WHITE SPUR-VALERIAN (*macrosiphon albus*)

CENTROSEMA . . . BUTTERFLY-PEA
virginianum (*grandiflora*; *Bradburya virginiana* Ag)

PIEDMONT BUTTERFLY-PEA

CENTURYPLANT . . . *Agave americana*

CEPHALANTHUS . . . BUTTONBUSH
occidentalis . . . COMMON B.

CEPHALARIA . . . CEPHALARIA
alpina YELLOW C.
tatarica TATARIAN C.

CEPHALOCEREUS
chrysomallus

Pachycereus chrysomallus
euphorbioides (*Cereus euphorbio-*
des Cy; *C. olfersii*)

polylophus (*Cereus nickelsii*)
senilis (*Pilocereus senilis*)

OLDMAN CACTUS

CEPHALOSTACHYUM
pergracile

CEPHALOTAXUS . . . PLUM-YEW
drupacea JAPANESE P.
fortunei CHINESE P.
harringtonia (*pedunculata*)

HARRINGTON P.

Hort. var. of *Cephalotaxus*:
SPIRAL PLUM-YEW (*koreaiensis*; *C.*
harringtonia fastigiata† Cy)

CERASTIUM **CERASTIUM**
arvense STARRY C.

See also hort. var. list below.

biebersteinii TAURUS C.
boissieri SPANISH C.
tomentosum SNOW-IN-SUMMER

Hort. var. of *Cerastium*:
WHITEMAT C. (*C. arvense compac-*
tum† Cy)

CERASUS PRUNUS
avium P. *avium*
caproniana P. *cerasus*
caroliniana

Laurocerasus *caroliniana*

chinensis
This name is often misapplied to *Prunus glandulosa* and *P. japonica*.

ilicifolia Prunus *ilicifolia*

integrifolia P. *lyoni*

japonica SHIDARE-HIGAN
Hort. var. of *Prunus subhirtella*.

mahaleb P. *mahaleb*

padus P. *padus*

pennsylvanica P. *pennsylvanica*

rhexi RHEX CHERRY

Hort. var. of *Prunus cerasus*.

serotina P. *serotina*

sieboldii P. *sieboldii*

CERATONIA CAROB
siliqua CAROB

For varieties of Carob cultivated for their fruit see American Pomological Society's List of Fruits, in Appendix.

CERATOPTERIS . . . WATERFERN
pteridoides

CERATOSTIGMA
plumbaginoides (*Plumbago larpen-*
tae) . . . LARPENTE PLUMBAGO

CERBERA
thevetia Ag . . . Thevetia *neriifolia*

CERCIDIOPHYLLUM
japonicum KATSURA-TREE
—sinense CHINESE K.

CERCIS REDBUD
canadensis AMERICAN R.

See also hort. var. list below.

chinensis (japonica) . . . CHINESE R.
occidentalis CALIFORNIA R.

reniformis TEXAS R.
siliquastrum JUDAS-TREE

Hort. var. of *Cercis*:
WHITE JUDAS-TREE (*C. siliquastrum*
alba† Cy)

WHITEBUD (*C. canadensis alba*† Cy)

CERCOCARPUS
ledifolius . . . MOUNTAIN-MAHOGANY

parvifolius (*C. montanus* Ag)
VALLEY-MAHOGANY

CEREUS

aethiops (*coerulescens*; *C. caerulescens* Cy)

alacriportanus

alamosensis *Rathbunia alamosensis*

amecamensis

Heliocereus amecamensis

atropurpureus . *Harrisia tortuosa*

azureus

baumanni . *Cleistocactus baumannii*

baxaniensis

Acanthocereus pentagonus

bonplandi Cy . *Harrisia bonplandi*

caerulescens Cy . *Cereus aethiops*

calcaratus . *Hylocereus calcaratus*

candicans Cy

Trichocereus candicans

The name *C. candicans* is often misapplied to *Echinocereus rigidissimus*.

chiotilla . . . *Escontria chiotilla*

coccineus . *Heliocereus speciosus*

coerulescens . . . *Cereus aethiops*

colubrinus . *Monvillea cavendishi*

costaricensis

Hylocereus costaricensis

donkelaari *Selenicereus donkelaari*

dumortieri

Lemaireocereus dumortieri

eburneus . . . L. *eburneus*

emoryi . . . *Bergerocactus emoryi*

eriophorus . . . *Harrisia eriophora*

eruca . . . *Machaerocereus eruca*

euphorbioides

Cephalocereus euphorbioides

flagelliformis

Aporocactus flagelliformis

forbesi . . . *Cereus validus*

gummatus

Myrtillocactus geometrizans

geometrizans . . . M. *geometrizans*

giganteus . . . *Carnegiea gigantea*

gracilis . . . *Harrisia gracilis*

grandiflorus

Selenicereus grandiflorus

greggi . . . *Peniocereus greggi*

gummosus

Machaerocereus gummosus

hamatus . . . *Selenicereus hamatus*

hankeanus Cy . . . *Cereus validus*

hildmannianus

irradians *Selenicereus boeckmanni*

CEREUS, continued

jamacaru . . . MANDACARU
lamprochlorus Cy

Trichocereus lamprochlorus
lemairei . . . *Hylocereus lemairei*

macdonaldiae
Selenicereus macdonaldiae

macrogonus Cy
Trichocereus macrogonus

mammillatus
Echinocereus mammillatus

marginatus . . .
Pachycereus marginatus

martianus Cy
Aporocactus martianus

martini Cy . . . *Harrisia martini*

nickelsi *Cephalocereus polylophus*

nycticallus *Selenicereus pteranthus*

obtusangulus
Epiphyllanthus obtusangulus

ocamponis . *Hylocereus ocamponis*

olfersi *Cephalocereus euphorbioides*

pecten-aboriginum
Pachycereus pectenaboriginum

pentagonus
Acanthocereus pentagonus

peruvianus
Pachycereus pringlei

repandus
The plant in cultivation under this name

is *Harrisia gracilis*. The true *Cereus repandus* of botanists is not in the trade.

rostratus . *Selenicereus hamatus*

serpentinus
Nyctocereus serpentinus

setaceus . *Mediocactus coccineus*

spachianus Cy
Trichocereus spachianus

speciosus . *Helioocereus speciosus*

spinulosus *Selenicereus spinulosus*

stellatus . . . *Trichocereus stellatus*

stenopterus *Hylocereus stenopterus*

thelegonus *Trichocereus thelegonus*

thurberi . . . *Lemaireocereus thurberi*

tortuosus . . . *Harrisia tortuosa*

triangularis *Hylocereus triangularis*

tuberous . . . *Wilcoxia poselgeri*

validus (*forbesi*; *C. hankeanus* Cy)

weberi . . . *Lemaireocereus weberi*

CEREUS

NIGHTBLOOMING C. . . *Hylocereus*

| | |
|---|-----------------------------|
| CERIMAN | Monstera deliciosa |
| CERINTHE | HONEYWORT |
| retorta | GREEK H. |
| CEROPTERIS Cy | PITYROGRAMMA |
| CERRO HAWTHORN | Crataegus cerronis |
| CERVICINA Ag | WAHLENBERGIA |
| CESTRUM | CESTRUM |
| aurantiacum | ORANGE C. |
| diurnum | DAY C. |
| elegans (<i>Habrothamnus elegans</i>) | PURPLE C. |
| fasciculatum (<i>H. fasciculatus</i>) | EARLY C. |
| nocturnum | NIGHTBLOOMING C. |
| parqui | CHILIAN C. |
| CEYLON DATE PALM | <i>Phoenix zeylanica</i> |
| CHAENOMELES Cy-Ag | CYDONIA |
| CHAEROPHYLLUM | |
| bulbosum | TURNIP-CHERVIL |
| CHAETOCHLOA | |
| italica (<i>Setaria italica</i> Cy) | MILLET |
| palmifolia (<i>Panicum palmifolium</i> Cy) | PALMGRASS |
| poiretiana (<i>P. sulcatum</i> Cy) | |
| CHAIN CACTUS | Rhipsalis paradoxa |
| CHAINFERN Woodwardia | |
| W. areolata | |
| EUROPEAN C. . . . | W. radicans |
| GIANT C. . . . | W. chamissoi |
| VIRGINIA C. . . . | W. virginica |
| CHALCAS | |
| exotica | ORANGE-JASMINE |
| CHALCEDONIAN LILY | <i>Lilium chalcedonicum</i> |
| CHALICE-VINE | Solandra; <i>S. guttata</i> |
| CHALK MAPLE | Acer leucoderme |
| CHALKLEAF BARBERRY | |
| Berberis dictyophylla | |
| CHAMAECERASUS | LONICERA |
| CHAMAECISTUS LOISELEURIA | |
| CHAMAEDRYS GERMANDER | |
| Teucrium chamaedrys | |
| CHAMAECYPARIS | |
| lawsoniana (<i>Cupressus lawsoniana</i>) | LAWSON CYPRESS |
| nootkatensis (<i>C. nutkaensis</i> ; <i>Thujopsis borealis</i>) | Nootka CYPRESS |
| obtusa | HINOKI C. |

CHAMAECYPARIS, continued

| | |
|---|--------------------|
| pisifera | SAWARA RETINOSPORA |
| thyoides (<i>sphaeroides</i>) | WHITECEDAR |
| Hort. var. of Chamaecyparis: | |
| ANDELY RETINOSPORA (<i>C. thyoides andelyensis</i> † Cy; <i>Retinospora leptoclada</i>) | |
| BLUE COLUMN CYPRESS (<i>C. lawsoniana erecta glauca</i> Cy) | |
| BLUE NOOTKA C. (<i>C. nootkatensis glauca</i> † Cy) | |
| BLUE WHITECEDAR (<i>C. thyoides glauca</i> † Cy) | |
| CEDAR RETINOSPORA (<i>C. thyoides ericoidea</i> † Cy) | |
| CLUBMOSS R. (<i>C. obtusa lycopodioides</i> † Cy) | |
| CREAM CYPRESS (<i>C. lawsoniana albospicata</i> † Cy) | |
| DWARF HINOKI C. (<i>Chamaecyparis obtusa nana</i> † Cy) | |
| DWARF LAWSON C. (<i>C. lawsoniana nana</i> † Cy) | |
| FERNSPRAY RETINOSPORA (<i>C. obtusa filicoides</i> † Cy) | |
| FOOTBALL CYPRESS (<i>C. obtusa compacta</i> † Cy) | |
| FOUNTAIN LAWSON C. (<i>C. lawsoniana gracilis</i> † Cy) | |
| GOLDEN HINOKI C. (<i>Chamaecyparis obtusa aurea</i> † Cy) | |
| GOLDEN LAWSON C. (<i>C. lawsoniana lutea</i> † Cy) | |
| GOLDEN SAWARA RETINOSPORA (<i>C. pisifera aurea</i> † Cy) | |
| GOLDENPLUME R. (<i>C. pisifera plumosa aurea</i> Cy; <i>Retinospora plumosa aurea</i>) | |
| GREEN COLUMN CYPRESS (<i>C. lawsoniana erecta viridis</i> Cy) | |
| Moss RETINOSPORA (<i>C. pisifera squarrosa</i> † Cy; <i>Retinospora veitchii</i>) | |
| PLUME R. (<i>C. pisifera plumosa</i> † Cy; <i>Retinospora plumosa</i>) | |
| PYGMY HINOKI CYPRESS (<i>C. obtusa pygmaea</i> † Cy) | |
| SANDER RETINOSPORA (<i>C. o. ericoides</i> † Cy; <i>Retinospora sanderi</i> ; <i>Juniperus sanderi</i>) | |
| SCARAB CYPRESS (<i>C. lawsoniana alumii</i> † Cy) | |

- CHAMAECYPARIS** (Hort. var.), continued
- SENTRY CYPRESS (*Chamaecyparis lawsoniana pyramidalis*† Cy)
 - SILVER LAWSON C. (*C. lawsoniana argentea*† Cy)
 - SILVERTIP HINOKI C. (*C. obtusa albospicata*† Cy)
 - SILVERTIP RETINOSPORA (*C. pisifera plumosa argentea* Cy)
 - SLENDER HINOKI CYPRESS (*obtusa gracilis*)
 - STEEL C. (*Chamaecyparis lawsoniana glauca*† Cy)
 - THREAD RETINOSPORA (*C. pisifera filifera*† Cy; *obtusa filifera*; *Retinospora filifera*)
 - TRIOMPHE DE BOSKOOP CYPRESS.
Hort. var. of *C. lawsoniana*.
 - VARIEGATED WHITECEDAR (*C. thyoides variegata*† Cy)
 - VEITCH CYPRESS (*lawsoniana glauca veitchii*)
 - WEEPING HINOKI C. (*obtusa pendula*)
 - WEEPING LAWSON C. (*C. lawsoniana pendula*† Cy)
 - WESTERMANN C. (*lawsoniana westermanni*)
 - WHITE SENTRY C. (*C. lawsoniana pyramidalis alba* Cy)
 - WISSEL C. (*lawsoniana wisseli*)
 - YELLOWTIP HINOKI C. (*C. obtusa gracilis aurea* Cy)
 - YOUNGS C. (*Chamaecyparis lawsoniana youngii*† Cy)
- CHAMAEDAPHNE**. LEATHERLEAF
calyculata (*Andromeda calyculata*;
Cassandra calyculata)
- LEATHERLEAF
- CHAMAElixirum**
- luteum* FAIRYWAND
- CHAMAENERION** . EPILOBIUM
- CHAMAEPERICLYMENUM**
- CORNUS
- CHAMAEPEUCE** . . . CIRSIUM
- CHAMAEROPS** . . . HAIR PALM
- excelsa* . . . *Trachycarpus excelsa*
 - fortunei* T. *fortunei*
 - humilis* HAIR PALM
 - nepalensis* . *Trachycarpus martiana*

- Hort. var. of **Chamaerops humilis**:
- CANARY HAIR PALM (*C. canariensis*)
 - LADY P. (*C. elegans*)
 - CHAMBERLAYN REDCEDAR (*Juniperus virginiana chamberlainii*† Cy)
 - CHAMELEON AMARANTH
- Amaranthus salicifolius*
- CHAMISO
- Adenostoma; *A. fasciculatum*
- CHAMISSO LUPINE
- Lupinus chamissonis*
- Chamomile Camomile
- CHAMPIN GRAPE . . . *Vitis champini*
- CHAPARRAL LILY, CHAPARRAL SNAP-DRAGON, etc. See LILY, SNAP-DRAGON, etc.
- CHARIEIS**
- heterophylla* (*Kaulfussia ameloides*)
- CHARLOCK *Brassica arvensis*
- CHASTE-TREE Vitex
- CUTLEAF C. . *Vitex negundo incisa*
 - LILAC C. . . . *V. agnus-castus*
 - NEGUNDO C. . . . *V. negundo*
 - WHITE CHASTE-TREE (*Vitex agnus-castus alba*† Cy)
- CHAYOTA** CHAYOTE
- edulis* (*Sechium edule* Cy) CHAYOTE
- CHAYOTE *Chayota edulis*
- CHECKERBLOOM Sidalcea malvaeflora
- PURPLE C. (*S. m. atropurpurea*† Cy)
 - SATIN C. (*S. m. listeri*† Cy)
- CHECKERED FRITILLARY, CHECKERED RATTLESNAKE-PLANTAIN, etc.
- See FRITILLARY, RATTLESNAKE-PLANTAIN, etc.
- CHEDDAR PINK . . . *Dianthus caesius*
- CHEILANTHES** LIPFERN
- covillei* COVILLE L.
 - fendleri* FENDLER L.
 - siliquosa* (*Pellaea densa* Cy)
- PODFERN
- tomentosa* . . . WOOLLY LIPFERN
- CHEIRANTHUS** . . . WALLFLOWER
- Some authors maintain that under the American Code the proper name of this genus is Cheiri.
- allioni
- cheiri . . . COMMON WALLFLOWER
- semperflorens . . . MOROCCO W.

CHEIRINIA **ERYSIMUM**

CHELONE **TURTLEHEAD**
barbata *Pentstemon barbatus*
glabra (alba) **WHITE TURTLEHEAD**
lyoni **PINK T.**
obliqua **ROSE T.**

CHENGTU LILAC . *Syringa sweginzowii*

CHENILLE COPPERLEAF . *Acalypha hispida*

CHENOPODIUM **GOOSEFOOT**
bonus-henricus **GOOD-KING-HENRY**
botrys (*Ambrosia mexicana*)

JERUSALEM-OAK

quinoa **QUINOA**

CHERIMOYA **Annona cherimola**
 For cultivated varieties of Cherimoya
 see American Pomological Society's List
 of Fruits, in Appendix.

CHEROKEE ROSE *Rosa laevigata*

CHERRY **Prunus**

See also APRICOT and PLUM.

For varieties of Cherry cultivated for
 their fruit, see American Pomological
 Society's List of Fruits, in Appendix.

For ornamental horticultural varieties
 of Cherry, including the Japanese Flow-
 ering Cherries, see Prunus.

AMUR C. **Prunus maackii**

BESSEY C. **P. besseyi**

BLACK C. **P. serotina**

BRISTLELEAF MAME C.

P. incisa serrata

BRUSH-CHERRY *Eugenia* species

BUSH C. **Prunus fruticosa**

CATALINA C. **P. lyoni**

CHINESE BUSH C. **P. japonica**

CHOKECHERRY **Prunus** species

CONRADINA CHERRY . *P. conradinae*

CORNELIAN-CHERRY . *Cornus mas*

DOUBLEFLOWERING CHERRY (*P.*

avium plena† Cy)

EUROPEAN BIRD C. . *Prunus padus*

EVERBLOOMING C. (*Prunus cerasus*
semperflorens† Cy)

GROUNDCHERRY *Physalis*

HARBINGER C. (*Prunus padus com-*
mutata† Cy)

HIGAN C. *Prunus subhirtella*

HITOYE C. *P. lannesiana*

HOLLYLEAF C. *P. ilicifolia*

CHERRY, continued

JERUSALEM-CHERRY

Solanum pseudocapsicum

MADDEN-CHERRY **Maddenia**

MAHALEB C. *Prunus mahaleb*

MAME C. *P. incisa*

MAZZARD *P. avium*

MIYAMA C. *P. maximowiczii*

NANKING C. *P. tomentosa*

ORIENTAL C. *P. serrulata*

PIN C. *P. pennsylvanica*

RHEX C. (*P. cerasus rhexifera† Cy*)

SAND C. *P. pumila*

SARGENT C.

P. serrulata sachalinensis

SIEBOLD C. *P. sieboldii*

SOUR C. *P. cerasus*

SURINAM-CHERRY . *Eugenia uniflora*

TAIWAN C. *Prunus campanulata*

TAKANE C. *P. nipponica*

WEEPING BUSH C. (*P. fruticosa pendula† Cy*)

WILD ORIENTAL C.

P. serrulata spontanea

YOSHINO C. *P. yedoensis*

CHERRY CRAB, CHERRY ELAEAGNUS,

etc. See CRAB, ELAEAGNUS, etc.

CHERRYBLOSSOM DEUTZIA (*D. myri-*
anthia† Cy)

CHERRY-LAUREL *Laurocerasus*

BERTINI C. (*L. officinalis bertinii†*)

CAROLINA C. *L. caroliniana*

CAUCASIAN C. (*L. officinalis cau-*
casica†)

COLCHIS C. (*L. o. colchica†*)

ENGLISH C. *L. officinalis*

PORTUGAL-LAUREL *L. lusitanica*

SHIPKA C. (*L. officinalis schip-*
kaensis†)

SHORTLEAF C. (*L. o. rotundifolia†*)

VERSAILLES C. (*L. officinalis ver-*
sailensis†)

CHERRY-ORANGE

AFRICAN C. *Citropsis schweinfurthii*

CHERRystone JUNIPER

Juniperus monosperma

CHERVIL *Anthriscus cerefolium*

TURNIP-CHERVIL

Chaerophyllum bulbosum

- CHESTNUT *Castanea*
 For hort. var. of Chestnut grown for
 their nuts, see American Pomological
 Society's List of Fruits and Nuts, in
 Appendix.
- AMERICAN C. . . *Castanea dentata*
 CHINQUAPIN *C. pumila*
 GUIANA-CHESTNUT *Pachira aquatica*
 HAIRY C. . . . *Castanea mollissima*
 HORSECHESTNUT
 Aesculus; A. hippocastanum
 JAPANESE C. . . . *Castanea japonica*
 MORETON-BAY-CHESTNUT
 Castanospermum australe
 SILVERLEAF C. Hort. var. of
 Castanea sativa.
 SPANISH C. *C. sativa*
 WATERCHESTNUT *Trapa; T. natans*
 CHESTNUT OAK . . . *Quercus prinus*
 CHICKASAW PLUM *Prunus angustifolia*
 CHICKPEA *Cicer; C. arietinum*
 CHICORY *Cichorium intybus*
 WHITE C. Hort. var. of *C. intybus*
 CHILDS GLADIOLUS *Gladiolus childsi*
 CHILE-AGERATUM
 Eupatorium glechonophyllum
 CHILE-BELLS *Lapageria*
 RED C. *L. rosea*
 WHITE C. (*L. r. albiflora*† Cy)
 CHILE-GUAVA *Myrtus ugni*
 CHILE-JASMINE
 Mandevilla suaveolens
 CHILE-NETTLE *Loasa*
 TRICOLOR C. *L. tricolor*
 CHILIAN BARBERRY, CHILIAN CES-
 TRUM, etc. See BARBERRY,
Cestrum, etc.
 CHILOE AVENS, CHILOE STRAWBERRY,
 etc. See AVENS, STRAWBERRY,
 etc.
- CHILOPSIS DESERTWILLOW
linearis (saligna) . DESERTWILLOW
 Hort. var. of *Chilopsis*:
 WHITE DESERTWILLOW (*linearis*
alba)
- CHIMAPHILA PIPSISSEWA
maculata STRIPED P.
umbellata COMMON P.
 CHIMNEY BELLFLOWER
 Campanula pyramidalis
- CHIMONANTHUS . . . MERATIA
 CHINA FLEECEVINE
 Polygonum auberti
 CHINA-ASTER *Callistephus chinensis*
 CHINABERRY . . . *Melia azedarach*
 CHINA-FIR
 Cunninghamia; C. lanceolata
 CHINESE ABELIA, CHINESE APPLE,
 etc. See *Abelia*, *APPLE*, etc.
 CHINESE-HOUSES . . *Collinsia bicolor*
 CHINESE-POPPY
 YELLOW C. *Meconopsis integrifolia*
 CHINQUAPIN *Castanea pumila*
 CALIFORNIA C.
 Castanopsis sempervirens
 GIANT C. *Castanopsis chrysophylla*
 JAPANESE C. *Castanopsis cuspidata*
 CHINQUAPIN OAK
 Quercus muhlenbergii
- CHIONANTHUS . . . FRINGETREE
retusa CHINESE F.
virginica WHITE F.
- CHIONODOXA GLORY-OF-THE-SNOW
luciliae GLORY-OF-THE-SNOW
 CHIVE *Allium schoenoprasum*
- CHLIDANTHUS
 fragrans
- CHLORIS FINGERGRASS
gayana RHODES GRASS
polydactyla (barbata)
virgata (C. elegans Cy)
 FEATHER FINGERGRASS
- CHLOROCODON
 whitei (*Mondia whitei* Ag.)
 MUNDI-ROOT
- CHLOROPHYTUM
 comosum (*Anthericum comosum*)
 elatum (*A. vittatum*)
 Chocolate-tree
 CACAO: *Theobroma cacao*
- CHOISYA MEXICAN-ORANGE
ternata MEXICAN-ORANGE
 CHOKEBERRY *Aronia*
 BLACK C. *A. melanocarpa*
 GLOSSY C. *A. m. elata*
 GREAT BLACK C. *A. m. grandifolia*

CHOKEBERRY, continued

PURPLE C. . . *Aronia atropurpurea*
RED C. *A. arbutifolia*

CHOKECHERRY

AMBER C. (*Prunus virginiana leucocarpa* Cy)

BLACK WESTERN C.

Prunus demissa melanocarpa
COMMON C. *P. virginiana*
WESTERN C. *P. demissa*

CHONDRORHYNCHA

chestertoni

CHORISIA

speciosa FLOSS-SILK-TREE

CHORIZEMA

ilicifolium

CHOROGI *Stachys sieboldi*

CHRISTEYE INULA *Inula oculus-christi*

CHRIST-THORN *Paliurus spina-christi*

CHRISTMAS CACTUS, CHRISTMAS FERN,
etc. See CACTUS, FERN, etc.

CHRISTMASBERRY *Photinia arbutifolia*

CHRISTMAS-ROSE . *Helleborus niger*

CHROSPERMA Ag. ZYGADENUS

CHYSALIDOCARPUS

lutescens (*Areca lutescens*)

YELLOW PALM

CHRYSAMPHORA Ag.

DARLINGTONIA

CHRYSANTHEMUM (PYRETH-

RUM) CHRYSANTEMUM

arcticum ARCTIC C.

balsamita (*Tanacetum balsamita*;

C. majus Ag.) COSTMARY

burridgeanum

BURRIDGE CHRYSANTEMUM

Hort. var. of *C. carinatum*.

carinatum (*tricolor*) . ANNUAL C.

coccineum (*roseum*; *Pyrethrum*

hybridum; *P. carneum*; *P. roseum*

Hort.) PAINTED LADY

coreanum

KOREAN CHRYSANTEMUM

coronarium CROWNDAY

corymbosum (*P. corymbosum*)

frutescens MARGUERITE

hortorum

COMMON CHRYSANTEMUM

See also common-name list on page 81.

CHYSANTHEMUM, continued

indicum (*japonicum*)

MOTHER CHRYSANTEMUM

inodorum *Matricaria inodora*

lacustre (*latifolium*)

PORTUGUESE CHRYSANTEMUM

leucanthemum OXEYE DAISY

majus Ag. *C. balsamita*

maximum

PYRENEES CHRYSANTEMUM

See also common-name list on page 81.

morifolium (*sinense*) MULBERRY C.

multicaule CLUMP C.

nipponicum NIPPON OXEYE DAISY

parthenium (*P. parthenifolium*)

FEVERFEW

See also common-name list on page 81.

segetum CORN-MARIGOLD

sinense *C. morifolium*

tchihatchewi (*P. tchihatchewi*)

TURFING DAISY

tricolor *C. carinatum*

uliginosum (*P. uliginosum*)

GIANT DAISY

Hort. var. of Chrysanthemum:

Because of the large number of horticultural varieties of Chrysanthemum the hort. var. list and the common-name list have been combined in the special list below.

CHYSANTHEMUM . Chrysanthemum

The following list is made up from available catalogues of a few leading dealers and from the Standard Cyclopaedia of Horticulture, 1914 edition, and of necessity is far from complete, for no authority was found who was willing to undertake the preparation of a critical list. It must be considered therefore as only tentative, a basis merely for future revisions. The varieties taken from dealers' catalogues are usually classed as hardy, though some are used in the greenhouse also. The varieties taken from Bailey's Cyclopaedia are usually classed as greenhouse, though some are used outdoors.

EXPLANATION OF ABBREVIATIONS

Catalogues

Bay S. Bay State Nurseries, North Abington, Mass.

B. & A. Bobbink & Atkins, Rutherford, N. J.

Cy. Bailey's Standard Cyclopaedia of Horticulture, 1914 edition.

Dreer Henry A. Dreer, Philadelphia, Pa.

CHRYSANTHEMUM, continued

- Farq. R. & J. Farquhar Company,
Boston, Mass.
Pier. A. N. Pierson, Inc., Crom-
well, Conn.
Smith Elmer D. Smith & Co.,
Adrian, Mich.
Totty Charles H. Totty, Madison,
N. J.

Classification

- | | |
|-----------|-------------------|
| An. | Anemone |
| Ast. | Aster |
| But. | Button |
| Dec. | Decorative |
| Hairy | Hairy |
| Inc. | Incurved |
| Jap. | Japanese |
| Jap. An. | Japanese Anemone |
| Jap. Inc. | Japanese Incurved |
| Lrg. An. | Large Anemone |
| Lrg. Fl. | Large-flowered |
| Lrg. Sin. | Large Single |
| Pom. | Pompon |
| Pom. An. | Pompon Anemone |
| Ref. | Reflexed |
| Sin. | Single |
| Sm. Fl. | Small-flowered |
| Sm. Sin. | Small Single |

The varieties in the following list, except as indicated, belong to *C. hortorum*, a group of cultivated Chrysanthemums treated as a species but supposed to have been derived, through long continued hybridization, from *C. indicum* and *C. morifolium*.

- A. BARHAM. Dec. (B. & A.; Totty.)
ABERDEEN. Pom. (Bay S.)
ACTO. Pom. (B. & A.)
ADA SWEET. Pom. An. (Cy.)
ADELAIDE. Pom. (Totty.)
ADELPHIA. Pom. (Smith.)
ADIRONDA. But. (Smith; Totty.)
ADMIRAL BEATTY. Inc. (Totty.)
ADONIS. Ref. (Smith.)
ADRIANS PRIDE. Lrg. Fl.? (Smith.)
ADUANA. Ref. (Smith.)
AESTHETIC. Inc. (Cy.)
AGRIPPINA. Pom. (Bay S.)
ALASKA. Hort. var. of *C. maximum*.
ALICE DAY. Jap. Inc. (Totty.)
ALICE HOWELL. Sin. (Cy.; Smith.)
ALMA. Pom. (Cy.)
A. NEILSON. Pom. (Bay S.)
ANGELO. Pom. (Smith.)
ANNA. Sin. (Smith.)
ANNA H. CONDUCT. Sin. (Totty.)
ANNA L. MORAN. Pom. (Totty.)

CHRYSANTHEMUM, continued

- ANNA MARY. Sm. Fl. (Farq.)
ANNETA. Pom. (Smith.)
ANNUAL C. *C. carinatum*.
ANOKA. Pom. (Smith.)
ANTIGONE. Lrg. Fl. (Smith.)
ANTIQUÉ. (Totty.)
ANTOINE LANQUETOT. Dec.
(B. & A.)
AQUITANE. Dec. (Pier.)
ARCTIC C. *C. arcticum*.
ARLEE. Lrg. Sin. (Cy.)
ARTEMIS. Sin. (Totty.)
ARTISAN. Jap. (Smith.)
ARTISTA. Lrg. Fl. (Smith.)
ARTISTIC QUEEN. Jap. Inc. (Cy.)
ARVEDE BARINE. Hairy (Cy.)
AUGUST DASSE. Pom. (Smith.)
AUTOCRAT. Jap. Inc. (Totty.)
AUTUMN BEAUTY. Dec. (Totty.)
AUTUMN GLOW. Lrg. Fl. (Dreer.)
AUTUMN QUEEN. Pom. (Bay S.)
AZELDA. An.? (Smith.)
BABY. But. (Totty.)
BABY DOLL. But. (Smith.)
BABY MARGARET. But. (Totty.)
BALDWIN SCARLET. Pom. (Dreer.)
BALTIMORE. But. (Totty.)
BARBARA DAVIS. Dec. (Totty.)
BEATRICE. Sin. (Totty.)
BEATRICE ASMUS. An. (Smith.)
BEAUTY OF TRURO. Hairy. (Cy.)
BECKY McLANE. But.? (Totty.)
BELLE MAUVE. Dec. (B. & A.; Totty.)
BEN WELLS. Lrg. Fl. (Smith.)
BENTEN. Jap.? (Totty.) *Goddess of Beauty*.
BERGEN. MRS. CLIFFORD BRIGHAM.
BERTHA FAIRS. Sin. (Totty.)
BESSIE FLIGHT. An. (Smith.)
BETH. Ast. (Dreer.)
BETSY ROSS. Inc. (Smith.)
BILLANCOURT. Dec. (Totty.)
BILLIE BURKE. But. (Smith.)
BLACK HAWK. (Smith.)
BLAZING STAR. Sin. (Smith.)
BOB PULLING. Lrg. Fl. (Smith; Totty.)
BOHEMIA. Lrg. Fl. (Farq.)
BOL D'OR. Lrg. Fl. (Totty.)
BORDER BEAUTY. Dec. (Totty.)

CHRYSANTHEMUM, continued

BOSTON. Pom. (Bay S.)
 BRADSHAW. Lrg. Fl. (Farq.)
 BRIGHT EYES. But. (Smith.)
 BRONZE BUCKINGHAM. Sin. (Totty.)
 BRONZE DOTY. Pom. (Totty.)
 BRONZE MOLLY. Lrg. Sin. (Totty.)
 BRONZE QUEEN. Ast? (Smith.)
 BRONZE SOURCE D'OR. Dec. (Pier.)
 BRONZE UNAKA. Jap. Inc. (Totty.)
 BROWN BESSIE. Pom. (Pier.)
 BRUNE POITEVINE. Dec. (B. & A.)
 BRUTUS. Pom. (Bay S.; Smith.)
 BUENA. But. (Smith.)
 BURRIDGE. Hort. var. of *C. carinatum*. *Burridgeanum*.
 BUTLERS CAPRICE. Pom. (Smith.)
 BUTTON ROSE. But. (Smith.)
 CALEDONIA. Sin. (Smith.)
 CALUMET. Lrg. Fl. (Smith; Totty.)
 CAPRICE DU PRINTEMPS. Dec. (Totty.)
 CAPTAIN COOK. Pom. (Totty.)
 CARLOTTA. Sin. (Totty.)
 CARMELITE. Dec. (B. & A.; Totty.)
 CARRIE. Dec. (B. & A.) *Glory of Seven Oaks, Seven Oaks.*
 CATHERINE LIVINGSTONE. Sin. (Smith.)
 CEDDIE MASON. Sin. (Smith.)
 CERISE QUEEN. Sm. Fl. (Farq.)
 CETA. Pom. (Smith.)
 CHADWICK IMPROVED. Jap. Inc. (Smith.)
 CHALDON. Dec. (Pier.)
 CHAMP D'OR. Dec. (B. & A.)
 CHAMPAGNE. Dec. (B. & A.)
 CHARLES FAIRS. Sin. (Totty.)
 CHARLES H. TOTTY. Lrg. Fl. (Smith; Totty.)
 CHARLES JOLLY. Dec. (Totty.)
 CHARLES RAGER. Inc. (Smith.)
 CHARLOTTE WAITE. Sin. (Totty.) *Waite.*
 CHESTNUT. Pom. An. (Smith.)
 CHEYENNE. Jap. Inc. (Smith.)
 CHIEFTAIN. Inc. (Smith; Totty.)
 CHRISTMAS GOLD. But. (Smith.)
 CHRISTY MATHEWSON. Jap. (Smith.)

CHRYSANTHEMUM, continued

CHRYSOLORA. Inc. (Smith; Totty.)
 CINDERELLA. Sin. (Pier.)
 CLARA JAMESON. Pom. (Totty.)
 CLARE. But. (Smith.)
 CLARICE. Pom. (Smith.)
 CLEMENCIA. Jap. An. (Totty.)
 CLORINDA. Pom. (Cy.; Smith.)
 CLUMP C. *C. multicaule*.
 COED. An. (Smith.)
 COLONEL APPLETON. Inc. (Smith.)
 COMETO. Pom. (Smith.)
 COMMON C. *C. hortorum*.
 COMTESSE DE CARIEL. Dec. (B. & A.)
 CONNIE DICK. Pom. (Totty.) *Yellow Doty.*
 CORN-MARIGOLD. *C. segetum*.
 CORPORAL J. FRED PIPER. Lrg. Fl. (Smith; Totty.)
 COSTMARY. *C. balsamita*.
 COUNTESS EGMONT. Sin. (Totty.)
 CRANFORD PINK. Dec. (Pier.)
 CRANFORD WHITE. Dec. (Pier.)
 CRANFORD YELLOW. Dec. (Pier.)
 CRANFORDIA. Dec. (Pier.)
 CRIMSON PRIDE. Pom. (Bay S.)
 CRIMSON QUINTUS. Dec. (Totty.)
 CRIMSON SOURCE D'OR. Dec. (Totty.)
 CRISTA. But. (Smith.)
 CROCUS. Jap. (Cy.)
 CROWNDIASY. *C. coronarium*.
 CRYSTAL GEM. Lrg. Fl. (Totty.)
 DAIKOKU. Jap.? (Totty.) *God of Wealth.*
 DAILY MAIL. Inc. (Smith.)
 DAINTY. Sm. Sin. (Totty.)
 DAINTY MAID. But. (Smith.)
 DAISY. Pom. (Smith.)
 DAWN. Sm. Fl. (Farq.)
 DAZZLER. Sin. (Smith.)
 DEBUTANTE. Dec. (B. & A.; Totty.)
 DECEMBER BEAUTY. Inc. (Smith.)
 DECEMBER GEM. Jap. (Cy.; Smith.)
 DECEMBER QUEEN. Jap. Inc. (Smith.)
 DELIGHT. Ref. (Totty.)

CHRYSANTHEMUM, continued

DELPHINE DODGE. Pom. (Pier.; Totty.)
 DIANA. Pom. (Pier.)
 DIANTHA. Pom. An. (Cy.)
 DICK WITTERSTAETTER. Ref. (Cy.)
 DINIZULU. Sm. Fl. (Farq.)
 DOLLY DUNCAN. Lrg. Sin. (Totty.)
 DONALD. Pom. (Totty.)
 DOROTHY. Ast.? (Smith.)
 DOROTHY GISH. But. (Smith.)
 DR. ENGUEHARD. Lrg. Fl.? (Smith; Totty.)
 DUNDEE. Lrg. Fl. (Farq.)
 EARL KITCHENER. Lrg. Fl. (Totty.)
 EARLY FROST. (Totty.)
 EARLY ROSE. Inc? (Smith; Totty.)
 EDDIE KNOPPING. Jap. Inc.? (Totty.)
 EDEN. Dec. (Pier.)
 EDEN NONIN. Dec. (B. & A.)
 EDINA. Pom. (Smith.)
 EDWIN SEIDEWITZ. Inc. (Smith.)
 ELBERON. Inc. (Smith.)
 ELEANOR. Jap. An. (Totty.)
 ELIZABETH. But. (B. & A.)
 ELIZABETH JAMISON. Jap.? (Totty.)
 ELKTON. But. (Totty.)
 ELSA. Sing. (Totty.)
 E. M. BENSON. (Totty.)
 EMBERTA. Inc. (Cy.)
 ERMINIE. Sm. Fl. (Farq.)
 ERNEST COOPER. Lrg. An. (Cy.)
 ETHEL BLADES. Dec. (B. & A.)
 EUGENE LANGAULET. Pom. An. (Totty.)
 EXCELLENCE. Lrg. Fl. (Farq.)
 EXCELSIOR. Lrg. Sin. (Totty.)
 FAIRY QUEEN. Pom. (Smith.)
 FASCINATION. Sin. (Pier.)
 FELICITY. Lrg. Sin. (Cy.)
 FERNRIDGE. Sin. (Totty.)
 FEVERFEW. *C. parthenium*.
 FIREBIRD. Pom. (Smith.)
 FIRELIGHT. Dec. (Pier.)
 FLEUVE ROUGE. Dec. (B. & A.)
 FLORENCE STANTON. Dec. (Totty.)
 FLORHAM QUEEN. Pom. (Totty.)
 FRANCES HUCKVALE. Pom. (Totty.)

CHRYSANTHEMUM, continued

FRANCIS. Dec. (B. & A.)
 FRANCIS JOLLIFFE. Lrg. Fl. (Smith.)
 FRANK WILCOX. Pom. (Smith.)
 FRANK WILCOX, JR. But. (Smith.)
 FRED J. Lrg. Fl. (Farq.)
 FRENSY. Pom. (Bay S.)
 FRISON D'OR. Hairy. (Cy.)
 F. S. VALLIS. Lrg. Fl. (Totty.)
 GARZA. An. (Smith; Totty.)
 GASTON QUINEAUX. Dec. (Totty.)
 GENERAL ALLENBY. Ref. (Totty.)
 GENEVIEVE. Lrg. Sin. (Totty.)
 GEORGE HAWKINS. Lrg. An. (Cy.)
 GEORGE J. BRUZARD. Lrg. Fl. (Smith.)
 GEORGE W. CHILDS. (Smith.)
 GERTRUDE WILSON. Pom. An. (Cy.)
 GIANT DAISY. *C. uliginosum*.
 GILDA. Pom. (Smith.)
 GIPSY. Sin. (Pier.)
 GLADYS SPAULDING. Lrg. An. (Cy.)
 GLEN COVE. Jap. (Cy.; Smith.)
 GLENARTNEY. Jap.? (Totty.)
 GLENVIEW. Jap. (Smith.)
 GLOBE D'OR. Ast. (Dreer.)
 GLOIRE DE FRANCE. Lrg. Fl. (Farq.)
 GLORIA. (Totty.)
 GLORIANNA. Sin. (Totty.)
Glory of Seven Oaks. CARRIE.
 GLORY OF THE PACIFIC. (Totty.)
 GOACHERS CRIMSON. Dec. (Pier.)
God of Wealth. DAIKOKU.
Goddess of Beauty. BENTEN.
 GODFREYS PERFECTION. An. (Smith; Totty.)
 GOLDEN AGE. Pom. (Smith.)
 GOLDEN CHADWICK. Inc. (Smith.)
Golden Champion. NAGIRROC.
 GOLDEN CLIMAX. Pom. (Smith; Totty.)
 GOLDEN ELBERON. Inc. (Smith.)
Golden Feather. SOURCE D'OR.
 GOLDEN FIREBRAND. But. (Totty.)
 GOLDEN GLOW. (Smith.)
 GOLDEN LIDA THOMAS. An. (Smith; Totty.)

STANDARDIZED PLANT NAMES

CHRYSANTHEMUM, continued

- GOLDEN MENSA. Sin. (Pier.; Smith.)
 GOLDEN MISTLETOE. (Smith.)
 GOLDEN PHEASANT. Sm. Fl. (Farq.)
 GOLDEN QUEEN. Inc. (Smith; Totty.)
 GOLDEN ROBIN. Jap. (Cy.)
 GOLDEN WEDDING. Inc. (Smith.)
 GOLDEN WEST. Pom. (Pier.; Smith.)
 GOLDENFEATHER. (*C. parthenium aureum* † Cy.)
 GRAF VON FLEMING. Jap. An. (Totty.)
 GRAF VON ORIOLA. Jap. An. (Totty.)
 GRANT B. SCHLEY. Sin. (Totty.)
 GREYSTONE. Pom. (Smith.)
 HAMBURGH LATE WHITE. (Totty.)
 HARRIE. Dec. (B. & A.)
 HARRIET SYKES. Pom. (Totty.)
 HARRY E. CONVERSE. Lrg. Fl. (Totty.)
 HARVARD. Ref. (Cy.; Smith.)
 HARVEST HOME. Ast.? (Smith.)
 HARVEST MOON. Pom. (Pier.)
 HELEN FRICK. Inc. (Smith.)
 HELEN LEE. Inc.? (Smith.)
 HELEN NEWBERRY. Pom. (Cy.; Smith.)
 HELENA. (Totty.)
 HELENA FLINT. Pom. (Totty.)
 HELIOS. Sing. (Totty.)
 HENRI VINCENT. Jap. (Totty.)
 HIJOS. Pom? (B. & A.)
 HILDA CANNING. But. (Smith.)
 H. MARIE TOTTY. Sin. (Totty.)
 HOLMES WHITE. Ast.? (Smith.)
 HORTENSE MALGAT. Dec. (B. & A.)
 IDA CATHARINE SKIFF. Lrg. Sin. (Totty.)
 IDOLF. Pom. (Smith.)
 ILLONA. Pom. (Smith.)
 IMPROVED GOLDEN GLOW. (Totty.)
 INDIAN. Lrg. Fl. (Dreer.)
 INDIAN HILL. Pom. (Totty.)
 INDICUM. Sm. Sin. (Smith.)
 INNOCENCIA. Jap. An. (Totty.)
 INTENSITY. Ref. (Smith.)
 IRENE. Sin. (Totty.)

CHRYSANTHEMUM, continued

- ITASKA. Lrg. Sin. (Cy.)
 IVA. Pom. (Dreer; Smith.)
 IVOR GRANT. Sin. (Totty.)
 IZOLA. An. (Smith.)
 JAMES BOONE. Sm. Fl. (Farq.)
 JAMES FRASER. Ref. (Smith.)
 JEANNE NONIN. Inc. (Smith; Totty.)
 JERSEY. Lrg. Fl. (Farq.)
 JIMMIE. Dec. (B. & A.)
 JOAN EDWARDS. Sin. (Totty.)
 JOAN OF ARC. Ref. (Totty.)
 JOHN BUNYAN. Lrg. An. (Cy.)
 JOHN BURTON. (Smith.)
 JOHNSONS FAVORITE. Pom. (Bay S.)
 JOSEPHINE. Sing. (Smith; Totty.)
 JOSEPHINE FOLEY. Jap. Inc. (Smith.)
 JOSEPHINE SCHOLTMAN. Sin. (Totty.)
 JULIA DE WITT. Pom. (Totty.)
 JULIANA. Pom. (Smith.)
 JULIE LAGRAYERE. Pom. (Smith.)
 JUNO. Jap. An. (Totty.)
 KATHERINE TWIGG. Lrg. Fl. (Totty.)
 KATHLEEN MAY. Sin. (Totty.)
 KATHLEEN THOMPSON. Dec. (Totty.)
 KENNETH. Pom. (B. & A.; Smith.)
 KEWANEE. Inc. (Smith.)
 KING EDWARD. Hort. var. of *C. maximum*.
 KITTY BOURNE. Lrg. Fl. (Farq.)
 KITTY RICHES. Sin. (Totty.)
 KLONDIKE. Pom. (Smith.)
 KOLETA. Pom. (Smith.)
 KOREAN C. *C. coreanum*.
 L'AISNE. Dec. (Totty.)
 L'ARGENTUILLAIS. Dec. (Pier.)
 L'ENFANT DES DEUX MONDES. Hairy. (Cy.)
 LA PURITE. Pom. (Smith.)
 LA SOMME. Dec. (B. & A.)
 LADY ASTOR. Sin. (Totty.)
 LADY HOPETOUN. Lrg. Fl. (Smith; Totty.)
 LADY LEE. Lrg. Sin. (Cy.)
 LADY LU. Sin. (Smith.)
 LADY LYDIA. Dec. (Totty.)
 LADY NAYLOR. Lrg. Fl. (Farq.)
 LADYSMITH. Sm. Sin. (Cy.)

CHRYSANTHEMUM, continued

LANETA. Pom. (Smith.)
 LE PACTOLE. Dec. (B. & A.)
 LEILAH. Pom. (Smith.)
 LELIA. But. (Totty.)
 LENOX. Inc. (Smith.)
 LEOCADIE GENTILS. Hairy. (Cy.)
 LIBERTY BOND. Inc.? (Smith.)
 LIDA THOMAS. An. (Cy.; Smith.)
 LILAC CAP. Dec. (Totty.)
 LILAC CAPRICE. Pom. (Smith.)
 LILLIAN DOTY. Pom. * (Pier.; Smith; Totty.)
 LILY NEVILLE. Lrg. Sin. (Totty.)
 LITTLE BARBEE. Sin. (Cy.; Smith.)
 LITTLE GEM. But. (Smith; Totty.)
 LITTLE TOT. But. (Smith.)
 LIZZIE ADCOCK. Dec. (Totty.)
 LORRAINE MEECH. Pom. (Pier.)
 LOUIS BOEHMER. Hairy. (Cy.; Totty.)
 LOUIS SPEARS. Sin. (Totty.)
 LOUISA POCKETT. Lrg. Fl. (Smith; Totty.)
 LOYALTY. Jap. Inc. (Smith.)
 LUAN. Sm. Fl. (Farq.)
 LYNDHURST. Sm. Fl. (Farq.)
 MADISON. Ref. (Cy.)
 MADUSE. Dec. (Pier.)
 MAID OF KENT. Pom. (Pier.)
 MAJOR BONAFFON. Inc. (Cy.; Smith; Totty.)
 MANKATO. Ref. (Smith.)
 MAPLE LEAF. An. (Smith.)
 MARGUERITE. C. frutescens.
 MARGUERITE CLARK. But. (Smith.)
 MARIANA. Pom. (Smith.)
 MARIE ANTOINETTE. Lrg. Fl. (Farq.)
 MARIGOLD. Lrg. Fl. (Smith; Totty.)
 MARY. Pom. (Totty.)
 MARY COLLADAY. An. (Smith.)
 MARY DONELLAN. Jap. Inc. (Smith.)
 MARY MASON. Lrg. Fl. (Smith; Totty.)
 MARY PICKFORD. But. (Smith.)
 MAUD DEAN. Inc. (Smith.)
 MAY SUYDAM. Dec. (B. & A.)
 MEG. Pom. (Totty.)
 MENSA. Lrg. Sin. (Smith; Totty.)

CHRYSANTHEMUM, continued

MERSTHAM JEWEL. Sin. (Smith.)
 METZI. Pom. (Smith.)
 MEUDON. Lrg. Fl. (Smith; Totty.)
 MEUDON SURPRISE. Lrg. Fl. (Totty.)
 MIDNIGHT SUN. Inc. (Smith.)
 MILDRED PRESBY. Sin. (Smith; Totty.)
 MILLICENT PIPER. Lrg. Sin (Totty.)
 MIMICO. Pom. (Smith.)
 MIMOSA. But. (B. & A.)
 MINNESOTA. Sin. (Smith.)
 MINTA. Pom. (Smith.)
 MIRABEAU. But. (B. & A.)
 MIRAMAR. Pom. (Smith.)
 MISS A. E. ROOPE. (Smith.)
 MISS ANOLA WRIGHT. Inc. (Smith.)
 MISS B. HAMILTON. Dec. (B. & A.; Totty.)
 MISS CLAY FRICK. (Smith.)
 MISS ELVIA SCOVILLE. Lrg. Fl. (Smith; Totty.)
 MISS EMMA. Lrg. Fl. (Farq.)
 MISS F. COLLIER. Ast.? (Smith.)
 MISS GLADYS WOODERSON. Ref. (Totty.)
 MISS GRACE DURKIN. Jap. Inc. (Totty.)
 MISS ISABELLE. Sin. (Smith.)
 MISS KATHERINE SIMMONS. An. (Smith.)
 MISS MARY POPE. Sin. (Pier.)
 MISS RUTH S. BERGEN. Sin. (Totty.)
 MISS RUTH TWOMBLY. Ref.? (Totty.)
 MISTLETOE. (Smith.)
 MME. D. L'ARGENTAGE. Ast. (Dreer.)
 MME. DROUARD. Ast.? (Smith.)
 MME. MARQUIS. (Totty.)
 MODEL. Pom. (B. & A.)
 MODEL OF PERFECTION. Pom. (Dreer.)
 MODESTO. Inc. (Smith.)
 MORRISTOWN. Lrg. Fl. (Smith.)
 MOTHER C. C. indicum.
 MR. RUX. Dec. (B. & A.)
 MRS. ALBERT PHILLIPS. Sin. (Totty.)

CHRYSANTHEMUM, continued

MRS. CHARLES CLEARY. Sin.
(Totty.)
MRS. CHARLES C. MICKLE. Sin.
(Totty.)
MRS. CHARLES H. CURTIS. Lrg.
Fl. (Totty.)
MRS. CHARLES H. TOTTY. Lrg.
Fl. (Smith.)
MRS. CHARLES W. JOHNSON. Jap.
Inc. (Totty.)
MRS. CHESTER ROBINSON. Pom.
(Totty.)
MRS. CLIFFORD BRIGHAM. Sin.
(Totty.) *Bergen.*
MRS. C. S. MCKINNEY. Sin.
(Totty.)
MRS. DAVID LLOYD GEORGE. Lrg.
Fl. (Totty.)
MRS. DAVID SYME. Lrg. Fl.
(Smith.)
MRS. DEAN EMERY. Dec. (B. & A.)
MRS. E. D. GODFREY. Sin.
(Smith; Totty.)
MRS. E. H. WELLS. Sin. (Totty.)
MRS. E. KERSHAW. Inc.? (Totty.)
MRS. ERNEST WILD. Lrg. Fl.
(Totty.)
MRS. F. GORDON DEXTER. Lrg.
An. (Cy.)
MRS. FRANCIS BERGEN. Pom.
(Totty.)
Mrs. Frank Beu. MRS. FRANK
WILCOX.
MRS. FRANK WILCOX. But. (Totty.)
Mrs. Frank Beu.
MRS. GEORGE HUNT. Jap. Inc.
(Smith.)
MRS. G. G. MASON. Ref. (Smith;
Totty.)
MRS. GILBERT DRABBLE. Lrg. Fl.
(Totty.)
MRS. G. LLOYD WIGG. Lrg. Fl.
(Smith.)
MRS. GREENING. Dec. (Totty.)
MRS. G. W. WICKERSHAM. Pom.
(Totty.)
MRS. HARRISON CRAIG. Dec.
(B. & A.)

CHRYSANTHEMUM, continued

MRS. HARRY TURNER. Lrg. Fl.?
(Smith.)
MRS. HENRY F. VINCENT. Pom.
(Totty.)
MRS. H. HARRISON. Pom. (Totty.)
MRS. H. J. JONES. Jap. (Smith.)
MRS. H. S. FIRESTONE. Lrg. Fl.
(Smith; Totty.)
MRS. H. SHOEBRIDGE. Sin.
(Totty.)
MRS. JACOB WELLAUER. An.
(Smith.)
MRS. J. A. MILLER. Jap. (Smith.)
MRS. J. C. NEILL. Inc. (Smith.)
MRS. J. E. DUNNE. Jap. (Smith.)
MRS. JEFFRIES. Lrg. Fl. (Totty.)
MRS. J. FIELDING. Dec. (B. & A.)
MRS. J. GIBSON. Lrg. Fl. (Smith;
Totty.)
MRS. J. LESLIE DAVIS. Inc.
(Smith; Totty.) *Pink Turner.*
MRS. JOHN A. STEWART, JR. Sin.
(Totty.)
MRS. J. WELLS. Ref. (Cy.)
MRS. J. WILLIS BUHL. Lrg. Fl.
(Totty.)
MRS. LOU THOMPSON. Sin.
(Totty.)
MRS. MAX BEHR. Sin. (Totty.)
MRS. NELLIE KLERIS. Pom.
(Totty.)
MRS. O. H. KAHN. Lrg. Fl.
(Smith; Totty.)
MRS. OWEN WINSTON. Jap. An.
(Totty.)
MRS. PAUL MOORE. Lrg. Fl.
(Smith; Totty.)
MRS. PEARY. Lrg. Fl. (Farq.)
MRS. PORTER. Lrg. Fl. (Farq.)
MRS. R. C. PULLING. Lrg. Fl.
(Smith; Totty.)
MRS. R. HOOPER PEARSON. Dec.
(Totty.)
MRS. ROBERTS. Ast. (Dreer.)
MRS. SHIMMINS. Lrg. An. (Smith.)
MRS. T. W. McNEICE. Ref.
(Totty.)
MRS. U. P. HEDRICK. Lrg. Sin.
(Smith.)

CHRYSANTHEMUM

87

CHRYSANTHEMUM, continued

- MRS. W. E. BUCKINGHAM. Sin.
(Pier.; Totty.)
- MRS. W. H. WAITE. Sin. (Totty.)
- MRS. WOODROW WILSON. Lrg. Fl.
(Totty.)
- MULBERRY C. *C. morifolium*.
- MUSKOKA. Pom. (Smith.)
- MYERS PERFECTION. But. (Totty.)
- NADINE. Lrg. Fl. (Totty.)
- NAGIRROC. Lrg. Fl.? (Smith;
Totty.) *Golden Champion*.
- NAGOYA. Ref. (Smith.)
- NAKOTA. Lrg. Fl.? (Smith.)
- NAOMAH. Inc. (Cy.)
- NAPONEE. Lrg. Fl.? (Smith.)
- NELLIE BLAKE. Dec. (Totty.)
- NELLIE IRWIN. Pom. (Pier.)
- NELLIE POCKETT. Jap. Inc.
(Smith.)
- NELLIE RAINSFORD. But. (B. & A.)
- NELMA PUTNAM. Pom. (Totty.)
- NEOLA. Pom. (Smith.)
- NERISSA. Lrg. Fl. (Smith; Totty.)
- NINA BLICK. Dec. (Pier.)
- NIPPON. Pom. (Totty.)
- NIPPON OXEYE DAISY. *C. nipponicum*.
- NIZA. Pom. (Pier.; Smith.)
- NORDI. Pom. (Smith.)
- NORMANDIE. Dec. (Totty.)
- NOVEMBER GLOW. Jap. Inc.
(Smith.)
- OCONTO. Lrg. Fl. (Smith; Totty.)
- OCTOBER FROST. Lrg. Fl. (Totty.)
- OCTOBER HERALD. Lrg. Fl.
(Totty.)
- OCTOBER KING. Jap. Inc. (Totty.)
- OCTOBER QUEEN. Lrg. Fl. (Totty.)
- ODESSA. Inc. (Smith.)
- OLD GOLD. Sin. (Smith.)
- OLD HOMESTEAD. Lrg. Fl. (Dreer.)
- ORA. Sm. Fl. (Farq.)
- ORANGE QUEEN. Inc. (Smith.)
- OREA. Pom. (Smith.)
- ORION. Dec. (B. & A.)
- OURAY. Pom. (Smith.)
- OXEYE DAISY. *C. leucanthemum*.
- PACIFIC SUPREME. Jap. (Cy.;
Smith; Totty.)

CHRYSANTHEMUM, continued

- PAINTED DAISY. *C. coccineum*.
- Parthenium *aureum*. GOLDEN-
FEATHER.
- PATTY. Jap. (Smith.)
- PAULINE WILCOX. Pom. (Pier.)
- PEARL CLUSTER. Sm. Fl. (Farq.)
- PEPITA. Jap. An. (Totty.)
- PERLE CHATILLONNAISE. Dec. (B.
& A.; Totty.)
- PETITE JEAN. Sin. (Totty.)
- PETITE LOUIS. Lrg. Fl. (Totty.)
- PETO. Lrg. Fl. (Farq.)
- PHILIP RICCI. Lrg. Fl. (Totty.)
- PHYLLIS BRYANT. Sin. (Totty.)
- PHYLLIS LAWLER. Sin. (Totty.)
- PIGMY. Pom. (Smith.)
- PINK GEM. Inc. (Cy.)
- PINK MISTLETOE. (Smith.)
- PINK SIMPLICITY. Sin. (Pier.)
- PINK TREASURE. Inc. (Smith.)
- Pink Turner. Mrs. J. LESLIE
DAVIS.
- POCKETTS CRIMSON. Lrg. Fl.
(Smith; Totty.)
- POCKETTS SURPRISE. Jap. Inc.
(Smith.)
- POLLY DUNCAN. Lrg. Sin. (Smith.)
- POLLY ROSE. (Totty.)
- POMONA. An. (Smith.)
- PORTIA. Sin. (Totty.)
- PORTUGUESE C. *C. lacustre*.
- POUGHKEEPSIE. Lrg. Fl. (Smith.)
- PRESIDENT JOHN EVERITT. Lrg.
Fl. (Smith; Totty.)
- PRESIDENT TAFT. Jap. Inc.
(Smith.)
- PRINCESS. An. (Smith.)
- PRIVATE JAMES GRESHAM. Ref.
(Totty.)
- PRIVATE MERLIE HAY. Ref.
(Totty.)
- PROVENCE. Ast.? (Smith.)
- PURPLE CAP. Dec. (Totty.)
- PURPLE KING. Lrg. Fl. (Smith.)
- PYRENEES C. *C. maximum*.
- QUEEN. Sin. (Smith.)
- QUEEN MARY. Lrg. Fl. (Totty.)
- QUEEN OF THE WHITES. But.
(Totty.)

CHRYSANTHEMUM, continued
 QUINOLA. Pom. (Cy.; Smith.)
 RAMAPO. Jap. (Cy.)
 RED DOTY. Pom. (Totty.)
 RED LIGHT. Lrg. Sin. (Cy.)
 REFLEXED LOUISA POCKETT. Lrg.
 Fl. (Totty.)
 REGINALD VALLIS. Jap. (Smith.)
 RENA. Pom. (Totty.)
 RHODA. Sm. Fl. (Farq.)
 RICHARD DELAFIELD. Sin.
 (Totty.)
 RICHMOND. (Smith.)
 RITA. Pom. (Pier.)
 R. M. GREY. Hairy. (Cy.)
 ROBINSON. Hort. var. of C. maxi-
 mum. *Robinsoni*.
 RODI. Pom. (Smith.)
 ROI DE PRECOCES. Pom. (Bay S.)
 ROMAN GOLD. Inc. (Smith; Totty.)
 ROSANDA. Lrg. Fl. (Smith.)
 ROSE DAY. Lrg. Fl. (Totty.)
 ROSE DELIGHT. Inc. (Smith.)
 ROSE M. DALY. Sin. (Totty.)
 ROSE PERFECTION. Inc. (Smith.)
 ROSE POCKETT. Jap. Inc.? (Smith.)
 ROSE TREVENNA. But. (Totty.)
 ROSIE. Dec. (Pier.)
 ROSINANTE. Pom. (Drer.)
 ROUPEL BEAUTY. Lrg. Fl. (Farq.)
 RUBY QUEEN. Sm. Fl. (Farq.)
 RUFUS. Sm. Fl. (Farq.)
 RUTH CUMMING. Dec. (Pier.)
 S. A. NACEUR BEY. Jap. Inc.
 (Smith.)
 SARDI VORRO. Pom. (Totty.)
 SATISFACTION. Lrg. An. (Cy.)
 SERGEANT WM. E. YOUNG. Lrg.
 Fl. (Smith; Totty.)
Seven Oaks. CARRIE.
 SHAKER LADY. Pom. (Totty.)
 SHASTA DAISY. Hort. var. of C.
 maximum.
 SIDNEY MITCHELL. Pom. (Totty.)
 SILVER KING. Ref. (Smith.)
 SIR E. LETCHWORTH. Lrg. Fl.?
 (Totty.)
 SIR MICHAEL. Lrg. Fl. (Farq.)
 SKIBO. Pom. (Pier.; Smith.)
 SMITH ADVANCE. Lrg. Fl. (Totty.)
 SMITH CAMEO. Inc. (Smith.)
 SMITH IMPERIAL. Inc. (Smith.)

CHRYSANTHEMUM, continued
 SMITH SENSATION. Inc. (Cy.)
 SMITH SUBLIME. Inc. (Smith.)
 SNOWFLAKE. Lrg. Sin. (Totty.)
 SOURCE D'OR. Dec. (Pier.; Totty.)
 Golden Feather.
 SPRING HILL. Jap. An. (Totty.)
 ST. ELMO. Lrg. Fl. (Farq.)
 STANLEY VEN. Sin. (Smith;
 Totty.)
 SUN GLOW. JAP. Inc.? (Smith.)
 SUNBEAM. Inc. (Smith.)
 SUNRAY. Inc. (Smith.)
 SUNSHINE. Jap. An. (Totty.)
 SUPREME. Sin. (Totty.)
 SURPRISE. Lrg. Fl. (Cy.)
 SURPRISE. Lrg. An. (Smith.)
 SUSQUEHANNA. Pom. (Bay S.)
 SYLVIA. Lrg. Fl. (Farq.)
 SYLVIA SLADE. Sin. (Smith.)
 T. CARRINGTON. Lrg. Fl. (Smith.)
 TEKONSHA. Lrg. Fl. (Smith.)
 TENNYSON. Sm. Fl. (Farq.)
 THANKSGIVING PINK. (Totty.)
 THANKSGIVING QUEEN. Lrg. Fl.
 (Smith.)
 THE BELLE. Pom. An. (Smith.)
 THE CHIEF. Pom. An. (Smith.)
 THE CZAR. Pom. (B. & A.)
 THE SPEAKER. Hort. var. of C.
 maximum.
 THELMA. Pom. (Totty.)
 TIGER. Jap. Inc. (Smith.)
 TIMOTHY EATON. Jap. Inc.
 (Smith.)
 TINTS OF GOLD. Dec.? (Totty.)
 TITANIC. Lrg. Fl. (Smith.)
 TITIAN BEAUTY. Jap. An. (Totty.)
 TRAVELER. Pom. (Totty.)
 TRIOMPHE D'OR. Lrg. Fl. (Farq.)
 TRIUMPH. Hort. var. of C. maxi-
 mum.
 TROJAN. Sm. Fl. (Farq.)
 TURFING DAISY. *C. tchihatchewi*.
 UNAKA. Inc. (Smith.)
 URITH. But. (Totty.)
 UVALDA. Pom. (Smith.)
 VASCO. Pom. (Smith.)
 VAYENNE. Pom. An. (Cy.)
 VERMONT. Inc. (Smith.)
 VERONICA. Sin. (Totty.)
 VICTORY. Lrg. Fl. (Drer.)

CHRYSANTHEMUM, continued

- VICTORY. Inc. (Smith.)
 VIOLA. Pom. (Dreer.)
 VIRGINIA HOLDEN. Sin. (Pier.)
 VIVIAN COOK. Lrg. Sin. (Totty.)
 VIVIAN MARTIN. But.? (Smith.)
 WACO. But. (Totty.)
Waite. CHARLOTTE WAITE.
 WANDA. Pom. (Smith.)
 WEE WAH. Jap. An. (Totty.)
 WELLS EXCELSIOR. Sin. (Pier.)
 WELLS LATE PINK. Lrg. Fl. (Smith; Totty.)
 WELLS SCARLET. Dec. (Pier.)
 WENDALIA Lrg. Fl. (Farq.)
 WESTERN BEAUTY. Pom. (Smith; Totty.)
 W. H. CHADWICK. Inc. (Smith.)
 WHITE BONNAFFON. Inc. (Smith.)
 WHITE CAP. Dec. (Totty.)
 WHITE CHIEFTAIN. Inc. (Smith; Totty.)
 WHITE COUNTESS. Ast. (Dreer.)
 WHITE DOTY. Pom. (Pier.; Smith; Totty.)
 WHITE ELBERON. Inc. (Smith.)
 WHITE HELEN FRICK. Inc. (Smith.)
 WHITE MIDGET. But. (Smith.)
 WHITE MRS. FILKINS. Dec. (Totty.)
 WHITE SEIDEWITZ. Jap. Inc. (Smith; Totty.)
 WHITE SURPRISE. Jap. Inc.? (Smith.)
 WHITE SWAN. Hairy. (Cy.)
 W. H. LINCOLN. Pom. (Smith.)
 WILFREDA. Jap. An. (Totty.)
 WILLIAM H. WAITE. Lrg. Fl. (Smith; Totty.)
 WILLIAM RIGBY. Lrg. Fl. (Totty.)
 WILLIAM SOBEY. Ast. (Dreer.)
 WILLIAM TURNER. Inc. (Cy.; Smith.)
 WILLIAM VERT. Ref. (Smith.)
 WILLIAM WESTLAKE. But. (Totty.)
 WINDLASS. Lrg. Fl. (Farq.)
 WINNETKA. Ast.? (Smith.)
 W. WOODMASON. Lrg. Fl. (Smith.)
 YAÑOMA. Ref. (Cy.)
 YELLOW ADVANCE. Ref. (Totty.)
 YELLOW CAP. Dec. (Totty.)
 YELLOW CAPRICE. Pom. (Smith.)

CHRYSANTHEMUM, continued

- Yellow Doty.* CONNIE DICK.
 YELLOW EARLY FROST. (Totty.)
 YELLOW GARZA. An.? (Smith.)
 YELLOW GEM. Sm. Fl. (Farq.)
 YELLOW NORMANDIE. Dec. (Pier.)
 YELLOW POCKETT. Lrg. Fl. (Totty.)
 YELLOW PRINCE. An. (Totty.)
 YELLOW TRIUMPHANT. Dec. (Tot.)
 YELLOW TURNER. Inc. (Smith.)
 YVONNE. Sin. (Totty.)
 ZELIA. Pom. (Smith.)
 ZENOBIA. But. (B. & A.; Totty.)
 ZORA. Pom. (Smith.)
 ZORAIDA. Lrg. An. (Cy.)

CHRYSOBALANUS

- icaco COCO-PLUM

CHRYSOCOMA

- linosyris* Linosyris vulgaris

CHRYSOGONUM

- virginianum GOLDENSTAR

CHRYSPHYLLUM

- STAR-APPLE
cainito (Caimito Pom) STAR-APPLE

CHYSOPSIS

- maiana MARYLAND G.
villosa HAIRY G.
—rutteri

CHYSURUS

- ACHYRODES

CHUFA

- Cyperus esculentus

CHYSIS

- See ORCHID GENERA.

CIBOTIUM (CYBOTIUM)

- CIBOTIUM (CYBOTIUM) CIBOTIUM

- barometz Scythian LAMB
regale ROYAL CIBOTIUM

- schiedei MEXICAN C.

CICER

- CHICKPEA

- arietinum CHICKPEA

CICHORIUM

- endivia ENDIVE

- intybus CHICORY

Hort. var. of Cichorium:

- WHITE CHICORY (*intybus album*)

CICUTA

- WATERHEMLOCK

- maculata SPOTTED W.

CIDER GUM

- Eucalyptus gunni

CIGARBOX-CEDAR

- Cedrela odorata

CILICIAN BLADDER-SENNA, CILICIAN

- FIR, etc. See BLADDER-SENNA,

- FIR, etc.

| | | |
|--|---|---|
| CIMICIFUGA | BUBBANE | CIRRHOPELALUM |
| <i>americana</i> | AMERICAN B. | See ORCHID GENERA. |
| <i>dahurica</i> | DAHURIAN B. | |
| <i>foetida simplex</i> (<i>C. racemosa simplex</i> Cy) | KAMCHATKA BUGBANE | CIRSIUM THISTLE |
| <i>japonica</i> (<i>Actaea japonica</i>) | JAPANESE B. | The common name Thistle applies also to certain allied genera. |
| <i>racemosa</i> | COHOSH B. | |
| <i>—simplex</i> Cy | <i>C. foetida simplex</i> | diacantha (<i>Chamaepicea diacantha</i>) |
| <i>simplex</i> | <i>C. foetida simplex</i> | SILVERLINE THISTLE |
| CINERARIA | | CISSUS |
| <i>cruenta</i> | <i>Senecio cruentus</i> | Consult also the allied genera Ampelopsis and Vitis. |
| <i>grandiflora</i> | <i>S. cruentus</i> | |
| <i>hybrida</i> | | <i>capensis</i> (<i>Vitis capensis</i>) |
| | See note under <i>Senecio cruentus</i> . | EVERGREEN-GRAPE |
| <i>maritima</i> | <i>S. cineraria</i> | discolor (<i>V. discolor</i>) |
| <i>stellata</i> | <i>S. cruentus</i> | BEGONIA TREEBINE |
| CINERARIA | | <i>hypoglaucha</i> |
| COMMON C. | <i>Senecio cruentus</i> | <i>oblonga</i> (<i>V. oblonga</i>) |
| SILVER C. | <i>S. cineraria</i> | QUEENSLAND T. |
| CINNABAR CUPHEA | <i>Cuphea miniata</i> | <i>quadrangularis</i> (<i>V. quadrangularis</i>) |
| CINNAMOMUM | | WINGED TREEBINE |
| <i>camphora</i> (<i>Camphora officinalis</i>) | CAMPHOR-TREE | <i>rhombifolia</i> (<i>V. rhombifolia</i>) |
| | | <i>striata</i> (<i>V. striata</i>) . . . STRIPED T. |
| CINNAMON | <i>Cinnamomum zeylanicum</i> | CISTUS ROCKROSE |
| CINNAMON FERN, CINNAMON ROSE, etc. See FERN, ROSE, etc. | | <i>albidus</i> WHITELEAF R. |
| CINNAMON-VINE | <i>Dioscorea batatas</i> | <i>ladaniferus</i> GUM R. |
| CINQUEFOIL | <i>Potentilla</i> | <i>laurifolius</i> LAUREL R. |
| ALPINE C. | <i>P. grandiflora</i> | <i>monspeliensis</i> MONTPELIER R. |
| CLIFF C. | <i>P. rupestris</i> | <i>salvilolius</i> SALVIA R. |
| COMMON C. | <i>P. canadensis</i> | Hort. var. of <i>Cistus</i> : |
| DAHURIAN C. | <i>P. fruticosa dahurica</i> | BROWN-EYED ROCKROSE (<i>C. ladaniferus maculatus</i> † Cy) |
| FRIEDRICHSEN C. | (<i>P. fruticosa friedrichseni</i> † Cy) | CITRANGE (<i>Citrus trifoliata</i> × <i>C. sinensis</i>) |
| HIMALAYAN C. | <i>P. atrosanguinea</i> | For horticultural varieties see American Pomological Society's List of Fruits, in Appendix. |
| MACNAE C. (<i>P. macnabiana</i> † Cy) | | CITRON <i>Citrus medica</i> |
| NEPAL C. | <i>P. nepalensis</i> | CITRON DAYLILY <i>Hemerocallis citrina</i> |
| O'BRIAN C. | <i>P. obriana</i> | CITRONELLA HORSEBALM |
| PYRENEES C. | <i>P. pyrenaica</i> | <i>Collinsonia canadensis</i> |
| RUSSELL C. | <i>P. russelliana</i> | CITROPSIS |
| SHRUBBY C. | <i>P. fruticosa</i> | <i>schweinfurthi</i> |
| SILVER C. | <i>P. argentea</i> | AFRICAN CHERRY-ORANGE |
| SILVERWEED | <i>P. anserina</i> | CITRULLUS |
| VEITCH C. | <i>P. fruticosa veitchii</i> | <i>coccynthis</i> COLOCYNTH |
| WINELEAF C. | <i>P. tridentata</i> | <i>vulgaris</i> WATERMELON |

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

CITRUS, continued

| | |
|--|-----------------------------|
| aurantifolia | LIME |
| aurantium (<i>amara</i> ; <i>bigaradia</i>) | SEVILLE ORANGE |
| deliciosa | C. <i>nobilis</i> deliciosa |
| grandis | GRAPEFRUIT |
| japonica | Fortunella japonica |
| limonia | LEMON |
| medica | CITRON |
| mitis | CALAMONDIN |
| nobilis | KING ORANGE |
| —deliciosa | MANDARIN O. |
| The Mandarin includes the so-called Tangerine varieties of Orange. | |
| —unshiu | SATSUMA ORANGE |
| sinensis | ORANGE |
| taitensis | TAHITI O. |
| trifoliata (<i>Poncirus trifoliata</i> Cy-Ag) | HARDY ORANGE |
| unshiu | C. <i>nobilis</i> unshiu |
| CIVET BEAN | <i>Phaseolus lunatus</i> |

CLADANTHUS

| | |
|--|--------------------------|
| arabicus (<i>Anthemis arabicus</i>) | |
| CLADRASTIS | YELLOW-WOOD |
| amurensis | <i>Maackia amurensis</i> |
| lutea (<i>tinctoria</i> ; <i>Virgilia lutea</i>) | YELLOW-WOOD |
| sinensis | CHINESE Y. |

CLAMBERING MONKSHOOD

| | |
|---|---------------------|
| Aconitum uncinatum | |
| CLAMMY CAMPION, CLAMMY LOCUST, etc. See CAMPION, LOCUST, etc. | |
| CLARKE IRIS | <i>Iris clarkei</i> |
| CLARKIA | CLARKIA |
| concinna | concinna |
| elegans (<i>C. unguiculata</i> Ag) | elegans |
| pulchella | pulchella |

CLARY

| | |
|-------------------------------|--------------------------------|
| COMMON C. | <i>Salvia sclarea</i> |
| CLASPING CONEFLOWER | <i>Rudbeckia amplexicaulis</i> |

| | |
|---------------------|---------------------|
| CLAWFERN | <i>Onychium</i> |
| JAPANESE C. | <i>O. japonicum</i> |

| | |
|-----------------------|--------------------|
| CLAYTONIA | SPRINGBEAUTY |
| caroliniana | <i>CAROLINA S.</i> |
| virginica | <i>VIRGINIA S.</i> |

| |
|--|
| CLEISTOCACTUS |
| baumanni (<i>Cereus baumannii</i>) |

CLEMATIS CLEMATIS

| | |
|---------------------|------------|
| apiifolia | OCTOBER C. |
| armandi | ARMAND C. |

See also hort. var. list on page 92.

| | |
|--------------------|--------------------|
| coccinea | <i>C. texensis</i> |
| crispa | CURLY CLEMATIS |

| | |
|---|--|
| davidiana | |
| <i>C. heracleafolia davidiana</i> | |

| | |
|----------------------------|------------------|
| dioscoreifolia | YAMLEAF CLEMATIS |
| <i>douglasii</i> | DOUGLAS C. |

| | |
|--------------------------|-----------------|
| erecta | <i>C. recta</i> |
| <i>flammea</i> | PLUME CLEMATIS |

| | |
|---------------------------|------------|
| florida | CREAM C. |
| <i>fremonti</i> | FREMONT C. |

| | |
|-------------------------|--------------|
| grata | HIMALAYAN C. |
| <i>henryi</i> | WINTER C. |

The name *C. henryi* has commonly been misapplied in the trade to the Henry Clematis, a hybrid, which see in the hort. var. list on page 92. The true *C. henryi*, the Winter Clematis, is a very different wild species native in China.

| | |
|---|------------------|
| heracleafolia (<i>tubulosa</i>) | TUBE CLEMATIS |
| <i>davidiana</i> | FRAGRANT TUBE C. |

| | |
|-------------------------------|----------------|
| indivisa | NEW ZEALAND C. |
| <i>integrifolia</i> | |

| | |
|---|------------|
| jackmani | JACKMAN C. |
| By some authors regarded as a hybrid. See also hort. var. list on page 92. | |

| | |
|---------------------------------------|-----------------|
| lanuginosa | NINGPO CLEMATIS |
| <i>lawsoniana henryi</i> Cy | HENRY C. |

See hort. var. list on page 92.

| | |
|--------------------------|-----------------------|
| ligusticifolia | WESTERN VIRGINS-BOWER |
| <i>montana</i> | ANEMONE CLEMATIS |

| | |
|-----------------------------|-----------------|
| orientalis | ORIENTAL C. |
| <i>paniculata</i> | SWEET AUTUMN C. |

| | |
|--------------------------------------|----------|
| patens | LILAC C. |
| See also hort. var. list on page 92. | |

| | |
|-------------------------------|-----------|
| recta (erecta) | GROUND C. |
| <i>serratifolia</i> | KOREAN C. |

| | |
|---|------------|
| tangutica | GOLDEN C. |
| <i>texensis</i> (<i>coccinea</i>) | SCARLET C. |

| | |
|--------------------------------|-------------------------|
| <i>tubulosa</i> | <i>C. heracleafolia</i> |
| <i>verticillaris</i> | ROCK CLEMATIS |

| | |
|-----------------------------|---------------|
| viorna | LEATHERFLOWER |
| <i>virginiana</i> | VIRGINS-BOWER |

| | |
|----------------------------|------------------|
| vitalba | TRAVELERS-JOY |
| <i>viticella</i> | ITALIAN CLEMATIS |

Hort. var. of Clematis:

COUNTESS OF ONSLOW

| |
|--|
| CLEMATIS (Hort. var.), continued |
| DOUBLE ARMAND (<i>armandi flore-pleno</i>) |
| DUCHESS OF ALBANY |
| DUCHESS OF EDINBURGH |
| DUCHESS OF YORK |
| FAIR ROSAMOND |
| FAIRY QUEEN |
| GEM |
| GIPSY QUEEN |
| HENRY (<i>C. lawsoniana henryi</i> Cy; <i>C. henryi</i> Hort.) For the true <i>C. henryi</i> , the Winter Clematis, see the Latin-name list above. |
| JEANNE D'ARC |
| KERMES (<i>kermesina</i>) |
| LADY CAROLINE NEVILL |
| LAWSON (<i>lawsoniana</i>) |
| MADAME BARON VEILLARD |
| MADAME EDOUARD ANDRÉ |
| MADAME VANHOUTTE |
| MISS BATEMAN |
| M. KOSTER |
| NELLIE MOSER |
| PURPLE ARMAND (<i>armandi purpurea</i>) |
| RAMONA |
| SIEBOLD (<i>hybrida sieboldi</i>) |
| STANDISH (<i>C. patens standishi</i> † Cy) |
| THE PRESIDENT |
| VILLE DE LYON |
| VIOLET JACKMAN (<i>jackmani superba</i>) |
| WHITE JACKMAN (<i>jackmani alba</i>) |
| CLEMATIS Clematis See also hort. var. list above. |
| ANEMONE C. <i>C. montana</i> |
| ARMAND C. <i>C. armandi</i> |
| CREAM C. <i>C. florida</i> |
| CURLY C. <i>C. crispa</i> |
| DOUGLAS C. <i>C. douglasii</i> |
| FRAGRANT TUBE C. <i>C. heracleafolia davidi</i> |
| FREMONT C. <i>C. fremontii</i> |
| GOLDEN C. <i>C. tangutica</i> |
| GROUND C. <i>C. recta</i> |
| HIMALAYAN C. <i>C. grata</i> |
| ITALIAN C. <i>C. viticella</i> |
| JACKMAN C. <i>C. jackmani</i> |
| KOREAN C. <i>C. serratifolia</i> |
| LEATHERFLOWER <i>C. viorna</i> |
| LILAC C. <i>C. patens</i> |

| |
|---|
| CLEMATIS, continued |
| NEW ZEALAND C. <i>Clematis indivisa</i> |
| NINGPO C. <i>C. lanuginosa</i> |
| OCTOBER C. <i>C. apiifolia</i> |
| ORIENTAL C. <i>C. orientalis</i> |
| PLUME C. <i>C. flammula</i> |
| ROCK C. <i>C. verticillaris</i> |
| SCARLET C. <i>C. texensis</i> |
| SWEET AUTUMN C. <i>C. paniculata</i> |
| TRAVELERS-JOY <i>C. vitalba</i> |
| TUBE C. <i>C. heracleafolia</i> |
| VIRGINS-BOWER <i>C. virginiana</i> |
| WESTERN VIRGINS-BOWER <i>C. ligusticifolia</i> |
| WINTER C. <i>C. henryi</i> |
| YAMLEAF C. <i>C. dioscoreifolia</i> |
| CLEOME |
| spinosa (<i>gigantea</i>) SPIDERFLOWER The true <i>C. gigantea</i> of botanists is not in the trade. |
| CLERODENDRON (CLERO DEN- DRUM Ag) GLORYBOWER |
| foetidum ROSE G. |
| thomsonae THOMSON G. |
| trichotomum HARLEQUIN G. |
| Hort. var. of Clerodendron: SUNSHINE GLORYBOWER (<i>C. thomsoniae delectum</i> † Cy) |
| CLETHRA CLETHRA acuminata CINNAMON C. |
| alnifolia SUMMERSWEET |
| barbinervis (<i>canescens</i>) TREE CLETHRA |
| tomentosa WOOLLY C. |
| CLETHRA LOOSESTRIFE <i>Lysimachia clethroides</i> |
| CLEVELAND SHOOTINGSTAR <i>Dodecatheon clevelandi</i> |
| CLEYERA OCHNACEA (<i>japonica</i>) |
| CLIANTHUS PARROTBEAK puniceus RED P. |
| Hort. var. of Clianthes: WHITE PARROTBEAK (<i>puniceus albus</i>) |
| CLIFF CINQUEFOIL, CLIFF DATE PALM, etc. See CINQUEFOIL, PALM, etc. |
| CLIFFBRAKE <i>Pellaea</i> AUSTRALIAN C. <i>P. falcata</i> |
| GREEN C. <i>P. viridis</i> |
| PURPLE C. <i>P. atropurpurea</i> |

| | | |
|-----------------------------------|---|---|
| CLIMBER | | CLUSTER EVERLASTING, CLUSTER GOLDENROD, etc. |
| CARDINAL C. | Hort. var. of Quamoclit. | See EVERLASTING, GOLDENROD, etc. |
| CLIMBING FERN, CLIMBING FIG, etc. | See FERN, FIG, etc. | |
| CLINTON WOODFERN | <i>Dryopteris clintoniana</i> | |
| CLINTONIA | CLINTONIA | CLYSTOSTOMA Cy-Ag |
| andrewsiana | RED C. | BIGNONIA |
| borealis | BLUEBEAD | |
| umbellulata | SPECKLED CLINTONIA | CNEORUM |
| uniflora | QUEENCUP | SPURGE-OLIVE |
| CLITORIA | BUTTERFLY-PEA | tricoccon |
| marianna | PORCELAIN B. | SPURGE-OLIVE |
| CLIVIA | KAFIRLILY | CNICUS |
| miniata | SCARLET K. | BLESSED THISTLE |
| CLOCKVINE | Thunbergia | <i>benedictus</i> (<i>Carduus benedictus</i> ; <i>Centaurea benedicta</i>) |
| BENGAL C. | <i>T. grandiflora</i> | BLESSED THISTLE |
| BLACK-EYED C. | <i>T. alata</i> | COAST AZALEA, COAST LILY, etc. See AZALEA, LILY, etc. |
| LAUREL C. | <i>T. laurifolia</i> | COBAEA |
| SCARLET C. | <i>T. coccinea</i> | <i>florealba</i> |
| SWEET C. | <i>T. fragrans</i> | Probably Whitebell Cobaea. |
| CLOSED GENTIAN | Gentiana andrewsi | macrostoma (<i>C. lutea</i> Ag) |
| CLOTH-OF-GOLD CROCUS | <i>Crocus susianus</i> | scandens |
| CLOUDGRASS | Agrostis nebulosa | PURPLEBELL C. |
| CLOVEN-LIP TOADFLAX | <i>Linaria bipartita</i> | Hort. var. of Cobaea: WHITEBELL C. (<i>scandens alba</i>) |
| CLOVER | Trifolium | COBAEA PENTSTEMON |
| ALSIKE C. | <i>T. hybridum</i> | <i>Pentstemon cobaea</i> |
| BUSHCLOVER | Lespedeza | COBBLERSTHUMB |
| CRIMSON C. | Trifolium incarnatum | <i>Ariocarpus retusus</i> |
| MAMMOTH C. | <i>T. medium</i> | COCAINE-TREE |
| PRAIRIECLOVER | Petalostemum | Erythroxylon coca |
| RED C. | Trifolium pratense | COCCINIA |
| STRAWBERRY C. | <i>T. resupinatum</i> | <i>cordifolia (indica)</i> . . . IVY-GOURD |
| SWEETCLOVER | Melilotus | COCCOLOBA |
| TICKCLOVER | Desmodium | <i>uvifera</i> SEAGRAPE |
| WHITE C. | <i>T. repens</i> | COCCOTHRINAX |
| CLOVETREE | Eugenia aromatic | <i>argentea (C. garberi Cy)</i> |
| CLUBMOSS | Lycopodium | SILVER PALM |
| GROUNDCEDAR | <i>L. complanatum</i> | <i>radiata (Thrinax elegans)</i> |
| GROUNDpine | <i>L. obscurum</i> | COCCULUS |
| RUNNINGPINE | <i>L. clavatum</i> | SNAILSEED |
| SHINING C. | <i>L. lucidulum</i> | The name of this genus under the American Rules is Epibacterium. |
| CLUBMOSS | RETINOSPORA (<i>Chamaecyparis obtusa lycopodioides</i> † Cy) | carolinus (<i>Cebatha carolina; Epibacterium carolinum</i> Ag) |
| CLUMP | CHRYSANTHEMUM, CLUMP | CAROLINA SNAILSEED |
| SPEEDWELL, etc. | See CHRYSANTHEMUM, SPEEDWELL, etc. | <i>trilobus</i> JAPANESE S. |
| | | COCHINEAL CACTUS |
| | | <i>Nopalea cochenillifera</i> |
| | | COCHLEARIA |
| | | <i>armoracia</i> . . . Radicula armoracia |
| | | COCHLIODA |
| | | See ORCHID GENERA. |
| | | COCKSCOMB |
| | | COMMON C. |
| | | <i>C. cristata</i> |
| | | FEATHER C. |
| | | <i>C. argentea</i> |
| | | HUTTON C. |
| | | <i>C. huttoni</i> |

COCKSCOMB-YAM . *Rajania pleioneura*
 COCKS-EGGS . *Salpichroa rhomboidea*
 COCKSFoot

Australian C. ORCH-
 ARD GRASS: *Dactylis glomerata*

COCKSPUR HONEYLOCUST, COCKSPUR
 THORN, etc. See HONEYLOCUST,
 THORN, etc.

COCONUT (*Cocoanut*) . *Cocos nucifera*
 COCO-PLUM . . . *Chrysobalanus icaco*

COCOS
 australis PINDO PALM
 bonneti BONNET P.
 campestris FIELD P.
 datil DATIL P.
 eriospatha APRICOT P.
 flexuosa COCONUT
 nucifera COCONUT
 plumosa
 romanoffiana
 schizophylla . . . CUTLEAF PALM
 weddelliana . . . WEDDELL P.

CODIAEUM (*PHYLLAUREA* Ag)
 variegatum (*Phyllaurea variegata*
 Ag) CROTON

Hort. var. of CROTON, *Codiaeum*:
 There are many horticultural varieties
 of Croton in the American trade. A few
 only, of representative sorts, are given
 in the following list.

ADONIS (*superbum*)
 ANDRE (*andreamum*)
 BANANA (*musaicum*)
 BERGMAN (*bergmani*)
 CLOUDY (*fuscatum*)
 CRONSTADT (*cronstatti*)
 EDMONT (*edmontense*)
 EVERs (*eversianum*)
 LEOPARD (*maculatum*)
 NONESUCH (*inimitabile*)
 REID (*reidi*)
 SPECKLED (*punctatum*)
 THOMSON (*thomsonii*)

COELIA
 See ORCHID GENERA.

COELOGLOSSUM . **HABENARIA**
 See ORCHID GENERA.

COEOLOGYNE
 See ORCHID GENERA.

COFFEEA COFFEE
 arabica ARABIAN C.
 liberica LIBERIAN C.
 zanguebariae (*zanzibarensis*) ZANZIBAR C.

COFFEE See *Coffea*, above
COFFEETREE

KENTUCKY C. *Gymnocladus dioica*
COHOSH

BLUE C. *Caulophyllum thalictroides*
COHOSH BUGBANE

Cimicifuga racemosa

COIX JOBS-TEARS
lacryma-jobi (*lacryma*) . JOBS-TEARS
 COLCHIS BLADDERNUT, COLCHIS IVY,
 etc. See BLADDERNUT, IVY, etc.

COLCHICUM . . . AUTUMN-CROCUS
 autumnale COMMON A.

COLEUS COLEUS
 blumei COMMON C.
 —verschaffelti . VERSCHAFFELT C.
 There are many horticultural varieties
 of this species.

thyrsoides BUSH COLEUS
 COLISEUM MAPLE *Acer cappadocicum*
 Collards

KALE: *Brassica oleracea acephala*

COLLETIA
 cruciata ANCHORPLANT

COLLIN RHUBARB *Rheum collinianum*

COLLINSIA COLLINSIA
bartsiaeefolia (*bartsiae*) . SEASIDE C.
 bicolor CHINESE-HOUSES
 grandiflora BLUELIPS
 verna BLUE-EYED-MARY

Hort. var. of *Collinsia*:
 CALICO COLLINSIA (*Collinsia bicolor*
multicolor† Cy)

COLLINSONIA . . . HORSEBALM
canadensis . . . CITRONELLA H.

COLLOMIA Ag GILIA
COLOCASIA

The name for this genus under the
 American Rules appears to be Leuco-
 casia.

esculenta (*C. antiquorum* *esculenta*
 Cy; *C. antiquorum*; *Caladium*
esculentum)

ELEPHANTS-EAR, TARO, DASHEEN

COLOCASIA, continued

- neoguineensis** (*Schismatoglossis neoguineensis* Ag) SPOTTED CALADIUM
Hort. var. of **Colocasia**:
BLACK CALADIUM (*C. illustris*; *C. antiquorum illustris* Cy)
COLOCYNTH . . . *Citrullus colocynthis*
COLOMBIAN CRINUM *Crinum kunthianum*
COLORADO BARBERRY, COLORADO CUMBINE, etc. See BARBERRY, COLUMBINE, etc.
COLTSFOOT *Tussilago*
COMMON C. *T. farfara*
COLUMBIA ARBORVITAE, COLUMBIA LILY, etc. See ARBORVITAE, LILY, etc.
COLUMBINE *Aquilegia*
AKITA C. *A. akitensis*
ALPINE C. *A. alpina*
ALTAI C. *A. glandulosa*
AMERICAN C. *A. canadensis*
CALIFORNIA C. *A. formosa truncata*
COLORADO C. *A. caerulea*
DOUBLE EUROPEAN C. Hort. var. of *A. vulgaris*.
DOUBLE GOLDEN C. (*A. chrysanthra albaplena*† Cy)
EARLY C. *A. oxysepala*
EUROPEAN C. *A. vulgaris*
FAN C. *A. flabellata*
GOLDEN C. *A. chrysanthra*
HAYLODGE C. *A. haylodensis*
HELEN C. (*A. caerulea helena*† Cy)
HYBRID COLORADO C. (*A. c. hybrida*† Cy)
MEXICAN C. *A. skinneri*
MUNSTEAD WHITE C. (*A. vulgaris nivea*† Cy)
OLYMPIC C. *A. vulgaris olympica*
REDSPUR C. (*A. chrysanthra jaeschkeana*† Cy)
SIBERIAN C. *A. sibirica*
SITKA C. *A. formosa*
STUART C. *A. stuartii*
VERVAENE C. (*A. vulgaris vervaeneana*† Cy)
WHITE ALPINE C. (*Aquilegia alpina alba*† Cy)

COLUMBINE, continued

- WHITE COLORADO C. (*Aquilegia caerulea alba*† Cy)
WHITE FAN C. (*A. flabellata nanalba*† Cy)
COLUMBINE MEADOWRUE *Thalictrum aquilegifolium*
COLUMN MAPLE, COLUMN SAVIN, etc. See MAPLE, SAVIN, etc.
COLUMNAR ITALIAN CYPRESS (*Cupressus sempervirens stricta*† Cy)
COLUTEA BLADDER-SENNA
arborescens COMMON B.
cilicica CILICIAN B.
orientalis ORIENTAL B.
COMB PRICKLY-THRIFT, COMB SPEEDWELL, etc. See PRICKLY-THRIFT, SPEEDWELL, etc.
COMBLEAF CANDYTUFT, COMBLEAF ENGLISH OAK, etc. See CANDYTUFT, OAK, etc.
COMFREY *Sympytum*
COMMON C. *S. officinale*
PRICKLY C. *S. asperum*
COMMELINA DAYFLOWER
coelestis MEXICAN D.
nudiflora (*sellowiana*) CREEPING D.
COMMON ADDERSTONGUE, COMMON ALLAMANDA, etc. See ADDERS-TONGUE, Allamanda, etc.
COMPASSPLANT *Silphium laciniatum*
COMPsoa Ag **TRICYRTIS**
COMPTONIA SWEETFERN
asplenifolia (*C. peregrina* Ag; *Myrica asplenifolia*) . . SWEETFERN
CONANTHUS Ag **NAMA**
CONE FUCHSIA *Fuchsia magellanica conica*
CONEFLOWER *Rudbeckia*
BLACK-EYED-SUSAN *R. hirta*
BROWN-EYED-SUSAN *R. triloba*
CALIFORNIA C. *R. californica*
CLASPING C. *R. amplexicaulis*
CUTLEAF C. *R. laciniata*
ERFURT C. (*R. bicolor superba*† Cy)
GREAT C. *R. maxima*
HEDGEHOG-CONEFLOWER *Echinacea*
ORANGE C. *Rudbeckia fulgida*
PINEWOODS C. *R. bicolor*

CONEFLOWER, continued

- SHOWY C. . . . Rudbeckia speciosa
 SWEET C. . . . R. subtomentosa
 CONEHEAD Strobilanthes
 BEDDING C. . . . S. isophyllus
 BURMA C. . . . S. dyerianus
 ZIGZAG C. . . . S. anisophyllus

CONFEDERATE-JASMINE

- Trachelospermum jasminoides

- VARIEGATED C. (T. jasminoides variegatum† Cy)

- CONICAL CHINESE JUNIPER (*Juniperus chinensis neaboriensis*† Ar)

CONIOGRAMME

- japonica BAMBOO FERN

- CONOCLINIUM** EUPATORIUM

CONRADINA CHERRY

- Prunus conradinae

CONVALLARIA LILY-OF-THE-VALLEY

- majalis LILY-OF-THE-VALLEY
polygonatum

Probably *Polygonatum officinale*.

CONVOLVULUS CONVOLVULUS

- althaeoides MEDITERRANEAN C.

- aureus GOLDEN C.

- japonicus (*Calystegia pubescens*)

- ROSE C.

- major Ipomoea purpurea

- mauritanicus

- MOROCCO CONVOLVULUS

- minor C. tricolor

- purpureus Ipomoea purpurea

- sepium HEDGE BINDWEED

- splendens

Possibly *Argyreia splendens*.

- tricolor (minor)

- DWARF CONVOLVULUS

COONTIE Zamia floridana

- ST. JOHNS C. . . . Z. pumila

COOPER ASPARAGUS Asparagus cooperi

COOPERIA RAINLILY

- drummondii EVENING-STAR

- pedunculata GREAT RAINLILY

COOTAMUNDRA WATTLE

- Acacia baileyana

COPPER ALTERNANTHERA, COPPER

AUSTRIAN ROSE, etc. See ALTERNANTHERA, ROSE, etc.

COPPERLEAF Acalypha

- BANANA C. (*Acalypha wilkesiana musaica*† Cy)

COPPERLEAF, continued

- CHENILLE C. . . . *Acalypha hispida*

- CRIMSONEDGE C. (*A. wilkesiana marginata*† Cy)

- MACAfee C. (*A. w. macafeana*† Cy)

- MILTON C. Hort. var. of *Acalypha*

- PAINTED C. . . . *A. wilkesiana*

- TRIUMPH C. (*A. wilkesiana triumphans*† Cy),

- COPPERTIP *Crocosmia*

- GOLDEN C. . . . *C. aurea*

- COPROSMA** *Coprosma*

- baueri (*baueriana*) CORAL C.

Hort. var. of *Coprosma*:

- BLOTCHEd C. (*baueri variegata*)

- COPTIS GOLDTHREAD

- trifolia GOLDTHREAD

- CORAL ARDISIA, CORAL CACTUS, etc.

See *Ardisia*, *CACTUS*, etc.

- CORALBEAN *Erythrina arborea*

- WESTERN C. . . . *E. flabelliformis*

- CORALBELLS *Heuchera sanguinea*

- GRASSLEAF C. (*H. sanguinea gracillima*† Cy)

- SNOWDROP C. (*H. s. alba*† Cy)

For additional horticultural varieties see *Heuchera*.

- CORALBERRY *Symporicarpos vulgaris*

- VARIEGATED C. (*S. vulgaris variegatus*†)

- CORALBLOW *Russelia*

- HONDURAS C. . . . *R. juncea*

- HYBRID C. (*R. elegantissima*† Cy)

- CORALBUSH

- MELBOURNE C. *Templetonia retusa*

- CORALDROPS *Bessera elegans*

- CORALLINE *Erythrina coralloides*

- CORALLINE HONEYSUCKLE

- CORALTREE *Lonicera chrysanthia*

Erythrina; *E. corallodendron*

- CORCHORUS**

- japonicus *Kerria japonica*

- CORDIA** *Cordia francisci*

- nitida GLOSSY C.

- sebestena GEIGER-TREE

- CORDYLINE** DRACENA

The common name Dracena applies also to the allied genus Dracaena.

- amabilis† Cy AMABILIS DRACENA

See hort. var. list on page 97.

CORDYLINE, continued

- australis** (*Draceana australis*)
GREEN DRACENA
baptistii† Cy BAPTISTE D.
See hort. var. list below.
- indivisa** (*D. indivisa*) BLUE D.
- terminalis** (*D. terminalis*)
COMMON D.
youngi† Cy YOUNGS D.
See hort. var. list below.

Hort. var. of Cordyline:

- AMABILIS DRACENA (*C. amabilis† Cy; Draceana amabilis*). Hort. var. of *C. terminalis*.
- BAPTISTE D. (*C. baptistii† Cy; D. baptisti*) Hort. var. of *C. terminalis*.
- IMPERIAL D. (*D. imperialis*) Hort. var. of *C. terminalis*.
- VEITCH D. (*C. australis veitchii† Cy; D. veitchii*)
- YOUNGS D. (*C. youngi† Cy; D. youngi*) Hort. var. of *C. terminalis*.

COREMA

- conradi** BROOM-CROWBERRY

COREOPSIS COREOPSIS

The common name Coreopsis applies also to the allied genus Leptosyne.

- auriculata** EARED COREOPSIS

The name *C. auriculata* is commonly misapplied by gardeners to *C. pubescens*.

- basalis Ag** **C. drummondii**

- bicolor** **C. tinctoria**

- cardaminefolia**

- coronata** (*C. nuecensis Ag; Calliopsis coronata*) . CROWN COREOPSIS

- delphinifolia** LARKSPUR C.

- douglasi Ag** . **Leptosyne douglasi**

- drummondii** (*C. basalis Ag; Calliopsis drummondii*) . GOLDENWAVE

- floribunda**

- grandiflora** BIG COREOPSIS

- lanceolata** (*Calliopsis lanceolata*)

- LANCE C.

- major (senifolia)** TREFOIL C.

- maritima Ag** . **Leptosyne maritima**

- nuecensis Ag** **C. coronata**

- palmata** FINGER COREOPSIS

- pubescens** HAIRY C.

- radiata** (*Calliopsis radiata*) QUILL C.

- rosea** ROSE C.

- senifolia** **C. major**

COREOPSIS, continued

- stillmani Ag** . **Leptosyne stillmani**
tinctoria (*bicolor; Calliopsis marginata, bicolor, tinctoria, and elegans*) CALLIOPSIS

- verticillata** THREADLEAF COREOPSIS

Hort. var. of Coreopsis:

- PURPLE CALLIOPSIS (*C. tinctoria atropurpurea† Cy; Calliopsis nigra*)

- COREOPSIS Coreopsis; Leptosyne
BIG C. Coreopsis grandiflora
CALLIOPSIS Coreopsis tinctoria
CROWN COREOPSIS *C. coronata*
DOUGLAS C. Leptosyne douglasi
EARED C. Coreopsis auriculata
FINGER C. *C. palmata*
GOLDENWAVE *C. drummondii*
HAIRY C. *C. pubescens*
LANCE C. *C. lanceolata*
LARKSPUR C. *C. delphinifolia*
PURPLE CALLIOPSIS (*Coreopsis tinctoria atropurpurea† Cy*)

- QUILL COREOPSIS *C. radiata*

- ROSE C. *C. rosea*

- SEA C. Leptosyne maritima

- STILLMAN C. *L. stillmani*

- THREADLEAF C. Coreopsis verticillata

- TREFOIL C. *C. major*

- CORIANDER *Coriandrum sativum*

- CORIANDRUM CORIANDER
sativum CORIANDER

- CORIARIA CORIARIA

- japonica JAPANESE C.

- myrtifolia MYRTLE C.

- terminalis SIKKIM C.

- CORK FIR, CORK OAK, etc. See FIR,
OAK, etc.

- CORKBARK ELM (*Ulmus foliacea suberosa† Cy*)

- CORKTREE *Phellodendron*

- AMUR C. *P. amurense*

- CHINESE C. *P. chinensis*

- SAKHALIN C. *P. sachalinense*

- CORN BROOMCORN. Hort. var. of *Holcus sorghum*.

- INDIAN C. *Zea mays*

- SQUIRREL-CORN *Dicentra canadensis*

- CORN POPPY *Papaver rhoeas*

| | |
|--|------------------------------|
| CORNELIAN-CHERRY . . . | <i>Cornus mas</i> |
| JAPANESE C. . . . | <i>C. officinalis</i> |
| VARIEGATED C. (<i>C. mas aureo-elegan-</i> | |
| <i>tissima</i> † Cy) | |
| CORNFLOWER . . . | <i>Centaurea cyanus</i> |
| CORNISH ELM, CORNISH HEATH, etc. | |
| See ELM, HEATH, etc. | |
| CORN-MARIGOLD | |
| | <i>Chrysanthemum segetum</i> |
| CORNSALAD . . . | <i>Valerianella olitoria</i> |
| CORNUCOPIA FLORIPONDIO, CORNU- | |
| COPIA NASTURTIUM, etc. See | |
| FLORIPONDIO, NASTURTIUM, etc. | |
| CORNUS | DOGWOOD |
| alba | <i>TATARIAN D.</i> |
| See also hort. var. list opposite. | |
| alternifolia | PAGODA D. |
| amomum (<i>sericea</i>) . . . | SILKY D. |
| arnoldiana† Cy . . . | ARNOLD D. |
| See hort. var. list opposite. | |
| asperifolia | ROUGHLEAF D. |
| baileyi | BAILEY D. |
| brachypoda (<i>macrophylla</i> Ar-Ag) | |
| canadensis (<i>Chamaepericlymenum</i> | |
| <i>canadensis</i>) | BUNCHBERRY |
| candidissima | <i>C. paniculata</i> |
| capitata | EVERGREEN DOGWOOD |
| circinata | <i>C. rugosa</i> |
| controversa | Giant DOGWOOD |
| See also hort. var. list opposite. | |
| elegantissima | |
| VARIEGATED CORNELIAN-CHERRY | |
| Hort. var. of <i>C. mas</i> . | |
| florida | FLOWERING DOGWOOD |
| See also hort. var. list opposite. | |
| gouchaulti | GOUCHAULT D. |
| Hort. var. of <i>C. alba</i> . | |
| kousa | KOUSA D. |
| <i>macrophylla</i> Ar-Ag | <i>C. brachypoda</i> |
| mas (<i>mascula</i>) CORNELIAN-CHERRY | |
| See also hort. var. list opposite. | |
| nuttalli | PACIFIC DOGWOOD |
| obliqua (<i>purpusii</i>) | PALE D. |
| officinalis | |
| JAPANESE CORNELIAN-CHERRY | |
| paniculata (<i>candidissima</i> ; <i>C. race-</i> | |
| <i>mosa</i> Cy-Ag-Ar) GRAY DOGWOOD | |
| paucinervis | LITTLELEAF D. |
| <i>racemosa</i> Cy-Ag-Ar | <i>C. paniculata</i> |

CORNUS, continued

rugosa (circinata)

ROUNDLEAF DOGWOOD

sanguinea BLOODTWIG D.

See also hort. var. list below.

sericea *C. amomum**sibirica* CORAL DOGWOODHort. var. of *C. alba*.*spaethii* SPAETH D.Hort. var. of *C. alba*.*stolonifera* RED-OSIER D.

—coloradensis COLORADO D.

See also hort. var. list below.

Hort. var. of *Cornus*:ARNOLD DOGWOOD (*C. arnoldiana*† Cy; *obliqua* × *paniculata*)CORAL D. (*C. alba sibirica*† Cy)DOUBLEFLOWERING D. (*florida plena*)GOLDENTWIG D. (*C. stolonifera flaviramea*† Cy; *C. s. aurea*; *C. s. lutea*)GOUCHAULT D. (*Cornus alba gouchaulti*† Cy)GREENTWIG D. (*C. sanguinea viridisima*† Cy)PIEBALD D. (*C. s. variegata*† Cy)REDFLOWERING D. (*C. florida rubra*† Cy)SILVERBLOTH D. (*alba argenteo-variegata*; *a. elegantissima*; *a. elegantissima variegata*)SILVEREDGE D. (*C. alba argenteo-marginata*† Cy)SILVERMARGIN D. (*C. controversa variegata*† Cy)SPAETH D. (*alba spaethii*)VARIEGATED CORNELIAN-CHERRY (*C. mas aureo-elegantissima*† Cy)WEEPING D. (*Cornus florida pendula*† Cy)

CORONET SUNBURST

Actinolepis coronaria

CORONILLA CORONILLA

emerus SCORPION-SENNA*glaucia* HONEY CORONILLA*varia* CROWNVETCHHort. var. of *Coronilla*:VARIEGATED CORONILLA (*glaucia variegata*)

CORSICAN HEATH, CORSICAN PINE,
etc. See HEATH, PINE, etc.

CORTADERIA . . . PAMPASGRASS
argentea (*Gynerium argenteum*)
COMMON P.
quila (*jubata*; *G. jubatum*)

CORYDALIS . . . CORYDALIS
The name of this genus under the
American Rules is *Capnoidea*.
cheilanthifolia CHINESE CORYDALIS
lutea YELLOW C.
nobilis (*Capnoidea nobilis* Ag.)
SIBERIAN C.

CORYLOPSIS . . . WINTERHAZEL
gotoana GOTO W.
pauciflora BUTTERCUP W.
spicata SPIKE W.
veitchiana VEITCH W.
willmottiae WILLMOTT W.

CORYLUS . . . HAZELNUT, FILBERT
americana . . . AMERICAN HAZELNUT
atropurpurea . . . PURPLE FILBERT
Hort. var. of *C. avellana*.

avellana FILBERT
—*maxima* *C. maxima*
chinensis . . . CHINESE HAZELNUT
columna TREE H.
maxima GIANT FILBERT
pendula WEEPING F.
Hort. var. of *C. avellana*.

rostrata . . . BEAKED HAZELNUT
For varieties of Filbert grown for their
nuts see American Pomological Society's
List of Fruits and Nuts, in Appendix.

Ornamental hort. var. of *Corylus*:
GOLDEN FILBERT (*Corylus avellana*
aurea† Cy)
PURPLE F. (*C. avellana atropurpurea*† Cy)
PURPLE GIANT F. (*C. maxima purpurea*† Cy)
WEEPING F. (*Corylus avellana pendula*† Cy)

CORYNOCARPUS
laevigata

CORYPHA
australis . . . *Livistona australis*

COSMIDIUM . . . THELESPERMA

COSMOS COSMOS
bipinnatus COMMON C.
diversifolius (*Bidens atrosanguinea*;
B. dahlioides) . . . BLACK COSMOS
sulphureus YELLOW C.

COSTA RICAN GUAVA, COSTA RICAN
NIGHTSHADE, etc. See GUAVA,
NIGHTSHADE, etc.

COSTMARY *Chrysanthemum balsamita*
COTINUS Cy-Ag RHUS

COTONEASTER . . . COTONEASTER
acuminata
acutifolia PEKING C.
—*villosula*
adpressa CREEPING C.
ambigua
amoena
angustifolia *Pyracantha angustifolia*
apiculata
bullata
—*macrophylla*

BIGLEAF COTONEASTER
See also hort. var. list on page 100.

buxifolia

The plant heretofore cultivated under
this name is Box Cotoneaster, hort.
var. of *C. rotundifolia*, not the true *C.
buxifolia* of botanists.

crenulata . . . *Pyracantha crenulata*
dammeri
davidiana *C. horizontalis*
dielsiana DIELS COTONEASTER
—*elegans*
divaricata SPREADING C.
foveolata
francheti FRANCHET C.
frigida HIMALAYAN C.
horizontalis (*davidiana*) . ROCK C.
—*perpusilla*
hupehensis HUPEH C.
integerrima EUROPEAN C.
lucida (*sinensis*)
microphylla ROCKSPRAY
—*glacialis*
—*thymifolia* THYME R.
moupinensis MUPIN COTONEASTER
multiflora
—*calocarpa*
nitens
nummularia *C. racemiflora*

| | |
|---|--|
| COTONEASTER, continued | |
| pannosa SILVERLEAF COTONEASTER | Onopordon |
| pyrenaica PYRENEES C. | Taurus C. . . . O. tauricum |
| racemiflora (<i>nummularia</i>) | COTTONWEED . . . Diotis candidissima |
| —orbicularis | COTTONWOOD |
| —soongarica | CAROLINA C. . . . Populus angulata |
| rotundifolia ROUNDLEAF C. | FREMONT C. . . . P. fremonti |
| See also hort. var. list below. | NARROWLEAF C. . . . P. angustifolia |
| salicifolia WILLOWLEAF C. | NORTHERN C. . . . P. monilifera |
| simonsi SIMONS C. | SARGENT C. . . . P. sargentii |
| sinensis C. lucida | SMOOTHBARK C. . . . P. acuminata |
| thymifolia C. microphylla thymifolia | SOUTHERN C. . . . P. deltoides |
| wheeleri | COTYLEDON COTYLEDON |
| This name has been used erroneously for C. racemiflora orbicularis and for Box Cotoneaster, hort. var. of C. rotundi- folia. | agavoidea Urbinia agavoidea |
| wilsoni WILSON COTONEASTER | secunda Echeveria secunda |
| zabeli | umbilicus (<i>Umbilicus pendulinus</i>) |
| Hort. var. of Cotoneaster: | NAVELWORT |
| Box C. (<i>C. rotundifolia lanata</i> † Cy) | COULTER CANYON-POPPY, COULTER |
| VILMORIN C. (<i>Cotoneaster bullata</i> | PINE, etc. See CANYON-POPPY, |
| <i>floribunda</i> † Cy) | PINE, etc. |
| COTONEASTER Cotoneaster | COURBARIL Hymenaea courbaril |
| BIGLEAF C. C. <i>bullata</i> <i>macrophylla</i> | COVENTRY-BELLS |
| CREEPING C. . . . C. <i>adpressa</i> | Campanula trachelium |
| DIELS C. . . . C. <i>dielsiana</i> | COVILLE LIPFERN Cheilanthes covillei |
| EUROPEAN C. . . . C. <i>integerrima</i> | COW SOAPWORT, COW VETCH, etc. |
| FRANCHET C. . . . C. <i>franchetii</i> | See SOAPWORT, VETCH, etc. |
| HIMALAYAN C. . . . C. <i>frigida</i> | COWAGE Stizolobium pruriens |
| HUEH C. . . . C. <i>hupehensis</i> | COWBERRY Vaccinium vitis-idaea |
| MUPIN C. . . . C. <i>moupinensis</i> | COW-PARSNIP Heracleum |
| PEKING C. . . . C. <i>acutifolia</i> | BIGLEAF C. H. <i>mantegazzianum</i> |
| PYRENEES C. . . . C. <i>pyrenaica</i> | CAUCASIAN C. . . . H. <i>villosum</i> |
| ROCK C. . . . C. <i>horizontalis</i> | COMMON C. . . . H. <i>lanatum</i> |
| ROCKSPRAY C. <i>microphylla</i> | COWPEA Vigna |
| ROUNDLEAF C. . . . C. <i>rotundifolia</i> | ASPARAGUS-BEAN V. <i>sesquipedalis</i> |
| SILVERLEAF C. . . . C. <i>pannosa</i> | CATJANG-PEA V. <i>catjang</i> |
| SIMONS C. . . . C. <i>simonsi</i> | COMMON COWPEA V. <i>sinensis</i> |
| SPREADING C. . . . C. <i>divaricata</i> | COWSLIP |
| THYME ROCKSPRAY | In the United States the name Cowslip is often misapplied to the Marshmar- gold, <i>Caltha palustris</i> . Its historical application is to the Cowslip Primrose, <i>Primula veris</i> . |
| C. <i>microphylla thymifolia</i> | CAPE-COWSLIP Lachenalia |
| WILLOWLEAF C. . . . C. <i>salicifolia</i> | Virginia Cowslip VIRGINIA |
| WILSON C. . . . C. <i>wilsoni</i> | BLUEBELLS: Mertensia virginica |
| COTTON | COWSLIP LUNGWORT, COWSLIP PRIM- ROSE, etc. See LUNGWORT, PRIM- ROSE, etc. |
| LAVENDER-COTTON | CRAB Malus |
| Santolina; S. chamaecyparissus | For varieties cultivated for their fruit see CRAB in American Pomological Society's List of Fruits, in Appendix. |
| SEA-ISLAND C. | ARNOLD C. (<i>Malus arnoldiana</i> † Ar) |
| Gossypium barbadense | BECHTEL C. (<i>M. ioensis plena</i> † Ar) |
| UPLAND C. . . . G. <i>hirsutum</i> | |
| COTTON ROSEMALLOW | |
| Hibiscus mutabilis | |

CRAB, continued

- CARMINE CRAB (*Malus atrosanguineat* Ar)
 CHERRY C. (*M. robusta†* Ar)
 CHINESE APPLE **M. prunifolia rinki**
 CHINESE FLOWERING C.
 M. spectabilis
 CUTLEAF C. *M. toringoides*
 DAWSON C. *M. dawsoniana*
 DOUBLE CHINESE C. Hort. var.
 of *M. spectabilis*.
 DOUBLE PINK CHINESE C. Hort.
 var. of *M. spectabilis*.
 DOUBLE WHITE CHINESE C. Hort.
 var. of *M. spectabilis*.
 DUNBAR C. *M. glaucescens*
 FLORENTINE C. *M. florentina*
 HALLS C. *M. halliana*
 JACK C. *M. baccata jacki*
 JAPANESE FLOWERING C.
 M. floribunda
 MANCHURIAN C.
 M. baccata mandshurica
 MIDGET C. *M. micromalus*
 OREGON C. *M. fusca*
 PARKMAN C. (*M. halliana parkmanii†* Ar)
 PEARLEAF C. *M. prunifolia*
 PRAIRIE C. *M. ioensis*
 PURPLE C. (*M. purpurea†* Ar)
 REDVEIN C. *M. niedzwetzkyana*
 RIVERS CHINESE C. (*M. spectabilis riversii†* Ar)
 SARGENT C. *M. sargentii*
 SCHEIDECKER C. *M. scheideckeri*
 SIBERIAN C. *M. baccata*
 SOULARD C. *M. soulardii*
 SOUTHERN C. *M. angustifolia*
 TEA C. *M. theifera*
 TIBETAN C. *M. transitoria*
 TORINGO C. *M. sieboldii*
 WILD SWEET C. *M. coronaria*
 YELLOW AUTUMN C. (*M. sublobata†* Ar)
 ZUMI C. *M. zumii*
 CRAB CACTUS *Zygocactus*
 CRADLE-ORCHID *Anguloa*
 CLOWES C. *A. clowesi*
 IVORY C. *A. c. eburnea*
 RUCKER C. *A. ruckeri*

- CRAMBE SEAKALE
 cordifolia
 maritima COMMON S.
 CRANBERRY **Vaccinium macrocarpon**
 For cultivated varieties of Cranberry
 see American Pomological Society's
 List of Fruits, in Appendix.
 Highbush C. . . . CRANBERRYBUSH
 MOUNTAIN C. *V. vitisidaea minor*
 SMALL C. *V. oxyccocos*
 CRANBERRYBUSH
 AMERICAN C.
 Viburnum americanum
 DWARF C. (*V. opulus nanum†* Cy)
 EUROPEAN C. *V. opulus*
 SARGENT C. *V. sargentii*
 YELLOWFRUIT C. (*V. opulus xanthocarpum†* Cy)
 CRANBERRY-GOURD **Abobra tenuifolia**
 CRANESBILL *Geranium*
 ARMENIAN C. *G. armenum*
 BLOODRED C. *G. sanguineum*
 HERB ROBERT *G. robertianum*
 IBERIAN C. *G. ibericum*
 LILAC C. *G. grandiflorum*
 MEADOW C. *G. pratense*
 ROCKY MOUNTAIN C. *G. fremontii*
 UPLAND C. *G. collinum*
 WHITE IBERIAN C. (*G. ibericum album†* Cy)
 WHITE MEADOW C. (*G. pratense album†* Cy)
 WHITE WILD GERANIUM (*G. maculatum album†* Cy)
 WILD GERANIUM . . . *G. maculatum*
 CRANIOLARIA
 annua (*Martynia craniolaria*)
 CRAPE-JASMINE SUGAR-ROOT
 Tabernaemontana coronaria
 CARTHAGE C. *T. grandiflora*
 CRAPEMYRTLE *Lagerstroemia*
 COMMON C. *L. indica*
 PINK C. Hort. var. of *L. indica*.
 PURPLE C. Hort. var. of *L. indica*
 QUEEN C. *L. speciosa*
 WHITE C. Hort. var. of *L. indica*
 CRASSOCEPHALUM Ag
 GYNURA
 CRASSULA
 coccinea *Rochea coccinea*

| | | |
|---|-------|-----------------------------|
| CRATAEGUS | | HAWTHORN |
| <i>apiifolia</i> | | PARSLEY H. |
| <i>apposita</i> | | DELAWARE H. |
| <i>—bisselli</i> | | BISELL H. |
| <i>apraca</i> | | |
| <i>arkansana</i> | | ARKANSAS H. |
| <i>arnoldiana</i> | | ARNOLD H. |
| <i>barryana</i> | | BARRY H. |
| <i>bisselli</i> | | C. <i>apposita bisselli</i> |
| <i>boyontoni</i> | | BOYNTON HAWTHORN |
| <i>buckleyi</i> | | BUCKLEY H. |
| <i>carrierei</i> | | CARRIERE H. |
| <i>cerronis</i> | | CERRO H. |
| <i>coccinea</i> (<i>C. intricata</i> Cy) | | THICKET H. |

The name *Crataegus coccinea* has been applied by different botanists to several different species of Hawthorn. It is here used for the species described in Bailey's *Cyclopedias* as *C. intricata*.

| | | |
|---|-------|-----------------------------|
| coccinioides | | |
| coloradensis | | |
| colorado | | CORAL HAWTHORN |
| cordata (<i>C. phaenopyrum</i> Cy-Ag) | | WASHINGTON H. |
| <i>crenulata</i> | | <i>Pyracantha crenulata</i> |
| <i>crusgalli</i> | | COCKSPUR THORN |
| <i>cuneata</i> | | NIPPON HAWTHORN |
| <i>cuprea</i> | | BRONZY H. |
| <i>dawsoniana</i> | | DAWSON H. |
| <i>delosi</i> | | BUNCH H. |
| <i>douglasi</i> | | BLACK H. |
| <i>durobrivensis</i> | | CHRISTMAS H. |
| <i>ellwangeriana</i> | | ELLWANGER H. |
| <i>fecunda</i> | | MISSOURI H. |
| <i>foetida</i> | | RUSSET H. |
| <i>fructuosa</i> | | WEST CHESTER H. |
| <i>fruticosa</i> | | |
| <i>glandulosa</i> | | <i>C. rotundifolia</i> |
| <i>infera</i> | | OCTOBER HAWTHORN |
| <i>intricata</i> Cy | | <i>C. coccinea</i> |
| <i>lalandi</i> | | LALAND FIRETHORN |
| Hort. var. of <i>Pyracantha coccinea</i> . | | |
| <i>lauta</i> | | FRANKLIN HAWTHORN |
| <i>macracantha</i> | | SPIKE H. |
| <i>modesta</i> | | BABY H. |
| <i>mollis</i> | | DOWNTY H. |
| monogyna | | ENGLISH H. (one-stone) |

The common name English Hawthorn applies also to *C. oxyacantha*.

See also hort. var. list opposite.

CRATAEGUS, continued

monogyna pauli

PAUL ENGLISH HAWTHORN
Hort. var. of *C. oxyacantha*.

| | | |
|-------------------|-------|------------------------|
| multiflora | | INKBERRY H. |
| nemoralis | | WOOD H. |
| nigra | | EUROPEAN BLACK H. |
| nitida | | GLOSSY H. |
| orientalis | | SILVER H. |
| oxyacantha | | ENGLISH H. (two-stone) |

The common name English Hawthorn applies also to *C. monogyna*. See also hort. var. list below.

pedicellata

| | | |
|-------------------|-------|------------------|
| peregrina | | PERSIAN HAWTHORN |
| persistens | | |

| | | |
|---|-------|----------------------------|
| phaenopyrum Cy-Ag | | <i>C. cordata</i> |
| pinnatifida | | CHINESE HAWTHORN |
| —major | | PEKING H. |
| pruinosa | | FROSTED H. |
| prunifolia | | PLUMLEAF H. |
| punctata | | DOTTED H. |
| pyracantha | | <i>Pyracantha coccinea</i> |
| rivularis | | RIVER HAWTHORN |
| rotundifolia (<i>glandulosa</i>) | | ROUNDLEAF H. |

| | | |
|-------------------|-------|----------------|
| smithi | | SMITH H. |
| submollis | | QUEBEC H. |
| succulenta | | FLESHY H. |
| tomentosa | | PEAR H. |
| triflora | | THREEFLOWER H. |
| uniflora | | ONE FLOWER H. |

Hort. var. of *Crataegus*:

DOUBLE ENGLISH HAWTHORN (*C. monogyna alboplena*† Cy)

DOUBLE RED H. (*C. monogyna rubroprena*† Cy)

GOLDEN ENGLISH H. (*C. oxyacantha aurea*† Cy)

PAUL DOUBLE SCARLET H. (*oxyacantha splendens*)

PAUL ENGLISH H. (*C. oxyacantha pauli*† Cy; *monogyna pauli*)

PINK WEEPING H. (*C. monogyna roseopendula*† Cy)

PYRAMID H. (*C. m. stricta*† Cy)

REDRIM H. (*Crataegus oxyacantha bicolor*† Cy)

ROSE H. (*C. monogyna rosea*† Cy)

CRATAEGUS (Hort. var.), continued

SINGLE PINK HAWTHORN (*C. monogyna punicea*† Cy)
WEEPING ENGLISH H. (*C. m. pendula*† Cy)

CREAM CLEMATIS, CREAM HONEYSUCKLE, etc. See CLEMATIS, HONEYSUCKLE, etc.

CREAMCUPS *Platystemon californicus*

CREEK GUM . . *Eucalyptus rostrata*

CREEPER

BLUEBELL-CREEPER . . . *Sollya Engelmanni* C. . . . Ampe-

lopsis quinquefolia engelmanni
GERANIUM C. Hort. var. of *A. tricuspidata*.

JAPANESE C. . . *A. tricuspidata*
MALU-CREEPER . *Bauhinia vahli*

PURPLE C. Hort. var. of Ampe-
lopsis tricuspidata.

RANGOON-CREEPER . . . *Quisqualis indica*
SILVERVEIN C. . . *Ampelopsis henryana*

ST. PAUL C. . . *A. quinquefolia saintpauli*

THICKET C. . . . *A. vitacea*
THOMSON C. . . . *A. thomsoni*

TRUMPETCREEPER . . *Bignonia*
VIRGINIA C. . . . *Ampelopsis quinquefolia*

WALL C. *A. quinquefolia murorum*
WINTERCREEPER *Euonymus* species

CREEPING BLUETS, CREEPING BUT-
TERCUP, etc. See BLUETS, BUT-
TERCUP, etc.

CREEPINGDEVIL CACTUS . . *Machaerocereus eruca*

CRESCENTIA . . CALABASH-TREE
cujeite CALABASH-TREE

CRESS
BITTERCRESS . . . *Cardamine*
GARDEN C. . . *Lepidium sativum*

ROCKCRESS *Arabis*
WALLCRESS *A. alpina*

WATERCRESS *Radicula nasturtium-aquaticum*

WINTERCRESS *Barbarea*
CRESTED AGAVE, CRESTED IRIS, etc.
See AGAVE, IRIS, etc.

CRETAN BEARSTAIL, CRETAN BRAKE,
etc. See BEARSTAIL, BRAKE, etc.

CRETAN-MULLEIN . . . *Celsia cretica*

CREVICE SAXIFRAGE . . . *Saxifraga squarrosa*

CRICKETBAT WILLOW . . . *Salix alba caerulea*

CRIMEAN IRIS, CRIMEAN LINDEN, etc.
See IRIS, LINDEN, etc.

CRIMPED NORWAY MAPLE (*Acer platanoides cucullatum*† Cy)

CRIMSON CLOVER, CRIMSON STAR-
GLORY, etc. See CLOVER, STAR-
GLORY, etc.

CRIMSONCUP IXIA . . . *Ixia speciosa*

CRIMSON-EYE ROSEMALLOW . . . *Hibiscus ocelliroseus*

CRIMSON-FLAG *Schizostylis*
BASUTO C. *S. coccinea*

CRINKLED PASSIONFLOWER . . . *Passiflora gracilis*

CRINKLEROOT *Dentaria diphylla*

CRINUM *CRINUM*
amabile *SUMATRA* C.

americanum *FLORIDA* C.
asiaticum *POISONBULB*

capense *C. longifolium*
fimbriatum *MILK-AND-WINE*

giganteum *FRAGRANT CRINUM*
hybridum

An erroneous name sometimes applied
by gardeners to forms of *C. asiaticum*.

kirki *KIRK CRINUM*
kunthianum *COLOMBIAN* C.
C. kunthianum of gardens is the hybrid
Herbert.

longifolium (*capense*) *HARDY CRINUM*
See also hort. var. list below.

moorei *LONGNECK* C.
powelli *POWELL* C.

Hort. var. of *Crinum*:

EMPEROR OF INDIA
HERBERT (*herberti*)

J. C. HARVEY
VIRGINIA (*virginicum*)
W. C. STEELE

WHITE HARDY (*C. longifolium al-
bum*† Cy)

CRIPPS CYPRESS (*Cupressus macro-
carpa crippis*† Cy)

| | | |
|--|--------------------------|--|
| CROCOS TRITONIA | Tritonia crocosmaeflora | CRUCKSHANKS LUPINE |
| CROCOSMIA | COPPERTIP | Lupinus mutabilis cruckshanksi |
| aurea | GOLDEN C. | |
| CROCUS | CROCUS | CRYPTOCARYA |
| biflorus | SCOTCH C. | woodi |
| imperati | EARLY C. | CRYPTOGRAMMA |
| susianus | CLOTH-OF-GOLD C. | ROCKBRAKE acrostichoides |
| vernus | COMMON C. | AMERICAN R. stelleri (<i>Pellaea gracilis</i>) |
| CROCUS | Crocus | SLENDER R. |
| AUTUMN-CROCUS | Colchicum | CRYPTOMERIA |
| CLOTH-OF-GOLD C. Crocus susianus | C. susianus | CRYPTOMERIA japonica |
| COMMON C. | C. vernus | COMMON C. |
| EARLY C. | C. imperati | lobbi |
| SCOTCH C. | C. biflorus | Hort. var. of <i>C. japonica</i> . |
| CROOKNECK SQUASH | | Hort. var. of <i>Cryptomeria</i> : |
| SUMMER CROOKNECK S. | Cucurbita pepo condensa | CAVE C. (<i>C. japonica compacta</i> † Cy) |
| CROSS | | LOBB C. (<i>C. j. lobbi</i> † Cy) |
| MALTESE C. Lychnis chalcedonica | | PLUME C. (<i>C. j. elegans</i> † Cy) |
| WHITE MALTESE C. Hort. var. of L. chalcedonica | | PRICKLY C. (<i>japonica pungens</i>) |
| CROSS GENTIAN | Gentiana cruciata | SLENDER C. (<i>japonica elegans gracilis</i>) |
| CROSSLEAF HEATH | Erica tetralix | CRYPTOSTEGIA |
| CROSSVINE | Bignonia capreolata | RUBBERVINE |
| CROSSWORT | Crucianella | grandiflora |
| COMMON C. | C. stylosa | PALAY R. |
| CROTON | | madagascariensis MADAGASCAR R. |
| The plants known to horticulturists as Croton belong not to the genus <i>Croton</i> of botanists but to the genus <i>Codiaeum</i> , which see for a few of the many horticultural varieties. | | CRYSTAL ANTHURIUM |
| CROTON | Codiaeum variegatum | Anthurium crystallinum |
| CROW BARBERRY | Berberis empetrifolia | CRYSTAL-TEA |
| CROWBERRY | Empetrum; E. nigrum | Ledum palustre |
| BROOM-CROWBERRY Corema conradi | | CUBESEED IRIS |
| CROWE MAIDENHAIR (<i>Adiantum cuneatum croweanum</i> † Cy) | | Iris prismatica |
| CROWN CAMPION, CROWN COREOPSIS, etc. See CAMPION, COREOPSIS, etc. | | CUCKOOFLOWER Cardamine pratensis |
| CROWNDAILY | Chrysanthemum coronarium | CUCUMBER |
| CROWN-IMPERIAL Fritillaria imperialis | | Cucumis; C. sativus |
| CROWNVETCH | Coronilla varia | MOCK-CUCUMBER |
| CROWPOISON | Zygadenus muscaetoxicus | Echinocystis; E. lobata |
| CRUCIANELLA | | SQUIRTING-CUCUMBER |
| stylosa | | Ecballium; E. elaterium |
| | | WEST INDIAN GHERKIN |
| | | Cucumis anguria |
| | | CUCUMBER SUNFLOWER |
| | | Helianthus debilis |
| | | CUCUMBER-ROOT |
| | | Medeola virginica |
| | | CUCUMBERTREE Magnolia acuminata |
| | | YELLOW C. |
| | | M. cordata |
| | | CUCUMIS |
| | | CUCUMBER, MELON |
| | | acutangulus |
| | | Luffa acutangula |
| | | anguria (<i>grossulariaeformis</i>) |
| | | WEST INDIAN GHERKIN |
| | | dipsaceus (<i>erinaceus</i>) TEASELGOURD |
| | | flexuosus |
| | | C. melo flexuosus |
| | | melo |
| | | MUSK-MELON, MELON, CANTALOUPE |
| | | —dudaim (<i>odoratissimus</i>) |
| | | DUDAIM MELON |

CUCUMIS, continued

- melo flexuosus* . . . SNAKE MELON
perennis . . . *Cucurbita foetidissima*
sativus CUCUMBER

CUCURBITA

- GOURD, SQUASH, PUMPKIN
foetidissima (*Cucumis perennis*)
 BUFFALO GOURD
maxima SQUASH
moschata CUSHAW
ovifera GOURD
pepo PUMPKIN
 —*condensa*

SUMMER CROOKNECK SQUASH

CUDWEED EVERLASTING, CUDWEED
 WORMWOOD, etc. See EVER-
 LASTING, WORMWOOD, etc.

CULVERS-PHYSIC *Veronica virginica*
 CUMIN *Cuminum cyminum*

CUMINUM

cyminum CUMIN

CUNILA

mariana (*C. origanoides* Ag.)
 STONEMINT

CUNNINGHAM BOTTLEBRUSH, CUN-
 NINGHAM FIG, etc. See BOTTLE-
 BRUSH, FIG, etc.

CUNNINGHAMIA . . . CHINA-FIR
lanceolata (*sinensis*; *Belis lanceolata*
 Ag) CHINESE-FIR

CUP ROSINWEED *Silphium perfoliatum*

CUP-AND-SAUCER BELLFLOWER (*Cam-
 panula medium calycanthemoides*†
 Cy)

CUPFERN *Dennstedtia*
 COMMON C. *D. cicutaria*

GLOSSY C. *D. adiantoides*
 HAY-SCENTED FERN *D. punctilobula*

CUPFLOWER *Nierembergia*
 SLENDER C. *N. gracilis*
 TALL C. *N. frutescens*

WHITECUP *N. rivularis*

CUPHEA CUPHEA

Some authors maintain that the name
 for this genus under the American Rules
 should be Parsonsia.

compacta BUNCH CUPHEA
 Hort. var. of *C. miniata*.

cyannea (*strigulosa*) . . . VIOLET C.

CUPHEA, continued

- eminens* *Cuphea micropetala*
hookeriana (*roezli*) HOOKER CUPHEA
hyssopifolia HYSSOP C.
ignea (*platycentra*; *purpurea*)

FIERY C.
jorullensis (*tricolor*) . BEETLE-SAGE
llavea

RED-WHITE-AND-BLUE-FLOWER
micropetala (*eminens*)
miniata CINNABAR CUPHEA

Hort. var. of Cuphea:
 BUNCH CUPHEA (*C. miniata com-
 pacta*† Cy)

CUPIDS-DART *Catananche*
bicolor C. (*C. caerulea bicolor*† Cy)
 BLUE C. *C. caerulea*
 WHITE C. (*C. c. alba*† Cy)

CUPLEAF PENTSTEMON *Pentstemon murrayanus*

CUPRESSUS CYPRESS
arizonica ARIZONA C.
benthami (*excelsa*) . BENTHAM C.
 —*lindleyi* LINDLEY C.
elegans KNIGHT C.
 Hort. var. of *C. benthami*.

excelsa *C. benthami*
funebris MOURNING CYPRESS
glabra SMOOTH C.
glauca

A name sometimes applied erroneously
 to *C. lusitanica* or to the Blue Gowen
 Cypress, hort. var. of *C. goveniana*.

gotheniana GOVEN CYPRESS
guadalupensis GUADALUPE C.
horizontalis SPREADING ITALIAN C.
 Hort. var. of *C. sempervirens*.

knightiana KNIGHT C.
 Hort. var. of *C. benthami*.

lambertiana *C. macrocarpa*
lawsoniana Chamaecyparis *lawsoniana*

lusitanica PORTUGUESE CYPRESS
macnabiana MACNAB C.
macrocarpa (*lambertiana*; *C. macro-
 carpa lambertiana* Cy)

MONTEREY CYPRESS
majestica LOFTY C.
 Hort. var. of *C. torulosa*.

nutkaensis Chamaecyparis *nootkatensis*

CUPRESSUS, continued*pyramidalis*

COLUMNAR ITALIAN CYPRESS

Hort. var. of *C. sempervirens*.*sempervirens* ITALIAN C.
See also hort. var. list below.*torulosa* BHUTAN C.Hort. var. of *Cupressus*:BLUE GOWEN CYPRESS (*C. goveniana glauca*† Cy)BLUE GUADALUPE C. (*guadalupensis glauca*)COLUMNAR ITALIAN C. (*C. sempervirens stricta*† Cy; *fastigiata*; *pyramidalis*)CRIPPS C. (*Cupressus macrocarpa cripssii*† Cy)GLOBE-CONE ITALIAN C. (*C. sempervirens indica*† Cy)KNIGHT C. (*C. benthamii knightiana*† Cy; *knightiana*; *elegans*)LOFTY C. (*Cupressus torulosa majestica*† Cy; *majestica*)SPREADING ITALIAN C. (*C. sempervirens horizontalis*† Cy; *horizontalis*)YELLOW MACNAB C. (*macnabiana sulphurea*)YELLOW MONTEREY C. (*C. macrocarpa lutea*† Cy)**CURCUMA***petiolata*CURLY BEGONIA, CURLY BUGLE, etc.
See *BEGONIA*, BUGLE, etc.CURLYLEAF GOLDENCHAIN (*Laburnum vulgare bullatum*†)CURRANT *Ribes*

See also GOOSEBERRY.

For varieties of Currant cultivated for their fruit see American Pomological Society's List of Fruits, in Appendix.

AMERICAN BLACK C.

*Ribes americanum*ASIATIC MOUNTAIN C. *R. tenue*

CHINESE WINTERBERRY C.

*R. fasciculatum chinense*COMMON RED C. *R. vulgare*EUROPEAN BLACK C. *R. nigrum*GOLDEN C. *R. odoratum*GORDON C. (*R. gordonianum*† Cy)MOUNTAIN C. *R. alpinum*

CURRENT, continued

RUBY WINTER C. (*Ribes sanguineum atrorubens*† Cy)SKUNK C. *Ribes glandulosum*SLENDER GOLDEN C. *R. aureum*WAX C. *R. cereum*WINTER C. *R. sanguineum*WINTERBERRY C. *R. fasciculatum*YELLOWBERRY C. (*R. aureum chrysococcum*† Cy)

CURRENT TOMATO

*Lycopersicum pimpinellifolium*CURTIS ASTER *Aster curtisi*CURVELEAF YUCCA *Yucca recurvifolia*CUSHAW *Cucurbita moschata*

CUSHION GYPSOPHILA, CUSHION

SPURGE, etc. See *Gypsophila*,

SPURGE, etc.

CUSICK CAMAS *Camassia cusicki*CUSTARD-APPLE *Annona reticulata*HARDSHELL C. *A. scleroderma*CUT TOOTHWORT *Dentaria laciniata*

CUTLEAF ALDER, CUTLEAF BLACK-BERRY, etc. See ALDER, BLACK-BERRY, etc.

CYATHEA TREEFERN
medullaris SAGO FERN**CYBOTIUM** **CIBOTIUM****CYCAS**
revoluta SAGO CYCAS**CYCLAMEN** CYCLAMEN
europeum EUROPEAN C.
*hederaefolium*A name used erroneously for *C. persicum* and *C. neapolitanum*.*neapolitanum*
NEAPOLITAN CYCLAMEN
persicum (*latifolium*; *hederaefolium*; *C. indicum* Ag)PERSIAN CYCLAMEN
repandum SPRING C.Hort. var. of *Cyclamen*:COMMON C. (*C. persicum giganteum*† Cy)**CYCLOBOTHRA CALOCHORTUS****CYCLOPHORUS** FELTFERN
lingua (*Niphobolus lingua*)

JAPANESE F.

- Hort. var. of *Cyclophorus lingua*:
 CRESTED FELTFERN (*Cyclophorus lingua corymbifera*† Cy)
CYCLOPS ACACIA . . . *Acacia cyclops*
CYCNOCHES . . . SWAN-ORCHID
 See ORCHID GENERA.
- CYDONIA** . . . QUINCE
japonica (*Chaenomeles lagenaria* Cy-Ag-Ar) . . . FLOWERING QUINCE
maulei (*Chaenomeles japonica* Cy-Ag-Ar; *Chaenomeles maulei*)
 LESSER FLOWERING QUINCE
oblonga (*vulgaris*) . . . COMMON Q.
 For varieties of the Common Quince cultivated for their fruit see QUINCE in American Pomological Society's List of Fruits, in Appendix.
- sinensis* (*Chaenomeles sinensis* Cy-Ag-Ar) . . . CHINESE QUINCE
- Ornamental hort. var. of *Cydonia*:
 BALTZ FLOWERING QUINCE (*japonica baltzi*)
 DOUBLE PINKFLOWERING Q. (*japonica rosea plena*)
 DOUBLE SCARLETFLOWERING Q. (*japonica sanguinea plena*)
 GREAT CRIMSONFLOWERING Q. (*japonica rubra grandiflora*)
 NAVEL FLOWERING Q. (*japonica umbilicata*)
 PEARL FLOWERING Q. (*japonica grandiflora*)
 PINKSTRIPED FLOWERING Q. (*japonica moerloosei*)
 RUBY FLOWERING Q. (*maulei superba*)
 WHITEFLOWERING Q. (*japonica alba*)
- CYMBIDIUM**
 See ORCHID GENERA.
- CYNANCHUM**
acuminatifolium (*Vincetoxicum acuminatum*; *V. japonicum*)
 MOSQUITO-TRAP
- CYNARA**
cardunculus . . . CARDOON
scolymus . . . (Globe Artichoke) ARTICHOKE
- CYNODON** . . . CAPRIOLA
- CYNOGLOSSUM** . HOUNDSTONGUE
linifolium . . . *Omphalodes linifolia*

- CYNOGLOSSUM**, continued
nervosum . GREAT HOUNDSTONGUE
officinalis . . . COMMON H.
- CYNOSURUS**
cristatus . . . CRESTED DOGTAIL
- CYPERUS** . . . FLAT-SEDGE
adenophorus . . . BRAZILIAN F.
alternifolius . . . UMBRELLA-SEDGE
esculentus . . . CHUFA
papyrus (*Papyrus antiquorum*)
 PAPYRUS
- Hort. var. of *Cyperus*:
 SLENDER UMBRELLA-SEDGE (*C. alternifolius gracilis*† Cy)
 STRIPED U. (*C. a. variegatus*† Cy)
- CYPHOMANDRA**
betacea . . . TREE-TOMATO
- CYPRESS**
 ARIZONA C. . *Cupressus arizonica*
 BALDCYPRESS . . . *Taxodium*
 BENTHAM C. . *Cupressus benthamii*
 BHUTAN C. . . . *C. torulosa*
 BLUE COLUMN C. Hort. var. of *Chamaecyparis lawsoniana*.
 BLUE GOWEN C. (*Cupressus goveniana glauca*† Cy)
 BLUE GUADALUPE C. Hort. var. of *Cupressus guadalupensis*.
 BLUE NOOTKA C. (*Chamaecyparis nootkatensis glauca*† Cy)
 COLUMNAR ITALIAN C. (*Cupressus sempervirens stricta*† Cy)
 CREAM C. (*Chamaecyparis lawsoniana albospica*† Cy)
 CRIPPS C. (*Cupressus macrocarpa crippsi*† Cy)
 DWARF HINOKI C. (*Chamaecyparis obtusa nana*† Cy)
 DWARF LAWSON C. (*Chamaecyparis lawsoniana nana*† Cy)
 FOOTBALL C. (*Chamaecyparis obtusa compacta*† Cy)
 FOUNTAIN LAWSON C. (*Chamaecyparis lawsoniana gracilis*† Cy)
 GLOBE-CONE ITALIAN C. (*Cupressus sempervirens indica*† Cy)
 GOLDEN HINOKI C. (*Chamaecyparis obtusa aurea*† Cy)

CYPRESS, continued

GOLDEN LAWSON C. (*Chamaecyparis lawsoniana lutea*† Cy)

GOWEN C. . *Cupressus goveniana*
GREEN COLUMN C. Hort. var. of
Chamaecyparis lawsoniana.

GUADALUPE C.

Cupressus guadalupensis
HINOKI C. *Chamaecyparis obtusa*

ITALIAN C. *Cupressus sempervirens*
KNIGHT C. (*Cupressus benthamii knightiana*† Cy)

LAWSON C.

Chamaecyparis lawsoniana
LINDLEY C.

Cupressus benthamii lindleyi

LOFTY C. (*C. torulosa majestica*† Cy)

MACNAB C. *Cupressus macnabiana*

MONTEREY C. . . . *C. macrocarpa*

MOURNING C. . . . *C. funebris*

NOOTKA C.

Chamaecyparis nootkatensis

POND CYPRESS *Taxodium ascendens*

PORTUGUESE C.

Cupressus lusitanica

PYGMY HINOKI C. (*Chamaecyparis obtusa pygmaea*† Cy)

Sawara C. . . . SAWARA RETINOSPORA: *Chamaecyparis pisifera*

SCARAB C. (*Chamaecyparis lawsoniana alumi*† Cy)

SENTRY C. (*C. l. pyramidalis*† Cv)

SILVER LAWSON C. (*C. l. glauca*† Cy)

SILVERTIP HINOKI C. (*C. obtusa albospicata*† Cy)

SLENDER HINOKI C. Hort. var. of
C. obtusa.

SMOOTH C. . . *Cupressus glabra*

SPREADING ITALIAN C. (*C. sempervirens horizontalis*† Cy)

STEEL C. (*Chamaecyparis lawsoniana glauca*† Cy)

SUMMER-CYPRESS . . . Kochia

VEITCH C. Hort. var. of *Chamaecyparis lawsoniana*.

WEEPING HINOKI C. Hort. var. of
Chamaecyparis obtusa.

WEEPING LAWSON C. (*C. lawsoniana pendula*† Cy)

WESTERMANN C. Hort. var. of *C. lawsoniana*.

CYPRESS, continued

WHITE Sentry C. Hort. var. of
Chamaecyparis lawsoniana.

WISSEL C. Hort. var. of *C. lawsoniana*.

YELLOW MACNAB C. Hort. var. of
Cupressus macnabiana.

YELLOW MONTEREY C. (*C. macrocarpa lutea*† Cy)

YELLOWTIP HINOKI C. Hort. var. of
Chamaecyparis obtusa.

YOUNGS CYPRESS (*Chamaecyparis lawsoniana youngi*† Cy)

CYPRESS SAVIN, CYPRESS SPURGE,
etc. See SAVIN, SPURGE, etc.

CYPRESS-PINE . . . *Callitris robusta*

DROOPING C. . . . *C. rhomboidea*

CYPRESSVINE . . . *Quamoclit pinnata*

CYPRIAN IRIS *Iris cypriana*

CYPRIPEDIUM . . . LADYSLIPPER
See ORCHID GENERA.

CYRTOMIUM

falcatum . . . HOUSE HOLLYFERN
Hort. var. of *C. falcatum*:

ROCHFORD FERN (*rochfordianum*)

DWARF ROCHFORD F. (*rochfordianum compactum*)

CYRTOPODIUM

See ORCHID GENERA.

CYSTOPTERIS . . . BLADDERFERN
bulbifera (*Filix bulbifera*) BERRY B.

fragilis (*F. fragilis*) BRITTLE FERN

CY THEREA Ag . . . CALYPSO

CYTUS BROOM

The common name Broom applies also
to the allied genus Genista.

albus Ag-Ar *C. leucanthus*

The name *C. albus* is also applied,
erroneously, to *C. multiflorus*, *C. praecox*,
and to the pale variety of *C. scoparius*.

alpinus *Laburnum alpinum*
andreaeanus PARADISE BROOM

Hort. var. of *C. scoparius*.

canariensis (*Genista canariensis*)
CANARY B.

candicans *C. monspessulana*

capitatus *C. supinus*

fragrans (*Genista fragrans*)
SWEET BROOM

CYTISUS, continued

- hispanicus* . . . Genista hispanica
laburnum . . . Laburnum vulgare
leucanthus (*C. albus* Ag-Ar) PALE BROOM
—*schipkaensis* . . . BULGARIAN B.
maderensis . . . MADEIRA B.
—*magnifoliosus* LEAFY MADEIRA B.
multiflorus (*Genista alba*) WHITE SPANISH B.
monspessulanus (*candicans*)
nigricans . . . SPIKE B.
praecox . . . WARMINSTER B.
purgans . . . PROVENCE B.
racemosus (*Genista racemosa*) EASTER B.
The name *C. racemosus* is sometimes misapplied to *C. maderensis magnifoliosus*.
scoparius (*Genista scoparia*; *Spartium scoparium*) SCOTCH BROOM
See also hort. var. list below.
sessilifolius . . . SESSILE B.
shipkaensis C. leucanthus schipkaensis
supinus (*capitatus*) BIGFLOWER BROOM
triflorus . . . GREEK B.
watereri . . . Laburnum watereri
Hort. var. of *Cytisus*:
PALE SCOTCH BROOM (*C. scoparius albus*† Cy)
PARADISE B. (*C. s. andreanus*† Cy; *Genista andreana*)
- DACTYLIS . . . ORCHARD GRASS
glomerata . . . ORCHARD G.
- DAEMONOROPS
- fissus
- DAFFODIL
- COMMON D.
- Narcissus pseudonarcissus
- FALL-DAFFODIL Sternbergia lutea
- HALFSKIRT D.
- Narcissus incomparabilis
- PETTICOAT D. . . N. bulbocodium
- DAGGER
- SPANISH-DAGGER . Yucca aloifolia
- DAHLIA . . . DAHLIA
arborea . . . D. excelsa

DAHLIA, continued

- coccinea . . . FIRE DAHLIA
excelsa (*arborea*) . . . TREE D.
glabrata . . . D. merckii
gracilis . . . DWARF DAHLIA
imperialis . . . CANDELABRA D.
juarezi . . . CACTUS D.
merckii (*glabrata*) . . . BEDDING D.
pinnata . . . AZTEC D.
rosea . . . OLD GARDEN D.
variabilis

A confused name promiscuously applied to various garden hybrids of *D. pinnata* and *D. rosea*.

Hort. var. of *Dahlia*:

Because of the large number of horticultural varieties of Dahlia the hort. var. list and the common-name list have been combined in the special list below.

DAHLIA . . . Dahlia

STATEMENT PREPARED BY
J. B. S. NORTON

This list was prepared by Prof. J. B. S. Norton, University of Maryland, and Dr. W. E. Safford, on behalf of the American Dahlia Society, from thirty-seven leading 1920 American catalogues and eighty 1921 catalogues. It does not pretend to be complete and doubtless contains errors, but it is published in the hope that it will serve as a basis for critical examination and correction.

It includes all varieties found in four or more catalogues, with a few of the more promising new ones not yet widely introduced.

The American Dahlia Society has not yet settled upon a system of nomenclature, and the names used herein are recommended rather than adopted. The principles used in the selection of names for changes proposed are as follows:

1. The oldest name known for a variety is to be used unless a later one is so well established that much confusion would result from a change.

2. Where two varieties have the same name, the older should stand and the new one be renamed; but names of important varieties now grown are not to be discarded because of their having been applied to varieties no longer cultivated.

3. Long or difficult names are shortened or changed to more convenient forms. In general, initials are omitted and names reduced to not more than two words.

4. In the publications of the American Dahlia Society, names registered with the Society shall have standing over unregistered names.

DAHLIA, continued

CULTURAL TYPES OF DAHLIA
STATEMENT PREPARED BY
DR. W. E. SAFFORD

Single Dahlias are those which have but one circle of ray-flowers surrounding the disk. In the primitive type there are only eight rays; but this number has been increased and the rays may be long or short, slender and pointed or broad and rounded, acuminate or notched, or with such wide spaces between the tips of the rays as to suggest a star, recurved or incurved. Single Cactus Dahlias usually have the rays incurved, with the margins folded backward.

Duplex Dahlias are those which have a double row of rays surrounding the disk. The name is applied to various forms in which the rays may be either flat and broad or narrow and folded either inward or outward.

Show Dahlias are those which have a globose or hemispherical head of quilled florets.

Pompon Dahlias may be regarded as a small form of the Show type; they are especially desirable for cut flowers, and are sometimes called Bouquet Dahlias.

Decorative Dahlias are those possessing broad, flat, and nearly straight florets, arranged somewhat irregularly; the flower heads are not spherical in shape like those of the Show Dahlias, but are inclined to be flat or massive and are always full to the center.

Dwarf Dahlias include various kinds of low Dahlias suitable for bedding purposes.

Anemone-flowered Dahlias have a single circle of ray flowers and the disk flowers are developed into elongated tubes.

Cactus Dahlias differ from other types chiefly in having the margins of their florets folded or even quilled backward. Their ancestry may be traced back to *Dahlia juarezi*.

Hybrid Cactus Dahlias are intermediate between Cactus Dahlias and Decorative or Show Dahlias. Some of their florets are usually folded backward. *Dahlia juarezi*, the ancestor of all the Cactus Dahlias, would now be classed with the Cactus Hybrids.

Peony-flowered Dahlias are so named from their resemblance to semi-double peonies. Many are hybrids between Cactus Dahlias and other forms. Some are artistically irregular with long stems.

Collarette Dahlias have a single series of ray flowers, with the stamens developed into petal-like processes which appear to form a frill or collar around the disk, usually of a different color from that of the rays.

DAHLIA, continued

EXPLANATION OF ABBREVIATIONS

Classification

The classification of the varieties is indicated after each of the following abbreviations:

| | | |
|-------|-----|-------------------------------|
| An. | Fl. | Anemone-flowered Dahlia. |
| Cac. | | Cactus Dahlia. |
| Col. | | Collarette Dahlia. |
| Dec. | | Decorative Dahlia. |
| Dup. | | Duplex Dahlia. |
| Dw. | | Dwarf Dahlia. |
| HC. | | Hybrid Cactus Dahlia. |
| HPFL. | | Hybrid Peony-flowered Dahlia. |
| Pom. | | Pompon Dahlia. |
| PFL. | | Peony-flowered Dahlia. |
| Sin. | | Single Dahlia. |
| Sh. | | Show Dahlia. |

Originators or Introducers

| | |
|---------|--|
| Alex. | J. K. Alexander, East Bridgewater, Mass. |
| Ans. | Carl Ansorge, Klein-Flottbek, Holstein, Germany. |
| Aust. | William J. Austin, Dorchester, England. |
| Babe. | D. W. Babcock, Berlin, Md. |
| Bost. | Bessie Boston Dahlia Farm, San Mateo, Calif. |
| Broom. | J. J. Broomall, Eagle Rock, Cal. |
| Bru. | Viaud-Bruant, Poitiers, Vienne, France. |
| Burg. | E. B. Burgle, Fruitvale, Calif. |
| Burns | F. C. Burns, San Rafael, Calif. |
| Burp. | W. A. Burpee & Co., Philadelphia, Pa. |
| Burr. | J. Burrell & Co., Cambridge, England. |
| Can. | H. Cannell & Son, Swanley, England. |
| Cay. | Cayeux & Leclerc, Paris, France. |
| Cham. | Mrs. Chamberlain, Portland, Ore. |
| Charm. | A. Charmet, Rue Des Dahlias, 10 Monplaisir, Lyon, Rhone, France. |
| Cheal | J. Cheal & Sons, Crawley, Sussex, England. |
| Chi. | John Lewis Childs, Floral Park, L. I., N. Y. |
| Crass | Eduard Crass, Mariendorf, Germany. |
| Dav. | A. W. Davidson, Ansonia, Conn. |
| Deeg. | Max Deegen, Kostritz, Thuringen, Germany. |
| Dool. | L. S. Doolittle, Del Monte, Calif. |
| Engelh. | Kurt Engelhardt, Dresden, Germany. |
| Est. | Mrs. W. E. Estes, 1458 47th Ave., San Francisco, Calif. |
| Fell. | F. W. Fellowes, England. |
| Fen. | Fenton's Dahlia Farm, 771 Buena Vista, San Francisco, Calif. |

DAHLIA, continued

Fing. W. A. Finger, Hicksville, N. Y.
 G. & K. Goos & Koenemann, Niederwals-
 luf, Germany.
 Gero G. W. Gero, Colo.
 Glead. R. C. Gleadell, 6351 Geary St.,
 San Francisco, Calif.
 Hob. Hobbies, Derham, England.
 Hornsv. H. Hornsveld, Baarn, Holland.
 Hum. George Humphreys, Chippen-
 ham, England.
 Jones H. J. Jones, Ryecroft, Hither-
 green, Lewisham, England.
 Kess. Kessing, Germany.
 Key. Keynes, Williams & Co., Salis-
 bury, England.
 Kr. Jan Kriest, Jr., Leiden, Holland.
 Kunz. E. L. Kunzmann, Louisville, Ky.
 Leedh. E. Leedham, Santa Cruz, Calif.
 Lohrm. Richard Lohrmann, San Ra-
 fael, Calif.
 Manda W. A. Manda, South Orange,
 N. J.
 Mann Otto Mann, Leipzig, Eutritzsch,
 Germany.
 Mar. Judge J. T. Marean, Greens
 Farms, Conn.
 Mast. Charles H. Mastic, 1860 Den-
 ver Ave., Portland, Ore.
 Maytr. W. W. Maytrott, Vineland, N.J.
 McWh. R. McWhirter, 703 Crescent
 Ave., San Francisco, Calif.
 N. & H. Nonne & Hoepker, Ahrensburg,
 Holstein, Germany.
 Non. Auguste Nonin, 20 Ave. de
 Paris, Chatillon-sous-Bag-
 neux, Seine, France.
 Peac. Peacock Dahlia Farms, Berlin,
 N. J.
 Pel. Frank D. Pelicano & Co., 119
 Guttenburg St., San Fran-
 cisco, Calif.
 Per. Amos Perry, Enfield, Middle-
 sex, England.
 R. B. Rozain-Boucharlat, 88 Grande
 Rue de Cuire, Cuire-les-
 Lyon, Rhone, France.
 Rawl. Rawlings Bros., Rumford, Eng-
 land.
 Reh. Rehorst, with Bessie Boston,
 San Mateo, Calif.
 Riv. Rivoire, Pere et Fils, Lyon,
 France.
 Schm. Schmitz, Philadelphia, Pa.,
 about 1870.
 Seal Jessie L. Seal, 607 Third Ave.,
 San Francisco, Calif.
 Seale N. V. Seale, Seven Oaks, Eng-
 land.
 Shoesm. H. Shoesmith, Woking, Eng-
 land.
 Sloc. Slocombe's Dahlia Garden, 555
 Townsend Ave., New Haven,
 Conn.

DAHLIA, continued

Spen. Spencer Dahlia Gardens, 1324
 Weber St., Alameda, Calif.
 Stillm. George L. Stillman, Westerly,
 R. I.
 Stout Mrs. C. H. Stout, Short Hills,
 N. J.
 Str. James Stredwick & Sons, Silver-
 hill Park, St. Leonards,
 England.
 Trant. H. R. Tranter, England.
 Turn. Charles Turner, Slough, Eng-
 land.
 V. & B. Vernon and Barnard.
 Vav. Joseph Vavra, Huntington
 Beach, Calif.
 Vine. R. Vincent, Jr., & Sons, White
 Marsh, Md.
 Walk. George H. Walker, North Digh-
 ton, Mass.
 Ware Thomas S. Ware, Feltham,
 England.
 West J. T. West, Tower Hill, Brent-
 wood, England.
 Wilm. W. W. Wilmore, Box 382,
 Denver, Colo.
 Wout. G. Wouters, Leiden, Holland.

ABBÉ HUGONNARD. Col. (Riv.)

ACHIEVEMENT. Col. (Alex.) John
L. Linder.

A. C. Ide. IDE.

ACQUISITION. SH.

ADELAIDE. Pom. (West.)

A. D. Livoni. LIVONI.

ADMIRATION. PFL.

ADVANCE. Cac. (Key. 1907.)

A. E. Johnson. JOHNSON.

AENNCHEN VON THARAU. HC.
(Engelh. 1913.)

AIDA. Dec. (Lohrm. 1912.)

A. K. Perry; A. R. Peary. PEARY.

ALABASTER. Cac. (Str. 1906.)

ALBERT MANDA. Dec. (Manda.)

ALEWINE. Pom.

ALEX KENNEDY. Cac. (Str.)

ALEXIS. Sh. (Before 1899.) *Grand
 Duke Alexis.*

ALIGHT. Cac.

ALLIE MOUREY. Pom.

ALPEN ROSE. Cac.

AMANDA. Cac. (Ans. 1909.)

AMBER QUEEN. Pom.

AMERICA. Sh.

America. NEW AMERICA.

AMERICAN BEAUTY. Dec. Sh.

AMI BARRILET. Dw-Sin. *Little Othello.*

- DAHLIA, continued
 AMOS PERRY. Cac. (Hob.)
 AMOURS DE MADAME. Sh. *Les Amours de Madame.*
 AMPHION. Dec. (West.)
 AMUN RA. Dec. (Seal 1921.)
 ANDREW CARNEGIE. PFl. (Hornsv. 1909.)
 ANNA REHORST. Sh. (Reh.-Bost. 1917.)
 ANNIE DONCASTER. Pom. (West.)
 ANNIE SLOCOMBE. PFl. (Sloc.)
 APPLETON. Cac. (Str. 1908.) *Dr. Roy Appleton.*
 AQUITANIA. HC. (Stillm.)
 ARABELLA. Sh. (Schm. 1873.)
arborea. D. *excelsa.*
 ARIEL. Pom.
 ARTHUR PICKARD. Cac. (Str. 1911.)
 ARTHUR RAWLINGS. Sh. (West.)
 ATTRACTION. HC. (Hornsv.)
 AUGUSTE NONIN. HC. (Charm.)
Aurora. NEW AURORA.
 AURORE. PFl.
 AUSTIN. PFl. (Aust.) *F. R. Austin.*
 AUTUMN GLORY. Cac.
 AVALANCHE. HC. (Hornsv.)
 AVOCAS. Cac.
 AYESHA. Dec. (Maytr.)
 AZALEA. Dec. (Bost. 1918.)
 AZTEC D. D. *pinnata.*
 BACCHUS. Pom. (Key.)
 BAKER. Cac. (West.) *T. G. Baker.*
 BALLET GIRL. Cac. (Bost. 1920.)
 BALTIMORE. Dec. (Vinc.)
 BARROWS BEDDER. Dec.
 BARON DE GRANCY. PFl. (Hornsv. 1904.) *Baron G. de Grancy; De Grancy; Madonna.*
 BASILISK. Cac. (West 1914.)
 BASSETT. Dec. *Frank L. Bassett.*
 BEATRICE SLOCOMBE. Dec. (Sloc.)
 BEDDING D. D. *merckii.*
 BEDFORD. Dec. (Mar.) *E. T. Bedford.*
 BEL-ACCUEIL. Col. (Riv.) *Souvenir de Bel-Accueil.*
 BELLE OF SPRINGFIELD. Pom. (1892.)
 BELOIT. HC. (Charm. 1909.)
 BERCH VAN HEEMSTEDE. Dec. (Hornsv.)
 BERKELEY. PFl.
- DAHLIA, continued
 BERTHA BERNSTEIN. Sh. (Gero 1918.)
 BERTHA HORNE. HC. (Vav. 1917.)
 BERTHA VON SUTTNER. PFl. (Hornsv. 1910.)
 BERTRAM. PFl.
 BESSIE BOSTON. Dec. (Leedh.)
 BETTY. Sin.
 BIANCA. HC. (Hornsv. 1914.)
 BIG CHIEF. Sin.
 BILLIE BURKE. Dec. (Bost.)
 BILLIONAIRE. PFl. *The Billionaire.*
 BIZARRE. Cac.
 BLACK BEAUTY. Dec. (Stillm. 1913.)
Black Beauty. DUSKY BEAUTY.
 BLACK DIAMOND. Sh.
 BLANCHE. Sin.
 BLUE OBAN. Dec.
 BOBBY. Pom.
 BON TON. Sh. (Wilm. 1900.)
 BORDEN. PFl. *Hon. R. L. Borden.*
 BORDER KING. Cac. (West.)
 BREAK O'DAY. HC. (Maytr. 1917.)
 BREEZE LAWN. Dec.
 BRENTWOOD YELLOW. Dec. (West.)
 BRIDAL ROBE. Cac. (Key.)
 BRIDE. Sh.
 BRIGADIER. Cac.
 BRITANNIA. Cac. (Key.)
 BRITISH LION. Cac. (Str. 1918.)
 BRUNETTE. Pom.
 BRUNHILDE. Cac. (G. & K. 1896.)
 BRUTON. Dec. (Peac. 1895.) *Clifford W. Bruton.*
 BUDDE. PFl. (1912.) *Hortulanus Budde.*
 CACTUS D. D. *juarezi.*
 CAECILIA. PFl. (Hornsv. 1911.)
 CAESAR. PFl.
 CALEB POWERS. Sh.
 CALIFORNIA. Dec-PFl. (Hornsv. 1915.)
 CAMBRIA. Dec. (Burr. 1917.)
 CANDELABRA D. D. *imperialis.*
 CANDEUR. Cac.
Cardinal. GRAND CARDINAL.
 CATHARINE. Pom.
 CATHERINE DUER. Dec.
 CECIL. Pom. (Turn. 1892.)
C. E. Wilkins. WILKINS.

DAHLIA, continued

- CHABANNE. Col. (Riv.) *Souvenir de Chabanne.*
- CHARLES LANIER. Sh.
- CHATENAY. PFl. (Hornsv. 1913.)
- CHIEF. Dec. (Sloc.) *Chieftain.*
- CHILDSD. Dec. (Bost.) *John Lewis Childs.*
- CITY OF PORTLAND. PFl. (Cham. 1916.)
- CLARA FINGER. Dec. (Fing. 1919.)
- CLARA SEATON. Sh. (Dool. 1921.)
- Clifford W. Bruton.* BRUTON.
- CLINCHER. Cac. (Str. 1908.)
- coccinea.** FIRE D.
- COCKATOOS. Cac.
- COLOSSAL PEACE. HC. (Maytr. 1918.)
- COMEDIAN. Sh. (Key. 1890.)
- CONQUEST. Cac. (West.)
- CONSTANCE. Cac. (Burr.)
- COPPER. PFl-Dec. (Dool.)
- CORONA. Dec. (Wilm. 1910.)
- COUNTESS OF LONSDALE. Cac. (Can.)
- COUNTESS OF MALMSBURY. Cac.
- COUNTRY GIRL. Cac.
- CRAWLEY STAR. Dup. (Cheal.)
- CREAM CENTURY. Sin.
- CREAM CUP. Col. (Bost. 1917.)
- CREAM KING. PFl. (West.)
- CREATION. PFl. (Hornsv. 1915.)
- CREPUSCULE. Cac. (Riv.)
- CRIMSON CENTURY. Sin.
- CRYSTAL. Cac. (Str.)
- CUBAN GIANT. Sh. *Dr. J. P. Kirkland.*
- C. W. Hayden.* HAYDEN.
- CYGNET. Cac. (Burr. 1914.)
- CYRIL. Pom. (Turn. 1903.)
- DAINTY. Cac. (Hob. 1904.)
- DAISY. Pom. (West.)
- DARKEST OF ALL. Pom. (West.)
- DARKNESS. Pom. (Key. 1875.)
- DARLENE. Dec. (Alex.)
- DAVID WARFIELD. Sh. (Hum.)
- DEE-LIGHTED. Sh. (Chi.?)
- DEFIANCE. Dec.
- DELICE. Dec. (Charm. 1911.)
- DEWDROP. Pom. (West.)
- DIANA. Pom.

DAHLIA, continued

- DIANA OF POITIERS. PFl. (Hornsv. 1914.) *Diana.*
- DIAVOLO. Cac. (Str. 1908.)
- DIEMANT VAN BIJSTEIN. PFl. (Wout.) *Mme. Bystein.*
- DIRECTEUR GERARD. Col. *Directeur René Gerard.*
- D. M. Moore.* MOORE.
- DOAZON. Dec. (Bru. 1905.) *Souvenir de Gustave Doazon.*
- DOROTHY. Sh. (Key.)
- DOROTHY DURNBAUGH. Cac. (Broom 1915.)
- DOROTHY HAWES. Cac. (Str. 1914.)
- DOROTHY PEACOCK. Sh. (Peac.)
- DOUGLAS. Pom. (Turn. 1894.)
- Dr. H. H. Rusby.* RUSBY.
- DR. JIM. Pom. (West.)
- Dr. J. P. Kirkland.* CUBAN GIANT
- DR. KEYNES. Sh. (Key.)
- DR. PEARY. PFl.
- Dr. Roy Appleton.* APPLETON.
- DR. TEVIS. Dec. (Pel. 1915.) *Dr. H. L. Tevis.*
- DR. TYRELL. Dec. (Aust. 1919.)
- DREAM. Dec-PFl. (Hornsv. 1916.)
- DREERS WHITE. Sh.
- DREERS YELLOW. Sh.
- DUCHESS OF BRUNSWICK. PFl.
- DUCHESS OF MARLBORO. Cac.
- DUKE HENRY. PFl. (Hornsv. 1904.)
- DUKE OF FIFE. Sh. (Key. 1890.)
- DUSKY BEAUTY. PFl. (Bost. 1919.) *Black Beauty.*
- DWARF D. *D. gracilis.*
- EARL OF PEMBROKE. Cac. (Key. 1892.)
- EDELWEISS. Cac. (Ans. 1907.)
- EDEN. Col. (Cheal.)
- EDITH CARTER. Cac. (Shoesm. 1913.)
- EDITH CAVELL. PFl. (West.)
- EDITH SLOCOMBE. HC. (Sloc.)
- EDNA STORY. Dec.
- EFFECTIVE. Cac. (Hob. 1905.)
- E. F. Hawes.* HAWES.
- ELECTRIC. Cac.
- ELLA KRAMER. Cac. (Str. 1906.)
- ELSA. PFl. (Lohrm.)
- ELSE. Cac. (Crass 1904.)
- ELSIE BURGESS. Sh.

| | |
|--|--|
| DAHLIA, continued | DAHLIA, continued |
| ELSIE DAVIDSON. Dec. (Dav.) | Frank A. Walker. WALKER. |
| EMBLEM. Cac. (Key. 1913.) | Frank L. Bassett. BASSETT. |
| EMILY. Sh. (1871.) | FRANK SMITH. Sh. (Schm. 1872.) |
| EMILY HOPPER. Pom. (Ware.) | FRAU SCHEIF. Dec. F. G. Scheif; <i>Frau Geheimrat Scheif.</i> |
| EMILY RENWICK. Dec. (Stout 1917.) | FRAULEIN BUDDE. PFl. (Hornsv. 1912.) |
| <i>Emily D. Renwick.</i> | F. R. Austin. AUSTIN. |
| EMMA SLOCOMBE. Dec. (Sloc.) | FRECKLES. Dec. (Maytr. 1919.) |
| EMPRESS. Cac. (Str.) | FREDERICK WENHAM. Cac. (Str.) |
| ENCHANTMENT. Cac. (Str. 1914.) | FRINGED CENTURY. Sin. <i>Fringed Twentieth Century.</i> |
| <i>Fascination.</i> | FUTURITY. Dec. (West.) |
| ESTELLE CHRISTY. Sh. | F. W. Fellowes. FELLOWES. |
| <i>E. T. Bedford.</i> BEDFORD. | GARIBALDI. PFl. (Hornsv. 1913.) |
| ETENDARD DE LYON. Col. (Riv.) | GEANT DE LYON. Col. (Riv. 1913.) |
| ETHEL MAULE. Sh. | GEISHA. PFl. (Hornsv. 1910.) |
| ETRURIA. Cac. (Str. 1906.) | GEISHA CENTURY. Sin. |
| EUREKA. Cac. | GENERAL BULLER. Cac. |
| EVEQUE. Dec. (Hornsv. 1916.) | GENERAL JOFFRE. HC. |
| <i>excelsa.</i> TREE D. | GENERAL MILES. Sh. |
| EXCELSIOR. Cac. (West.) | GENERAL SETH. Cac. (Babc.) <i>Gen- eral J. B. Seth.</i> |
| EXPOSITION DE LYON. Col. (Riv. 1912.) | GENOVEVA. Cac. |
| EXTASE. Cac. (Cay. 1910.) | GEORGE WALTERS. HC. (Carter 1914.) |
| FAIRY QUEEN. Pom. | Gerard. DIRECTEUR RENÉ GERARD. |
| FANTASTIQUE. Cac-PFl. (Mast. 1917.) | GERMANIA. PFl. (Hornsv. 1906.) |
| FASCINATION. Pom. | GIGANTEA. Dec. |
| <i>Fascination.</i> ENCHANTMENT. | GIGANTIC. Cac. (Str.) |
| FASHION. Pom. (Key. 1885.) | GIRLIE. Pom. (West.) |
| FAUST. Dec. | <i>glabrata.</i> D. mercki. |
| FELLOWES. Cac. F. W. Fellowes. | GLADIATEUR. Sh. |
| F. G. Scheif. FRAU SCHEIF. | GLADYS SHERWOOD. HC. (Broom 1918.) |
| FIET. Dec. (Hornsv. 1912.) <i>Hortu- lanus Fiet.</i> | GLORY OF BAARN. PFl. (Hornsv. 1904.) <i>Gloire de Baarn.</i> |
| FIRE D. D. coccinea. | GLORY OF LYON. Sh. <i>Gloire de Lyon.</i> |
| FIREBURST. Dec. | GLORY OF NEW HAVEN. Dec. (Sloc.) |
| FLAME. Cac. | GLORY OF NYKERK. PFl. (Wout. 1910.) <i>Roem van Nijkerk.</i> |
| <i>Flamingo.</i> PINK FLAMINGO; RED FLAMINGO. | GLORY OF WILTS. Cac. (Key.) |
| FLORA. Cac. (1904.) | GOETHE. Cac. (N. & H. 1909.) <i>Wolfgang von Goethe.</i> |
| FLORADORA. Cac. (Hum.) | GOLD MEDAL. Sh. |
| FLORENCE STREDWICK. Cac. (Str. 1905.) <i>Florence M. Stredwick.</i> | GOLD TIP. Col. |
| FLORENCE TRANTER. Sh. (Trant.) | GOLDEN AGE. Sh. |
| FORDHOOK BEAUTY. PFl. (Burp. 1918.) | |
| FOREST LOMA. PFl. (Stillm.) | |
| FRANCES WHITE. Cac. (Str. 1913.) | |
| FRANCIS BUTTS. Dec. <i>Francis A. Butts.</i> | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

DAHLIA, continued

GOLDEN BEDDER. Dec. (Burbank 1912.) *Golden West.*
 GOLDEN CROWN. Cac. (Key.)
 GOLDEN EAGLE. Cac. (Str.)
 GOLDEN GATE. Cac. (Fing.)
 GOLDEN PRINCE. HC. (West.)
 GOLDEN SUNSHINE. Dup. (Stout 1912.) *Sunshine.*
 GOLDEN WAVE. Cac. (Str.)
 GOLDEN WEST. Cac. (Broom. 1911.) *Golden West.* GOLDEN BEDDER.
 GOLDLAND. Cac.
 GOLIATH. Pfl. (West.)
 GOODRICH. Dec. *J. M. Goodrich.*
 GRACE DARLING. Cac.
gracilis. DWARF D.
 GRAND CARDINAL. Pfl. *Cardinal*
Grand Duchess Marie. MARIE.
Grand Duke Alexis. ALEXIS.
 GRAND MANITOU. Dec. (Riv.) *Le Grand Manitou.*
 GREAT BRITAIN. Dec. (1913.)
 GRETCHEN HEINE. Pom.
Gruss aus Wien. VIENNA GREETING.
 GUARDIAN. Cac. (Str.)
 GWENDOLINE TUCKER. Cac. (Key.)
 HAMPTON COURT. Pfl.
 HARBOR LIGHT. Cac.
 HARRY SNOOK. Pom. (Key.)
 HARVEST MOON. Dec. (Maytr. 1918.)
 HAWES. Cac. (Str. 1914.) *E. F. Hawes.*
 HAYDEN. Dec. *C. W. Hayden.*
 HELEN DURNBAUGH. HC. (Broom 1915.)
 HELEN HOLLIS. Sh. (Alex.) *Miss Helen Hollis.*
 HENRI CAYEUX. Cac. (Cay. 1906.)
 HENRI FARMAN. Col.
 HENRY MAIER. Dec.
 HENRY PATRICK. Dec. (Ware 1884.)
 HERBERT RABY. Cac. (Str.)
H. H. Thomas. THOMAS.
H. J. Lovink. LOVINK.
 HOFFNUNG. Cac.
 HOLMAN HUNT. Pfl. (West.)
Hon. R. L. Borden. BORDEN.
 HONESTY. Cac. (West.)

DAHLIA, continued

Hortulanus Budde. BUDDE.
Hortulanus Fiet. FIET.
Hortulanus Witte. WITTE.
H. Shoesmith. SHOESMITH.
H. W. Sillem. SILLEM.
 ICEBERG. Dec. (West 1903.)
 IDE. Pfl. *A. C. Ide.*
 IDEAL. Pom. (West.)
imperialis. CANDELABRA D.
 INDIAN CHIEF. Pom.
 INDIAN NECK. Dec. (Miller 1919.)
 INDOMITABLE. Cac. (Str. 1911.)
 INSULINDE. Dec. (Kr.)
 IRRESISTIBLE. Cac. (Str.)
 IVORY WHITE. Cac. (West 1916.)
 JACK. Sin.
 JACK POLLOCK. Sin.
 JACK ROSE. Dec. (Peac.)
 JACKSON. Cac. (V. & B. 1908.) *J. H. Jackson.*
 JAMIESON. Cac. (Str.) *Rev. T. W. Jamieson.*
 JANE SELBY. Dec. (Bost.)
J. B. Riding. RIDING.
 JEAN KERR. Dec. (Burp. 1920.)
 JEANNE CHARMET. Dec. (Charm.)
 JESSICA. Pom. (Turn. 1896.)
 JESSIE SEAL. Pfl. (Glead.) *Mrs. Jessie L. Seal.*
J. H. Jackson. JACKSON.
 J. K. ALEXANDER. Sh. (Alex.)
J. M. Goodrich. GOODRICH.
 JOFFRE. Dec. (R. B.)
 JOHANNESBURG. Cac. (Str. 1911.)
 JOHN BENNETT. Sh. (Rawl.)
 JOHN BULL. Col. (Str.)
 JOHN GREEN. Pfl. (Str. 1914.)
John H. Slocombe. SLOCOMBE.
John Lewis Childs. CHILDS.
John L. Linder. ACHIEVEMENT.
 JOHN RIDING. Cac. (Str. 1913.)
 JOHN WALKER. Sh. (Walk.)
 JOHN WANAMAKER. Pfl. (Peac.)
 JOHNSON. Dec. *A. E. Johnson.*
 JONKHEER BOREEL. Dec. (Hornsv. 1915.) *Jonkheer Boreel van Hogelanden.*
 juarezi. CACTUS D.
 JUDGE MAREAN. Dec. (Mar.)

- DAHLIA, continued
 JUPITER. Cac. (Str. 1911.)
 JUSTICE BAILEY. HC.
 KAISERIN. Dec. (1905.) *Kaiserin Augusta Victoria.*
 KALIF. HC. (Engelh. 1913.)
 KING ALBERT. PFl.
 KING EDWARD. PFl. (1909.)
 KING LEOPOLD. PFl. (1906.)
 KING OF AUTUMN. PFl-Dec. (Hornsv. 1915.) *King of the Autumn.*
 KLEINE DOMITEA. Pom. (1875.)
 KRIEMHILDE. Cac. (G. & K.)
 LA FAVORITA. HC. (Lohrm. 1916.)
 LA FRANCE. Dec. (1905.)
 LA RIANTE. PFl. (1908.)
 LADDIE. Dec. (Broom. 1921.)
 LADY FAIR. Cac. (Key.)
 LADY HELEN. HC. (Stillm.)
 LANDSEER. PFl. (West.)
 LATONA. PFl. (Hornsv. 1915.)
 LAWINE. Cac. (G. & K. 1906.)
 LE COLOSSE. Dec.
Le Grand Manitou. GRAND MANITOUE.
 LE TOREADOR. Dec. (Mar.)
 LENORMAND. Dec. (Charm.) *Mons. Lenormand.*
 LEO XIII. PFl.-Dec. (Hornsv. 1912.)
Les Amours de Madame. AMOURS DE MADAME.
 LIBELLE. Cac. (1904?)
 LIBELLULE. Cac. (1914.)
 LIBERTY. PFl. (West.)
 LITTLE BEAUTY. Pom. (1875.)
 LITTLE BEESWING. (Key.)
 LITTLE BESSIE. Pom.
 LITTLE HERMAN. Pom. (1870.)
 LITTLE MARY. Pom. (Seale.)
Little Othello. AMI BARILLET.
 LIVONI. Sh. (1890.) *A. D. Livoni.*
 LORD MINTO. Cac. (Key. 1907.)
 LORNA DOONE. Cac. (Str.)
 LOVINK. PFl. (Hornsv. 1911.) *H. J. Lovink.*
 LUCIFER. Cac.
 LUCY FAWCETT. Sh.
 LYNDHURST. Dec.
 MABEL. Dec. (West.)
- DAHLIA, continued
 MABEL TAFT. Dec. (Bost.) *Mabel B. Taft.*
 MADELINE. Pom.
 MADONNA. BARON DE GRANCY.
 MAGNIFICENT. Cac. (Str.)
 MAID OF KENT. Dec.
 MANITOU. Dec. (Wilm. 1909.)
 MANZANOLA. Dec. (Wilm. 1910.)
 MARGUERITE BOUCHON. Cac. (Cay. 1907.)
 MARIE. Sh. *Grand Duchess Marie.*
 MARION WALTON. Cac.
 MARITANA. Sh. (Bost.)
 MARJORIE CASTLETON. Cac.
 MARJORIE FIELD. Dec.
 MARS. Pom. (Ware 1891.)
 MARY PURRIER. Cac. (West 1911.)
 MARY SERVICE. Cac.
 MASTER CARL. Cac.
 MASTERPIECE. PFl-Dec. (Wilm. 1915.)
 MAUDE ADAMS. Sh. (Alex.)
 MAURICE RIVOIRE. Col. (Riv.)
 MAUVE QUEEN. Cac. (Cheal 1906.)
 McCULLOUGH. Dec. *Miss Minnie McCullough.*
 MEISSONIER. An. Fl.
 MELODY. Cac. (Str.)
Melody. NEW MELODY.
 MEPHISTOPHELES. Dec. (Mar.)
mercki. BEDDING D.
 MERLIN. Sh. (Turn.)
 MEYERBEER. PFl. (Non.)
 MILDRED SLOCOMBE. Dec. (Sloc.)
 MILLIONAIRE. Dec. *The Millionaire.*
 MINA BURGLE. Dec. (Burg.)
 MINOS. Dec.
Miss Helen Hollis. HELEN HOLLIS.
Miss Minnie McCullough. McCULLOUGH.
 MISS MOOR. Cac. (Broom. 1916.)
Miss Nannie B. Moor.
 MISS STREDWICK. Cac. (Str.)
Mme. A. Lumière. MME. LUMIÈRE.
Mme. Bystein. DIEMANT VAN BIJSTEIN.
 MME. CAYEUX. Cac. (Cay. 1907.)
Mme. Henri Cayeux.

DAHLIA, continued

- MME. CHARVET. Dec. *Mme. Hélène Charvet.*
 MME. COISSARD. Dup-Pfl. (Charm.)
Mme. J. Coissard.
 MME. CURTELIN. Pfl.
Mme. E. Poirier. MME. POIRIER.
 MME. ESCHENAUER. Cac.
 MME. FURTADO. Sh. *Mme. Heine Furtado.*
 MME. GYGAX. Col.
Mme. Hélène Charvet. MME. CHARVET.
Mme. Henri Cayeux. MME. CAYEUX.
Mme. J. Coissard. MME. COISSARD.
 MME. LUMIÈRE. Dec. *Mme. A. Lumière.*
 MME. MARZE. Sh.
 MME. POIRIER. Col. (Charm.) *Mme. E. Poirier.*
Mme. van den Daele. VANDENDAELE.
Mme. Van Loon. VAN LOON.
 MME. VASSAIRE. Dec. *Mme. Victor Vassaire.*
 MONDSCHEIBE. Pfl. (G. & K. 1913.)
Mons. Lenormand. LENORMAND.
 MONT BLANC. Dec.
 MOORE. Dec. (Wilm.) *D. M. Moore.*
 MOROCCO. Dec.
 MRS. BAKER. Pfl. *Mrs. T. G. Baker.*
 MRS. BLACKMAN. Cac. (Str.) *Mrs. H. Blackman.*
 MRS. BOSTON. Dec. (Bost.) *Mrs. E. C. Boston.*
 MRS. BRECK. Cac. *Mrs. C. H. Breck.*
 MRS. BURNS. Dec. (Burns.) *Mrs. F. C. Burns.*
Mrs. Carl Salbach. MRS. SALBACH.
 MRS. CASSATT. Dec. *Mrs. J. Gardner Cassatt.*
 MRS. COOPER. (Burr.) *Mrs. C. Cooper.*
Mrs. C. G. Wyatt. MRS. WYATT.
Mrs. Charles L. Seybold. MRS. SEYBOLD.
Mrs. C. H. Breck. MRS. BRECK.
Mrs. C. Turner. MRS. TURNER.
 MRS. DE LUCA. Cac.
 MRS. DEXTER. Sh.

DAHLIA, continued

- Mrs. Douglas Fleming.* MRS. FLEMING.
Mrs. E. C. Boston. MRS. BOSTON.
Mrs. Edna Spencer. MRS. SPENCER.
 MRS. EMBERSON. Cac. (West.) *Mrs. J. Emberson.*
 MRS. ESTES. HC. (Est.) *Mrs. W. E. Estes.*
Mrs. Ethel F. T. Smith. MRS. SMITH.
Mrs. F. C. Burns. MRS. BURNS.
Mrs. Ferdinand Jeffries. MRS. JEFFRIES.
Mrs. F. Grinsted. MRS. GRINSTED.
 MRS. FLEERS. Dec.
 MRS. FLEMING. Cac. (Str.) *Mrs. Douglas Fleming.*
 MRS. FUTRELLE. Pfl. *Mrs. Jacques Futrelle.*
Mrs. George Stevenson. MRS. STEVENSON.
 MRS. GORDON. Pfl. *Mrs. George Gordon.*
 MRS. GRINSTED. Cac. *Mrs. F. Grinsted.*
 MRS. HARTONG. Dec. (Wilm.)
Mrs. H. Blackman. MRS. BLACKMAN.
Mrs. Henry Randle. MRS. RANDLE.
Mrs. H. J. Jones. MRS. JONES.
Mrs. I. de Ver Warner. MRS. WARNER.
Mrs. Jacques Futrelle. MRS. FUTRELLE.
Mrs. J. C. Vaughan. MRS. VAUGHAN.
Mrs. J. Emberson. MRS. EMBERSON.
 MRS. JEFFRIES. HC. (Wilm. 1911.)
Mrs. Ferdinand Jeffries.
Mrs. Jessie L. Seal. JESSIE SEAL.
Mrs. J. Gardner Cassatt. MRS. CASSATT.
 MRS. JONES. Cac. *Mrs. H. J. Jones.*
Mrs. Josiah T. Marean. MRS. MALEAN.
 MRS. LOHRMANN. HC. (Lohrm.)
Mrs. Richard Lohrmann.
Mrs. Margaret Stredwick. MRS. STREDWICK.
 MRS. MAREAN. Pfl. (Mar.) *Mrs. Josiah T. Marean.*

| | |
|--|--|
| DAHLIA, continued | DAHLIA, continued |
| <i>Mrs. Nathaniel Slocumbe.</i> MRS. SLOCOMBE. | OBAN. Dec. |
| MRS. RANDLE. Cac. (Str. 1913.) <i>Mrs. Henry Randle.</i> | OLD GARDEN D. D. rosea. |
| MRS. RICHARD LOHRMANN. MRS. LOHRMANN. | OLD GOLD. PFl. |
| MRS. ROOSEVELT. Dec. | OLD SOL. PFl. (Maytr. 1918.) |
| MRS. SALBACH. Dec. <i>Mrs. Carl Salbach.</i> | ORANGE BEAUTY. Dec. |
| MRS. SEYBOLD. PFl.-Dec. (Vinc.) <i>Mrs. Charles L. Seybold.</i> | ORANGE KING. Dec. |
| MRS. SLOCOMBE. Dec. (Sloc.) <i>Mrs. Nathaniel Slocumbe.</i> | OREGON BEAUTY. Dec. |
| MRS. SMITH. HC. (Broom.) <i>Mrs. Ethel F. T. Smith.</i> | ORIANA. PFl. |
| MRS. SPENCER. HC. (Spen.) <i>Mrs. Edna Spencer.</i> | OSAM SHUDOW. Dec. (Bost.) |
| MRS. STEVENSON. Cac. <i>Mrs. George Stevenson.</i> | PACIFIC. Dec. (McWh.) |
| MRS. STREDWICK. Cac. (Str.) <i>Mrs. Margaret Stredwick.</i> | PACIFIC GLOW. PFl. (Burns.) |
| <i>Mrs. T. G. Baker.</i> MRS. BAKER. | PAINTED LADY. PFl. (Hornsv. 1914.) |
| MRS. TURNER. Dec. <i>Mrs. C. Turner.</i> | PAPA CHARMET. Dec. |
| MRS. VAUGHAN. Dec. (Hornsv. 1912.) <i>Mrs. J. C. Vaughan.</i> | PATRICIA O'BRIEN. HC. (Vav. 1921.) |
| MRS. WARNAAR. Dec. (Hornsv. 1914.) | PATRICK O'MARA. Dec. (Vinc. 1920.) |
| MRS. WARNER. Dec. (Mar.) <i>Mrs. I. de Ver Warner.</i> | PEARY. Cac. A. K. Perry; A. R. <i>Pearly.</i> |
| <i>Mrs. W. E. Estes.</i> MRS. ESTES. | PENELOPE. Sh. (Fell. 1892.) |
| MRS. WILSON. Dec. (Jones.) <i>Mrs. Woodrow Wilson.</i> | PERLE DE LYON. Cac. (Riv.) |
| MRS. WYATT. Cac. <i>Mrs. C. G. Wyatt.</i> | PHENOMENE. Dup. |
| NANCY MAE. HC. (Babe. 1913.) | PHILADELPHIA. PFl-Dec. (Mann 1908.) |
| NANTWICH. Cac. (Str. 1913.) | PHOENIX. Cac. |
| NATALIE MAI. PFl. (Bost.) | PIERRE LEBLOUD. Dec. (Non.) |
| NERISSA. Pom. (Turn. 1896.) | PIERROT. Cac. (Str. 1914.) |
| NERTHUS. Cac. (G. & K. 1909.) | PINK FLAMINGO. Dec. (Ans. 1911.) <i>Flamingo.</i> |
| NEW AMERICA. PFl. <i>America.</i> | PINK PEARL. Cac. (1905.) |
| NEW AURORA. Cac. <i>Aurora.</i> | pinnata. AZTEC D. |
| NEW MELODY. Dec. (Peac.) <i>Melody.</i> | PLANET. Cac. (Str.) |
| NEW YORK. Cac. (Str.) | POLAR STAR. PFl. |
| NEWPORT WONDER. Sin. | PRESIDENT FALLIERES. PFl. (Kr.) |
| NIBELUNGENHORN. HC. (G. & K.) | PRESIDENT VIGER. Col. |
| NORMA. Sh. | PRESIDENT WILSON. Dec. (Jones.) |
| | PRIDE OF CALIFORNIA. Dec. (Lohrm.) |
| | PRIMA DONNA. HC. (N. & H. 1909.) |
| | PRINCE CHARMING. Pom. |
| | PRINCE OF YELLOWS. Cac. (Morti- mer 1900.) |
| | PRINCESS JULIANA. PFl-Dec. (Hornsv. 1910.) |
| | PRINCESS MARY. PFl-Dec. (Hornsv. 1916.) |
| | PRINCESS PAT. Dec. (McWh.) |
| | PRINCESS VICTORIA. Sh. |

DAHLIA, continued

Princess Victoria Louise. VICTORIA LOUISE.
 PROFESSOR MANSFIELD. Dec.
 PROGENITOR. Cac.
 PURPLE MANITOU. Dec. *Royal Purple.*
 QUAKER CITY. HC. (Maytr. 1918.)
 QUEEN EMMA. PFl.
 QUEEN ESTHER. PFl. (Sloc.)
 QUEEN MARY. Dec.
 QUEEN OF YELLOWS. Sh.
 QUEEN VICTORIA. Sh.
 QUEEN WILHELMINA. PFl. (Hornsv. 1904.)
 RAWSON. Sh. *W. W. Rawson.*
 RED ADMIRAL. Cac. (Str. 1911.)
 RED CROSS. HC-PFl. (Anderson 1916.)
 RED FLAMINGO. Dec. (1912.) *Flamingo.*
 RED HUSSAR. Sh.
 RED SUNSHINE. Dec. (Kess.) *Sunshine.*
 REGGIE. Sh.
 REMBRANDT. PFl.
 RENÉ CAYEUX. Cac. (Cay. 1906.)
Rev. T. W. Jamieson. JAMIESON.
 RHEINISCHER FROHSINN. Cac. (G. & K. 1913.)
 RHEINKÖNIG. Cac. (G. & K. 1911.)
 RICHARD BOX. Cac. (Str. 1913.)
 RIDING. Cac. *J. B. Riding.*
 ROBERT BROOMFIELD. Sh.
Roem van Nijkerk. GLORY OF NY-KERK.
 ROSA NELL. Dec. (Broom. 1920.)
 ROSE. Sh.
 ROSE GEM. PFl-Dec. (1916.)
 ROSE MAWR. Dec. (Broom. 1918.)
 ROSE PINK. Sin. (Peac.) *Rose-Pink Century.*
 rosea. OLD GARDEN D.
Royal Purple. PURPLE MANITOU.
 RUBENS. PFl. (West.)
 RUSBY. PFl. (Wilm. 1912.) *Dr. H. H. Rusby.*

DAHLIA, continued

RUTH FORBES. Cac.
 RUTH GLEADELL. HC. (Seal.) *Ruth C. Gleadell.*
 RYAN. Dec. (Bost.) *W. d'Arcy Ryan*
 SALVATOR. PFl.
 SAN FRANCISCO. HC. (Lohrm.)
 SAN MATEO. Dec. (Bost.)
 SAN MATEO STAR. Col. (Bost.)
 SAN TOY. Pom. (Turn. 1904.)
 SANTA CRUZ. Dec.
 SCARLET CENTURY. Sin.
 SEAHORSE. HC. (West.)
 SEBASTOPOL. Dec. (1912.)
 SENSATION. Dup.
 SEQUOIA. Cac.
 SEQUOIA GIGANTEA. Dec. (Burns.)
 SHERLOCK HOLMES. PFl. (1912.)
 SHOESMITH. Cac. *H. Shoesmith.*
 SHUDOW LAVENDER. Dec. (Bost. 1921.) *Shudows Lavender.*
 SILLEM. Cac. *H. W. Sillem.*
 SLOCOMBE. Dec. (Sloc.) *John H. Slocome.*
 SNOWCLAD. Pom.
 SNOWDON. Cac. (Str. 1910.)
 SNOWFLAKE. Sin.
 SNOWSTORM. Cac. (Str. 1910.)
 SOUTH POLE. PFl. (Can.)
Souvenir de Bel-Accueil. BEL-A-CUEIL.
Souvenir de Chabanne. CHABANNE.
Souvenir de Gustave Doazon. DOAZON
 SPRINGFIELD. Cac.
 ST. GEORGE. Sin.
 STABILITY. Cac. (Str.)
 STANDARD BEARER. Cac. (Key. 1898.)
 STERN. Cac.
 STORM KING. Sh.
 STRADELLA. Sh.
 STUNNER. Dec. (Broom. 1916.)
 SULPHUREA. Dec. (West.)
 SUNBEAM. Pom.
 SUNKISS. HC. (Chi. 1921.)
 SUNSET. Pom.
Sunshine. GOLDEN SUNSHINE.
Sunshine. RED SUNSHINE.

DAHLIA, continued
 SURPASSE COLOSSE. Sh.
 SUSAN. Sh.
 SWEETBRIAR. Cac. (Str. 1912.)
 SYLVIA. Dec.
 TENOR ALVAREZ. Dec. (Non.)
T. G. Baker. BAKER.
The Billionaire. BILLIONAIRE.
The Eagle. HC. (Burns.)
The Emperor. Dec.
The Giant. Pfl.
The Grizzly. Dec. (Burns.)
The Imp. Cac. (West.)
The Lion. Cac. (Str.)
The Mahdi. Pfl. (Kunz. 1918.)
The Millionaire. MILLIONAIRE.
The Uesa. Pfl. (Stillm. 1920.) *The U. S. A.*
 THOMAS. Cac. (Str. 1911.) *H. H. Thomas.*
 THOMAS OBERLIN. Cac.
 THURINGIA. Cac. (Deeg.)
 TOM LUNDY. HC. (Fen.)
 TREE D. *D. excelsa.*
 TRYPHINNIE. Cac. (Est. 1921.)
 TWENTIETH CENTURY. Sin. (Peac.)
 UNION JACK. Sin.
 VALIANT. Cac. (Str.)
 VAN DYCK. Pfl. (West.)
Van Loon. Mme. *Van Loon.*
 VANDENDAELE. Dec. Mme. *Van den Daele.*
variabilis.
 A confused name promiscuously applied to various garden hybrids of *D. pinnata* and *D. rosea*.
 VATER RHEIN. HC. (G. & K. 1910.)
 VICTORIA LOUISE. Dec. *Princess Victoria Louise.*
 VIENNA GREETING. Pom. *Gruss aus Wien.*
 VIVIAN. Sh.
 VIVID. Pom.
 WALKER. Dec. (Alex.) *Frank A. Walker.*
 WALKURE. Pfl. (G. & K. 1914.)
 WASHINGTON CITY. HC. (Broom. 1918.)
W. d'Arcy Ryan. RYAN.
 WEBER. Pfl.
 WESTHOPE. H.Dec. (Stout. 1918.)
 WHITE CENTURY. Sin.

DAHLIA, continued
 WHITE STAR. Dup. (Cheal.)
 WHITE SWAN. Sh.
 WILDFIRE. Sin. *Wildfire Century.*
 WILHELM MILLER. Dec.
 WILKINS. Cac. (Str. 1909.) *C. E. Wilkins.*
 WILLIAM AGNEW. Dec. (Peac. 1895.)
 WINFIELD SLOCOMBE. Dec. (Sloc. 1921.)
 WINSOME. Cac. (Hob. 1896.)
 WITTE. Dec. (1911.) *Hortulanus Witte.*
 WODAN. HC. (G. & K. 1910.)
Wolfgang von Goethe. GOETHE.
 W. W. Rawson. RAWSON.
 YELLOW CENTURY. Sin.
 YELLOW COLOSSE. Dec-Sh.
 YELLOW DUKE. H.Sh.
 YELLOW KING. HC. (Hornsv. 1914.)
 YELLOW TRANSPARENT. Dup. (1914.)
 YVONNE CAYEUX. Cac. (Cay. 1907.)
 ZEPPELIN. Pfl. (Hornsv. 1912.)
 DAHOON *Ilex cassine*
 DAHURIAN BELLFLOWER, DAHURIAN BUCKTHORN, etc. See BELLFLOWER, BUCKTHORN, etc.
 DAIMYO OAK . . . *Quercus dentata*
 DAISY
 CROWNDAILY
Chrysanthemum coronarium
 ENGLISH D. *Bellis perennis*
 GIANT D.
Chrysanthemum uliginosum
 GLOBE DAISY *Globularia*
 MICHAELMAS-DAISY
Aster tradescanti
 NIPPON OXEYE D.
Chrysanthemum nipponicum
 OXEYE D. *C. leucanthemum*
 PAINTED D. *C. coccineum*
 SWAN-RIVER-DAISY
Brachycome iberidifolia
 TURFING D.
Chrysanthemum tchihatchewii
 DAISYTREE *Olearia*
 DAKOTA VERBENA
Verbena bipinnatifida

DALBERGIA

ROSEWOOD
Apparently the name of this genus under the American Rules is *Securidaca*.

sissoo (*Amerimnon sissoo*). SISSOO
DALECARLIA BIRCH. Hort. var. of *Betula alba*.

DALIBARDA DALIBARDA
repens DALIBARDA

DALLIS GRASS . *Paspalum dilatatum*

DALMAIS POLYGALA

Polygala dalmaisiana

DALMATIAN BELLFLOWER, DALMA-
TIAN TOADFLAX, etc. See BELL-
FLOWER, TOADFLAX, etc.

DAMASK ROSE *Rosa damascena*

DAMES ROCKET . *Hesperis matronalis*

DAMMARA Ag AGATHIS

DAMMAR-PINE Agathis

AUSTRALIAN D. *A. robusta*

WHITE D. *A. alba*

DAMPIER GOLDEN ELM (*Ulmus folia-*
cea dampieri† Cy)

DANDELION *Taraxacum*; T. officinale

DWARF-DANDELION *Krigia virginica*

MOUNTAIN-DANDELION K. *montana*

DANDELION SUNDROPS

Oenothera acaulis

DANESBLOOD . *Campanula glomerata*

DANFORD IRIS *Iris danfordiae*

DANGLEBERRY . *Gaylussacia frondosa*

DAPHNE DAPHNE

alpina ALPINE D.

altaica MONGOLIAN D.

blagayana BALKAN D.

caucasica CAUCASIAN D.

cneorum ROSE D.

genkwa LILAC D.

mezereum FEBRUARY D.

odora WINTER D.

oleoides OLIVE D.

Hort. var. of *Daphne*:

FION D. (*D. oleoides fioniana*† Cy)

RED FEBRUARY D. (*D. mezereum*
rubra)

WHITE FEBRUARY D. (*D. mezereum*
alba† Cy)

WHITE WINTER D. (*Daphne odora*
alba† Cy)

YELLOWEDGE D. (*Daphne o. mar-*
ginata† Cy)

DAPHNE Daphne

ALPINE D. *D. alpina*

BALKAN D. *D. blagayana*

CAUCASIAN D. *D. caucasica*

FEBRUARY D. *D. mezereum*

FION D. (*D. oleoides fioniana*† Cy)

LILAC D. *D. genkwa*

MONGOLIAN D. *D. altaica*

OLIVE D. *D. oleoides*

RED FEBRUARY D. Hort. var. of
D. *mezereum*.

ROSE D. *D. cneorum*

WHITE FEBRUARY D. (*D. meze-*
reum alba† Cy)

WHITE WINTER D. (*Daphne odora*
alba† Cy)

WINTER D. *D. odora*

YELLOWEDGE D. (*D. odora mar-*
ginata† Cy)

DAPHNE WILLOW. . *Salix daphnooides*

DAPHNIPHYLLUM

macropodium

DARK BLUE NOLANA

Nolana paradoxa

DARK RED BUCKEYE (*Aesculus pavia*
atrosanguinea† Cy)

DARKEYE SUNFLOWER

Helianthus atrorubens

DARLINGTONIA

CALIFORNIA PITCHERPLANT

The common name Pitcherplant is applied also to the genera *Nepenthes*, *Sarracenia*, and *Heliampulla*.

californica (*Chrysanthemum californicum* Ag.)

CALIFORNIA PITCHERPLANT

DARWIN BARBERRY *Berberis darwini*

DASHEEN *Colocasia esculenta*

DASYLIRION SOTOL

acrotiche BRUSHTIP S.

glaucophyllum BLUELEAF S.

graminifolium GRASSLEAF S.

longissimum (*quadrangulatum*)

SQUARELEAF S.

parryi *Nolina parryi*

serratifolium SAWTOOTH SOTOL

wheeleri WHEELER S.

DASYSTEPHANA . . GENTIANA

DATE

For varieties of the cultivated Date, the fruit of the Date Palm, *Phoenix dactylifera*, see American Pomological Society's List of Fruits, in Appendix.

Chinese D.

COMMON JUJUBE: *Zizyphus jujuba*
DATE PALM, DATE YUCCA, etc. See
PALM, YUCCA, etc.

DATEPLUM *Diospyros lotus*
DATIL PALM *Cocos datil*

DATURA DATURA
arborea FLORIPONDIO
chlorantha YELLOW F.
cornigera HORNED F.
fastuosa (*cornucopia; humilis*)

CORNUCOPIA F.
metel HINDU DATURA
meteloides SACRED D.
sanguinea RED FLORIPONDIO
suaveolens ANGEL-TRUMPET

DAUBENTONIA Ag. SESBANIA

DAUCUS CARROT
carota COMMON C.

DAVALLIA DAVALLIA
bullata BALLFERN
denticulata (*elegans*)
fijiensis FIJI DAVALLIA
pallida (*mooreana*)
pentaphylla FIVEBLADE D.
tenuifolia *Odontosoria chinensis*

Hort. var. of *Davallia*:

PLUME D. (*Davallia fijiensis pluma*† Cy)

DAVID ASTILBE, DAVID ROSE, etc.
See ASTILBE, ROSE, etc.

DAVIDIA DOVETREE
involucrata
—vilmoriniana

DAVIDSON RHODODENDRON
Rhododendron davidsonianum

DAVIS BEGONIA . . . *Begonia davisi*
DAWN HINDU LOTUS (*Nelumbo nucifera rosea*† Cy)

DAWNFLOWER
BLUE D. *Ipomoea leari*
DAWSON CRAB, DAWSON HAWTHORN,
etc. See CRAB, HAWTHORN, etc.
DAY CESTRUM *Cestrum diurnum*

| | |
|---------------------------------|---|
| DAYFLOWER | Commelinaceae |
| CREEPING D. | <i>C. nudiflora</i> |
| MEXICAN D. | <i>C. coelestis</i> |
| DAYGLOW TORCHLILY | (<i>Kniphofia uvaria grandiflora</i> † Cy) |
| DAYLILY | <i>Hemerocallis</i> |
| AMUR D. | <i>H. middendorffii</i> |
| CITRON D. | <i>H. citrina</i> |
| DWARF D. | <i>H. minor</i> |
| EARLY D. | <i>H. dumortieri</i> |
| FLORHAM D. | Hort. var. of <i>Hemerocallis</i> . |
| GOLDEN D. | <i>H. luteola</i> |
| GREAT ORANGE D. | <i>H. aurantiaca major</i> |
| JAPANESE D. | <i>H. thunbergii</i> |
| KWANSO D. | (<i>H. fulva kwanso</i> † Cy) |
| LEMON D. | <i>H. flava</i> |
| ORANGE D. | <i>H. aurantiaca</i> |
| REGEL D. | Hort. var. of <i>Hemerocallis</i> . |
| SOVEREIGN D. | Hort. var. of <i>Hemerocallis</i> . |
| TAWNY D. | <i>H. fulva</i> |
| DEADNETTLE | <i>Lamium</i> |
| PURPLE D. | <i>L. purpureum</i> |
| SPOTTED D. | <i>L. maculatum</i> |
| DECaisne LOCUST | (<i>Robinia pseudoacacia decaisneana</i> † Cy) |
| DECKEN PALM . . . | <i>Deckenia nobilis</i> |
| DECKENIA | |
| nobilis | DECKEN PALM |
| DECODON | WATERWILLOW |
| verticillatus . . . | (<i>Nesaea verticillata</i>) |
| | WATERWILLOW |
| DECUMARIA | |
| barbara | |
| DEERBERRY | <i>Vaccinium stamineum</i> |
| DEERFERN | <i>Blechnum spicant</i> |
| DEEHORN CACTUS | |
| | <i>Peniocereus greggi</i> |
| DEERING VELVETBEAN | |
| | <i>Stizolobium deerlingianum</i> |
| DEERINGIA | |
| baccata (<i>celosiooides</i>) | |
| DEGUELIA | <i>Derris</i> |
| DELAVAY HONEYSUCKLE, DELAVAY | |
| OSMANTHUS, etc. See HONEY- | |
| SUCKLE, <i>Osmanthus</i> , etc. | |

DELAWARE HAWTHORN

Crataegus apposita

DELONIX Ag . . . POINCIANA

DELPHINIUM . . . LARKSPUR

ajacis ROCKET L.*barlowi* BARLOW L.Hort. var. of *D. hybridum*.*brunonianum* MUSK L.*cardinale* CARDINAL L.*cardiopetalum* (*D. halteratum* Ag)

HEARTPETAL LARKSPUR

cashmerianum CASHMERE L.*caucasicum* CAUCASIAN L.*chinense* *D. grandiflorum chinense**consolida* FIELD LARKSPUR*elatum* BEE L.*exaltatum* TALL L.*fissum* Ag *D. hybridum**formosum* HARDY LARKSPUR

See also hort. var. list below.

grandiflorum SIBERIAN L.*—chinense* SLENDER L.

See also hort. var. list below.

halteratum Ag . . . *D. cardiopetalum**hybridum* (*D. fissum* Ag)

MOUNTAIN LARKSPUR

See also hort. var. list below.

maackianum MAACK L.*moerheimi* MOERHEIM L.*nudicaule* ORANGE L.*parryi* PARRY L.*speciosum* PERSIAN L.*sulphureum* *D. zamil**tricorne* ROCK LARKSPUR*zamil* (*sulphureum*) YELLOW L.Hort. var. of LARKSPUR, *Delphinium*:

AMOS PERRY

BARLOW (*D. hybridum barlowi*† Cy;
D. barlowi)

BELLADONNA

BRUNTON (*Mr. Brunton*)

CAPRI

CARMEN

DIADEM

DUKE OF CONNAUGHT

EXCELSIOR

FÉLICITÉ

GRILLE

HALLGARTEN

JULIA

DELPHINIUM (Hort. var.), continued

KING OF DELPHINIUMS

LAMARTINE

LIBELLE

LIZZIE

MADAME VIOLET GESLIN

MINERVA

MUSEA

NASSAU

NIEDERWALD

PERSIMMON

SEIDENSPINNER

SKYBLUE (*Delphinium formosum*
coelestinum† Cy)

STUBBS (Rev. J. J. Stubbs)

TOM THUMB

WHITE SIBERIAN (*D. grandiflorum*
album† Cy)

DELTA MAIDENHAIR

Adiantum cuneatum

DENDRIUM . . . LEIOPHYLLUM

DENDROBIUM

See ORCHID GENERA.

DENDROCALAMUS GIANT BAMBOO

hamiltoni HAMILTON B.*latiflorus* HEMP B.*membranaceus**strictus* MALE B.

DENDROCHILUM

See ORCHID GENERA.

DENDROMECON . . . TREEPOPPY

rigidum TREEPOPPY

DENDRO PANAX

japonicum

DENDROPOGON . . . TILLANDSIA

DENNSTEDTIA (*SITOLOBIUM*)

CUPFERN

adiantoides GLOSSY C.*cicutaria* COMMON C.*punctilobula* (*Dicksonia pilosius-**cula*; *Di. punctilobula*)

HAY-SCENTED FERN

DENTARIA TOOTHWORT

californica CALIFORNIA T.*diphylla* CRINKLEROOT*laciniata* CUT TOOTHWORT*macrocarpa* CASCADE T.*tenella* OREGON T.

- DEODAR** *Cedrus deodara*
GOLDEN D. (*C. d. aurea*† Cy)
GREEN D. (*C. d. viridis*† Cy)
HARDY D. (*C. d. verticillata*† Cy)
LONGLEAF D. (*C. d. robusta*† Cy)
- DERRIS**
scandens (*Deguelia timorensis*)
- DESERT GUM** *Eucalyptus rudis*
- DESERTCANDLE** *Eremurus*
Giant D. *E. robustus*
- HIMALAYAN D.** *E. himalaicus*
- DESERTWILLOW** *Chilopsis linearis*
WHITE D. Hort. var. of *C. linearis*
- DESMANTHUS**
illinoensis (*Acuan illinoensis* Ag)
- DESMAZERIA** SPIKEGRASS
sicula (*Brizopyrum siculum*) SPIKEGRASS
- DESMODIUM** TICKCLOVER
bicolor *Lespedeza bicolor*
canescens (*Meibomia canescens* Ag)
HOARY TICKCLOVER
gyrans (*M. gyrans* Ag) TELEGRAPH-PLANT
japonicum
Lespedeza formosa albiflora
penduliflorum *L. formosa*
- DEUTZIA** *DEUTZIA*
candelabrum† Cy CANDELABRA D.
See hort. var. list opposite.
- candidissima** SNOWFLAKE D.
Hort. var. of *D. scabra*.
- corymbiflora**
D. setchuenensis corymbiflora
crenata *D. scabra crenata*
discolor
—**major**
fortunei FORTUNE DEUTZIA
Hort. var. of *D. scabra*.
- globosa** GLOBE D.
gracilis SLENDER D.
See also hort. var. list opposite.
- grandiflora** EARLY D.
hypoglaucă
kalmiaeflora† Cy KALMIA D.
See hort. var. list opposite.
- lemoinei**† Cy LEMOINE D.
See hort. var. list opposite.
- longifolia** LONGLEAF D.
myriantha† Cy CHERRYBLOSSOM D.
See hort. var. list opposite.
- DEUTZIA**, continued
- parviflora** MONGOLIAN DEUTZIA
- purpurascens** REDBUD D.
- reflexa** CURLY D.
- scabra** FUZZY D.
- crenata**
See also hort. var. list below.
- schniederiana** SCHNEIDER D.
- setchuenensis** SZECHWAN D.
- corymbiflora**
- sieboldiana** SIEBOLD D.
- vilmorinae** VILMORIN D.
- watereri** WATERER D.
Hort. var. of *D. scabra*.
- wilsonii**
Hort. var. of *Deutzia*:
- AVALANCHE. Hort. var. of Lemoine BELLFLOWER (*D. rosea campanulata*† Cy; *gracilis campanulata*) BOULE DE NEIGE. Hort. var. of Lemoine.
- BOULE ROSE. Hort. var. of Cherry-blossom.
- CANDELABRA (*D. candelabrum*† Cy)
- CARMINE (*D. rosea carminea*† Cy; *gracilis carminea*)
- CHERRYBLOSSOM (*D. myriantha*† Cy; *Lemoine* × *purpurascens*)
- DOUBLE ROSE (*D. scabra plena*† Cy)
- DWARF LEMOINE (*D. lemoinei compacta*† Cy)
- FLEUR DE POMMIER. Hort. var. of Cherryblossom.
- FORTUNE (*D. scabra fortunei*† Cy; *D. fortunei*)
- KALMIA (*D. kalmiaeflora*† Cy)
- LARGE SHELLPINK (*D. rosea grandiflora*† Cy)
- LEMOINE (*D. lemoinei*† Cy; *gracilis* × *parviflora*)
- PINK CHOICE (*D. rosea eximia*† Cy; *gracilis eximia*)
- PRIDE OF ROCHESTER. Hort. var. of *D. scabra*.
- ROSE PANICLE (*D. rosea*† Cy; *gracilis rosea*)
- SHELLPINK (*Deutzia rosea floribunda*† Cy)
- SNOWFLAKE (*D. scabra candidissima*† Cy; *D. candidissima*)
- WATERER (*D. scabra watererii*† Cy; *D. watereri*)

DEUTZIA (Hort. var.), continued

- WHITE PANICLE (*Deutzia rosea venusta*† Cy)
DEUTZIA *Deutzia*
 See also hort. var. list on page 124.
 CURLY D. *D. reflexa*
 EARLY D. *D. grandiflora*
 FUZZY D. *D. scabra*
 GLOBE D. *D. globosa*
 LONGLEAF D. *D. longifolia*
 MONGOLIAN D. *D. parviflora*
 REDBUD D. *D. purpurascens*
 SCHNEIDER D. *D. schneideriana*
 SIEBOLD D. *D. sieboldiana*
 SLENDER D. *D. gracilis*
 SZECHWAN D. *D. setchuenensis*
 VILMORIN D. *D. vilmoriniae*
 DEVIL MAPLE *Acer diabolicum*
 DEVILSCLUB *Echinopanax horridum*
 DEVILS-PINCUSHION *Echinocactus texensis*
 DEVILSTONGUE *Amorphophallus rivieri*
 DEVILS-WALKINGSTICK *Aralia spinosa*

- DEWBERRY *Rubus*
 See also BLACKBERRY and RASPBERRY.
 For horticultural varieties see DEWBERRY, in American Pomological Society's List of Fruits, in Appendix.
 BRUSH D. *Rubus dumetorum*
 CALIFORNIA D. *R. vitifolius*
 NORTHERN D. *R. procumbens*
 SOUTHERN D. *R. trivialis*
 SWAMP D. *R. hispida*
 DEWDROP BEGONIA (*B. carrieri*† Cy)

- DIACRIUM** *EPIDENDRUM*
 See ORCHID GENERA.

- DIADEM** PINK (*Dianthus chinensis diadematus*† Cy)

- DIAMOND BELLFLOWER, DIAMOND MAIDENHAIR, etc. See BELLFLOWER, MAIDENHAIR, etc.

- DIAMONDFLOWER *Ionopsis acaule*
 DIANA ARBORVITAE (*Thuja orientalis gracilis*† Cy)

- DIANTHUS** PINK, CARNATION
atrorubens *D. carthusianorum*
barbatus SWEET-WILLIAM
caesius CHEDDAR PINK
carthusianorum (*atrorubens*) CARTHUSIAN P.

DIANTHUS, continued**caryophyllus**

- CLOVE PINK, CARNATION
 For horticultural varieties of Carnation
 see the special list on page 126.
chinensis CHINESE PINK
cruentus BLOOD P.
deltoides MAIDEN P.
 See also hort. var. list below.
diadematus DIADEM P.
 Hort. var. of *D. chinensis*.
glacialis ICE P.
—neglectus
heddewigii HEDDEWIG P.
 Hort. var. of *D. chinensis*.
imperialis IMPERIAL P.
 Hort. var. of *D. chinensis*.
laciniatus FRINGED CHINESE P.
 Hort. var. of *D. chinensis*.
latifolius† Cy DOUBLE CLUSTER P.
 See hort. var. list below.
marginatus BORDERED P.
neglectus *D. glacialis neglectus*
plumarius (*scoticus*)
 (Garden Pink) GRASS PINK
 See also hort. var. list below.
punctatus. A form of *D. caryophyllus*.
scoticus *D. plumarius*
seguieri RAGGED PINK
 Hort. var. of *D. chinensis*.
semperflorens PERPETUAL P.
 Hort. var. of *D. plumarius*.
superbus LILAC P.
 Hort. var. of PINK, **Dianthus**:
 The varieties of Carnation, *D. caryophyllus*, are in a special list on page 126.
 ABBOTSFORD
 DIADEM (*D. chinensis diadematus*† Cy; *diadematus*)
 DOUBLE CLUSTER (*Dianthus latifolius*† Cy)
 FRINGED CHINESE (*D. chinensis laciniatus*† Cy; *laciniatus*)
 HEDDEWIG (*D. c. heddewigii*† Cy;
heddewigii)
 IMPERIAL (*D. c. imperialis*† Cy;
imperialis)
 NEWPORT
 PERPETUAL (*semperflorens*; *plumarius semperflorens*)

DIANTHUS, PINK (Hort. var.), continued
RAGGED (*D. chinensis asper† Cy; seguieri*)
WHITE MAIDEN (*deltoides albus*)

Hort. var. of CARNATION, **Dianthus caryophyllus**:

The American Joint Committee acknowledges its indebtedness to Prof. Edward A. White of the New York State College of Agriculture, Cornell University, who has compiled the following list of Carnation names.

ABBREVIATIONS OF NAMES OF ORIGINATORS

| | |
|--|------------------------------|
| B. & W. | Bassett & Washburn |
| B. & Sm. | Baur & Smith |
| B. & St. | Baur & Steinkamp |
| Bl. | Edward Blameuser |
| Bren. | George Brenkert |
| Chi. | Chicago Carnation Co. |
| Cock. | J. D. Cockcroft |
| Cot. | Cottage Gardens Co. |
| Dail. | Dailedouze Bros. |
| Din. | F. Dinda, Farmingdale, N. Y. |
| Dor. | Frederick Dorner's Sons |
| Eich. | Henry Eichholz |
| Fish. | Peter Fisher |
| Frey | C. H. Frey |
| God. | S. T. Goddard |
| Gude | Gude Bros. |
| Hea. | Joseph Heacock Co. |
| Hes. | Henry Hession |
| Hill | E. G. Hill Co. |
| Hill, J. H. | Joseph H. Hill Co. |
| How. | W. D. Howard |
| Joy | Joy Floral Co. |
| Knud. | S. Knudsen |
| Lei. | F. H. Leitch |
| L. & W. | Littlefield & Wyman |
| Mar. | L. S. Marquisee |
| Pat. | Patten & Co. |
| Pier. | F. R. Pierson |
| Pier. I. | A. N. Pierson, Inc. |
| Rop. | A. Roper |
| Sak. | Joseph Sakswich |
| Sch. | Brune Schroter |
| Sim. | William Sim |
| Skid. | S. S. Skidelsky & Co. |
| Str. | Strout Inc. |
| Thom. | J. D. Thompson & Co. |
| ALICE. (Fish. 1914.) | |
| ALICE COOMBS. (Rop. 1914.) | |
| ARAWANA. (Pier. I. 1919.) | |
| AVIATOR. (Thom. 1916.) | |
| BEACON. (Fish. 1907.) | |
| BELLE WASHBURN. (B. & W. 1916.) | |
| BENORA. (Fish. 1912.) | |
| BERNICE. (How. 1919.) | |
| BONFIRE. (Hill 1911.) | |

| |
|--|
| DIANTHUS, CARNATION (Hort. var.), cont. |
| CERISE WINSOR. (Bl. 1916.) |
| CHAMPION. (Dor. 1914.) |
| COLORADO. (Knud. 1916.) |
| COMMODORE. (Hill 1912.) |
| COTTAGE MAID. (Cot. 1915.) |
| CRYSTAL WHITE. (Cot. 1916.) |
| DEMOCRACY. (Gude 1918.) |
| DENVER. (Bren. 1919.) |
| DONALD. (Str. 1919.) |
| DORIS. (God. 1916.) |
| DOROTHY GORDON. (Hea. 1905.) |
| ENCHANTRESS. (Fish. 1903.) |
| ENCHANTRESS SUPREME. (Dail. 1913.) |
| ETHEL FISHER. (Fish. 1919.) |
| EUREKA. (Rop. 1914.) |
| FAIR HARVARD. (Hes. 1921.) |
| FAIRY. (Sim 1920.) |
| GLORIOSA. (Dor. 1910.) |
| GORGEOUS. (Fish. 1912.) |
| HAPPY DAY. (Dor. 1919.) |
| HARLOWARDEN. (Chi. 1903.) |
| HERALD. (Chi. 1912.) |
| HOPE HENSHAW. (Pier. I. 1921.) |
| LADDIE. (Dor. 1918.) |
| LASSIE. (Eich. 1921.) |
| MAINE SUNSHINE. (Str. 1919.) |
| MATCHLESS. (Cot. 1912.) |
| MAYDAY. (Hill 1911.) |
| MERRY CHRISTMAS. (B. & St. 1916.) |
| MISS THEO. (L. & W. 1915.) |
| MORNING GLOW |
| MRS. C. W. WARD. (Cot. 1910.) |
| MRS. C. W. WARD IMPROVED. (Str. 1920.) |
| NANCY. (Rop. 1914.) |
| NEBRASKA. (Frey 1916.) |
| NORTHPORT. (Cock. 1913.) |
| OLIVE WHITMAN. (Sak. 1916.) |
| PEACE. (Din. 1916.) |
| PHILADELPHIA PINK. (Skid. 1914.) |
| PINK DELIGHT. (Dor. 1908.) |
| PINK SUPREME. (Lei. 1914.) |
| POCAHONTAS. (B. & Sm. 1911.) |
| POLLYANNA. (B. & St. 1916.) |
| PRINCESS DAGMAR. (Pat. 1912.) |
| RED MATCHLESS. (Eich. 1921.) |
| RED ROSALIA. (B. & St. 1921.) |

DIANTHUS, CARNATION (Hort. var.), cont.

- REDHEAD. (Eich. 1921.)
 ROSALIA. (Dor. 1917.)
 ROSALIND. (Str. 1921.)
 ROSE PINK ENCHANTRESS. (Sch. 1906.)
 ROSETTE. (Dor. 1912.)
 RUFUS. (B. & St. 1916.)
 RUTH BAUR. (B. & St. 1919.)
 ST. NICHOLAS. (B. & Sm. 1907.)
 SUPERSUPREME. (B. & St. 1921.)
 THE HARVESTER. (B. & St. 1920.)
 THE LARK. (God. 1920.)
 THOMAS JOY. (Joy 1922.)
 TOPSY. (Hill, J. H. 1919.)
 WHITE BENORA. (Sim 1920.)
 WHITE DELIGHT. (Str. 1921.)
 WHITE ENCHANTRESS. (Mar. 1905.)
 WHITE PERFECTION. (Dor. 1906.)
 WHITE WONDER. (Dor. 1910.)
 WINSOR. (Pier. 1905.)
 YELLOW PRINCE. (Dor. 1913.)

DIASCIA TWINSPIR
barberae ROSE T.

DICENTRA

The name of this genus under the American Rules is Bikukulla. The names Diclytra, Dielytra, Capnorhysis, and Bicuculla, used by various authors, are synonyms of Dicentra.

- canadensis* (*Bikukulla canadensis* Ag) SQUIREL-CORN
chrysanthia (*B. chrysanthia* Ag) GOLDEN EARDROPS
cucullaria (*B. cucullaria* Ag) DUTCHMANS-BREECHES
eximia (*B. eximia* Ag) FRINGED BLEEDINGHEART
formosa (*B. formosa* Ag) WESTERN B.
spectabilis BLEEDINGHEART

DICKSONIA

- antarctica*
pilosiuscula *Dennstedtia punctilobula*
punctilobula *D. punctilobula*
DICLYTRA **DICENTRA**
DICTAMNUS GASPLANT
albus (*fraxinella*; *Fraxinella alba*) GASPLANT

Hort. var. of *Dictamnus*:

- GIANT GASPLANT (*D. albus caucasicus*† Cy)
 PURPLE G. (*D. a. ruber*†)
DICTYOSPERMA
album (*Areca alba*)
DIDISCUS **TRACHYMENE**
 DIEFFENBACHIA **TUFTROOT**
magnifica
splendens
DIELS COTONEASTER
Cotoneaster dielsiana
DIELYTRA **DICENTRA**
DIERVILLA **BUSH-HONEYSUCKLE**
 See *Weigela* for the large Asiatic group classed under *Diervilla* by the *Cyclopedia* and other botanical authorities.
rivarularis

GEORGIA BUSH-HONEYSUCKLE
sessilifolia SOUTHERN B.
trifida (*D. lonicera* Cy-Ag)

DWARF B.

- DIGGER PINE** *Pinus sabiniana*
DIGITALIS **FOXGLOVE**
alba COMMON WHITE F.
 Hort. var. of *D. purpurea*.
ambigua (*grandiflora*) YELLOW F.
gloxiniaeflora GLOXINIA F.
 Hort. var. of *D. purpurea*.
gloxinioides. Same as preceding
lanata GRECIAN FOXGLOVE
lutea STRAW F.
monstrosa DOUBLE COMMON F.
 Hort. var. of *D. purpurea*.
purpurea COMMON F.
 See also hort. var. list below.
sibirica SIBERIAN F.

- Hort. var. of *Digitalis*:
 COMMON WHITE FOXGLOVE (*D. purpurea alba*† Cy; *alba*)
 DOUBLE COMMON F. (*D. p. monstrosa*† Cy; *monstrosa*)
 GLOXINIA F. (*D. purpurea gloxiniaeflora*† Cy; *gloxiniaeflora*; *gloxinioides*)
 LEOPARD F. (*purpurea maculata superba*)
 SPOTTED F. (*purpurea maculata*)
DIGSWELL BEGONIA (*Begonia digswelliana*† Cy)
DILL *Anethum graveolens*

| | |
|--|-----------------------------------|
| DILLENIUM | DILLENIUM |
| indica (<i>speciosa</i>) | INDIAN D. |
| DIMORPHANTHUS | ARALIA |
| DIMORPHOTHECA | CAPE-MARIGOLD |
| <i>annua</i> (<i>D. pluvialis</i> Ag; <i>Calendula pluvialis</i>) | CAPE-MARIGOLD |
| <i>aurantiaca</i> | WINTER C. |
| <i>sinuata</i> | BLUE-EYED C. |
| Hort. var. of Dimorphotheca: | |
| DOUBLE CAPE-MARIGOLD (<i>D. annua ligulosa</i> † Cy; <i>Calendula poncei</i>) | |
| DIMPLECONE FIR | <i>Abies homolepis umbilicata</i> |
| DINGLEBERRY | <i>Vaccinium erythrocarpum</i> |
| DIONAEA | VENUS FLYTRAP |
| <i>muscipula</i> | VENUS F. |
| DIOSCOREA | YAM |
| <i>alata</i> | WINGED Y. |
| <i>batatas</i> | CINNAMON-VINE |
| <i>bulbifera</i> | AIRPOTATO |
| <i>sativa</i> | COMMON YAM |
| <i>villosa</i> | |
| DIOSMA | DIOSMA |
| <i>ericoides</i> | BREATH-OF-HEAVEN |
| <i>purea</i> | <i>Agathosma villosa</i> |
| Sometimes misapplied also to <i>A. ventenatiana</i> . | |
| DIOSPYROS | PERSIMMON |
| <i>kaki</i> (<i>Kaki Pom</i>) | KAKI P. |
| <i>lotus</i> | DATEPLUM |
| <i>montana</i> | MOUNTAIN PERSIMMON |
| <i>virginiana</i> | COMMON P. |
| DIOTIS | COTTONWEED |
| <i>candidissima</i> | COTTONWEED |
| DIPELTA | DIPELTA |
| <i>floribunda</i> | ROSY D. |
| DIPHYLLEIA | UMBRELLALEAF |
| <i>cymosa</i> | UMBRELLALEAF |
| DIPLADENIA | DIPLADENIA |
| <i>splendens</i> | ROSE D. |
| DIPSACUS | TEASEL |
| <i>fullonum</i> | FULLERS T. |
| DIRCA | LEATHERWOOD |
| <i>palustris</i> | LEATHERWOOD |
| DISA | |
| See ORCHID GENERA. | |
| DISOCACTUS | |
| <i>biformis</i> (<i>Phyllocactus biformis</i>) | |
| DISPORUM (PROSARTES) | |
| <i>lanuginosum</i> | FAIRYBELLS |
| DITCH-SUNFLOWER | |
| <i>Bidens trichosperma</i> | |
| DITTANY | |
| <i>Maryland D.</i> | |
| STONEMINT: Cunila mariana | |
| DIVI-DIVI | <i>Caesalpinia coriaria</i> |
| DIXIE IRIS | <i>Iris hexagona</i> |
| DIZYGOTHECA | FALSE ARAlia |
| <i>elegantissima</i> (<i>Aralia elegantissima</i>) | THREADLEAF ARAlia |
| <i>kerchoveana</i> (<i>Aralia kerchoveana</i>) | KERCHOVE ARAlia |
| <i>veitchi</i> (<i>A. veitchi</i>) | VEITCH A. |
| See also hort. var. list below. | |
| Hort. var. of Dizygotheca: | |
| LINELEAF ARAlia (<i>D. veitchi gracillima</i> Cy; <i>gracilina</i> ; <i>Panax gracillimum</i>) | |
| DOAN GRAPE | <i>Vitis doaniana</i> |
| DOCK | <i>Rumex</i> |
| See also SORREL. | |
| CANAIGRE | <i>R. hymenosepalus</i> |
| PATIENCE D. | <i>R. patientia</i> |
| SPATTERDOCK | <i>Nuphar</i> ; <i>N. advena</i> |
| DOCK ROSINWEED | |
| <i>Silphium terebinthaceum</i> | |
| DODECATHEON | SHOOTINGSTAR |
| <i>clevelandi</i> | CLEVELAND S. |
| <i>hendersoni</i> | HENDERSON S. |
| <i>jeffreyi</i> | JEFFREY S. |
| <i>meadia</i> | COMMON S. |
| <i>radicatum</i> | SOUTHERN S. |
| DODONAEA | HOPBUSH |
| <i>cuneata</i> | |
| DOGbane | <i>Apocynum</i> |
| HEMP D. | <i>A. cannabinum</i> |
| SPREADING D. | |
| <i>A. androsaemifolium</i> | |
| DOGBIER | <i>Rosa canina</i> |
| DOGTAIL | |
| CRESTED D. | <i>Cynosurus cristatus</i> |
| Dogtooth Violet | |
| TROUTLILY: <i>Erythronium</i> | |
| DOGWOOD | <i>Cornus</i> |
| ARNOLD D. (<i>C. arnoldiana</i> † Cy) | |
| BAILEY D. <i>C. baileyi</i> | |

DOGWOOD, continued

- BLOODTWIG D. . *Cornus sanguinea*
 BUNCHBERRY . . . *C. canadensis*
 COLORADO D.
 C. stolonifera coloradensis
 CORAL D. (*C. alba sibirica*† Cy)
 CORNELIAN-CHERRY . . . *C. mas*
 DOUBLEFLOWERING D. Hort. var.
 of *C. florida*.
 EVERGREEN D. . . . *C. capitata*
 FLOWERING D. . . . *C. florida*
 GIANT D. . . . *C. controversa*
 GOLDENTWIG D. (*C. stolonifera*
 flaviramea† Cy)
 GOUCHAULT D. (*Cornus alba gou-*
 chaulti† Cy)
 GRAY D. . . . *C. paniculata*
 GREENTWIG D. (*C. sanguinea viri-*
 dissima† Cy)
 JAPANESE CORNELIAN-CHERRY
 C. officinalis
 KOUSA D. *C. kousa*
 LITTLELEAF D. . . *C. paucinervis*
 PACIFIC D. *C. nuttallii*
 PAGODA D. . . . *C. alternifolia*
 PALE D. *C. obliqua*
 PIEBALD D. (*Cornus sanguinea varie-*
 gata† Cy)
 REDFLOWERING D. (*Cornus florida*
 rubra† Cy)
 RED-OSIER D. . . . *C. stolonifera*
 ROUGHLEAF D. . . . *C. asperifolia*
 ROUNDLEAF D. . . . *C. rugosa*
 SILKY D. *C. amomum*
 SILVERBLOTH D. Hort. var. of *C.*
 alba.
 SILVEREDGE D. (*C. alba argenteo-*
 marginata† Cy)
 SILVERMARGIN D. (*C. controversa*
 variegata† Cy)
 SPAETH D. Hort. var. of *C. alba*.
 TATARIAN D. *C. alba*
 VARIEGATED CORNELIAN-CHERRY
 (*C. mas aureo-elegantissima*† Cy)
 WEEPING D. (*Cornus florida pen-*
 dula† Cy)
 DOGWOOD NAVELSEED
 Omphalodes cornifolia
 DOLICHOLUS Ag. **RHYNCHOSIA**
 DOLICHOS DOLICHOS
 biflorus TWINFLOWER D.

DOLICHOS, continued

- giganteus* . GIANT HYACINTH-BEAN
 Hort. var. of *D. lablab*.
japonicus . *Pueraria thunbergiana*
lablab HYACINTH-BEAN
lignosus (*D. jacquini* Ag) .
 AUSTRALIAN-PEA
sesquipedalis . *Vigna sesquipedalis*
 Hort. var. of **Dolichos**:
 GIANT HYACINTH-BEAN (*lablab gi-*
 ganteus; giganteus)
 WHITE AUSTRALIAN-PEA (*lignosus*
 albus)
 DOMBEYA DOMBEYA
 natalensis (*Assonia natalensis* Ag.)
 CAPE-WEDDINGFLOWER
 spectabilis (*A. spectabilis* Ag)
 wallichi (*A. wallichi* Ag) .
 SCARLET DOMBEYA
 DOODIA
 aspera HACKSAW FERN
 DORONICUM LEOPARDBANE
 austriacum AUSTRIAN L.
 caucasicum CAUCASIAN L.
 clusi DOWNY L.
 magnificum SUNFLOWER L.
 plantagineum
 Hort. var. of **Doronicum**:
 SHOWY LEOPARDBANE (*D. planta-*
 gineum excelsum† Cy)
 DORYALIS DOVYALIS
 DORYANTHES SPEARLILY
 excelsa COMMON S.
 palmeri GIANT S.
 DOTTED FIG, DOTTED GAYFEATHER,
 etc. See FIG, GAYFEATHER, etc.
 DOUBLE FOXGLOVE, DOUBLE RAGGED-
 ROBIN, etc. See FOXGLOVE,
 RAGGED-ROBIN, etc.
 DOUBLEFILE VIBURNUM
 Viburnum tomentosum
 DOUBLEFLOWERING DOGWOOD, Dou-
 bleflowering PLUM, etc. See
 DOGWOOD, PLUM, etc.
 DOUBLERAY SUNFLOWER (*Helianthus*
 annuus californicus† Cy)
 DOUGLAS COREOPSIS, DOUGLAS SPIREA,
 etc. See COREOPSIS, SPIREA, etc.
 DOUGLAS-FIR . *Pseudotsuga douglasii*
 DOUMET SPRUCE (*Picea mariana dou-*
 metii† Cy)

| | |
|--|---|
| DOVASTON YEW | <i>(Taxus baccata do- vastonii† Cy)</i> |
| DOVETREE | <i>Davidia</i> |
| DOVYALIS | |
| <i>caffra</i> (<i>Aberia caffra</i> Cy) | KEI-APPLE |
| DOWTON ELM | <i>(Ulmus hollandica pendula† Cy)</i> |
| DOWNTY GENTIAN, DOWNY HAW- THORN, etc. See GENTIAN, HAW- THORN, etc. | |
| DRABA | WHITLOWGRASS |
| <i>aizoides</i> | |
| <i>dedeana</i> | |
| <i>fladnizensis</i> (<i>androsacea</i>) | ARCTIC W. |
| <i>pyrenaica</i> | ROCKBEAUTY |
| <i>violacea</i> | PURPLE WHITLOWGRASS |
| DRACAENA | DRACENA |
| The common name Dracena applies also to the allied genus Cordyline. | |
| <i>amabilis</i> | AMABILIS DRACENA |
| Hort. var. of Cordyline terminalis. | |
| <i>australis</i> | C. australis |
| <i>baptisti</i> | BAPTISTE DRACENA |
| Hort. var. of Cordyline terminalis. | |
| <i>deremensis</i> | |
| <i>draco</i> | DRAGONTREE |
| <i>fragrans</i> | |
| See also hort. var. list below. | |
| <i>godseffiana</i> | |
| <i>goldieana</i> | GOLDIE DRACENA |
| <i>imperialis</i> | IMPERIAL D. |
| Hort. var. of Cordyline terminalis. | |
| <i>indivisa</i> | C. indivisa |
| <i>knerki</i> | EMERALD DRACENA |
| Hort. var. of D. fragrans. | |
| <i>lindenii</i> | LINDEN D. |
| Hort. var. of D. fragrans. | |
| <i>massangeana</i> | MASSANGE D. |
| Hort. var. of D. fragrans. | |
| <i>rothiana</i> | ROTH D. |
| Hort. var. of D. fragrans. | |
| <i>sanderiana</i> | |
| <i>shepherdii</i> | SHEPHERD D. |
| <i>terminalis</i> | Cordyline terminalis |
| <i>veitchii</i> | VEITCH DRACENA |
| Hort. var. of Cordyline australis. | |
| <i>youngii</i> | Cordyline youngii |
| Hort. var. of Dracaena: | |
| EMERALD DRACENA (<i>D. knerki</i>). Hort. var. of D. fragrans. | |

| | |
|--|--------------------------------|
| DRACAENA (Hort. var.), continued | |
| LINDEN DRACENA (<i>Dracaena fra- grans lindenii† Cy; lindenii</i>) | |
| MASSANGE D. (<i>D. fragrans mas- sangeana† Cy; massangeana</i>) | |
| ROTH D. (<i>D. rothiana</i>) Hort. var. of D. fragrans. | |
| DRACENA | Cordyline; Dracaena |
| AMABILIS D. Hort. var. of C. ter- minalis. | |
| BAPTISTE D. Hort. var. of C. terminalis. | |
| BLUE D. | Cordyline indivisa |
| COMMON D. | C. terminalis |
| DRAGONTREE | Dracaena draco |
| EMERALD D. Hort. var. of D. fragrans. | |
| GOLDIE D. | D. goldieana |
| GREEN D. | Cordyline australis |
| IMPERIAL D. Hort. var. of C. terminalis. | |
| LINDEN D. (<i>Dracaena fragrans lin- denii† Cy</i>) | |
| MASSANGE D. (<i>D. fragrans massan- geana† Cy</i>) | |
| SHEPHERD D. | Dracaena shepherdii |
| VEITCH D. (<i>Cordyline australis veitchii† Cy</i>) | |
| YOUNGS D. Hort. var. of C. ter- minalis. | |
| DRACOCEPHALUM | DRAGONHEAD |
| The name of this genus under the Amer- ican Rules is Moldavica. | |
| grandiflorum | BIG DRAGONHEAD |
| moldavica (<i>Moldavica suaveolens</i> Ag) | |
| ruyschiana (<i>argunense</i>) | |
| SIBERIAN DRAGONHEAD | |
| virginianum Ag | |
| | <i>Phystostegia virginiana</i> |
| Hort. var. of <i>Dracocephalum</i> : | |
| JAPANESE DRAGONHEAD (<i>D. ruys- chiana japonicum† Cy</i>) | |
| DRACUNCULUS | DRAGON |
| vulgaris (<i>Arum dracunculus</i>) | |
| COMMON D. | |
| DRAGON | Dracunculus |
| COMMON D. | D. vulgaris |
| SNAPDRAGON | Antirrhinum |
| DRAGONHEAD | Dracocephalum |
| BIG D. | <i>D. grandiflorum</i> |

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

DRAGONHEAD, continued

FALSE-DRAGONHEAD . *Physostegia*
JAPANESE D. (*Dracocephalum ruy-*
schiana japonicum† Cy)

SIBERIAN D. . . . *D. ruyschiana*

DRAGONROOT . *Arisaema dracontium*

DRAGONTREE . . . *Dracaena draco*

DROOPING CATCHFLY, DROOPING

MOCKORANGE, etc. See CATCH-
 FLY, MOCKORANGE, etc.

DROPWORT . *Filipendula hexapetala*

DOUBLE D. (*F. h. florepleno* Cy)

DROSERA **SUNDEW**

filiformis THREADEAF S.

longifolia NARROWLEAF S.

rotundifolia ROUNDLEAF S.

DRUMMOND ACACIA, DRUMMOND

PHLOX, etc. See ACACIA, PHLOX,
 etc.

DRYLAND BLUEBERRY

Vaccinium vacillans

DRYOPTERIS WOODFERN
acrostichoides

Polystichum acrostichoides

boottii (*Aspidium boottii*)

BOOTT WOODFERN

clintoniana CLINTON W.

cristata (*Aspidium cristatum*)

CRESTED W.

dentata (*D. parasitica* Cy; *mollis*;

Nephrodium molle)

DOWNTY WOODFERN

dilatata (*Lastrea dilatata*)

MOUNTAIN W.

dryopteris . *Dryopteris linnaeana*

filixmas (*Aspidium filixmas*; *Las-*

trella filixmas) . . . MALE FERN

goldiana (*A. goldianum*) GOLDIE F.

hexagonoptera (*Phegopteris hexa-*

gonoptera) . WINGED WOODFERN

hirtipes (*Nephrodium hirtipes*)

SHAGGY W.

intermedia COMMON W.

The fronds of this species are commonly sold by florists under the name *Fancy Fern*.

linnaeana (*Phegopteris dryopteris*

Cy; *Dryopteris dryopteris*)

OAKFERN

marginalis (*Aspidium marginale*)

LEATHER WOODFERN

DRYOPTERIS, continued

mollis *Dryopteris dentata*

noveboracensis (*Aspidium nove-*
boracense) . . . NEW YORK FERN

parasitica Cy *D. dentata*

phegopteris (*Phegopteris polypodi-*
oides Cy) . NARROW BEECHFERN

spinulosa (*Aspidium spinulosum*)

TOOTHED WOODFERN

thelypteris (*A. thelypteris*)

MARSHFERN

viridescens . . . GLOSSY WOODFERN

DUC D'ANJOU BURNINGBUSH (*Euony-*
mus japonicus viridivariegatus†
 Cy)

DUC VAN THOL TULIP

Tulipa suaveolens

DUCHESNEA **MOCK-STRAWBERRY**
indica (*Fragaria indica*)

MOCK-STRAWBERRY

DUDAIM MELON

Cucumis melo dudaim

DUDLEYA **DUDLEYA**
pulverulenta

DUMONT ELM (*Ulmus hollandica du-*
montii Cy)

DUNBAR CRAB . . *Malus glaucescens*

DUNEGRASS

AMERICAN D. . . . *Elymus mollis*

EUROPEAN D. *E. arenarius*

DUNNETT LUPINE . *Lupinus dunnettii*

DURANTA SKYFLOWER
plumieri (*D. repens* Ag)

DURMAST OAK . *Quercus sessiliflora*

DURRA. Hort. var. of *Holcus sor-*
 ghum.

DUSKY PEAR . . *Pyrus phaeocarpa*

DUSTY MAPLE, DUSTY MEADOWRUE,
 etc. See MAPLE, MEADOWRUE,
 etc.

DUSTY DON STONECROP (*Sedum brevi-*
folium pottsii Cy)

DUSTY-MILLER . *Centaurea cineraria*

The name Dusty-miller has been used also for Silver Cineraria (*Senecio cineraria*), *Auricula* (*Primula auricula*), Rose Campion (*Lychnis coronaria*), and Beach Wormwood (*Artemisia stelleriana*), but in the opinion of the Joint Committee its application should be restricted to *Centaurea cineraria*.

DUTCH ELM, DUTCH MALANGA, etc.
See ELM, MALANGA, etc.

DUTCHMANS-BREECHES

Dicentra cucullaria

DUTCHMANS-PIPE . *Aristolochia siphonifera*

DWARF CANE, DWARF DAHLIA, etc.

See CANE, DAHLIA, etc.

DWARF-DANDELION . *Krigia virginica*

Dyers Broom

WOADWAXEN: *Genista tinctoria*

EAR

CATS-EAR

Hypochaeris; H. uniflora

ELEPHANTS-EAR

Colocasia esculenta

LIONS-EAR . . . *Leonotis leonurus*

EARDROPS

GOLDEN E. . . *Dicentra chrysanthemoides*

EARED COREOPSIS

Coreopsis auriculata

EARLY BUGLOSS, EARLY COLUMBINE, etc. See BUGLOSS, COLUMBINE, etc.

EAST INDIAN HOLLYFERN, EAST INDIAN POLYPODY, etc. See HOLLYFERN, POLYPODY, etc.

EASTER BROOM, EASTER CACTUS, etc.
See BROOM, CACTUS, etc.

EASTERBELLS . . . *Stellaria holostea*

EASTERN PENTSTEMON

Penstemon hirsutus

EBONY

GREEN-EBONY *Jacaranda ovalifolia*

NATAL-EBONY . *Maba natalensis*

EBONY SPLEENWORT

Asplenium platyneuron

ECA ROSE *Rosa ecae*

ECBALLIUM . SQUIRTING-CUCUMBER

elaterium (*Mormordica elaterium*)

SQUIRTING-CUCUMBER

ECCREMOCARPUS . GLORYFLOWER

scaber (*Calampelis scabra*)

CHILIAN G.

ECHEVERIA ECHEVERIA

agavoidea . . . *Urbinia agavoidea*

secunda (*Cotyledon secunda*)

Hort. var. of Echeveria:

BRONZE E. (*Echeveria gibbiflora metallica*† Cy)

ECHINACEA (*BRAUNERIA*)

HEDGEHOG-CONEFLOWER

angustifolia

purpurea (*Rudbeckia purpurea*)

—*serotina* (*intermedia*)

ECHINOCACTUS

beguini . . . *Neolloydia beguini*

bicolor Cy . . . *Thelocactus bicolor*

capricornis Cy

Astrophytum capricornis

cornigerus Cy *Ferocactus latispinus*

cylindraceus Cy . . . *F. acanthodes*

denudatus

Gymnocalycium denudatum

electracanthus Cy

Ferocactus melocactiformis

emoryi Cy *F. covillei*

gibbosus *Gymnocalycium gibbosum*

grusoni GOLDEN CACTUS

helophorus

heterochromus

Thelocactus heterochromus

hexaedrophorus Cy

T. hexaedrophorus

horizonthalonius

NIGGERHEAD CACTUS

humilis

ingens

intertextus Cy

Echinomastus intertextus

johsonii Cy . . . *Ferocactus johsonii*

krausei

lecontei Cy *F. lecontei*

leninghausii

Malacocarpus leninghausii

leucacanthus Cy

Thelocactus leucacanthus

longihamatus Cy

Ferocactus longihamatus

lophothele . . . *Thelocactus lophothele*

macdowellii

Echinomastus macdowellii

mammulosus

Malacocarpus mammulosus

minusculus . . . *Rebutia minuscula*

mostii . . . *Gymnocalycium mostii*

multiflorus . . . *G. multiflorum*

myriostigma Cy

Astrophytum myriostigma

ornatus Cy *A. ornatum*

ottonis Cy *Malacocarpus ottonis*

ECHINOCACTUS, continued

- peninsulae* . *Ferocactus peninsulae*
- pfeifferi* Cy *F. glaucescens*
- pilosus* Cy *F. pilosus*
- polycephalus*
- recurvus* Cy *F. nobilis*
- robustus* Cy *F. robustus*
- scheeri* *F. scheeri*
- schickendantzii*

Gymnocalycium schickendantzii
schilinzkyanum

Frailea schilinzkyana
setispinus *Hamatocactus setispinus*
simpsonii . . *Pediocactus simpsonii*
submammulosus

Malacocarpus submammulosus
tabularis *M. tabularis*
texensis . *Homalocephala texensis*
turbiniformis

Strombocactus turbiniformis
uncinatus Cy *Ferocactus uncinatus*
unguispinus

Echinomastus unguispinus
whipplei Cy . *Ferocactus whipplei*
wislizeni Cy *F. wislizeni*

ECHINOCEREUS

- acifer*
- baileyi*
- berlandieri*
- caespitosus*
- candicans* *E. rigidissimus*
- chloranthus*
- cinerascens*
- coccineus*
- conglomeratus*
- ctenoides*
- dasyacanthus*
- dubius*
- engelmanni*
- enneacanthus*
- fendleri*
- knippelianus*
- mammillatus* (*Cereus mammillatus*)
- merkeri*
- mojavensis*
- paucispinus*
- pectinatus*
- phoeniceus*
- polyacanthus*
- procumbens*
- rigidissimus* (*candicans*)

RAINBOW CACTUS

ECHINOCEREUS, continued

- roemerii*
- stramineus*
- viridiflorus*

ECHINOCHLOA

- crusgalli edulis* (*E. frumentacea* Cy)
- JAPANESE MILLET

ECHINOCYSTIS . MOCK-CUCUMBER
lobata (*Micrampelis lobata* Ag) MOCK-CUCUMBER

ECHINOPanax

- horridum* (*Fatsia horrida*)
- DEVILSCLUB

ECHINOMASTUS

- intertextus* (*Echinocactus intertextus* Cy)
- macdowellii* (*Echinocactus macdowellii*)
- unguispinus* (*Echinocactus unguispinus*)

ECHINOPS GLOBETHISTLE
bannaticus HUNGARIAN G.
exaltatus TALL G.
humilis LOW G.
ritro STEEL G.
sphaerocephalus COMMON G.

ECHINOPSIS

- eyriesi*
- gemmata*
- muelleri*
- multiplex*
- nigricans*
- oxygona*
- pentlandi*
- tubiflora*

ECHIUM

- fastuosum* . . PRIDE-OF-MADEIRA
- EDELWEISS *Leontopodium*
- COMMON E. *L. alpinum*
- SIERIAN E. *L. sibiricum*

EDGEWORTHIA . . PAPER TREE
chrysanthia (*papyrifera*) GOLDEN P.
gardneri INDIA P.

EDGING LOBELIA . . *Lobelia erinus*

EDWINIA Ag JAMESIA
EGG PEAR *Pyrus ovoidea*
EGGLEAF PENTSTEMON, EGGLEAF VI-
BURNUM, etc. See PENTSTEMON,
VIBURNUM, etc.

| | | |
|---|--------------------------|--|
| EGGPLANT | | Elaeagnus, continued |
| COMMON E. | <i>Solanum melongena</i> | YELLOWEDGE E. (<i>Elaeagnus pungens variegata</i> † Cy) |
| ETHIOPIAN E. | <i>S. integrifolium</i> | |
| Eglantine | | ELAEIS |
| SWEETBRIER: | <i>Rosa rubiginosa</i> | <i>guineensis</i> . . . AFRICAN OIL PALM |
| EICHHORNIA | . WATER-HYACINTH | ELAEODENDRON (ELAEODEN-DRUM Ag) . . . FALSE-Olive |
| <i>azurea</i> (<i>Piaropus azureus</i> Ag) | | <i>orientale</i> (<i>Aralia chabrieri</i>) |
| | SAWPETAL W. | FALSE-Olive |
| crassipes (<i>P. crassipes</i> Ag) | | |
| | COMMON W. | |
| Hort. var. of Eichhonia: | | ELDER Sambucus |
| ROSY WATER-HYACINTH (<i>E. crassipes major</i> † Cy) | | ALBINO E. . . <i>S. pubens leucocarpa</i> |
| ELAEAGNUS ELAEAGNUS | | AMERICAN E. <i>S. canadensis</i> |
| <i>angustifolia</i> RUSSIAN-Olive | | BLACKBEAD E. <i>S. melanocarpa</i> |
| <i>argentea</i> SILVERBERRY | | BLUEBERRY E. <i>S. caerulea</i> |
| <i>aurea</i> YELLOWEDGE ELAEAGNUS | | BOXELDER <i>Acer negundo</i> |
| Hort. var. of <i>E. pungens</i> . | | CUTLEAF AMERICAN E. (<i>Sambucus canadensis acutiloba</i> † Cy) |
| longipes (<i>edulis</i> ; <i>E. multiflora</i> Cy-Ag) CHERRY ELAEAGNUS | | CUTLEAF EUROPEAN E. (<i>S. nigra laciniata</i> † Cy) |
| <i>macrophylla</i> BROADLEAF E. | | CUTLEAF RED E. (<i>S. racemosa laciniata</i> † Cy) |
| <i>parvifolia</i> CHINESE E. | | EUROPEAN E. <i>Sambucus nigra</i> |
| <i>pungens</i> THORNY E. | | EUROPEAN RED E. <i>S. racemosa</i> |
| <i>reflexa</i> BRONZE E. | | GOLDEN AMERICAN E. (<i>S. canadensis aurea</i> † Cy) |
| Hort. var. of <i>E. pungens</i> . | | GOLDEN EUROPEAN E. (<i>S. nigra aurea</i> † Cy) |
| <i>simoni</i> SIMON E. | | GOLDENPLUME E. (<i>S. racemosa plomo-sa-aurea</i> † Cy) |
| Hort. var. of <i>E. pungens</i> . | | GREAT E. (<i>Sambucus canadensis maxima</i> † Cy) |
| <i>umbellata</i> AUTUMN E. | | GREENBERRY E. (<i>S. canadensis chlorocarpa</i> † Cy) |
| Hort. var. of Elaeagnus: | | Pepper-elder |
| BRONZE E. (<i>Elaeagnus pungens reflexa</i> † Cy) | | PEPEROMIA: Peperomia |
| GOLDENLEAF E. (<i>E. pungens maculata</i> † Cy) | | PLUME E. (<i>Sambucus racemosa pluma</i> † Cy) |
| SIMON E. (<i>E. p. simoni</i> † Cy) | | SCARLET E. <i>Sambucus pubens</i> |
| YELLOWEDGE E. (<i>E. pungens variegata</i> † Cy) | | SIEBOLD E. <i>S. sieboldii</i> |
| ELAEAGNUS Elaeagnus | | TARTAN E. (<i>S. nigra variegata</i> † Cy) |
| AUTUMN E. <i>E. umbellata</i> | | TASSEL E. (<i>Sambucus racemosa tenuifolia</i> † Cy) |
| BROADLEAF E. <i>E. macrophylla</i> | | TREE E. <i>S. pubens arborescens</i> |
| BRONZE E. (<i>Elaeagnus pungens reflexa</i> † Cy) | | ELDERLEAF WATERSHRUB |
| CHERRY E. <i>E. longipes</i> | | <i>Leea sambucina</i> |
| CHINESE E. <i>E. parviflora</i> | | ELECAMPANE <i>Inula helenium</i> |
| GOLDENLEAF E. (<i>E. pungens maculata</i> † Cy) | | Elephants-ear |
| RUSSIAN-Olive <i>E. angustifolia</i> | | TARO: <i>Colocasia esculenta</i> |
| SILVERBERRY <i>E. argentea</i> | | |
| SIMON E. (<i>E. pungens simoni</i> † Cy) | | |
| THORNY E. <i>E. pungens</i> | | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

ELEUSINE

- barcinonense* (*E. tristachya* Cy)
coracana . . . AFRICAN MILLET
ELICHRYSUM . **HELICHRYSUM**
ELLEANTHUS
longibracteatus
ELLWANGER BUCKEYE, ELLWANGER HAWTHORN, etc. See BUCKEYE, HAWTHORN, etc.

- ELM** *Ulmus*
 AMERICAN E. *U. americana*
 BELGIAN E. (*Ulmus hollandica belgica*† Cy)
 BLANDFORD E. (*U. h. superba*† Cy)
 BUSH E. (*U. glabra nana*† Cy)
 CAMPERDOWN E. (*U. g. camperdowni*† Cy)
 CHINESE E. *U. parvifolia*
 CORKBARK E. . . (*U. foliacea suberosa*† Cy)
 CORNISH E. (*U. f. stricta*† Cy)
 DAMPIER GOLDEN E. (*U. f. dampieri*† Cy)
 DOWNTON E. (*U. hollandica pendula*† Cy)
 DUMONT E. (*U. h. dumontii*† Cy)
 DUTCH E. (*U. h. major*† Cy)
 DWARF ASIATIC E. . . . *U. pumila*
 ENGLISH E. *U. campestris*
 EXETER E. (*Ulmus glabra fastigata*† Cy)
 FERNLEAF E. (*U. g. crispa*† Cy)
 GLOBE E. (*U. foliacea umbraculifera*† Cy)
 GOLDEN AMERICAN E. (*U. americana aurea*† Cy)
 GOLDENWILLOW E. Hort. var. of *U. campestris*.
 HOLLAND E. *U. hollandica*
 HUNTINGDON E. (*U. h. vegeta*† Cy)
 INDIA-ELM . *Holoptelea integrifolia*
 ITALIAN E. (*U. foliacea italicica*† Cy)
 KLEMMER E. Hort. var. of *U. hollandica*.
 LOCK E. *U. minor*
 MANCHURIAN E. *U. laciniata*
 MONUMENT E. (*U. foliacea monumental* Cy)
 PURPLELEAF ENGLISH E. (*U. campestris purpurea*† Cy)

ELM, continued

- PURPLELEAF SCOTCH E. (*Ulmus glabra atropurpurea*† Cy)
 REDTWIG E. (*U. g. rubra*† Cy)
 ROCK E. *Ulmus racemosa*
 RUSSIAN E. *U. laevis*
 SCOTCH E. *U. glabra*
 SEPTEMBER E. *U. serotina*
 SLIPPERY E. *U. fulva*
 SMOOTHLEAF E. *U. foliacea*
 TABLETOP E. (*Ulmus glabra pendula*† Cy)
 TARTAN E. (*Ulmus foliacea variegata*† Cy)
 THREELOBE E. (*U. glabra grandidentata*† Cy)
 VANHOUTTE E. (*U. campestris vanhouttei*† Cy)
 VARIEGATED ENGLISH E. (*U. c. variegata*† Cy)
 WEEPING AMERICAN E. (*U. americana pendula*† Cy)
 WEEPING SMOOTHLEAF E. . . (*U. foliacea pendula*† Cy)
 WENTWORTH WEEPING E. (*U. campestris wentworthii*† Cy)
 WHEATLEY E. (*U. foliacea wheatleyi*† Cy)
 WILLOW E. (*U. campestris viminalis* Cy)
 WINGED E. *U. alata*
 WREDE E. (*U. foliacea wredei*† Cy)
 ELM ZELKOVA . . . *Zelkova ulmoides*
 ELMLEAF BLACKBERRY, ELMLEAF FIG, etc. See BLACKBERRY, FIG, etc.
ELODEA WATERWEED
canadensis (*Anacharis canadensis*; *Philotria canadensis*)
 WATERWEED
 Hort. var. of *Elodea*:
 GIANT WATERWEED (*E. canadensis gigantea*† Cy)
ELSHOLTZIA
cristata
stauntonii
ELYMUS WILD-RYE
arenarius . EUROPEAN DUNEGRASS
giganteus . . . SIBERIAN WILD-RYE
mollis . . . AMERICAN DUNEGRASS

EMERALD ARAUCARIA, EMERALD WILLOW, etc. See *Araucaria*, WILLOW, etc.

EMILIA

flammea (*E. sonchifolia* Ag; *Cacalia coccinea*) . . . TASSELFLOWER

EMMEL SELAGINELLA

Selaginella emmeliiana

EMMENANTHE . . . YELLOWBELLS
penduliflora . . . YELLOWBELLS

EMPETRUM . . . CROWBERRY
nigrum . . . CROWBERRY

Empress-tree . . . ROYAL PAULOWNIA: *Paulownia tomentosa*

ENCELIA

californica

ENDIVE . . . *Cichorium endivia*

ENGELMANN CREEPER, ENGELMANN ROSE, etc. See CREEPER, ROSE, etc.

ENGLER ABELIA . *Abelia engleriana*

ENGLISH DAISY, ENGLISH ELM, etc.
See DAISY, ELM, etc.

ENKIANTHUS . . . ENKIANTHUS
campanulatus . . . REDVEIN E.
perulatus (japonicus) . . . WHITE E.
subsessilis . . . NIKKO E.

EOMECON . . . SNOWPOPPY
chionantha . . . SNOWPOPPY

EPAULETTE-TREE . . . *Pterostyrax*
FRAGRANT E. . . . *P. hispida*
LITTLE E. . . . *P. corymbosa*

EPHEDRA . . . JOINTFIR
altissima . . . CLIMBING J.
distachya . . . COMMON J.

EPIBATERIUM Ag. COCCULUS

EPICATTLEYA

See ORCHID GENERA.

EPIDENDRUM

See ORCHID GENERA.

EPIGAEA . . . TRAILING-ARBUTUS
repens . . . TRAILING-ARBUTUS

EPILOBIUM . . . WILLOW-WEED
angustifolium (*Chamaenerion angustifolium*) . . . BLOOMING SALLY
hirsutum . . . HAIRY WILLOW-WEED

EPIMEDIUM . . . EPIMEDIUM
alpinum . . . ALPINE E.

EPIMEDIUM, continued

colchicum

GOLDENFLEECE EPIMEDIUM

Hort. var. of *E. pinnatum*.

diphyllum . . . *Aceranthus diphyllus*

macranthum LONGSPUR EPIMEDIUM

musschianum . . . JAPANESE E.

pinnatum . . . PERSIAN E.

Hort. var. of *Epimedium*:

GOLDENFLEECE E. (*E. pinnatum colchicum*† Cy)

SNOWY E. (*Epimedium macranthum niveum*† Cy)

VIOLET E. (*E. m. violaceum*† Cy)

EPIPACTIS

See ORCHID GENERA.

EPIPHRONITIS

See ORCHID GENERA.

EPIPHYLLANTHUS

obtusangulus (*Cereus obtusangulus*)

EPIPHYLLUM

ackermannii (*Phyllocactus ackermannii*)

anguliger (*P. anguliger*)

crenatum (*P. crenatus*)

gaertneri *Schlumbergera gaertneri*

hookeri (*Phyllocactus hookeri*)

oxypetalum (*latifrons*; *P. latifrons*)
BROADLEAF CACTUS

phyllanthoides (*P. phyllanthoides*)

russellianum

Schlumbergera russelliana

—*gaertneri* . . . *S. gaertneri*

stenopetalum (*Phyllocactus steno-petalus*)

strictum (*P. strictus*)

truncatum . . . *Zygocactus truncatus*

EQUISETUM . . . HORSETAIL

hyemale . . . SCOURING-RUSH

robustum . . . STOUT S.

ERAGROSTIS

abyssinica . . . TEFF

japonica (elegans; E. interrupta Cy)

maxima

obtusa (*Briza geniculata*)

unioloides (*E. amabilis* Cy; *Poa amabilis*)

The true *E. amabilis* is not in cultivation.

ERANTHIS . . . WINTER-ACONITE

hyemalis . . . WINTER-ACONITE

sibirica . . . DWARF W.

EREMURUS . . . DESERTCANDLE
himalaicus . . . HIMALAYAN D.
robustus . . . GIANT D.
turkestanicus

ERFORD BEGONIA (*B. erfordii*† Cy)
 ERFURT CONEFLOWER (*Rudbeckia bicolor superba*† Cy)

ERIA
 See ORCHID GENERA.

ERIANTHUS

ravennae . . . RAVENNA GRASS
ERICA . . . HEATH
carnea (*herbacea*) . . . SPRING H.
 See also hort. var. list below.

ciliaris . . . FRINGED H.
cinerea . . . TWISTED H.
 See also hort. var. list below.

herbacea . . . *E. carnea*
hyemalis . . . WINTER HEATH
mackayi . . . MACKAY H.
 See hort. var. list below.

mediterranea . . . BISCAY H.
 See also hort. var. list below.

melanthera . . . BLACK-EYED H.
multiflora grandiflora
E. ventricosa grandiflora

persoluta . . . GARLAND HEATH
 See also hort. var. list below.

stricta . . . CORSICAN H.
tetralix . . . CROSSLEAF H.
vagans . . . CORNISH H.
 See also hort. var. list below.

ventricosa . . . PORCELAIN H.
—grandiflora (*multiflora grandiflora*)

vulgaris . . . Calluna vulgaris
wilmorei† Cy . . . WILMORE HEATH
 See hort. var. list below.

Hort. var. of *Erica* :
 DARLEY HEATH (*mediterranea hybrida*; *carnea hybrida*)

MACKAY H. (*mackayi*)
 RED CORNISH H. (*vagans rubra*)

ROSY GARLAND H. (*persoluta rosea*)
 SCARLET TWISTED H. (*E. cinerea coccinea*† Cy)

SHOWY CORNISH H. (*vagans grandiflora*)
 WHITE CORNISH H. (*E. vagans alba*† Cy)

WHITE SPRING H. (*carnea alba*)

ERICA (Hort. var.), continued

WHITE TWISTED HEATH (*Erica cinerea alba*† Cy)
 WILMORE H. (*E. wilmorei*† Cy; *wilmoreana*)

ERIGENIA . . . HARBINGER-OF-SPRING
bulbosa . . . HARBINGER-OF-SPRING

ERIGERON . . . FLEABANE
alpinus . . . ALPINE F.
aurantiacus . . . ORANGE F.
bellidifolius . . . *E. pulchellus*
glabellus . . . SMOOTH FLEABANE
glaucus . . . BEACH F.
grandiflorus . . . PURPLE OREGON F.
 Hort. var. of *E. speciosus*, not *E. grandiflorus* of botanists.

intermedius
mucronatus (*E. karvinskianus* Ag;
Vittadenia triloba)

BONYTIP FLEABANE
multiradiatus . . . HIMALAYAN F.
pulchellus (*bellidifolius*)
 POOR-ROBINS-PLANTAIN
salsuginosus . . . ALASKA FLEABANE
speciosus (*Stenactis speciosa*)

OREGON F.
 See also hort. var. list below.

umbellatus . . . CLUSTER F.
 Hort. var. of FLEABANE, Erigeron :

FONTAINEBLEU
 LILAC OREGON (*Erigeron speciosus roseus*† Cy)
 PURPLE OREGON (*E. speciosus grandiflorus*† Cy)
 QUAKERESS

ERINUS . . . LIVER-BALSAM
alpinus . . . ALPINE L.

ERIOBOTRYA . . . LOQUAT
japonica (*Photinia japonica*)

LOQUAT
 For cultivated varieties see American Pomological Society's List of Fruits, in Appendix.

ERIODENDRON . . . CEIBA

ERIODICTYON
parryi . . . *Nama parryi*

ERIOPHYLLUM
confertiflorum . . . GOLDENYARROW

ERIOPSIS
rutidobulbon

| | | |
|-----------------------------------|--|--|
| ERLANGEA | | ERYTHRINA , continued |
| tomentosa | | flabelliformis |
| ERODIUM | HERONBILL | WESTERN CORALBEAN |
| cicutarium | ALFILERIA | |
| manescavi | PYRENEES HERONBILL | ERYTHRONIUM . . . TROUTLILY |
| moschatum | COMMON H. | albidum WHITE T. |
| ERYNGIUM | ERYNGO | americanum COMMON T. |
| alpinum | BLUETOP E. | californicum CALIFORNIA T. |
| amethystinum | AMETHYST E. | citrinum LEMON T. |
| aquaticum (<i>yuccaefolium</i>) | BUTTON-SNAKEROOT | grandiflorum (<i>giganteum</i>) |
| | coelestinum . . SKYBLUE ERYNGO | hartwegi |
| | giganteum . . . STOUT E. | hendersoni HENDERSON TROUTLILY |
| | <i>hybridum</i> | purpurascens SIERRA T. |
| | This name is loosely and erroneously applied to various garden forms of Eryngio. | revolutum MAHOGANY T. |
| maritimum | SEAHOLLY | ERYTHROXYLON |
| oliverianum | | coca COCAINE-TREE |
| planum | | ESAU HONEYSUCKLE (<i>Lonicera etrusca pubescens</i> † Cy) |
| <i>yuccaefolium</i> | E. aquaticum | ESCALLONIA . . . ESCALLONIA |
| ERYNGO | Eryngium | leucantha WHITE E. |
| AMETHYST E. | E. amethystinum | montevidensis MONTEVIDEO E. |
| BLUETOP E. | E. alpinum | pulverulenta (<i>berleriana</i>) |
| BUTTON-SNAKEROOT | E. aquaticum | rosea ROSE E. |
| SEAHOLLY | E. maritimum | rubra glabriuscula RED E. |
| SKYBLUE E. | E. coelestinum | virgata (<i>philippiana</i>) |
| STOUT E. | E. giganteum | ESCHSCHOLTZIA |
| ERYSIMUM | BLISTERCRESS | CALIFORNIA-POPPY |
| | Some authors maintain that the name of this genus under the American Rules is Cheirinia. | californica COMMON C. |
| asperum | ROUGH BLISTERCRESS | —crocea (<i>E. crocea</i> Ag) ORANGE C. |
| —arkansanum | ARKANSAS B. | —douglasi (<i>E. douglasi</i> Ag) |
| capitatum (<i>grandiflorum</i>) | COAST B. | DOUGLAS C. |
| ochroleucum | TURF B. | tenuifolia THREADLEAF C. |
| perofskianum | AFGHAN B. | There are said to be over 100 natural forms and garden varieties of California-poppy, the names of which will remain in confusion until careful field and cultural studies are made. |
| pulchellum | ROCKERY B. | ESCONTRIA |
| rupestre | ASIATIC B. | <i>chiotilla</i> (<i>Cereus chiotilla</i>) |
| ERYTHEA | ERYTHEA | ETHIOPIAN EGGPLANT |
| <i>armata</i> | Glaucothea armata | <i>Solanum integrifolium</i> |
| brandegei | BRANDEGEE PALM | ETRUSCAN HONEYSUCKLE |
| edulis | GUADALUPE P. | <i>Lonicera etrusca</i> |
| elegans | DWARF ERYTHEA | EUBOTRYS Ag . . LEUCOTHOE |
| ERYTHRAEA Cy. | CENTAURIUM | EUCALYPTUS . . . EUCALYPTUS |
| ERYTHRINA | CORALTREE | alpina HILLTOP E. |
| arborea | CORALBEAN | amplifolia |
| corallodendron | CORALTREE | amygdalina ALMOND E. |
| coralloides | CORALLINE | —angustifolia (<i>linearis</i>) |
| crista-galli | | <i>angulosa</i> . . <i>E. incrassata angulosa</i> |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

EUCALYPTUS, continued

- bicolor BLACKBOX
bosistoana . . . BAIRNSDALE GRAYBOX
botryoides BANGALAY
cajaputea E. odorata
calophylla . . . PORT GREGORY GUM
capitellata
citriodora . . . E. maculata citriodora
cladocalyx Ag . . . E. corynocalyx
coriacea (*E. pauciflora* Ag)
 LEATHERLEAF GUM
cornuta YATE-TREE
corynocalyx (*E. cladocalyx* Ag)
 SUGAR GUM
crèbra . . . NARROWLEAF IRONBARK
diversicolor KARRI GUM
ficifolia SCARLET G.
globulus BLUE G.
 See also hort. var. list opposite.
gomphocephala TOOART
goniocalyx BASTARDBOX
gunni CIDER GUM
hemiphloia
incrassata
—**angulosa**
lehmanni LEHMANN G.
leucoxylon WHITE IRONBARK
 See also hort. var. list opposite.
longifolia WOOLLYBUTT
longirostris Ag E. rostrata
macrorhyncha
 VICTORIA STRINGYBARK
maculata SPOTTED GUM
—**citriodora** LEMON G.
melliodora HONEY G.
muelleriana YELLOW STRINGYBARK
obliqua MESSMATE GUM
occidentalis FLAT-TOP G.
odorata (*cajaputea*) PEPPERMINT G.
pauciflora Ag E. coriacea
pilaris BLACKBUTT
piperita . TASMANIAN STRINGYBARK
polyanthemos REDBOX
punctata LEATHERJACKET
resinifera MAHOGANY GUM
robusta BROWN G.
rostrata (*E. longirostris* Ag)
 CREEK G.
rudis DESERT G.
siderophloia BROADLEAF IRONBARK

EUCALYPTUS, continued

- sideroxylon** RED IRONBARK
 See also hort. var. list below.
stuartiana APPLE GUM
tereticornis SLATY G.
viminalis MANNA G.
virgata CABBAGE G.

Hort. var. of Eucalyptus:

- BUSHY BLUE GUM (*E. globulus compacta*† Cy)
PINK IRONBARK (*rosea*). Hort. var. of *E. leucoxylon*.
PURPLE I. (*E. l. purpurea*† Cy)
ROSE I. (*E. sideroxylon rosea*† Cy)

- EUCALYPTUS Eucalyptus
ALMOND E. E. amygdalina
HILLTOP E. E. alpina

EUCHARIDIUM
grandiflorum

- EUCHARIS AMAZONLILY
grandiflora (*amazonica*)
GREAT AMAZONLILY

- EUCHLAENA TEOSINTE
mexicana TEOSINTE

EUCOMMIA
ulmoides

- EUGENIA EUGENIA
apiculata (*E. luma* Ag; *Myrtus luma*) . . . SHORTLEAF EUGENIA
aromatica (*Caryophyllus aromaticus* Ag) CLOVETREE
australis Ag E. myrtifolia
jambolana Cy *Syzygium cumini*
jambos (*Caryophyllus jambos* Ag)
 MALABAR-PLUM
luma Ag E. apiculata
micheli E. uniflora
microphylla
myrtifolia (*E. australis* Ag)

- AUSTRALIAN BRUSH-CHERRY
operculata . *Syzygium operculatum*
uniflora (*micheli*)
(*Pitanga* Pom) SURINAM-CHERRY

EULALIA MISCANTHUS

- EULALIA *Miscanthus sinensis*
STRIPED E. (*M. s. variegatus*† Cy)

EUONYMUS

In Bailey's Cyclopedias the name of this genus is spelled Euonymus and it is treated as feminine. The Joint Committee, however, has decided to use the more familiar spelling Euonymus and to treat the name as masculine.

alatus WINGED EUONYMUS

—*subtriflorus*

americanus BROOK E.

atropurpureus WAHOO

The name *E. atropurpureus* is sometimes misapplied to *E. europaeus atropurpureus*.

bungeanus

WINTERBERRY EUONYMUS

See also hort. var. list below.

carrierei GLOSSY WINTERCREEPER

Hort. var. of *E. radicans*.

europaeus

EUROPEAN BURNINGBUSH

See also hort. var. list below.

japonicus EVERGREEN B.

See also hort. var. list below.

kewensis BABY WINTERCREEPER

Hort. var. of *E. radicans*.

lanceifolius LANCELEAF EUONYMUS

latifolius BROADLEAF BURNINGBUSH

nanus DWARF B.

obovatus RUNNING EUONYMUS

patens SPREADING E.

radicans WINTERCREEPER

—*acutus* SHARPLEAF W.

—*vegetus* BIGLEAF W.

See also hort. var. list below.

sieboldianus

The true *E. sieboldianus* of botanists is not in the trade. The plants cultivated under this name are *E. bungeanus* and its horticultural variety, the Midwinter Euonymus, or *E. patens*, or *E. yedoensis*.

vegetus *E. radicans vegetus*

yedoensis YEDDO EUONYMUS

Hort. var. of *Euonymus*:

BABY WINTERCREEPER (*E. radicans minimus; kewensis*)

BOXLEAF BURNINGBUSH (*E. japonicus microphyllus*†)

DUC D'ANJOU B. (*E. j. viridivariegatus*†)

DWARF EUROPEAN B. (*E. europaea nanus*†)

GILTEDGE B. (*E. japonicus aureo-marginalis*†)

EUONYMUS (Hort. var.), continued

GLOSSY WINTERCREEPER (*Euonymus radicans carrierei*†)

GOLDLEAF BURNINGBUSH (*E. japonicus aureus*†)

GOLDSPOUT B. (*E. j. aureovariegatus*†)

MIDWINTER EUONYMUS (*E. bungeanus semipersistens*†)

MOSSY-GREEN BURNINGBUSH (*japonicus compactus viridis*)

PEARLEDGE B. (*E. japonicus albo-marginatus*†)

SILVEREDGE WINTERCREEPER (*E. radicans argenteo-marginatus*†)

SILVERSPOT BURNINGBUSH (*japonicus albovariegatus*)

WHITEVEIN WINTERCREEPER (*E. radicans reticulatus*†)

YELLOW-EYE BURNINGBUSH (*E. japonicus mediopictus*†)

EUPATORIUM **EUPATORIUM**

ageratoides *E. urticaefolium*

album

aromaticum

—*melissoides* (*fraseri*)

MELISSA THOROUGHWORT (*Conoclinium coelestinum*) MISTFLOWER

coelestinum *E. aromaticum melissoides*

glechonophyllum (*Ageratum conspicuum*) CHILE-AGERATUM

lasseuxii (*A. lasseuxii; A. roseum*)

maculatum

E. purpureum maculatum

micranthum (*weinmannianum*)

MEXICAN EUPATORIUM

perfoliatum BONESET

purpureum JOE-PYE-WEED

—*maculatum* ROUGH J.

serotinum LATE THOROUGHWORT

urticaefolium (*ageratoides*) SNOW T.

EUPATORIUM **Eupatorium**

BONESET *E. perfoliatum*

CHILE-AGERATUM

E. glechonophyllum

JOE-PYE-WEED *E. purpureum*

LATE THOROUGHWORT *E. serotinum*

MELISSA T.

E. aromaticum melissoides

MEXICAN E. . . . *E. micranthum*

MISTFLOWER *E. coelestinum*

EUPATORIUM, continued

- ROUGH JOE-PYE-WEEED *Eupatorium purpureum maculatum*
EUPHORBIA SPURGE
corollata FLOWERING S.
cyparissias CYPRESS S.
epithymoides (*polychroma*) CUSHION S.
fulgens SCARLETPLUME
heterophylla PAINTED SPURGE
marginata (*variegata*)
 SNOW-ON-THE-MOUNTAIN
polychroma E. *epithymoides*
pulcherrima Cy-Ag
 Poinsettia *pulcherrima*
splendens
EUPHORIA
longana (*Nephelium longana*) LONGAN
EUPTELEA
francheti
polyandra
 EUREKA LILY *Lilium occidentale*
 EUROPEAN ALDER, EUROPEAN ASH,
 etc. See ALDER, ASH, etc.
EURYA
japonica (*latifolia*)
EUSTOMA
russelianum (*Lisianthus russelianus*) PRAIRIEGENTIAN
silenifolium CATCHFLY-GENTIAN
EUTOCA PHACELIA
 EVENING CAMPION *Lychnis alba*
 EVENING-PRIMROSE *Oenothera*
 See also SUNDROPS.
 COMMON E. *O. biennis*
 DRUMMOND E. *O. drummondii*
 LAMARCK E. *O. lamarckiana*
 NORTHERN E. *O. muricata*
 TUFTED E. *O. caespitosa*
 WHITE E. *O. eximia*
 EVENING-STAR *Cooperia drummondii*
 EVERBLOOMING CHERRY, EVERBLOOM-
 ING HONEYSUCKLE, etc. See
 CHERRY, HONEYSUCKLE, etc.
 EVERGOLDEN ARBORVITAE (*Thuja orientalis semperaurescens*† Cy)
 EVERGREEN BUGLOSS, EVERGREEN
 CANDYTUFT, etc. See BUGLOSS,
 CANDYTUFT, etc.
 EVERGREEN-GRAPE *Cissus capensis*

EVERLASTING

- Helipterum; *Helichrysum*
 BIG WINGED E. (*Ammobium alatum grandiflorum*† Cy)
 CLUSTER E.
 Helipterum *corymbiflorum*
 CUDWEED E.
Helichrysum petiolatum
 HUMBOLDT E.
Helipterum humboldtianum
 MANGLES E. *H. manglesi*
 PEARL E. . . . *Anaphalis margaritacea*
 ROSE E. *Helipterum roseum*
 STRAWFLOWER
Helichrysum bracteatum
 WHITE E. Hort. var. of *Helipterum roseum*.
 WHITELEAF E.
Helichrysum angustifolium
 WINGED E. *Ammobium alatum*
 EVERLASTING PEA
Lathyrus grandiflorus
EVODIA EVODIA
danielli
henryi
EVONYMUS EUONYMUS
 EWERS STONECROP *Sedum ewersii*
EXACUM
affine
 EXETER ELM (*Ulmus glabra fastigiatata*† Cy)
 EXMOUTH MAGNOLIA (*Magnolia grandiflora exoniensis*† Cy)
EXOCHORDA PEARLBUSH
giraldi REDBUD P.
wilsoni WILSON P.
grandiflora (*E. racemosa* Cy-Ag-Ar)
 COMMON PEARLBUSH
 korolkowi (*alberti*) TURKESTAN P.
macrantha
wilsoni E. *giraldi wilsoni*
 FABER RHODODENDRON
Rhododendron faberi
FABIANA
imbricata
FAGELIA Ag CALCEOLARIA
FAGOPYRUM BUCKWHEAT
esculentum (*F. vulgare* Ag)
 COMMON B.
tataricum KANGRA B.,

| | | | |
|---|---|--|--|
| FAGUS | BEECH | | |
| <i>americana</i> (<i>ferruginea</i> ; <i>F. grandifolia</i> Cy-Ag) | AMERICAN BEECH | <i>V. viride</i> | |
| <i>sieboldi</i> | JAPANESE B. | Amorpha | |
| <i>sylvatica</i> | EUROPEAN B. | <i>A. microphylla</i> | |
| Hort. var. of <i>Fagus</i> : | | <i>A. fruticosa</i> | |
| CUTLEAF BEECH (<i>F. sylvatica incisa</i> † Cy) | LEADPLANT | <i>A. canescens</i> | |
| FERNLEAF B. (<i>F. s. heterophylla</i> † Cy; <i>asplenifolia</i>) | MOUNTAIN-INDIGO | <i>A. glabra</i> | |
| MILTON B. (<i>miltonensis</i>) Hort. var. of <i>F. sylvatica</i> . | TENNESSEE-INDIGO | | |
| PURPLE B. (<i>F. s. purpurea</i> † Cy; <i>atropurpurea</i>) | | <i>A. tennesseensis</i> | |
| RIVERS B. (<i>F. s. riversii</i> † Cy) | FALSE-OLIVE | | |
| ROSEPINK B. (<i>roseomarginata</i>) Hort. var. of <i>F. sylvatica</i> . | <i>Elaeodendron</i> ; <i>E. orientale</i> | | |
| SAWTOOTH B. (<i>grandidentata</i>) Hort. var. of <i>F. sylvatica</i> . | FALSE-SPIREA | <i>Sorbaria</i> | |
| TRICOLOR B. (<i>tricolor</i>) Hort. var. of <i>F. sylvatica</i> . | KASHMIR F. | <i>S. aitchisoni</i> | |
| WEEPING B. (<i>F. s. pendula</i> † Cy) | LINDLEY F. | <i>S. lindleyana</i> | |
| WEEPING PURPLE B. (<i>F. s. purpurea pendula</i> Cy) | STARRY F. | <i>S. stellipila</i> | |
| FAIRY MARIPOSA, FAIRY PRIMROSE, etc. See MARIPOSA, PRIMROSE, etc. | TREE-SPIREA | <i>S. arborea</i> | |
| FAIRYBELLS | URAL F. | <i>S. sorbifolia</i> | |
| FAIRYWAND | FALSE-TAMARIX | <i>Myricaria</i> | |
| FALCONER BAMBOO | GERMAN F. | <i>M. germanica</i> | |
| <i>Arundinaria falconeri</i> | FAN MAIDENHAIR, FAN PALM, etc. | | |
| FALL-DAFFODIL | See MAIDENHAIR, PALM, etc. | | |
| FALSE HOUSEEEK, FALSE RAMPION, etc. See HOUSEEEK, RAMPION, etc. | Fancy Fern | COMMON WOOD-FERN: <i>Dryopteris intermedia</i> | |
| FALSE-ARBORVITAE | FANWORT | <i>Cabomba</i> ; <i>C. caroliniana</i> | |
| <i>Thujopsis dolabrata</i> | PURPLE F. | <i>C. c. pulcherrima</i> | |
| WHITETIP F. (<i>T. dolabrata variegata</i> † Cy) | ROSE F. (<i>C. c. rosaeifolia</i> † Cy) | | |
| FALSE-CAMOMILE | FAREWELL-TO-SPRING | <i>Godetia amoena</i> | |
| DOUBLE F. (<i>M. inodora plenisima</i> † Cy) | FARFUGIUM | <i>LIGULARIA</i> | |
| FEVERFEW-CAMOMILE | FATSIA | <i>FATSIA</i> | |
| <i>M. parthenoides</i> | <i>horrida</i> | <i>Echinopanax horridum</i> | |
| SCENTLESS F. | <i>japonica</i> | <i>FATSIA papyrifera</i> <i>Tetrapanax papyriferum</i> | |
| FALSE-DRAGONHEAD | Hort. var. of <i>Fatsia</i> : | | |
| TALL CLUSTER F. | VARIEGATED F. (<i>japonica variegata</i> ; | | |
| <i>Aralia japonica variegata</i>) | FEATHER | | |
| <i>P. virginiana speciosa</i> | GAYFEATHER | <i>Liatris</i> | |
| VIRGINIA F. | GOLDENFEATHER (<i>Chrysanthemum parthenium aureum</i> † Cy) | | |
| WHITE F. (<i>P. virginiana alba</i> † Cy) | PARROTFEATHER | <i>Myriophyllum</i> | |
| | PRINCESFEATHER (<i>Amaranthus hypochondriacus sanguineus</i> † Cy) | | |
| | FEATHER BAMBOO, FEATHER COCKS-COMB, etc. See BAMBOO, COCKS-COMB, etc. | | |
| | FEATHERED PERSIAN LILAC (<i>Syringa persica laciniata</i> † Cy) | | |
| | FEATHERFLEECE | <i>Stenanthium robustum</i> | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

| | |
|--|-------------------------------|
| FEATHERGRASS | Stipa; S. pennata |
| AUSTRALIAN | S. elegantissima |
| FEATHERLEAF ALDER (<i>Alnus incana</i> <i>pinnatifida</i> † Cy) | |
| FEATHERPETAL KALMIA (<i>Kalmia lati-</i> <i>folia polypetala</i> † Cy) | |
| FEATHERTOP | <i>Pennisetum villosum</i> |
| FEATHERY CLIMBING FERN | <i>Lygodium scandens</i> |
| FEBRUARY DAPHNE | <i>Daphne mezereum</i> |
| FEIJOA | FEIJOA |
| sellowiana | FEIJOA |
| For cultivated varieties of Feijoa see American Pomological Society's List of Fruits, in Appendix. | |
| FELICIA | FELICIA |
| amelloides (<i>Agathaea amelloides</i> Ag; <i>A. coelestis</i>) | BLUE FELICIA |
| FELTFERN | <i>Cyclophorus</i> |
| CRESTED F. (<i>Cyclophorus lingua</i> <i>corymbifera</i> † Cy) | |
| JAPANESE F. | <i>C. lingua</i> |
| FELTY LILAC | <i>Syringa tomentella</i> |
| FENDLER LIPFERN, FENDLER ROSE, etc. See LIPFERN, ROSE, etc. | |
| FENNEL | <i>Foeniculum</i> |
| COMMON F. | <i>F. vulgare</i> |
| FLORENCE F. (<i>F. v. dulce</i> † Cy) | |
| GIANTFENNEL | <i>Ferula communis</i> |
| ITALIAN F. (<i>Foeniculum vulgare</i> <i>piperitum</i> † Cy) | |
| FENZLIA | GILIA |
| FERN | |
| ADDERSTONGUE | <i>Ophioglossum</i> |
| COMMON A. | <i>O. vulgatum</i> |
| Asparagus-fern | FERN AS- |
| PARAGUS: Asparagus <i>plumosus</i> | |
| BALLFERN | <i>Davallia bullata</i> |
| BAMBOO F. | <i>Coniogramme japonica</i> |
| BASKET F. | <i>Nephrolepis pectinata</i> |
| BEECHFERN | |
| NARROW B. | <i>Dryopteris phegopteris</i> |
| BIRDSNEST F. | <i>Asplenium nidus</i> |
| BLADDERFERN | <i>Cystopteris</i> |
| BERRY B. | <i>C. bulbifera</i> |
| BLECHNUM | <i>Blechnum</i> |
| BRAZILIAN B. | <i>B. brasiliense</i> |

FERN, continued

| | |
|--|--|
| BOSTON F. | <i>Nephro-</i> <i>lepis exaltata bostoniensis</i> For the varieties of Boston Fern see <i>Nephrolepis</i> , page 292. |
| BRACKEN PTERIDUM; P. aquilinum BRAKE | <i>Pteridium</i> ; <i>P. aquilinum</i> <i>Pteris</i> |
| AUSTRALIAN B. | <i>P. tremula</i> |
| CHILDS B. | Hort. var. of <i>P.</i> <i>cretica</i> . |
| CRESTED SPIDER B. | Hort. var. of <i>P. multifida</i> . |
| CRETAN BRAKE | <i>Pteris cretica</i> |
| MAYS B. (<i>P. cretica mayi</i> † Cy) | |
| MOORES B. | Hort. var. of <i>An-</i> <i>pteris hexagona</i> . |
| OUVRARD B. | Hort. var. of <i>Pteris multifida</i> . |
| RIBBON B. (<i>P. cretica alboline-</i> <i>ata</i> † Cy) | |
| RIVERTON B. | Hort. var. of <i>P.</i> <i>cretica</i> . |
| SIEBOLD B. | Hort. var. of <i>P.</i> <i>ensiformis</i> . |
| SILVER B. (<i>P. quadriaurita ar-</i> <i>gyraea</i> † Cy) | |
| SPIDER B. | <i>P. multifida</i> |
| SWORD B. | <i>P. ensiformis</i> |
| TALL CRETAN B. | Hort. var. of <i>P. cretica</i> . |
| VICTORIA B. (<i>P. ensiformis vic-</i> <i>toriae</i> † Cy) | |
| WILSON B. (<i>Pteris cretica wil-</i> <i>sonii</i> † Cy) | |
| WIMSETT B. | Hort. var. of <i>P.</i> <i>cretica</i> . |
| BRITTLE FERN | <i>Cystopteris fragilis</i> |
| CHAINFERN | <i>Woodwardia</i> ; <i>W. areolata</i> |
| EUROPEAN C. | <i>W. radicans</i> |
| GIANT C. | <i>W. chamaissoides</i> |
| VIRGINIA C. | <i>W. virginica</i> |
| CHRISTMAS F. | <i>Polystichum acrostichoides</i> |
| CIBOTIUM | <i>Cibotium</i> |
| MEXICAN C. | <i>C. schiedei</i> |
| ROYAL C. | <i>C. regale</i> |
| CINNAMON F. | <i>Osmunda cinnamomea</i> |
| CLAWFERN | <i>Onychium</i> |
| JAPANESE C. | <i>O. japonicum</i> |

FERN, continued

- CLIFFBRAKE *Pellaea*
 AUSTRALIAN C. *P. falcata*
 GREEN C. *P. viridis*
 PURPLE C. *P. atropurpurea*
 CLIMBING F. *Lygodium*
 FEATHERY C. F. *L. scandens*
 JAPANESE C. F. *L. japonicum*
 CUPFERN *Dennstedtia*
 COMMON C. *D. cicutaria*
 GLOSSY C. *D. adiantoides*
 DAVALLIA *Davallia*
 FIJI D. *D. fijiensis*
 FIVEBLADE D. *D. pentaphylla*
 PLUME D. (*Davallia fijiensis*
plumosa† Cy)
 DEERFERN *Blechnum spicant*
Fancy F. COMMON WOOD-
 FERN: *Dryopteris intermedia*
 FELTFERN *Cyclophorus*
 CRESTED F. (*C. lingua corym-*
bifera† Cy)
 JAPANESE F. *C. lingua*
 GOLDFERN *Pityrogramma*
 CALIFORNIA G. *P. triangularis*
 JAMAICA G. *P. sulphurea*
 GOLDIE F. *Dryopteris goldiana*
 GRAPEFERN *Botrychium*
 BROADLEAF G. *B. matricariae*
 CUTLEAF G. *B. dissectum*
 HACKSAW F. *Doodia aspera*
 HARTFORD F. *Lygodium palmatum*
 HARTSTONGUE *Phyllitis scolopendrium*
 HAY-SCENTED F. *Dennstedtia punctilobula*
 HOLLYFERN *Polystichum*
 BRAUN H. *P. brauni*
 EAST INDIAN H. *P. aristatum*
 GIANT H. *P. munitum*
 HOUSE H. *Cyrtomium falcatum*
 JAPANESE H. *Polystichum varium*
 MOUNTAIN H. *P. lonchitis*
 TSUSIMA H. *P. tsussimense*
 INTERRUPTED F. *Osmunda claytoniana*
 LADY F. *Athyrium filixfemina*
 LEATHER F. *Polystichum adiantiforme*
 LICORICE F. *Polypodium glycyrrhiza*

FERN, continued

- LIPFERN *Cheilanthes*
 COVILLE L. *C. covillei*
 FENDLER L. *C. fendleri*
 WOOLLY L. *C. tomentosa*
 MAIDENHAIR *Adiantum*
 AMERICAN M. *A. pedatum*
 AUSTRALIAN M. *A. formosum*
 BARBADOS M. Hort. var. of *A. tenerum*.
 BAUSÉ M. Hort. var. of *A. tenerum*.
 BERMUDA M. *A. bellum*
 CROWE M. (*A. cuneatum crow-*
eanum† Cy)
 DELTA M. *A. cuneatum*
 DIAMOND M. *A. trapeziforme*
 FAN M. *A. tenerum*
 MIST M. *A. gracillimum*
 PERUVIAN M. *A. wagneri*
 ROSY M. Hort. var. of *A. tenerum*.
 SOUTHERN M. *A. capillus-veneris*
 ST. CATHARINE M. Hort. var.
 of *A. trapeziforme*.
 TASSEL M. (*A. cuneatum grandiceps*† Cy)
 TRAILING M. *A. caudatum*
 WALKING M. *A. lunulatum*
 MALE F. *Dryopteris filixmas*
 MARSHFERN *D. thelypteris*
 NEW YORK F. *D. noveboracensis*
 OAKFERN *D. linnaeana*
 OSTRICH F. *Pteretis nodulosa*
 Pierson F. PIER-
 SON variety of BOSTON FERN.
 PODFERN *Cheilanthes siliquosa*
 POLYPODY *Polypodium*
 ASHLEAF P. *P. fraxinifolium*
 COMMON P. *P. vulgare*
 EAST INDIAN P. *P. phymatodes*
 GOLDEN P. *P. aureum*
 JOINTED P. *P. subauriculatum*
 KNIGHT P. Hort. var. of *P. subauriculatum*.
 LOWS P. Hort. var. of *P. aureum*
 MANDA P. Hort. var. of *P. aureum*.
 NIPPLE P. *P. percussum*
 RATTLESNAKE F. *Botrychium virginianum*

FERN, continued

- RESURRECTION F.
Polypodium polypodioides
 ROCHFORD F. Hort. vár. of *Cyrtomium falcatum*.
 ROCKBRAKE *Cryptogramma*
 AMERICAN R. C. *acrostichoides*
 SLENDER R. . . . C. *stelleri*
 ROYAL FERN *Osmunda regalis*
 SLENDER R. F. Hort. var. of *O. regalis*.
 SAGO F. . . . *Cyathea medullaris*
 SAWFERN *Blechnum serrulatum*
 SCYTHIAN LAMB *Cibotium barometz*
 SENSITIVE F. . . . *Onoclea sensibilis*
 SILVER FERN *Pityrogramma tartarea*
 SPLEENWORT *Asplenium*
 EBONY S. . . . A. *platyneuron*
 GORING S. *Athyrium goringianum*
 MAIDENHAIR S.
 Asplenium trichomanes
 MOTHER S. . . . A. *bulbiferum*
 NARROWLEAF S.
 Athyrium pycnocarpon
 SILVERY S. . . . A. *thelypteroides*
 STAGHORN F. . . . *Alcicorium*
 COMMON S. F. . . A. *bifurcatum*
 JAVA S. F. . . . A. *willincki*
 TRIANGLE S. F. . . A. *sternaria*
 STRAPFERN *Polypodium phyllitidis*
 STRAWBERRY F. *Hemionitis palmata*
 SWEETFERN *Comptonia asplenifolia*
 SWORDFERN *Nephrolepis*
 COMMON S. . . . N. *exaltata*
 TREEFERN *Alsophila*; *Cyathea*
 AUSTRALIAN T.
 Alsophila australis
 WALKING F.
 Camptosorus rhizophyllus
 WATERFERN *Ceratopteris*
 WOODFERN *Dryopteris*
 BOOTT W. . . . D. *bootii*
 CLINTON W. . . . D. *clintoniana*
 COMMON W. . . . D. *intermedia*
 CRESTED W. . . . D. *cristata*
 DOWNY W. . . . D. *dentata*
 GLOSSY W. . . . D. *viridescens*
 LEATHER W. . . . D. *marginalis*
 MOUNTAIN W. . . . D. *dilatata*
 SHAGGY W. . . . D. *hirtipes*
 TOOTHED W. . . . D. *spinulosa*
 WINGED W. . . . D. *hexagonoptera*

FERN, continued

- WOODSIA Woodsia
 COMMON W. . . . W. *obtusa*
 ROCKY MOUNTAIN W.
 W. *scopulina*
 RUSTY W. . . . W. *ilvensis*
 FERN ASPARAGUS, FERN BAMBOO, etc.
 See ASPARAGUS, BAMBOO, etc.

FERN GENERA

- For convenience of reference the genera, species, and varieties of Fern are here brought together in one consolidated list.
- ADIANTUM MAIDENHAIR
 A. *cuneatum*
 ausei BAUSÉ MAIDENHAIR
 Hort. var. of A. *tenerum*.
 bellum BERMUDA M.
 capillus-veneris (*fergusoni*)
 SOUTHERN M.
 caudatum TRAILING M.
 croweanaum CROWE M.
 Hort. var. of A. *cuneatum*.
 cuneatum (aemulum; hybridum;
 mundulum)
 DELTA MAIDENHAIR
 See also hort. var. list below.
 farleyense Cy BARBADOS M.
 Hort. var. of A. *tenerum*.
 fergusoni A. *capillus-veneris*
 formosum
 AUSTRALIAN MAIDENHAIR
 gracillimum MIST M.
 hybridum A. *cuneatum*
 lunulatum WALKING MAIDENHAIR
 mundulum A. *cuneatum*
 pedatum AMERICAN MAIDENHAIR
 rhodophyllum ROSY M.
 Hort. var. of A. *tenerum*.
 sanctae-cathariniae
 ST. CATHARINE M.
 Hort. var. of A. *trapeziforme*.
 tenerum (scutum) FAN M.
 See also hort. var. list below.
 trapeziforme DIAMOND M.
 See also hort. var. list below.
 wagneri (weigandi) PERUVIAN M.
 Hort. var. of *Adiantum*:
 BAUSÉ MAIDENHAIR (*bausei*). Hort.
 var. of A. *tenerum*.
 CROWE M. (*Adiantum cuneatum*
 croweanaum† Cy)

FERN GENERA (ADIANTUM, Hort. var.), continued

ROSY MAIDENHAIR (*rhodophyllum*)
Hort. var. of *A. tenerum*.

ST. CATHARINE M. (*sanctae-catharinae*) Hort. var. of *Adiantum trapeziforme*.

TASSEL M. (*Adiantum cuneatum grandiceps*† Cy)

ALCICORNNIUM

STAGHORN FERN
bifurcatum (*Platycerium alcicorne* Cy) . COMMON STAGHORN FERN
stemaria (*P. aethiopicum* Cy; *P. stemmaria*)

TRIANGLE STAGHORN FERN
willincki (*P. willincki* Cy)

JAVA STAGHORN F.

ALSOPHILA **TREEFERN**
australis AUSTRALIAN T.
glaуca (*dealbata*)

ANCHISTEA WOODWARDIA
ANGIOPTERIS

evecta

ANOPTERIS
hexagona (*Pteris heterophylla* Cy)
Hort. var. of *Anopteris*:

MOORES BRAKE (*P. heterophylla internata* Cy)

ASPIDIUM
acrostichoides

Polystichum acrostichoides
aculeatum *P. aculeatum*
bootti *Dryopteris bootti*
brauni *Polystichum brauni*
cristatum *Dryopteris cristata*
filixmas *D. filixmas*
goldianum *D. goldiana*
marginale *D. marginalis*
munitum *Polystichum munitum*
noveboracense

Dryopteris noveboracensis
spinulosum *D. spinulosa*
thelypteris *D. thelypteris*
tsussimense

Polystichum tsussimense
ASPLENIUM . . . **SPLEENWORT**
acrostichoides Cy
Athyrium thelypteroides

FERN GENERA (ASPLENIUM), cont.

angustifolium Cy

Athyrium pycnocarpon
bulbiferum . MOTHER SPLEENWORT
ebeneum . **Asplenium platyneuron**
filixfemina Cy **Athyrium filixfemina**
goringianum Cy . **A. goringianum**
longissimum

nidus (*nidus-avis*) BIRDSNEST FERN
platyneuron (*ebeneum*)

EBONY SPLEENWORT
pycnocarpon **Athyrium pycnocarpon**
thelypteroides . . **A. thelypteroides**
trichomanes

MAIDENHAIR SPLEENWORT
viviparum

ATHYRIUM
filixfemina (*Asplenium filixfemina* Cy) LADY FERN
goringianum (*Asplenium goringianum* Cy) . GORING SPLEENWORT
pycnocarpon (*Asplenium angustifolium* Cy; *As. pycnocarpon*)

NARROWLEAF SPLEENWORT
thelypteroides (*Asplenium acrostichoides* Cy; *As. thelypteroides*)

SILVERY SPLEENWORT

BLECHNUM **BLECHNUM**
brasiliense BRAZILIAN B.
moorei (*Lomaria ciliata*)
occidentale

serrulatum SAWFERN

spicant (*Lomaria spicant*)

DEERFERN
BOTRYCHIUM . . . **GRAPEFERN**
dissectum CUTLEAF G.
matricariae BROADLEAF G.
obliquum

ternatum **B. obliquum**
The true *B. ternatum* of botanists is
not in the trade.

virginianum (*virginicum*)

RATTLESNAKE FERN
CAMPTOSORUS

WALKING FERN
rhizophyllum WALKING F.

CERATOPTERIS . WATERFERN
pteridoides

CEROPTERIS Cy
PITYROGRAMMA

FERN GENERA, continued

- CHEILANTHES** . . . LIPPERN
covillei . . . COVILLE L.
fendleri . . . FENDLER L.
siliquosa (*Pellaea densa* Cy)
tomentosa . . . WOOLLY LIPPERN
CIBOTIUM (CYBOTIUM)
Cibotium
barometz . . . SCYTHIAN LAMR
regale . . . ROYAL CIBOTIUM
schiedei . . . MEXICAN C.
CONIOGRAMME
japonica . . . BAMBOO FERN
CRYPTOGRAMMA
Rockbrake
acrostichoides . . . AMERICAN R.
stelleri (*Pellaea gracilis*)
Slender R.
CYATHEA . . . TREEFERN
medullaris . . . SAGO FERN
CYBOTIUM . . . CIBOTIUM
CYCLOPHORUS . . . FELTFERN
lingua (*Niphobolus lingua*)
JAPANESE F.
 Hort. var. of *C. lingua*:
CRESTED FELTFERN (*C. l. corymbifera*† Cy)
CYRTOMIUM
falcatum . . . HOUSE HOLLYFERN
 Hort. var. of *C. falcatum*:
DWARF ROCHFORD FERN (*rochfordianum compactum*)
ROCHFORD F. (*rochfordianum*)
CYSTOPTERIS . . . BLADDERFERN
bulbifera (*Filix bulbifera*) BERRY B.
fragilis (*F. fragilis*) BRITTLE FERN
DAVALLIA . . . DAVALLIA
bullata . . . BALLFERN
denticulata (*elegans*)
fijiensis . . . FIJI DAVALLIA
pallida (*mooreana*)
pentaphylla . . . FIVEBLADE D.
tenuifolia . . . *Odontosoria chinensis*
 Hort. var. of *Davallia*:
PLUME D. (*Davallia fijiensis plu-*
mosa† Cy)

FERN GENERA, continued

- DENNSTEDTIA (SITOLOBIUM)** . . . CUPFERN
adiantoides . . . GLOSSY C.
cicutaria . . . COMMON C.
punctilobula (*Dicksonia pilosiuscula*; *Di. punctilobula*)
HAY-SCENTED FERN
DICKSONIA
antarctica
pilosiuscula
Dennstedtia punctilobula
punctilobula . . . *D. punctilobula*
DOODIA
aspera . . . HACKSAW FERN
DRYOPTERIS . . . WOODFERN
acrostichoides
boottii (*Aspidium boottii*)
Boott WOODFERN
clintoniana . . . CLINTON W.
cristata (*Aspidium cristatum*)
CRESTED W.
dentata (*D. parasitica* Cy; *mollis*;
Nephrodium molle)
Downy WOODFERN
dilatata (*Lastrea dilatata*)
MOUNTAIN W.
dryopteris . . . *D. linnaeana*
filixmas (*Aspidium filixmas*; *Lastrea filixmas*) . . . MALE FERN
goldiana (*A. goldianum*) GOLDIE F.
hexagonoptera (*Phegopteris hexagonoptera*) . . . WINGED WOODFERN
hirtipes (*Nephrodium hirtipes*)
SHAGGY W.
intermedia . . . COMMON W.
 The fronds of this species are commonly sold by florists under the name *Fancy Fern*.
linnaeana (*Phegopteris dryopteris* Cy; *Dryopteris dryopteris*)
OAKFERN
marginalis (*Aspidium marginale*)
mollis . . . *D. dentata*
noveboracensis (*Aspidium noveboracense*) . . . NEW YORK FERN
parasitica Cy . . . *D. dentata*

FERN GENERA (DRYOPTERIS), cont.

- phegopteris* (*Phegopteris polypodioides* Cy). NARROW BEECHFERN
spinulosa (*Aspidium spinulosum*)
 TOOTHED WOODFERN
thelypteris (*A. thelypteris*)
 MARSHFERN
viridescens . . . GLOSSY WOODFERN
FILIX . . . CYSTOPTERIS
GONIOPHLEBIUM
 POLYPODIUM
GYMNOGRAMMA
 PITYROGRAMMA
HEMIONITIS
palmata . . . STRAWBERRY FERN
LASTREA (*LASTRAEA*)
aristata . . . *Polystichum aristatum*
dilatata . . . *Dryopteris dilatata*
filixmas *D. filixmas*
LOMARIA . . . BLECHNUM
LORINSERIA
 WOODWARDIA
LYGODIUM . . . CLIMBING FERN
japonicum JAPANESE CLIMBING F.
palmatum . . . HARTFORD F.
scandens FEATHERY CLIMBING F.
MATTEUCCIA . PTERETIS
NEPHRODIUM DRYOPTERIS
NEPHROLEPIS . . . SWORDFERN
acuminata (*davallioides*)
biserrata (*acuta*)
 —*furcans* (*davallioides furcans*)
cordifolia (*cordata; tuberosa*)
 —*compacta*
 —*plumosa* (*tuberosa plumosa*)
 —*tesselata*
duffi (*N. cordifolia duffi* Cy)
exaltata . . . COMMON SWORDFERN
 —*bostoniensis* . . . BOSTON FERN
 For the varieties of Boston Fern see *Ne-*
phrolepis, page 292.
pectinata BASKET FERN
NIPHOBOLUS
 CYCLOPHORUS
ODONTOSORIA
chinensis (*Davallia tenuifolia*)
ONOCLEA
sensibilis . . . SENSITIVE FERN
struthiopteris . . . *Pteretis nodulosa*

FERN GENERA, continued

- ONYCHIUM** . . . CLAWFERN
japonicum . . . JAPANESE C.
OPHIOGLOSSUM
 ADDERSTONGUE
vulgatum COMMON A.
OSMUNDA
cinnamomea . . . CINNAMON FERN
claytoniana . . . INTERRUPTED F.
regalis ROYAL F.
 Hort. var. of *O. regalis*:
 SLENDER ROYAL FERN (*gracilis*)
PELLAEA . . . CLIFFBRAKE
atropurpurea . . . PURPLE C.
densa Cy . . . *Cheilanthes siliquosa*
falcata . . . AUSTRALIAN CLIFFBRAKE
gracilis . . . *Cryptogramma stelleri*
viridis (*Pteris adiantoides*)
 GREEN CLIFFBRAKE
PHEGOPTERIS Cy
DRYOPTERIS
PHLEBODIUM Cy
 POLYPODIUM
PHYLLITIS
scolopendrium (*Scolopendrium vul-*
garum) HARTSTONGUE
PHYMATODES Cy
 POLYPODIUM
 PITYROGRAMMA . GOLDFERN
sulphurea (*Ceropteris sulphurea* Cy;
Gymnogramma sulphurea)
 JAMAICA GOLDFERN
tartarea (*C. tartarea* Cy)
 SILVER FERN
triangularis (*C. triangularis* Cy)
 CALIFORNIA GOLDFERN
PLATYCYERIUM Cy
 ALCICORNIA
POLYPODIUM . . . POLYPODY
aureum (*Phlebodium aureum* Cy)
 GOLDEN POLYPODY
 See also hort. var. list on page 149.
falcatum Cy *P. glycyrrhiza*
fraxinifolium . . . ASHLEAF POLYPODY
glauco-pruinatum (*Phymatodes glau-*
cum Cy; *Polypodium glaucum*)
glycyrrhiza (*P. falcatum* Cy)
 LICORICE FERN
incanum *P. polypodioides*
percussum NIPPLE POLYPODY

FERN GENERA (POLYPODIUM), cont.

- phyllitidis** STRAPFERN
phymatodes EAST INDIAN POLYPODY
polygodicoides (incanum) RESURRECTION FERN
subauriculatum (Goniophlebium subauriculatum) JOINTED POLYPODY
 See also hort. var. list below.
vulgare COMMON P.
 Hort. var. of *Polyodium*:
 KNIGHT POLYPODY (*knightiae*). Hort.
 var. of *P. subauriculatum*
 Lows P. (*lowii*) Hort. var. of *P. aureum*.
 MANDA P. (*mandaianum*) Hort.
 var. of *P. aureum*.
- POLYSTICHUM** HOLLYFERN
acrostichoides (*Aspidium acrostichoides*; *Dryopteris acrostichoides*) CHRISTMAS FERN
aculeatum (including *angulare* Cy; *A. aculeatum*)
adiantiforme (*P. capense* Cy; *coriaceum*) LEATHER FERN
aristatum (*Lastrea aristata*) EAST INDIAN HOLLYFERN
brauni (*Aspidium brauni*) BRAUN H.
lobatum
lonchitis MOUNTAIN H.
munitum (*Aspidium munitum*) GIANT H.
tsussimense (*A. tsussimense*) TSUSIMA H.
varium JAPANESE H.
- PTERETIS**
nodulosa (*Matteuccia struthiopteris* Cy; *Onoclea struthiopteris*) OSTRICH FERN
- PTERIDIUM** BRACKEN
aquilinum (*Pteris aquilina*) BRACKEN
- PTERIS** BRAKE
adiantoides *Pellaea viridis*
aquilina *Pteridium aquilinum*
argyraea STRIPED BRAKE
 Hort. var. of *Pteris quadriaurita*.
childsi CHILDS B.
 Hort. var. of *P. cretica*.
cretica CRETAN B.
 See also hort. var. list opposite.

FERN GENERA (PTERIS), continued

- ensiformis** SWORD BRAKE
 See also hort. var. list below.
heterophylla *Anopteris hexagona*
internata MOORES BRAKE
 Hort. var. of *Anopteris hexagona*.
longifolia
mayi MAYS B.
 Hort. var. of *P. cretica*.
multifida (*P. serrulata* Cy) SPIDER B.
 See also hort. var. list below.
nobilis TALL CRETAN B.
 Hort. var. of *P. cretica*.
ouvrardi OUVRARD B.
 Hort. var. of *P. multifida*.
quadriaurita
 See also hort. var. list below.
rivertoniana RIVERTON B.
 Hort. var. of *P. cretica*.
serrulata Cy *P. multifida*
sieboldi SIEBOLD BRAKE
 Hort. var. of *P. cretica*.
tremula AUSTRALIAN B.
tripartita
victoriae VICTORIA B.
 Hort. var. of *P. ensiformis*.
wilsoni WILSON B.
 Hort. var. of *P. cretica*.
wimsetti WIMSETT B.
 Hort. var. of *P. cretica*.
 Hort. var. of *Pteris*:
 CHILDS BRAKE (*childsi*). Hort. var.
 of *P. cretica*.
 CRESTED SPIDER B. (*cristata*) Hort.
 var. of *P. multifida*.
 MAYS B. (*P. cretica mayi*† Cy)
 OUVRARD B. (*ouvrardi*) Hort. var.
 of *P. multifida*.
 RIBBON B. (*Pteris cretica albo-lineata*† Cy)
 RIVERTON B. (*rivertoniana*) Hort.
 var. of *P. cretica*.
 SIEBOLD B. (*sieboldi*) Hort. var. of
P. ensiformis.
 SILVER B. (*P. quadriaurita argyraea*† Cy)
 TALL CRETAN B. (*nobilis*) Hort.
 var. of *P. cretica*.
 VICTORIA B. (*P. ensiformis victoriae*† Cy)

FERN GENERA (PTERIS, Hort. var.), cont.

WILSON BRAKE (*Pteris cretica wilsonii* Cy)

WIMSETT B. (*wimsetti*) Hort. var. of *P. cretica*.

SCOLOPENDRIUM**PHYLLITIS****SITOLOBIUM****DENNSTEDTIA**

WOODSIA *Woodsia ilvensis* RUSTY W.

obtusa COMMON W.
scopulina ROCKY MOUNTAIN W.

WOODWARDIA . CHAINFERN
areolata (*angustifolia*; *Lorinseria areolata*) CHAINFERN

chamissoi GIANT C.

radicans EUROPEAN C.

virginica (*Anchistea virginica*) VIRGINIA C.

FERNANDO HOLLYGRAPE**Mahonia nevini**

FERNLEAF BEECH, **FERNLEAF MAPLE**, etc. See **BEECH**, **MAPLE**, etc.

FERNSPRAY RETINOSPORA (*Chamaecyparis obtusa filicoides* Cy)

FEROCACTUS

acanthodes (*Echinocactus cylindraceus* Cy)

covillei (*E. emoryi* Cy)

SONORA WATER CACTUS
glaucescens (*E. pfeifferi* Cy)

johsoni (*E. johsonii* Cy) BEEHIVE C.

latispinus (*E. cornigerus* Cy)

lecontei (*E. lecontei* Cy)

longihamatus (*E. longihamatus* Cy)

melocactiformis (*Echinocactus elec-*

tracanthus Cy)

nobilis (*E. recurvus* Cy)

peninsulae (*E. peninsulae*)

pilosus (*E. pilosus* Cy)

robustus (*E. robustus* Cy)

scheeri (*E. scheeri*)

uncinatus (*E. uncinatus* Cy)

FISHHOOK CACTUS

whipplei (*E. whipplei* Cy)

wislizeni (*E. wislizeni* Cy)

ARIZONA WATER C.

FERULA

communis GIANTFENNEL

FESCUE *Festuca*

BLUE F. *F. glauca*

CHEWINGS F. Hort. var. of *F. rubra*.

HAIR F. *F. capillata*

HARD F. *F. duriuscula*

MEADOW F. *F. elatior*

RED F. *F. rubra*

SHADE F. *F. heterophylla*

SHEEP F. *F. ovina*

FESTUCA

capillata (*tenuifolia*) **FESCUE**

duriuscula **HAIR F.**

elatior (*pratensis*) **MEADOW F.**

glauca **BLUE F.**

heterophylla **SHADE F.**

ovina **SHEEP F.**

rubra **RED F.**

Hort. var. of **Festuca**:

CHEWINGS FESCUE. Hort. var. of **F. rubra**.

FETERITA. Hort. var. of *Holcus sorghum*.

FETTERBUSH *Pieris lucida*

FEVERFEW *Chrysanthemum parthenium*

FEVERFEW-CAMOMILE *Matricaria parthenoides*

FICKLE SUNROSE (*Helianthemum chamaecistus mutabile* Cy)

FICUS **FIG**

altissima **LOFTY F.**

aurea **FLORIDA STRANGLER F.**

australis **F. rubiginosa**

benjamina **BENJAMIN FIG**

carica **COMMON F.**

For varieties cultivated for their fruit, see **FIG** in American Pomological Society's List of Fruits, in Appendix.

cunninghami **CUNNINGHAM FIG**

diversifolia (*lutescens*) **MISTLETOE F.**

elastica **INDIA RUBBERTREE**

infectoria (*F. lucescens* Ag) **DOTTED FIG**

lucescens Ag **F. infectoria**

lutescens **F. diversifolia**

macrophylla **MORETON BAY FIG**

FICUS, continued

pandurata FIDDLELEAF FIG
pumila (repens) CLIMBING F.
 See also hort. var. list below.

repens *F. pumila*
religiosa SACRED BO TREE
rubiginosa (australis) RUSTY FIG
ulmifolia ELMLEAF F.
utilis ZULU F.
villosa SHAGGY F.

Hort. var. of *Ficus*:

DWARF CLIMBING FIG (*F. pumila minima*† Cy)

FIDDLELEAF FIG . . . *Ficus pandurata*
 FIELD LARKSPUR, FIELD MINT, etc.
 See LARKSPUR, MINT, etc.

FIERY CUPHEA *Cuphea ignea*
 FIG *Ficus*

For horticultural varieties of Fig cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.

BENJAMIN F. *F. benjamina*
 CLIMBING F. *F. pumila*
 COMMON F. *F. carica*
 CUNNINGHAM F. *F. cunninghamii*
 DOTTED F. *F. infectoria*
 DWARF CLIMBING F. (*F. pumila minima*† Cy)

ELMLEAF F. *F. ulmifolia*
 FIDDLELEAF F. *F. pandurata*

FLORIDA STRANGLER F. *F. aurea*
 INDIA RUBERTREE *F. elastica*

LOFTY F. *F. altissima*

MISTLETOE F. *F. diversifolia*
 MORETON BAY F. *F. macrophylla*

RUSTY F. *F. rubiginosa*
 SACRED BO TREE *F. religiosa*

SHAGGY F. *F. villosa*
 ZULU F. *F. utilis*

FIGMARIGOLD *Mesembryanthemum*
 HEARTLEAF F. *M. cordifolium*
 ICEPLANT *M. crystallinum*
 ROSE F. *M. roseum*
 TRICOLOR F. *M. pyropaeum*
 FIJI DAVALLIA, FIJI FAN PALM, etc.
 See *Davallia*, PALM, etc.

FILARIA **PHILLYREA**

FILBERT *Corylus; C. avellana*

See also HAZELNUT.

For varieties of Filbert cultivated for their nuts, see American Pomological Society's List of Fruits and Nuts, in Appendix.

GIANT F. *C. maxima*

GOLDEN F. (*C. avellana aurea*† Cy)

PURPLE F. (*C. avellana atropurpurea*† Cy)

PURPLE GIANT F. (*C. maxima purpurea*† Cy)

WEEPING F. (*Corylus avellana pendula*† Cy)

FILIPENDULA MEADOWSWEET
camtschatica (*Spiraea gigantea*; *S. kamtschatica*)

KAMCHATKA MEADOWSWEET
hexapetala (*Ulmaria filipendula*;

Spiraea filipendula). DROPWORT
palmata (*S. palmata*; *Ulmaria palmata*). SIBERIAN MEADOWSWEET

purpurea (*U. purpurea*)

JAPANESE M.

rubra (*Spiraea lobata*; *U. rubra*)

PRairie M.

ulmaria (*S. ulmaria*) EUROPEAN M.

Hort. var. of *Filipendula*:

CARMINE MEADOWSWEET (*F. rubra venusta*† Cy; *Spiraea venusta*; *Ulmaria venusta*)

DOUBLE DROPWORT (*F. hexapetala floreplena* Cy)

DOUBLE EUROPEAN MEADOWSWEET
 (*F. ulmaria plena*† Cy; *F. u. floreplena*)

SHOWY JAPANESE M. (*F. purpurea elegans*† Cy)

WHITE JAPANESE M. (*F. purpurea alba*† Cy)

FILIX CYSTOPTERIS

FILMY ANGELICA *Angelica curtis*

FINEDON SPRUCE (*Picea excelsa fine-donensis*† Cy)

FINETOOTH HOLLY *Ilex serrata*

FINGER COREOPSIS *Coreopsis palmata*

FINGERGRASS *Chloris*

FEATHER F. *C. virgata*

RHODES GRASS *C. gayana*

FINGERLEAF MORNING-GLORY

Ipomoea digitata

- Finocchio* (*Foeniculum vulgare dulce*† Cy) FLORENCE FENNEL
- FIR *Abies*
- ALGERIAN F. *A. numidica*
 - ALPINE F. *A. lasiocarpa*
 - APOLLO F. *A. cephalonica apollinis*
 - AZURE F. (*A. magnifica glauca*† Cy)
 - BALSAM F. *A. balsamea*
 - BLUE DOUGLAS-FIR
 Pseudotsuga douglasii glauca
 - BLUE SPANISH F. (*Abies pinsapo glauca*† Cy)
 - BLUELEAF NOBLE F. (*Abies nobilis glauca*† Cy)
 - BRISTLECONE F. *A. venusta*
 - CASCADE F. *A. amabilis*
 - CHINA-FIR
 Cunninghamia; C. lanceolata
 - CILICIAN F. *Abies cilicica*
 - CORK F. *A. arizonica*
 - DIMPLECONE F.
 A. homolepis umbilicata
 - DOUGLAS-FIR *Pseudotsuga douglasii*
 - FRASER F. *Abies fraseri*
 - FRETZ DOUGLAS-FIR (*Pseudotsuga douglasii fretzii*)
 - GREAT SILVER F. *Abies grandis*
 - GREEK F. *A. cephalonica*
 - HIMALAYAN F. *A. spectabilis*
 - HUDSON F. *A. balsamea hudsonia*
 - JOINTFIR *Ephedra*
 - MARIES F. *Abies mariesii*
 - MOMI F. *A. firma*
 - NEEDLE F. *A. holophylla*
 - NIKKO F. *A. homolepis*
 - NOBLE F. *A. nobilis*
 - NORDMANN F. *A. nordmanniana*
 - PACIFIC WHITE F.
 A. concolor lowiana
 - PINDROW F. *A. pindrow*
 - PURPLECONE WHITE F. (*A. concolor violacea*† Cy)
 - RED F. *A. magnifica*
 - ROYAL BLUE DOUGLAS-FIR. Hort.
var. of *Pseudotsuga douglasii*.
 - SAKHALIN F. *Abies sachalinensis*
 - SENTINEL SILVER F. (*A. pectinata pyramidalis*† Cy)
 - SHASTA F. *A. magnifica shastensis*
 - SIBERIAN F. *A. sibirica*
 - SILVER F. *A. pectinata*
- FIR, continued
- SILVER DOUGLAS-FIR (*Pseudotsuga douglasii argentea*†)
- SPANISH F. *Abies pinsapo*
- SUMMER-FIR (*Artemisia sacrorum viridis*† Cy)
- VEITCH F. *Abies veitchii*
- WEEPING DOUGLAS-FIR (*Pseudotsuga douglasii pendula*†)
- WEEPING SILVER F. (*Abies pectinata pendula*† Cy)
- WHITE F. *Abies concolor*
- FIRE DAHLIA *Dahlia coccinea*
- FIREFLY THYME (*Thymus serpyllum splendens*† Cy)
- FIREPINK *Silene virginica*
- Fireplant
 Mexican F. PAINTED
- SPURGE: *Euphorbia heterophylla*
- FIRETHORN *Pyracantha*
- LALAND F. (*Pyracantha coccinea lalandii*† Cy)
 - NARROWLEAF F. *P. angustifolia*
 - NEPAL F. *P. crenulata*
 - SCARLET F. *P. coccinea*
- FIRMIANA Ag STERCULIA
- FISH GERANIUM
 Pelargonium graveolens
- FISHHOOK CACTUS
 Ferocactus uncinatus
- FISSIPES CYPRIPEDIUM
See ORCHID GENERA.
- FITTONIA FITTONIA
 argyroneura SILVERNerve F.
- FITZROYA FITZROYA
 patagonica PATAGONIAN F.
- FIVEBLADE DAVALLIA
 Davallia pentaphylla
- FIVEFINGER NASTURTIUM
 Tropaeolum pentaphyllum
- FIVELEAF AKEBIA, FIVELEAF AZALEA,
etc. See Akebia, AZALEA, etc.
- Fiveleaf Ivy VIRGINIA CREEPER:
 Ampelopsis quinquefolia
- FIVESTAMEN TAMARIX . *T. pentandra*
- FLAG
 CRIMSON-FLAG *Schizostylis*
- SWEETFLAG *Acorus*
- FLAG CAMPION (*Lychnis viscaria elegans*† Cy)

- FLAME ANEMONE, FLAME AZALEA,
etc. See ANEMONE, AZALEA, etc.
- FLAMEPOPPY *Meconopsis heterophylla*
- FLAME-RAY GERBERA *Gerbera jamesoni*
- FLAMING TRUMPET *Bignonia venusta*
- FLAMINGOFLOWER *Anthurium andraeanum*
- FLAT PEACH *Amygdalus persica platycarpa*
- FLAT-SEDGE *Cyperus*
 BRAZILIAN F. *C. adenophorus*
 CHUFA *C. esculentus*
 PAPYRUS *C. papyrus*
 UMBRELLA-SEDGE *C. alternifolius*
- FLAT-TOP ASTER, FLAT-TOP GUM, etc.
See ASTER, GUM, etc.
- FLAX *Linum; L. usitatissimum*
 AUSTRIAN F. *L. austriacum*
 FLOWERING F. *L. grandiflorum*
 GOLDEN F. *L. flavum*
 NARBONNE F. *L. narbonnense*
 PERENNIAL F. *L. perenne*
 PRAIRIE F. *L. lewisi*
 SCARLET FLOWERING F. (*L. grandiflorum coccineum*† Cy)
- TOADFLAX *Linaria*
 WHITE PERENNIAL F. (*Linum perenne album*† Cy)
- YELLOWFLAX . *Reinwardtia trigyna*
- FLAXFLOWER GILIA . . *Gilia liniflora*
- FLAXLEAF MASKFLOWER, FLAXLEAF
 PIMPERNEL, etc. See MASKFLOWER, PIMPERNEL, etc.
- FLAXLILY *Phormium*
 GREEN F. *P. cookianum*
 NEW ZEALAND F. *P. tenax*
 PEARLSTRIBE F. (*P. cookianum variegatum*† Cy)
- FLEABANE *Erigeron*
 ALASKA F. *E. salsuginosus*
 ALPINE F. *E. alpinus*
 BEACH F. *E. glaucus*
 BONYTIP F. *E. mucronatus*
 CLUSTER F. *E. umbellatus*
 FONTAINEBLEU F. Hort. var. of
 Erigeron.
 HIMALAYAN F. *E. multiradiatus*
 LILAC OREGON F. (*E. speciosus roseus*† Cy)
 ORANGE F. *E. aurantiacus*
 OREGON F. *E. speciosus*

FLEABANE, continued

- POOR-ROBINS-PLANTAIN *Erigeron pulchellus*
- PURPLE OREGON F. (*E. speciosus grandiflorus*† Cy)
- QUAKERESS F. Hort. var. of Erigeron.
- SMOOTH F. *E. glabellus*
- FLEECEFLOWER *Polygonum*
 ALPINE F. *P. alpinum*
- FLEECEVINE See below
- HIMALAYAN FLEECEFLOWER *P. affine*
 JAPANESE F. *P. cuspidatum*
 MOUNTAIN F. *P. amplexicaule*
 PRINCESPLUME *P. orientale*
 SACALINE *P. sachalinense*
 SILKY F. *P. sericeum*
- FLEECEVINE
 CHINA F. *Polygonum auberti*
 SILVER F. *P. baldschuanicum*
 TUBER F. *P. multiflorum*
- FLESH HEATHER, FLESH SPEEDWELL,
etc. See HEATHER, SPEEDWELL, etc.
- FLESHY HAWTHORN *Crataegus succulenta*
- FLOATINGHEART *Nymphoides; N. peltatum*
- WATER-SNOWFLAKE . . *N. indicum*
- FLOERKEA
 douglasi . . . *Limnanthes douglasi*
- FLORENTINE CRAB . *Malus florentina*
- FLORIDA CRINUM, FLORIDA STRANGLER FIG, etc. See *Crinum*, FIG, etc.
- FLORIPONDIO *Datura arborea*
 CORNUCOPIA F. *D. fastuosa*
 HORNED F. *D. cornigera*
 RED F. *D. sanguinea*
 YELLOW F. *D. chlorantha*
- FLOSS-SILK-TREE . . *Chorisia speciosa*
- FLOWER
 BASKETFLOWER *Centaurea americana*
 BELLFLOWER *Campanula*
 BIRD-OF-PARADISE-FLOWER *Strelitzia*
- BLOODFLOWER *Asclepias curassavica*
- BUNCHFLOWER *Melanthium*
 BUTTERFLYFLOWER . . . *Schizanthus*

FLOWER, continued

- CALICOFLOWER *Aristolochia elegans*
 CAPE-WEDDINGFLOWER
 Dombeya natalensis
 CARDINALFLOWER
 Lobelia cardinalis
 CAULIFLOWER
 Brassica oleracea botrytis
 CONEFLOWER *Rudbeckia*
 CORNFLOWER *Centaurea cyanus*
 CUCKOOFLOWER
 Cardamine pratensis
 CUPFLOWER *Nierembergia*
 DAWNFLOWER *Ipomoea* species
 DAYFLOWER *Commelina*
 DIAMONDFLOWER
 Ionopsis acaule
 FLAMINGOFLOWER
 Anthurium andraeanum
 FLEECEFLOWER *Polygonum*
 FOAMFLOWER *Tiarella*
 GLOBEFLOWER *Trollius*
 GLORYFLOWER *Eccremocarpus*
 GOLDFLOWER
 Hypericum moserianum
 HEDGEHOG-CONEFLOWER *Echinacea*
 HOLY-GHOST-FLOWER
 Peristeria elata
 LACEFLOWER *Trachymene*
 LEATHERFLOWER *Clematis viorna*
 LETTERFLOWER *Grammanthes*
 MASKFLOWER *Alonsoa*
 MISTFLOWER
 Eupatorium coelestinum
 MONKEYFLOWER *Mimulus*
 MOONFLOWER
 Calonyction; C. aculeatum
 PASQUEFLOWER *Anemone* species
 PASSIONFLOWER *Passiflora*
 PELICANFLOWER
 Aristolochia grandiflora
 RED-WHITE-AND-BLUE FLOWER
 Cuphea llavea
 RICEFLOWER *Pimelea*
 SAFFLOWER *Carthamus tinctorius*
 SHELLFLOWER *Alpinia nutans*
 SKYFLOWER *Duranta*
 SPIDERFLOWER *Cleome spinosa*
 STARFLOWER *Trientalis*

FLOWER, continued

- STRAWFLOWER
 Helichrysum bracteatum
 SUNFLOWER *Helianthus*
 TASSELFLOWER *Emilia flammea*
 TIGERFLOWER *Tigridia*
 TRUMPETFLOWER *Oroxylum* species
 TUNICFLOWER *Tunica*
 TWINFLOWER *Linnaea*
 WALLFLOWER *Cheiranthus*
 WANDFLOWER *Sparaxis*
 Woolflower FEATHER
 Cockscomb: Celosia argentea
 FLOWERFENCE
 Caesalpinia pulcherrima
 FLOWERING ALMOND, FLOWERING ASH,
 etc. See ALMOND, ASH, etc.
 FLOWER-RUSH
 Butomus umbellatus
 FLOWER-OF-AN-HOUR
 Hibiscus trionum
 FLOWER-OF-JOVE *Lychnis flos-jovis*
 FLOWERY SENNA *Cassia corymbosa*
 FLY HONEYSUCKLE
 AMERICAN F. H.
 Lonicera canadensis
 EUROPEAN F. H. . . . *L. xylosteum*
 SWAMP F. H. . . . *L. oblongifolia*
 FLYTRAP
 VENUS F. . . . *Dionaea muscipula*
 FOAMFLOWER *Tiarella*
 ALLEGHENY F. . . . *T. cordifolia*
 PURPLE F. (*Tiarella cordifolia purpurea*† Cy)
 SALMON F. Hort. var. of *T. cordifolia*.
 WINE F. Hort. var. of *T. cordifolia*.
 FOeniculum
 vulgare COMMON FENNEL
 Hort. var. of *Foeniculum*:
 FLORENCE FENNEL (*F. vulgare dulce*† Cy; *Finocchio*)
 ITALIAN F. (*F. v. piperitum*† Cy; *Carosella*)
 FONTANESIA FONTANESIA
 fortunei FORTUNE F.
 phillyreoides SYRIAN-PRIVET

BOLD-face=approved scientific names. ITALIC=synonyms or unapproved names.

| | |
|---|--|
| FONTENAY SPIREA | <i>(Spiraea fontenaysii Cy)</i> |
| FOOTBALL CYPRESS | <i>(Chamaecyparis obtusa compacta Cy)</i> |
| FOOTHILL IRIS | <i>Iris hartwegii</i> |
| FORD HOLLY OAK | <i>(Quercus ilex fordii Cy)</i> |
| FORESTIERA | ADELIA <i>acuminata (Adelia acuminata)</i> |
| | TEXAS A. |
| ligustrina (A. ligustrina) | PRIVET A. |
| FORGET-ME-NOT | Myosotis |
| ALPINE F. | M. alpestris |
| AZORES F. | M. azorica |
| BAY F. | M. laxa |
| DWARF PERPETUAL F. | <i>(M. scorpioides semperflorens Cy)</i> |
| GOLDEN F. | <i>(M. alpestris aurea Cy)</i> |
| HEATHER F. | <i>(M. a. stricta Cy)</i> |
| JACKFROST F. | <i>(M. dissitiflora elegantissima Cy)</i> |
| SWISS F. | M. dissitiflora |
| TRUE F. | M. scorpioides |
| VICTORIA F. | M. victoria |
| WOODLAND F. | M. sylvatica |
| FORKED VIBURNUM | <i>Viburnum furcatum</i> |
| FORMOSA JUNIPER, FORMOSA SWEET-GUM, etc. | See JUNIPER, SWEET-GUM, etc. |
| FORSTER PALM | Howea forsteriana |
| FORSYTHIA | FORSYTHIA |
| europea | ALBANIAN F. |
| fortunei | F. suspensa fortunei |
| intermedia† Cy | BORDER FORSYTHIA |
| See hort. var. list below. | |
| sieboldi | F. suspensa sieboldi |
| suspensa | WEEPING FORSYTHIA |
| See also hort. var. list below. | |
| —atracaulis | PURPLESTEM F. |
| —fortunei | FORTUNE F. |
| —sieboldi | SIEBOLD F. |
| viridissima | GREENSTEM F. |
| Hort. var. of Forsythia : | |
| BORDER F. (F. intermedia† Cy; suspensa \times intermedia) | |
| GOLDBLOTCH F. (F. suspensa variegata† Cy) | |
| PALE WEEPING F. (F. suspensa pallida† Cy) | |

| | |
|---|---|
| FORSYTHIA (Hort. var.) | continued |
| PRIMROSE F. (Forsythia intermedia primulina† Cy; suspensa primulina) | |
| SHOWY BORDER F. (F. i. spectabilis† Cy; suspensa spectabilis) | |
| FORSYTHIA | Forsythia |
| ALBANIAN F. | F. europaea |
| BORDER F. (F. intermedia† Cy) | |
| FORTUNE F. | F. suspensa fortunei |
| GOLDBLOTCH F. (F. suspensa variegata† Cy) | |
| GREENSTEM F. | F. viridissima |
| PALE WEEPING F. (F. suspensa pallida† Cy) | |
| PRIMROSE F. (F. intermedia primulina† Cy) | |
| PURPLESTEM F. | F. suspensa atrocaulis |
| SHOWY BORDER F. (F. intermedia spectabilis† Cy) | |
| SIEBOLD F. | F. suspensa sieboldi |
| WEEPING F. | F. suspensa |
| FORTUNE CAPE-JASMINE, FORTUNE DEUTZIA, etc. | See CAPE-JASMINE, DEUTZIA, etc. |
| FORTUNELLA | FORTUNELLA |
| For varieties of Kumquat grown for their fruit, see American Pomological Society's List of Fruits, in Appendix. | |
| crassifolia | MEIWA KUMQUAT |
| hindsi | HONGKONG K. |
| japonica (Citrus japonica) | KUMQUAT |
| FOTHERGILLA | FOTHERGILLA |
| gardeni (carolina) | DWARF F. |
| major | LARGE F. |
| monticola | ALABAMA F. |
| parvifolia (F. parviflora Cy) | |
| FOUNTAIN GRASS, FOUNTAIN LAWSON CYPRESS, etc. | See GRASS, CYPRESS, etc. |
| FOURCOLOR CAPE-COWSLIP, FOURCOLOR ZEBRINA, etc. | See CAPE-COWSLIP, Zebrina , etc. |
| FOUR-O'CLOCK | Mirabilis |
| COMMON F. | M. jalapa |
| SWEET F. | M. longiflora |
| FOURSTAMEN TAMARIX | Tamarix tetrandra |

FOURWING SOPHORA

Sophora tetaptera
FOX GRAPE, FOX SPIREA, etc. See
GRAPE, SPIREA, etc.

FOXGLOVE *Digitalis*
COMMON F. *D. purpurea*
COMMON WHITE F. (*D. p. alba*† Cy)
DOUBLE COMMON F. (*D. p. mon-*
strosa† Cy)

GLOXINIA F. (*D. purpurea glox-*
iniaeflora† Cy)

GRECIAN F. *D. lanata*
LEOPARD F. Hort. var. of *D.*
maculata.

SIBERIAN F. *D. sibirica*
SPOTTED F. *D. maculata*

STRAW F. *D. lutea*
YELLOW F. *D. ambigua*

FOXGLOVE PENTSTEMON
Pentstemon laevigatus digitalis

FOXTAIL
MEADOW F. . *Alopecurus pratensis*
FOXTAIL MILKVETCH, FOXTAIL PINE,
etc. See MILKVETCH, PINE, etc.

FRAGARIA STRAWBERRY
For cultivated varieties of Strawberry
see American Pomological Society's
List of Fruits, in Appendix.

americana . . *F. vesca americana*
californica

CALIFORNIA STRAWBERRY
canadensis . *Potentilla canadensis*
chiloensis . CHILOE STRAWBERRY
indica . . . *Duchesnea indica*
mexicana MEXICAN STRAWBERRY
vesca ALPINE S.
—*americana* . . . AMERICAN S.
virginiana VIRGINIA S.

FRAGRANT ASH, FRAGRANT SUMAC,
etc. See ASH, SUMAC, etc.

FRAILEA

schilinzkyana (*Echinocactus schil-*
inzkyanus)

FRANCHET COTONEASTER
Cotoneaster franchetii

FRANCISCAN-NIGHTSHADE
Brunfelsia americana

FRANCOA FRANCOA
ramosa BRANCHING F.

FRANGIPANI *Plumeria*
MEXICAN F. *P. acutifolia*
NOSEGAY F. *P. rubra*

FRANKLIN HAWTHORN

Crataegus lauta

FRANKLINIA FRANKLINIA
alatamaha (*Gordonia alatamaha*;
G. altamaha; *G. pubescens*)

FRASER FIR, FRASER MAGNOLIA, etc.
See FIR, MAGNOLIA, etc.

FRAXINELLA . . . DICTAMNUS

FRAXINUS ASH
americana (alba) WHITE A.
—*subcordiacea*

anomala SINGLELEAF A.
aurea GOLDEN EUROPEAN A.
Hort. var. of *F. excelsior*.

biltmoreana BILTMORE A.
bungeana
chinensis CHINESE A.
—*rhynchophylla*

cuspidata FRAGRANT A.
dipetala . . CALIFORNIA SHRUB A.

excelsior EUROPEAN A.
See also hort. var. list below.

greggi GREGG A.
lanceolata (*pennsylvanica lanceo-*
lata; viridis) GREEN ASH

lentiscifolia *F. rotundifolia*
longicuspis

mandschurica . MANCHURIAN ASH
nigra (sambucifolia) . . BLACK A.

oregona OREGON A.
ornus FLOWERING A.

paxiana *PAX A.*
pennsylvanica (pubescens) . RED A.

—*lanceolata* *F. lanceolata*
platypoda

potamophila . . TURKESTAN ASH
pubescens *F. pennsylvanica*

quadrangulata BLUE ASH
rotundifolia (lentiscifolia)

ROUNDLEAF A.

See also hort. var. list below.

sambucifolia *F. nigra*
syriaca SYRIAN ASH

texensis TEXAS A.

viridis *F. lanceolata*

Hort. var. of *Fraxinus*:

GOLDEN EUROPEAN ASH (*F. excel-*
sior aurea† Cy; *aurea*)

GOLDEN WEEPING A. (*F. e. aurea-*

pendula† Cy)

FRAXINUS (Hort. var.), continued

WEEPING EUROPEAN ASH (*Fraxinus excelsior pendula*† Cy)

WEEPING ROUNDLEAF A. (*F. rotundifolia pendula*† Cy)

FREESIA **FREESIA**
alba *F. refracta alba*
refracta
—alba COMMON FREESIA

Hort. var. of *Freesia*:

FARDEL

FISCHER (*fischeri*)

GENERAL PERSHING

PURITY

RAINBOW

SUNSET

VERONICA (*splendens*)

VICTORY

VIOLA

FREMONT CLEMATIS, FREMONT COTTONWOOD, etc. See CLEMATIS, COTTONWOOD, etc.

FREMONTIA **FREMONTIA**
californica (*Fremontodendron californicum* Ag) **FREMONTIA**

FREMONTODENDRON Ag

FREMONTIA

FRENCH BLADDERNUT, FRENCH MARIGOLD, etc. See BLADDERNUT, MARIGOLD, etc.

FRETZ DOUGLAS-FIR (*Pseudotsuga douglasii fretzii* Cy)

FRIEDRICHSEN CINQUEFOIL (*Potentilla fruticosa friedrichsenii* Cy)

FRILLED GLADIOLUS
Gladiolus kunderdi

FRINGEBELL
Schizocodon soldanelloides

FRINGED BLEEDINGHEART, FRINGED HEATH, etc. See BLEEDING-HEART, HEATH, etc.

FRINGE-ORCHID . *Habenaria* species
LARGE PURPLE F. . *H. fimbriata*

SMALL PURPLE F. . *H. psycodes*

WHITE F. *H. blephariglottis*

YELLOW F. *H. ciliaris*

FRINGETREE *Chionanthus*
CHINESE F. *C. retusa*

WHITE F. *C. virginica*

FRITILLARIA **FRITILLARY**
imperialis CROWN-IMPERIAL

FRITILLARIA, continued

liliacea WHITE FRITILLARY
meleagris CHECKERED F.

FRITILLARY *Fritillaria*

CHECKERED F. *F. meleagris*

CROWN-IMPERIAL . . . *F. imperialis*

WHITE F. *F. liliacea*

FROEBEL ROSE, FROEBEL SPIREA, etc.

See ROSE, SPIREA, etc.

FROG WATERLILY

Nymphaea flavovirens

FROGBIT . *Hydrocharis morsus-ranae*

FROST GRAPE . . . *Vitis cordifolia*

FROSTED HAWTHORN

Crataegus pruinosa

FUCHSIA **FUCHSIA**

conica *F. magellanica conica*

globosa *F. m. globosa*

gracilis *F. m. gracilis*

hybrida *F. speciosa*

magellanica . **MAGELLAN FUCHSIA**

—*conica* CONE F.

—*globosa* ROUNDBUD F.

—*gracilis* NAIAF F.

—*riccartoni* RICCARTON F.

procumbens TRAILING F.

riccartoni *C. magellanica riccartoni*

speciosa (*hybrida*)

COMMON FUCHSIA

triphylla THREELEAF F.

Hort. var. of *Fuchsia*:

CORAL F. (*magellanica corallina*)

FUCHSIA HONEYSUCKLE (*Lonicera brownii fuchsiae*† Cy)

FUJIYAMA RHODODENDRON

Rhododendron brachycarpum

FULLERS TEASEL *Dipsacus fullonum*

FULLMOON MAPLE . *Acer japonicum*

FUMITORY

CLIMBING F. *Adlumia fungosa*

FUNASTRUM Ag . **PHILIBERTIA**

FUNKIA **HOSTA**

FURRY GOLDENROD, FURRY JASMINE,

etc. See GOLDENROD, JASMINE,

etc.

Furze GORSE: *Ulex*

FUZZY DEUTZIA, FUZZY HOUSELEEK,

etc. See DEUTZIA, HOUSELEEK,

etc.

| | | |
|---|------------------------------------|--|
| GAILLARDIA | GAILLARDIA | <i>Garbanzo</i> . CHICKPEA: <i>Cicer arietinum</i> |
| amblyodon | MAROON G. | GARCINIA |
| aristata (<i>grandiflora</i>) | COMMON PERENNIAL G. | <i>mangostana</i> MANGOSTEEN |
| pulchella | ROSE-RING G. | GARDEN ANEMONE, GARDEN BAL- |
| —picta | PAINTED G. | SAM, etc. See ANEMONE, BAL- |
| Hort. var. of <i>Gaillardia</i> : | | SAM, etc. |
| BUSH (<i>aristata compacta</i>) | | GARDENIA |
| DOUBLE SUNSET (<i>lorenziana</i>). Hort. | | The name of this genus under the Amer- |
| var. of <i>G. pulchella picta</i> . | | ican Rules is <i>Warneria</i> . |
| GOLDSEAM (<i>aristata sanguinea</i>) | | florida (<i>G. jasminoides</i> Cy; <i>G. au-</i> |
| SalMON (<i>aristata salmonea</i>) | | <i>gusta</i> Ar; <i>Warneria augusta</i> Ag) |
| THE BRIDE. Hort. var. of <i>G. pul-</i> | | CAPE-JASMINE |
| <i>chella picta</i> . | | fortunei (<i>G. jasminoides fortuneana</i> |
| THE KING | | Cy) . . . FORTUNE CAPE-JASMINE |
| YELLOW (<i>aristata maxima</i>) | | radicans DWARF C. |
| YELLOWEDGE (<i>kermesina splendens</i>) | | veitchi VEITCH C. |
| GALANTHUS | SNOWDROP | Possibly a form of <i>G. florida</i> . |
| nivalis | COMMON S. | GARLAND |
| GALAX | GALAX | SNOWGARLAND (<i>Spiraea multiflora</i> † |
| aphylla | GALAX | Cy) |
| GALE | | GARLAND HEATH, GARLAND ROSE, |
| SWEETGALE | <i>Myrica gale</i> | etc. See HEATH, ROSE, etc. |
| GALEANDRA | | GARLIC <i>Allium sativum</i> |
| See ORCHID GENERA. | | MEADOW G. <i>A. canadense</i> |
| GALEGA | GOATSRUE | GARRYA SILKTASSEL-BUSH |
| officinalis | COMMON G. | <i>elliptica</i> |
| Hort. var. of <i>Galega</i> : | | GASPLANT <i>Dictamnus albus</i> |
| ALBINO GOATSRUE (<i>G. officinalis</i> | | Giant G. (<i>D. a. caucasicus</i> † Cy) |
| alba† Cy) | | PURPLE G. (<i>D. a. rubet</i> †) |
| HARTLAND G. (<i>G. o. hartlandi</i> † Cy; | | GATTINGER HYPERICUM |
| <i>bicolor hartlandi</i>) | | <i>Hypericum lobocarpum</i> |
| SUNSET G. (<i>G. o. carnea</i> † Cy) | | GAULTHERIA |
| GALEORCHIS | ORCHIS | <i>procumbens</i> WINTERGREEN |
| GALIUM | BEDSTRAW | <i>shallon</i> SALAL |
| boreale | NORTHERN B. | GAURA <i>Gaura</i> |
| mollugo | WHITE B. | <i>lindheimeri</i> WHITE G. |
| verum | YELLOW B. | GAYFEATHER <i>Liatris</i> |
| GALISSON MAGNOLIA (<i>Magnolia grand-</i> | | <i>cattail</i> G. <i>L. pycnostachya</i> |
| <i>iflora galissoniensis</i> † Cy) | | DOTTED G. <i>L. punctata</i> |
| GALTONIA | | DWARF G. <i>L. spicata montana</i> |
| <i>candidans</i> (<i>Hyacinthus candidans</i>) | | GRASSLEAF G. <i>L. graminifolia</i> |
| | SUMMER-HYACINTH | PINKSCALE G. <i>L. elegans</i> |
| GAMOLEPIS | | ROCKY MOUNTAIN G. . . . <i>L. ligulistylis</i> |
| tagetes | | SPIKE G. <i>L. spicata</i> |
| GANGES AMARANTH | | GAYLUSSACIA HUCKLEBERRY |
| | <i>Amaranthus gangeticus</i> | <i>baccata (resinosa)</i> BLACK H. |
| GARAMBULLO | | <i>brachycera</i> BOX H. |
| | <i>Myrtillocactus geometrizans</i> | <i>frondosa</i> DANGLEBERRY |
| | | <i>ursina</i> BUCKBERRY |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

- GAZANIA** GAZANIA
The name of this genus under the American Rules is Meridiana.
longiscpa PIED GAZANIA
splendens
GEIGER-TREE *Cordia sebestena*

- GELESEMIUM**
sempervirens CAROLINA-JESSAMINE
Hort. var. of *G. sempervirens*:
DOUBLE CAROLINA-JESSAMINE (*flore-pleno*)

- GEMMINGIA** BELAMCANDA
GENEVA BUGLE . . *Ajuga genevensis*

- GENISTA** BROOM
The common name Broom applies also to the related genus *Cytisus*.

- aetnensis* AETNA BROOM
alba *Cytisus multiflorus*
andreana PARADISE BROOM
Hort. var. of *Cytisus scoparius*.
canariensis *C. canariensis*
elata *Genista tinctoria virgata*
fragrans *Cytisus fragrans*
germanica GERMAN BROOM
hispanica (*Cytisus hispanicus*)

SPANISH B.

- monosperma* BRIDAL-VEIL B.
pilosa SILKYLEAF B.
racemosa *Cytisus racemosus*
scoparia *C. scoparius*
tinctoria WOADWAXEN
—*virgata* (*elata*) TALL W.

- GENTIAN** Gentiana
CATCHFLY-GENTIAN

- Eustoma silenifolium*
CLOSED G. *Gentiana andrewsi*
CROSS G. *G. cruciata*
DOWNY G. *G. puberula*
FRINGED G. *G. crinita*
HIMALAYAN G. *G. tibetica*
HORSEGENTIAN *Triosteum*
MILKWEED G. *Gentiana asclepiadea*
PRAIRIEGENTIAN

Eustoma russellianum

- ROSEGENTIAN *Sabatia*
ROUGH G. *Gentiana scabra*
STEMLESS G. *G. acaulis*
YELLOW G. *G. lutea*

- GENTIAN PERIWINKLE, GENTIAN
ROCKBELL, etc. See PERIWINKLE,
ROCKBELL, etc.

- GENTIANA** GENTIAN
acaulis STEMLESS G.
andrewsi (*Dasyphhana andrewsi*)
CLOSED GENTIAN
asclepiadea MILKWEED G.
crinita FRINGED G.
cruciata CROSS G.
lutea YELLOW G.
puberula (*Dasyphhana puberula*)

- DOWNTY GENTIAN
scabra ROUGH G.
tibetica HIMALAYAN G.
GEORGE PEABODY ARBORVITAE (*Thuja occidentalis lutea*† Cy)

- GEORGIA ASTER, GEORGIA BUCKEYE,
etc. See ASTER, BUCKEYE, etc.

- GERANIUM** CRANESBILL
The Geranums of common speech belong to the genus *Pelargonium*.

- album* A name used erroneously for White Wild Geranium, White Iberian Cranesbill, and White Meadow Cranesbill, all in the hort. var. list of Geranium, below.

- armenum* ARMENIAN CRANESBILL
citriodorum

- Pelargonium acerifolium*
collinum (*londesi*)

- UPLAND CRANESBILL
fremonti ROCKY MOUNTAIN C.
grandiflorum LILAC C.
ibericum IBERIAN C.
—*platypetalum*

- londesi* *G. collinum*
maculatum WILD GERANIUM
platypetalum

- G. ibericum platypetalum*
pratense MEADOW CRANESBILL
robertianum HERB ROBERT
sanguineum BLOODRED CRANESBILL
zonale *Pelargonium zonale*

- Hort. var. of Geranium:
WHITE IBERIAN CRANESBILL (*G. ibericum album*† Cy)

- WHITE MEADOW C. (*G. pratense album*† Cy)

- WHITE WILD GERANIUM (*G. maculatum album*† Cy)

| | | |
|--|-------------------------------|---|
| GERANIUM | Pelargonium | GHIESBRECHT PALMETTO. Hort. var. of Sabal palmetto. |
| FISH G. | P. hortorum | |
| HORSESHOE G. | P. zonale | Giant ARBORVITAE, GIANT ARROW- HEAD, etc. See ARBORVITAE, ARROWHEAD, etc. |
| IVYLEAF G. | P. peltatum | |
| LADY WASHINGTON G. | P. domesticum | |
| MAPLELEAF G. | P. acerifolium | GIANTFENNEL . . . Ferula communis |
| NUTMEG G. | P. odoratissimum | GiantGROUNDSEL Ligularia wilsoniana |
| ROSE G. | P. graveolens | GIBRALTAR CANDYTUFT Iberis gibraltarica |
| WHITE WILD G. (<i>Geranium macu-</i> <i>latum album</i> † Cy) | | |
| WILD G. | <i>Geranium maculatum</i> | GILIA GILIA |
| GERARD VETCH | <i>Vicia cracca gerardi</i> | abrotanifolia . . . SANTA BARBARA G. |
| GERBERA | GERBERA | achilleaefolia . . . YARROW G. |
| The name of this genus under the Amer- ican Rules is <i>Perdicium</i> . | | androsacea (<i>Leptosiphon androsa-</i> <i>ceus</i>) . . . TRUMPET GILIA |
| jamesoni | FLAME-RAY GERBERA | californica SHRUBBY G. |
| GERMAN BROOM, GERMAN IRIS, etc. | | capitata GLOBE G. |
| See BROOM, IRIS, etc. | | coccinea (<i>Collomia biflora</i> Ag; <i>C.</i> <i>coccinea</i>) . . . SCARLET GILIA |
| GERMANDER | Teucrium | coronopifolia (<i>G. rubra</i> Ag; <i>Ipo-</i> <i>mopsis elegans</i>) . . . TEXASPLUME |
| AMERICAN G. | T. canadense | densiflora (<i>Linanthus densiflorus</i> ; <i>Leptosiphon densiflorus</i>) . . . TUBE GILIA |
| CHAMAEDRYS G. | T. chamaedrys | dianthoides (<i>Fenzlia dianthiflora</i>) . . . TUFTED GILIA |
| TREE G. | T. fruticans | grandiflora (<i>Collomia grandiflora</i> Ag) BIGFLOWER GILIA |
| GERMANDER SPIREA | <i>Spiraea chamaedryfolia</i> | laciniata CUTLEAF G. |
| GESNERIA | GESNERIA | liniflora FLAXFLOWER G. |
| cardinalis (<i>macrantha</i>) CARDINAL G. | | micrantha (<i>Leptosiphon aureus</i> ; <i>L.</i> <i>hybridus</i> ; <i>L. carmineus</i>) . . . THREADFLOWER GILIA |
| GEUM | AVENS | nivalis WHITE BIRDSEYE G. |
| bulgaricum | BULGARIAN A. | Hort. var. of <i>G. tricolor</i> . |
| chiloense | CHILOE A. | rubra Ag G. coronopifolia |
| coccineum | | tricolor BIRDSEYE GILIA |
| A name often misapplied to <i>G. chiloense</i> . The true <i>G. coccineum</i> of botanists is probably not in the trade. | | Hort. var. of <i>Gilia</i> : |
| japonicum | JAPANESE AVENS | WHITE BIRDSEYE G. (<i>nivalis</i>). Hort. |
| miniatum | VERMILION A. | var. of <i>G. tricolor</i> . |
| Hort. var. of <i>G. chiloense</i> . | | GILIA Gilia |
| montanum | MOUNTAIN A. | BIGFLOWER G. <i>G. grandiflora</i> |
| Hort. var. of AVENS, Geum: | | BIRDSEYE G. <i>G. tricolor</i> |
| DOUBLE CRIMSON (<i>atrosanguineum</i> ; <i>coccineum atrosanguineum</i>). Hort. | | CUTLEAF G. <i>G. laciniata</i> |
| var. of <i>G. chiloense</i> . | | FLAXFLOWER G. <i>G. liniflora</i> |
| MRS. BRADSHAW. Hort. var. of <i>G.</i> | | GLOBE G. <i>G. capitata</i> |
| chiloense. | | SANTA BARBARA G. <i>G. abrotanifolia</i> |
| ORANGE (<i>heldreichii</i>). Hort. var. of | | SCARLET G. <i>G. coccinea</i> |
| <i>G. montanum</i> . | | SHRUBBY G. <i>G. californica</i> |
| VERMILION (<i>Geum chiloense mini-</i> <i>atum</i> † Cy; <i>miniatum</i>) | | TEXASPLUME <i>G. coronopifolia</i> |
| GHENT AZALEA | <i>Azalea gandavensis</i> | THREADFLOWER G. <i>G. micrantha</i> |
| GERKIN | | TRUMPET G. <i>G. androsacea</i> |
| WEST INDIAN G. | <i>Cucumis anguria</i> | |

GILIA, continued

- TUBE G. *Gilia densiflora*
 TUFTED G. *G. dianthoides*
 WHITE BIRDSEYE G. Hort. var. of
 G. tricolor.
 YARROW G. *G. achilleaefolia*

GILLENA

- stipulata* (*Porteranthus stipulatus*
 Ag; *G. stipulacea*). INDIAN-PHYSIC
trifoliata (*P. trifoliatus Ag*)
 BOWMANSROOT

GILTLEDGE BURNINGBUSH (*Euonymus*
 japonicus aureomarginatus†)

- GINGER *Zingiber*
 COMMON G. *Z. officinale*
 GINGERLILY *Hedychium*
 COMMON G. *H. coronarium*
 INDIA G. *H. gardnerianum*

GINKGO MAIDENHAIR-TREE
 biloba (*Salisburia adiantifolia*)
 MAIDENHAIR-TREEGINSENG *Panax*
 AMERICAN G. *P. quinquefolium*
 CHINESE G. *P. schinseng*
 DWARF G. *P. trifolium*
 JAPANESE G. Hort. var. of *Panax*GIRALD HONEYSUCKLE
 *Lonicera giraldi*GLACIERLILY
 Erythronium grandiflorum

GLADIOLUS GLADIOLUS

- alatus*
angustus
atroviolaceus
byzantinus
cardinalis
communis
cruentus
dracocephalus
floribundus
grandis
hirsutus
oppositiflorus
papilio *ORCHID G.*
primulinus *PRIMROSE G.*
psittacinus *PARROT G.*
purpureo-auratus
 GOLDEN ORCHID G.

GLADIOLUS, continued

- quartinianus*
recurvus
saunderi
segetum
sericeo-villosus
tristis

Hort. var. of Gladiolus:

Because of the large number of horticultural varieties of Gladiolus the hort. var. list and the common-name list have been combined in the special list below.

GLADIOLUS Gladiolus

This list has been prepared by A. C. Beal, Registrar American Gladiolus Society, on behalf of the Society, and has been brought up to February, 1923. The name of the originator or introducer is given when known. Primulinus varieties of Gladiolus take the abbreviation Prim. The small forms commonly known to growers as Nanus varieties take the abbreviation Nan.

ABBREVIATIONS OF NAMES OF
 ORIGINATORS

- | | |
|--------|--|
| Alex. | J. K. Alexander, East Bridge-water, Mass. |
| Alk. | N. M. Alkemade & Co., Noordwijk, Holland. |
| Aust. | A. H. Austin, Wayland, Mass. |
| Baer | H. H. Baer, New Hyde Park, N. Y. |
| Ban. | Frank Banning, Kinsman, Ohio. |
| Barr | Barr & Son, King St., Covent Garden, London, W. C., England. |
| Bart. | H. M. Barrett & Son, Hightstown, N. J. |
| Baum | Karl P. Baum, Knoxville, Tenn. |
| Baumg. | F. W. Baumgras, Lansing, Mich. |
| Bet. | C. Betscher, Dover, Ohio. |
| Black | G. D. Black, Albert Lea, Minn. |
| Breck | Joseph Breck & Sons, 51-52 North Market St., Boston, Mass. |
| Brown | C. W. Brown, Ashland, Mass. |
| Brun. | Brunel, Fontainebleau, France. |
| Burb. | Luther Burbank, Santa Rosa, Calif. |
| Cham. | M. Chamberlain, Wellesley Mass. |
| Chaut. | Chautauqua Flowerfield C Benus Point, N. Y. |

| | | |
|----------------------|--|---|
| GLADIOLUS, continued | GLADIOLUS, continued | GLADIOLUS, continued |
| Chi. | John Lewis Childs, Fleetfield, L. I., N. Y. | Giltv., <i>giltvinnia</i> H. Hutt, G. Geiger, T. T. Ontario, Canada |
| Chris. | H. E. Chriswell, New York, N. Y. | T. J. Jonkherr & Sons, Hillside, New Jersey |
| Christy | W. A. Christy, Warren, Ohio | W. H. H. Blum, Hillside, New Jersey |
| Chur. | George Churchill, Westerly, Rhode Island | Kel. Kelway & Son, Immingham, England |
| Cob. | P. O. Coblenz, New Madison, Ohio | Kemp J. A. Kemp, Little Silver, N. J. |
| Cog. | This is the Greek word for "spike". It refers to the <i>spike-like</i> flower spikes of the plant. | GILTEMA Keur, C. Keur, & Sons, Hilversum, Holland |
| Dames | N. Damés, Lisse, Holland. | GIJLDEROLLE W. E. Kriekhoff, S.E. Montevideo, Uruguay |
| Davies | W. D. Davies Company, Aurora, Ill. | (A) (A) GILGELD H. H. Krelage, Haarlem, Holland |
| De Groot | A. B. De Groot, Bath, N.Y. | GILDEBOLD C. Gildebold, New York |
| De Ruysse | De Ruyste & Sons, Noordwijk, Holland | GILDEBROEK L. G. Gildebroek, New York |
| De Ruyste | De Ruyste & Sons, Noordwijk, Holland | GILDEBROEK L. G. Gildebroek, New York |
| Dickie | Dickie, Kentville, Calif. | GILDEBROEK L. G. Gildebroek, New York |
| Fairbanks | E. Fairbanks, Lexington, Mass. | GILDEBROEK L. G. Gildebroek, New York |
| Fis. | Eugene Fischer, Jamaica Plain, Mass. | GILDEBROEK L. G. Gildebroek, New York |
| Flemming | F. Flemming & Sons, Belleville, Ill. | GILDEBROEK L. G. Gildebroek, New York |
| Fryer | W. E. Fryer, Mantorville, Minn. | GILDEBROEK L. G. Gildebroek, New York |
| Gage | L. M. Gage, Wellesley, Mass. | GILDEBROEK L. G. Gildebroek, New York |
| Gibbs | W. H. Gibbs, Garrett, Ind. | GILDEBROEK L. G. Gildebroek, New York |
| Goodrich | C. L. Goodrich, Shenandoah, Iowa. | GILDEBROEK L. G. Gildebroek, New York |
| Gravéreaux | Aug. Gravéreaux, Neuilly-sur-Seine et Oise, France | GILDEBROEK L. G. Gildebroek, New York |
| Grote | H. Grote, Simcoe, Ontario, Canada | GILDEBROEK L. G. Gildebroek, New York |
| Grossman | C. M. Grossman, Petosky, Mich. | GILDEBROEK L. G. Gildebroek, New York |
| Grul. | J. J. Grulmans, Lisse, Holland | GILDEBROEK L. G. Gildebroek, New York |
| Haines | Haines, Minn. | GILDEBROEK L. G. Gildebroek, New York |
| Hall | E. V. Hall, Quechee, Vt., N. Y. | GILDEBROEK L. G. Gildebroek, New York |
| Hechstecker | J. Hechstecker, Sassenheim, Holland | GILDEBROEK L. G. Gildebroek, New York |
| Hinke | C. R. Hinke, St. Joseph, Mich. | GILDEBROEK L. G. Gildebroek, New York |
| Heeg | D. C. Heeg/Hoege, Decorah, Iowa. | GILDEBROEK L. G. Gildebroek, New York |
| Hog. | Hogewoning, Noordwijk, Holland | GILDEBROEK L. G. Gildebroek, New York |
| Hornberger | E. Hornberger, R. D. 12, Hamburg, N. Y. | GILDEBROEK L. G. Gildebroek, New York |
| Houyeshel | E. Ed. Houyeshel, La Verne, Calif. | GILDEBROEK L. G. Gildebroek, New York |
| | | GILDEBROEK L. G. Gildebroek, New York |

BOLD face = approved scientific names. ITALIC = proposed or unapproved names.

| CONTINENTAL | |
|-----------------------------|--|
| GLADIOLUS, continued | |
| Sou. | (1881) Eugène Souchet, Fontainebleau, France |
| Spen. | S. E. Spencer, Woburn, Mass. |
| Stev. | (1778) A. W. Stevens, Portland, Maine. |
| Stew. | E. E. Stewart, Brooklyn, N. Y. |
| Swett | Raymond W. Swett, Somerville, Mass. |
| Teas | E. Y. Teas & Son, Cambridge, Mass. |
| Thon. | Jacob Thomann & Son, Rochester, N. Y. |
| Tracy | B. M. Tracy, New Haven, Conn. |
| Ump. | John H. Ump, Lakeview, N. Y. |
| Unit. | United Bulb Company, Mount Clemens, Mich. |
| Van B. | Van Bourgondien Brothers, Batavia, N. Y. |
| Van D. | Van Deursen, Sassenheim, Holland. |
| Van F. | W. Van Fleet, Washington, D. C. |
| Van K. | S. A. Van Kuyk, New York. |
| Van M. | Van Meerbeek & Co., Hillegom, Holland. |
| Van Tol | Van Tol, Haarlem. |
| Van Z. | F. Van Zanten, Hillegom, Holland. |
| Vaug. | Vaughan's Seed Store, West Chicago, Ill. |
| Well-101 | W. Velthuys, Hillegom, Holland. |
| Vilm. | Vilmorin-Andrieux et Cie, Paris, France. |
| Von. | J. von Waddel, Baron, Mass. |
| Vos | (1819) Vos, Grand Rapids, Mich. |
| War. | Warmaan & Co., Sassenheim, Holland. |
| Way. | (1880) Wayside Gardens, Mentor, Ohio. |
| West. | Westergaard & Klyn, Sassenheim, Holland. |
| White | B. F. White, Terryville, Conn. |
| Wing | Charles B. Wing, Mechanic Falls, Maine. |
| Wood. | George S. Woodruff, Providence, R. I. |
| Wri. | M. F. and C. C. Wright, St. Louis, Mo. |
| Yoplac. | Yoplac (Mossell) & Son, Yarmouth, England. |
| Zees. | G. G. Zeestraten, Oegstgeest, Holland. |
| Zees., J. | John Zeestraten, East Bridgeport, Conn. |

SMALL CAPITALS=approved common names.

| CONTINENTAL | |
|-----------------------------|----------------------|
| GLADIOLUS, continued | |
| ABALONE. | (Met. 1923.) |
| ABERDEEN. | (Kund. 1917.) |
| ABLAZE. | Prim. (Brown 1922.) |
| ABUNDANCE. | Nan. (Krel. 1911.) |
| ACCIA. | (Krel. 1916.) |
| ACKERMANNI. | Nan. |
| ACME. | (Met. 1917.) |
| ADA. | Prim. (Grul. 1918.) |
| ADELAIDE DE LUXEMBOURG. | |
| ADELINA. | (Kel. 1908.) |
| ADELINA PATTI. | (Keur. 1916.) |
| ADELINE KENT. | (Dien. 1917.) |
| ADELLE. | (Pur. 1923.) |
| A. DIMMOCK. | (Cowee 1905.) |
| ADMIRABLE. | Prim. (Chaut. 1921.) |
| ADMIRAL BEATY. | (Brun. 1919.) |
| ADMIRAL GERVERA. | (Sou. 1898.) |
| ADMIRATION. | (Kund. 1923.) |
| ADOLF JAENICKEL. | (Chi. 1904.) |
| ADONIS. | Prim. (Krel. 1919.) |
| ADORA. | (Kund. 1922.) |
| ADORABLE. | Prim. (Way 1921.) |
| ADORATION. | (Kund. 1918.) |
| ADRIAN. | (Met. 1923.) |
| ADRIATIC. | (Kund. 1916.) |
| AEOLIAN. | (Kund. 1916.) |
| AFTERGLOW. | (Groff 1904.) |
| AGATHA. | (Kund. 1918.) |
| AGLAJA. | Prim. (Krel. 1919.) |
| A. G. NELSON. | (Bis. 1923.) |
| AGRICOLA. | (Good 1921.) |
| AH. | (Kund. 1922.) |
| ALABAMA. | (Vos 1919.) |
| ALASKA. | Prim. (Krel. 1919.) |
| alatus. | (1918) |
| ALBA DEA. | (Cowee 1922.) |
| ALBANIA. | (Kempf 1921.) |
| ALBATRE. | (Chaut. 1924.) |
| ALBERT. | (Krel. 1918.) |
| ALBERT FIRST. | (Brun. 1910.) |
| ALBIA. | Prim. (Kund. 1916.) |
| ALBION. | Prim. (Kund. 1916.) |
| Albion. | (Junk 1914.) |
| Albion. | (Met. 1917.) |
| ALCAZAR. | (Brun. 1918.) |
| ALCIBIADES. | (Brun. 1908.) |
| ALBURA. | (Hamilton 1922.) |
| Miss Allegria Hamilton. | |
| ALEPO. | (Nor. 1922.) |

Abbreviations: (Ag) (Ar) (Cy) (f) see page 1.

GLADIOLUS, continued

ALETHEA. Prim. (Kund. 1918.)
 ALFRED NOBEL. (Prest. 1923.)
 ALHAMBRA. (Kund. 1917.)
 ALICE CAREY. (Teas 1913.)
 ALICE TIPLADY. Prim. (Kund. 1915.)
 ALICIA. (Kund. 1921.)
 ALINE. (Chi. 1906.)
 ALL-A-GLOW. (Miller 1915.)
 ALLEN V. BUNCE. (Pur. 1923.)
 ALMA. (Dien. 1921.)
 ALOHA. (Dien. 1922.)
 ALPHA. (Kund. 1921.)
 ALPINE TREASURE. (Met. 1918.)
 AL SHIRA. (Kund. 1921.)
 ALTA. (Met. 1918.)
 ALTAIR. Prim. (Kund. 1916.)
 ALTAMYRA. (Dien. 1923.)
 ALT-HEIDELBERG. Prim. (Pfit. 1921.)
 ALTON. (Kund. 1917.)
 AMARILLAS. (Kund. 1912.)
 AMAZONE. (Chaut. 1921.)
 AMBASSADOR. (Brown 1919.)
 AMERICA. (Chi. 1906.)
 AMERICAN BEAUTY. (Dien. 1917.)
 AMERICAN INDIAN. (Kund. 1916.)
 AMERICAN PILLAR. (Kund. 1918.)
 AMERICANUS. (Kund. 1916.)
 AMERIQUE. (Sou. 1897.)
 AMES. (Good. 1921.)
 AMETHYST. (Stew. 1914.)
 AMSTEL. (Roos 1920.)
 ANALINE. (Kund. 1915.)
 ANAMOSA. Prim. (Kund. 1916.)
 ANGELINA. (Kel.)
 ANGELIQUE. (Sou. 1890.)
 ANGOLA. Prim. (Kund. 1916.)
angustus
 ANITA. Prim. (Kund. 1916.)
 ANNA. (Chi. 1915.)
 ANNA EBERIUS. (Dien. 1917.)
 ANNABELLE. (Brown 1922.)
 ANNE THOMPSON. (Dien. 1920.)
 ANNETTE. (Rus. 1923.)
 ANNIE WIGMAN. (Hop.)
 ANNY. Prim. (Hop. 1916.)
 ANTARES. (Kund.-Fair. 1922.)
 ANTHEM. (Kund. 1918.)
 ANTHONY B. KUNDERD. (Kund. 1918.)
 ANTHONY ZONKER. (Kund. 1922.)
 ANTIOCH. (Met. 1917.)
 ANTIQUE. (Chaut. 1921.)

GLADIOLUS, continued

ANTOINETTE. (Brun. 1909.)
 APPLE BLOSSOM. (Kund. 1923.)
 APOLLO. (Jonk. 1914.)
 APPOLON. Nan. (Sou. 1877.)
Appolon
 APHRODITE. Prim. (Chaut. 1921.)
 ARABIA. (Hin. 1922.)
 ARAMUS. (Sou. 1914.)
 ARBUTUS. (Col. 1920.)
 ARCADIA. (Kund. 1917.)
 ARCHIMEDES. (Brun. 1908.)
 ARCOLA. (Kund. 1917.)
 ARDEN. Prim. (Kund. 1921.)
 ARDMORE. (Kund. 1918.)
 ARETHUSA. (Kel. 1919.)
 ARGO. Prim. (Kund. 1915.)
 ARIADNE. Prim. (Barr 1921.)
 ARIEL. Prim. (Barr 1920.)
 ARISTOPHANES. (Brun. 1908.)
 ARIZONA. (Kund. 1912.)
 ARIZONA ROSE. (Kund. 1914.)
 ARIZONE. (Vos. 1916.)
 ARLINGTON. (Kund. 1917.)
 ARLON. Prim. (Kund. 1918.)
 ARMAGNAC. (Sou. 1894.)
 ARRIERE-GARDE. (Sou. 1877.)
 ARTIST. (Met. 1923.)
 ASHBURN. (Kund. 1917.)
 ASHES OF ROSES. (Christy 1914.)
 ASHTABULA. (M. & H. 1918.)
 ASIA. Prim. (Grul. 1918.)
 ASPIRATION. (Kel.)
 ASSUERUS. (Sou. 1900.)
 ASTRA. Prim. (Kund. 1918.)
 ATALANTA. Prim. (Krel. 1917.)
 ATHERTON. (Kund. 1918.)
 ATHALIA. Prim. (Krel. 1922.)
 ATLANTIC. (Brown 1919.)
Atlantic. (Kund. 1921.)
 ATLANTIS. (Dien. 1921.)
 ATLAS. (Grav. 1916.)
 ATREUS. (Kund. 1921.)
atroviolaceus
 ATTALLA. (Kund. 1917.)
 ATTRACTION. (Chi. 1906.)
Attraction. Prim. (Chaut. 1921.)
 AUGUSTA. (Hal. prior to 1890.)
Aurega. DOROTHY WHEELER.
 AURORA. (Miller 1915.)
 AURORA BEAUTY. (Vel. 1916.)
 AUTOCRAT. (Brown 1921.)

GLADIOLUS, continued

AUTUMN. (Kund. 1917.)
 AUTUMN QUEEN. (Chi. 1918.)
Lillian.
 AUTUMN SPLENDOR. (Kund. 1922.)
 AVALON. (Kund. 1916.)
 AVE MARIA. (Cowee 1922.)
 AVIATRIX. Prim. (Kemp 1922.)
 A. W. CLIFFORD. (Kund. 1914.)
 A. W. HUNT. (Christy 1920.)
 AZURE. (Stew. 1909.)
 AZALEA. (Kund. 1912.)
 BABY JANE. Prim. (Vos 1921.)
 BADENIA. (Pfit. 1909.)
 BAGUETTE DE FEE. (Sou. 1905.)
 BAHIA. (Met. 1918.)
 BAJAZET. (Brun. 1921.)
 BALTIMORE. (Cowee 1910.)
 BANSHEE. Prim. (Kel. 1919.)
 BARCLAY. (Chi. 1907.)
 BARON J. HULOT. (Lem. 1896.)
 BARONESS. (Kund. 1918.)
 BARONNE D'IVOLEY. (Brun. 1911.)
 BATTLE CREEK. (Kund. 1923.)
 BAYADERE. (Brun. 1913.)
 BEACON. (Chi. 1917.)
 BEACONFLAME. (Kund.-Von. 1922.)
 BEATRICE. (Pur. 1923.)
 BEATRIZ MICHELENA. (Dien. 1922.)
 BEAUTE D'AOUT. (Brun. 1913.)
 BEAUTE DE JUILLET. (Sou. 1897.)
 BEAUTY. Prim. (Chaut. 1922.)
 BELVEDERE. (Dien. 1923.)
 BEN LOMOND. (Met. 1917.)
 BENBOA. (Kund. 1922.)
 BENGAL TIGER. (Cris. 1921.)
 BERENICE. (Brun. 1921.)
 BERKSHIRE. (Cowee 1910.)
 BERLINIA. (Cowee 1904.)
 BERNARD SHAW. (Dien. 1923.)
 BERNICE. (Black 1917.)
 BERNINA. (Brun. 1910.)
 BERTHA. (Cross. 1922.)
 BERTREX. (Aust. 1914.)
 BEST VIOLET. (Kund. 1914.)
 BETTY. Prim. (Brown 1922.)
 BETTY BENNING. (Nat. 1921.)
 BETTY CROMWELL. (Good. 1921.)
 BETTY MURRAY. (Chris. 1923.)
 BEULAH. (Black 1917.)
 BEVIER. (Kund. 1923.)
 BICOLOR. (Sou. 1882.)

GLADIOLUS, continued

BIG BLACK. (Kund. 1915.)
 BILLIKIN. (Drake 1921.)
 BILLY RED. (Kund. 1916.)
Bird-of-Paradise. GAIETY.
 BLACK BEAUTY. (Stew. 1911.)
 BLACK JOE. (Prest. 1918.)
 BLACK PANSY. (Kund. 1915.)
 BLACKBIRD. (Kund. 1916.)
 BLACKEYE. (Kund. 1916.)
 BLACKHAWK. (Black 1915.)
Blacks Early Pink. EARLY PINK.
 BLACKSTONE. (Kund. 1916.)
 BLANCHE. (Chi. 1916.)
 BLANCHFLEUR. (Sou. 1895.)
 BLASCO IBANEZ. (Dien. 1923.)
 BLERIOT. (Brun. 1910.)
 BLOEMHOF. Nan. (Krel. 1911.)
 BLOOD SPOT. (Kund. 1916.)
 BLUE IRIS. (Kund. 1916.)
 BLUE ISLE. (Kund. 1916.)
 BLUE LILY. (Kund. 1921.)
 BLUE ORCHID. (Kund. 1916.)
 BLUE RIBBON. (Kund. 1922.)
 BLUEJAY. (Groff 1904.)
 BLUEVISTA. (Aust. 1916.)
 BLUSH OF DAWN. Prim. (Gibbs 1923.)
 BLUSHING BEAUTY. (Kund. 1922.)
 BLUSHING BRIDE. Nan.
 BOBOLINK. Prim. (Kund. 1921.)
 BOHEMIAN. (Brown 1921.)
 BOKHARA. (Ream 1922.)
 BOLINAS. (Dien. 1923.)
 BONNY. (Kund. 1921.)
 BONNY BELLE. (Brown 1920.)
 BOPEEP. (Chi. 1916.)
 BORDEAUX. (Alk. 1916.)
 BOUQUET. Prim. (Kund. 1918.)
 BOUQUET D'OR. (Stew. 1911.)
 BREAK o' DAY. (Pur. 1923.)
 BREAKNOLL ORCHID. (Horn. 1922.)
 BRENCHLEY G. (You. 1848.) *G. brenchleyensis* Cy.
Brenchleyensis. BRENCHLEY G.
 BRICK RED. (Phi. 1922.)
 BRIDESMAID. Nan. (Krel. 1911.)
 BRIGHT RED. (Kund. 1915.)
 BRILLIANT. (Heem. 1922.)
 BRIMSTONE. (Vos 1921.)
 BRITISH LION. (Kel. 1919.)
 BRONZE QUEEN. Prim. (Grul. 1916.)

| | | |
|---|-------------------------------|-------------------------------------|
| GLADIOLUS , continued | | |
| BUBBLES. (Dien. 1921.) | CARNIVAL. | (Brown 1922.) |
| BUCKEYE. (Kund. 1921.) | CAROLINE F. BURKE. | (Dien. 1917.) |
| BUDDY HARRIS. (Drake 1922.) | CAROLINE ESBERG. | (Dien. 1921.) |
| BUFF BEAUTY. (Grul. 1916.) | CASA BLANCA. | (Lem. 1907.) |
| BUMBLE BEE. (Kund. 1921.) | CASSANDRA. | P <small>rim.</small> (Kund. 1918.) |
| BUNKER HILL. (Met. 1917.) | CASSILDA. | (Brun. 1909.) |
| BURRELL. (Wood. 1914.) | CATHERINA. | (Vel. 1916.) |
| BUTTERBOY. | CATHERINE COLEMAN. | (Col. 19—.) |
| BUTTERCUP. | CATTLEYA. | (Hop. 1916.) |
| BUTTERFLY. | CELESTIA DORIS. | (Good. 1918.) |
| <i>Butterfly</i> . KUNDERD BUTTERFLY. | CENTENARY. | Nan. (Krel. 1911.) |
| BRUNO. (West. 19—.) | CERES. | (Sou. 1877.) |
| BUZZ. (Burb. 1921.) | CHALLENGE. | (Met. 1918.) |
| BYRON L. SMITH. (Kund. 1917.) | CHALLENGER. | (Kund. 1915.) |
| byzantinus | CHAMELEON. | (Pur. 1923.) |
| CACTIFLORA. (Kel. 1921.) | CHARBONNIER | |
| CAIRO. (Kund. 1917.) | CHARLEMAGNE. | (Lem. 1906.) |
| CALICO. (Cob. 1921.) | CHARLES BERTIER. | (Brun. 1909.) |
| CALIFORNIA. (Cowee 1907.) | CHARLES L. HUTCHISON. | (Vaug 1911.) |
| CALIFORNIA GIANT. (Dien. 1920.) | CHARLIE KOHLER. | (Kund. 1916.) |
| CAMEO. (Prim. (Pur. 1923.) | CHARM. | (Kund. 1921.) |
| <i>Cameo</i> . (Kund. 1914.) | CHARMER. | (Miller 1915.) |
| CAMPIRE. (Met. 1923.) | CHATEAU THIERRY. | (Vos 1920.) |
| CANANDAIGUA RED. (Pur. 1923.) | CHAUTAUQUA RED. | (Chaut. 1921.) |
| CANARIBIRD. | CHAUTAUQUA SUNSET. | (Chaut. 1921.) |
| CANARY BIRD. (Chi. 1914.) | CHAUTAUQUA WHITE. | (Chaut. 1921.) |
| CANARY QUEEN. (Kund. 1917.) | CHEER. | (Kund. 1921.) |
| CANDIDUS. (Aust. 1914.) <i>Candidum</i> . | CHEERFUL. | (Wood 1917.) |
| CANICULE. (Sou. 1904.) | CHERRY KING. | (Kund. 1912.) |
| CANOPUS. (Prim. (Kund. 1915.) | CHERRY SPOT. | (Kund. 1921.) |
| CAPELLA. | CHICAGO RED. | (Vaug. 1912.) |
| CAPITAIN FERBER. (Lem. 1909.) | CHICAGO SALMON. | (Hoeg-Vaug 1917.) |
| CAPRICORNE. (Sou. 1905.) | CHICAGO WHITE. | (Kund. 1912.) |
| CAPT. A. C. BAKER. (Dien. 1916.) | CHIEF OSHKOSH. | (Meh. 1916.) |
| CAPT. BOYNTON. (Unit. 1922.) | CHIFFONETTE. | (Kund. 1916.) |
| CAPT. C. B. TANNER. (Chi. 1914.) | CHILD'S G. | <i>G. childsi</i> Cy. |
| CAPT. FRYATT. (Grul. 1919.) | <i>Childsi</i> . | CHILD'S G. |
| CAPTIVATION. (Miller 1915.) | CHIPMUNK. | (Met. 1923.) |
| CARDINAL. (Chi. 1904.) | CHOCOLATE. | (Black 1917.) |
| CARDINAL KING. (Kund. 1912.) | CHOCOLATE DROP. | (Stew. 1912.) |
| cardinalis | CHOSEN QUEEN. | (Met. 1922.) |
| CARDISUN. (Aust. 1914.) | CHRIS. | (Grul. 1919.) |
| CARMALITA. (Pur. 1923.) | CHRISTINE M. KELWAY. | (Kel. 1913.) |
| CARMELITE. (Sou. 1896.) | CHRISTINE TREUR. | (Vos 1920.) |
| CARMEN. (Lem. 1916.) | <i>Miss Christine Treur</i> . | |
| CARMEN SYLVA. (Prest. 1918.) | CICELY. | Prim. (Chur. 1920.) |
| CARMILITA. (Dien. 1923.) | CINCINNATI. | (Chi. 1915.) |
| CARMINE KID. (Pur. 1923.) | CINCINNATUS HEINE. | (Kund. 1916.) |
| CARNATION. (Sou. 1876.) | | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

| | | |
|-----------------------|-------------------------|-----------------------|
| GLADIOLUS | continued | Gladiolus |
| COUNTESS OF HICHSTEDE | (Lilac) 1913 | Countess of Hichstede |
| COUNTRY BOY | Print. Nat. 1921 | Country Boy |
| COUNTRY GIRL | Print. Nat. 1921 | Country Girl |
| COURTMENT | Print. Nat. 1921 | Courtment |
| CRACK JACK | Cowee 1903 | Crack Jack |
| CREMILED | 1909 | Cremiled |
| CREPE | 1911 | Crepe |
| CRESCENT | Q. Bex. 1916 | Crescent |
| CRESTON | (Kund) 1917 | Creston |
| CRIMSON GLOW | Bet. 1916 | Crimson Glow |
| CRIMSON GLOW | (Nat.) 1916 | Crimson Glow |
| CRIMSON SPUR | (Kund) 1921 | Crimson Spur |
| CRINKLES | (Kund) 1916 | Crinkles |
| cruentus | | cruentus |
| CRYSTAL WHITE | Batt. 1915 | Crystal White |
| CULEBRA | (Kund) 1918 | Culebra |
| CURT ENGLEHART | (Patt.) 1908 | Curt Englehart |
| CUTIE | Print. Kund 1918 | Cutie |
| CYMBELINE | (Kund) 1913 | Cymbeline |
| CYNOSURE | (Miller) 1915 | Cynosure |
| CZAR PETER | Met. 1918 | Czar Peter |
| DAINTY | Print. Chaut. 1921 | Dainty |
| DAINTY BLOSSOM | (Kund) 1916 | Dainty Blossom |
| DAISY | (Hoer) 1923 | Daisy |
| DAISY RAND | (Met.) 1913 | Daisy Rand |
| DAMON. | (Met.) 1914 | Damon |
| DANTE. | (Patt.) 1914 | Dante |
| DAPHNE | (Brown) 1921 | Daphne |
| Daphne | Pram. (Krel) 1922 | Daphne |
| DARKEST. | (Kund) 1916 | Darkest |
| DARKNESS | (Kund) 1916 | Darkness |
| DARLING | Patt. Chaut. 1921 | Darling |
| Darling | Nan. Krel. 1916 | Darling |
| DAVID | Print. 1915 | David |
| DAVID S. JORRAN | (Diez) 1917 | David S. Jorran |
| Dawn. | (Tracy) 1912 | Dawn |
| Dawn. | Groce Pram. (Kund) 1912 | Dawn |
| DAWSON | Print. (Brown) 1922 | Dawson |
| DAYBREAK. | (Tracy) 1914 | Daybreak |
| DAYTONA | Cowee 1910 | Daytona |
| DAZZLER | (Miller) 1915 | Dazzler |
| De CHEVILLE | (Stev.) 1919 | De Cheville |
| De Lamark. | LAMARK. | De Lamark. Lamark. |
| DECATUR. | (Good) 1918 | Decatur |
| DEFIANT | (Fay) 1916 | Defiant |
| DEFER. | Kerry 1914 | Defer |
| DAYBREAK | (Tracy) 1916 | Daybreak |
| DELLA GOTHIC | Met. 1928 | Della Gothic |
| DEEMAN | Met. 1918 | Deeman |
| DEEPMAR. | V. Van T. 1911 | Deepmar. |

GLADIOLUS, continued

- DEL MONTE. (Dien. 1923.)
 DELPHI. (Kund. 1917.)
 DESDEMONA. (Sou. 1903.)
 DESERT SUNRISE. Prim. (Chi. 1922.)
 DEUIL DE ST. PIERRE. (Sou. 1894.)
 DEUTCHLAND. (Graetz 1920.)
 DEWDROP. Nan. (Lil. 1911.)
Dewdrop. (Kund. 1921.)
Dewdrop. Prim. (Pur. 1923.)
 DEVENS. (Brown 1918.)
 DEXTER. Prim. (Kund. 1916.)
 DIANA. (Zees., J. 1923.)
 DIANE. (Brun. 1912.)
 DICK. (Hog. 1917.)
 DIENER WHITE. (Dien. 1917.)
 DISPLAY. (Groff 1917.)
 DISTINCTION. Prim.
 DISTINCTIVE. (Brown 1919.)
 DIXIE. (Kund. 1917.)
 DIXMUDE. Prim. (Vilm. 1922.)
 D. J. WHITNEY. (Dien. 1917.)
 DOMINION. (Groff 1909.) *Red Emperor.*
 DOMINO. (Prou. 1922.)
 DON JUAN. (Kund. 1923.)
 DONORA. (Kund. 1917.)
 DORA KRAIS. (Pfit. 1900.)
 DOREEN. (Pur. 1923.)
 DORENE. (Kund. 1913.)
 DORIAN. Prim. (Kund. 1921.)
 DORIS. (Brown 1919.)
Doris. Prim. (Kund. 1921.)
 DOROTHY. (Brown 1921.)
 DOROTHY McKIBBEN. (Kund. 1918.)
 DOROTHY WHEELER. Prim. (Kund.-Fair. 1922.) *Aurega.*
 DORRIT. (Kund. 1921.)
 DOUBLET. (Kund. 1915.)
 DR. ADOLPH ROSENTHAL. (Dien. 1922.)
 DR. ELKINS. (Kund. 1922.)
 DR. F. E. BENNETT. (Dien. 1922.)
 DR. FREDERICK J. V. SKIFF. (Met. 1917.)
 DR. HOGG. (Kel. 1916.)
 DR. ISABELLE D. KERR. (Fis.)
 DR. J. H. NEELEY. (Kund. 1923.)
 DR. LINCOLN COTHRAN. (Dien. 1917.)
 DR. WHITECOMB. (Brown 1922.)
 DR. W. VAN FLEET. (Kund. 1922.)
dracocephalus

GLADIOLUS, continued

- DRAGON. Prim. (Kund. 1922.)
 DREAM. (Kund. 1918.)
 DRUSILLA. (Brown 1921.)
 DRYADE. (Chi. 1918.)
 DUCHESS OF RUTLAND. Prim. (Kel. 1923.)
 DUCHESS OF WELLINGTON. (Kel. 1914.)
 DUNLAPS. (Kund. 1917.)
 EARLY BLACK. (Kund. 1916.)
 EARLY MORN. Prim. (Kel. 1919.)
 EARLY PENDLETON. (Kund. 1916.)
 EARLY PINK. (Black 1914.) *Blacks Early Pink.*
 EARLY SNOWFLAKE. (Kemp. 1921.)
 EARLY SUNRISE. (Alk. 1915.)
 EASTER BELLS. (Aust. 1914.)
 EBONY. (Kund. 1921.)
 ECLIPSED. (Brown 1920.)
 EDA. Prim. (Kund. 1921.)
 EDEN. Prim. (Kund. 1921.)
 EDGAR. (Wri. 1918.)
 EDITH. (Brown 1920.)
 EDITH CAVELL. (Keur. 1916.) *Miss Edith Cavell.*
 EDITH WOOSTER. (Dien. 1922.) *Miss Edith Wooster.*
 EDNA. (Chi. 1904.)
 EDOUARD GREIG. (Lem. 1907.)
Edwin Mayer. ERWIN MAYER.
 EFFECTIVE. (Nat. 1921.)
 E. G. HILL. (Kund. 1922.)
 EGRET. Prim. (Chaut. 1921.)
 E. J. SHAYLOR. (Kund. 1918.)
 EL CAPITAN. (Kund.-Cham. 1913.)
 ELAINE. (Brown 1922.)
 ELATE. (Kund. 1921.)
 ELBA. (Kund. 1917.)
 ELBERTON. Prim. (Kund. 1916.)
 ELVIDA. (Dien. 1922.)
 ELDORADO. Prim. (Vel. 1916.)
Eldorado. (Met. 1918.)
 ELEANOR GRAY. (Nat. 1921.)
 ELECTRA. (Hop. 1913.)
 ELEGANCE. (Kund. 1918.)
Elegance. Prim. (Chaut. 1921.)
 ELEGANT BEAUTY. Prim. (Kund. 1918.)
 ELF. Prim. (Kel. 1919.)
Elf. (Dien. 1921.)
 ELFIN. Prim. (Pur. 1923.)

GLADIOLUS, continued

ELIDA. (Brown 1923.)
 ELIZABETH GERBERDING. (Dien. 1917.)
 ELIZABETH HARDEE. (Dien. 1921.)
 ELIZABETH KURTZ. (Pfit. 1908.)
 ELIZABETH TABOR. (Hin. 1922.)
 ELKHART. (Kund. 1917.)
 ELLEN ROOSEVELT. (Keur 1916.)
Miss Ellen Roosevelt.
 ELORA. (Bur. 1916.)
 ELSE ROSE. (Dien. 1917.)
 ELSIE. (Oes. 1922.)
 ELSYANNA. (Pur. 1923.)
 EMBOSSED YELLOW. (Stew. 1910.)
 EMILE AUBURN. (Lem. 1910.)
 EMILIE ASHE. (Dien. 1920.)
 EMMA TUCKER. (Gage 1917.)
 EMPRESS OF INDIA. (Vel. 1908.)
 ENCHANTRESS. (Miller 1913.)
 ENIGMA. (Kund. 1921.)
 ENON. Prim. (Kund. 1918.)
 EPHEUS. (Kund. 1921.)
 EPICURE. (Brun. 1908.)
Epicure. Prim. (Chaut. 1921.)
 ERIC LARSON. (Met. 1923.)
 EROS. (Vos. 1916.)
 ERWIN MAYER. (Pfit. 1908.) *Edwin Mayer.*
 ESCARBOUCLE. (Sou. 1891.)
 ESTA. (Kund. 1918.)
 ESTELLA. (Kund. 1916.)
 ESTHER OLSON. (Dien. 1921.)
 ETENDARD. (Lem. 1917.)
 ETNA. (Brun. 1912.)
 ETOILE DE SOIR. (Brun. 1911.)
 ETTA DAVIS. (Met. 1923.)
 EUCHARIS. (Sou. 1899.)
 EUDORA. (Dien. 1923.)
 EUGENE LEFEBURE. (Lem. 1909.)
 EUGENE SCRIBE. (Sou.-Vilm. 1868.)
 EUROPA. (Pfit. 1910.)
 EURYDICE. Prim. (Krel. 1919.)
 EVALINE. (Wood. 1916.) *Smoky Violet.*
 EVELYN KIRTLAND. (Aust. 1916.)
 EVENING RED. (Vos 1916.)
 EVENTIDE. (Brown 1919.)
 EVOLUTION. (Groff 1904.)
 EVOLUTION PERFECTUS. (Groff 1910.)
 EXCELLO. (Kund. 1923.)
 EXCELSA. (Groff 1911.)
 EXCELSIOR. (Chaut. 1921.)

GLADIOLUS, continued

EXPANSION. (Chi. 1907.)
 EXQUISITE. (Kund. 1921.)
 EZRA RUST. (Black 1917.)
 FAERIE. (Kund. 1915.)
 FAIR COLUMBIAN. (Kund. 1915.)
 FAIR KING. (Vos 1920.)
 FAIR LADY. (Proc. 1923.) *Lady Fair.*
 FAIREST WHITE. (Kund. 1918.)
 FAIRFAX. (Dien. 1917.)
 FAIRFIELD. (Kund. 1916.)
 FAIRLAND. (Kund. 1921.)
 FAIRY. (Stew. 1912.) *Mrs. J. H. Lancashire.*
Fairy. Prim. (Chaut. 1921.)
 FAIRY QUEEN. Prim. (Chaut. 1921.)
 FAITH. Prim. (Vos 1921.)
 FALCON. (Met. 1918.)
 FANNY H. BEALS. (Alex. 1923.)
 FANTOME. (Chi. 1918.)
 FASCINATOR. (Miller 1915.)
 FASTIDIOUS. (Pur. 1923.)
 FAUN. Prim. (Kund. 1918.)
 FAUST. (Cowee 1906.)
Faust. GEORGE PAUL.
 FAVORITE. (Kund. 1921.)
 FAYETTE. (Kund. 1917.)
 F. BERGMAN. (Lem.)
 FEDERAL. (Brown 1921.)
 FENWAY. (Brown 1922.)
 FERN KYLE. (Kund. 1922.)
 FERNANDO CORTEZ. (Sou. 1902.)
 FEUILLE MORTE. (Swett 1917.)
 FEYEN PERRIN. (Lem. 1903.)
 FIELD MARSHAL HAIG. (Vaug. 1918)
 FIERY KING. Prim.
Fille de France. (Sou. 1888.)
 FIRE KING. (Chi. 1914.)
 FIRE QUEEN. Prim. (Grul. 1918.)
 FIRE RIBBON. (Kund. 1915.)
 FIREFLARE. (Chi. 1916.)
 FIREFLY. Prim. (Kund. 1916.)
 FIREGLOW. (Kund. 1921.)
 FLAMBEAU. (Miller 1915.)
 FLAME. (Dien. 1921.)
Flame. Prim. (Chaut. 1921.)
 FLAMING VALE. (Kund. 1921.)
 FLAMINGO. Prim. (Chaut. 1921.)
 F. L. OAKLEY. (Chi. 1904.)
 FLORA. (Vel. 1917.)
Flora. Prim. (Chaut. 1921.)
 FLORAL TREASURE. (Kund. 1916.)

GLADIOLUS, continued
FLOREAL. (Brun. 1909.)
FLORENCE. (Sou. 1907.)
FLORENCE YOUNG. (Met. 1922.)
FLORIAN. Prim. (Kund. 1918.)
floribundus
FLORIDA. (Stew. 1904.)
FORMOSA. (Nat. 1920.)
FRANCES WILLARD. (Stew. 1912.)
FRANK J. SYMMES. (Dien. 1917.)
FRANZ HALS. Prim. (Unit. 1921.)
FRAU GUSTAV CLESS. (Pfit. 1909.)
FRAULEIN. (Scheu. 1915.)
FRAULEIN BETTY KUCHLER. (Pfit. 1914.)
FRECKLES. (Pur. 1923.)
FREDA. (Sal. 1923.)
FREMONT. (Met. 1918.)
FRIENDSHIP. (Vos 1916.)
Friendship. Prim. (Kel. 1916.)
FRILLED G. *G. kunderdi* Cy.
FRILLED PINK. (Wood. 1915.)
FRITHJOF. (Krel. 1914.)
FROLIC. (Kund. 1921.)
GAIETY. (Kund. 1913.) *Bird-of-Paradise.*
Gandavensis. GHENT G.
GARABALDI. (Met. 1923.)
GAY BOY. (Kund. 1916.)
GAY BUTTERFLY. (Black 1915.)
GEISHA. (Dien. 1923.)
GENE. (Kund. 1921.)
GENERAL GALLIENI. (Lem. 1897.)
GENERAL JOFFRE. (Vos 1916.)
GENERAL KOUROPATKINE. (Vilm. 1904.)
GENERAL LANGLOIS. (Lem. 1905.)
GENERAL MARINA. (Brun. 1909.)
GENERAL PERSHING. (Kir. 1918.)
GENERAL SUERDORFF.
GENEVA. (Brown 1920.)
GENEVIEVE BOTHIN. (Dien. 1920.)
GEORGE B. REMSEN. (Chi. 1907.)
GEORGE PAUL. (Lem. 1884.) *Faust, Harvard.*
GEORGE VOLLMAR. (Chi. 1910.)
GEORGETTE. Prim. (Col. 1920.)
GEORGIA. (Vos 1916.)
GERALDA. (Chi. 1915.)
GERALDINE FARRAR. (Dien. 1923.)

GLADIOLUS, continued
GERMA. (Unit. 1923.)
GHENT G. *G. gandavensis* Cy.
HOST. Prim. (Kel. 1919.)
GIANT FAWN. (Kund. 1915.)
GIANT MYRTLE. (Kund. 1918.)
GIANT NYMPH. (Col. 1921.)
GIANT PINK. (Cowee 1903.)
GIANT SALMON. (Kund. 1917.)
GIANT WHITE. (Kund. 1912.)
GIGANTIC. (Hop. 1912.)
GIL BLAS. (Lem. 1894.)
GLADDIE BOY. Prim. (Pur. 1923.)
GLADIS PLATH. (Dien. 1920.)
GLADYS HARKNESS. (Van B. 1922.)
Miss Gladys Harkness.
GLEAM. (Miller 1915.)
GLEAMER. (Brown 1921.)
GLENCOE. (Kund. 1917.)
GLENDALE. (Dav. 1923.)
GLORIANA. (Kund. 1923.)
GLORIOSA. (Nat. 1921.)
GLORIOUS. (Met. 1918.)
GLORY. (Chi. 1908.)
Glory. KUNDERD GLORY.
GLORY OF BRIGHTWOOD. (Chi. 1916.)
GLORY OF CONCORD. (Roos 1922.)
GLORY OF HOLLAND. (Alk. 1914.)
Holland Giant.
GLORY OF KENNERMERLAND. (Alk. 1916.)
GLORY OF NORDWIJK. (Alk. 1916.)
GLORY OF PEMBROKE. (Kir. 1920.)
GLOW. Prim. (Chaut. 1921.)
GODETIA FLORA. (Chi. 1916.)
GOld. (Hoeg 1919.)
GOld BOUND. (Col. 1920.)
GOld COIN. (Black 1917.)
GOld DROP. Prim. (Kund. 1915.)
GOld DUST. Prim. (Chaut. 1921.)
GOld PHEASANT. (McKib. 1922.)
GOld QUELLE. (Pfit. 1913.)
GOld THROAT. (Kund. 1915.)
GOLDEN BUFF. (Kund. 1918.)
GOLDEN BUTTERFLY. Prim. (Kund. 1921.)
GOLDEN GATE. Prim. (Kund. 1915.)
GOLDEN GEM. (Col. 1920.)
GOLDEN GIRL. Prim. (Kel. 1912.)

GLADIOLUS, continued

GOLDEN GLEAM. Prim. (Kund. 1922.)
 GOLDEN GLORY. (Kund. 1916.)
 GOLDEN GLOW. (Hoeg 1917.)
 GOLDEN GOBLET. (Grul. 1921.)
 GOLDEN KING. (Black 1914.)
 GOLDEN MEASURE. (Kel. 1912.)
 GOLDEN NUGGET. (Teas 1914.)
Golden Nugget. Prim. (Chaut. 1921.)
 GOLDEN ORCHID G. G. *purpureo-aureatus.*
 GOLDEN PRINCESS. Prim. (Black 1918.)
 GOLDEN QUEEN. (Stew. 1908.)
 GOLDEN SPUR. Prim. (Pur. 1923.)
 GOLDEN TINGE. (Kund. 1921.)
 GOLDEN WEDDING. Prim. (Chi. 1921.)
 GOLDEN WEST. (Dames 1912.)
 GOLDENROD. (Chi. 1921.)
 GOLDFINCH. Prim. (Chaut. 1921.)
Goldfinch. (Brown 1919.)
 GOLIATH. (Vel. 1913.)
 GORGEOUS. (Miller 1915.)
 GORGONE. (Brun. 1910.)
 GOSHEN. (Kund. 1923.)
 GOV. CALVIN COOLIDGE. (Smith, E. M. 1921.)
 GOV. HANLEY. (Kund. 1912.)
 GRAND CONDE. (Sou. 1903.)
 GRAND VIOLET. (Swett 1916.)
 GRANDE BLANCHE. (Vel. 1916.)
 GRANDEE. (Burb. 1921.)
 GRANDESSE. (Chi. 1916.)
 GRANDEUR. (Kund. 1916.)
 GRANDIFLORA. (Pur. 1923.)
grandis
 GREGOR MENDEL. (Pur. 1923.)
Grenadier. VELVET KING.
 GRETCHEN ZANG. (Aust. 1915.)
 GREYLOCK. (Cowee 1922.)
 GROFF DAWN. (Groff 1906.) *Dawn.*
 GRUSS AUS CALW.
 GYPSIE QUEEN. (Kund. 1921.)
 H. A. HYDE. (Dien. 1920.) *Mr. H. A. Hyde.*
 HALLEY. (Vel. 1910.)
 HARMONY. (Met. 1916.)
 HARRY VEITCH. (Brun. 1913.)

GLADIOLUS, continued

Harvard. GEORGE PAUL.
 HARVEST MOON. (Hain. 1923.)
 HARWINTON. (White 1914.)
 HASENBERG. (Pfit. 1905.)
 HAUBENSTAUFEN
 HAWAII. (Dien. 1920.)
 HAZEL DAWN. (Hoeg 1923.)
 HAZEL GROSSMAN. (Gros. 1922.)
 HAZEL HARVEY. (Mun. 1914.)
 HEART OF JUANITA. (Dien. 1921.)
 HELEN. (Chi. 1914.)
 HELEN FRANKLIN. (Kund. 1919.)
Miss Helen Franklin.
 HELEN GOLDMAN. (Hoeg 1917.)
 HELEN PEARL. Prim. (Spen. 1923.)
 HELEN TODD. (Dien. 1917.)
 HELGA. (Kund. 1921.)
 HELIOTROPE. (Lem. 1905.)
 HENRI LEMOINE. (Lem. 1903.)
 HENRY C. GOEHL. (Fis. 1916.)
 HENRY F. BECHMAN. (Dien. 1923.)
Mr. Henry Bechman.
 HENRY FORD. (Dien. 1923.)
 HER MAJESTY. (Chris. 1923.)
 HERADA. (Aust. 1916.)
 HERMES. (Kund. 1923.)
 HERMOINE. Prim. (Krel. 1917.)
 HERNDON. (Kund. 1917.)
 HESPERIA. Prim. (Krel. 1917.)
 HESTIA. (Kund. 1921.)
 HIAWATHA. (Hoeg 1912.)
 HIGHLAND LADDIE. (McKib. 1919.)
 HILDA. (Hop. 1916.)
 HILDEGARDE. (Stew. 1919.)
 HILLGIRT. (Hutt 1922.)
 HILO. (Kund. 1917.)
hirsutus
 HOBBEMA. Prim. (Unit. 1921.)
 HOHENSTAUFEN. (Pfit. 1906.)
 HOHENZOLLERN. (Vel. 1912.)
Holland Giant. GLORY OF HOLLAND.
 HOLLANDIA. (1910.)
 HOLLYHOCK. (Kund. 1921.)
 HOMELY LASS. Prim. (Kel. 1923.)
 HOMESTEAD FAVORITE. (Gibbs 1923.)
 HOOSICK. (Chi. 1916.)
 HOOSIER. (Kund. 1921.)
 HORTENSE. (Tracy 1918.)
 HUBERTUS. (Vel. 1916.)

GLADIOLUS, continued
 HUMDINGER. (Pur. 1923.)
 HUMMING BIRD. (Kund. 1921.)
 HYACINTH. (Hoeg 1917.)
 HYDE PARK. (Baer-Vaug. 1914.)
 HYDRA. (Pur. 1923.)
 ICARUS. Prim. (Krel. 1922.)
 IDA. Prim. (Vel.)
 IDA VANN. (Kund. 1913.)
 I. EXCEL. (Kund. 1916.)
 ILION. (Kund. 1918.)
 ILLINOIS. (Vos 1916.)
 ILLUMINATOR. Prim. (Hin. 1922.)
 IMMENSITY. (Kund. 1921.)
 IMPERATOR. (Heem. 1923.)
 IMPERIAL. (Met. 1918.)
 IMPROVED KLONDYKE.
 INA COLLINS. (Dien. 1917.)
 INCENDIARY. (Lem. 1895.)
 INDEPENDENCE. (Wood. 1914.)
 INDIAN. (Kund. 1921.)
 INDIAN BOY. Prim. (Chaut. 1921.)
 INDIAN MAID. (Kund. 1922.)
 INDIAN SUMMER. Prim. (Kund. 1917.)
 INDIANAPOLIS. (Kund. 1916.)
 INDIANOLA. (Kund. 1918.)
 INTENSITY. (Cowee 1906.)
 INVINCIBLE. (Met. 1918.)
 IOLA. Prim. (Kund. 1916.)
 IRENE. (Pur. 1923.)
 IRIS SPRAY. (Tracy 1918.)
 ISAAC BUCHANAN. (Chi. 1892.)
 I. S. HENDRICKSON. (Chi. 1903.)
 IVANHOE. (Kund. 1923.)
 IVORINE. (Chi. 1918.)
 IVORY. (Kund. 1912.)
Ivory. Prim. (Chaut. 1921.)
 J. A. CARBONE. (Dien. 1922.)
 JACINTHE. (Tracy 1918.)
 JACK FROST. (Hoeg 1915.)
 JACK LONDON. (Dien. 1917.)
 JACOBA VAN BEIRREN.
 JAMES H. VEITCH. (Lem. 1916.)
 JANE. Prim. (Grul. 1916.)
 JANE DIEULAFOY. (Lem. 1894.)
 JAPAN. (Met. 1922.)
 JAP. LADY. (Prest. 1923.)
 JAUNE D'OEUF. Prim. (Grul. 1916.)
 J. C. RUDOLPH. (Brown 1923.)
 JEAN BART. (Sou. 1901.)
 JEAN DU TAILLIS. (Lem. 1907.)
 JEAN KLOCK. (Nat. 1921.)

GLADIOLUS, continued
Jeanne d'Arc. REINE D'ANJOU.
 JENNY LIND. (Hoeg 1921.)
 JESSIE. (Vaug. 1914.)
 JESSIE PALMER. (Kund. 1919.)
 JESSIE WINTER. Prim. (Kel. 1923.)
 JEWELL. Prim. (Chaut. 1921.)
 JOAN DE WIT. Prim. (Unit. 1921.)
 JOE COLEMAN. (Kund. 1915.)
 JOHANNSFLEUR. (Vos 1920.)
 JOHN DUNBAR. (Kund. 1923.)
 JOHN E. PEABODY. (Met. 1923.)
 JOHN M. COULTER. (Dien. 1917.)
 JOHN M. GOOD. (Vos 1920.)
 JOHN T. PIRIE. (Kund. 1922.)
 JONATHAN WEBB. (Dien. 1917.)
 JOSEPH FIELD. (Dien. 1922.)
 JOSEPHINE. Prim. (Col. 1920.)
 JOSEPHINE DENNISON. (Met. 1918.)
 JOSEPHINE KELWAY. Prim. (Kel. 1916.)
 JOSHUA. (Met. 1922.)
 JOUBERT
 JOY. (Kund. 1923.)
 JOY LAIRD. (Kund. 1922.)
 J. P. KOEN. Prim. (Unit. 1921.)
 JUANITA. (Met. 1917.)
 JULIA. (Kund. 1921.)
 JULIETTE. Prim. (Way. 1921.)
 JUMBO. (Prest. 1914.)
 JUNE. (Kund. 1915.)
 JUNE DELIGHT. (Kund. 1918.)
 JUNO. Prim. (Col. 1920.)
 JUNON. (Brun. 1912.)
 KASSON. (Kund. 1917.)
 KATHERINE F. HESS. (Dien. 1921.)
 KEARNY. (Chi. 1912.)
 KENAN HASSELAER. Prim. (Unit. 1921.)
 KENOSHA. (Kund. 1921.)
 KENTFIELD. (Dien. 1917.)
 KILIMA. (Kund. 1918.)
 KILLDEER. (Chris. 1923.)
 KING AUTHUR. (Kund. 1922.)
 KING OF BELGIUM. (Nat. 1921.)
 KING OF REDS. (Nat. 1921.)
 KING OF THE BLUES. (Grul. 1916.)
 KING OF THE YELLOWS. Prim. (Grul. 1916.)
 KING PHILIP. (White 1914.)
 KING SMOKE. (Kund. 1916.)

GLADIOLUS, continued

KITTY GRULLEMANS. Prim. (Grul. 1916.)
 KLYNDYKE. (Christy 1907.)
 KÖNIGIN WILHELMINA. Nan. (Krel. 1892.)
Königin Wilhelmina. QUEEN WILHELMINA.
 KOHINOOR. Prim. (Chaut. 1921.)
 KOKOMO. (Pur. 1923.)
 KUNDERD BUTTERFLY. Prim. (Kund. 1915.) *Butterfly.*
 KUNDERD GLORY. (Kund. 1911.) *Glory.*
 KUNDERD ORANGE. (Kund. 1912.)
Kunderi Cy. FRILLED G.
 L'ADORABLE. Prim. (Grul. 1916.)
 L'ANCRE. Prim. (Vilm. 1922.)
 L'ARDRE. Prim. (Vilm. 1922.)
 L'ECAILLON. Prim. (Vilm. 1922.)
 L'IMMACULEE. (DeR.)
 L'INNOCENCE. (Brun. 1912.)
 L'OISEAU BLEU. (Hop. 1923.)
 L'ORILLON. Prim. (Vilm. 1922.)
 L'UNIQUE. Prim. (Grul. 1918.)
 L'YSER. Prim. (Vilm. 1922.)
 LA BEAUTE. (Heem. 1922.)
 LA CANDEUR. (Sou. 1903.)
 LA CAMELLIA
 LA CITRONIERE. Prim. (Grul. 1916.)
 LA COMTE. (1910.)
 LA COURONNE. (Lem. 1908.)
 LA COUSANCE. Prim. (Vilm. 1922.)
 LA CREAM. (Kund. 1921.)
 LA DEULE. Prim. (Vilm. 1922.)
 LA DORMOISE. Prim. (Vilm. 1922.)
 LA GRANDESSE. (Vel. 1916.)
 LA LORRAINE. (Sou. 1904.)
 LA LUNA. (Groff 1904.)
 LA LYS. Prim. (Vilm. 1922.)
 LA MEUSE. Prim. (Vilm. 1922.)
 LA NUIT. (Lem. 1904.)
 LA PACTOLE. (Kel. 1916.)
 LA PERLE DU JARDIN. (Hop. 1916.)
 LA SANTERRE. Prim. (Vilm. 1922.)
 LA SAVIERE. Prim. (Vilm. 1922.)
 LA SELLE. Prim. (Vilm. 1922.)
 LA SEMOIGNE. Prim. (Vilm. 1922.)
 LA SENSEE. Prim. (Vilm. 1922.)
 LA SERENE. Prim.
 LA TERNOISE. Prim. (Vilm. 1922.)
 LA VANGE. (Kund. 1918.)

GLADIOLUS, continued

LA VEZOUZE. Prim. (Vilm. 1922.)
 LACORDIERE. (Lem. 1895.)
 LADY DE TRAFFORD. Prim. (Kel. 1923.)
Lady Fair. FAIR LADY.
 LADY H. DE WALDEN. (Lem. 1898.)
 LADY JOAN VERNEY. Prim. (Kel. 1922.)
 LADY KATHERINE. (De G. 1922.)
 LADY MOSTYN. Prim. (Kel. 1923.)
 LADY OF THE LAKE. (Shea. 1922.)
 LADY WHITE. Prim. (Ump. 1922.)
 LAEKEN. (Krel. 1919.)
 LAETITIA. Prim. (Krel. 1916.)
 LAFAYETTE. (Lem. 1894.)
 LAGUNITAS. (Dien. 1923.)
 LAMARCK. (Lem. 1894.) *De Lamarck.*
 LANCELOT. (Pur. 1923.)
 LAPAGERIA. (Pfit. 1906.)
 LARGE BUFF. (Kund. 1915.)
 LARKSPUR. (Met. 1922.)
 LATONIA. Prim. (Krel. 1918.)
 LAURENS KOSTER. Prim. (Unit. 1921.)
 LAURAIN. (Chi. 1917.)
 LAVENDER. (Stew. 1920.)
 LAVENDER AMERICA. (Kund. 1915.)
 LAVENDER BEAUTY. (Alex. 1923.)
 LAVENDULA. (Groff-Cowee 1910.)
 LE CID. (Sou. 1896.)
 LE CLIGNON. Prim. (Vilm. 1922.)
 LE MARECHAL FOCH. (Van D. 1919.)
 LE POUSSIN. (Sou. 1877.)
 LE TRIOMPHE. (Sou. 1902.)
 LE VERRIER. (Lem. 1901.)
 LEANDER. Prim. (Grul. 1916.)
Lemoinei. (Lem. 1880.) Hybrid group.
 LEMON KING. Prim. (Pur. 1923.)
 LEMON PILLAR. Prim. (Grul. 1916.)
 LEMON QUEEN. Prim. (Grul. 1916.)
 LENE GRAETZ. (Graetz 1923.)
 LEONA. (Met. 1917.)
 LEOTA. (Col. 1920.)
 LEVIATHAN. (Kel. 1919.)
 LIBERTY. (Tracy 1914.)
Liberty. Prim. (Chaut. 1921.)
 LIEBESFEUER. (Vel. 1912.)
 LILAC GLORY. (Kund. 1923.)
 LILAC QUEEN. (Hoeg 1917.)
 LILAC UNIQUE. (Kund. 1921.)
 LILITH. (Kund. 1918.)

GLADIOLUS, continued
LILLIAN. (Kund. 1922.)
Lillian. AUTUMN QUEEN.
LILLIAN GUERNSEY. (Dien. 1920.)
Miss Lillian Guernsey.
LILLIAN H. COFFIN. (Dien. 1917.)
LILLIAN WEBB. (Dien. 1917.)
LILY BLOTH. (Kund. 1915.)
LILY LEHMAN. (Alk. 1909.)
LILY WHITE. (Kund. 1915.)
LINDA. (Met. 1923.)
LINTON. Prim. (Kund. 1916.)
LISS. (Vel. 1917.)
LITTLE BLUSH. (Chi. 1898.)
LITTLE DAISY. (Kund. 1916.)
LITTLE DIAMOND. (Kund. 1915.)
LIZZIE. (Chi. 1900.)
LOA LUVERNE. (Kund. 1923.)
LOELLA. (Kund. 1918.)
LOIS. Prim. (Brown. 1922.)
LONDON. (Groff 1910.)
LONDON SMOKE. (Dien. 1921.)
LORD KITCHENER. (Chaut. 1921.)
LORELEY. (Dien. 1921.)
LOS ANGELES. Prim. (Houd. 1923.)
LOUISE. (Wri. 1920.)
LOVELINESS. (Van K. 1912.)
Loveliness. Prim. (Chaut. 1921.)
LUCIA. (Dien. 1923.)
LUCERNE. (Kund. 1917.)
LUCIE. (Hop. 1916.) *Lucy.*
LUCILE. (Stew. 1912.) *Miss Lucile.*
LUCRETIA. (War. 1914.)
LUSTRE. (Kund. 1918.)
LUSTROUS. (Miller 1915.)
LUTEA MAXIMA. Prim. (Grul. 1921.)
LUTEA PALLIDA. Prim. (Grul. 1918.)
LUTETIA. (Brun. 1913.)
LUTIN. (Sou. 1905.)
LYDIA. (Chi. 1904.)
MABEL HUBBARD. (Dien. 1917.)
MACULATUS. Prim. (Lem. 1908.)
MADEIRA. (Pur. 1923.)
MADISON COOPER. (Kund. 1922.)
MADONNA. (Tracy 1921.)
MAGENTA. (Kund. 1918.)
MAGIC. (Kund. 1915.)
MAGNIFICUS. (Sou. 1886.)
MAGNOLIA. (Met. 1916.)
MAGUELONNE. (Brun. 1910.)

GLADIOLUS, continued
MAHOGANY. (Black 1915.)
MAIDENS BLUSH. Prim. (Grul. 1918.)
MAINE. (Vos 1915.)
MAIZE. (Ump. 1914.)
Maize. Prim. (Ump. 1922.)
MAJESTIC. (Hop. 1916.)
MAJOR REINHARDT. (Pfit. 1911.)
MALVERN. (Kund. 1917.)
MANTORVILLE. (Kund. 1914.)
MARBLE BARRED. (Kund. 1915.)
MARC MICHELI. (Lem. 1898.)
MARGARET. (Craw., M.-Vaug. 1914.)
The Margaret.
MARGOT. (Vos 1920.)
MARGUERITE WING. (Wing 1922.)
MARIANNE. (Pfit. 1910.)
MARIE. (Grul. 1919.)
MARIE KUNDERD. (Kund. 1918.)
MARIE LEMOINE. (Lem. 1880.)
MARIE THERESE. (Sou. 1903.)
MARIETTA. (Met. 1921.)
MARIN. (Dien. 1920.)
MARION. (Kund. 1918.)
MARIPOSA. (Met. 1918.)
MARJORIE. (Brown 1921.)
MARJORIE GAGE. (Roos 1921.)
MARJORIE SMITH. (Chris. 1923.)
MAROCAIN. (Sou. 1907.)
MARQUIS DE CAMPS. (Brun. 1911.)
MARSHALL FOCH. (Kund. 1918.)
MARTHA. (Jonk. 1912.)
MARTHA FERNEKES. (Dien. 1919.)
MARTHA WASHINGTON. (Vaug. 1921.)
MARTINQUE. (Sou. 1902.)
MARY BELLARD. (Aust. 1916.)
MARY BLACKMAN. (Vaug. 1916.)
MARY FENNELL. (Kund. 1913.)
MARY PICKFORD. (Kund. 1915.)
MARY R. RINEHART. (Dien. 1917.)
MARY S. BURKE. (Dien. 1917.) *Mrs. Mary Stearns Burke.*
MARY STEWART. (De G. 1919.)
MASCOT. (Met. 1923.)
MASTER WIEBURTUS. (Vel. 1915.)
MASTER WETZE. (Vel. 1916.)
MASTERPIECE. (Kund. 1921.)
MATTHEW CRAWFORD. (Kund. 1918.)
MAUD FAY. (Dien. 1918.) *Miss Maud Fey.*

GLADIOLUS, continued

MAUDE. (Wood. 1914.)
 MAURICE FULD. (Gage 1923.)
 MAUVE CLAIR. (Grul. 1919.)
 MAXWELL. (Brown 1920.)
 MAY. (Craw. M. 1891.)
 MAY WHITE
 MAYOR. (Chi. 1907.)
 MEADOWVALE. (Cowee 1900.)
 MEDEA. Prim. (Krel. 1922.)
 MEDUSA. Prim. (Krel. 1922.)
 MEGONKO. (Brown 1919.)
 MELBA. (Brown 1924.)
 MELROSE. (Chi. 1904.)
 MELUSINE. (Sou. 1907.)
 MEMORIES. (Kund. 1921.)
 MENLO. (Kund. 1921.)
 MENTOR. (Sou. 1901.)
 MEPHISTO. (Pfit. 1906.)
 MEPHISTOPHELES. (Lem.)
 MERCEDES. (Brun. 1912.)
 MESSENGER. (Kund. 1918.)
 METEOR. (Pfit. 1906.)
 MICHIGAN. (Stew. 1912.)
 MIDNIGHT. (Black 1917.)
 MIDNIGHT SUN. (Prest. 1918.)
 MIDSUMMER DREAM. Prim. (Kund. 1918.)
 MILADY. (Pur. 1923.)
 MILDIA. (Kund. 1921.)
 MILDRED PETTMAN. Prim. (Brown 1921.)
 MIMI STALBAUM. (Dien. 1921.)
 MING TOY. Prim. (Kund. 1922.)
 MINISTRE PICHON. (Lem. 1900.)
 MINITAKA. (Kund.-Fair. 1922.)
 MINNEAPOLIS.
 MINNESOTA. (Ruff 1915.)
 MINTAKA. Prim. (Kund. 1921.)
 MIRANDA. Prim. (Roos 1922.)
Miss Alegra Hamilton. ALEGRA HAMILTON.
 MISS BILLIE. (Chris. 1923.)
Miss Christine Treur. CHRISTINE TREUR.
Miss Edith Cavell. EDITH CAVELL.
Miss Edith Wooster. EDITH WOOSTER.
Miss Ellen Roosevelt. ELLEN ROOSEVELT.

GLADIOLUS, continued

Miss Gladys Harkness. GLADYS HARKNESS.
Miss Helen Franklin. HELEN FRANKLIN.
Miss Lucile. LUCILE.
Miss Maud Fay. MAUD FAY.
 MISS NIFTY. (Gibbs 1923.)
 MISS SPOKANE. (Kund. 1922.)
 MISS U. S. A. (Kund. 1918.)
 MME. A. MAUMENE. (Lem. 1902.)
 MME. APPERT. (Brun. 1910.)
 MME. BRUNELLET. (Sou. 1902.)
 MME. BUTTERFLY. (Groff-Tracy 1914.)
Mme. de Vilmorin. MME. VILMORIN.
 MME. LEMOINE. (Lem. 1894.)
 MME. MONNERET. (Sou. prior to 1877.)
 MME. MOUNET-SULLY. (Lem. 1908.)
Mme. Sarah Bernhardt. SARAH BERNHARDT.
 MME. VILMORIN. (Sou. 1903.) *Mme. de Vilmorin.*
 MODEST MAID. (Pur. 1923.)
 MODESTY. (Brown 1903.)
 MOHAWK. (Kemp. 1921.)
 MOHONK. (Chi. 1894.)
 MONA LISA. (Kund. 1917.)
 MONARCH. (Brown 1920.)
 MONGOLIAN. (Kund.-Brown 1914.)
 MONMOUTH. (Hall 1921.)
 MONON. (Kund. 1916.)
 MONONA. (Pur. 1923.)
 MONS. AD. BROgniart. (Brun. 19—.)
 MONS. B. VERLOT. (Sou. 1907.) *Mr. B. Verlot.*
 MONS. F. DES CHENES. (Sou. 1906.)
 MONSTER. (Chi. 1908.)
 MONT BLANC. (Vel. 1917.)
 MONT CENIS. (Vel. 1916.)
 MONTEZUMA. (Hoeg 1918.)
 MOONBEAM. (Kund. 1916.)
Moonbeam. Prim. (Chaut. 1921.)
 MOONLIGHT. Prim. (Chaut. 1921.)
 MOONRAYS. (Vos. 1920.)
 MORNING GLORY. (Vos 1920.)
 MORNING STAR. (Chi. 1908.)
 MOTTLED BEAUTY. (Kund. 1915.)

GLADIOLUS, continued

- Mr. B. Verlet.* MONS. B. VERLOT.
MR. C. P. ALKEMADE.
Mr. H. A. Hyde. H. A. HYDE.
Mr. Henry Bechman. HENRY BECHMAN.
MR. MARK. (Vel. 1916.)
MR. THEODORE. (Keur. 1916.)
Mr. W. H. Phipps. W. H. PHIPPS.
Mrs. A. C. BEAL. (Ump. 1915.)
Mrs. A. E. KUNDERD. (Kund. 1912.)
Mrs. ALICE GOODRICH. (Good. 1918.)
Mrs. AMOS ROBERTS. (Met. 1918.)
Mrs. ANNIE KRETTNER. (Ump. 1922.)
Mrs. ARTHUR MEEKER. (Kund. 1917.)
Mrs. COTHRAN. (Dien. 1917.)
Mrs. DR. NORTON. (Kund. 1915.)
Mrs. E. M. SMITH. (Smith 1921.)
Mrs. F. C. PETERS. (Roos 1922.)
Mrs. FEYEN PERRIN. (Cowee 1922.)
Mrs. F. M. LUPTON. (Chi. 1913.)
Mrs. FRANCIS KING. (Cob.-Vaug. 1906.)
Mrs. FRANCIS SPRAGUE. (Cowee 1922.)
Mrs. FRANK PENDLETON. (Kund. 1913.)
Mrs. GRULLEMANS. Prim. (Grul. 1918.)
Mrs. G. W. MOULTON. (Kund. 1913.)
Mrs. H. A. CAESAR. (Vaug. 1921.)
Mrs. H. A. WHEELER. (Fis. 1923.)
Mrs. H. B. FULLERTON. (Chi. 1915.)
Mrs. H. E. BOTHIN. (Dien. 1918.)
Mrs. H. W. BEECHER. (Chi. 1894.)
Mrs. J. E. WEBB. (Dien. 1917.)
Mrs. J. H. HAMMOND. (Dien. 1920.)
Mrs. J. H. Lancashire. FAIRY.
Mrs. J. K. ARMSBY. (Dien. 1920.)
Mrs. J. R. WALSH. (Dien. 1919.)
Mrs. J. S. WOOD. (Met. 1921.)
Mrs. J. TURNBULL. (Kemp. 1921.)
Mrs. KEUR. (Keur 1916.)
Mrs. L. DOUGLAS. (Dien. 1919.)
Mrs. Lillian Guernsey. LILLIAN GUERNSEY.
Mrs. L. M. GAGE. (Kund.-Gage. 1913.)
Mrs. M. MACKEY. (Kund. 1913.)

GLADIOLUS, continued

- Mrs. Mary Stearns Burke.* MARY S. BURKE.
Mrs. NEWELL VANDERBILT. (Dien. 1921.)
Mrs. O. W. HALLIDAY. (Kund. 1915.) *Queen Esther.*
Mrs. PETER VOS. (Vos 1920.)
Mrs. RICHARD LOHRMAN. (Dien. 1921.)
Mrs. ROBERT CUNNINGHAM. (Dien. 1923.)
Mrs. RUDOLPH SPRECKLES. (Dien. 1919.)
Mrs. STANLEIGH ARNOLD. (Dien. 1917.)
Mrs. THOMAS COGGER. (Cog. 1920.)
Mrs. TRUXTON BEALE. (Dien. 1920.)
Mrs. VELTHUYS. (Vel. 1916.)
Mrs. WATT. (Craw., M. 1916.)
Mrs. W. E. FRYER. (Kund.-Fry. 1915.) *Red Canna.*
Mrs. W. E. KIRCHOFF. (Kir. 1921.)
Mrs. WILLARD RICHARDSON. (Dien. 1917.)
Mrs. WILLIAM KENT. (Dien. 1917.)
Mrs. W. J. PALMER. (Kir. 1921.)
Mrs. W. R. WHITNEY. Prim. (Chaut. 1921.)
Mrs. W. S. BREWSTER. (Vaug. 1916.)
MURIEL. (Vel. 1916.)
MYRA. (Met. 1917.)
Myra. Prim. (Kund. 1918.)
MYRON. (Pur. 1923.)
MYRTLE. (Kund. 1913.)
MYRTLE McNALLY. (Dien. 1917.)
MYSTERY. (Tracy 1918.)
MYSTIC. (Kund. 1917.)
NABOB. (Met. 1923.)
NAMPA. (Kund. 1917.)
Nanceianus Cy. NANCY G.
NANCY G. G. nanceianus Cy.
NAOMI. Prim. (Brown 1922.)
NATALIE. (Kund. 1923.)
NAUTILUS. (Col. 1921.)
NEBRASKA. (Vos 1916.)
NECTARINE. (Dien. 1923.)
NEGERFURST. (Pfit. 1905.)
NELLIE GRANT. (Met. 1923.)
NELLY. Prim. (Vel. 1916.)
NEOGA. (Kund. 1917.)

GLADIOLUS, continued

NEPTUNE. (Met. 1918.)
 NERON. (Sou. 1892.)
 NETHERLANDS. (Bart. 1921.)
 NEUTRALITY. (Kund. 1916.)
 NEVADA. (Vos 1916.)
 NEVER TINT. (Aust. 1916.)
 NEW HYDE PARK. (Baer)
 NEW JERSEY. (Vos 1916.)
 NEW MEXICO. (Vos 1916.)
 NEW YORK. (Chi. 1917.)
 NEWPORT. (Chi. 1916.)
 NEZINSCOTT. (Chi. 1902.)
 NIAGARA. (Ban. 1914.)
 NIDRAC. (Met. 1923.)
 NIEUPORT. Prim. (Vil. 1922.)
 NIGHTINGALE. Prim. (Kund. 1921.)
Nightingale. (Hain. 1923.)
 NINA. Prim. (Chaut. 1921.)
 NINI. Prim. (Unit. 1921.)
 NINETEEN TEN ROSE. (Kund. 1915.)
1910 Rose.
 NINUS. (Brun. 1911.)
 NIOBE. Prim. (Krel. 1921.)
 NOLENE. (Dien. 1923.)
 NOPAL. Prim. (Kund. 1918.)
 NORA. (Vel. 1916.)
 NORA WILSON. (Met. 1923.)
 NORMA DEE CHILDS. (Chi. 1897.)
 NORMA KRAUSGRILL. (Dien. 1920.)
 NORMAN. (Brown 1921.)
 NORTH POLE. (Kund. 1918.)
 NORTH STAR. Prim. (Kund. 1916.)
 NORTHERN LIGHT. (Chi. 1922.)
 NORUMBEGA. (Kund. 1922.)
 NORWALK. (Pur. 1923.)
 NOVA. Prim. (Kund. 1918.)
 NOVELTY. (Chi. 1907.)
 NOXALL. (Kund. 1918.)
 NUBIAN. (Kund. 1921.)
 NUÉE D' ORAGE. (Sou. 1891.)
 NYDIA. Prim. (Kund. 1918.)
 NYMPH. (Kund. 1918.)
Nymph. Prim. (Chaut. 1921.)
 OAK PARK. (Kund. 1917.)
 OBELISQUE
 OCILLA. (Kund. 1917.)
 OCTAVIA. (Met. 1917.)
 OCTOROON. (Hal. 1891.)
 ODD FELLOW. (Prest.)
 ODIN. (Heem. 1920.)

GLADIOLUS, continued

OHIO. (Vos 1920.)
 OLD GLORY. (Kund. 1915.)
 OLD SMOKY. (Kund. 1921.)
 OLIVE. (Kel. 1919.)
 ONALASKA. (Kund. 1917.)
 ONEGO. (Kund. 1921.)
 ONEIDA. (Chi. 1915.)
 OPalescent. (Pur. 1923.)
 OPALINE. (Bur. 1915.)
 OPHELIA. (Kund. 1918.)
 OPHIR. (Christy 1904, or Stew.)
 OPORTO. (Roos 1920.)
oppositiflorus
 ORADELL. (Kund. 1917.)
 ORAN. (Kund. 1918.)
 ORANGE. Prim. (Chaut. 1921.)
 ORANGE BLOOD. Prim. (Vos 1921.)
 ORANGE BRILLIANT. Prim. (Grul. 1918.)
 ORANGE FLAME. (Kund. 1922.)
 ORANGE GLORY. (Kund. 1915.)
 ORANGE GLOW. (Kund. 1923.)
 ORANGE NOVELTY. (Van B. 1922.)
 ORANGE PERFECTION. Prim. (Chaut. 1921.)
 ORANGE PLUME. (Kund. 1923.)
 ORANGE QUEEN. (Hop. 1923.)
ORCHID G. G. papilio.
Orchid. Prim. (Van B. 1922.)
Orchid. (Kund.-Flan. 1921.)
 ORIENT. (Christy 1907.)
 ORIENTAL BEAUTY. (Met. 1918.)
 ORIOLE. (Aust. 1916.)
Oriole. Prim. (Chaut. 1921.)
 ORION. (Met. 1918.)
 OROFINO. (Kund. 1918.)
 ORPHEUM. (Kund. 1921.)
 OSCEOLA. (Chi. 1915.)
 OSIRIS. (Met. 1917.)
 OSWEGO. (Kund. 1916.)
 OTHELLO. (Kund. 1921.)
 OVID. (Vaug.)
 OWASSO. (Vaug. 1920.)
 OZARK. (Kund. 1922.)
 PACIFIC. (Kund. 1922.)
 PACHA. (Lem. 1893.)
 PACKARD. (Brown 1922.)
 PANAMA. (Ban. 1912.)
 PANTHEON. (Kund. 1922.)
papilio. ORCHID G.
Papilio. Prim. (Krel. 1917.)

GLADIOLUS, continued
Papilio. (Dien. 1922.)
 PAPILIO ROSE. (Groff 1910.)
 PÁRADER. (Pur. 1923.)
 PARAGON. (Kel. 1913.)
 PARAMOUNT. (Kund. 1918.)
 PAREXCEL. (Kund. 1915.)
 PARIS. (Hoeg 1915.)
 PARISIAN YELLOW. Prim. (Van B. 1922.)
 PARLIAMENT. (Kel. 1906.)
 PARROT G. *psittacinus*.
 PASADENA. (Dien. 1920.)
 PASSION FLOWER. (Met. 1922.)
 PASTELLA. (Kund. 1918.)
 PATRIE. (Sou. 1907.)
 PEACE. (Groff 1899.)
 PEACH BLOSSOM. Nan. (Smith.)
 PEACH ROSE. (Kund. 1917.)
 PEACHBLOW. (Groff 1911.)
 PEACOCK. (Proc. 1917.)
 PEARL. (Grul. 1919.)
Pearl. Prim. (Chaut. 1921.)
 PEARL OF DAWN. (Kund. 1921.)
 PEASANT. (Bur. 1921.)
 PEEP o' DAY. (Kund. 1921.)
 PEERLESS. (Met. 1923.)
 PEERLESS PINK. (Hoeg 1917.)
 PELLA. (Kund. 1918.)
 PENNANT. (Met. 1918.)
 PENROSE. (Brown 1923.)
 PERFECTION. Prim. (Chaut. 1922.)
 PERSEUS. Prim. (Kund. 1922.)
 PERSIA. (Nat. 1921.)
 PHILADELPHIA. (Cowee 1905.)
 PHINI. (Dien. 1923.)
 PHLEGETON. (Brun. 1910.)
 PHYLOS. (Dien. 1923.)
 PIET HEIN. Prim. (Unit. 1921.)
 PINAFORE. (Brown 1922.)
 PINK AUGUSTA. (Stev. 1911.)
 PINK BEAUTY. (Van Thol-Vos.)
 PINK BEAUTY BLOTCH. (Kund. 1913.)
 PINK CLOUD. (Kund. 1923.)
 PINK JUMBO. (Roos 1922.)
 PINK LILY. (Kund. 1916.)
 PINK PANSY. (Kund. 1915.)
 PINK PEARL. (Chi. 1915.)
 PINK PERFECTION. (Hop. 1913.)

GLADIOLUS, continued
 PINK PRINCESS. (Stew. 1919.)
 PINK PROGRESSION. (Vos 1916.)
 PINK WONDER. (Kemp 1921.)
 PINKIE. Prim. (Kel. 1922.)
 PINNACLE. (Burb. 1915.)
 PIONEER. (Sou. 1907.)
 PIPPIN. (Pur. 1923.)
 PLANET. Prim. (Kund. 1921.)
 PLATON. (Brun. 1908.)
 POCOHONTAS. (Hoeg 1915.)
 POLA NEGRI. (Dien. 1923.)
 POLAR STAR. (Met. 1916.)
 POLLY PINK. (Brown 1920.)
 POLLYANNA. (Prest. 1921.)
 POLYPHEME. (Sou. 1906.)
 POMONA. Prim.
 PONDERAY. (Kund. 1923.)
 PONTIAC PRINCEPS. (Vaug. 1920.)
 POPPY. (Hoeg 1917.)
 PORTLAND. (Chi. 1902.)
 PREMIERE. (Kund. 1913.)
 PRESCOTT. (Chi. 1908.)
 PRESIDENT C. C. MOORE. (Dien. 1917.)
 PRESIDENT MONOCAL. (Kund. 1916.)
 PRESIDENT ROOSEVELT. (Lem. 1905.)
 PRESIDENT TAFT. (Stew. 1910.)
 PRESIDENT WILSON. (Vel. 1917.)
 PRIDE. Prim. (Way. 1921.)
 PRIDE OF GOSHEN. (Kund. 1913.)
 PRIDE OF HILLEGOM. (Vel. 1916.)
 PRIDE OF LANCASTER. (Kund. 1915.)
 PRIDE OF MANSFIELD. (Brown 1922.)
 PRIM. Prim. (Kund. 1916.)
 PRIM BEAUTY. Prim. (Christy 1921.)
 PRIMROSE G. *G. primulinus*.
 PRIMROSE BEAUTY. (Kund. 1918.)
 PRIMROSE FAIRY. Prim. (G. Zees. 1920.)
primulinus. PRIMROSE G.
Primulinus Concolor. CONCOLOR.
Primulinus Erectus. (Lem. 1910.)
Primulinus Major. (Lem. 1908.)
 PRIMUNELLA. Prim. (Kund. 1915.)
 PRINCE CHARMING. (Brown 1919.)
 PRINCE ITO. (Brun. 1910.)
 PRINCE OF INDIA. (Chi. 1904.)
 PRINCE OF WALES. (Van Z. 1913.)

GLADIOLUS, continued

PRINCEPS. (Van F.-Vaug. 1903.) *G. princeps* Cy.
 PRINCESCO. (Kund. 1917.)
 PRINCESS. (Met. 1918.)
 PRINCESS ALTIERI. (Lem. 1901.)
 PRINCESS OF ORANGE. (Kund. 1915.)
Princess Sandersoni. SNOWBANK.
 PRINCESS VICTORIA LOUISE. (Pfit. 1910.)
 PRINCETON. (Chi. 1902.)
 PRINCIPINE. (Kir. 1910.)
 PRIORITY. (Pur. 1923.)
 PRISCILLA. (Brown 1919.)
 PROF. A. C. BEAL. (Kir. 1918.)
 PROPHET. (Pur. 1923.)
 PROPHETESSE. (Lem. 1898.)
 PROSERPINE. (Nat. 1920.)
 PROSPERITY. (Cowee 1916.)
psittacinus. PARROT G.
 PSYCHE. (Met. 1917.)
Psyche. Prim. (Krel. 1921.)
 PURITAN. (Brown 1922.)
 PURITY. (Pur. 1923.)
 PURPLE GLORY. (Kund. 1916.)
 PURPLE PANSY. (Kund. 1915.)
 PURPLE SPOT. (Kund. 1918.)
purpureo-auratus. GOLDEN ORCHID G.
 PYTHIA. (Kund. 1918.)
 QUADROON. (Ump. 1922.)
 QUADROON PINK. (Ump. 1922.)
 QUARENTINA AUTUMN. Prim. (Gibbs 1923.)
 QUARENTINA HALLOWEEN. Prim. (Gibbs 1923.)
 QUARENTINA RED. (Gibbs 1922.)
quartinianus
 QUEEN CHARLOTTE. (Pfit. 1906.)
 QUEEN EMMA. (Met. 1923.)
 QUEEN ESTHER. (Met. 1923.)
Queen Esther. MRS. O. W. HALLIDAY.
 QUEEN OF BEAUTIES. (Chaut. 1921.)
 QUEEN OF ROSES. Prim. (Grul. 1916.)
 QUEEN OF SHEBA. (Christy.)
 QUEEN OF THE BLACKS. (Jonk. 1914.)
 QUEEN OF THE NIGHT. (Dien. 1919.)
 QUEEN OF THE ROSES. (Kel. 1919.)
 QUEEN OF THE VIOLETS. (Roos 1921.)
 QUEEN OF THE WHITES. (Hog. 1917.)

GLADIOLUS, continued

QUEEN OF THE YELLOWS. (Hog. 1917.)
Queen of the Yellows. Prim. (Vos. 1921.)
 QUEEN VICTORIA. Prim. (Barr 1920.)
 QUEEN WILHELMINA. *Königin Wilhelmina.*
 QUEENLY. (Wood. 1911.)
 RACINE. (Kund. 1917.)
 RADIANCE. (Miller 1915.)
 RADIANT MORN. (Siem. 1923.)
 RADIUM. (Vos 1921.)
 RAGTEN. (Met. 1918.)
 RAJAH. (Kund.-Cham. 1913.)
 RAMONA. Prim. (Kund. 1918.)
Ramosus. (Holland 1838.) Hybrid group.
 RARERAY. (Chi. 1914.)
 RARITY. (Kund. 1921.)
recurvus
 RED AMARYLLIS. (Kund. 1915) *Red Amerillas.*
Red Canna. MRS. W. E. FRYER.
 RED CIGAR. (Kund. 1917.)
 RED CLOUD. (Kund. 1921.)
 RED COAT. (Met. 1916.)
 RED COPPER. (Kund. 1921.)
 RED DIAMOND. (Kund. 1917.)
Red Emperor. DOMINION.
 RED FIRE. (Kund. 1922.)
 RED JACKET. (Pur. 1923.)
 RED KNIGHT. (Kund. 1917.)
 RED PLUME. (Kund. 1921.)
 RED ROBIN. Prim. (Kel. 1919.)
 RED, WHITE, AND GOLD. (Kund. 1915.)
 RED WING. (Kund. 1915.)
 REGAL. Prim. (Kund. 1920.)
 REGALIS. (Hoeg 1922.)
 REGULUS. Prim. (Kund. 1916.)
REINE d'ANJOU. (Barre.) *Jeanne d'Arc; Reine Blanche; White Excel-sior.*
 REINE VICTORIA. Prim. (Grul. 1918.)
 RELIANCE. (Brown 1920.)
 REMBRANDT. Prim. (Unit. 1921.)
 REMEMBRANCE. (Kund. 1921.)
 REO. Prim. (Brown 1922.)
 REV. EW BANK. (Vel. 1916.)

GLADIOLUS, continued
 REV. J. STUBBS. Prim. (Kel. 1922.)
 REVELRY. (Brown 1920.)
 REVERE. (Brown 1922.)
 REVUE. Prim. (Pur. 1923.)
 RHODA. (Met. 1917.)
 RIALTO. (Met. 1918.)
 RICHARD DIENER. (Dien. 1917.)
 RICHRED. (Chi. 1915.)
 RIGEL. Prim. (Kund. 1915.)
 RITA. (Kund. 1918.)
 ROANOKE. Prim. (Kund. 1916.)
 ROBERT J. KUNDERD. (Kund. 1918.)
 ROBERTA. (Kund. 1916.)
 ROBUSTO. (Pur. 1923.)
 ROCHESTER WHITE. (Thon. 1913.)
 RODANO. Prim. (Kund. 1918.)
 ROGUE. (Stew. 1922.)
 ROI ALEXANDRE. (Brun. 1919.)
 ROMANCE. (Kund. 1918.)
 ROSALIA. Prim. (Kund. 1918.)
 ROSALIND. (Kund. 1918.)
 ROSE. (Kund. 1921.)
 ROSE GLORY. (Kund. 1916.)
 ROSE LUISANTE. Prim. (Grul. 1916.)
 ROSE QUEEN. Prim. (Chaut. 1922.)
 ROSE UNIQUE. (Kund. 1921.)
 ROSE WELLS. (Aust. 1914.)
 ROSEA SUPERBA. (Spen. 1915.)
Rosea Superba. (Chaut. 1921.)
 ROSEASH. (Met. 1916.)
 ROSEBUD. (Kund. 1916.)
 ROSELLA. (Cowee 1904.)
 ROSENEL. (Met. 1916.)
 ROSS VALLEY. (Dien. 1917.)
 ROSY MORN. (Brown 1919.)
 ROSY SPRAY. (Chi. 1910.)
 ROUGE TORCH. (Groff-Tracy 1914.)
 ROYAL PURPLE. (Kel. 1919.)
 ROYAL SOVEREIGN. Prim. (Grul. 1916.)
 RUBINI. (Heem. 1920.)
 RUBY. Prim. (Chaut. 1921.)
 RUBY KING. (Chi. 1915.)
 RUFFLED AMERICA. (Kund. 1921.)
 RUFFLED BEAUTY. (Kund. 1922.)
 RUFFLED GLORY. (Vaug. 1921.)
 RUTH HUNTINGTON. (Kund. 1923.)
 RUTH LAW. (Prest. 1918.)
 RUTH TAYLOR. (Dien. 1921.)
 RUTLAND. (Cowee 1911.)
 SAFRANO. (Sou. 1899.)

GLADIOLUS, continued
 SAGINAW. Prim. (Kund. 1922.)
 SALBACHS PRIM. Prim. (Sal. 1923.)
 SALMO. (Met. 1916.)
 SALMON BEAUTY. Prim. (Kund. 1915.)
Salmon Beauty. (Chaut. 1921.)
 SALMON BUFF. Prim. (Kund. 1922.)
 SALMON EXCELSIOR. (Van K. 1915.)
 SALMON KING. (Chi. 1915.)
 SALMON PLUME. (Kund. 1921.)
 SALMONEA. Prim. (Krel. 1919.)
 SALMONEUS. Prim. (Lem. 1908.)
 SALMONIA. (Chi. 1904.)
 SALOME JANE. (Dien. 1921.)
 SAN ANSELMO. (Dien. 1917.)
 SAN JOSÉ. (Dien. 1923.)
 SANS PAREIL. (Sou. 1902.)
 SANS SOUCI. Nan. (Krel. 1915.)
 SARAH. (Stew. 1911.)
 SARAH BERNHARDT. (Lem.) *Mme. Sarah Bernhardt*.
 SARAH LILLIE. (Dien. 1917.)
 SARAH PAGELS. (Wri. 1923.)
 SATISFACTION. (Wood. 1917.)
 SATYR. Prim. (Krel. 1922.)
 SAUSALITO. (Dien. 1920.)
saundersi
 SAW TOOTH. (Kund. 1917.)
 SCARLANO. (Kund. 1917.)
 SCARLET FEATHER. (Black 1917.)
 SCARLET GLORY. (Kund. 1917.)
 SCARLET PRINCEPS. (Kund. 1917.)
 SCARLET TREASURE. Prim. (Aust. 1923.)
 SCARLET VELVET. (Groff-Wood. 1911.)
 SCARLETTA. Prim. (Krel. 1917.)
 SCARSDALE. (Cowee 1903.)
 SCHWABEN. (Pfit. 1913.)
 SCRIBE. (Chi. 1906.)
 SEA FOAM. (Kund. 1916.)
 SEBESTA. (Kund. 1923.)
 SEDAN. Prim. (Kund. 1916.)
segetum
 SEMAPHORE. (Brun. 1911.)
 SEMINOLE. (Met. 1918.)
 SENATOR KNOX. (Kund. 1922.)
 SENATOR VOLAND. (Lem. 1893.)
 SENECA. Prim. (Kund. 1916.)
 SENSATION. (Brown 1919.)
 SENTINEL. (Kund. 1915.)

GLADIOLUS, continued

sericeo-villosus
SERRATA. (Pur. 1923.)
SEVILLE. (Brown 1923.)
SHARMEN SWETT. (Swett 1916.)
SHEDOWA. (Chi. 1916.)
SHEILA. (Col. 1920.)
HELL-PINK. Prim. (Kund. 1921.)
SHENANDOAH. (Good. 1918.)
SHOW FLOWER. (Kund. 1923.)
SIERIE. (Sou. 1904.)
SIBYLLA. Prim. (Krel. 1922.)
SIDNEY PLUMMER. (Sal. 1923.)
SIEGER. (Pfit.)
SIERRA. (Met. 1918.)
SILVER LACE. (Kund. 1916.)
SILVER MOON. (Met. 1917.)
SILVER STAR. (Groff 1910.)
SILVERETTA. (Pfit. 1900.)
SILVIS. Prim. (Kund. 1916.)
SIMPLEX. (Burb. 1921.)
SIMPLICITY. Prim. (Kund. 1921.)
SIR ROGER CASEMENT. (Dien. 1917.)
SIRIUS. (Met. 1916.)
Sirius. Prim. (Kund. 1915.)
SMILES. (Kund. 1921.)
Smoky Violet. EVALINE.
SMYRNA. (Nat. 1921.)
SNAPDRAGON. (Kund. 1915.)
SNOW BOY. (Kund. 1915.)
SNOW GLORY. (Kund. 1917.)
SNOW KING. (Chi. 1915.)
SNOWBANK. (Cowee 1900.) *Princess Sandersoni.*
SNOWBIRD. (Groff 1909.)
SNOWBOUND. (Met. 1918.)
SNOWFLAKE. (Kund. 1915.)
SOFIERO. Nan. (Krel. 1919.)
SOLFATERRE. (Brun. 1912.)
SOLEIL D'OR. Prim. (Kemp 1921.)
SOMERSET FAIRY. Prim. (Kel. 1923.)
SONIA. Prim. (Kund. 1921.)
SONNENBERG. (Pur. 1923.)
SONOMA. (Dien. 1921.)
SOUBATAI. (Sou. 1907.)
SORCIER. (Sou. 1905.)
SOUBRETTE. (Proc. 1922.)
SOUVENIR. (Brown 1919.)
SOVEREIGN. (Vaug. 1923.)
SPARTAN. (Met. 1917.)
SPECIAL. (Kund. 1918.)
SPHINX. (Brun. 1912.)

GLADIOLUS, continued

Sphinx. Prim. (Krel. 1922.)
SPICA. Prim. (Kund. 1915.)
SPLENDOR. (Kund. 1923.)
SPLENDORA. (Kund. 1916.)
SPOT. (Chi. 1907.)
SPRING SONG. (Kund. 1913.)
SQUAW WINTER. (Shea. 1923.)
ST. THOMAS. (Kund. 1923.)
STALWART. (Met. 1921.)
STANDISH. (Brown 1922.)
STANFORD. (Met. 1921.)
STARLIGHT. Prim. (Pur. 1923.)
STELLA. (Keur 1916.)
Stella. Prim. (Kel. 1923.)
STERLING. (Met. 1918.)
STORM KING. (Kund. 1917.)
SUFFRAGETTE. (Dien. 1917.)
SULFUREUS. Prim. (Lem. 1912.)
SULPHUR FRILLS. (Kund. 1923.)
SULPHUR GLOW. (Kund. 1921.)
SULPHUR KING. (Chi. 1904.)
SULPHUR QUEEN. (Stew. 1911.)
SULTANA. (Nat. 1921.)
SUMMER. (Kund. 1921.)
SUMMER BEAUTY. (Kund. 1915.)
SUMMER BLOSSOM. (Kund. 1921.)
SUMMER DAY. (Kund. 1921.)
SUMMER DREAM. (Met. 1922.)
SUNBEAM. Prim. (Vaug. 1914.)
Sunbeam. (Roos 1922.)
SUNBURST. (Miller 1915.)
SUNRAY. Prim. (Chaut. 1921.)
SUNRISE. (Tracy 1914.)
Sunrise. Prim. (Chaut. 1921.)
SUNSET. Nan. (Krel. 1911.)
Sunset. (Tracy 1914.)
SUNSET GLOW. Prim. (Chi. 1922.)
SUNSHINE. (Kund. 1921.)
SUPERB. (Chi. 1914.)
SUPERBA. (Col. 1920.)
SURPRISE. (Kund. 1915.)
SVEA. Prim. (Kund. 1921.)
SWEET LAVENDER. (Col. 1922.)
SWEET ORRA. (Kund. 1915.)
SWEET ROSE. (Kund. 1923.)
SWEETHEART. Prim. (Kemp. 1922.)
Sweetheart. Nan. (Krel. 1911.)
SYLPH. Prim. (Kel. 1919.)
TACONIC. (Cowee 1900.)
TAHITI. (Met. 1917.)
TAMALPAIS. (Dien. 1919.)

| | |
|------------------------------------|--|
| GLADIOLUS, continued | GLADIOLUS, continued |
| TANGO. (Hoeg 1917.) | TWOTINT. (Chi. 1915.) |
| TARO. (Kund. 1921.) | TYRO. (Met. 1917.) |
| TAVISTOCK. (Gage 1914.) | TYROL. Prim. (Brown 1923.) |
| TAWNY. (Col. 1920.) | ULHAN CHIEF. (Kund. 1922.) |
| TAMPA. (Kund. 1917.) | ULRICA. Prim. (Kund. 1918.) |
| TEN STRIKE. (Met. 1918.) | ULYSSES. (Kund. 1916.) |
| THAIS. (Dien. 1923.) | UNADILLA. (Kund. 1918.) |
| THE ARISTOCRAT. (Pur. 1923.) | UNIQUE. (Kund. 1918.) |
| THE BRIDE. <i>Colvillei Alba</i> . | UNUSUAL. (Kund. 1921.) |
| THE DETROIT. (Vaug. 1922.) | URANUS. (Met. 1917.) |
| THE KING. (Cowee 1912.) | UTAH. (Vos 1916.) |
| <i>The Margaret.</i> MARGARET. | UTOPIA. Prim. (Kund. 1921.) |
| THE PEARL. (West. 1918.) | VAN HOOGENDORP. Prim. (Unit. 1921.) |
| THE PILOT. (Met. 1917.) | VAN LIMBURG STIRUM. Prim. (Unit. 1921.) |
| THECLA. Prim. (Krel. 1917.) | VANESSA. Prim. (Krel. 1917.) |
| THEDA BARA. (Hoeg 1918.) | VANITY. Prim. (Pur. 1923.) |
| TERESA. (Kund. 1917.) | VANULA. Prim. (Unit. 1921.) |
| TERERE DE VILMORIN. (Sou. 1884.) | VARIEGATA. (Baumg. 1921.) |
| THERMIDOR. (Lem. 1902.) | VAUGHANS WHITE. (Vaug. 1922.) |
| THISTLE. (Kund. 1921.) | VEDRINES. (Brun. 1911.) |
| THOMAS A. EDISON. (Dien. 1922.) | VEGA. Prim. (Kund. 1916.) |
| THOMAS T. KENT. (Dien. 1917.) | VELVET GEM. Prim. (Way. 1921.) |
| THOTH. Prim. (Kund. 1921.) | VELVET KING. (Cob.-Vaug.) <i>Grenadier</i> . |
| TIFFANY. (Brown 1924.) | VELVET PRINCE. (Roos 1922.) |
| TIGER. (Tracy 1917.) | VENETA. (Kund. 1918.) |
| TIGER ROSE. (Pur. 1923.) | VENICE. (Brown 1920.) |
| TINTING. (Kund. 1921.) | VENTURA. (Kund. 1917.) |
| TIPTOP. (Met. 1918.) | VENUSTUS. (Lem. 1917.) |
| TITANIA. (Sou. 1875.) | VERNON. (Kund. 1918.) |
| TITANIC. (Hoeg 1917.) | VERNON G. CHILDS. Prim. (Chi. 1922.) |
| TOKAY. (Met. 1917.) | VERONA. (Nat. 1921.) |
| TOKIO. (Brun. 1912.) | VESTA TILLEY. (Hop. 1923.) |
| TOPAZ. Prim. (Kund. 1918.) | VESUVIUS. (Nat. 1921.) |
| TORREADOR. (Dien. 1923.) | <i>Vesuvius.</i> Prim. (Grul. 1916.) |
| TRANQUIL. (Kund. 1921.) | VICTORIA FREDERICKS. (Dien. 1921.) |
| TREASURE. Prim. (Chaut. 1922.) | VICTORIOUS. (Kel. 191-.) |
| <i>Treasure.</i> (Kund. 1923.) | VICTORY. (Cowee 1909.) |
| TREUB. (Vos 1916.) | VILLA. (Kund. 1916.) |
| TRIANON. Nan. (Krel. 1915.) | VINTON. (Kund. 1918.) |
| TRIOMPHE DE CAEN. (Bart. 1903.) | VINULA. Prim. (Chaut. 1919.) |
| TRION. (Kund. 1917.) | VIOLA. (Miller 1913.) |
| TRIPELO. Prim. (Kund. 1916.) | VIOLA BIRD. Prim. (Ump. 1922.) |
| tristis | VIOLA. (Kir. 1921.) |
| TRITON. (Sou. 1915.) | VIOLET BEAUTY. (Kund. 1916.) |
| TROJANA. (Pur. 1923.) | VIOLET GLORY. (Kund. 1916.) |
| TURENNE. (Sou. 1901.) | |
| TWILIGHT. (Met. 1917.) | |
| <i>Twilight.</i> (Kund. 1921.) | |
| TWINKLES. Prim. (Kund. 1921.) | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

GLADIOLUS, continued

VIOLET QUEEN. Prim. (Grul. 1916.)
 VIRGINIA. (Vos 1916.)
 VIRGINIA HALE. (Kund. 1921.)
 VIRGINIA M. FISHER. (Dien. 1922.)
 VISCOUNT. (Brown 1921.)
 VISCOUNT IVEAGH. (Kel.)
 VISION. (Aust. 1916.)
 VISTULA. (Kund. 1921.)
 VIVIAN. (Kund. 1921.)
 VIVID. (Groff 1911.)
 VON BISSING. (West. 1918.)
 WALDORF. (Brown 1920.)
 WALHALLA. (Kund. 1916.)
 WAMBA. (Aust. 1916.)
 WANETA. Prim. (Kund. 1922.)
 WAR. (Groff-Cowee 1909.)
 WARRIOR. (Pur. 1923.)
 WASHINGTON. (Vos 1916.)
 WATERMELON. (Kund. 1923.)
 WAUKEGAN. (Kund. 1917.)
 WAUSHAKUM. (Brown 1919.)
 WELLESLEY. (Roos 1921.)
 WETONA. (Kund. 1918.)
 WHITE AMERICA. (Chi. 1920.)
 WHITE BEAUTY. (Roos 1922.)
 WHITE BELLE. (Kund. 1918.)
 WHITE BUTTERFLY. Prim. (Kund. 1922.)
 WHITE CITY. (Jonk. 1921.)
 WHITE CLOUD. (Cowee 1913.)
 WHITE CLUSTER. (Aust. 1915.)
 WHITE CREPE. (Aust. 1916.)
 WHITE DELIGHT. (Kund. 1918.)
White Excelsior. REINE D' ANJOU.
 WHITE GIANT. (Van M. 1913.)
 WHITE GLORY. (Kund. 1913.)
 WHITE IVORY. (Kund. 1915.)
 WHITE KING. (Kund. 1912.)
 WHITE LADY. (Haage & Schmidt 1897.)
 WHITE ORCHID. (Kund. 1921.)
 WHITE PEARL. (Kund. 1915.)
 WHITE PENDLETON. (Kund. 1917.)
 WHITE PIGEON. (Kund. 1921.)
 WHITE PLUME. (Kund. 1921.)
 WHITE WONDER. (Kemp 1921.)
 W. H. PHIPPS. (Dien. 1921.) *Mr. W. H. Phipps.*
 WILBRINCK. (Hop. 1916.)

GLADIOLUS, continued

WILD ROSE. (Chi. 1906.)
 WILHELMINA.
 WILHELMINA GUDA. (Baum 1922.)
 WILLIAM FALCONER. (Chi. 1894.)
 WILLIAM KENT. (Dien. 1917.)
 WILLIS E. FRYER. (Kund. 1918.)
 WILLY WIGMAN. (Hop. 1912.)
 WINDSOR. Nan. (Krel. 1915.)
 WINE KING. (Black 1917.)
 WINEDROP. (Kund. 1917.)
 WINNETKA. (Kund. 1917.)
 WINONA. (Brown 1920.)
 WINSOME. (Miller 1915.)
 WISCONSIN. (Vos 1920.)
 WISTERIA. (Dien. 1922.)
 WITCH. (Cowee 1919.)
 W. McGAVIN. (Dien. 1923.)
 WOLVERINE. (Vos 1920.)
 WONDER. (Chaut. 1921.)
 WRAITH. Prim. (Kel. 1919.)
 W. R. BURT. (Black 1919.)
 XANTHIA. Prim. (Krel. 1922.)
 X. Y. Z. (Kund. 1915.)
 YANKEE BOY. (Pur. 1923.)
 YANKEE GIRL. (Pur. 1923.)
 YELLOW BEAUTY. Prim. (Kel. 1923.)
 YELLOW BIRD. (Kund. 1915.)
 YELLOW DUKE. Prim. (Nat. 1921.)
 YELLOW GEM. (Kund. 1918.)
 YELLOW GLORY. (Kund. 1922.)
 YELLOW HAMMER. Prim. (Grul. 1916.)
 YELLOW JACKET. (Met. 1916.)
 YELLOW PRINCE. Prim. (Vos 1921.)
 YELLOW PRIZE. (Met. 1918.)
 YELLOW QUEEN. Prim. (Chur. 1921.)
 YELLOW STANDARD. (Heem. 1921.)
 YELLOW TREASURE. (Aust. 1923.)
 YESCHKO. (Van B. 1922.)
 YEOMAN. Prim. (Kund. 1918.)
 YOLO. (Met. 1918.)
 YOSEMITE. (Met. 1917.)
 YOUNELL FAVORITE. (Kund. 1913.)
 ZADORA. (Brown 1922.)
 ZAIDEE. (Spen. 1917.)
 ZENOBLA. Prim. (Kund. 1918.)
 ZEPHIR. (Krel. 1914.)
Zéphir. Prim. (Chaut. 1921.)
 ZEPHYRS GIFT. (Met. 1922.)

- | | |
|---|--|
| GLADIOLUS | continued |
| ZILLERTAL. | (Pfit. 1908.) |
| ZINGARI. | (Hoeg 1915.) |
| ZOE. | (Dien. 1923.) |
| ZULEMA. | (Kund. 1921.) |
| GLADWIN IRIS | . Iris foetidissima |
| GLAUCIUM | . HORNPOPY flavum (<i>luteum</i>) YELLOW H. |
| GLAUCOTHEA | |
| armata (<i>Erythea armata</i>) | BLUE PALM |
| GLECHOMA | . NEPETA |
| GLEDITSCHIA | . GLEDITSIA |
| GLEDITSIA | . HONEYLOCUST |
| aquatica | . WATERLOCUST |
| ferox | . COCKSPUR HONEYLOCUST |
| japonica (<i>Gleditsia horrida</i> Ar) | JAPANESE H. |
| sinensis | . CHINESE H. |
| triacanthos | . COMMON H. |
| —inermis | . THORNLESS H. |
| GLIRICIDIA | |
| maculata (<i>G. sepium</i> Ag) | |
| GLOBE ARBORVITAE, GLOBE DEUTZIA, etc. See ARBORVITAE, DEUTZIA, etc. | |
| GLOBE-AMARANTH | . Gomphrena |
| COMMON G. | . <i>G. globosa</i> |
| GOLDEN G. (<i>G. globosa aurea</i> † Cy) | |
| GLOBE-CONE ITALIAN CYPRESS (<i>Cu-</i> <i>pressus sempervirens indica</i> † Cy) | |
| GLOBEDAIKY | . Globularia |
| SYRIAN G. | . <i>G. trichosanthes</i> |
| GLOBEFLOWER | . <i>Trollius</i> |
| CAUCASIAN G. | . <i>T. caucasicus</i> |
| CHINESE G. | . <i>T. chinensis</i> |
| COMMON G. | . <i>T. europaeus</i> |
| DWARF G. | . <i>T. pumilus</i> |
| GOLDENBALL (<i>Trollius europaeus</i> <i>loddigesii</i> † Cy) | |
| JAPANESE GLOBEFLOWER | |
| | <i>T. japonicus</i> |
| LEDEBOUR G. | . <i>T. ledebouri</i> |
| SIBERIAN G. | . <i>T. asiaticus</i> |
| YUNNAN G. | <i>T. pumilus yunnanensis</i> |
| GLOBE-MALLOW | . <i>Sphaeralcea</i> |
| BRICK G. | . <i>S. cristplatina</i> |
| GLOBETHISTLE | . Echinops |
| COMMON G. | <i>E. sphaerocephalus</i> |
| HUNGARIAN G. | <i>E. bannaticus</i> |
| LOW G. | <i>E. humilis</i> |
| GLOBETHISTLE, continued | |
| STEEL G. | . <i>Echinops ritro</i> |
| TALL G. | . <i>E. exaltatus</i> |
| GLOBE-TULIP | |
| CANARY G. | <i>Calochortus pulchellus</i> |
| PEARL G. | Hort. var. of <i>C. albus</i> . |
| PINK G. | . <i>C. albus rubellus</i> |
| WHITE G. | . <i>C. albus</i> |
| GLOBULARIA | . GLOBEDAISY |
| trichosanthes | . SYRIAN G. |
| GLORIOSA | . GLORYLILY |
| rothschildiana | . ROTHSCHILD G. |
| superba | . MALABAR G. |
| GLORIOSA MAGNOLIA (<i>Magnolia gran-</i> <i>diflora gloriosa</i> † Cy) | |
| GLORY-OF-THE-SNOW | |
| | <i>Chionodoxa</i> ; <i>C. luciliae</i> |
| GLORYBOWER | . Clerodendron |
| HARLEQUIN G. | . <i>C. trichotomum</i> |
| ROSE G. | . <i>C. foetidum</i> |
| SUNSHINE G. (<i>C. thomsonae delec-</i> <i>tum</i> † Cy) | |
| THOMSON G. | . <i>C. thomsonae</i> |
| GLORYBUSH | . Tibouchina |
| BRAZILIAN G. | . <i>T. semidecandra</i> |
| GLORYFLOWER | . Eccremocarpus |
| CHILIAN G. | . <i>E. scaber</i> |
| GLORYLILY | . Gloriosa |
| MALABAR G. | . <i>G. superba</i> |
| ROTHSCHILD G. | . <i>G. rothschildiana</i> |
| GLORYVINE | . <i>Vitis coignetiae</i> |
| GLOSSY ABELIA, GLOSSY CHOKE- CHERRY, etc. See <i>Abelia</i> , CHOKECHERRY, etc. | |
| GLOXINIA | |
| The <i>Gloxinia</i> of florists is <i>Sinningia</i> speciosa. <i>Gloxinia crassifolia</i> and <i>G.</i> <i>gigantea</i> are names loosely and incor- rectly applied in the trade to some of the varieties of that species. The genus <i>Gloxinia</i> , of botanists, is not in cultiva- tion. | |
| GLOXINIA | . <i>Sinningia</i> |
| COMMON G. | . <i>S. speciosa</i> |
| GLOXINIA FOXGLOVE, GLOXINIA PENT- STEMON, etc. See FOXGLOVE, PENTSTEMON, etc. | |
| GLYCERIA | . PANICULARIA |
| GLYCINE | |
| apios Ag | . <i>Apios tuberosa</i> |
| soja Cy | . <i>Soja max</i> |

| | | | |
|---|------------------------------|---|-----------------------------|
| GLYCYRRHIZA | LICORICE | GOLDEN-ASTER | Chrysopsis |
| glabra | COMMON L. | HAIRY G. | C. villosa |
| GNAPHALIUM | | MARYLAND G. | C. mariana |
| <i>lanatum</i> . <i>Helichrysum petiolatum</i> | | GOLDENBALL (<i>Trollius europaeus lod-</i> | |
| <i>leontopodium</i> | | <i>diges† Cy)</i> | |
| Leontopodium alpinum | | GOLDENBOWL MARIPOSA | |
| GOAT HYPERICUM, Goat WILLOW, etc. See Hypericum, WILLOW, etc. | | <i>Calochortus clavatus</i> | |
| GOATSBEARD | Aruncus | GOLDENCHAIN | <i>Laburnum vulgare</i> |
| COMMON G. | <i>A. sylvester</i> | CURLYLEAF G. (<i>L. v. bullatum†</i>) | |
| JAPANESE G. | <i>A. astilboides</i> | GOLDELEAF G. (<i>L. v. aureum†</i>) | |
| GOATSBEARD ASTILBE | | OAKLEAF G. (<i>L. v. quercifolium†</i>) | |
| | <i>Astilbe astilboides</i> | WEEPING G. (<i>L. v. pendulum†</i>) | |
| GOATSRUE | Galega | GOLDENCLUB | <i>Orontium aquaticum</i> |
| ALBINO G. (<i>G. officinalis alba† Cy</i>) | | GOLDENCUP | |
| COMMON G. | <i>G. officinalis</i> | Hunnemannia fumariaefolia | |
| HARTLAND G. (<i>G. o. hartlandii† Cy</i>) | | GOLDENFEATHER (<i>Chrysanthemum par-</i> | |
| SUNSET G. (<i>G. o. carnea† Cy</i>) | | <i>thenium aureum† Cy</i>) | |
| GOATSRUE SENNA-PEA | | GOLDENFLEECE EPIMEDIUM (<i>Epime-</i> | |
| | <i>Swainsona galegifolia</i> | <i>dium pinnatum colchicum† Cy</i>) | |
| GODETIA | GODETIA | GOLDENGLOW. Hort. var. of Rud- | |
| amoena | FAREWELL-TO-SPRING | beckia laciniata. | |
| grandiflora (<i>whitneyi</i> ; <i>Oenothera</i> | | GOLDENLARCH <i>Pseudolarix kaempferi</i> | |
| <i>whitneyi</i>) | WHITNEY GODETIA | GOLDENLEAF ELAEAGNUS (<i>Elaeagnus</i> | |
| Hort. var. of <i>Godezia</i> : | | <i>pungens maculata† Cy</i>) | |
| APPLEBLOSSOM | | GOLDENMOON MAPLE (<i>Acer japonicum</i> | |
| BRILLIANT | | <i>aureum† Cy</i>) | |
| CRIMSON GLOW | | GOLDENPLUME ELDER (<i>Sambucus race-</i> | |
| CRIMSON KING | | <i>mosa plumosa-aurea† Cy</i>) | |
| DUCHESS OF ALBANY | | GOLDENRAIN-TREE | |
| GLORIOSA | | <i>Koelreuteria; K. paniculata</i> | |
| LADY ALBEMARLE | | GOLDENROD | <i>Solidago</i> |
| LADY SATIN ROSE | | BOOTT G. | <i>S. boottii</i> |
| LINDLEY (<i>Oenothera lindleyi</i>) | | BROADLEAF G. | <i>S. flexicaulis</i> |
| MARCHIONESS OF SALISBURY | | CANADA G. | <i>S. canadensis</i> |
| ROSAMOND | | CLUSTER G. | <i>S. glomerata</i> |
| ROSY MORN (<i>schamini</i>) | | DWARF EUROPEAN G. Hort. var. | |
| THE BRIDE | | of <i>S. virgaurea</i> . | |
| WHITE PEARL | | EUROPEAN G. | <i>S. virgaurea</i> |
| YELLOW QUEEN | | FRAGRANT G. | <i>S. odora</i> |
| GOLDBAND LILY | <i>Lilium auratum</i> | FURRY G. | <i>S. pubens</i> |
| GOLDBEARD IRIS | <i>Iris flavissima</i> | GIANT G. | <i>S. serotina gigantea</i> |
| GOLDBLOTCH FORSYTHIA (<i>Forsythia</i> | | NEVADA G. | <i>S. spectabilis</i> |
| <i>suspensa variegata† Cy</i>) | | NOVEMBER G. | <i>S. serotina</i> |
| GOLDDUST AUCUBA (<i>Aucuba japonica</i> | | OLDFIELD G. | <i>S. nemoralis</i> |
| <i>variegata† Cy</i>) | | PALELEAF G. | <i>S. pallida</i> |
| GOLDEDGE Box (<i>Buxus sempervirens</i> | | ROUGHLEAF G. | <i>S. patula</i> |
| <i>marginata† Cy</i>) | | SCEPTER G. | <i>S. erecta</i> |
| GOLDEN AZARA, GOLDEN BOX, etc. | | SEASIDE G. | <i>S. sempervirens</i> |
| See Azara, Box, etc. | | STIFF G. | <i>S. rigida</i> |
| | | SWAMP G. | <i>S. uliginosa</i> |
| | | TALL G. | <i>S. altissima</i> |
| | | WHITE G. | <i>S. bicolor</i> |

GRASS, continued

BENT

CARPET B. (*Creeping B.*)*Agrostis stolonifera*RHODE ISLAND B. . . *A. capillaris*BENTGRASS *Agrostis*BERMUDA G. *Capriola dactylon*BLUE-EYED-GRASS *Sisyrinchium*BLUEGRASS *Poa*CANADA B. *P. compressa*KENTUCKY B. *P. pratensis*ROUGH B. *P. trivialis*WOOD B. *P. nemoralis*BROMEGRASS *Bromus*COMMON B. *B. inermis*MADRID B. *B. madritensis*MEADOW B. *B. erectus*QUAKING B. *B. brizaeformis*RESCUE GRASS *B. unioloides*

CANARY G.

REED C. G. *Phalaris arundinacea*CARPET G. *Axonopus compressus*CLOUDGRASS *Agrostis nebulosa*

Cocksfoot

Australian C. ORCHARD

GRASS *Dactylis glomerata*

CORN

INDIAN C. *Zea mays*DALLIS G. *Paspalum dilatatum*

DOGTAIL

CRESTED D. *Cynosurus cristatus*

DUNEGRASS

AMERICAN D. *Elymus mollis*EUROPEAN D. *E. arenarius*EULALIA *Miscanthus sinensis*STRIPED E. (*M. s. variegatus*† Cy)FEATHERGRASS *Stipa*; *S. pennata*AUSTRALIAN F. *S. elegantissima*FEATHERTOP . *Pennisetum villosum*FESCUE *Festuca*BLUE F. *F. glauca*CHEWINGS F. Hort. var. of *F.*. *rubra*.HAIR F. *F. capillata*HARD F. *F. duriuscula*MEADOW F. *F. elatior*RED F. *F. rubra*SHADE F. *F. heterophylla*SHEEP F. *F. ovina*FINGERGRASS *Chloris*FEATHER F. *C. virgata*RHODES GRASS *C. gayana*

GRASS, continued

FOUNTAIN G. . . *Pennisetum ruppeli*

CRIMSON FOUNTAIN G. Hort.

var. of *P. ruppeli*.

PURPLE FOUNTAIN G. Hort. var.

of *P. ruppeli*.

FOXTAIL

MEADOW F. *Alopecurus pratensis*GOLDENTOP G. . . *Achyrodes aureum*

GOLDEYE-GRASS

. *Hypoxis*; *H. hirsuta*JOBS-TEARS . . . *Coix*; *C. lacryma-jobi*JOHNSON G. . . *Holcus halepensis*

LAWNGRASS

JAPANESE L. *Osterdamia japonica*MAIDEN G. (*Misanthus sinensis*
gracillimus† Cy)MAIZE *Zea mays*STRIPED M. (*Z. m. japonica*† Cy)MANILA G. . . *Osterdamia matrella*

MANNAGRASS

WATER M. . . *Panicularia aquatica*

MASCARENE G.

. *Osterdamia tenuifolia*MILLET *Chaetochloa italicica*AFRICAN M. . . *Eleusine coracana*

BROOMCORN M.

. *Panicum miliaceum*

JAPANESE M.

. *Echinochloa crusgalli edulis*PEARL M. *Pennisetum glaucum*

MOLINIA

STRIPED M. (*Molinia caerulea*
variegata† Cy)NAPIER G. . . *Pennisetum purpureum*NATAL G. *Tricholaena rosea*OATGRASS *Arrhenatherum*TALL O. *A. elatius*TUBER O. *A. bulbosum*VARIEGATED O. Hort. var. of
A. *bulbosum*.OATS *Avena*; *A. sativa*ANIMATED O. *A. sterilis*ORCHARD G. . . *Dactylis glomerata*PALMGRASS . *Chaetochloa palmifolia*PAMPASGRASS *Cortaderia*COMMON P. *C. argentea*PARA G. *Panicum barbinode*

PASPALUM

. *Paspalum dilatatum*PEPPERGRASS *Lepidium*

GRASS, continued

- QUAKING G. *Briza*
 BIG QUAKING G. *B. maxima*
 LITTLE QUAKING G. *B. minor*
 RABBITTAIL G. *Lagurus ovatus*
 RAVENNA G. *Erianthus ravennae*
 REDTOP *Agrostis palustris*
 REED
 GIANT R. *Arundo donax*
 STRIPED GIANT R. (*A. donax var. riegerata* Cy)
 RESCUE G. *Bromus unioloides*
 RHODES G. *Chloris gayana*
 RIBBON G. (*Phalaris arundinacea picta* Cy)
 RICE *Oryza sativa*
 WILDRICE *Zizania*
 RYE *Secale*; *S. cereale*
 SIBERIAN WILDRYE
 Elymus giganteus
 RYEGRASS
 ITALIAN R. *Lolium multiflorum*
 PERENNIAL R. *L. perenne*
 SORGHUM *Holcus sorghum*
 BROOMCORN. Hort. var. of *H. sorghum*.
 DURRA. Hort. var. of *H. sorghum*.
 FETERITA. Hort. var. of *H. sorghum*.
 KAFIR. Hort. var. of *H. sorghum*
 MILO. Hort. var. of *H. sorghum*
 SORGHO. Hort. var. of *H. sorghum*.
 SPIKEGRASS. *Desmazeria*; *D. sicula*
 SQUIRRELTAIL G. *Hordeum jubatum*
 ST. AUGUSTINE G.
 Stenotaphrum secundatum
 STARGRASS . . . *Aletris*; *A. farinosa*
 SUDAN G.
 Holcus sorghum sudanensis
 SUGARCANE. *Saccharum officinarum*
 TEFF *Eragrostis abyssinica*
 TEOSINTE. *Euchlaena*; *E. mexicana*
 TIMOTHY *Phleum*; *P. pratense*
 UNIOLA *Uniola*
 BROADLEAF U. *U. latifolia*
 UVA G. *Gynerium saccharoides*
 VELVET G. *Notholcus lanatus*
 WHEAT *Triticum aestivum*
 WHITLOWGRASS *Draba*

GRASS, continued

- WILDRICE *Zizania*
 COMMON W. *Z. palustris*
 NORTHERN W. *Z. aquatica*
 WILD-RYE *Elymus*
 SIBERIAN W. *E. giganteus*
 ZEBRA GRASS (*Miscanthus sinensis zebrinus* Cy)
 GOLDEN Z. G. Hort. var. of *M. sinensis*.
 GRASS CORALBELLS, GRASS IRIS, etc.
 See CORALBELLS, IRIS, etc.
 GRASS GENERA
 For convenience of reference, the genera, species, and ornamental varieties of Grass are here brought together in one consolidated list.
ACHYRODES
aureum (*Lamarckia aurea* Cy;
Chrysurus aureus; *C. cynosuroides*) . . . GOLDENTOP GRASS
AGROSTIS . . . BENTGRASS
capillaris (*vulgaris*; *tenuis*)
 RHODE ISLAND BENT
 Rhode Island Bent is sometimes mis-identified as *Agrostis canina*, a species not in the trade.
nebulosa . . . CLOUDGRASS
palustris (*A. alba* Cy) . . . REDTOP
stolonifera
 (Creeping Bent) CARPET BENT
AIRA
caerulea *Molinia caerulea*
ALOPECURUS
pratensis . . . MEADOW FOXTAIL
AMMOPHILA . . . BEACHGRASS
arenaria BEACHGRASS
ANDROPOGON . BEARDGRASS
halepensis . . . *Holcus halepensis*
saccharoides (*A. argenteus* Cy)
 SILVER BEARDGRASS
sorghum *Holcus sorghum*
ARRHENATHERUM OATGRASS
bulbosum (*Arrhenatherum elatius tuberosum* Cy). TUBER OATGRASS
elatius (*Avena elatior*) . . . TALL O.
 Hort. var. of *Arrhenatherum*:
 VARIEGATED OATGRASS (*bulbosum variegatum*)
ARUNDINARIA
 See consolidated list of the genera and species of Cane and Bamboo, under the heading **BAMBOO GENERA**, page 34.

| | |
|--|--|
| GRASS GENERA, continued | (Refer to preceding page) |
| ARUNDO | WILDFRONGO Giant REED HORN of Arundo! |
| STRIPED GIANT REED (<i>A. striata</i> Cy.) | STRIPED GRASS (M. regalis Cy.) |
| AVENA | OATS elatior (Avena elatior) OATS sativa OATS sterilis ANIMATED OATS |
| AXONOPUS | AXONOPUS (Axonopus compressus) |
| BAMBUSA | See consolidated list of the genera and species of Cane and Bamboo under the heading BAMBOO GENERA , page 35. |
| BRIZA | QUAKING GRASS |
| <i>geniculata</i> | <i>Eragrostis obtusa</i> |
| <i>maxima</i> | BIG QUAKING GRASS |
| <i>minor</i> (<i>racemosa</i>) | LITTLE QUAKING G. |
| BRIZOPYRUM | AGROSTIS |
| <i>sicula</i> | <i>Desmazeria sicula</i> |
| BROMUS | BROMEGRASS |
| <i>brizaeformis</i> | QUAKING B. |
| <i>erectus</i> | MEADOW B. |
| <i>inermis</i> | COMMON B. |
| <i>macrostachys</i> | <i>brevistylis</i> (L.) Voss |
| <i>madritensis</i> | MADRID B. |
| <i>unioides</i> | RESCUE GRASS |
| CAPRIOLA | AIRY |
| <i>dactylon</i> (<i>Cynodon dactylon</i> Cy.) | BERMUDA GRASS |
| CEPHALOSTACHYUM | <i>berteroana</i> |
| See consolidated list of the genera and species of Cane and Bamboo under the heading BAMBOO GENERA , page 35. | <i>OMMA</i> |
| <i>italica</i> (<i>Setaria italica</i> Cy.) | MILLET |
| <i>palmifolia</i> (<i>Panicum palmifolium</i> M.) | PALMGRASS |
| <i>poiretiana</i> (<i>Panicum poiretianum</i> Griseb.) | ARRIAGRADE |
| <i>chloris</i> | CHLORIS |
| <i>gayana</i> | FINGERGRASS |
| <i>polydactyla</i> (<i>barbata</i> (L.) Kuntze) | RHODES GRASS |
| <i>virgata</i> (<i>arrhenatherum</i> Griseb.) | JOB'S TEARS |
| FEATHER FINGERGRASS | |
| CHRYSURUS | ACHYRODES |
| COIX | JOB'S TEARS |
| <i>lacryma-jobi</i> (<i>lacryma-jobi</i> L.) | JOB'S TEARS |

BOLD-face=approved scientific names.

| | |
|--|---------------------------|
| GRASS GENERA, continued | (Refer to preceding page) |
| CORTADERIA | PIMPASGRASS |
| <i>argentea</i> (<i>Gynerium argenteum</i> L.) | COMMON P. |
| <i>fulva</i> (<i>Cortaderia jubata</i> (L.) Willd.) | PIPERANNE |
| CYNOPODION | GRASS (Cynodon dactylon) |
| CAPRIOLA | REED |
| CYNOSURUS | CRESTED DOGSTAIL |
| DACTYLIS | ORCHARD GRASS |
| <i>glomerata</i> | ORCHARD G. |
| DENDROCALAMUS | REED |
| See consolidated list of the genera and species of Cane and Bamboo under the heading BAMBOO GENERA , page 35. | |
| SPIKEGRASS | SPIKEGRASS |
| <i>sicula</i> (<i>Brizopyrum siculum</i> (Vahl)) | SPIKEGRASS |
| See also: <i>S. ciliata</i> | |
| ECHINOCHLOA | JAPANESE MILLET |
| <i>crusgallioides</i> (<i>E. frumentacea</i> Cy.) | JAPANESE MILLET |
| ELEUSINE | ITALIAN MILLET |
| <i>barbinervis</i> (<i>E. stistachya</i> (L.) | ITALIAN MILLET |
| GRASSANA | AFRICAN MILLET |
| HELYMUS | WILD RYE |
| <i>arenarius</i> | EUROPEAN DUNGRASS |
| <i>giganteus</i> | SIBERIAN WILD RYE |
| <i>mollis</i> | AMERICAN DUNGRASS |
| ERAGROSTIS | LETHABATE |
| <i>abyssinica</i> | TEFF |
| <i>japonica</i> (<i>E. interrupta</i> Cy.) | TEFF |
| <i>maxima</i> | TEFF |
| <i>obtusa</i> (<i>Brizopsis geniculata</i>) | GOCHO |
| <i>unioides</i> (<i>E. amabilis</i> Cy.) | PAO |
| <i>spississima</i> (<i>E. spississima</i> (Lam.) | PAO |
| See also: <i>E. abyssinica</i> | |
| ERIANTHUS | TEA AUGUSTINE |
| RAVENNA GRASS | RAVENNA GRASS |
| See also: <i>A. ramosa</i> | |
| EUCHLAENA | TEOSINTE |
| <i>mexicana</i> | TEOSINTE |
| MISCANTHUS | TEOSINTE |
| FESTUCA | FESTUCA |
| <i>capillata</i> (<i>Festuca capillata</i> (L.) Beauvois) | HAIR F. |
| <i>duriuscula</i> ; (<i>Festuca duriuscula</i> (L.) Beauvois) | HARD F. |
| <i>elatior</i> (<i>pratensis</i>) | MEADOW F. |
| <i>glauca</i> | BLUE F. |
| <i>heterophylla</i> (<i>Festuca heterophylla</i> (L.) Beauvois) | SHADE F. |
| <i>ovina</i> | SCHEEP F. |
| <i>rubra</i> | RED F. |
| <i>triticea</i> (<i>Festuca triticea</i> (L.) Beauvois) | WHEAT F. |

BOLD-face=synonyms or unapproved names.

| | | |
|--|---|--|
| GRASS GENERA, continued | GRASS GENERA, continued | GRASS GENERA, continued |
| Hort. var. of <i>Festuca</i> : | UNIOLOA | PENNISSETUM |
| CHEWING'S PESCU. Hort. var. | caerulea (L.) Beauvois | variegatum (L.) Beauvois |
| <i>F. rubra</i> . SEE | variegata (L.) Beauvois | variegatum (L.) Beauvois |
| GYNERIUM PANICULARIA | MOLINIA | variegatum (L.) Beauvois |
| GYMNOCHIRIX | caerulea (L.) Beauvois | variegatum (L.) Beauvois |
| - | STRIPED M. | variegatum (L.) Beauvois |
| - | GYNERIUM PANICULARIA | variegatum (L.) Beauvois |
| GYNERIUM | NOTHOLCUS | variegatum (L.) Beauvois |
| ANGUSTIFOLIA Cortaderia argentea | lanatus (Hort.) Schultes | variegatum (L.) Beauvois |
| SACCHAROIDES / Uva GRASS | SILVERGRASS | variegatum (L.) Beauvois |
| WHOLQUIS | OPISMENUS | VELVET GRASS |
| Halepense (Andropogon Halepensis; Sorghum halepense) | compositus (O. hispidae Cy.) Pan- | (Stipa) H. L. |
| JOHNSON GRASS | cum variegatum (L.) Beauvois | BASKET GRASS |
| Notholeus lanatus (Sorghum halepense) | O. hispidae Cy. | Often miscalled O. hispidae, a species |
| sorghum (Andropogon sorghum; Sorghum vulgare) O. SORGHUM | variegatum (L.) Beauvois | of the same cultigen |
| SUDAN GRASS | ORYZA | L. |
| varieties of (sorghum) some of which have subvarieties | sativa | RICE |
| BROOMCORN | Z. JAPONICA | CHINESE RICE |
| DURRA | OSTERDAMIA | JAPANESE RICE |
| FETERITA | japonica (Zoysia japonica Cy.) | JAPANESE LAWNGRASS |
| KAFIR | matrella (Z. matrella Cy.) | WHEAT |
| MILLO | TOMENTUM | THINLEAF GRASS |
| SORGHO | tenuifolia (Z. tenuifolia Cy.) | PLATEAU GRASS |
| BARNARDIA | variegatum (L.) Beauvois | G. F. LAWNS GRASS |
| BORDEAUX | PANICULARIA | WATER MANNAGRASS |
| jubatum | aquatica (Glyceria aquatica; G. spec- | POAO |
| vulgare | tabilis) | PARA GRASS |
| LAGURUS | barbinode | A. B. BROWN'S GRASS |
| ovatus | miliaceum | BROOMGRASS |
| RABBIT TAIL GRASS | palmsolana (C.) | MILLET |
| LAMARCKIA ACHYRODES | variegatum (L.) Beauvois | COLDLESS GRASS |
| LOLIUM | Chaetochloa palmifolia | CHAETOCHELOA |
| multiflorum | sulcatum Cy. | C. palmifolia |
| ITALIAN RYEGRASS | C. pauciflora | C. pauciflora |
| perenne | variegatum Opismenus compositus | variegatum |
| MISCANTHUS | PASPALUM | PASPALUM |
| sinensis (Eulalia japonica) CHINAHOR. var. of Miscanthus | dilatatum | MURRAY |
| GOLDEN ZEBRA GRASS (Eulalia zebrina) | PENNISETUM | SPANNISH THATCH |
| <i>E. z. stricta</i> Hort. var. | aloeocuroides (P. japonicum Cy.) | SPANNISH THATCH |
| <i>M. sinensis</i> . | Gymnothrix japonica | SPANNISH THATCH |
| MADDOX GRASS (<i>E. j. gracillima</i>) GREENING GRASS | ATRODIA | SPANNISH THATCH |
| <i>E. g. univittata</i> (M.) Beauvois | variegatum (L.) Beauvois | SPANNISH THATCH |
| <i>E. g. gracillimus</i> (Cy.) Beauvois | CRIMSON FOUNTAIN GRASS | SPANNISH THATCH |
| STRIPED EULALIA (<i>E. j. variegata</i> ; | cupreum | SPANNISH THATCH |
| <i>M. s. variegata</i> Cy.) | PENNISTACHYUM | SPANNISH THATCH |
| ZEBRA GRASS (<i>E. j. zebrina</i> ; <i>M. s.</i> | glaucum (<i>P. americanum</i> Cy.) | SPANNISH THATCH |
| <i>zebrinus</i> Cy.) | lypophyllum | SPANNISH THATCH |
| GREENING-NET MARCH GRASS | latifolium (<i>Gymnothrix latifolia</i> Cy.) | SPANNISH THATCH |
| <i>M. s. variegatus</i> Cy.) | tongistylum | SPANNISH THATCH |
| ZEBRA GRASS (<i>E. j. zebrina</i> ; <i>M. s.</i> | <i>P. villosum</i> | SPANNISH THATCH |
| <i>zebrinus</i> Cy.) | macrophyllum | SPANNISH THATCH |
| GREENING-NET MARCH GRASS | macrostachyum (<i>macrophyllum</i> Cy.) | SPANNISH THATCH |
| <i>M. s. variegatus</i> Cy.) | See also hort. var. list | SPANNISH THATCH |

SMALL CAPITALS=approved common names. Abbreviations: (Ag) (Ar) (Cy) (T) see page 282

| | |
|---|--|
| GRASS GENERA (PENNISETUM), cont. | |
| purpureum | NAPIER GRASS |
| ruppeli (<i>ruppelianum</i> ; <i>cupreum</i>) | FOUNTAIN G. See also hort. var. list below. |
| <i>typhoideum</i> | P. <i>glaucum</i> |
| <i>villosum</i> (<i>longistylum</i>) | FEATHERTOP |
| Hort. var. of <i>Pennisetum</i> : | |
| CRIMSON FOUNTAIN GRASS (<i>atrosanguineum</i>). Hort. var. of P. <i>ruppeli</i> . | |
| PURPLE FOUNTAIN G. (<i>cupreum</i>) | Hort. var. of P. <i>ruppeli</i> . |
| PURPLE PENNISETUM (<i>macrostachyum atropurpureum</i>) | |
| PHALARIS | |
| arundinacea . REED CANARY GRASS | |
| Hort. var. of <i>Phalaris</i> : | |
| RIBBON GRASS (<i>P. arundinacea picta</i> † Cy; <i>arundinacea variegata</i>) | |
| PHLEUM | TIMOTHY |
| <i>pratense</i> | TIMOTHY |
| PHYLLOSTACHYS | |
| See consolidated list of the genera and species of Cane and Bamboo, under the heading BAMBOO GENERA, page 35. | |
| POA | BLUEGRASS |
| <i>amabilis</i> | A name sometimes misapplied in the trade to <i>Eragrostis unioloides</i> . |
| <i>compressa</i> . CANADA BLUEGRASS | |
| <i>nemoralis</i> | WOOD B. |
| <i>pratensis</i> | KENTUCKY B. |
| <i>trivialis</i> | ROUGH B. |
| SACCHARUM | |
| <i>officinarum</i> | SUGARCANE |
| SECALE | RYE |
| <i>cereale</i> | RYE |
| SETARIA . CHAETOCHLOA | |
| SORGHUM | HOLCUS |
| STENOTAPHRUM | |
| <i>secundatum</i> (<i>glabrum</i>) | ST. AUGUSTINE GRASS |
| STIPA | FEATHERGRASS |
| <i>elegantissima</i> . . . | AUSTRALIAN F. |
| <i>pennata</i> | FEATHERGRASS |
| TRICHOLAENA | |
| <i>rosea</i> | NATAL GRASS |
| TRITICUM | |
| <i>aestivum</i> (<i>sativum</i> ; <i>vulgare</i>) | WHEAT |

GRASS GENERA, continued

| | |
|---|----------------------|
| UNIOLA | UNIOLA |
| latifolia | BROADLEAF U. |
| ZEA | |
| mays | MAIZE, INDIAN CORN |
| Ornamental hort. var. of <i>Zea</i> : | |
| STRIPED MAIZE (<i>Zea mays japonica</i> † Cy) | |
| ZIZANIA | WILDRICE |
| aquatica | NORTHERN W. |
| palustris | COMMON W. |
| ZOYSIA | OSTERDAMIA |
| GRASSLEAF GAYFEATHER, GRASSLEAF SOTOL, etc. See GAYFEATHER, SOTOL, etc. | |
| GRASS-PINK ORCHID | |
| Calopogon pulchellus | |
| GRASSY BUTTERCUP, GRASSY SCREWPINE, etc. See BUTTERCUP, SCREWPINE, etc. | |
| GRAY BIRCH, GRAY DOGWOOD, etc. See BIRCH, DOGWOOD, etc. | |
| GRAYBARK PINE . <i>Pinus leucodermis</i> | |
| GRAYBOX | |
| BAIRNSDALE G. | |
| Eucalyptus bosistoana | |
| GRAYS LILY | Lilium grayi |
| GREAT ASTER, GREAT ASTILBE, etc. See ASTER, ASTILBE, etc. | |
| GRECIAN FOXGLOVE, GRECIAN LAUREL, etc. See FOXGLOVE, LAUREL, etc. | |
| GREEK BELLFLOWER, GREEK BROOM, etc. See BELLFLOWER, BROOM, etc. | |
| GREEK-VALERIAN | |
| Polemonium caeruleum | |
| WHITE G. (<i>P. c. album</i> † Cy) | |
| GREEN ASH, GREEN BOTTLEBRUSH, etc. See ASH, BOTTLEBRUSH, etc. | |
| GREENBERRY ELDER (<i>Sanbucus canadensis chlorocarpa</i> † Cy) | |
| GREENBRIER | Smilax |
| BRISTLY G. | <i>S. hispida</i> |
| CORAL G. | <i>S. walteri</i> |
| LAUREL G. | <i>S. laurifolia</i> |
| GREEN-EBONY . | Jacaranda ovalifolia |
| GREENLAND SANDWORT | |
| Arenaria groenlandica | |
| GREEN-NET MAPLE (<i>Acer palmatum reticulatum</i> † Cy) | |

GREENSTEM FORSYTHIA

*Forsythia viridissima*GREENTWIG DOGWOOD (*Cornus sanguinea viridissima*† Cy)GREENVEIN BAUHINIA (*Bauhinia variegata candida*† Cy)GREGG ASH *Fraxinus greggi*GREGORY SPRUCE (*Picea excelsa gorgyanica*† Cy)GREVILLEA *Grevillea robusta* SILK-OAK
*thelemanniana*GROMWELL *Lithospermum carolina* G. *L. carolinense*
PUCCOON *L. canescens*
SHRUBBY G. *L. fruticosum*GROSSEK BELLFLOWER
Campanula grosseki

GROSSULARIA RIBES

GROUND BUCKEYE, GROUND CLEMATIS, etc. See BUCKEYE, CLEMATIS, etc.

GROUNDCEDAR
*Lycopodium complanatum*GROUNDCHERRY *Physalis bunyardi*CAPE-GOOSEBERRY *P. edulis*COMMON G. *P. pubescens*LANTERN G. *P. francheti*PERUVIAN G. *P. peruviana*STRAWBERRY G. *P. alkekengi*
TOMATILLO *P. ixocarpa*GROUNDPINE *Lycopodium obscurum*GROUNDSEL *Senecio chinensis* G. *S. tanguticus*CLIMBING G. *S. scandens*COMMON CINERARIA *S. cruentus*GIANTGROUNDSEL
*Ligularia wilsoniana*GOLDEN G. *Senecio aureus*IVY G. *S. mikanoides*PURPLE G. *S. elegans*ROUNDEAF G. *S. obovatus*SILVER CINERARIA *S. cineraria*URUGUAY G. *S. pulcher*VELVET G. *S. petasitis*GROUNDSELBUSH
Baccharis halimifolia

GUADALUPE CYPRESS, GUADALUPE PALM, etc. See CYPRESS, PALM, etc.

GUAMA *Inga laurina*
GUAMACHIL *Pithecellobium dulce*
GUAVA *Psidium*; *P. guajava*
CHILE-GUAVA *Myrtus ugni*
COSTA RICAN G.
 *Psidium friedrichsthalianum*STRAWBERRY G. *P. cattleianum*
YELLOW STRAWBERRY G. (*P. cattleianum lucidum*† Cy)
For varieties of Guava cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.GUIANA-CHESTNUT *Pachira aquatica*GUILFOYLE POLYSCIAS
 *Polyscias guilfoylei*GUM
APPLE G. *Eucalyptus stuartiana*
BLUE G. *E. globulus*
BROWN G. *E. robusta*
BUSHY BLUE G. (*E. globulus compacta*† Cy)CABBAGE G. *E. virgata*
CIDER G. *E. gunni*CREEK G. *E. rostrata*
DESERT G. *E. rufidis*FLAT-TOP G. *E. occidentalis*
HONEY G. *E. melliodora*KARRI G. *E. diversicolor*
LEATHERLEAF G. *E. coriacea*LEHMANN G. *E. lehmanni*
LEMON G. *E. maculata citriodora*MAHOGANY G. *E. resinifera*
MANNA G. *E. viminalis*MESSMATE G. *E. obliqua*
PEPPERMINT G. *E. odorata*PORT GREGORY G. *E. calophylla*
SCARLET G. *E. ficifolia*SLATY G. *E. tereticornis*
SPOTTED G. *E. maculata*SUGAR G. *E. corynocalyx*
SWEETGUM
 Liquidambar; *L. styraciflua*GUM ROCKROSE *Cistus ladaniferus*
Gumbo OKRA: *Hibiscus esculentus*GUM-MYRTLE *Angophora*
KINO G. *A. intermedia*
RUSTY G. *A. lanceolata*GUNNERA *Gunnera*
chilensis (*scabra*) CHILEAN G.
manicata GREAT G.GUNNISON MARIPOSA
 Calochortus gunnisoni

| | | |
|--|---|--|
| GYMNOCALYCIMUM | HAEMANTHUS | BLOODLILY |
| denudatum (<i>Echinocactus denudatus</i>) | albiflos (<i>albiflora</i>) | WHITE B. |
| gibbosum (<i>E. gibbosus</i>) | coccineus | SCARLET B. |
| mosti (<i>E. mosti</i>) | puniceus | SALEMON B. |
| multiflorum (<i>E. multiflorus</i>) | | |
| schickendantzii (<i>E. schickendantzii</i>) | | |
| GYMNOCLADUS | HAEMATOXYLON (HEMATOXYLON) | LOGWOOD |
| dioica (<i>canadensis</i>) | campechianum | LOGWOOD |
| | HAIR FESCUE, HAIR PALM, etc. See FESCUE, PALM, etc. | |
| GYMNOGRAMMA | Hairy ALUMROOT, Hairy ANGELICA, etc. See ALUMROOT, Angelica, etc. | |
| | PITYROGRAMMA | |
| GYMNOTHRIX | HAKEA | HAKEA |
| | elliptica | |
| PENNISETUM | laurina | SEA-URCHIN H. |
| GYNERIUM | pugioniformis | |
| argenteum . . . Cortaderia argentea | saligna | WILLOW H. |
| saccharoides | suaveolens | |
| GYNURA | | |
| aurantiaca (<i>Crassocephalum aurantiacum</i> Ag) | HAKODATE BARBERRY | |
| | Berberis amurensis japonica | |
| GYPSOPHILA | HALBERD WILLOW | Salix hastata |
| acutifolia | | |
| cerastioides | HALESIA | SILVERBELL |
| elegans | diptera | TWO-WING S. |
| monstrosa | monticola | MOUNTAIN S. |
| Hort. var. of G. repens. | tetraptera (<i>H. carolina</i> Cy-Ag) | GREAT S. |
| muralis | | |
| paniculata | HALFHIGH ARBORVITAE | (<i>Thuja occidentalis intermedia</i> † Cy) |
| repens . . . CREEPING GYPSOPHILA | HALFSKIRT DAFFODIL | |
| steveni | Narcissus incomparabilis | |
| Hort. var. of <i>Gypsophila</i> : | | |
| DOUBLE BABYSBREATH (<i>G. paniculata floreplena</i> Cy) | HALIMODENDRON | SALT-TREE |
| LARGE CREEPING GYPSOPHILA (<i>G. repens monstrosa</i> † Cy) | halodendron | SALT-TREE |
| HAAGE CAMPION | HALL CRAB, HALL JAPANESE HON- | |
| (<i>Lychnis haageana</i> † Cy) | EYSUCKLE, etc. See CRAB, HON- | |
| HABENARIA | EYSUCKLE, etc. | |
| See ORCHID GENERA. | | |
| HABROTHAMNUS | HAMAMELIS | WITCH-HAZEL |
| CESTRUM | japonica | JAPANESE W. |
| HACKBERRY | | See also hort. var. list below. |
| Celtis; C. occidentalis | mollis | CHINESE W. |
| BIGLEAF H. | vernalis | VERNAL W. |
| CHINESE H. | virginiana (<i>virginica</i>) | COMMON W. |
| EUROPEAN H. | Hort. var. of Hamamelis: | |
| ORIENTAL H. | LEMON JAPANESE W. (<i>H. japonica zuccariniana</i> † Cy) | |
| PALOBLANCO | PURPLE JAPANESE W. (<i>H. j. arborea</i> † Cy) | |
| SUGARBERRY | | |
| HACKSAW FERN . . . Doodia aspera | HAMATOCACTUS | |
| | setispinus (<i>Echinocactus setispinus</i>) | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

HAMELIA

- patens* SCARLETBUSH
sphaerocarpa

HAMILTON BAMBOO

- Dendrocalamus hamiltoni*

HANDLEAF ENGLISH IVY, HANDLEAF LOBELIA, etc. See IVY, LOBELIA, etc.**HANGING BEGONIA** *Begonia haageana***HANKÓW WILLOW** . *Salix matsudana***HANSON LILY** . . . *Lilium hansonii***HARBINGER CHERRY** (*Prunus padus commutata*† Cy)**HARBINGER-OF-SPRING**

- Eriogena bulbosa*

HARBISON BUCKEYE

- Aesculus harbisoni*

HARD FESCUE . . *Festuca duriuscula***HARDENBERGIA**

- comptoniana* (*Kennedia comptoniana* Ag; *Kennedya caerulea*)

- monophylla* (*K. monophylla* Ag; *Kennedya ovata*)

HARDHACK . . . *Spiraea tomentosa*
 WHITE H. (*S. t. alba*† Cy)**HARDSHELL CUSTARD-APPLE**

- Annona scleroderma*

HARDY DEODAR, HARDY LARKSPUR, etc. See DEODAR, LARKSPUR, etc.**HARDYLEAF JAPANESE HONEYSUCKLE** (*Lonicera japonica flexuosa*† Cy)**HAREBELL** . *Campanula rotundifolia***HAREBELL PHACELIA, HAREBELL SPEEDWELL, etc.** See *Phacelia*, SPEEDWELL, etc.**HARICOT BEAN** . *Phaseolus vulgaris***HARIOTA** **HATIORA****HARISON YELLOW ROSE** (*Rosa harisonii*† Ar.)**HARLEQUIN GLORYBOWER**

- Clerodendron trichotomum*

HARPUT IRIS . . . *Iris histrioides***HARRINGTON PLUM-YEW**
*Cephalotaxus harringtonia***HARRSIA**

- bonplandi* (*Cereus bonplandi* Cy)

- eriophora* (*C. eriophorus*)

- gracilis*

- martini* (*C. martini* Cy)

HARRSIA, continued

- tortuosa* (*Cereus atropurpureus*; *C. tortuosus* Cy)

HARTFORD FERN *Lygodium palmatum***HARTLAND GOATSRUUE** (*Galega officinalis hartlandii*† Cy)**HARTMANNIA** . **OENOTHERA****HARTOGIA** Ag . . **AGATHOSMA****HARTSTONGUE**

- Phyllitis scolopendrium*

HARTWEG LUPINE, HARTWEG PENTSTEMON, etc. See LUPINE, PENTSTEMON, etc.**HARTWEGIA**

- purpurea*

HATCHET CACTUS

- Pelecyphora aselliformis*

HATIORA

- salicornioides* (*Hariota salicornioides*; *Rhipsalis salicornioides*)

CORAL CACTUS**HAW**

- BLACKHAW*. *Viburnum prunifolium*

- POSSUMHAW* *Ilex decidua*

- SOUTHERN BLACKHAW*

- Viburnum rufidulum*

HAWAIIAN GIANT TARO

- Alocasia macrorrhiza*

HAWKWEED *Hieracium*

- ORANGE H. *H. aurantiacum*

- SHAGGY H. *H. villosum*

HAWTHORN *Crataegus*

- ARKANSAS H. *C. arkansana*

- ARNOLD H. *C. arnoldiana*

- BABY H. *C. modesta*

- BARRY H. *C. barryana*

- BISSELL H. *C. apposita bisselli*

- BLACK H. *C. douglasi*

- BOYNTON H. *C. boyntoni*

- BRONZY H. *C. cuprea*

- BUCKLEY H. *C. buckleyi*

- BUNCH H. *C. delosi*

- CARRIERE H. *C. carrierei*

- CERRO H. *C. cerronis*

- CHINESE H. *C. pinnatifida*

- CHRISTMAS H. *C. durobrivensis*

- COCKSPUR THORN . . . *C. crusgalli*

- CORAL H. *C. colorado*

- DAWSON H. *C. dawsoniana*

HAWTHORN, continued

- DELAWARE H. . *Crataegus apposita*
 DOTTED H. *C. punctata*
 DOUBLE ENGLISH H. (*C. monogyna*
alboplena† Cy)
 DOUBLE RED H. (*C. monogyna*
rubroplena† Cy)
 DOWNY H. *C. mollis*
 ELLWANGER H. . *C. ellwangeriana*
 ENGLISH H. (One-stone)
 C. monogyna
 ENGLISH H. (Two-stone)
 C. oxyacantha
 EUROPEAN BLACK H. . . . *C. nigra*
 FLESHY H. *C. succulenta*
 FRANKLIN H. *C. lauta*
 FROSTED H. *C. pruinosa*
 GLOSSY H. *C. nitida*
 GOLDEN ENGLISH H. (*C. oxyacantha*
aurea† Cy)
 INDIA-HAWTHORN
 Raphiolepis indica
 INKBERRY H. *Crataegus multiflora*
 MISSOURI H. *C. fecunda*
 NIPPON H. *C. cuneata*
 OCTOBER H. *C. infera*
 ONE-FLOWER H. *C. uniflora*
 PARSLEY H. *C. apiifolia*
 PAUL DOUBLE SCARLET H. Hort.
 var. of *C. oxyacantha*.
 PAUL ENGLISH H. (*C. oxyacantha*
paupi† Cy)
 PEAR H. *C. tomentosa*
 PEKING H. . *C. pinnatifida major*
 PERSIAN H. *C. peregrina*
 PINK WEEPING H. (*C. monogyna*
roseopendula† Cy)
 PLUMLEAF H. *C. prunifolia*
 PYRAMID H. (*Crataegus monogyna*
stricta† Cy)
 QUEBEC H. *C. submollis*
 REDRIM H. (*Crataegus oxyacantha*
bicolor† Cy)
 RIVER H. *C. rivularis*
 ROSE H. (*C. monogyna rosea*† Cy)
 ROUNDLEAF H. . . *C. rotundifolia*
 RUSSET H. *C. foetida*
 SILVER H. *C. orientalis*
 SINGLE PINK H. (*C. monogyna*
punicæa† Cy)
 SMITH H. *C. smithii*
 SPIKE H. *C. macrantha*

HAWTHORN, continued

- THICKET H. . *Crataegus coccinea*
 THREEFLOWER H. . . . *C. triflora*
 WASHINGTON H. . . . *C. cordata*
 WEEPING ENGLISH H. (*C. mono-*
gyna pendula† Cy)
 WEST CHESTER H. . . *C. fructuosa*
 WOOD H. *C. nemoralis*
 YEDDO-HAWTHORN
 Raphiolepis umbellata
 HAWTHORN GOOSEBERRY, HAWTHORN
 RASPBERRY, etc. See GOOSE-
 BERRY, RASPBERRY, etc.
 HAYLODGE COLUMbine
 Aquilegia haylodgensis
 HAY-SCENTED FERN
 Dennstedtia punctilobula
 HAZEL
 WINTERHAZEL *Corylopsis*
 WITCH-HAZEL *Hamamelis*
 HAZEL ALDER, HAZEL BOTTLETREE,
 etc. See ALDER, BOTTLETREE, etc.
 HAZELNUT *Corylus*
 AMERICAN H. *C. americana*
 BEAKED H. *C. rostrata*
 CHINESE H. *C. chinensis*
 FILBERT *Corylus*; *C. avellana*
 TREE H. *C. colurna*
 For horticultural varieties of *Corylus*
 cultivated for their nuts, see FILBERT in
 American Pomological Society's List of
 Fruits and Nuts, in Appendix.
 Heal-all SELFHEAL: *Prunella*
 HEART
 BLEEDINGHEART
 Dicentra spectabilis
 FLOATINGHEART . . *Nymphoides*
 HEARTLEAF AMPELOPSIS, HEARTLEAF
 OXEYE, etc. See AMPELOPSIS,
 OXEYE, etc.
 HEARTPETAL LARKSPUR
 Delphinium cardiopetalum
 HEARTSEED *Cardiospermum*
 HEATH *Erica*
 BISCAY H. *E. mediterranea*
 BLACK-EYED H. . . *E. melanthera*
 CORNISH H. *E. vagans*
 CORSICAN H. *E. stricta*
 CROSSLEAF H. *E. tetralix*
 DARLEY H. Hort. var. of *E. medi-*
 terranea.
 FRINGED H. *E. ciliaris*
 GARLAND H. *E. persoluta*

HEATH, continued

- MACKAY H. (*mackayi*)
 PORCELAIN H. . . *Erica ventricosa*
 RED CORNISH H. Hort. var. of *E. vagans*.
 ROSY GARLAND H. Hort. var. of *E. persoluta*.
 SCARLET TWISTED H. (*E. cinerea coccinea*† Cy)
 SHOWY CORNISH H. Hort. var. of *E. vagans*.
 SPIKEHEATH
Bruckenthalia spiculifolia
 SPRING H. *Erica carnea*
 TWISTED H. *E. cinerea*
 WHITE CORNISH H. (*E. vagans alba*† Cy)
 WHITE MOOR H. Hort. var. of *E. carnea*.
 WHITE TWISTED H. (*E. cinerea alba*† Cy)
 WILMORE H. (*E. wilmorei*† Cy)
 WINTER H. *E. hyemalis*
 HEATH ASTER, HEATH MELALEUCA,
 etc. See ASTER, *Melaleuca*, etc.
 HEATHER *Calluna vulgaris*
 ALPORT H. (*C. v. alportii*† Cy)
 BRUSH H. Hort. var. of *C. vulgaris*
 DWARF WHITE H. Hort. var. of *C. vulgaris*.
 FLESH H. (*C. v. carnea*† Cy)
 MOSS H. (*C. v. nana*† Cy)
 RED H. (*C. v. rubra*† Cy)
Scotch H. . . HEATHER: *C. vulgaris*
 SEARLE H. (*Calluna vulgaris searlei*† Cy)
 SLENDER H. Hort. var. of *C. vulgaris*.
 WHITE H. (*C. v. alba*† Cy)
 WOOLLY H. (*C. v. hirsuta*† Cy)
HEDERA IVY
canariensis (algeriensis) ALGERIAN I
colchica (roegneriana) . . COLCHIS I.
helix ENGLISH I.
 Hort. var. of *Hedera*:
 BUNCHLEAF ENGLISH IVY (*H. helix conglomerata*† Cy)
 BUSH ENGLISH I. (*H. h. arboreascens*† Cy)

HEDERA (Hort. var.), continued

- CAENWOOD I. (*Hedera helix caenwoodiana*)
 GIANT ENGLISH I. (*H. helix dentata*)
 HANDLEAF ENGLISH I. (*H. h. palmata*† Cy)
 LEOPARD ENGLISH I. (*H. h. maculata*† Cy)
 SILVER QUEEN I. Hort. var. of *Hedera helix*.
 SPOTTED GIANT I. (*H. helix dentata variegata*)
 VARIEGATED ENGLISH I. (*H. helix variegata*)
 YELLOWEDGE ALGERIAN I. (*H. canariensis variegata*† Cy)
 HEDGE BAMBOO, HEDGE BINDWEED,
 etc. See BAMBOO, BINDWEED, etc.
 HEDGEHOG AGAVE, HEDGEHOG HOLLY,
 etc. See *Agave*, HOLLY, etc.
 HEDGEHOG-CONEFLOWER . *Echinacea*
HEDYCHIUM GINGERLILY
coronarium COMMON G.
gardnerianum INDIA G.
HEDYSARUM
coronarium
multijugum
HEDYSCEPE
canterburyana (*Kentia canterburyana*) CANTERBURY PALM
 HE-HUCKLEBERRY . *Lyonia ligustrina*
 HELEN COLUMBINE, HELEN ROSE,
 etc. See COLUMBINE, ROSE, etc.
HELENIUM SNEEZEWEEED
autumnale COMMON S.
bigelovii BIGELOW S.
hoopesii ORANGE S.
nudiflorum
tenuifolium BITTERWEED
 Hort. var. of SNEEZEWEEED, *Helenium*:
 DWARF (*Helenium autumnale pubescens*† Cy)
 GARTENSONNE. Hort. var. of *H. autumnale*.
 GEORGIA (*H. nudiflorum grandicephalum striatum* Cy)
 GREAT (*Helenium autumnale superbum*† Cy)
 RED (*H. a. rubrum*† Cy)
 RIVERTON BEAUTY
 RIVERTON GEM

HELIANTHELLA*quinquenervis*

HELIANTHEMUM . . . SUNROSE
alpestris . . . ALPINE S.
chamaecistus (*vulgare*). COMMON S.
glaucum *croceum*
halimifolium *multiflorum*
 MOROCCO S.

Hort. var. of *Helianthemum*:

FICKLE SUNROSE (*H. chamaecistus*
mutabile† Cy; *mutable*)
 ROSEMARY S. (*H. c. tomentosum*†
 Cy; *angustifolium*; *hyssopifolium*;
polifolium)

HELIAMPHORA . PITCHERPLANT
nutans . . . RORAIMA P.

HELIANTHUS . . . SUNFLOWER
annuus . . . COMMON S.
 See also hort. var. list following.
angustifolius . . . SWAMP S.
argophyllus (*argyrophyllus*)
 SILVERLEAF S.

atrorubens (*sparsifolius*)
 DARKEYE S.

californicus . . . CALIFORNIA S.
 The name *H. californicus* is often misapplied to the Doubleray Sunflower,
 hort. var. of *H. annuus*.

debilis (*cucumerifolius*)
 CUCUMBER SUNFLOWER
decapetalus . . . THINLEAF S.
 See also hort. var. list following.

giganteus . . . GIANT S.
globosus . . . GLOBE S.
 Hort. var. of *H. annuus*.

grosse-serratus . . . SAWTOOTH S.
laetiflorus . . . SHOWY S.
macrophyllus

H. strumosus macrophyllus
maximiliani (*maximilianus*)
 MAXIMILIAN SUNFLOWER
maximus . . . GIANT THINLEAF S.
 Hort. var. of *H. decapetalus*.

mollis . . . ASHY S.
multiflorus . . . GOLDEN THINLEAF S.
 Hort. var. of *H. decapetalus*.

nanus . . . DOUBLE DWARF S.
 Hort. var. of *H. annuus*.

*orygialis***HELIANTHUS**, continued

scaberrimus (*Helianthus rigidus* Ag)
 PRAIRIE SUNFLOWER
sparsifolius . . . *H. atrorubens*
strumosus WOODLAND SUNFLOWER
—macrophyllus

BIGLEAF WOODLAND S.
tuberosus . JERUSALEM-ARTICHOKE
 Hort. var. of SUNFLOWER, *Helianthus*:
 DOUBLE DWARF (*annuus nanus*;

DOUBLE THINLEAF (*decapetalus florepleno*)
 DOUBLERAY (*H. annuus californicus*† Cy)

GIANT THINLEAF (*H. decapetalus maximus*† Cy; *maximus*)

GLOBE (*annuus globosus*; *globosus*)

GOLDEN THINLEAF (*H. decapetalus multiflorus*† Cy; *multiflorus*)

SOLEIL D'OR. Hort. var. of *H. decapetalus*.

WOLLEY DOD. Hort. var. of *H. scaberrimus*.

HELICHRYSUM . EVERLASTING

The name of this genus as originally published was Elichrysum.

The common name Everlasting applies also to the related genera Ammobium, Anaphalis, and Helipterum.

angustifolium
 WHITELEAF EVERLASTING
bracteatum . . . STRAWFLOWER
petiolatum (*Gnaphalium lanatum*)

CUDWEED EVERLASTING

Hort. var. of *Helichrysum*:

DOUBLE STRAWFLOWER (*monstrosum*). Hort. var. of *H. bracteatum*.

Fireball S. Hort. var. of *H. bracteatum*.

HELICODICEROS . . . TWIST-ARUM
 The name of this genus under the American Rules is Megotigea.

muscivorus (*Arum crinitum*)

TWIST-ARUM

HELICONIA . . . HELICONIA
 The name of this genus under the American Rules is Bihai.

aureostriata (*aurea*)
 GOLDSTRIPED HELICONIA
bihai CARIB H.

HELIOCEREUS

- amecamensis** (*Cereus amecamensis*;
H. amecaensis Cy)
elegantissimus
speciosus (*Cereus speciosus*; *C. coc-*
cineus) KING CACTUS
HELIOPSIS HELIOPSIS
helianthoides (*laevis*) SUNFLOWER H.
scabra ROUGH H.

Hort. var. of *Heliopsis*:

- DWARF GOLD H. (*H. scabra im-*
brikata† Cy)
HERCULES H. (*H. s. major*† Cy)
LEMON H. (*H. s. gratissima*† Cy)
PITCHER H. (*H. helianthoides pitch-*
eriana† Cy)
ZINNIA H. (*Heliopsis scabra zin-*
niaeflora† Cy)

- HELIOTROPE** *Heliotropium*
BIG H. *H. corymbosum*
COMMON H. *H. peruvianum*

- HELIOTROPIUM** **HELIOTROPE**
corymbosum BIG H.
peruvianum COMMON H.

Hort. var. of **HELIOTROPE**, *Heliotro-*
pium peruvianum, *H. corymbo-*
sum, and hybrids between the
two:

BUISSON FLEURI

CENTEFLEUR

CHIEFTAIN

FLORENCE NIGHTINGALE

JERSEY BEAUTY

LA DUSÉ

LEMOINE GIANT

LORD ROBERTS

LORNE

LUEUR D'OPALE

MIDNIGHT

MME. BRUANT

MME. DELAUX

MME. LEDERLE

PRINCE CHARMANT

REGAL

SNOW WREATH

SNOWBALL

TALL DARK

WHITE LADY

HELIPTERUM . . . EVERLASTINGThe common name Everlasting applies
also to the related genera *Ammobium*,
Anaphalis, and *Helichrysum*.

- album** WHITE EVERLASTING
Hort. var. of *H. roseum*.

- corymbiflorum** CLUSTER E.
humboldtianum (*sanfordii*) HUMBOLDT E.

- manglesi** (*Rhodanthe manglesi*) MANGLES E.
—maculatum (*R. maculata*) SPOTTED E.

- roseum** (*Acroclinium roseum*) ROSE E.
Hort. var. of **Helipterum**:

- WHITE EVERLASTING (*album*; *ro-*
seum album; *Acroclinium album*)

- HELLEBORE** *Helleborus*
FALSE-HELLEBORE *Veratrum*

- HELLEBORUS** **HELLEBORE**
niger CHRISTMAS-ROSE

- HELIONIAS** SWAMP-PINK
bullata SWAMP-PINK

HEMATOXYLON**HAEMATOXYLON**

- HEMEROCALLIS** DAYLILY
aurantiaca ORANGE D.

- major** GREAT ORANGE D.
citrina CITRON D.

- disticha** *H. fulva*
dumortieri (*sieboldii*)

- EARLY DAYLILY
flava (*H. lilio-asphodelus* Ag) LEMON D.

- fulva** (*disticha*) TAWNY D.
See also hort. var. list below.

- lilio-asphodelus** Ag *H. flava*
luteola GOLDEN DAYLILY

- middendorffii** AMUR D.
minor DWARF D.

- sieboldii** *H. dumortieri*
thunbergii JAPANESE DAYLILY

Hort. var. of **DAYLILY**, *Hemerocallis*:

DR. REGEL

FLORHAM

- KWANSO (*H. fulva kwanso*† Cy)
SOVEREIGN

- HEMIONITIS**
palmata STRAWBERRY FERN

| | | |
|--|---|---|
| <i>HEMIPTELEA</i> | <i>ZELKOVA</i> | <i>HERB TREEMALLOW</i> |
| HEMLOCK | Tsuga | <i>Lavatera trimestris</i> |
| CANADA H. | <i>T. canadensis</i> | <i>HERBACEOUS PERIWINKLE</i> |
| CAROLINA H. | <i>T. caroliniana</i> | <i>Vinca herbacea</i> |
| CHINESE H. | <i>T. chinensis</i> | <i>HERCULES HELIOPSIS</i> (<i>Heliopsis scabra major</i> † Cy) |
| DWARF CANADA H. | (<i>T. canadensis compacta</i> † Cy) | <i>HERCULES-CLUB</i> |
| JAPANESE H. | <i>T. diversifolia</i> | <i>Zanthoxylum clava-herculis</i> |
| MOUNTAIN H. | <i>T. mertensiana</i> | <i>HERNIARIA</i> <i>BURSTWORT</i> |
| SARGENT WEEPING H. | (<i>T. canadensis pendula</i> † Cy) | <i>glabra</i> <i>BURSTWORT</i> |
| SIEBOLD H. | <i>T. sieboldii</i> | <i>HERONBILL</i> <i>Erodium</i> |
| SLENDER CANADA H. | (<i>T. canadensis gracilis</i> † Cy) | <i>ALFILERIA</i> <i>E. cicutarium</i> |
| WATERHEMLOCK | <i>Cicuta</i> | <i>COMMON H.</i> <i>E. moschatum</i> |
| WESTERN H. | <i>T. heterophylla</i> | <i>PYRENEES H.</i> <i>E. manescavi</i> |
| WHITETIP H. | (<i>T. canadensis albospica</i> † Cy) | <i>HESPERIS</i> <i>ROCKET</i> |
| YUNNAN H. | <i>T. yunnanensis</i> | <i>matronalis</i> <i>DAMES R.</i> |
| HEMP | <i>Cannabis</i> | <i>HESPEROYUCCA</i> |
| BOWSTRING-HEMP | | <i>whipplei</i> (<i>Yucca whipplei</i>) |
| | <i>Sansevieria zeylandica</i> | <i>CHAPARRAL YUCCA</i> |
| COMMON H. | <i>Cannabis sativa</i> | <i>HETEROCENTRON</i> |
| GIANT H. Hort. var. of C. sativa. | | <i>roseum</i> (<i>mexicanum</i>) |
| HEMP BAMBOO, HEMP DOGBANE, etc. | | <i>HETEROMELES</i> . . . <i>PHOTINIA</i> |
| See BAMBOO, DOGBANE, etc. | | <i>HEUCHERA</i> <i>ALUMROOT</i> |
| HEN-AND-CHICKENS | | <i>americana</i> <i>AMERICAN A.</i> |
| | <i>Sempervivum soboliferum</i> | <i>brizoides</i> <i>PINKBELLS</i> |
| HENBANE | <i>Hyoscyamus niger</i> | <i>gracillima</i> <i>GRASSLEAF CORALBELLS</i> |
| HENDERSON ALLAMANDA, HENDERSON | | Hort. var. of <i>H. sanguinea</i> . |
| AUBRIETIA, etc. See Allamanda, | | <i>pubescens</i> (<i>rubifolia</i>) |
| Aubrieta, etc. | | <i>MARBLED ALUMROOT</i> |
| HENEQUEN | <i>Agave fourcroydes</i> | <i>sanguinea</i> <i>CORALBELLS</i> |
| HENNA | <i>Lawsonia inermis</i> | <i>villosa</i> <i>HAIRY ALUMROOT</i> |
| HENRY HONEYSUCKLE, HENRY MAPLE, etc. See HONEYSUCKLE, MAPLE, etc. | | Hort. var. of <i>CORALBELLS, Heuchera sanguinea</i> : |
| HEPATICA | <i>HEPATICA</i> | <i>FLAMBEAU</i> |
| acutiloba | SHARPLLOBE H. | <i>GRASSLEAF</i> (<i>H. s. gracillima</i> † Cy) |
| angulosa | HUNGARIAN H. | <i>NEBULANCE</i> |
| triloba (<i>H. nobilis</i> Ag; <i>H. americana</i> Ag; <i>H. hepatica</i>) | ROUNDLOBE HEPATICA | <i>PLEU DE FEU</i> |
| | H. triloba of the <i>Cyclopedias</i> includes both the common American Hepatica, <i>H. americana</i> Ag, and the European relative of this species, <i>H. nobilis</i> Ag. | <i>SHIRLEY</i> |
| HERACLEUM | COW-PARSNIP | <i>SNOWDROP</i> (<i>H. s. alba</i> † Cy) |
| lanatum | COMMON C. | <i>SPLENDENS</i> |
| mantegazzianum | BIGLEAF C. | <i>VIRGINAL</i> |
| villosum (<i>giganteum</i>) | CAUCASIAN G. | <i>WALKER</i> |
| HERB ROBERT Geranium robertianum | | <i>HEVEA brasiliensis</i> . . . <i>PARA RUBBERTREE</i> |
| | | <i>HEXASTYLIS</i> <i>ASARUM</i> |
| | | <i>HEXAGON STONECROP</i> |
| | | <i>Sedum sexangulare</i> |
| | | <i>HIBBERTIA volubilis</i> |

HIBISCUS. HIBISCUS, ROSEMALLOW
africanus **H. trionum**
coccineus . SCARLET ROSEMALLOW
elatus (*Paritium elatum*)

MOUNTAIN R.
esculentus (*Abelmoschus esculentus*) (Gumbo) OKRA
grandiflorus . GREAT ROSEMALLOW
manihot (*Abelmoschus manihot*)

SUNSET HIBISCUS
militaris . . SOLDIER ROSEMALLOW
miniatus

A form of *H. rosa-sinensis*.

moscheutos COMMON R.
mutabilis COTTON R.
oculiroseus CRIMSON-EYE R.
rosa-sinensis (*sinensis*)

CHINESE HIBISCUS
sabdariffa ROSELLE
schizopetalus . FRINGED HIBISCUS
sinensis **H. rosa-sinensis**
subvulaceus

A form of *H. rosa-sinensis*.

syriacus (*Althaea frutex*)

SHRUB-ALTHEA
The common name Shrub-althea is not to be confused with the genus *Althaea*, which includes the Hollyhock and the true Marshmallow.

tiliaeus (*Paritium elatum*)

LINDEN HIBISCUS
trionum (*africanus*)

FLOWER-OF-AN-HOUR

Hort. var. of SHRUB-ALTHEA, **Hibiscus syriacus**:

ADMIRAL DEWEY

AMARANTHUS

BANNER. *The Banner*.

BOULE DE FEU

COMTE DE HAIMONT

COMTE DES FLANDRES

DUCHESSE DE BRABANT

FLESH. *Incarnatus*.

Folio-variegato. SPOTLEAF.

GRANVILLE

Incarnatus. FLESH.

JEANNE D'ARC

LADY STANLEY

LEOPARDLEAF. *Variegatus*.

PURITY

SNOWDRIFT

SNOWSTORM. *Totus albus*.

HIBISCUS (Hort. var.), continued

SPOTLEAF. *Folio-variegato*.

The Banner. BANNER.

Totus albus. SNOWSTORM.

HIBISCUS **Hibiscus**

See also ROSEMALLOW.

CHINESE H. **H. rosa-sinensis**

FLOWER-OF-AN-HOUR . **H. trionum**

FRINGED H. **H. schizopetalus**

LINDEN H. **H. tiliaceus**

OKRA **H. esculentus**

ROSELLE **H. sabdariffa**

SHRUB-ALTHEA **H. syriacus**

SUNSET H. **H. manihot**

HICKORY **Hicoria**

For horticultural varieties of Hicoria grown for their nuts, see HICKORY and PECAN in American Pomological Society's List of Fruits and Nuts, in Appendix.

BITTERNUT **H. cordiformis**

MOCKERNUT **H. alba**

PECAN **H. pecan**

PIGNUT **H. glabra**

SHAGBARK H. **H. ovata**

SHELLBARK H. **H. laciniosa**

HICKS YEW (*Taxus media hicksii* Cy)

HICORIA **HICKORY**

For horticultural varieties of Hicoria grown for their nuts, see HICKORY and PECAN as noted above under Hickory.

alba (*Carya alba* Cy; *C. tomentosa*; *H. tomentosa*) MOCKERNUT

cordiformis (*C. cordiformis* Cy; *C. amara*; *H. minima*) . BITTERNUT

glabra (*C. glabra* Cy; *C. porcina*) . PIGNUT

laciniosa (*C. laciniosa* Cy; *C. sulcata*; *H. sulcata*) . SHELLBARK HICKORY

minima **H. cordiformis**

ovata (*C. ovata* Cy) SHAGBARK HICKORY

pecan (*C. pecan* Cy) PECAN

sulcata **H. laciniosa**

tomentosa **H. alba**

HIERACIUM **HAWKWEED**

aurantiacum ORANGE H.

villosum SHAGGY H.

HIGAN CHERRY . *Prunus subhirtella*

| | |
|---|--|
| HIGHBUSH BLACKBERRY, Highbush BLUEBERRY, etc. See BLACK- BERRY, BLUEBERRY, etc. | HOLDT LOCUST <i>Robinia holdt</i> |
| HIMALAYA-BERRY <i>Rubus thysanthus</i> | HOLLAND ELM . . . <i>Ulmus hollandica</i> |
| HIMALAYA-HONEYSUCKLE | HOLLOWSTEM IRIS . . . <i>Iris bulleyana</i> |
| Leycesteria formosa | HOLLY <i>Ilex</i> |
| HIMALAYAN ASTER, HIMALAYAN BAR- BERRY, etc. See ASTER, BAR- BERRY, etc. | AMERICAN H. <i>I. opaca</i> |
| HINDS WALNUT . . . <i>Juglans hindsii</i> | Cassena YAUPON: <i>I. vomitoria</i> |
| HINDU DATURA, HINDU LOTUS, etc. See <i>Datura</i> , LOTUS, etc. | CHINESE H. <i>I. cornuta</i> |
| HINODEGIRI AZALEA <i>Azalea hinodegiri</i> | COMMON WINTERBERRY |
| HINOKI CYPRESS | <i>I. verticillata</i> |
| Chamaecyparis obtusa | CORAL H. <i>I. corallina</i> |
| HIPPEASTRUM | DAHOON <i>I. cassine</i> |
| equestris (<i>Amaryllis equestris</i>) | ENGLISH H. <i>I. aquifolium</i> |
| HOUSE-AMARYLLIS | FINETOOTH H. <i>I. serrata</i> |
| johnsoni (<i>A. johnsonii</i>) | GOLDEN QUEEN H. (<i>I. aquifolium</i> <i>aureoregina† Cy</i>) |
| solandriflorum (<i>A. solandraeflora</i>) | HEDGEHOG H. (<i>I. a. ferox† Cy</i>) |
| vittatum (<i>A. vittata</i>) | HODGINSON H. (<i>I. aquifolium hod- ginsoni† Cy</i>) |
| HIPPOPHAE . . . SEA-BUCKTHORN | INKBERRY <i>I. glabra</i> |
| rhamnoides . . . COMMON S. | JAPANESE H. <i>I. crenata</i> |
| HIRYU AZALEA . . . <i>Azalea obtusa</i> | LAUREL H. (<i>I. aquifolium lauri- folia† Cy</i>) |
| HITOYE CHERRY <i>Prunus lannesiana</i> | LITTLELEAF H. (<i>I. aquifolium mi- crophylla† Cy</i>) |
| HOARFROST SAVIN (<i>Juniperus sabina</i> <i>variegata† Cy</i>) | LITTLELEAF JAPANESE H. <i>I. crenata microphylla</i> |
| HOARHOUND <i>Marrubium</i> | LONGSTALK H. <i>I. pedunculosa</i> |
| COMMON H. <i>M. vulgare</i> | MOUNTAIN WINTERBERRY <i>I. monticola</i> |
| HOARY CEDRONELLA, HOARY SPIREA, etc. See <i>Cedronella</i> , SPIREA, etc. | MOUNTAIN-HOLLY <i>Nemopanthus mucronatus</i> |
| HOBBLEBUSH . . . <i>Viburnum alnifolium</i> | POSSEUMHAW <i>Ilex decidua</i> |
| HODGINSON HOLLY (<i>Ilex aquifolium</i> <i>hodginsoni† Cy</i>) | PYRAMID H. (<i>I. aquifolium pyra- midalis† Cy</i>) |
| HOLCUS | SAWTOOTH H. (<i>I. a. serratifolia† Cy</i>) |
| halepensis (<i>Andropogon halepensis</i> ; <i>Sorghum halepense</i>) | SEAHOLLY . . . <i>Eryngium maritimum</i> |
| JOHNSON GRASS | SMOOTH WINTERBERRY <i>Ilex laevigata</i> |
| lanatus . . . <i>Notholcus lanatus</i> | TOPEL H. (<i>vomitoria × opaca</i>) |
| sorghum (<i>Andropogon sorghum</i> ; <i>Sor- ghum vulgare</i>) SORGHUM | VARIEGATED ENGLISH H. Hort. var. of <i>I. aquifolium</i> . |
| —sudanensis SUDAN GRASS | WEEPING H. (<i>I. aquifolium pen- dula† Cy</i>) |
| Varieties of <i>H. sorghum</i> are in cul- tivation under the following names, some of which have subvarieties: | YAUPON <i>I. vomitoria</i> |
| BROOMCORN | YELLOW WINTERBERRY (<i>I. laevi- gata herveyi† Cy</i>) |
| DURRA | HOLLY BARBERRY, HOLLY OAK, etc. See BARBERRY, OAK, etc. |
| FETERITA | HOLLYFERN <i>Polystichum</i> |
| KAFIR | BRAUN H. <i>P. brauni</i> |
| MILLO | CHRISTMAS FERN <i>P. acrostichoides</i> |
| SORGHO | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

HOLLYFERN, continued

EAST INDIAN H.

- POLYSTICHUM aristatum
 GIANT H. P. munitum
 HOUSE H. . . . Cyrtomium falcatum
 JAPANESE H. Polystichum varium
 LEATHER FERN . . . P. adiantiforme
 MOUNTAIN H. . . . P. lonchitis
 TSUSIMA H. . . . P. tsussimense
 HOLLYGRAPE Mahonia
 CHINESE H. . . . M. fortunei
 CLUSTER H. . . . M. pinnata
 CREEPING H. . . . M. repens
 FERNANDO H. . . . M. nevini
 LEATHERLEAF H. . . . M. bealei
 LONGLEAF H. . . . M. nervosa
 OREGON H. . . . M. aquifolium
 HOLLYHOCK Althaea rosea
 ALLEGHENY H. Hort. var. of
 A. rosea.
 FIGLEAF H. . . . A. ficifolia
 NEWPORT PINK H. Hort. var. of
 A. rosea.

- HOLLYHOCK MALLOW . . Malva alcea
 HOLLYLEAF CHERRY Prunus ilicifolia
 HOLODISCUS

The name of this genus under the American Rules is Sericotheca.

- DISCOLOR (*Sericotheca dumosa* Ag; *Schinzonotus discolor*) . . ROCKSPIREA
 —ARIAEFOLIUS (*Sericotheca discolor* Ag; *Spiraea ariaefolia*)

- HOLOPTELEA OCEANSpray
 INTEGRIFOLIA INDIA-ELM

- HOLY-GHOST-FLOWER Peristeria elata

- HOMALOCEPHALA
 TEXENSIS (*Echinocactus texensis* Cy)
 HONDO PEAR, HONDO SPRUCE, etc.
 See PEAR, SPRUCE, etc.

- HONDURAS CORALBLOW Russelia juncea

- HONESTY . . . Lunaria; L. annua
 PERENNIAL H. . . . L. rediviva

- HONEY CORONILLA, HONEY GUM, etc.
 See Coronilla, GUM, etc.

- HONEYBELL RHODODENDRON Rhododendron campylocarpum

- HONEYLOCUST Gleditsia
 CHINESE H. . . . G. sinensis
 COCKSPUR H. . . . G. ferox

HONEYLOCUST, continued

- COMMON H. . . . Gleditsia triacanthos
 JAPANESE H. . . . G. japonica
 THORNLESS H.

- G. triacanthos inermis
 WATERLOCUST G. aquatica

- HONEYSUCKLE Lonicera
 ALBERT H. . . . L. spinosa alberti

- ALTMANN H. . . . L. altmanni
 AMERICAN FLY H. . . L. canadensis

- AMUR H. . . . L. maackii
 ARNOLD H. (*Lonicera amoena arnoldiana*† Cy)

- AUTUMN WOODBINE (*L. periclymenum serotina*† Cy)

- BEARBERRY H. . . . L. involucrata
 BELLE H. (*L. bella*† Cy)

- BLUELEAF H. . . . L. korolkowii
 BLUSH H. . . . L. tangutica

- BRIDE H. (*Lonicera tatarica grandiflora*† Cy)

- BROAD BLUELEAF H. (*L. korolkowii floribunda*† Cy)

- BROWNS H. (*L. brownii*† Cy)
 BUCKTHORN H. . . . L. orientalis

- BUNCHBERRY H. (*L. minutiflora*† Cy)

- BUSH-HONEYSUCKLE . . . Diervilla

- CAPE-HONEYSUCKLE Tecomaria capensis

- CORALLINE H. Lonicera chrysanthia

- CREAM H. (*L. etrusca superba*† Cy)

- CREEPING H. . . . L. prostrata

- DELAVAY H. . . . L. similis delavayi

- DUTCH WOODBINE (*L. periclymenum belgica*† Cy)

- ESAU H. (*L. etrusca pubescens*† Cy)

- ETRUSCAN H. . . . L. etrusca

- EUROPEAN FLY H. . . L. xylosteum

- EVERBLOOMING H. (*L. heckrottii*† Cy)

- GIRALD H. . . . L. giraldi

- GOLDEN WOODBINE (*L. periclymenum aurea*† Cy)

- GOTHA H. (*L. amoena*† Cy)

- GRAPE H. . . . L. prolifera

- GREAT TATARIAN H. (*L. tatarica latifolia*† Cy)

- HAIRY H. . . . L. hirsuta

- HALL JAPANESE H. (*L. japonica halliana*† Cy)

HONEYSUCKLE, continued

- HARDYLEAF JAPANESE H. (*Lonicera japonica flexuosa*† Cy)
 HENRY H. *Lonicera henryi*
 HIMALAYA-HONEYSUCKLE
 Leycesteria formosa
 IBERIAN H. *Lonicera iberica*
 ITALIAN H. *L. americana*
 JAPANESE H. *L. japonica*
 LATE H. *L. maackii podocarpa*
 LILAC H. *L. syringantha*
 LIMBER H. *L. dioica*
 MAIDEN H. Hort. var. of *L. tatarica*.
 MANCHURIAN H. . *L. ruprechtiana*
 MISTLETOE H. *L. quinquefoliolaris*
 MORROW H. *L. morrowi*
 MOSCOW H. (*L. muscariensis*† Cy)
 MUENDENH. (*L. muendeniensis*† Cy)
 ORANGE H. (*L. brownii punicea*† Cy)
 PRIVET H. *L. pileata*
 PURPLE JAPANESE H. (*L. japonica chinensis*† Cy)
 PURPLE SWEET H. (*L. caprifolium pauciflorum*† Cy)
 PYRENEES H. *L. pyrenaica*
 RED TATARIAN H. (*L. tatarica sibirica*† Cy)
 ROSY TATARIAN H. Hort. var. of *L. tatarica*.
 RUTARIAN H. (*L. notha*† Cy)
 SCARLET FUCHSIA H. (*L. brownii fuchsioides*† Cy)
 SEGREZ H. (*L. segregans*† Cy)
 SLENDER H. *L. trichosantha*
 SPANGLE H. *L. gracilipes*
 STANDISH H. *L. standishii*
 SWAMP FLY H. *L. oblongifolia*
 SWEET H. *L. caprifolium*
 SWEETBERRY H. *L. caerulea*
 TATARIAN H. *L. tatarica*
 THORN H. *L. spinosa*
 TIBETAN H. *L. thibetica*
 TRUMPET H. *L. sempervirens*
 TURKESTAN H.
 L. caerulea graciliflora
 UTAH H. *L. utahensis*
 VIENNA H. (*L. xylosteoides*† Cy)
 WHITE BELLE H. Hort. var. of *L. bella*.
 WHITE SWEET H. (*L. caprifolium alba*† Cy)

HONEYSUCKLE, continued

- WHITE TATARIAN H. (*Lonicera tatarica alba*† Cy)
 WINTER H. *L. fragrantissima*
 WOLF H. *L. syringantha wolfi*
 WOODBINE *L. periclymenum*
 YELLOW H. *L. flava*
 YELLOW TATARIAN H. (*L. tatarica lutea*† Cy)
 YELLOW TRUMPET H. (*L. sempervirens sulphurea*† Cy)
 YELLOWNET JAPANESE H. (*L. japonica aureoreticulata*† Cy)
 HONEYBUSH *Melianthus*
 BIGLEAF H. *M. major*
 HONEYWORT *Cerinthe*
 GREEK H. *C. retorta*
 HONGKONG KUMQUAT
 Fortunella hindsii
 HOODED PITCHERPLANT
 Sarracenia minor
 HOOKER BAMBOO, HOOKER CUPHEA,
 etc. See BAMBOO, Cuphea, etc.
 HOP *Humulus*
 COMMON H. *H. lupulus*
 GOLDEN H. (*Humulus lupulus aureus*† Cy)
 JAPANESE H. *H. japonicus*
 NEW MEXICAN H.
 H. lupulus neomexicanus
 HOP CREEPER *Ampelopsis humulifolia*
 HOPBUSH *Dodonaea*
 HOPHORNBEAM *Ostrya*
 AMERICAN H. *O. virginiana*
 HOPTREE *Ptelea*
 COMMON H. *P. trifoliata*
 GOLDEN H. (*P. trifoliata aurea*† Cy)
 HORDEUM
 jubatum SQUIRRELTAIL GRASS
 vulgare BARLEY
 HORNBEAM *Carpinus*
 AMERICAN H. *C. caroliniana*
 EUROPEAN H. *C. betulus*
 HOPHORNBEAM *Ostrya*
 PURPLE H. (*Carpinus betulus purpurea*† Cy)
 PYRAMID H. (*C. betulus pyramidalis*† Cy)
 WEEPING H. Hort. var. of *C. betulus*.
 HORNERD FLORIPONDIO
 Datura cornigera

- HORNPOPPY *Glaucium*
 YELLOW H. *G. flavum*
 HORSEBALM *Collinsonia*
 CITRONELLA H. *C. canadensis*
 HORSECHESTNUT
 Aesculus; A. hippocastanum
 See also BUCKEYE.
 BAUMANN H. (*A. hippocastanum baumannii* Cy)
 CUTLEAF H. (*A. hippocastanum laciniatum* Cy)
 DAMASK H. (*A. carnea plantierensis* Cy)
 JAPANESE H. *A. turbinata*
 PYRAMID H. (*A. hippocastanum pyramidalis* Cy)
 RED H. (*A. carnea* Cy)
 RUBY H. (*A. carnea briotii* Cy)
 SAWTOOTH H. (*A. hippocastanum incisa* Cy)
 UMBRELLA H. (*A. h. umbraculifera* Cy)
 YELLOWSPOT H. (*A. hippocastanum variegata* Cy)
 HORSEGENTIAN *Triosteum*
 COMMON H. *T. perfoliatum*
 HORSERADISH *Radicula armoracia*
 HORSERADISH-TREE
 Moringa; M. oleifera
 HORSESHOE GERANIUM
 Pelargonium zonale
 HORSETAIL *Equisetum*
 HORSETAIL MILKWEED
 Asclepias verticillata
 HORSETAIL-TREE
 Casuarina equisetifolia
 HORTULAN PLUM . *Prunus hortulana*
 HOSTA (*Funkia; Niobe* Ag)
 PLANTAINLILY
 caerulea (*Niobe caerulea* Ag; *Funkia caerulea*; *F. lanceolata*; *F. ovata*) BLUE PLANTAINLILY
 fortunei (*N. fortunei* Ag; *F. fortunei*) FORTUNE PLANTAINLILY
 See also hort. var. list following.
 lanceolata (*N. japonica* Ag; *F. lanceolata*) LANCELEAF PLANTAINLILY
 See also hort. var. list following.
 plantaginea (*N. plantaginea* Ag; *F. alba*; *F. subcordata*)
 WHITE PLANTAINLILY

- HOSTA, continued
plantaginea grandiflora (*Niobe plantaginea grandiflora* Ag; *Funkia grandiflora*) BIG PLANTAINLILY
sieboldiana (*N. sieboldiana* Ag; *F. sieboldiana*)
 CUSHION PLANTAINLILY
 Hort. var. of Hosta:
 GREAT PLANTAINLILY (*H. fortunei gigantea* Cy; *Funkia gigantea*)
 WAVYLEAF P. (*H. lancifolia undulata* Cy; *F. gigantea*)
 HOULLETIA
 See ORCHID GENERA.
 HOUNDSTONGUE *Cynoglossum*
 COMMON H. *C. officinale*
 GREAT H. *C. nervosum*
 HOUSE HOLLYFERN
 Cyrtomium falcatum
 HOUSE-AMARYLLIS
 Hippeastrum equestre
 HOUSELEEK *Sempervivum*
 FALSE H. *Sedum sempervivoides*
 FRINGED H.
 Sempervivum fimbriatum
 FUZZY H. *S. glaucum*
 GLOBE H. *S. globiferum*
 HEN-AND-CHICKENS *S. soboliferum*
 ITALIAN H. *S. hirtum*
 MOUNTAIN H. (*S. tectorum pyrenaicum* Cy)
 PYRENEES H. *S. pyrenaicum*
 ROOF H. *S. tectorum*
 SAND H. *S. arenarium*
 SPIDERWEB H. *S. arachnoideum*
 VIENNA H. *S. mettenianum*
 VIOLET H. (*Sempervivum tectorum violaceum* Cy)
 HOUSTONIA *Houstonia*
 caerulea BLUETS
 longifolia LONGLEAF B.
 purpurea MOUNTAIN HOUSTONIA
 serpyllifolia CREEPING BLUETS
 HOVENIA RAISINTREE
 dulcis RAISINTREE
 HOVEY ARBORVITAE (*Thuja occidentalis hoveyi* Cy)
 HOWEA
 belmoreana (*Kentia belmoreana*)
 BELMORE PALM

| | | |
|--|--------------------------------|---|
| HOWEA , continued | | HUTCHINSIA |
| <i>forsteriana</i> (<i>Kentia forsteriana</i>) | FORSTER PALM | <i>alpina</i> ALPENCRESS |
| <i>Calochortus howellii</i> | | HUTTON COCKSCOMB <i>Celosia huttoni</i> |
| HOWELL MARIPOSA | | HYACINTH <i>Hyacinthus</i> |
| HOYA WAXPLANT | | COMMON H. <i>H. orientalis</i> |
| <i>carnosa</i> COMMON W. | | GRAPE-HYACINTH <i>Muscari</i> |
| HUCKLEBERRY | <i>Gaylussacia</i> | SUMMER-HYACINTH |
| The name Huckleberry is often misapplied to the Blueberries and the Whortleberries, which belong to the genus Vaccinium. | | <i>Galtonia candicans</i> |
| BLACK H. <i>G. baccata</i> | | WATER-HYACINTH <i>Eichhornia</i> |
| BOX H. <i>G. brachycera</i> | | HYACINTH LILAC, HYACINTH SQUILL, etc. See LILAC, SQUILL, etc. |
| BUCKBERRY <i>G. ursina</i> | | HYACINTH-BEAN <i>Dolichos lablab</i> |
| DANGLEBERRY <i>G. frondosa</i> | | HYACINTHUS HYACINTH |
| <i>Garden H.</i> SOLANBERRY: | | <i>candicans</i> <i>Galtonia candicans</i> |
| <i>Solanum nigrum guineense</i> | | <i>orientalis</i> COMMON HYACINTH |
| HE-HUCKLEBERRY. <i>Lyonialigustrina</i> | | HYALIS Ag IXIA |
| HUDSON FIR | | HYBRID BOTTLEBRUSH, HYBRID BUCK-EYE, etc. See BOTTLEBRUSH, BUCKEYE, etc. |
| Abies balsamea hudsonia | | HYDRANGEA HYDRANGEA |
| HUMBOLDT EVERLASTING, HUMBOLDT LILY , etc. See EVERLASTING, LILY, etc. | | <i>arborescens</i> SMOOTH H |
| | | See also hort. var. list on page 207. |
| | | — <i>sterilis</i> |
| | | This name is sometimes misapplied to the Snowhill Hydrangea, hort. var. of <i>H. arborescens</i> . The true <i>H. sterilis</i> is not in the trade. |
| HUMMINGBIRD-TRUMPET | <i>Zauschneria californica</i> | bretschneideri |
| HUMULUS HOP | | SHAGGY HYDRANGEA |
| <i>japonicus</i> JAPANESE H. | | <i>cinerea</i> ASHY H. |
| <i>lupulus</i> COMMON H. | | <i>grandiflora</i> |
| — <i>neomexicanus</i> NEW MEXICAN H. | | Sometimes used erroneously for the Peegee Hydrangea, hort. var. of <i>H. paniculata</i> , and for the Snowhill Hydrangea, hort. var. of <i>H. arborescens</i> . |
| Hort. var. of <i>Humulus</i> : | | <i>hortensis</i> <i>H. opuloides</i> |
| GOLDEN HOP (<i>Humulus lupulus aureus</i> Cy) | | <i>hortensis</i> <i>H. opuloides</i> |
| HUNGARIAN HEPATICA, HUNGARIAN LILAC, etc. See Hepatica, LILAC, etc. | | <i>monstrosa</i> GIANT HYDRANGEA |
| HUNNEMANNIA GOLDENCUP | | Hort. var. of <i>H. opuloides</i> . |
| <i>fumariaefolia</i> GOLDENCUP | | <i>nivea</i> <i>H. radiata</i> |
| HUNTINGDON ELM (<i>Ulmus hollandica vegeta</i> Cy) | | <i>opuloides</i> (<i>hortensis</i> ; <i>hortensia</i> ; <i>H. opuloides</i> <i>hortensis</i> Cy) |
| HUPEH COTONEASTER, HUPEH VIBURNUM, etc. See COTONEASTER, VIBURNUM, etc. | | HOUSE HYDRANGEA |
| HURA | | See also hort. var. list on page 207. |
| <i>crepitans</i> SANDBOXTREE | | <i>otaksa</i> OTAKSA H. |
| HURON TANSY. <i>Tanacetum huronense</i> | | Hort. var. of <i>H. opuloides</i> . |
| Husk Tomato | | <i>paniculata</i> PANICLE H. |
| GROUNDCHERRY: <i>Physalis</i> | | See also hort. var. list on page 207. |

BOLD-face==approved scientific names. ITalic==synonyms or unapproved names.

HYDRANGEA, continued

rosea ROSE HYDRANGEA
Hort. var. of *H. opuloides*.

scandens . . . *Hydrangea petiolaris*
xanthoneura

YELLOWVEIN HYDRANGEA
—*setchuenensis*
—*wilsoni* WILSON H.

Hort. var. of *Hydrangea*, chiefly of
H. opuloides:

AGNES BARILLET

AVALANCHE

BABY BIMBENET

Botaniste Poltereau. POLTEREAU.

BOUQUET ROSE

EARLY PANICLE (*H. paniculata*
praecox† Cy)

ECLAIREUR

E. G. HILL

EMILE MOUILLÈRE

ETINCELANT

FRAICHEUR

GENERAL DE VIBRAYE

Giant (*monstrosa*; *H. opuloides*
otaksa monstrosa Cy)

GRACIEUX

G. RENAULT. *Monsieur G. Renault*.

HENRI DAVID. *Senateur Henri David*.

INNOCENCE

LA LORRAINE

LATE PANICLE (*H. paniculata*
tardiva† Cy)

LIEUTENANT CHAURÉ. *Souvenir de*
Lieutenant Chauré.

LILIE MOUILLÈRE

L'ISLETTE

LOUIS FOUCARD

Mlle. AGNES BARILLET

Mlle. DE TREMAULT

Mlle. RENÉE GAILLARD

Mme. AUGUSTE NONIN

Mme. E. CHAUTARD. *Souvenir de*
Mme. E. Chautard.

Mme. E. MOUILLÈRE

Mme. FOUCARD

Mme. LEGOU

Mme. MAURICE HAMAR

Mme. RAYMOND

Mme. RENÉ JACQUET

Mme. TRUFFAUT

HYDRANGEA (Hort. var.), continued

MME. VICTOR RAOULT. *Souvenir de*
Mme. Victor Raoult.

MONSIEUR G. RENAULT. G. RENAULT.

MONTROSE

MOUSSELLINE

OPALE

ORNAMENT

OTAKSA (*H. opuloides otaksa*† Cy)

PEEGEE (*Hydrangea paniculata*
grandiflora† Cy)

The name Peegee, as a colloquial
abbreviation of (*Paniculata*) (*G*(randi-
flora) is firmly established in the trade
as the only common name of this plant.

POLTEREAU. *Botaniste Poltereau*.

PROFESSOR D. BOIS

PURPLESTEM (*H. opuloides cyano-*
clada† Cy)

RADIANT

ROSE (*rosea*; *H. opuloides otaksa*
rosea Cy)

SENATEUR HENRI DAVID. HENRI DAVID.

SNOWHILL (*H. arborescens grandi-*
flora† Cy)

Souvenir de Lieutenant Chauré.

LIEUTENANT CHAURÉ.

Souvenir de Mme. E. Chautard.

MME. E. CHAUTARD.

Souvenir de Mme. Victor Raoult.

MME. VICTOR RAOULT.

THOMAS HOGG

TROPHÉE

VIEUX CHATEAU

VISCOMTESSE DE VIBRAYE

HYDRANGEA *Hydrangea*

See also hort. var. list above.

ASHY H.

CLIMBING H. *H. petiolaris*

HOUSE H. *H. opuloides*

OAKLEAF H. *H. quercifolia*

PANICLE H. *H. paniculata*

SHAGGY H. *H. bretschneideri*

SILVERLEAF H. *H. radiata*

SMOOTH H. *H. arborescens*

WILSON H. *H. xanthoneura wilsoni*

YELLOWVEIN H. . . *H. xanthoneura*

HYDRANGEA-VINE

CHINESE H.

Schizophragma integrifolium

JAPANESE H. . . *S. hydrangeoides*

- HYDRASTIS** GOLDENSEAL
canadensis GOLDENSEAL
- HYDRIASTELE**
wendlandiana (*Kentia wendlandiana*) WENDLAND PALM
- HYDROCHARIS** FROGBIT
morsus-ranae FROGBIT
- HYDROCLEIS** WATERPOPPY
nymphoides (*Limnocharis humboldti*) WATERPOPPY
- HYLOCEREUS**
 NIGHTBLOOMING CEREUS
calcaratus (*Cereus calcaratus*)
costaricensis (*C. costaricensis*)
lemairei (*C. lemairei*)
ocamponis (*C. ocamponis*)
stenopterus (*C. stenopterus*)
triangularis (*C. triangularis*)
undatus
- HYMENAEA**
courbaril COURBARIL
- HYMENOCALLIS** SPIDERLILY
calathina (*Ismene calathina*; *Pancratium calathinum*) LILYBASKET
caribea CARIBBEAN SPIDERLILY
occidentalis WESTERN S
- HYMENOSPORUM**
flavum
- HYOPHORBE**
amaricaulis BOTTLE PALM
verschaffelti (*Areca verschaffeltii*) SPINDLE P.
- HYOSCYAMUS** HENBANE
niger HENBANE
- HYPERANTHERA** MORINGA
- HYPERICUM** ST.JOHNSWORT
adpressum CREEPING S.
arnoldianum† Cy ARNOLD S.
 See hort. var. list following.
- aureum* GOLDEN S.
bucklei MOUNTAIN S
calycinum
cistifolium
densiflorum
elegans SIBERIAN S.
galioides BEDSTRAW S.
glomeratum CLUSTER S.
hircinum GOAT HYPERICUM
kalmianum KALM H.

- HYPERICUM**, continued
- lobocarpum* GATTINGER HYPERICUM
moserianum GOLDFLOWER
 See also hort. var. list below.
- nudiflorum*
patulum JAPANESE HYPERICUM
—henryi HENRY H.
prolificum SHRUBBY ST.JOHNSWORT
- Hort. var. of *Hypericum*:
- ARNOLD* ST.JOHNSWORT (*H. arnoldianum† Cy*; *galioides* × *lobocarpum*)
 VARIEGATED GOLDFLOWER (*H. moserianum tricolor† Cy*)
- HYPOCHAERIS** CATS-EAR
uniflora CATS-EAR
- HYPOXIS** GOLDEYE-GRASS
hirsuta (*erecta*) GOLDEYE-GRASS
- HYSSOP** Hyssopus officinalis
HYSSOPA CUPHEA Cuphea hyssopifolia
- HYSSOPUS** HYSSOP
officinalis HYSSOP
- Iba Pom* STAR-GOOSEBERRY: *Phyllanthus acidus*
 IBERIAN CRANESBILL, IBERIAN HONEY-SUCKLE, etc. See CRANESBILL, HONEYSUCKLE, etc.
- IBERIS** CANDYTUFT
affinis *I. pectinata*
amara COMMON WHITE CANDYTUFT
 See also hort. var. list below.
- corifolia* *I. saxatilis corifolia*
coronaria ROCKET CANDYTUFT
 Hort. var. of *I. amara*.
- gibraltarica* GIBRALTAR C.
jucunda *Aethionema coridifolium*
odorata SWEET CANDYTUFT
pectinata (*affinis*) COMBLEAF C.
saxatilis ROCK C.
—corifolia
sempervirens EVERGREEN C.
tenoreana TENORE C.
umbellata PURPLE C.
- Hort. var. of *Iberis*:
- ROCKET CANDYTUFT (*coronaria*, *I. amara coronaria† Cy*)
- IBIDIUM** Ag SPIRANTHES
 See ORCHID GENERA.
- IBOTA** PRIVET *Ligustrum ibota*

ICACOREA Ag. *ARDISIA*
See *ORCHID GENERA*.

ICE PINK *Dianthus glacialis*

ICELAND POPPY. . *Papaver nudicaule*

ICEPLANT

Mesembryanthemum crystallinum

IDAHO TRILLIUM . *Trillium petiolatum*

ILAMA *Annona diversifolia*

ILEX HOLLY
aquifolium ENGLISH H.
See also hort. var. list below.

cassine (*dahoon*) DAHOON

corallina CORAL HOLLY

cornuta CHINESE H.

crenata (*fortunei*) JAPANESE H.

—microphylla . . LITTLELEAF J. H.

dahoon I. *cassine*

decidua POSSUMHAW

fortunei I. *crenata*

glabra INKBERRY

laevigata . . SMOOTH WINTERBERRY

See also hort. var. list below.

monticola (*I. montana* Ag-Ar)

MOUNTAIN W.

opaca AMERICAN HOLLY

pedunculosa LONGSTALK H.

pyramidalis PYRAMID H.

Hort. var. of *I. aquifolium*.

serrata FINETOOTH H.

verticillata . . COMMON WINTERBERRY

vomitoria YAUPON

Hort. var. of *Ilex*:

GOLDEN QUEEN HOLLY (*I. aquifolium aureoregina*† Cy)

HEDGEHOG H. (*I. a. ferox*† Cy)

HODGINSON H. (*I. aquifolium hodginsoni*† Cy)

LAUREL H. (*I. a. laurifolia*† Cy)

LITTLELEAF H. (*I. aquifolium microphylla*† Cy)

PYRAMID H. (*I. a. pyramidalis*† Cy; *pyramidalis*)

SAWTOOTH H. (*I. aquifolium serratifolia*† Cy)

TOPEL H. (*vomitoria* × *opaca*)

VARIEGATED ENGLISH H. (*aquifolium variegata*)

WEEPING H. (*I. aquifolium pendula*† Cy)

YELLOW WINTERBERRY (*I. laevigata herveyi*† Cy)

ILLICIUM ANISETREE
anisatum JAPANESE A.

ILLINOIS NINEBARK

Physocarpus intermedius

IMMORTELLE

COMMON I. *Xeranthemum annuum*

IMPATIENS SNAPWEED

balsamina . . GARDEN BALSAM

biflora (*fulva*) . SPOTTED SNAPWEED

holsti

pallida PALE S.

platypetala JAVA S.

roylei (*glanduligera*)

sultani SULTAN S.

IMPERIAL SPEEDWELL

Veroni a imperialis

INCARVILLEA

delavayi

grandiflora

variabilis

INCENSE-CEDAR *Libocedrus*

CALIFORNIA I. *L. decurrens*

CHILEAN I. *L. chilensis*

INDIA ASTER, INDIA PAPER TREE, etc.

See ASTER, PAPER TREE, etc.

INDIA-ALMOND . . *Terminalia catappa*

INDIA-ELM . . *Holoptelea integrifolia*

INDIA-HAWTHORN . *Raphiolepis indica*

INDIA-MULBERRY

Morinda; *M. citrifolia*

INDIAN AZALEA, INDIAN PAINTBRUSH,

etc. See AZALEA, PAINTBRUSH,

etc.

INDIAN-PHYSIC . . *Gillenia stipulata*

INDIANPIPE. *Monotropa*; *M. uniflora*

INDIAN-TOBACCO . . . *Lobelia inflata*

Indian-turnip JACK-IN-

THE-PULPIT; *Arisaema triphyllum*

INDICA AZALEA . . . *Azalea indica*

INDIGO *Indigofera*

CHINESE I. *I. decora*

DWARF-INDIGO

Amorpha microphylla

FALSE-INDIGO *Amorpha*

HIMALAYAN I. *Indigofera gerardiana*

KIRILOW I. *I. kirilowii*

MOUNTAIN-INDIGO. *Amorpha glabra*

PINK I. . . *Indigofera amblyantha*

POTANIN I. *I. potanini*

TENNESSEE-INDIGO

Amorpha tennesseensis

| | |
|---|--|
| INDIGO, continued | |
| TRUE I. | <i>Indigofera tinctoria</i> |
| WILD-INDIGO | <i>Baptisia</i> |
| INDIGOBUSH | <i>Amorpha fruticosa</i> |
| INDIGOHERA | INDIGO |
| amblyantha | PINK I. |
| decora | CHINESE I. |
| gerardiana (<i>floribunda</i>) | HIMALAYAN I. |
| kirilowi | KIRILOW I. |
| potanini | POTANIN I. |
| tinctoria | TRUE I. |
| INGA | |
| laurina | GUAMA |
| INGRAM BEGONIA (<i>B. ingrami</i> † Cy) | |
| INKBERRY | <i>Ilex glabra</i> |
| INKBERRY HAWTHORN | |
| | <i>Crataegus multiflora</i> |
| INLAND JERSEY-TEA | |
| | <i>Ceanothus ovatus</i> |
| INODES Ag | SABAL |
| INULA | INULA |
| britannica | BRITISH I. |
| ensifolia | SWORDLEAF I. |
| glandulosa | CAUCASIAN I. |
| grandiflora | SUNFLOWER I. |
| helenium | ELECAMPANE |
| macrocephala | <i>I. royleana</i> |
| montana | MOUNTAIN INULA |
| oculus-christi | CHRISTEYE I. |
| royleana (<i>macrocephala</i>) | |
| | BLACKBUD I. |
| salicina | WILLOWLEAF I. |
| IOCHROMA | VIOLETBUSH |
| fuchsoides | ORANGE V. |
| lanceolatum | PURPLE V. |
| IONOPSIDIUM | DIAMONDFLOWER |
| acaule | DIAMONDFLOWER |
| IONOXALIS | OXALIS |
| IPOMOEA | MORNING-GLORY |
| batatas | SWEETPOTATO |
| bona-nox | <i>Calonyction aculeatum</i> |
| | The name <i>I. bona-nox</i> is often misapplied to <i>I. tuba</i> . |
| coccinea | Quamoclit coccinea |
| digitata (<i>paniculata</i>) | |
| | FINGERLEAF MORNING-GLORY |
| IPOMOEA, continued | |
| hederacea (<i>nil</i>) | |
| | IVYLEAF MORNING-GLORY |
| | See also hort. var. list below. |
| hirsutula (<i>mexicana</i>) | MEXICAN M. |
| leari | BLUE DAWNFLOWER |
| limbata | |
| | WHITE-EDGE MORNING-GLORY |
| | Hort. var. of <i>I. hederacea</i> . |
| mexicana | <i>I. hirsutula</i> |
| nil | <i>I. hederacea</i> |
| noctiflora | <i>Calonyction aculeatum</i> |
| pandurata | |
| paniculata | <i>Ipomoea digitata</i> |
| purpurea (<i>Convolvulus major</i> ; <i>C. purpurea</i>) | |
| | COMMON MORNING-GLORY |
| quamoclit | Quamoclit pinnata |
| rubro-caerulea . . . | <i>Ipomoea tricolor</i> |
| setosa | BRAZILIAN MORNING-GLORY |
| sidaefolia | |
| tricolor (<i>rubrocaerulea</i>) | TRICOLOR M. |
| tuba | TRUMPET M. |
| Hort. var. of <i>Ipomoea</i> : | |
| | BIG BLUE MORNING-GLORY (<i>I. hederacea grandiflora</i> † Cy) |
| | WHITE-EDGE M. (<i>I. h. limbata</i> † Cy) |
| IPOMOPSIS | GILIA |
| IRESINE | BLOODLEAF |
| herbsti (<i>Achyranthes verschaffeltii</i> ; <i>A. herbsti</i>) | |
| lindeni (<i>A. acuminata</i>) | LINDEN BLOODLEAF |
| Hort. var. of <i>Iresine</i> : | |
| | EMERSON BLOODLEAF (<i>emersoni</i> ; <i>lindeni emersoni</i>) |
| IRIS | IRIS |
| alata (<i>scorpioides</i>) . . . | SCORPION I. |
| albicans | YEMEN I. |
| | The name <i>I. florentina</i> is often misapplied to this species. |
| aphylla (<i>biflora</i> ; <i>nudicaulis</i>) | |
| | STOOL IRIS |
| arenaria | <i>I. flavissima</i> |
| atrofusca (<i>haynei</i>) . . | BLACK IRIS |
| atropurpurea (<i>eggeri</i>) | |
| | BLACKPURPLE I. |
| | The name <i>I. atropurpurea</i> is sometimes misapplied to color forms of <i>I. pumila</i> and <i>I. germanica</i> . |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

IRIS, continued

| | |
|---|-----------------|
| bakeriana | BAKER IRIS |
| barnumae | BARNUM I. |
| —mariae (<i>helenae</i> ; <i>I. mariae</i> Cy) | MARY I. |
| biflora | I. aphylla |
| biliotti | PHRYGIAN IRIS |
| bismarckiana (<i>saari nazarensis</i>) | PALESTINE I. |
| bloudowi | TURKESTAN I. |
| boissieri (<i>heterophylla</i>) | YELLOWBEARD I. |
| bornmulleri | I. danfordiae |
| bosniaca | I. reichenbachi |
| bracteata | BRACED IRIS |
| bucharica | BOKHARA I. |
| bulleyana | HOLLOWSTEM I. |
| caerulea (<i>coerulea</i>) | WHITE-EDGE I. |
| californica | I. macrosiphon |
| cengialti | TYROLEAN IRIS |
| chamaeiris (<i>olbiensis</i>) | CRIMEAN I. |
| chinensis | I. japonica |
| chrysographes | GOLDVEIN IRIS |
| clarkei | CLARKE I. |
| coerulea | I. caerulea |
| cretensis | I. unguicularis |
| cristata | CRESTED IRIS |
| —lacustris (<i>I. lacustris</i> Cy) | LAKE I. |
| cuprea | I. fulva |
| cypriana | CYPRIAN IRIS |
| In the trade this species is often confused with <i>I. mesopotamica</i> and <i>I. trojana</i> . | |
| danfordiae (<i>bornmulleri</i>) | DANFORD IRIS |
| delavayi | DELAVAY I. |
| demawendica | I. iberica |
| dichotoma | VESPER IRIS |
| douglasiana | DOUGLAS I. |
| —watsoniana | WATSON I. |
| eggeri | I. atropurpurea |
| ensata | RUSSIAN IRIS |
| fimbriata | I. tectorum |
| flavissima (<i>arenaria</i>) | GOLDBEARD IRIS |

florentina
The name *I. florentina* has been applied to various forms of Iris. According to strict botanical usage it is not a proper designation of any species of this genus. *I. florentina* of Bailey's *Cyclopedia* is a hort. var. of *I. germanica*.

IRIS, continued

| | |
|--|------------------------------|
| foetidissima | GLADWIN IRIS |
| foliosa (<i>hexagona lamancei</i>) | LAMANCE I. |
| forresti | YUNNAN I. |
| fulva (<i>cuprea</i>) | COPPER I. |
| gatesi | MONARCH I. |
| germanica (<i>florentina purpurea</i> ; <i>parisiensis</i> ; <i>spectabilis</i> ; <i>violacea</i> ; <i>vulgaris</i>) | GERMAN IRIS |
| To the true <i>I. germanica</i> have also been applied the following common names, which are to be treated as synonyms: <i>Blue Bird</i> , <i>Florentine Blue</i> , <i>Purple Queen</i> . | |
| gracilipes | SLENDER IRIS |
| graminea | GRASS I. |
| grandiflora | JAFFA I. |
| hartwegi | FOOTHILL I. |
| haynei | I. atrofusca |
| heleneae | <i>I. barnumae mariae</i> |
| heterophylla | <i>I. boissieri</i> |
| hexagona | DIXIE IRIS |
| — <i>lamancei</i> | <i>I. foliosa</i> |
| hispanica | <i>I. xiphium</i> |
| histrio | SYRIAN IRIS |
| histrooides | HARPUT I. |
| hoogiana | REDBEARD I. |
| iberica (<i>demawendica</i>) | IBERIAN I. |
| japonica (<i>chinensis</i>) | FRINGED I. |
| juncea | RUSH I. |
| junonia | JUNONIA I. |
| kaempferi (<i>I. laevigata</i> Cy) | JAPANESE I. |
| I. kaempferi, sometimes listed as the same as <i>I. laevigata</i> , is distinct from that species. | |
| kashmiriana | KASHMIR IRIS |
| korolkowi | REDVEIN I. |
| lacustris Cy | <i>I. cristata lacustris</i> |
| laevigata | RABBIT-EAR IRIS |
| The true <i>I. laevigata</i> of botanists is rare in cultivation. Most of the plants passing under this name are <i>I. kaempferi</i> . | |
| leichtlini | <i>I. stolonifera</i> |
| longipetala | COAST IRIS |
| lorteti | LEBANON I. |
| lupina | <i>I. saari</i> |
| macrosiphon (<i>californica</i>) | TUBE IRIS |
| manissadjana | <i>I. saari</i> |
| mariae Cy | <i>I. barnumae mariae</i> |

IRIS, continued

| | |
|--|----------------------|
| mesopotamica | MARDIN IRIS |
| In the trade this is often confused with <i>I. cypriana</i> and with the hort. var. Ricardi. | |
| milesi | HIMALAYAN IRIS |
| missouriensis (<i>tolmieana</i>) | ROCKY MOUNTAIN I. |
| <i>nudicaulis</i> | <i>I. aphylla</i> |
| <i>ochroleuca</i> | YELLOWBAND IRIS |
| <i>obliensis</i> | <i>I. chamaeiris</i> |
| <i>orchiooides</i> | BULB IRIS |
| <i>orientalis</i> (<i>I. sanguinea</i> Cy-Ag; <i>sibirica sanguinea</i>) | |

There is much confusion regarding the name *I. orientalis*. By some botanists it is regarded as the proper name for *I. ochroleuca*, but this catalogue follows Dykes in maintaining the name *I. orientalis* in its ordinary horticultural sense.

| | |
|------------------------------|---------------------|
| pallida | SWEET IRIS |
| paradoxa | VELVET I. |
| parisiensis | <i>I. germanica</i> |
| persica | PERSIAN IRIS |
| <i>—issica (mardinensis)</i> | ISSIAN I. |
| <i>—purpurea</i> | PURPLE PERSIAN I. |
| <i>—sieheana</i> | PLUM I. |
| <i>—stenophylla</i> | LEOPARD I. |
| <i>—tauri</i> | TAURIAN I. |
| prismatica | CUBESEED I. |
| pseudacorus | YELLOWFLAG I. |
| pumila | |

In the American trade the name *I. pumila* is often misapplied to *I. chamaeiris*.

| | |
|--|------------------------|
| purdyi | PURDY IRIS |
| reichenbachi (<i>bosniaca</i>) | BALKAN I. |
| reticulata | NETTED I. |
| <i>—krelagei</i> | KRELAGE I. |
| rosenbachiana | SPINSTER I. |
| saari (<i>lupina; manissadjana; sari</i>) | |
| | SAR IRIS |
| <i>—nazarensis</i> | <i>I. bismarckiana</i> |
| <i>sanguinea</i> Cy-Ag | <i>I. orientalis</i> |
| <i>scorpioides</i> | <i>I. alata</i> |
| <i>setosa</i> | ARCTIC IRIS |
| <i>sibirica</i> | SIBERIAN I. |
| <i>sindjarensis</i> | ALEppo I. |
| <i>sisyrinchium</i> | MORAEA I. |
| <i>sofarana</i> | SOFAR I. |
| <i>—magnifica</i> | KARTABA I. |
| <i>spectabilis</i> | <i>I. xiphium</i> |

The name *I. spectabilis* has also been misapplied to *I. germanica*.

IRIS, continued

| | |
|---|-------------------------|
| spuria | SEASHORE IRIS |
| stolonifera (<i>leichlini; vaga</i>) | RUNNER I. |
| <i>stylosa</i> | <i>I. unguicularis</i> |
| <i>susiana</i> | MOURNING IRIS |
| <i>tectorum</i> (<i>fimbriata; tomiolopha</i>) | ROOF I. |
| <i>tenax</i> | OREGON I. |
| <i>tingitana</i> | MOROCCO I. |
| <i>tolmieana</i> | <i>I. missouriensis</i> |
| <i>tomiolopha</i> | <i>I. tectorum</i> |
| <i>trojana</i> | TROJAN IRIS |
| In the trade often confused with <i>I. cypriana</i> . | |
| unguicularis (<i>cretensis; stylosa</i>) | ALGERIAN IRIS |
| <i>vaga</i> | <i>I. stolonifera</i> |
| <i>variegata</i> | HUNGARIAN IRIS |
| <i>vartani</i> | CHRISTMAS I. |
| <i>verna</i> | VERNAL I. |
| <i>versicolor</i> (<i>virginica</i>) | BLUEFLAG I. |
| <i>violacea</i> | <i>I. germanica</i> |
| <i>virginica</i> | <i>I. versicolor</i> |
| <i>vulgaris</i> | <i>I. germanica</i> |
| <i>willmottiana</i> | WILLMOTT IRIS |
| <i>wilsoni</i> | WILSON I. |
| <i>xiphoides</i> | ENGLISH I. |
| <i>xiphium</i> (<i>hispanica; spectabilis</i>) | SPANISH I. |

Hort. var. of Iris:

Because of the large number of horticultural varieties of Iris the hort. var. list and the common-name list have been combined in the special list following.

IRIS Iris

STATEMENT OF THE AMERICAN
JOINT COMMITTEE

The Iris List, edited by John C. Wister, was distributed in 1922 by the American Iris Society as Bulletin No. 4, in advance of the publication of Standardized Plant Names.

In that Bulletin the Iris names were separated into the groups or sections, with no less than twelve separate alphabetical lists. To the specialist or Iris devotee, this arrangement has obvious advantages. But it is a departure from the simple general rule established by the Joint Committee for Standardized Plant Names, namely, that each name list should be arranged in one alphabetical series. [Any other arrangement for even a single list would at times] leave the user of this book

IRIS, continued

in uncertainty where to look for names, were they separated into special sections, whether for botanical, horticultural, or commercial reasons.

Therefore, with the consent of the American Iris Society, the American Joint Committee has rearranged the Iris List to conform to the alphabetical standard, and has revised the abbreviations. These follow each name (where the classification is known), so that each variety is readily referable to the special group or section to which it belongs.

One of the most serious difficulties the American Joint Committee has had to encounter is the duplication of names caused by the re-use of established names for new introductions, or, in some cases, the renaming of old varieties; in fact, these mischievous practices have caused a large part of the chaos in common names of plants which now exists in American horticulture. The duplications doubtless occur more as a result of ignorance than deliberate intent to deceive. The results, however, are pernicious, for the confusion increases yearly. The genus Iris is a conspicuous example of this bad practice. Therefore, to conform to the established and salutary rule of the American Joint Committee, it has been necessary either to omit such duplicated names or to print them in *italics* as unaccepted names. The American Iris Society has agreed to this procedure.

The Subcommittee of the American Joint Committee who edited this Iris manuscript wishes to go on record as of the belief that the use of many names in this Iris list, particularly Latin binomials and trinomials, which the American Iris Society insisted should be adopted as common names, could often have been replaced advantageously by more suitable English common names. For illustration a single example suffices: *PSEUDACORUS FOLIS VARIEGATIS* for which the Subcommittee preferred the name *VARIEGATED YELLOFLAG*, Yellowflag Iris being the common name of the species *Iris pseudacorus*.

AMERICAN JOINT COMMITTEE ON
HORTICULTURAL NOMENCLATURE
HARLAN P. KELSEY, *Secretary.*

STATEMENT OF THE AMERICAN
IRIS SOCIETY

This list includes, as far as possible, all species and varieties now in American commerce, usually classed under three main groups: Group I, Bearded Iris (*Pogoniris*); Group II, Beardless Iris (*Apogon*) and Crested Iris (*Evansia*); Group III, Bulbous and Miscellaneous

IRIS, continued

Iris; because these groups are distinct both botanically and horticulturally. These names are taken from the Check-List of the American Iris Society, seventh revision, December, 1921, with additions and corrections up to January, 1923, which gives all species and varieties that have been introduced into American commerce. For use in Standardized Plant Names this complete list has been shortened by omitting varieties now believed to be obsolete. Except for this omission, Group I is believed to be fairly complete. Many names have been shortened and a few have been changed to conform to the American Joint Committee's principles of nomenclature. Group II, especially as regards Japanese Iris (*Iris kaempferi* varieties), is not as complete as Group I. The present chaos in the nomenclature of these varieties is due to (1) the carelessness or unscrupulousness of certain Japanese nurserymen in sending out varieties incorrectly labeled; (2) the difficulty of spelling Japanese names; (3) the different translations of Japanese names in Europe and America; and (4) the common practice of rechristening Japanese varieties in Europe and America. To obviate the difficulties outlined in (2) the American Iris Society has authorized the registration of the names as translated in the present list. The names mentioned in (4) cannot be accepted because they differ in almost every nursery. Group III is far from complete.

The name of the originator and the date of introduction are given in parentheses where these facts have been ascertained. Sources of information are believed to be accurate but are not guaranteed.

EXPLANATION OF IRIS
CLASSIFICATION

The Irises in this list may be referred to three main groups, divided into twenty-one sections as follows:

GROUP I.

BEARDED IRIS (*POGONIRIS*)

This group, commonly but erroneously known as German Iris, comprises the well-known garden Irises derived from species from southern Europe and Asia Minor, some of them known in cultivation for more than two hundred years. The distinguishing characteristics are (1) the conspicuous beard on the lower petal, or fall; (2) a root which is a rhizome and which will stand long exposure to air and drought without injury, after the manner of bulbs. The plants of this group need well-drained soil and sunny exposure.

IRIS, continued*Classification and Abbreviations*

DB. Dwarf Bearded Section. Species, forms and hybrids of *Iris pumila*, *chamaeiris*, *aphylla*, and other dwarf species.

IB. Intermediate Bearded Section. Hybrids between the Dwarf Bearded varieties mentioned above and the Tall Bearded varieties mentioned below, as well as some miscellaneous varieties, which are usually classed with them.

TB. Tall Bearded Section. Species, forms, and hybrids of *Iris germanica*, *pallida*, *variegata*, *trojana*, *cypriana*, and other tall species.

MB. Miscellaneous Bearded Section. Hybrids between the species of the sections *Oncocyclus*, *Regelia*, and *Evansia*, and species of the group *Pogoniris*. It includes also miscellaneous kinds that do not readily fall into the other sections.

GROUP II. BEARLESS IRIS (APOGON) AND CRESTED IRIS (EVANSIA)

This group is derived from species from Europe, Asia, and America, which, as a rule, prefer moist soils. The root is a rhizome, but fibrous, and, like most herbaceous plants, will not stand long exposure to air and drought. The leaves are more grass-like than those of *Pogoniris*, while the flower, as is indicated by the name, lacks the beard on the fall of the *Pogoniris* varieties.

Classification and Abbreviations

Cal. California Section

Ev. Evansia Section.

Hex. Hexagona Section.

Jap. Kaempferi Section.

Laev. Laevigata Section.

Long. Longipetala Section.

Sib. Sibirica Section.

Spur. Spuria Section.

Ver. Versicolor Section.

GROUP III. BULBOUS AND MISCELLANEOUS IRIS

Under this heading are grouped, in a partial list, bulbous and other varieties commonly grown in Europe, but usually not yet obtainable in American nurseries.

Classification and Abbreviations

Dut. *Xiphium hybridum*, Dutch Iris Section

Eng. *Xiphioides*, English Iris Section

Jun. Juno Section

Onc. *Oncocyclus* Section

IRIS, continued

Reg. *Regelia* Section

RC. *Regelio-Cyclus* Section

Ret. Reticulata Section

Span. *Xiphium*, Spanish Iris Section

ABBREVIATIONS OF IRIS SECTIONS IN ALPHABETICAL SEQUENCE

Cal. California

DB. Dwarf Bearded

Dut. *Xiphium hybridum*, Dutch

Eng. *Xiphioides*, English

Ev. *Evansia*

Hex. Hexagona

IB. Intermediate Bearded

Jap. Kaempferi

Jun. Juno

Laev. Laevigata

Long. Longipetala

MB. Miscellaneous Bearded

Onc. *Oncocyclus*

RC. *Regelio-Cyclus*

Reg. *Regelia*

Ret. Reticulata

Sib. *Sibirica*

Span. *Xiphium*, Spanish

Spur. Spuria

TB. Tall Bearded

Ver. Versicolor

Names have been shortened where possible; therefore names usually catalogued as beginning with the word *albicans*, *aphylla*, *balceng*, *biflora*, *cengialti*, *chamaeiris*, *cypriana*, *flavescens*, *germanica*, *kashmiriana*, *lutescens*, *olbiensis*, *pallida*, *pumila*, *sambucina*, *squalens*, *trojana*, *variegata*, *Comte*, *Contesse*, Count, Countess, Die, Duc, Duchesse, Duke, Duchess, General, King, L', La, Le, Les, Lady, Lord, Mlle., Miss, Monsieur, Mr., President, Prince, Princess, Queen, Reine, Roi, Sir, Souvenir, The, and Viscount, and not found with these prefixes, should be sought in the alphabetical position of the second word in the old name.

Many names are printed in *synonym* type with no recommended name. This indicates that no authority for the use of this name has been found and that it is believed to be an old variety renamed, and that absolute identification is not possible at the present time, but it is hoped such identification can be given in the next edition of the list.

SPECIAL NOTE

It is realized that this list contains errors and omissions, and all persons receiving it are requested to check it over carefully and to send corrections or additions to the editor, so that a more authentic list can be published in the future. The names of species in black

IRIS, continued

type, and of varieties in small capitals, have been accepted and given registration of name by the American Iris Society and by the American Joint Committee on Horticultural Nomenclature. No objection to the registration of any of the species or varieties in the list will be considered unless made within two months of the date of publication. Correspondence relating to this Iris List should be addressed to John C. Wister, Editor, Wister Street and Clarkson Avenue, Germantown, Philadelphia, Pa.

AMERICAN IRIS SOCIETY
JOHN C. WISTER, President.

ABBREVIATIONS OF NAMES
OF ORIGINATORS

| | |
|---------|---|
| Ald. | Mrs. Ethel Aldrich, Independence, Mo. |
| And. | D. M. Andrews, Boulder, Colo. |
| Barr | Peter Barr & Sons, London, England. (Beginning about 1870.) |
| Berg | E. von Berg, Neuenkirche, Mecklenburg-Strelitz, Germany. (1782-1855.) |
| Bliss | A. J. Bliss, Morwellham, Tavistock, Devon, England. |
| B. & A. | Bobbink & Atkins, Rutherford, N. J. |
| Bod. | Mrs. Temple Bodley, Louisville, Ky. |
| Bral. | Floyd Brallior, Madison, Tenn. |
| Bran. | Mrs. J. Branin, San Lorenzo, Calif. |
| Bun. | George Bunyard, Maidstone, England. |
| Bur. | Sam Burchfield, Ann Arbor, Mich. |
| Cap. | W. J. Caparne, Rohais, Guernsey, England. |
| Cay. | Cayeux & Leclerc, Paris, France. |
| Cham. | Champe Nurseries, Walled Lake, Mich. |
| Chi. | John Lewis Childs, Flowerfield, L. I., N. Y. |
| Clev. | Mrs. Frances E. Cleveland, Eatontown, N. J. |
| Craw. | Mrs. William Crawford, La Porte, Ind. |
| Dan. | H. L. Danenhauer, Mays Landing, N. J. |
| De B. | De Bure, Paris, France. (1842). |
| Dean | Mrs. J. Dean, Moneta, Calif. |
| De G. | De Graf, Leiden, Holland. |
| Den. | F. Denis, Balaruc-les-Bains, Herault, France. |
| Dun. | Eugene M. Dunphe, Elmwood, Mass. |
| Dutch | Indicates synonym of various Dutch nurserymen. |

IRIS, continued

| | |
|---------|--|
| Dykes | W. R. Dykes, R. H. S., Vincent Square, Westminster, London, Eng. |
| Elm | Elm City Nurseries, New Haven, Conn. |
| Farr | B. H. Farr, Wyomissing, Pa. |
| Fos. | Sir Michael Foster, Shelford, Cambridge, England. (1836-1907.) |
| Fry. | W. E. Fryer, Mantorville, Minn. |
| Gey. | Geylenkek, Hillegom, Holland. |
| G. & K. | Goos & Koennemann, Niederrhein, Germany. |
| Gros. | H. W. Groschner, Napoleon, Ohio. |
| H. & S. | Haage & Schmidt, Erfurt, Germany. (Beginning about 1870.) |
| Hal. | V. H. Hallock, Son & Thorpe, Queens, L. I., N. Y. (Before 1893.) |
| Hall | C. H. Hall, Wexford, Pa. |
| Hitch. | Mrs. L. W. Hitchcock, New Rochelle, N. Y. |
| Hor. | Sir Arthur Hort, Hurstbourne Tarrant, Hants, England. |
| Jack. | R. T. Jackson, Peterboro, N. H. |
| Jacobs | Mrs. M. W. Jacobs, Harrisburg, Pa. |
| Jacq. | Jacques, Royal Neuilly Domain, Vellers, near Paris, France. (1780-1866.) |
| Junge | Heinrich Junge, Hameln, Hanover, Germany. (Before 1906.) |
| Ken. | A. Kennicott, near Chicago, Ill. (1880-1900.) |
| Keng. | T. A. Kenning, Minneapolis, Minn. |
| Koeh. | Frank Koehler, Camden, N. J. |
| Koh. | Martin Kohankie, Painesville, Ohio. |
| Krel. | Krelage & Son, Haarlem, Holland. (Beginning about 1870.) |
| Leich. | Max Leichtlin, Baden-Baden, Germany. |
| Lmn. | Lemon, Belleville, France. (About 1836-95.) |
| Loat | W. L. S. Loat, Gulworthy, Tavistock, Devon, England. |
| Mar. | J. W. Marshall, Guenelle, Plaistow, Sussex, England. |
| McK. | Mrs. C. S. McKinney, Madison, N. J. |
| Mil. | Millet & Fils, Bourg-la-Reine, Seine, France. |
| Mohr | Wm. Mohr, Mt. Eden, Calif. |
| Mor. | B. Y. Morrison, Takoma Park, Washington, D. C. |
| Mul. | G. Muller, Connern, Germany. (About 1910.) |
| Neely | J. H. Neely, Paulding, Ohio. |
| Non. | August Nonin, Chatillon-sous-Bagneux, Seine, France. |
| N. | Following introducer means not yet introduced into commerce. |

IRIS, continued

- Park. Robert Parker, Tooting, England.
 Parm. Parmentier, Belgium. (About 1830.)
 Per. Amos Perry, Enfield, Middlesex, England.
 Pet. Wm. A. Peterson, Chicago, Ill.
 Riis Paul B. Riis, Rockford, Ill.
 Sal. John Salter, Hammersmith, England. (1798-1879.)
 Sass H. P. Sass, Omaha, Neb.
 Saun. A. P. Saunders, Clinton, N. Y.
 Scott A. H. Scott, Media, Pa.
 Shull J. M. Shull, Chevy Chase, Md.
 Sieb. Major van Siebold, Holland. (About 1860.)
 Sim. H. P. Simpson, Roslyn, Va.
 Smith T. Smith, Newry, Ireland.
 Sturt. Miss Grace Sturtevant, Wellesley Farms, Mass.
 Thom. Frank M. Thomas, West Chester, Pa. (—1918.)
 Thun. Carl Peter Thunberg, Sweden. (1733-1822.)
 Trax. C. J. Traxler, Minneapolis, Minn.
 Tut. G. B. Tuthill, Sioux Falls, S. Dak.
 Van T. C. G. Van Tubergen, Jr., Haarlem, Holland.
 Vaug. Vaughan Seed Store, Chicago, Ill.
 Verd. Eugene Verdier, France (—1902.)
 V.Verd. Victor Verdier, France.
 Vilm. Vilimorin, Andrieux, & Cie, Paris, France.
 Wal. R. W. Wallace, Tunbridge Wells, England.
 Ware T. S. Ware, Tottenham (afterwards Fetham), England.
 Weir Harrison Weir, England. (About 1890.)
 Wet. C. N. Wet tengel, Macomb, Ill.
 Will. Miss Ellen Willmott, Great Warley, England.
 Wing Wing Seed Company, Mechanicsburg, Ohio.
 Wmsn. E. B. Williamson, Bluffton, Ind.
 Yeld George Yeld, York, England.

- Ab-del-Kader; Abel-Kaver.* SAM-BUCINA.
Abdul Aziz. TB. (1876.)
Abeille Merveilleuse. CAPRICE.
ABU HASSAN. TB. (Sal. before 1859.)
ACHILLE. Jap. (Vilm. 1901.)
ACQUACKANONK. TB. (B. & A. 1917.)
ACUTA. Sib. (1876.)
Ada. TB. (1887.)
ADELAIDE. DB. (Cap. 1901.)
ADMIRAL TOGO. Span.
Admiral Togo. TB.

IRIS, continued

- ADMIRATION. TB.
Admiration. Jap.
 ADONIS. TB. (Lmn. 1840.)
Adonis. Eng.
Adr. Van de Velde. VAN DE VELDE.
 A. E. KUNDERD. TB. (Fry. 1917.)
 A. F. BARRON. TB. (1876.)
 AFFECTION. Jap. *Sofu-no-koi*—Love of husband.
 AFGHAN. TB. (Bliss N.)
Africain. BOCCAGE.
 AFTERGLOW. TB. (Sturt. 1917.)
Agamemnon. AGNES.
 AGATHE. TB. (Lmn. 1840.)
 AGNES. TB. (Dutch 1888.) *Agamemnon.*
Agnes Sorrel. LAVANDULACEA.
Aika. TB.
 AIRSHIP. Jap. (Chi.)
 AIXA. TB. (Lmn. 1848.)
 A. J. BALFOUR. Spur. (1899.)
 AKSARBEN. TB. (Sass 1923.)
alata. Jun. *Scorpioides.* SCORPION I.
Alba. See germanica, pumila, chamaeiris, spuria, etc.
 ALBA GRANDIFLORA. Sib.
Alba odorata. FLORENTINA.
Alban Francois. ROLLANDIANA.
Albatross. TB.
 ALBERT CUYP. Dut. (Van T.)
 ALBERT VICTOR. TB. (1885.)
albicans. TB. *Princess of Wales; Emma.* YEMEN I.
 The name *I. florentina* is often misapplied to this species.
 ALBION. TB. (Lmn. 1840.)
 ALCAZAR. TB. (Vilm. 1910.)
 ALCIBIADES. TB. (Cay. N.)
ALCYON. TB. (Cay. N.)
 ALEPPO I. Jun. *I. sindjarensis.*
 ALETHA. TB. (Farr 1913.)
 ALEXANDER VON HUMBOLDT. Jap. (Sieb. about 1860.)
Alex. von Humboldt. Span.
Alexander von Humboldt. ATTRACTION.
 ALFRED FIDDLER. TB. (1876.)
 ALGERIAN I. *I. unguicularis.*
 ALICE. TB. (Lmn. before 1858.)
 ALICE BARR. TB. (Barr 1876.)
 ALICE EASTWOOD. Spur. (Bran. N.)

IRIS, continued

- ALICE H. BAYNE. TB. (Dun. 1921.)
Alida. Jap.
 ALLEGRIA. MB. (Den. N.)
 ALLIES. TB. (Vilm. N.)
 ALMA. TB. (Bliss N.)
 ALMONA. Eng.
 ALPHONSE GERARD. TB. (Den. 1911.)
 ALPIN. DB. (Mil. 1916.)
A. L. Sherwood. Jap.
 ALTAMONT. Jap. (Hal.)
 ALVARES. TB. (Lmn. 1855-58.)
 AMABILIS. TB. (Lmn. 1840.) *Chalcedonica; Gen. de Witte; Johan de Witte; Johan de Worth; Juliette; Laura; Lord Derby; Mrs. Charles Wheeler.*
 AMAS. TB. (Col. by Fos. 1885.)
Amasia; Macrantha; William III; William Tell.
 A. M. BRAND. TB. (Fry. 1919.)
 AMBASSADEUR. TB. (Vilm. 1920.)
 AMBIGU. TB. (Vilm. 1916.)
 AMBROSE WISEMAN. TB. (Per. 1921?.)
 AMELIE. TB. (Lmn. 1840.)
American Black Prince. KOCHI.
 AMETHYST. Jap. (Chi.)
 AMIE. TB. (Mil. 1912.) *Souv. d'Une Amie.*
 AMPHITRITE. Jap. (Vilm. 1904.)
 AMULET. TB. (Bliss N.)
 AMYAS LEIGH. TB. (Bliss N.)
 ANDROMACHE. RC. (Van T.)
 ANDRASSY. DB. (Barr 1893.)
Pumila Count Andrassy.
 ANDRÉE AUTISSIER. TB. (Den. 1921.)
Anemopsis. MB. (Fos. 1905.)
 ANGELO. TB. (Hor. 1920.)
 ANGELS DEN. Jap. *Senjo-no-hora.*
Anglica. I. *xiphoides.*
 ANGRY LION. Jap. *Shishi-ikare.*
 ANN PAGE. TB. (Hor. 1919.)
 ANNA. Eng.
 ANNA FARR. TB. (Farr 1913.)
 ANNE BULLEN. TB. (Hor. 1922.)
 ANNE LESLIE. TB. (Sturt. 1918.)
Annie Gray. HER MAJESTY.
 ANNIE JANE. TB. (Before 1859.)
 ANTARES. TB. (Vilm. N.)
Antelope. Jap. (Named by Hal.)

IRIS, continued

- ANTINEA. MB. (Den. N.)
 ANTINOUS. TB. (Lmn. 1840.) *Antonius.*
 ANTON MAUVE. Dut. (Van T.)
 ANTONIO. TB. (Hor. 1921.)
Antonius. ANTINOUS.
 APACHE. TB. (Farr N.)
 APHRODITE. TB. (Dykes 1922.)
Aphrodite. Jap.
aphylla. DB. *Biflora; Nudicaulis.*
 STOOL I.
 APOLLO. Jap. (Hal. about 1885.)
 APOLLON. TB. (Lmn. 1840.) *Apollo; Appoline; Appolyon; Arelequin; President.*
 APPLEBLOSSOM. Jap. (Hal. about 1885.)
Appoline; Appolyon. APOLLON.
 ARABESQUE. TB. (Sturt. 1918-20)
Arabi Pasha. BRONZE KING.
 ARAC. TB. (Yeld before 1911.)
 ARAGON. TB. (Bliss 1921.)
 ARAMIS. DB. (Mil. 189-.)
 ARAPAHOE. TB. (Wet. N.)
Araragar. Jap.
Arc-en-ciel. SAMBUCINA.
 ARCADIA. RC.
Archbishop. ARCHEVEQUE.
 ARCHEVEQUE. TB. (Vilm. 1911.)
Archbishop.
 ARCTIC I. I. *setosa.*
Ardenta. TB.
Arenaria. I. *flavissima.*
 ARETHUSA. TB. (Sturt. 1920.)
 ARGENTEA. TB. *Pallida argentea variegata.*
Argentea. Eng.
 ARGONAUT. TB. (Bliss 1920.)
 ARGUS. TB. (1877.)
 ARIADNE. TB. (Dykes 1921.)
Ariadne. Eng.
 ARIAKE. Jap. *Morning Moon.*
 ARIANE. TB. (Lmn. 1855-58.)
Ariane. EUGENE SUE.
 ARISTOCRAT. TB. (Clev. 1920.)
Arlequin. APOLLON.
 ARLEQUIN MALINAIS. TB. (Lmn. 1840.) *Duchess de Magenta; Gambetta; Harlequin Malinois.*
 ARLINGTON. TB. (Sim. N.)
 ARMAND CLAVAUD. TB. (Den. 1919.)

| | |
|---|--|
| IRIS, continued | IRIS, continued |
| ARMEE D'ORIENT. DB. (Mil. 1919.) | AUREA. TB. (Jacq. 1830.) <i>Aurora; Californica; Canary Bird; Stump; Yellow Perfection; Augustissima; Loie Fuller.</i> |
| ARMENIAN. TB. (Mil. 191-.) | See also <i>chamaeiris</i> and <i>pumila</i> . |
| ARNOLS. TB. (Barr 1874.) <i>Arnold; Arnoldi.</i> | Aurea. SPURIA AUREA. |
| Arsace. TB. (Mil. 1913.) | AUREA MACULATA. DB. <i>Chamaeiris aurea maculata.</i> |
| ARTAXERXES. TB. (1919.) | AUREOLA. DB. (Cap. 1901.) |
| ARTEMIS. RC. | Aureole. HONORABILE. |
| ARTILLEUR. TB. (Vilm. N.) | AURORA. TB. (Yeld 1909.) |
| <i>Asagasumi.</i> MORNING MISTS. | Aurora. AUREA. |
| <i>Asaurez.</i> ASSUERUS. | AUSTIN. TB. (Den. 1923.) <i>M. Austin. Australis.</i> TB. |
| ASIA. TB. (Yeld 1920.) | AUTOCRAT. TB. (Clev. 1920.) |
| <i>Asiatica.</i> TB. | AVALANCHE. TB. |
| Mixed with Amas, I. <i>cypriana</i> , Fontarabie, Kharput, I. <i>trojana</i> . | Avalanche. Span. |
| Askabad. TB. | avalon. TB. (Sturt. 1918.) |
| ASPASIA. RC. (Van T.) | AVENIR. TB. (1873.) <i>L'Avenir.</i> |
| ASPASIE. Jap. (Vilm. 1905.) | AVIATOR. TB. (Per. 1919.) |
| ASSUERUS. TB. (Lmn.) <i>Asaurez; Assaurus; Ruby.</i> | AVICE. TB. (Bliss N.) |
| ASSYRIAN. Jun. <i>Sindjarensis assyriaca.</i> | A. W. BLAKELY. TB. (Fry. 1917.) |
| Assyrian. TB. (Bliss 1919.) | A. W. LATHAM. TB. (Fry. 1919.) |
| ASTARTE. TB. (Sal. before 1859.) | AYACANORA. TB. (Bliss N.) |
| <i>Astarte.</i> Jap. (1884.) | AYASE. Jap. <i>Ayase-gawa—Ayase River.</i> |
| <i>Astarte.</i> RC. (Van T.) | AYMARD. TB. (Den. 1911.) <i>M. Aymard.</i> |
| ASTOR. TB. (Bliss N.) | AZRAEL. TB. (Mor. N.) |
| <i>Astrea violacea.</i> ATROVIOLACEA. | AZURE. TB. (Bliss 1918.) |
| ASTRELLA. TB. (Mor. N.) | Azure. Jap. (Chi. 1919.) |
| ATHALIA. Span. | AZUREA. DB. <i>Pumila azurea; Pumila caerulea.</i> |
| ATHENE. TB. (Sturt. 1920.) | BABYLON. Jap. (Hal.) |
| ATLAS. TB. (Mil. 191-.) | BAGDAD. TB. (Bliss N.) |
| <i>Atrocaerulea.</i> TB. | BAKER I. Ret. <i>I. bakeriana.</i> |
| <i>atrofusca.</i> Onc. <i>Haynei.</i> BLACK I. | bakeriana. Ret. BAKER I. |
| <i>atropurpurea.</i> Onc. <i>Eggeri.</i> BLACK-PURPLE I. | BAKKER KORF. Dut. (Van T.) |
| <i>Atropurpurea.</i> Sib. (1876.) | BALARUC. TB. (Den. 1922.) |
| <i>Atropurpurea.</i> SPECIOSA; PURPLE KING. | BALBOA. TB. (Mohr N.) |
| ATROVIOLACEA. TB. (Sal. before 1859.) <i>Astrea violacea.</i> | Balceeng varieties. |
| <i>Atrovilacea.</i> PUMILA ATROVIOLACEA. | See BLUE BEARD, CURIOSITY, HARLEQUIN, MISS OWEN, MISS WHITE. |
| ATTICA. DB. <i>Pumila attica.</i> | BALDUR. TB. (Mor. N. 1923.) |
| ATTRACTION. TB. (1885.) <i>Alexander von Humboldt; Garrick; H. Cramer; Heteranth; King of Blues; Rutherford; Sir Robert Peel.</i> | BALKAN I. DB. <i>I. reichenbachi.</i> |
| AUBURN. TB. (Bliss 1921.) | BALKANA. DB. (1878.) |
| <i>Augustissima.</i> AUREA. | BALLANTRAE. TB. (Bliss N.) |
| AUNT RACHEL. TB. (Fry. 1919.) | BALLERINE. TB. (Vilm. 1920.) |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

IRIS, continued

Bandai-no-nami. EVERLASTING WAVES.
BARBARA. (Fos. 1913.)
Barbara. BARBARA PERRY.
 BARBARA PERRY (A. I. S. name). DB. (Per. 1903.) *Barbara.*
 BARCELONA. TB. (Bliss N.)
Bariensis. BURIENSIS.
Bariensis Elizabeth. BURIENSIS ELIZABETH.
 BARNUM I. Onc. I. barnumae.
barnumae. Onc. BARNUM I.
barnumae mariae. Onc. *Helenea; Mariae.* MARY I.
 BARONET. TB. (Sturt. 1920.)
 BARRELANE. TB. (Sturt. 1921.)
 BARTON HARRINGTON. TB. (Fry. 1919.)
 BASHI-BAZOUK. TB. (Sturt. 1919.)
 BAXTER. TB. *Flavescens baxteri; Mr. Baxter.*
 BAXTERI. Sib.
Bazain. BELLE BRUNETTE.
Beaconsfield. BOSSET.
 BEATRICE. DB. (Cap. 1901.)
 BEATRIX. RC. (Van T.)
 BEAUREGARD. TB. (1868.) *Jean Bart.*
Beauty. TB. (1876.)
Beauty. Span.
Beauty. CHILDS BEAUTY.
Beauty. PERRY BEAUTY.
 BEETHOVEN. TB. (1887.) *Miss Brough; Sambucina Beethoven.*
 BELCOLOR. TB. (Den. 1910.)
 BELGICA. TB. (Parm. 1830.)
 BELISAIRE. TB. (Cay. N.)
 BELLADONNA. TB. (Koeh. 1922.)
 BELLE AGATHE. Eng.
Belle Brunette. Span. *Bazain.*
Belle Chatelaine. TB.
 BELLE CHINOIS. Span. *Golden King; Golden Prince.*
 BELLE HELENE. Eng.
Belle Hortense. BURIENSIS.
Belle Nantaise. TB. (1892.)
 BENACENSIS. DB. *Aphylla benacensis.*
 BENBOW. TB. (Bliss 1917.)
 BENEDICK. TB. (Hor. N.)

IRIS, continued

BENONI. TB. (Per. 1921?)
 BENRIMO. TB. (Per. N.)
 BERCHTA. TB. (G. & K. before 1909.)
 BERCKHEYDEN. Dut. (Van T.)
 BERENGARIA. TB. (Bliss N.)
 BERENICE. TB. (Bliss N.)
 BERGI. TB. (1839.) *Variegata de Berghi; Bergiana; Robert Burns.*
 BERKHEIMER. Dut.
Berlin. TB. OTHELLO.
 BERLIOZ. DB. (Cap. 1901.)
Bertha Sacavin. SULTANE.
 BERTRAND. TB. (Bliss 1920.)
 BERYL. TB. (Bliss N.)
 BESSIE. TB. (Fry. 1920.) *Miss Bessie.*
Bessie. TB.
 BETH HALLOCK. Jap. (Hal.)
 BETSY PRESBY. DB. (Fry. 1919.) *Miss Betsy Presby.*
 BETTIE PHILLIPS. TB. (Fry. N.)
 BIANCA. TB. (Mil. 1912.)
Bianca. MERCUTIO.
Biflora. I. *aphylla.*
Biflora maculata. MACULATA.
 BIG BEN. TB. (Fry. N.)
 BIGOTONI. TB. (Lmn. 1840.) *Bigonite.*
biliotti. PHRYGIAN I.
 BISMARCK. TB. (Dutch 1888.)
bismarckiana. Onc. *Saari nazarensis* PALESTINE I.
 BLACK I. Onc. I. atrofusca.
Black Knight. BLACK PRINCE.
 BLACK MIDGET. DB. (McK. 1923.)
 BLACK PRINCE. TB. (Per. 1900.) *Black Knight.*
 Black Prince is often sold erroneously under the name Early Purple, Florentina Blue, Kochi, Liberia, Midnight, and Parisiensis.
 BLACKPURPLE I. Onc. I. *atropurpurea.*
Blanche. BOLINGBROKE.
 BLANCHE FLEUR. Span. *Snowball.*
BLANCHE SUPERBE. Span.
 BLEU AIMABLE. Eng.
Bleu Parfleur. GISELE.
 BLOOMER. Dut.

IRIS, continued

bloudowi. MB. TURKESTAN I.
BLUE BEARD. DB. (Per. 1903.)
Balceng Blue Beard.

Blue Beard. Jap.

BLUE BEAUTY. Ver.

BLUE BIRD. TB. (Bliss 1919.)

Blue Bird. Jap. (Hal.)

Blue Bird. I. germanica.

BLUE BOY. IB. (Fos. 1913.)

BLUE BULB. Jun. *Orchiodes caerulea.*

BLUE CELESTE. Eng.

BLUE DANUBE. Jap. (Hal.)

BLUE GLORY. TB. (Fry. 1919.)

BLUE JAY. TB. (Farr 1913.)

Blue Jay. Jap. (Named by Hal.)

BLUE KING. Sib. (Col. by Barr.)

BLUE LAGOON. TB. (Bliss 1919.)

BLUE QUEEN. TB. (Krel. N.)

Queen of the Blues.

Blue Sky. TB. (1885.)

Blue Standard. STANDARD.

BLUEBELLS. TB. (McK. N.)

BLUEFLAG I. Laev. I. versicolor.

BLUESTONE. DB. (Per. 1903.)

BLUET. TB. (Sturt. 1918.)

BLUEWINGS. Jap. (Chi.)

BLUMEI. Jap. (Sieb. 1865.)

BLUSH WHITE. Sib. (Per.)

BLUSHING EMPRESS. Jap.

BOBS. DB. (Per. 1903.)

BOCCAGE. TB. (Lmn. 1840.) *Afri-*
cain; Garibaldi; Kitty Kingsbury.

BOISMILON. TB. (Lmn. 1840.)
Bois-Milon; De Bois-Milon; Du
Bois de Milan.

boissieri. Span. *Heterophylla. YEL-*
LOWBEARD I.

BOKHARA I. Jun. I. bucharica.

BOLINGBROKE. TB. (Hor. N.) *Blanche.*

BORDER. DB. (Fry. 1919.)

Bornmulleri. I. danfordiae.

Bosniaca. I. reichenbachi.

BOSNIAMAC. IB. (Will. about 1905.)

BOSSET. TB. (Verd. 1860.) *Beacons-*
field; Lord Beaconsfield.

BOSSY. TB. (Per. 1918.)

Bougainville. MALVINA.

BOUNDLESS SEA. Jap. *Yomo-no-*
umi.

BOUVET. DB. (Mil. 1919.) *Le*
Bouvet

IRIS, continued

BOYER. TB. (Den. 1913.) *M. Boyer*

BRABANT. TB. (Sal. before 1859.)

Duc de Brabant; Viscount de Bra-
bant.

Brachycupis. TB.

bracteata. Cal. BRACTED I.

BRACTED I. Cal. I. bracteata.

BRANDYWINE. TB. (Farr 1920.)

BRAUTJUNGFER. DB. *Bridesmaid.*

BREITNER. Dut.

BRIDE. DB. (Cap. 1901.) *The Bride;*
Die Braut.

BRIDESMAID. TB. (Sal. 1859.)

Mixed with Edina and Tendresse.

Bridesmaid. BRAUTJUNGFER.

BRIJET. Dut.

Brilliant. HONORABILE.

BRILLIANT COLORS. Jap. Kokonoiro.

BRIONENSE. TB.

BRITANNICUS. TB. (1864.) *Bri-*
ttania.

BRITISH QUEEN. Span.

Bronze Age. TB.

Bronze Beauty. TB. (1884.)

BRONZE KING. Span. *Bronze Queen;*
Arabi Pasha.

Bronze Queen. BRONZE KING.

BROOKLYN. TB. *Gen. de Witte;*
Johan de Worth; Surprise.

Brookiana. QUEEN OF MAY.

Bruiensis. BURIENSIS.

BRUNETTE. IB. (Cap. 1901.)

BRUN. TB. (Den. 1922.)

BRUNO. TB. (Bliss 1922.)

Bu-o-gun. EMPEROR BU.

bucharica. Jun. BOKHARA I.

BULB I. Jun. I. orchioides.

bulleyana. Sib. HOLLOWSTEM I.

Burgos. DB.

BURIENSIS. TB. (DeB. 1820.) *Bari-*
ensis; Belle Hortense; Bruiensis.

BURIENSIS ELIZABETH. TB. *Barien-*
sis Elizabeth; Elizabeth.

BUTTERFLY. Sib. (Clev. 1920.) *Mme.*
Butterfly.

Butterfly. DB.

B. Y. MORRISON. TB. (Sturt. 1918.)

CABANES. TB. (Den. N.) M.
Cabanès.

caerulea. Jun. Coerulea. WHITE-
 EDGE I.

IRIS, continued

CAJANUS. Span. MOUCHE D'OR;
SWEBITON.
CALIBAN. TB. (Hor. N.)
California. Span.
Californica. I. *macrosiphon*.
Californica. AUREA.
CALYPSO. TB. (Lmn. 1840.)
Calypso. RC.
CAMELEON. TB. (Lmn. 1840.) *Chameleon*; *Mathiola*; *William Wallace*.
CAMELLIA. TB. (Fry. 1919.)
Camellia. MRS. HORACE DARWIN.
CAMELOT. TB. (Bliss 1918.)
CANARI. Spur. (Mil.)
CANARY BIRD. DB. (Per.)
Canary Bird. AUREA; *FLAVESCENS*.
CANDELABRE. TB. (Vilm. 1911.)
Candicans. TB. LAVANDULACEA.
CANDIDA. TB. (1854.)
See also NOVA CANDIDA.
CANOPUS. TB. (Bliss 1919.)
CANTAB. Span.
Cantab. Dut.
C. A. PFEIFFER. TB. (Fry. 1919.)
CAPORAL. TB. (Bliss N.)
CAPRICE. TB. (Vilm 1904.) *Abeille Merveilleuse*.
Caprice. Jap. (Chi.)
CAPTAIN OF BLUES. Span.
CARDINAL. TB. (Bliss 1922.)
Carlotta Patti. SANS SOUCI.
CARMELO. MB. (Mohr N.)
CARMEN. Span.
CARMENCITA. TB. (Clev. 1920.)
CARNOT. TB. (1889.) *Dr. Parnot*;
Ernest Bernot; *Ernest Bersot*; *Pres. Carnot*; *Sadi Carnot*; *Sadi Citron*.
Caroline de Sansel. JACQUESSIANA.
CAROLYN D. TB. (Riis N.)
CARTANI. Span.
CARTHAGENA. TB. (Bliss N.)
CARTHUSIAN. TB. (Mar. about 1906.)
CASSANDRA. RC. (Van T.)
Cassandra. Eng.
CASSIOPEIA. TB. (Vilm. N.) *Cassiopee*.
CASTOR. RC.
CATALOSA. TB. (Farr N.)
CATERINA. TB. (Fos. 1909.)
CATTLEYA. TB. (Farr N.)
CAUCASIAN. IB. (Dykes 1921.)

IRIS, continued

CAVALIER. TB. (Clev. 1920.)
C. D. HAYES. TB. (Fry. 1919.)
CECIL MINTURN. TB. (Farr 1922.)
CECILIA. TB. (Bliss N.)
CELANDINE. TB. (Bliss N.)
CELESTE. TB. (Lmn. 1855-58.)
Coelestina; *Coelestis*; *H. Cramer*;
Halleriana; *Pulcherrima*.
CELESTIAL. Spur. (1905.)
CELIA. TB. (Yeld.)
cengialti. TB. TYROLEAN I.
Cengiali Baldo. MONTE BALDO.
Cengialti purpurea. TB.
CENTURION. TB. (Bliss 1922.)
C. E. PEARSON. TB. (Per. N.)
CERES. IB. (Cap. 1901.)
CHABER. TB. (Den. 1923.) *M. Chaber*.
CHALCEDONICA. TB. *Johan de Witte*,
Surprise.
See also BROOKLYN.
Chameleon. Jap. (Hal.)
Chameleon. Span.
Chameleon. CAMELEON.
chamaeiris. DB. *Olbiensis*. CRIMEAN I.
Chamaeiris alba. DB.
Chamaeiris aurea. DB.
Chamaeiris delicata. DB.
Chancellor. TB.
CHARLES DARWIN. TB. (Fos. 1895.)
CHARLES DICKENS. TB. *Orova*;
Oroya.
Charlotte Patty. SANS SOUCI.
CHARMANT. IB. (Cap. 1901.)
CHARMER. DB. (Cap. 1901.)
Charmer. Jap. (Hal.)
CHARON. RC. (Van T.)
CHASSEUR. TB. (Vilm. N.)
CHATEAUFORT. TB. (V. Verd. 1880.)
Duchesse de Chateaufort.
CHATELET. TB. (Vilm. N.)
Chedolle. CHENEDOLLE.
CHELLES. TB.
CHENEDOLLE. TB. (1872.) *Chedolle*,
Chenodelle; *Souvenir*.
CHEREAU. TB. (Lmn. 1844.) *M. Chereau*;
Cherlon; *Cherion*.
Also mixed with Sambucina.
CHEROKEE MAID. MB. (Wmsn. 1918.)

IRIS, continued

CHERRYBLOSSOM. Jap. *Yomo-zakura*—Cherry blossoms in every direction.
 CHERUBIM. TB. (Vilm. 1911.)
 CHESTER J. HUNT. TB. (Farr 1913.)
 CHICOREE. TB. (Wet. N.)
 CHILDS BEAUTY. Jap. (Chi.) *Beauty. Chinensis. I. japonica.*
Chitose-dzuru. Old Crane.
CHLORINDA. (Mor. N.)
CHOCHO-SAN. Jap. (Farr 1917.)
CHOSEIDAN. Jap. Chose Palace.
CHRISTMAS I. Ret. I. vartani.
chrysographes. Sib. GOLDVEIN I.
CHRYSOLORA. Span. William the First.
CIEL BLEU. Spur. (Mil. 1921.)
*CINEREA. DB. (1856.) *Pumila cinerea.**
CIRCE. TB. (Sturt. 1921.)
Circe. Jap. (Vilm. before 1900.)
*CITREA. DB. (G. & K. 1899.) *Pumila hybrida citrea.**
CITRONELLA. TB. (Bliss 1922.)
CITRONNIERE. Span.
CLARA. TB. (Lmn. 1855-58.)
CLARA BUTT. Eng.
Clara Butt. TB.
CLARA CURTIS. TB. (Per. 1911.)
CLARENCE WEDGE. TB. (Fry. 1919.)
CLARISSA. TB. (1867.)
CLARKE I. Sib. I. clarkei.
clarkei. Sib. CLARKE I.
CLEMATIS. TB. (Bliss 1917.)
CLEMENT DESORMES. TB. (Den. N.)
CLEOPATRA. TB. (Lmn. 1840.)
CLIO. TB. (1863.)
Cloisonne. SHIPPO.
CLOTAIRE. TB. (Per.)
CLOTHO. RC. (Van T.)
CLOTILDE. DB. (Cap. 1901.)
*CLOUD DRESS. Jap. *Kumo-isho.**
*CLOUDY MOON. Jap. *Kumoma-notsuki; Kumo-no-isei.**
*CLOUDY SKY. Jap. *Kumoma-nosora.**
CLOVIS. Eng.
CLUNY. TB. (Vilm. 1920.)
COAST I. Long. I. longipetala.

IRIS, continued

COELESTINA. RC. (Van T.)
Coelestina; Coelostis. CELESTE.
Coerulea. I. caerulea.
Coerulea. PUMILA CAERULEA.
COL. CANDELLOT. TB. (Mil. 1907.)
Col. Corwin. TB.
Colenton. TB.
COLONIAL DAME. TB. (McK. N.)
COLONNA. TB. (Bliss 1920.)
COLUMNAE. Ver. (1899.)
COLUMBIA. TB. (Dan. N.)
COMANCHE. Jap. (Hal.)
Comanche. TB. (Farr N.)
Commandant Betti. TB.
COMMANDANT DRIANT. DB. (Mil. 1919.)
COMMODORE. TB. (Bliss 1921.)
Commodore Perry. Jap.
COMMONWEALTH. TB. (Per.)
COMO. TB.
COMPACTA. DB. (G. & K. 1906.)
Pumila hybrida compacta.
Compacta. Sib.
COMTESSE D'HAUTEVILLE. DB. (Mil. 1914.)
CONCHOBAR. TB. (Bliss 1921.)
CONFALLON. Jap. (Hal.)
CONQUEROR. TB. (Lmn. 1840.)
Conqueror of Europe.
CONQUEST. TB. (Dykes 1922.)
CONQUISTADOR. TB. (Mohr N.)
Conscience. JACQUESIANA.
Conspicua. HECTOR.
CONSTANCE. IB. (Cap. 1901.)
Contrast. TB.
COPPER I. Hex. I. fulva.
COPPERMAN. TB. (Barr.)
CORA. TB. (Mil.)
CORA VERNON. TB. (Fry. 1919.)
Corbeau. TB.
CORDELIA. TB. (Park. 1873?)
CORDON BLEU. TB. (Sturt. 1921.)
COREA. Sib.
Cornflower. Span. SOLFATARE.
CORNUAULT. TB. (Den. 1918.) M. Cornuault.
CORONET. Jap. (Hal.)
CORRIDA. TB. (Mil.)
COTTAGE MAID. TB. (Barr.)

IRIS, continued

- COUNT OF NASSAU. Span. *King of Blues; Countess of Nassau.*
 COURCY. TB. (1860.) *Comtesse de Courcy; Lord Seymour.*
 C. P. CONNELL. TB. (Fry. 1921.) *Crane.*
 See OLD CRANE, WHITE CRANE, CRANE FEATHERS, etc.
 CRANE FEATHERS. Jap. *Tsuru-no-kegoromo; White Bird Feathers.*
 CREPUSCULE. TB. (V. Verd. 1863.) *Twilight.*
 CRESTED I. Ev. *I. cristata.*
 CRETAN. TB. (Dykes 1922.)
Cretensis. *I. unguicularis.*
 CRETONNE. TB. (Bliss 1919.)
 CRIMEAN I. DB. *I. chamaeiris.*
 CRIMSON KING. TB.
Crimson Tuft. Jap. (Named by Hal.)
cristata. Ev. CRESTED I.
Cristata alba. Ev.
cristata lacustris. Ev. *Lacustris.* -
 LAKE I.
Cristata major. Ev.
 CRUSADER. TB. (Fos. 1913.)
 CRYSTAL. Jap. (Hal.)
 CUBESEED I. Sib. *I. prismatica.*
Cuprea. *I. fulva.*
 CURIOSITY. DB. (Per.) *Balceng Curiosity.*
 CUSHION BROCADE. Jap. *Nishiki-no-shitome.*
 C. VAN DER WINDT. Dut. (Van T.)
 CYANEA. DB. (G. & K. 1899.)
Pumila hybrida cyanea.
 CYGNET. TB. (Sturt. 1922.)
 CYPRIAN I. TB. *I. cypriana.*
cypriana. TB. CYPRIAN I.
 In the trade often confused with *I. mesopotamica* and *I. trojana.*
 CY THEREA. TB. (1869.) *Cythereea.*
 CZAR. TB. (Per. 1910.)
 DAIMYO. TB. (Mor. N.)
Daimyo. Jap.
Dainty. DATEDOGU.
 DAISY HILL. TB. (Smith.)
 DALILA. TB. (Den. 1914.)
 DALMARIUS. TB. (G. & K. 1907.)
Lucrece; Lucretia; Lucretius.

IRIS, continued

- DALMATICA TB. (Cult. before 1600.)
Pallida dalmatica; Mme. Almira.
 DAMOZEL. TB. (Mor. 1922.)
Dancing Lion. LION DANCE.
Dancing Tiger. TIGER DANCE.
Dandy. TB.
 DANFORD I. Ret. *I. danfordiae.*
danfordiae. Ret. *Bornmulleri.* DAN- FORD I.
 DANIEL LESUEUR. TB. (Den. 1913.)
 DAPHNE. TB. (Bliss 1920.)
 DARIUS. TB. (Park. 1873.)
 DARLING. Span.
Darling. TB.
 DATEDOGU. Jap. *Dainty.*
 DAUPHIN. IB. (Cap. 1901.)
 DAVID. DB. (Cap. 1901.)
 DAVID BLES. Dut. (Van T.)
 DAVID TENIERS. Dut. (Van T.)
 DAWN. TB. (Yeld 1911.)
 DE FORCRAND. TB. (Den. N.)
 DE LAMARTINE. Eng.
 DE LESSEPS. Eng.
 DECAZES. TB. (Lmn. 1855-58.) *Duc de Cazes; Duc Decazes.*
 DEEP BLUE WATERS. Jap.
 DEJAZET. TB. (Vilm. 1914.)
 DE KINDEREN. Dut.
 DELAGRANGE. TB. (Mil. 1916) *Souw. de Delagrange.*
 DELAVAY I. Sib. *I. delavayi.*
delavayi. Sib. DELAVAY I.
Delicata. TB.
 DELICATISSIMA. TB. (Mil.)
Delicatissima. (1889.) GISELE.
 DELICE. Jap. (Chi.)
 DELICES. TB. (Cay. N.)
 DELIGHT. Jap. (Chi.)
Delight. TB. (Sturt. N.)
Demawendica. *I. iberica.*
 DEMI-DEUIL. TB. (Den. 1912.)
 DEMURE. TB. (Sturt. 1918.)
 DER KINDEREN. Dut.
Deuil de Valery Mayet. VALERY MAYET.
 DIADEM. TB. (Bliss 1919.)
 DIAMOND. IB. (Cap. 1901.)
 DIANA. DB. (Hor. N.)
Diana. Jap. (Hal.)

IRIS, continued

- DIANE. TB. (Vilm. 1911.)
dichotoma. VESPER I.
 DIDO. RC. (Van T.)
 DIE FEE. DB. *Fairy.*
 DINAH. Jap. (Hal.)
 DILKUSH. MB. (Fos. 1909.)
 DIMITY. TB. (Bliss 1919.)
 DINKY. TB. (Bliss N.)
 DIONYZA. TB. (Hor. N.)
 DISTANT MOUNTAINS. Jap.
 DISTINCTION. Sib.
Distinction. Jap. (Chi. 1915.)
 DITTON PURPLE. DB.
 DIXIE I. Hex. I. *hexagona.*
 DIXMUDE. DB. (Mil. 1916.)
 DOLORES. TB. (Bliss 1920.)
 DOLPHIN. IB. (Cap. 1901.)
 DOMINATOR. Jap. (Chi.)
 DOMINION. TB. (Bliss 1917.)
 DON CARLOS. IB. (Cap. 1901.)
 DONNA MARIA. TB. (Lmn. 1840.)
Edith; Edith Cook; Edna.
 DONNA MARIE. Span.
 DONNA NOOK. TB. (Per.)
 DORA. Eng.
 DORA LONGDON. TB. (Bliss 1918.)
 DORAK. MB. (Fos. 1909.)
 DORIS. TB. (Cap. 1901.)
 DORMAN. TB. (Bliss 1920.)
 DOROTHEA. IB. (Cap. 1901.) *Doro-*
thee.
 DOROTHEA K. WILLIAMSON. Hex.
 (Wmsn. 1918.)
 DOROTHY FOSTER. Spur. (1889.)
Monspur; Dorothy Foster.
 DOROTHY ROWE. TB. (1920.) *Miss*
Dorothy Rowe.
 DOSHISHA. Jap. *Doshisha College.*
 DOUAIRIERE. TB. (Cay. N.)
 DOUGLAS I. Cal. I. *douglasiana.*
douglasiana. Cal. DOUGLAS I.
douglasiana watsoniana. Cal. WAT-
 SON I.
Dove. LAVANDULACEA.
 DR. ANDRIST. TB. (Fry. 1919.)
 DR. BERNICE. TB. (1867.) *Mag-*
nifica (not Vilm.); *Dr. Bernie; Dr*
Berenice.
 DR. CHEVREAU. TB. (Cay. N.)
 DR. LIVINGSTONE. Eng.
 DR. LOGAN. TB. (Fry. 1921.)

IRIS, continued

- DR. LYONS. TB. (Fry. 1921.)
 DR. MANTOR. TB. (Fry. 1919.)
Dr. Parnet. QUEEN OF MAY.
Dr. Parnot. CARNOT.
 DR. REGEL. Eng.
 DR. SANFORD. TB. (Fry. 1917.)
 DR. VINCENT. TB. (Fry. 1921.)
 DRAGON. TB. (Vilm. N.)
 DRAKE. TB. (Bliss 1919.)
 DRAPEAU. TB. (Vilm. N.)
 DREAM. TB. (Sturt. 1918.)
 DREAMLIGHT. TB. (Sturt. 1923.)
 DRYAD. TB. (Cay. N.) *Dryade.*
Du Bois de Milan. BOISMILON.
 DU GUESCLIN. TB. (Bliss 1921.)
 DUC DES ABRUZZES. Eng.
Duchess de Magenta. ARLEQUIN MALI-
 NAIS.
 DUCHESS OF WELLINGTON. TB. *Re-*
ticulata.
 DUKE OF BEDFORD. TB. (Bliss
 1922.)
 DUKE OF NORFOLK. Sib.
 DUNOIS. Eng.
 DUQUESNE. TB. (Hall 1923.)
 DURIEU. TB. (Den. 1919.)
 DUSK. TB. (Mor. 1921.)
 DUSKY MAID. TB. (Bliss 1919.)
Dusky Prince. TB.
 DUTCH. Dut. *Xiphium hybridum.*
 E. A. BOWLES. TB. (Per.)
 EASTERN QUEEN. Jap.
 EBURNA. DB. (G. & K. 1899.)
Pumila hybrida eburna.
 ECKESACHS. TB. (G. & K. 1920.)
 ECLAIRE. Jap. (Hal.)
 ECLAIREUR. TB. (Cay. N.)
 ECLIPSE. DB. (Cap. 1901.)
Eclipse. Jap. (Named by Hal.)
 E. C. SHAW. TB. (Fry. 1919.)
 EDEN PHILLPOTTS. TB. (Per. 1921.)
 EDINA. TB. (Lmn. 1840.)
Edith; Edith Cook. DONNA MARIA.
 EDITH CAVELL. TB. (Den. 1921.)
 EDITH THE SAXON. TB. (Bod. N.)
Edna. DONA MARIA.
 EDNA MERCEIA. TB.
 EDNA PERRY. TB. (Per.)
Edna Perry. Sib. (Per. before 1920.)
 EDOUARD MICHEL. TB. (Verd. 1904.)
 EDWARD SIMMONS. TB. (1889.)

IRIS, continued

- E. E. ADAMS. TB. (Yeld.)
 EFFIE. TB. (Per.)
Eggeri. I. atropurpurea.
 EGLAMOUR. TB. (Hor. 1921.)
 E. H. JENKINS. TB. (Bliss 1919.)
 E. L. CRANDAL. TB. (Farr 1915.)
 ELDORADO. TB. (Vilm. 1910.)
 ELECTRA. Eng.
Elegans. VICTORINE.
Eleon. MALVINA.
 ELF QUEEN. TB. (McK. N.)
 E. L. IRISH. TB. (Fry. N.)
 ELINOR. TB. (Sturt. 1918.)
 ELINOR FUNK. TB. (Bral. N.)
 ELISE. TB. (Cap. 1901.)
Elizabeth. TB.
 See also *BURIENSIS ELIZABETH.*
 ELIZABETH HAMILTON. TB. (Bral. N.)
 EMIR. TB. (Yeld 1918.)
Emma. YEMEN I.
 EMMELINE. TB. (Vilm. N.)
 EMPEROR. Sib. (Named by Wal.)
Emperor. Eng.
 EMPEROR BU. Jap. *Bu-o-gun.*
 EMPEROR OF THE WEST. Span.
 EMPIRE. TB. (Sturt. 1918.)
 EMPRESS. IB. (Cap. 1901.)
Empress of India. TB. (1921.)
 ENA BRALLIOR. TB. (Bral. N.)
 ENCHANTRESS. TB. (Probably Park. 1873.)
 ENGLISH I. Eng. I. xiphoides.
Enid. TB.
ensata. RUSSIAN I.
 ENSIGN. TB. (Sturt. 1920.)
 Eos. RC. (Van T.)
Ereve. KOCHI.
 ERICH. TB. (Farr 1913.)
 ERNEST. DB. (Cap. 1901.)
Ernest Bernot; Ernest Bersot. CARNOT
 ESMERALDA. TB.
Esperance. TB.
 ESTELLE. TB. (Bliss N.)
 ESTHER. TB. (Bliss N.)
 ETENARD. TB. (Vilm. N.)
 ETHEL ALDRICH. TB. (Ald. N.)
 ETHEL LEACH. TB. (Fry. 1917)
 Miss Ethel Leach.
 ETHEL PEARSON. TB. (Per. N.)
 ETHIOPIAN. TB. (Bliss N.)
 ETTA. IB. (Cap. 1901.)

IRIS, continued

- EUCHARIS. Jap. (Vilm. before 1900.)
Eucharis. RC.
 EUGENE. Jap. (Hal.)
 EUGENE BONVALLET. TB. (Cay. 1906.)
 EUGENE SUE. TB. (Lmn. 1848.)
Ariane.
 EUMEE. Jap. (Vilm. 1908.)
 EURYDICE. RC. (Van T.)
 EVA. RC.
 EVADNE. TB. (Bliss 1921.)
 EVELYN. DB. (Cap. 1901.)
 EVENING GLOW. TB. (Tut. N.)
Evening Glow. Jap.
 EVENING STAR. TB. (Bliss N.)
 EVERLASTING WAVES. Jap. *Bandai-no-nami.*
 EXCELSA. DB. (G. & K. 1899.)
Pumila hybrida excelsa.
 EXCELSIOR. Jap. (Hal.)
Excelsior. Span.
 EXCITED BEAR. Jap. *Kuma-fungeki* or *-funjin.*
 EXQUISITE. TB. (Probably Park. 1874.)
Exquisite. Jap. (Hal.)
Eytheria. Mrs. HORACE DARWIN.
Fair Maid. JUNGFRAU.
 FAIRY. TB. (Ken. 1905.)
Fairy. DB. DIE FEE.
 FAIRY QUEEN. TB. (Sal. before 1859.)
 FAITH. TB. (Bliss 1922.)
 FANTASY. TB. (Sturt. 1920.)
Fascination. Jap.
Fatide. TB.
 FAUSTINE. TB. (Lmn. 1859.) *Flamm de Punch.*
 FAVOURITE. TB. (1874.)
 FEDORA. TB. (Cay. N.)
 FELICITAS. RC. (Van T.)
 FELSPAR. IB. (Mor. N.)
 FENELLA. TB. (Mor. 1921.)
 FENTON. TB. (Hor. N.)
 FERAKAN. MB. (Fos.)
 FERDINAND. TB. (Hor. N.)
Fiancee. BRIDE.
 FIDELIO. TB. (Cay. N.)
 FIEBERI. DB. *Aphylla fieberi.*
Aphylla gigantea.
 FILIFOLIA. Span. *Praecox.*

IRIS, continued

- FILIFOLIA ELISABETH. Span.
 FILIFOLIA IMPERATOR. Span.
 FILOMELA. Span.
Fimbriata. I. *tectorum*.
FIREFLY. Jap. *Uji-no-hotaru*—Fireflies of Uji.
 FIRMAMENT. IB. (Gros. 1920.)
FIRST FROST. Jap. *Hatsushimo*.
 FLAKED BEAUTY. Spur.
Flamm de Punch. FAUSTINE.
 FLAMMENSCHWERT. TB. (G. & K. 1920.)
FLAVALBA (A. I. S. name). TB.
 (Fos. 1919.) *Flavescens alba*.
FLAVESARD (A. I. S. name). TB.
 (Den. 1914.) *Flavescens Ricardi*.
FLAVESCENS. *Canary Bird*; *Canari*;
Hortense.
Flavescens alba. FLAVALBA.
Flavescens baxteri. BAXTER.
Flavescens Munite. MUNITE.
Flavescens Ricardi. FLAVESARD.
flavissima. *Arenaria*. GOLDBEARD I.
 F. L. BATTERY. TB. (Fry N.)
FLORA. RC.
Flora. Span.
FLORENCE BARR. TB. (Barr 1876.)
FLORENCE WELLS. TB. (Barr.)
FLORENTINA. TB. *Alba odorata*;
Florentina alba; *Florentina Queen Emma*; *Florentina Silver King*;
Gambetta; *Florentine*.
 The name *I. florentina* has been applied to various forms of *Iris*. According to the best botanical usage it is not a proper designation of any species of this genus. It is therefore treated here, as also in Bailey's Standard Cyclopedia, as a horticultural variety of *I. germanica*, which together with *I. pallida*, is the source of the aromatic "orris root" of commerce. The name *I. florentina* is often misapplied also to *I. albicans*.
Florentina Blue. I. *germanica*.
Florentina purpurea. I. *germanica*.
Florentina Queen Emma. FLORENTINA.
Florentina Silver King. FLORENTINA.
FLORIBUNDA. DB. (G. & K. 1910.)
Pumila hybrida floribunda.

IRIS, continued

- FLORIDA. DB. (G. & K. 1899.)
Pumila hybrida florida.
FLORRIE RIDLER. Sib. (Per. before 1920.)
FLOWER BROCADE. Jap. *Hana-no-nishiki*.
foetidissima. GLADWIN I.
Foetidissima foliis variegatis. VARIEGATED GLADWIN I.
FOLIIS VARIEGATIS. TB. *Pallida foliis variegatis*.
Foliis variegatis. SPURIA FOLIIS VARIOGATIS.
foliosa. Hex. *Hexagona lamancei*.
 LAMANCE I.
FONTARABIE. TB.
FOOTHILL I. Cal. I. *hartwegi*.
FORMOSA. DB. (G. & K. 1899.)
Pumila hybrida formosa.
Formosa. Span.
forresti. Sib. YUNNAN I.
FORTRESS. Jap. *Hodai*.
FOSTERI. Ver. (Fos. ? 1899.)
FOSTER YELLOW. TB. (Fos. 1909.)
Fragrans. SWERTI.
Francella. Jap. (Elm.)
FRANCES GOODING. TB. (Fry. N.)
FRANCINA. TB. (Bliss 1920.)
FRANCIS BENNETT. TB. (Dun. 1921.)
FRANK M. THOMAS. TB. (Thom. 1922.)
FRANS HALS. Dut. (Van T.)
FRATE. Jap. (Hal.)
Fraulieb. TRAUTLIEB.
FRECKLES. TB. (Fry. 1919.)
FREDA. TB. (Bliss 1920.)
FREDERICK. TB. (1896.) *Frederick The Great*.
FREYA. IB. (Cap. 1901.)
Freya. RC. (Van T.)
FRIEDRICH SPIELHAGEN. Eng.
FRIES MOREL. TB. (Lmn. 1840.)
President Morel.
FRINGED I. Ev. I. *japonica*.
FRIJOF. IB. (G. & K. 1910.)
FRO. TB. (G. & K. 1910.)
FROBISHER. TB. (Bliss N.)
FRONA. TB. (Bliss N.)

IRIS, continued

FROSTY MOONLIGHT. Jap. *Shimoyo-no-tsuki*; *Shemogo-no-tsaki*; *Shomo-no-tsuki*; *Shomo-no-tsaki*.
 FRYER GLORY. TB. (Fry. 1919.)
 FRYER LAVENDER. TB. (Fry. 1919.)
 FUERSTIN LONYAY. TB. (G. & K. 1920.)
Fuji-no-mine. MT. FUJI.
Fuji-no-yuki. FUJI SNOWCAP.
 FUJI SNOWCAP. Jap. *Fuji-no-yuki*.
 FULGORIE. TB. (Lmn. 1840.) *Fulgova*.
fulva. Hex. *Cuprea*. COPPER I.
 FULVALA. Hex. (Dykes about 1910.)
 FULVALA VIOLEACEA. Hex. (Dykes about 1910.)
 F. W. NEEDHAM. TB. (Fry. 1919.)
 GABRIEL. TB. (Bliss 1921.)
 GABRIEL METSU. Dut.
 GAIETE. TB. (Vilm. N.)
 GAJUS. TB. (G. & K. 1906.)
 GALATEA. Jap. (1882.) *Galathee*.
Gambetta. FLORENTINA.
 GANPYMEDE. TB. (Lmn. 1855-58.)
 Garfield. GERMANICA ALBA.
 GARIBALDI. TB. (Ware 1898.)
Garibaldi. BOCCAGE.
 GARRICK. DB. (Cap. 1901.)
Garrick. ATTRACTION.
gatesi. Onc. MONARCH I.
 GAY-LUSSAC. TB. (Den. N.)
Gazelle. GISELE.
 GEDEON. (1854.) *Gideon*.
 GEISHA. Jap.
Gekka-no-nami. MOONLIT WAVES.
 GEN. GALLIENI. TB. (Mil. 1923.)
 GEN. DE CASTELNAU. TB. (Mil. 1919.)
Gen. de Witte. AMABILIS; BROOKLYN
Gen. Grant. TB. (1889.)
 GEN. MARCHAND. TB. (Mil. 1914.)
 GEN. VETTER. Eng.
 GENGHIS KHAN. TB. (Sturt. 1922.)
 GENOA. TB. (Fry. 1921.)
 GEORGE BORROW. TB. (Bliss N.)
 GEORGE WALLACE. Sib. (1894.)
 GEORGES V. DB. (Mil. 1916.)
 GEORGIA. TB. (Farr 1920.)
 GERALDINE. TB. (Yeld 1911.)

IRIS, continued

GERDA. IB. (G. & K. 1910.)
 GERMAINE LE CLERC. TB. (Cay. 1910.)
 GERMAINE PERTHUIS. TB. (Mil. 1922.)
 GERMAN I. TB. I. *germanica*.
germanica. TB. *Florentina purpurea*; *Parisiensis*; *Spectabilis*; *Violacea*; *Vulgaris*. GERMAN I.
 To the true *I. germanica* have also been applied the following common names, which are to be treated as synonyms:
 Blue Bird, Florentina Blue; Purple Queen.
Germanica alba. TB.
Germanica major. TB. *Major*.
 GERNEZ. TB. (Den. 1923.)
 GERTRUDE. TB. (Pet. 1907.)
Gervase. TB.
 GHANDI. TB. (Bur. N.)
Gideon. GEDEON.
 GIRAN. MB. (Fos. 1913.)
GISÈLE. TB. (Lmn. 1848.) *Bleu Parfleur*; *Delicatissima*; *Gazelle*; *Gysels*; *Mme. Ghysels*; *Reine des Belges*.
 GLADSTONE. TB. (Ware 1890.) *Mr. Gladstone*.
 See also THORBECKE and VICTORINE.
 GLADWIN I. I. *foetidissima*.
 GLADYS. TB. (Per. 1910.)
 GLADYS ROBERTS. TB. (Per. 1921.)
 GLAMOUR. TB. (Bliss 1922.)
 GLEE. DB. (MeK. 1923.)
 GLITTER. TB. (Bliss 1919.)
 GLOIRE DE HAARLEM. Span.
Gloire de Hillegom. TB. (Dutch.)
 GLORIA. TB. (Mor. N.)
 GLORIAE. TB. (Cay. N.)
 GLORIETTE. TB. (Lmn. 1855-58.)
Rigoletto.
 GLORY OF HAARLEM. Jap.
 GLORY OF HOLLAND. Span.
 GLORY OF READING. TB. (Farr 1909.)
 GLOWING EMBERS. TB. (Sturt. 1923.)
 GNOME. TB. (Bliss 1921.)

IRIS, continued

GOLD BOUND. Jap. (Named by Hal. about 1885.) *Moonlight Waters; Shirataki; Silver Waters; Still Grey Waters; Waves Under Moonlight; White Waterfall.*
Gold Bound. MEXICANA.
Gold Coin. TB.
GOLD CREST. TB. (Dykes 1914.)
Gold Crest. GOLDWEIR.
GOLD CUP. Span.
Gold Cup. THUNDERBOLT.
GOLD IMPERIAL. TB. (Sturt. N.)
GOLDBEARD I. I. *flavissima.*
GOLDEN GATE. Spur. (Bran. N.)
GOLDEN GLOW. TB. (Wet. N.)
Golden King; Golden Prince. BELLE CHINOIS.
GOLDEN PLUME. TB. (Fry. 1917.)
GOLDEN QUEEN. Span.
GOLDEN SPIRE. TB. (Per. 1910.)
Goldfinch. PRINCE OF ORANGE.
GOLDVEIN I. Sib. I. *chrysographes.*
GOLDWEIR (A. I. S. name). TB. (Weir before 1894.) *Gold Crest.*
GOLIATH. TB. (Cay. 1908.)
Gorgeous. TB.
GOUMIER. TB. (Vilm. N.)
GOV. HUGHES. TB. (Fry. 1919.)
GOVERT FLINCK. Dut.
GRACCHUS. TB. (Ware 1884 or 1887.)
GRACE DARLING. Span.
GRACE KIMBALL. TB. (Fry. 1917.)
gracilipes. EV. SLENDER I.
GRACILIS. DB. (Berg 1835.) *Pumila gracilis; Biflora gracilis.*
graminea. Spur. GRASS I.
Grand Bouquet. TB. (1919.)
GRAND FERRE. TB. (Cay. N.)
GRAND MASTER. TB. (Per. 1917.)
GRAND MOGUL. TB. (Vilm. N.)
Grand Mongul. MONGUL.
GRAND VAINQUER. Eng.
GRANDEE. DB. (Cap. 1901.) *Grande dice.*
Grandesse. Eng.
GRANDEUR. TB. (Dun. 1921.)
GRANDIS. Sib. *Grandesse.*
GRANITE. Jap. (Hal. about 1885.)
grandduffi. JAFFA I.
GRANTDUFFI ASCHERSONI. (Fos.)
GRASS I. Spur. I. *graminea.*

IRIS, continued

Gravereau. TB.
GRAY FRIAR. TB. (Bral. N.)
GRAY MORN. TB. (Sturt. 1920.)
GRAZIELLA. TB. (Cay. N.)
GRENADIER. TB. (Vilm. N.)
GRENVILLE. TB. (Bliss N.)
GREVIN. TB. (Vilm. 1920.)
Guinevere. TB. (Barr?)
Guldenstaedtiana. HALOPHILA.
Guldenstaedtiana alba. SPURIA ALBA.
Guldenstaedtiana caerulea. SPURIA CAERULEA.
GULES. TB. (Bliss 1917.)
GUNFALON. Jap. (Hal. about 1885.)
G. W. PEAKE. TB. (Fry. 1917.)
GYPSY QUEEN. TB. (Sal. before 1859.) *Hamlet; La Prestigieuse; Queen of Gypsies; Reine des Fees; Reine des Pays.*
 See also SAMBUCINA.
Gysels. GISELE.
HACKAERT. Dut. (Van T.)
HAEMATOPHYLLA. Sib. (1879.)
Hagaribi. TORCHLIGHT.
Hakausai. Jap.
HAKU-BOTAN—A white peony. Jap.
HALFDAN. IB. (G. & K. 1908.)
Halleriana. CELESTE; WALNERIANA.
HALO. TB. (Yeld 1917.)
HALOPHILA. Spur. *Guldenstaedtiana.*
Hana-aoi. HOLLYHOCK.
Hana-no-nishiki. FLOWER BROCADE.
Hana-gosho. PALACE.
HAMADAN. MB. (Fos. 1909.)
Hamlet. GYPSY QUEEN.
HANNIBAL. TB. (1884.)
HANSONI. Ver. (1889.)
HARBINGER. TB. (Bliss 1920.)
 Herald.
HARLEQUIN. DB. (Per. 1903.) *Bal-ceng Harlequin.*
Harlequin Malinois. ARLEQUIN MALINAIS.
HARMONIA. DB. (Cap. 1901.) *Harmania.*
HARPUT I. Ret. I. *histrioides.*
HARRIET. TB. (Fry. 1917.)
HARRIET PRESBY. TB. (Presby 1922.)
HARRIS. DB. (Mil.)
HARRISON WEIR. TB. (Weir 1880.)
HART NIBBRIZ. Dut. (Van T.)

IRIS, continued

- hartwegi*. Cal. FOOTHILL I.
- HARTZ*. Dut.
- HARVESTONE*. TB. (Bur. N.)
- Hatsushima*. FIRST FROST.
- HAURONENSIS*.
- Haussknechti*. I. *persica sieheana*.
- HAUTEFEUILLE*. TB. (Den. 1910.)
- HAWKINS*. TB. (Bliss N.)
- HAWTHORNE*. TB. (Bliss 1921.)
- HAYDEE*. TB. (1854.)
- HAYDN*. DB. (Cap. 1901.)
- Haydn*. HAYDEE.
- Haynei*. I. *atrofusca*.
- H. Cramer*. ATTRACTION; CELESTE.
- Heavenly Blue*. Span. SOLFATARE.
- HEBE*. TB. (1854.)
- Hebe*. Jap. (Vilm. 1902.)
- Hecate*. RC. (Van T.)
- HECTOR*. TB. (Lmn. 1840.) *Conspicua*; *India*; *Jenny Lind*; *Julius Caesar*; *Lapiere*; *Rebecca*; *Velveteen*.
- Hector*. Eng.
- HEGIRE*. TB. (Cay. N.)
- Heldreichi*. I. *persica stenophylla*.
- HELEN VON SIEBOLD*. Jap. Mme. *Helen Von Siebold*.
- HELENA*. TB. (Hor. 1920.)
- Helena*. I. *barnumae mariae*.
- Helene*. Jap. (1882.)
- HELENE KOEHLER*. TB. (Koeh. N.)
- HELGE*. IB. (G. & K. 1908.)
- HELIOS*. Jap. (Vilm. 1902.)
- HENKLER*. TB. (Per. 1905.)
- HENRI DENIS*. TB. (Den. 1923.)
- HENRI GLOWER*. TB. (Den. 1919.)
- HER MAJESTY*. TB. (Per. 1903) *Annie Grey*.
- Her Majesty*. Span.
- HER RIVAL*. TB. (McK. N.)
- HERA*. RC. (Van T.)
- Herald*. TB. (1893.)
- Herald*. HARBINGER.
- Herant*. TB. (1889.)
- HERCULES*. Jap. (Vilm. 1904.)
- Hercules*. Span.
- HEREWARD*. IB. (Cap. 1901.)
- HERICART DE THURY*. TB. (1870.)
- HERMIA*. TB. (Yeld.)
- HERMIONE*. TB. (Hor. 1920.)
- Hermoine*. MAGGIE.

IRIS, continued

- HERMOSA*. TB. (Dean 1923.)
- HEROCLES*. TB. (Mil. about 1905.)
- HERODOTUS*. TB. (1884.)
- HESPERIA*. RC.
- Heteranth*. ATTRACTION.
- Heterophylla*. I. *boissieri*.
- hexagona*. Hex. DIXIE I.
- Hexagona lamancei*. I. *foliosa*.
- HIAWATHA*. TB. (Farr 1913.)
- HILDA*. TB. (Bliss 1920.)
- HILDEBRAND*. TB. (Bliss N.)
- HIMALAYAN* I. Ev. I. *milesi*.
- HIPPOLYTA*. TB. (Hor. 1921.)
- Hispanica*. I. *xiphium*.
- histrio*. Ret. SYRIAN I.
- histrionides*. Ret. HARPUT I.
- Histrionides Major*. Ret.
- Ho-o-jo—Royal castle. Jap.
- HOBBEEMA*. Dut. (Van T.)
- Hodai*. FORTRESS.
- Hokanum*. MALVINA.
- HOLLOWSTEM* I. Sib. I. *bulleyana*.
- HOLLYHOCK*. Jap. *Hana-aoi*.
- HOMER*. TB. (Mor. N.)
- Hon. Mrs. Kingscote*. MRS. KINGSCOTE.
- HONORABILE*. TB. (Lmn. 1840.) *Aureole*; *Brilliant*; *Honorable*; *Honorabilis*; *Honourable*; *Rebecca*. Mixed with Sans Souci, but distinctly lighter.
- hoogiana*. REDBEARD I.
- HOPATCONG*. TB. (B. & A. 1917.)
- HOPE*. TB. (Sturt. 1918.)
- HORACE DE PARIS*. TB. *Comte Horace de Paris*.
- HORIZON*. TB. (Mor. N.)
- Hortense*. DE CANDOLLE I.
- HOSOGAWA*. Jap.
- HUBERT*. TB. (Hor. 1921.)
- HUCHTENBURG*. Dut. (Van T.)
- HUGO*. TB. (Farr 1913.)
- Humboldt*. ATTRACTION.
- HUNGARIAN* I. I. *variegata*.
- HUSSARD*. TB. (Vilm. N.)
- HYBRIDA AUREA*. DB. (G. & K. 1913.) *Pumila hybrida aurea*.
- HYDE PARK*. Jap. (Hal. about 1885.)
- HYMEN*. TB. (Yeld before 1920.)
- HYPERION*. TB. (Bliss 1921.)
- IBERIAN* I. Onc. I. *iberica*.

IRIS, continued

- iberica.** Onc. *Demawendica*. IBERIAN I.
IDEAL. TB. (Cay. N.)
IDION. TB. (Lmn. 1840.)
IDZUMI. Jap. *Idzumigawa*.
IGNACITE. TB. (Lmn. 1859.) *Ignace; Ignatia; Ignitus; Ignititia; Ignocito; Leopard*.
IGOUF. TB. (Mil. 1911.)
ILLUSION. TB. (Sturt. N.)
ILSAN. TB. (G. & K. 1920.)
IMOGENE. TB. (Lmn. 1840.)
IMPERATOR. TB. (Cay. N.)
IMPERIAL QUEEN. Jap.
INCA. TB. (Farr 1922.)
INCognita. TB. (Fos. 1909.)
India. HECTOR.
India. INDIANA.
INDIAN QUEEN. TB. (1859.)
INDIANA. TB. (Lmn. 1840.) *India, Oudiniana*.
INDO. Jap. (Chi. 1919.)
INEZ. Span.
INGEBORG. IB. (G. & K. 1908.)
INGRES. TB. (Cay. N.)
INNER GLOW. TB. (Sturt. N.)
INNOCENZA. (Lmn. 1854.)
INSULINDE. TB. (Krel. N.)
IOLANTHE. TB. (Sturt. 1919.)
Iphigenia. RC.
IPHIGENIE. Jap. (Vilm. before 1900.)
IRENE. RC. (Van T.)
IRIS KING. TB. (G. & K. 1907.)
Iris Koenig; King of Iris; Reine des Iris; Remedes; Roi des Iris.
IROQUOIS. TB. (Farr 1909.)
ISABELLA. Jap. (Vilm. 1902.)
ISIS. TB. (Bliss 1919.)
Isis. RC. (Van T.)
ISMALI. MB. (Fos. 1909.)
ISMENE. RC. (Van T.)
ISOLA. TB. (Fos. 1909.)
ISOLDA. RC. (Van T.)
ISOLINE. TB. (Vilm. 1904.)
ISSIAN I. Jun. *I. persica issica*.
ISTREA. TB. (Dykes 1922.)
Italia. KHARPUT.
ITALICA. DB. *Chamaeiris italicica*.
IVANHOE. TB. (Mil. 1911.)
IVORINE. IB. (Cap. 1901.)

IRIS, continued

- IVY LOGAN.** TB. (Per. 1915.)
Jackmanni. TB.
JACOB MARIS. Dut.
JACQUELINE. TB. (Dun. 1921.)
JACQUELINE GUILLOT. TB. (Cay. N.)
Jacqueminot. SPECIOSA.
JACQUENETTA. TB. (Hor. N.)
JACQUESIANA. TB. (Lmn. 1840.)
Caroline de Sansel; Conscience; Jacquiana; Jacquiniana; Lord Rosebery.
JAFFA I. I. grantduffi.
JAMES BOYD. TB. (Farr 1915.)
JAN BOTH. Dut. (Van T.)
JAN DE BRAY. Dut. (Van T.)
JAN STEEN. Dut.
JAPANESE I. Jap. *I. kaempferi*.
JAPANESQUE. TB. (Farr 1922.)
japonica. Ev. *Chinensis*. FRINGED I.
JAPONICA APHRODITE. Ev.
JAPONICA FOLIIS VARIEGATIS.
J. B. DUMAS. TB. (Den. 1917.)
J. C. DRAKE. TB. (Fry. 1919.)
J. C. VAUGHAN. Jap. (Hal. about 1885.)
Jean Bart. BEAUREGARD.
JEAN CHEVREAU. TB. (Cay. N.)
JEAN SISLEY. TB. (1887.)
JEANNE BEL. TB. (Den. N.)
JEANNE D'ARC. TB. (Verd. 1907.)
JEANNE HACHETTE. TB. (Cay. N.)
JEANNIE. TB. (Den. N.)
JENNETH DEAN. TB. (Sturt. 1919.)
Jenny Lind. HECTOR.
JESEF ISRAELS. Dut.
JESSICA. TB. (Hor. N.)
JESSIE McINNES. TB. (Fry. 1919.)
Jewels and Flowers. LOTUS JEWEL.
J. J. DEAN. TB. (Dean 1922.)
JOCASTE. RC.
JOH. BOBBOOM. Dut. (De G.)
JOH. VERMEER. Dut. (Van T.)
Johan de Witte and *Johan de Worth*.
 See *AMABILIS*, BROOKLYN, and CHALCEDONICA.
JOHANNA. Eng.
JOHN BULL. TB. (1906.)
John Bull. WALTER SCOTT.
JOHN DUCKER. Eng.

IRIS, continued

JOHN FOSTER. IB. (Fos. 1913.)
John Fraser. TB. (1897.)
 JOHN W. TRIBOLET. MB. (Wmsn. N.)
 JOICE RESBURY. TB. (Per. 1921.)
 JOIE DE L'OEIL. TB. (1858.)
Jordaens. TARQUIN.
 JOSEF ISRAELS. Dut. (De G.)
 JOSEPHINE. DB. (Cap. 1901.)
 JOYA. TB. (Mor. 1922.)
 J. TOOROP. Dut. (De G.)
 JUDITH. TB. (1867.)
 JUDITH LEYSTER. Dut. (Van T.)
Jules Pirol. TB.
Julia Gresi. ST. CLAIR.
 JULIA MARLOWE. TB. (Shull N.)
Juliette. AMABILIS.
 JULIETTE WALLET. TB. (Cay. N.)
 JULIUS. Eng.
Julius Caesar. HECTOR.
junccea. Span. RUSH I.
 JUNGFRAU. TB. *Fair Maid.*
 JUNIATA. TB. (Farr 1909.)
 JUNO. Spur.
Juno. RC.
 JUNON. Jap. (Vilm.)
Junon. TB. (Vilm. N.)
junonia. TB. JUNONIA I.
 JUNONIA I. TB. I. junonia.
 JUSSIEU. TB. (Den. 1917.)
 JUSTINIAN. TB.
 J. VICTOR. Eng.
 J. WEISSENBRUCH. Dut. (Van T.)
kaempferi. Jap. JAPANESE I.
 I. kaempferi, sometimes listed as the
 same as I. laevigata, is distinct from
 that species.
Kagaribi. TORCHLIGHT.
 KAMATA. Jap.
 KARTABA I. Onc. I. sofarana magnifica.
 KASHMIR I. TB. I. kashmiriana.
 KASHMIR WHITE. TB. (Fos. 1913.)
kashmiriana. TB. KASHMIR I.
 KASTOR. TB. (G. & K. 1914.)
 KATHLEEN. TB. (Barr.)
Kathryn. Jap.
 KATHRYN FRYER. TB. (Fry. 1917.)
 KATRINKA. TB. (Sturt. 1919.)
 KERMESINA. Ver. (1901.)

IRIS, continued

Kempi. TB.
 KERA. TB. (Mor. N.)
 KESTREL. TB. (Mor. 1922.)
 KHAMSIN. TB. (Mil. 1916.)
 KHARPUT. TB. *Asiatica; Italia.*
Khedive. TB. (1884.)
Kimi-no-megumi. SOVEREIGN.
 KING CHRISTIAN. IB. (Cap. 1901.)
King Edward VII. RUBERRIMA.
 KING GEORGE V. TB. (Per. 1911.)
 KING HUMBERT. IB. (Cap. 1901.)
 KING OF BLUES.
King of Blues. ATTRACTION.
King of Blues. COUNT OF NASSAU.
King of Iris. IRIS KING.
 KING OF WHITES. Span. *La Grandesse; L' Innocence; Queen Emma.*
 KING OF YELLOWS. Span. Leander.
Kitty Kingsbury. BOCCAGE.
 KIWI. TB. (Bliss N.)
 KLONDYKE. TB. (Vilm. N.)
 KNYSNA. TB. (Bliss 1917.)
 KOCHI. TB. *American Black Prince;*
Black Prince; Erebe; Midnight;
Purple Queen.
Kochosum. TB.
Koekkoek. Dut. (Van T.)
Kokonairo. BRILLIANT COLORS.
 KOMBARIN. Jap.
Komochiguma. YOUNG BEAR.
korolkowi. Reg. REDVEIN I.
 KOROLKOWI ATROPURPUREA. Reg.
 KOROLKOWI CONCOLOR. Reg.
 KOROLKOWI LEICHTLINIANA. Reg.
 KOROLKOWI VENOSA. Reg.
 KOROLKOWI VIOLACEA. Reg.
 KOVEL. DB. (Den. N.)
 KOYA. TB. (Sturt. 1920.)
 KRELAGE I. Ret. I. reticulata krelagei.
Kuma-fungeki or -funjin. EXCITED
 BEAR.
Kumo-isho. CLOUD DRESS.
Kumo-no-isei. CLOUDY MOON.
Kumo-no-ue; *Kumo-no-wye.* STARRY
 HEAVENS.
Kumo-no-obi; *Kumo-no-ute;* *Kunero-*
no-ute. BAND OF CLOUDS.

IRIS, continued

- Kumoma-no-sora.* CLOUDY SKY.
Kumoma-no-tsuki. CLOUDY MOON.
 KURDISTAN. IB. (Dykes 1922.)
 KURO-KUMO—Dark clouds. Jap.
 KYODAISAN—Brother mountain. Jap.
L'Africain. BOCCAGE.
La Beaute. TB. (1914.)
 LA CHARMANTE. Span.
 LA FAVORITE. Jap. (Chi.)
 LA GRANDESSA. DB.
La Grandesse. KING OF WHITES.
 LA MAJESTUEUSE. Eng.
 LA NEIGE. TB. (Verd. 1912.)
La Neige. Span.
 LA NUIT. TB. (Verd. 1912.)
La Nuit. Span.
La Prestigieuse. GYPSY QUEEN.
 LA RECONNAISSANCE. Span.
La Vallette. TB.
 LA VERGE. Eng.
 LACTEA. Sib. (1876.)
Lacustris. I. *cristata lacustris.*
 LADY BYNG. TB. (Bliss 1922.)
 LADY CHARLES ALLOM. TB. (Per. 1921.)
 LADY FOSTER. TB. (Fos. 1913.)
Lady Frances. TB. (Before 1859.) CELESTE.
 LADY FRANKLIN. TB. (Before 1859.)
 LADY FRENCH. Sib. (Per.)
 LADY GODIVA. Sib.
 LADY GREY. TB. (Hor. N.)
Lady Holland. TB.
Lady Jane. MIRALBA.
 LADY JELLICOE. TB. (Per. 1914.)
 LADY LILFORD. MB. (Fos.)
 LADY LOU. TB. (Dean 1921.)
 LADY NORTHCLIFFE. Sib. (Per.)
 LADY OF JUNE. TB. (Yeld N.)
 LADY SACKVILLE. TB. (Per. N.)
 LADY SEYMOUR. TB. (1854.)
 LADY STANHOPE. TB. (1854.)
Lady Stump. TB.
laevigata. Laev. RABBIT-EAR I.
 The true I. *laevigata* of botanists is rare in cultivation. Most of the plants passing under this name are I. *kaempferi*.
- LAEVIGATA ALBA. Laev.
 LAEVIGATA ATROPURPUREA. Laev.
 LAEVIGATA SEMPERFLORENS. Laev.
 LAKE I. Ev. I. *cristata lacustris.*

IRIS, continued

- LAMANCE I. Hex. I. *foliosa.*
Lamartine. VICTORY.
 LANCE. TB. (Hor. 1922.)
 LANCELOT. TB. (Bliss 1919.)
 LANGUEDOC. TB. (Den. 1913.)
 LAOS. RC.
Lapierre. HECTOR.
 LAUGHING DOLL. Jap. *Warai-bolei;* *Marai-botri;* *Waka-hoki.*
Laura. AMABILIS.
 LAURA E. STURTEVANT. TB. (Sturt. 1920.)
Laurentinus. TB.
 LAVANDULACEA. TB. (1884.) *Agnes Sorrel;* *Candicans;* *Dove;* *Rosamond.*
Lavater. TB. (1884.)
 LAVENDER QUEEN. Jap. (Chi.)
 LAVENGRO. TB. (Bliss 1921.)
 LE PACTOLE. TB.
Le Reve. TB.
 LEANDER. TB. (Bliss 1920.)
Leander. KING OF YELLOWS.
 LEBANON I. Onc. I. *lortetii.*
 LEDA. TB. (Farr 1909.)
Leichtlini. I. *stolonifera.*
 LEMON. TB. (Lmn. 1840.)
 LEMON QUEEN. Span.
 LENT A. WILLIAMSON. TB. (Wmsn. 1918.) *Lieut. A. Williamson.*
 LEO TOLstoi. Eng.
 LEONATO. TB. (Hor. N.)
 LEONE TRENANCE. TB. (Bliss 1922.)
 LEONIDAS. TB. *Yolandie.*
 LEOPARD I. Jun. I. *persica stenophylla.*
Leopard. IGNACITE.
 LEOPOLD. DB. (Cap. 1901.) *Olbien-sis Leopold.*
Leopold; *Leopoldine.* SAMBUCINA.
 LEOTO. TB. (Fry. N.)
 LEPINOUX. TB. (Mil. 1923.)
 LESEBLE. TB. (Lmn. 1848.) *M. Leseble;* *M. du Sible.*
Lester Lovett. Jap. (Named by Lovett.)
 LEUCOTHEA. RC. (Van T.)
 LEVERRIER. TB. (Den. 1917.)
 LEWIS TROWBRIDGE. TB. (Farr 1913.)
 LEYLAND HUCKFIELD. TB. (Fry. 1919.)

IRIS, continued

- LIBAUDI. TB. (Lmn. 1840.) *Lia-baud; Libacidi.*
 LIBERTY. TB. (Cay. N.)
 LIDO. DB. (Mil. 1907.) *La Lido.*
 Lieut. A. Williamson. LENT A. WILLIAMSON.
Lila. LILACINA.
 LILACINA. TB. (1841.) *Lila.*
Lilacina. Eng.
Lilacina. Spur. (Fos.)
L'Innocence. KING OF WHITES.
L'Innocence. WHITE PURPLEVEIN I.
 LION DANCE. Jap. *Shishi-odori;* *Dancing Lion.*
 LIONEL MILLET. TB. (Mil. 1895.)
Lizzie. TB.
 LOBELIA. DB. (Mil. 1907.)
 LOHENGRIN. TB. (G. & K. 1910.)
Loie Fuller. AUREA.
Longfellow. Span. SOLFATARE.
longipetala. Long. COAST I.
Longipetala superba. Mrs. TAIT.
 LOPPIO. TB. (Col. by Fos.) *Cengiali Loppio.*
Lord Beaconsfield. BOSSET.
 LORD GREY. TB. (Lmn. 1840.) *Miss Cornelia.*
 LORD LABOURNE. TB. (Per. N.)
Lord Macaulay. TB.
 LORD OF JUNE. TB. (Yeld 1911.)
 LORD PALMERSTON. Eng.
 LORD RAGLAN. Span.
 LORD ROBERTS. Eng.
Lord Rosebery. JACQUESIANA.
Lord Rosse. TB.
Lord Salisbury. TB.
Lord Seymour. COURCY.
 LORD WOLESEY. Spur. (1899.)
 LORELEY. TB. (G. & K. about 1909.)
 LORENZO DE MEDICI. Eng.
 lortetti. Onc. LEBANON I.
 LOTUS JEWEL. Jap. *Jewel on Lotus Flower; Jewels and Flowers; Magic Jewel; Renjo-no-tama.*
 LOUIS BEL. TB. (Den. 1921.)
Louis de Cerise; Louis de Savisse; Louisa. LOUISE DESAVISSE.
 LOUIS VAN HOUTTE. TB. (Lmn. 1840.)
 LOUIS VAN MEYER. TB. (Dutch.)

IRIS, continued

- LOUISE. Span. *Ne Plus Ultra; Sweet Lavender.*
 LOUISE DESAVISSE. TB. (Lmn. 1855-58.) *Louis de Cerise; Louis de Savisse; Louisa.*
 LOUTE. TB. (Vilm. 1904.)
Lovelocks. Jap. (Named by Hal.)
 LOWELL. TB. (Fry. 1921.)
Lucrece; Lucretia; Lucretius. DAL-MARIUS.
Lucy. TB.
 LUGARDA. TB. (Sturt. 1918.)
 LUNA. RC. (Van T.)
 L'UNIQUE. Eng.
L'Unique. Span.
Lupina. I. saari.
 LURIDA. TB.
Lurida redouteana. REDOUTEANA.
 LURLINE. TB. (Bliss 1919.)
 LUSINDA. Eng.
 LUSITANICA. Span.
 LUTEA. DB. (1875.) *Pumila lutea.*
 LUTEA MACULATA. DB. *Pumila lutea maculata.*
 LUTESCENS. DB. *Pseudo-pumila.*
 LUTESCENS AUREA. DB.
Lutescens statellae. STATELLAE.
 LUXOR. TB. (Bliss N.)
 LYNETTE. TB. (Bliss 1921.)
M. du Sible. LESEBLE.
 MA MIE. TB. (Cay. 1906.)
 MABEL B. TAFT. TB. (Sturt. N.)
Machilisea. MANDRALISCAE.
Macrantha. AMAS.
 MACROCARPA. DB. (Leich. 1888.)
macrosiphon. Cal. *Californica.* TUBE I.
 MACULATA. DB. *Biflora maculata.*
Madcap. TB.
 MADISON COOPER. TB. (Fry. 1919.)
 MADONNA. TB.
 Mady CARRIERE. TB. (Mil.)
 MAGGIE. TB. (Fos. about 1884.)
Hermoine; Miss Maggie.
Magic Jewel. LOTUS JEWEL.
 MAGNATE. TB. (Sturt. 1918.)
 MAGNET. TB. (Lmn. 1840.)
 MAGNIFICA. TB. (Vilm. 1920.)
Magnifica; Magnifique. TB. (1886.)
 DR. BERNICE.
 MAGNIFICENT. TB. (Fry. N.)
 MAGOT. TB. (Vilm. N.)

IRIS, continued

- Mahogany.* Jap. (Named by Hal.)
MAID-OF-THE-MIST. TB. (Bran. N.)
MAIDENS BLUSH. TB. (Per. 1913.)
Maid Marian. TB.
Majesteux. TB.
MAJESTIC. TB. (Bliss 1920.)
MAJOR. TB. (1840.)
Major. GERMANICA MAJOR.
MALMAISON. (Hal. about 1885.)
MALTESE. Jap. (Hal. about 1885.)
MALVINA. TB. (Lmn. 1855-58.)
Bougainville; *Eleon;* *Hokanum;*
Sambucina major; *Shakespeare;*
Sir Walter Scott; *Walter Scott.*
Manadzuru. WHITE CRANE.
MANDALAY. TB. (Sturt. 1918.)
MANDARIN. TB. (Clev. 1920.)
Mandarin. Jap.
MANDRALISCAE. TB. *Machilisea.*
Manissadjana. I. *saari.*
MANUELITA. TB. (Ken. 1923.)
MANOA. TB. (Bliss N.)
Manon. TB.
MAORI KING. TB. (Ware 1890.)
MAORI PRINCESS. TB. (Shull 1923.)
MAPLE CASCADE. Jap. *Momiji-notaki.*
Marai-botri. LAUGHING DOLL.
MARC AUREA. TB. (Cay. N.)
MARCELLE TINAYRE. TB. (Den 1912.)
MARCUS. TB. (Per. 1921?)
MARDIN I. TB. I. *mesopotamica.*
MAREN. TB. (Mor. N.)
MARENCO. TB. (1897.) *Marengo.*
MARESCHAL. TB. (Sturt. 1918.)
MARGARET. DB. (Fos. 1908.)
MARGARET LEAHY. TB. (Wing N.)
MARGARET MOOR. TB. (Bliss 1918.)
MARGARET SHERIDEN. TB. (Fry. 1919.)
MARGERY. TB. (Dean 1922.)
MARGERY McCORD. TB. (Fry. 1919.)
MARGERY TINLEY. TB. (Per. N.)
MARGINATA. TB. (Den. before 1920.)
MARGUERITE GAUDICHAU. TB. (Mil. 1912.)
MARGUERITE MARON. TB. (Den. N.)

IRIS, continued

- MARIA.* TB. (Hor. 1920.)
MARIA CORNELIA. Eng.
Maria Milanollo. MARY MINANELLE.
Mariae. I. *barnumae mariae.*
MARIAN MOHR. TB. (Mohr N.)
MARIE. Span.
Marie Corelli. TB.
MARIGNY. TB. (Vilm. N.)
Marion. TB.
MARION CRAN. TB. (Per. N.)
MARION LOAT. TB. (Loat 1919.)
MARIPOSA. TB. (Mohr N.)
MARITANA. TB. (Ware 1895.)
MARJOLIN. TB. (Lmn. 1855-58.)
Margolin.
MARMORA. TB. (1854.) *La Marmora.*
MAROCAIN. DB. (Mil. 1914.)
MARS. IB. (Cap. 1901.)
Mars. Jap. (Hal. about 1885.)
Mars. RC. (Van T.)
Mars. TB. (G. & K. 1903.) MARVAR.
MARSHMARGOLD. TB. (Bliss 1919.)
MARSOUIN. TB. (Vilm. N.)
MARVAR (A. I. S. name). TB. (G. & K. 1903.) *Mars.*
Mary. TB. (Ware 189-.)
MARY GARDEN. TB. (Farr 1913.)
MARY GRAY. TB. (Farr 1913.)
MARY I. I. *barnumae mariae.*
MARY MINANELLE. TB. (1854.)
Maria Milanollo.
MARY ORTH. TB. (Farr 1920.)
MARY WILLIAMSON. TB. (Wmsn. 1921.)
MASAKO MIRROR. Jap. *Masako-kagami.*
MASSASOIT. TB. (Farr 1916.)
MASSENA. TB. (Cay. N.)
MASSILIA. RC. (Van T.)
MAUDE TRIBOLET. MB. (Wmsn. N.)
Maurelie. TB.
MAURICE BEVAN. Sib. (Per.)
Mauwine. TB. (Named by Dean 1919.)
MAVOURNEEN. TB. (Bliss N.)
MAX ROOSSES. Eng.
MAXIMILIAN. TB. (Bliss 1921.)
MAY MORN. TB. (McK. N.)

IRIS, continued

MAY ROSE. TB. (Clev. 1920.)
 MAYFLOWER. TB. (Bliss N.)
 MAZARIN. DB. (Cap. 1901.)
Meale. NEALA.
 MEDALLION. TB. (Sturt. 1917.)
 MEDRANO. TB. (Vilm. 1920.)
 MEDUSA. RC.
 MEGAS. TB. (Den. 1922.)
Meissonier. TB.
 MELISANDE. TB. (Clev. 1920.)
 MELODIE. TB. (Cay. N.)
 MELPOMENE. Jap. (Vilm. 1898.)
 MEMORY. TB. (Yeld 19—.)
 MENETRIER. TB. (Den. 1921.)
 MENUET. TB. (Cay. N.)
 MEPHISTOPELETS. TB. (Dutch 1889.) *Sambucina Mephistopheles.*
 MERCEDES. TB. (Verd. 1905.)
 MERCUTIO. TB. (Hor. 1920.)
Bianca (Hor. not Mil.)
 MERLIN. TB. (Sturt. 1918.)
 mesopotamica. TB. MARDIN I.
 In the trade, often confused with I. cypriana and with the hort. var. Ricardi.
 METEOR. DB. (Cap. 1901.)
 MEXICANA. TB. (Sal. before 1859.)
Mexicaine; Gold Bound.
 Meyerbeer. TB.
 M. G. PETERS. TB. (Fry. 1917.)
 M. HUBERT. TB. (Den. 1922.)
 MIDAS. TB. (Bliss 1920.)
 MIDLEY. Span.
Midnight. KOCHI; PURPLE KING.
 MIDWEST. TB. (Sass. 1922.)
 MIGNON. TB. (Cay. N.)
 MIKADO. TB. (Den. 1914.)
Mikado. Jap.
 MIKNONIA. TB. (Den. N.)
 MILDRED PRESBY. TB. (Farr N.)
 milesi. Ev. HIMALAYAN I.
 MILIO. RC.
 MILKY WAY. TB. (Sturt. 1922.)
 MILTON. DB. (Cap. 1901.)
 MIMUNG. TB. (G. & K. 1911.)
 MINA. Span.
 MINERVA. TB. (Lmn. 1840.)
Minerva. MB. (Fos.)
Minerva. TB. SPECIOSA.
 MINISTER LOEFF. Span.

IRIS, continued

MINNEHAHA. TB. (Farr 1913.)
 MINNESOTA. TB. (Fry. 1919.)
 MINOR BEAUTY. TB. (Per. 191—.)
 MINOS. TB. (Per. 1840.) *Minor.*
 MIRAGE. TB. (Fos. 1909.)
Mirage. Jap. (Named by Hal. about 1885.)
 MIRALBA. TB. (Lmn. 1848.) *Lady Jane.*
 MIRANDA. TB. (Hor. 1919.)
Miranda. Eng.
 MIREILLE. DB. (Mil. 1911.) *Mireille B.*
 MIRIAM. TB. (Vilm. 1904.)
Miss Brough. BEETHOVEN.
 MISS BROUGHTON. TB. (Per. 1921?)
Miss Cornelia. LORD GREY.
 MISS EARDLEY. TB. (Per. 1910.)
 MISS JESSOP. TB. (Per. 1921s)
 MISS MAY. Sib. (Hitch.)
 MISS OWEN. DB. (Barr 1893.)
Balceng Miss C. M. Owen.
 MISS ROWE. TB. (Per. 1911.)
 MISS WELD. Eng.
 MISS WHITE. DB. (Barr 1893.)
Balceng Miss H. M. White.
 MISS WILLMÖTT. TB. (Fos. 1910.)
 missouriensis. Long. *Tolmeiana.*
 ROCKY MOUNTAIN I.
 MISSOURIENSIS BLUEBIRD. Long.
 (And. 1922.)
 MISSOURIENSIS SNOWBIRD. Long.
 (And. 1922.)
 MIST. TB. (Fos. 1909.)
 MISTRAL. DB. (Mil. 1916.)
 MISTRESS FORD. TB. (Hor. 1921.)
 MITHRAS. TB. (G. & K. 1910.)
 MLLE. SCHWARTZ. TB. (Den. 1916.)
 MME. ABEL CHATENAY. TB. (Cay. N.)
Mme. Almira. TB. (Woolson 1889.)
Dalmatica.
 MME. BAZE. TB. (Den. 1918.)
 MME. BLANCHE PION. TB. (Cay. 1906.)
 MME. BORIES. TB. (Den. 1907.)
 MME. BOULLET. TB. (Den. 1919.)
 MME. BUTTERFLY. Jap. (Farr 1917.)
Mme. Butterfly. BUTTERFLY.
 MME. CHABAL. TB. (Mil. 1917.)

IRIS, continued

- Mme. Chauviere.* MME. JENNEAUX.
MME. CHEREAU. TB. (Lmn. 1844.)
Susannah.
MME. CHERI. TB. (Sturt. 1918.)
MME. CHOBAUT. TB. (Den. 1916.)
MME. CLAUDE MONET. TB. (Den. 1912.)
MME. DE BAUNNE. TB. *Mme. de Bonne.*
MME. DE SEVIGNE. TB. (Den. 1916.)
Mme. de Stael. TB. (Before 1921.)
MME. DEBURA. TB. (1859.)
MME. DENIS. TB. (Den. 1918.)
MME. DURRAND. TB. (Den. 1912.)
MME. GAUDICHAU. TB. (Mil. N.)
MME. GERARD. Eng.
Mme. Ghysels. GISELE.
MME. GUERVILLE. TB. (1860.)
MME. HENRI CAYEUX. TB. (Cay. N.)
MME. HODSON. Span.
MME. JANIAUD. TB. (Cay. N.)
MME. JENNEAUX. TB. (1860.)
Mme. Chauviere; *Mme. Jouneau;*
Mme. Juineau.
MME. LAMOUCH. TB. (Mil. 1923.)
MME. LOUESSE. TB. (1860.)
MME. MASSE. TB. (Den. 1923.)
MME. MATT. TB. *Mme. Mattar.*
Mme. Pacquette. PACQUITA.
Mme. Patti. OSSIAN.
Mme. Pfisault. MME. THIBAULT.
Mme. Sonntag. TB.
MME. STEINCHEN. MB. (Den. 1913.)
MME. THIBAULT. TB. *Thibault;*
Mme. Pfisault.
MME. TRUFFAUT. TB. (1860.)
MME. VERNOUX. TB. (Mil. 1921.)
MME. VIESSEUX. TB. (Per. N.)
MOA. TB. (Bliss 1919.)
MODESTE GUERIN. TB. (1880.)
MOHAWK. TB. (Farr N.)
MOHRANGE. MB. (Den. N.) *De Mohrange.*
MOLIERE. TB. (Vilm. 1920.)
Momiji-no-taki. MAPLE CASCADE.
Mon Bijou. SOLFATARE.
MON TRESOR. Eng.
MONARCH I. Onc. *I. gatesi.*
MONARQUE. TB. (Per. 1910.)
MONASTIR. TB. (Cay. N.)
MONAUREA. Spur.

IRIS, continued

- Monaurea.* SPURIA MONAUREA.
MONCEY. TB. (Vilm. N.)
MONGUL. DB. (Mil. before 1919.)
Grand Mongul.
Monhassan. TB.
MONICA. TB. (Bliss 1921.)
MONNIERI. Spur.
MONSIGNOR. TB. (Vilm. 1907.)
MONSPUR. Spur. (Fos.)
Monspur Dorothy Foster. DOROTHY FOSTER.
Monspur Premier. PREMIER.
MONT BLANC. Eng.
Mont d'Or. TB.
Montauk. QUEEN VICTORIA.
MONTE BALDO. TB. *Cengialti Baldo.*
MONTEZUMA. TB. (Farr 1909.)
MONTSERRAT. TB. (Mor. 1923.)
Moonlight. TB. (Sturt. N.)
Moonlit Waves. Jap. *Gekka-no-nami;*
Gold Bound; *Moonlight Waves;* *Silver Waters;* *Waves under Moonlight.*
MOONSTONE. TB. (Clev. 1920.)
MOOR. TB. (Cap. 1901.) *Cengialti The Moor.*
MORAEA I. *I. sisyrinchium.*
MORNING MISTS. Jap. *Asagasumi;*
Usagasumi.
Morning Moon. ARIAKE.
MORNING SPLENDOR. TB. (Shull 1923.)
MOROCCO I. Span. *I. tingitana.*
MORPHEE. TB. (Lmn. 1840.) *Morpheus.*
MORT SANFORD. TB. (Fry. 1919.)
MORWELL. TB. (Bliss 1917.)
MOTHER OF PEARL. TB. (Sturt. 1921.)
MOTLEY. TB. (Bliss N.)
Mouche d'Or. CAJANUS.
MOUNT PENN. TB. (Farr 1909.)
MOUNTAIN MAID. TB. (McK. N.)
MOURNING I. Onc. *I. susiana.*
MOZART. TB. (1854.)
MR. FELL. Jap. (Named by Hal.)
Mt. Fell.
Mr. Gladstone. GLADSTONE; THORBECKE.
Mr. Shaw. TB.
MR. VEEN. Eng.
MRS. A. M. BRAND. TB. (Fry. 1919.)
MRS. ALAN GRAY. TB. (Fos. 1909.)

IRIS, continued

MRS. ANDRIST. TB. (Fry. 1919.)
 MRS. BARRON. TB. (Before 1912.)
 MRS. BEVAN. Sib. (Per. before 1920.)
 MRS. BLAKELY. TB. (Fry. 1919.)
 MRS. BOSSART. TB. (Fry. 1919.)
Mrs. Charles Wheeler. CHALCEDONICA.
 MRS. CHRISTMAN. TB. (Fry. 1919.)
 MRS. COWLEY. TB. (Bliss 1920.)
 MRS. CURTIS. TB. (Fry. 1917.)
 MRS. DUGALE. TB. (Per.) *Mrs. Arthur Dugdale.*
 MRS. FRED STERN. TB. (Per. N.)
 MRS. FRYER. TB. (Fry. 1917.)
 MRS. GEO. DARWIN. TB. (Fos. 1895.)
 MRS. H. G. LLOYD. TB. (Fry. 1918.)
 MRS. HAGLER. DB. (Fry. 1919.)
 MRS. HAW. TB. (Fry. 1921.)
 MRS. HAYES. TB. (Fry. 1919.)
 MRS. HILL. Sib. (Per. before 1920.)
 MRS. HORACE DARWIN. TB. (Fos. 1888.) *Camellia* (Not Fry.); *Eytheria.*
 MRS. J. J. STOKES. Spur. (Bran. N.)
 MRS. J. S. BRAND. TB. (Fry. 1919.)
 MRS. JUDD. TB. (Fry. N.)
 MRS. KESSLER. TB. (Per. 1904.)
 MRS. KIMBALL. TB. (Fry. 1919.)
 MRS. KINGSCOTE. TB. (Per. 1911.)
Hon. Mrs. Kingscote.
 MRS. LOGAN. Sib. (Per.)
Mrs. Lubiter. TB.
 MRS. McCORD. TB. (Fry. 1919.)
 MRS. NAGELI. TB.
 MRS. NEUBRONNER. TB. (Ware 189-.)
 MRS. PAUL B. RIIS. TB. (Riis N.)
 MRS. PERRY. Sib. (Per. 1912.)
 MRS. RAPP. TB. (Fry. N.)
 MRS. REUTHE. TB. (Ware 1899.)
 MRS. ROWE. Sib. (Per.)
 MRS. R. W. WALLACE. TB. (Cay. N.)
 MRS. RYDER. TB. (Per. 1910.)
 MRS. SANFORD. TB. (Fry. 1919.)
 MRS. SAUNDERS. Sib. (Per. 1912.)
 MRS. SMITH. TB. (Fry. 191-.)
 MRS. TAIT. Spur. *Longipetala superba.*
 MRS. TINLEY. TB. (Bliss 1920.)
 MRS. WALTER BREWSTER. TB. (Vilm. 1922.)

IRIS, continued

MRS. WEDGE. TB. (Fry. 1917.)
Mrs. W. T. Ware. Span. W. T. WARE.
 Mt. FUJI. Jap. *Fuji-no-mine; Tuji; Tuyi.*
Mt. Hood. Jap. (Named by Hal.)
 MUNICO. TB. (Lmn. 1840.) *Minico; Municara; Munica.*
 MUNITE. TB. (1884.) *Flavescens Munite.*
 MUNTHE. Dut.
Murat. PROSERPINE.
 MUSCADINE. TB. (McK. N.)
 MUSQUETEER. TB. (Sturt. N.)
 MY LADY. TB. (McK. N.)
 MYRA. TB. (Bliss N.)
 MYSTIC. TB. (Bliss 1920.)
 MYTH. TB. (Sturt. 1918.)
Nabob. NATIONAL.
 NADINE. TB. (Fry. 1920.)
 NANCY ORNE. TB. (Sturt. 1921.)
 NASHIBA. Jap.
 NATIONAL. TB. (Lmn. 1840.) *Nabob; Naushon.*
 NAUSHON. TB. (Sturt. 1920.)
 NAVAJO. TB. (Farr 1913.)
 NAVARRE. Jap. (Hal. about 1885.)
Navy Blue. Jap.
 NAZARIN. MB. (Fos.)
 NEALA. TB. (Lmn. 1848.) *Meale.*
Nefert. TB. (Fos. 19-.)
 NEGLECTA. TB. (1835.)
 NEGUS. DB. (Mil. 1914.)
 NELLIE QUINN. TB. (Fry. 1919.)
Nelly. TB.
 NELSON. TB. (Bliss N.)
Nemesis. SAMBUCINA.
 NEMOURS. TB. (Lmn. 1848.) *Duc de Nemours; Duchesse de Nemours.*
Nepalensis. PURPLE KING.
 NEPES. Eng.
 NEPTUNE. TB. (Yeld 1916.)
Neptune. Jap. (Vilm. 1902.)
 NEREIDE. Jap. (Vilm. 1900.)
 NEREUS. TB. (Yeld 19-.)
 NETTED I. Ret. *I. reticulata.*
Newton. TB.
 NIBELUNGEN. TB. (G. & K. 1910.)
 NICOLA. TB. (Per. 191-.)
NIGHTFALL. Jap. (Chi.)
 NIGRA. TB. (1868.) *Nigea; Niva.*
 NIKKO. Jap. (Farr 1917.)
 NIMBUS. TB. (Shull N.)

IRIS, continued
NIMROD. Span.
Nimrod. TB.
NINA. Jap. (1882.)
NINE WELLS. TB. (Fos. 1909.)
NIobe. DB. (Cap. 1901.)
NIPHETOS. IB. (Cap. 1901.)
NIRVANA. TB. (Sturt. 1918.)
Nishiki-botan. PEONY BROCADE.
Nishiki-no-shitome. CUSHION BROCADE.
Niva. NIGRA.
NOKomis. TB. (Farr 1915.)
NON PLUS ULTRA. Span.
Noranea. Jap.
NORMA. Jap. (Chi. 1919.)
NOTHA. Spur. (1876.)
NOTHUNG. TB. (G. & K. 1913.)
NOVA AUREA. DB. (H. & S. 1878.)
Pumila nova aurea.
NOVA CANDIDA. DB. (H. & S. 1878.)
Pumila nova candida.
NUBIAN. TB. (Sturt. 1921.)
Nudicaulis. I. aphylla.
NUDICARLIS PURPUREA. DB.
NUEE D'ORAGE. TB. (Verd. 1905.)
Storm Cloud.
OBELISQUE. DB. (Cap. 1901.)
OBERON. TB. (Koeh. N.)
OBI. RC.
OCHRACEA. TB. (Den. 1919.) *Ochraea caerulea. Sunset.*
ochroleuca. Spur. YELLOWBAND I.
ODDITY. DB. (Fry. 1919.)
ODETTE OLIVET. TB. (Non. N.)
ODIN. TB. (Cap. 1901.)
ODORATISSIMA. TB.
OKU-BANRI. Jap.
Olandai. OLINDA.
Olbiensis. I. chamaeiris.
OLD CRANE. Jap. (1912.) *Chitose-dzuru.*
OLD IVORY. TB. (Sturt. N.)
Oldenbarneweld. UNIQUE.
OLINDA. TB. (1864.) *Olandai.*
OLIVER PERTHUIS. TB. (Mil. 1921.)
OLIVIA. TB. (Hor. 1920.)
OLYMPIA. TB. (Vilm. N.)
Olympia. Span.
OMEGA. TB. (Bliss 1919.)

IRIS, continued
ONDINE. Jap. (Hal about 1885.)
ONI-GA-SHIMA. Jap.
ONNORIS. TB. (Sturt. 1920.)
Oom Paul. TB. (Dutch.)
OPAL. TB. (Clev. 1920.)
OPERA. TB. (Vilm. 1916.)
Ophelia. TB.
OPORTO. TB. (Yeld 1911.)
ORANG-OUTANG. Jap. *Shojo.*
ORANGE QUEEN. DB. (Per. 19—.)
Orangeman. TB.
ORCHID. TB. (Shull N.)
orchoides. Jun. BULB I.
ORCHIOIDES ALBA. Jun.
ORCHIOIDES CAERULEA. Jun.
ORCHIOIDES SULPHUREA. Jun.
OREGON I. Cal. I. tenax.
ORIEL. DB. (Cap. 1901.)
ORIENTAL. TB. (Farr 1913.)
Oriental White. Eng.
orientalis. Sib. *Sanguinea; Sibirica sanguinea.*
 There is much confusion regarding the name *I. orientalis*. By some botanists it is regarded as the proper name for *I. ochroleuca*, but this catalogue follows Dykes in maintaining the name *I. orientalis* in its ordinary horticultural sense.
ORIFLAMME. TB. (Vilm. 1904.)
ORIOLE. Jap. (Hal. about 1885.)
ORION. Jap. (Hal. about 1885.)
ORLEANS. TB. (Lmn. 1848.) *Duchesse d'Orleans; Duc d'Orleans.*
Orova; Oroya. CHARLES DICKENS.
ORPHEUS. TB. (Lmn. 1840.) *Orphee.*
Oscar. Jap. (Named by Hal. about 1885.)
OSCEOLA. TB. (Dun. 1921.)
Osho. Jap. *Osho-san.*
OSIRIS. TB. (Per 190—.)
Osiris. RC.
Osis. TB.
OSSIAN. TB. (1868.) *Mme. Patti.*
OTHELLO. TB. (Lmn. 1848.) *Berlin; Sappho Neglecta.*
 Mixed with National.
Othello. Eng.
Othello. Jap. (Hal. about 1885.)
Othello. Span.
OTORIGE—Beautiful feather. Jap.

IRIS, continued

Oudiniana. INDIANA.
 OUR KING. TB. (Den. 1916.)
 OVERTONES. TB. (McK. N.)
Oyodo. Jap.
 PACQUITA. TB. (Lmn. 1848.)
Mme. Pacquitte; Pacquit.
 PAGEANT. TB. (Bliss 1920.)
Painted Lady. Jap.
 PALACE. Jap. *Hana-gosho*—Palace of Flowers.
 PALAUREA. TB. (Sturt. 1918.)
 PALESTINE I. Onc. I. *bismarckiana*.
 PALISSY. TB. (Jack. 1889.)
 PALLADIN. TB. (Bliss 1919.)
 PALLAS. RC.
pallida. TB. SWEET I.
Pallida dalmatica. DALMATICa.
Pallida minor. I. *cengialti*.
Pallida speciosa. SPECIOSA.
 PALMYRA. TB. (Bliss 1921.)
 PALOMA. TB. (Mohr N.)
 PALTEC. MB. (Den. N.)
Pameron. TB. (1906.)
 PANCRACE. TB. (1854.) *Panchrea*;
Panchreua; *Pancraftius*; *Pancratius*.
 PANCROFT. TB. (Mil. 1909.)
 PANDORA. TB. (Sturt. 1922.)
 PAPILLON. TB. (Vilm. N.)
 PARACINA. MB. (Fos. 1901.)
 PARADISE. TB. (Mor. N.)
paradoxa. Onc. VELVET I.
 PARAGON. TB. (Wal. 1920.)
Paragon. Jap. (Hal. about 1885.)
 PARC DE NEUILLY. TB. (Verd. 1910.)
 PARIS. RC.
 PARISIANA. TB. (Vilm. 1911.)
Parisiensis. I. *germanica*.
Parkmani. TB.
 PARSAM. MB. (Fos. 1905.)
 PARTHENOPE. RC.
 PARVAR. MB. (Fos. 1909.)
 PATIENCE. TB. (Fos. 1909.)
 PATRICIAN. TB. (Bliss 1921.)
 PATROCLE. Jap. (Vilm. before 1900.)
 PAULINA. TB. (Hor. N.)
 PAULINE. TB. (Farr 1913.)
Paulus Potter. Dut. (De G.)

IRIS, continued

PAXATAWNY. TB. (Farr 1918.)
 PEACE. Jap. *Taiheiraku*.
 PEACHBLOSSOM. Jap. (Hal. about 1885.) *Peach Blow*.
 PEACHBLOW. TB. (Clev. N.)
Peacock Eye. PFAUENAUGE.
 PEAU ROUGE. TB. (Cav. N.)
Pecatum. SWERTI.
 PEDRO. TB. (Dykes 1922.)
 PEGGY PERRY. Sib. (Per. 1912.)
 PENDRAGON. TB. (Bliss 1920.)
 PENELOPE. TB. (Sal. before 1859.)
Pentoke.
Penelope. Eng.
Peneman. Dut. (Van T.)
 FENGE. TB. (Fos. 1913.)
 PENSAMIENTO. TB. (Shull 1923.)
Pentoke. PENELOPE.
 PEONY BROCADE. Jap. *Nishiki-botan*.
Perfecta. TB.
 PERFECTION. TB. (Barr.)
Perfection. Jap.
 PERLE. TB. (Cap. 1901.)
 PERLE DES JARDINS. Eng.
 PERONNE. TB. (Den. 1923.)
 PERRY BEAUTY. DB. (Per. 1903.)
Beauty.
 PERRY BLUE. Sib. (Per. 1912.)
 PERRY FAVORITE. TB. (Per. 1911.)
Perry Pigmy. PIGMY.
 PERRY PURITY. DB. (Per.) *Purity*.
 PERRY WHITE. TB. (Per. N.)
 PERSEPHONE. RC. (Van T.)
 PERSIAN I. Jun. I. *persica*.
persica. Jun. PERSIAN I.
persica issica. Jun. *Mardinensis*.
ISSIAN I.
persica purpurea. Jun. PURPLE PERSIAN I.
persica sieheana. Jun. *Haussknechti*.
PLUM I.
persica stenophylla. Jun. *Heldreichi*.
LEOPARD I.
persica tauri. Jun. TAURIAN I.
Perthuis. OLIVER PERTHUIS.
 PETER BARR. TB. (Barr 1901.)
 PETER PAN. Sib. (Per 19—).
 PETIT DANIEL. DB. (Mil. 1909.)

IRIS, continued

PETIT VITRY. TB. (Cay. 1906.)
 PETITE AMIE. DB. (Mil. 1919.)
 PETREL. TB. (Shull. N. 1923.)
 PFAUENAUGE. TB. (G. & K. 1906)
Peacock Eye.

PHAETON. TB. (1854.) *Phelion;*
Phitan.
 PHARAOH. TB. (Lmn. 1840.)
Pharoan.

Pharos. Eng.
Phelion; Philan. PHAETON.

PHIDIAS. TB. (Lmn. 1840.)

PHRYGIAN I. I. biliotti.

PHYLLIS. TB. (Krel. N.)

PHYLLIS BLISS. TB. (Bliss 1919.)

Picotee. TB.

Piel Hein. Span.

Pieter de Hoogh. Dut. (Van T.)

PIGMY. Sib. (Per. 1912.) *Perry Pigmy.*

PINK PEARL. TB. (Clev. 1920.)

PINK PROGRESS. Jap. (Chi. 1919.)

PINK PROGRESSION. TB. (Cham. 192-.)

PIONEER. TB. (Bliss 1920.)

PIQUANTE. TB. (McK. N.)

PLICATA SAPPHO. TB. *Sappho Plicata.*

PLUM I. Jun. *I. persica sieheana.*

PLUME. Jap. (Hal. about 1885.)

PLUMERI. TB. (1888.)

Plumeri. SPECIOSA.

PLUTO. RC.

PLUTON. TB. (Lmn. 1840.)

Pluton. Jap. (Vilm. 1905.)

POCAHONTAS. TB. (Farr 1915.)

POILU. TB. (Vilm. N.)

Poiteau. TB. (Lmn. 1848.) M.
Poiteau.

POLAKI. Sib.

POLARIS. TB. (Sturt. 1922.)

POLLUX. TB. (G. & K. 1914.)

Pollux. RC. (Van T.)

POLYHYMNTIA. RC. (Van T.)

POMPEY. TB. (Hor. N.)

POND POINT. TB. (Elm.)

PONT-A-MOUSSON. TB. (Mil. 1919.)

PONTOS. TB. (Yeld N.)

PORCELAIN. TB. (Fos. 1909.)

PORCELAIN SCEPTRE. Jap. (Hal. about 1885.)

IRIS, continued

PORSENNNA. TB. (Yeld.)

PORTIA. TB. (Bliss N.)

POWHATAN. TB. (Farr 1913.)

Praecox. FILIFOLA.

PRAIRIE BEAUTY. DB. (Harrison?)

PRAIRIE QUEEN. DB. (Harrison?)

PREMIER. Spur. *Monspur Premier.*

President. APOLLON.

President Lincoln. SAMBUCINA.

President Morel. FRIES MOREL.

President Thiers. TB. (Dutch 1888.)

PRESTIGE. TB. (Sturt. 1918.)

PRIAM. Jap. (Vilm.)

PRIMIER. TB. (Sturt. 1918.)

PRIMROSE. TB. (Sturt. N. 1923.)

PRINCE CHARMING. TB. (Sturt. N.)

PRINCE HEINRICH. Span. *Xerxes.*

PRINCE LOHENGRIN. TB. (Mohr N.)

Prince Mauritz. Eng.

PRINCE OF ORANGE. TB. (1873.)
Goldfinch.

PRINCE OF WALES. TB. (Sal. before 1859.)

PRINCE VICTOR. IB. (Cap. 1901.)

PRINCESS BEATRICE. TB. (Barr.)
Rev. W. Wilks.

Mixed with Dalmatica.

Princess Dagmar. Eng.

Princess Ida. Span.

PRINCESS LOUISE. DB. (Per. 1903.)

Princess Margaret. Span.

PRINCESS MARY. TB. (Per. N.)

PRINCESS OF TECK. TB.

Princess of Wales. I. albicans.

PRINCESS OSRA. TB. (Bliss 1922.)

PRINCESS ROYAL. TB. (Smith.)

PRINCESS TOTO. TB. (Bliss 1922.)

PRINCESS VICTORIA LOUISE. TB. (G. & K. 1910.) *Prinzessin Viktoria Luise.*

PRINZ HEINRICH. Span.

PRISCILLA. TB. (Hall 1923.)

prismatica. Sib. CUBESEED I.

Pristesse. TRISTESSE.

PROF. SEELIGER. TB. (Koeh. N.)

PROGRES. TB. (Cay. N.)

PROPENDENS. TB. (Per.)

PROSERPINE. Jap. (Vilm. 1898.)

Proserpine. Eng. (Wal. 1920.)

Proserpine. TB. (Lmn. 1848.) *Murat.*

IRIS, continued

PROSPER LAUGIER. TB. (Verd. 1914.)

PROSPERO. TB. (Yeld 1920.)

PROTEUS. TB. (Hor. N.)

pseudacorus. Laev. YELLOWFLAG I.
Pseudacorus acoroides. Laev.

Probably identical with *I. pseudacorus*.

PSEUDACORUS ALBA. Laev.

PSEUDACORUS BASTARDI. Laev.

PSEUDACORUS FOLIIS VARIEGATIS. Laev.

Pseudo-pumila. LUTESCENS.

PSYCHE. RC. (Van T.)

Psyche. Jap.

Pulcherrima. CELESTE.

pumila. DB.

This species is confused with *I. chamaeiris* in the trade. Probably no true *I. pumila* in cultivation. For varieties not found under *pumila*, see under *chamaeiris*, under *Hybrida*, under *Nova* and in alphabetical list.

PUMILA ALBA. DB.

PUMILA ATROVIOOLACEA. DB.

Pumila Caerulea. AZUREA.

Pumila hybrida varieties.

See under *HYBRIDA AUREA* and in alphabetical place.

Pumila nova. varieties.

See under *Nova* and in alphabetical place.

PURDY I. Cal. I. *purdyi*.

purdyi. Cal. PURDY I.

Purity. Jap. (Elm.)

Purity. PERRY PURITY.

PURPLE AND GOLD. TB. (Sturt. 1918.)

Purple Blush. PURPLE KING.

PURPLE DRAGON. Jap. *Shiunryo*—Dragon on purple cloud.

Purple Emperor. Jap.

PURPLE KING. TB. *Atropurpurea*;

Midnight; *Nepalensis*; *Purple*

Blush; *Purple Prince*; *Purple*

Queen; *Purpurea*; *Royal Purple*;

Specabilis; *Striata*.

PURPLE LACE. TB. (Sturt. 1922.)

PURPLE PERSIAN I. I. *persica purpurea*.

Purple Prince. PURPLE KING.

PURPLE QUEEN. Eng.

Purple Queen. KOCHI; I. *germanica*;

PURPLE KING.

PURPURASCENS. Ver.

IRIS, continued

Purpurea. PURPLE KING.

PURPUREO PERSICA. Jun.

PURSIND. Jun. (Van T.)

PURSIND HARBING. Jun. (Van T.)

PURSIND RUBY. Jun. (Van T.)

Pyramid. Jap. (Named by Hal.)

QUAKER LADY. TB. (Farr 1909.)

QUAKERESS. Jap. (Hal. about 1885.)

QUEEN (A. I. S. name). TB. (Barr.)
Queen Mary.

Queen. DB. (Cap. 1901.)

QUEEN ALEXANDRA. TB. (Barr.)

QUEEN CATERINA. TB. (Sturt. 1918.)

QUEEN ELINOR. TB. (Hor. 1921.)

Queen Emma. KING OF WHITES.

Queen Emma. TB.

Queen Emma. FLORENTINA.

QUEEN FLAVIA. IB. (Cap. 1901.)

QUEEN MARY. TB. (Per. 1913.)

Queen Mary. QUEEN.

Queen Mary. WHITE QUEEN.

Queen of Gypsies. GYPSY QUEEN.

QUEEN OF MAY. TB. (Sal. before 1859.) *Brookiana*; *Dr. Parnet*; *Rosy Gem*.

QUEEN OF THE BLUE. Eng.

Queen of the Blues. BLUE QUEEN.

Queen of the Dale. TB.

Queen of the Netherlands. QUEEN WILHELMINA.

QUEEN VICTORIA. TB. (Sal. before 1859.) *Montauk*.

Queen Victoria. SPECIOSA.

QUEEN WILHELMINA. Span. *Queen of the Netherlands*.

Quintine. TB.

RABBIT-EAR I. Laev. I. *laevigata*.

RACEMOSA. TB. (Ware 1884.)

Rachael. RAPHAEL.

RACHEL FOX. TB. (Jacobs 1920.)

RACHEL RAYSCH. Dut. (Van T.)

RACINE. TB. (1868.)

RADIANCE. TB. (Ware.)

RAFFET. TB. (Vilm. 1920.)

RAJPUT. TB. (Sturt. 1922.) *Rajah*.

RAKAN. TB. (Sturt. 1918.)

RALEIGH. TB. (Bliss 1921.)

RAMAPO. TB. (B. & A. 1917.)

RALLY. TB. (Bliss N.)

| | |
|--|---|
| IRIS, continued | IRIS, continued |
| RANGOON. TB. (Sturt. 1920.) | <i>Reticulata.</i> TB. (Before 1830?) |
| RANIKHET. TB. (Troup 1910.) | DUCHESS OF WELLINGTON. |
| RAPHAEL. TB. (Lmn. 1840.) | <i>Reticulata Alba.</i> TB. (Before 1830.) |
| <i>Raphael.</i> (Ret. NETTED I.) | RETICULATA CYANEA. Ret. |
| <i>Raphael.</i> Span. | <i>Reticulata purpurea.</i> TB. (1830.) |
| R. C. ROSE. TB. (Fry. 1917.) | <i>reticulata krelagei.</i> Ret. KRELAGE I. |
| REBECCA. TB. (Lmn. 1840.) | RETICULATA PAVONIA. Ret. |
| Rebecca. HECTOR; HONORABILE. | RETICULATA TUBEROSA. Ret. |
| <i>Reconnaissance.</i> Span. | REV. S. H. SMITH. TB. (Fry. 1917.) |
| RED ADMIRAL. TB. (Bliss 1920.) | <i>Rev. W. Wilks.</i> PRINCESS BEATRICE. |
| RED CLOUD. TB. (Farr 1913.) | REV. WURTELLE. TB. (Fry. 1917.) |
| RED CROSS. TB. (Clev. 1920.) | REVERIE. TB. (Sturt. 1920.) |
| <i>Red Dragon.</i> Jap. | RHEIN NIXE. TB. (C. & K. 1910.) |
| RED FOX. Jap. (Hal. about 1885.) | RHEINGAUPERLE. TB. (G. & K. 1915, or later.) |
| RED GLORY. TB. (Fry. 1920.) | RHEINTRAUBE. TB. (G. & K. 1917, or later.) |
| RED RIDING HOOD. TB. (Koeh. 1922.) | RHODA. TB. (Yeld 19—.) |
| <i>Red Riding Hood.</i> Jap. (Hal. about 1885.) | RICARDI. TB. |
| REDBEARD I. I. <i>hoogiana.</i> | Mixed with <i>I. cypriana</i> and <i>I. mesopotamica.</i> |
| Reddish Purple. WAKAMURASAKI. | RICARDI FONCE. TB. (Den. 1916.) |
| REDROUTEANA. DB. <i>Lurida redouteana.</i> | RICHARD II. TB. (Dykes 1914.) |
| REDSTART. TB. (Bliss 1921.) | RICHMOND. TB. (Farr N.) |
| REDVEIN I. Reg. I. <i>korolkowi.</i> | RIESE VON CONNERN. TB. (Mul. 1910.) |
| REGALE. TB. (McK. N.) | <i>Rigoletto.</i> GLORIETTE. |
| REGAN. TB. (Hor. 1920.) | RING DOVE. TB. (Fos. 1913.) |
| REGELIO-CYCLUS. RC. | RIP. TB. (Cay. N.) |
| REGGIE. TB. (Per. 190—.) | RIVA. TB. (Fos.) |
| <i>Regina.</i> TB. (1876.) | ROBERT BURNS. TB. (Barr 1885.) |
| <i>reichenbachi.</i> DB. <i>Bosniaca.</i> BALKAN I. | <i>Robert Burns.</i> BERGI. |
| REINE DES BELGES. TB. (Lmn. 1848.) <i>Roi des Belges.</i> | ROBERT CRAIG. Jap. (Hal. about 1885.) |
| <i>Reine des Belges.</i> GISELE. | ROBERT WALLACE. TB. (Per. N.) |
| REINE DES BULGARES. Jap. (Vilm.) | ROBIN. TB. (Bliss 1919.) |
| <i>Reine des Fees;</i> <i>Reine des Pays.</i> GYPSY QUEEN. | <i>Rocky.</i> Jap. |
| <i>Reine des Iris.</i> IRIS KING. | ROCKY MOUNTAIN I. Long. I. missouriensis. |
| REINE HELENE. Jap. (Vilm. 1904.) | RODNEY. TB. (Bliss 1919.) |
| REINETTE. IB. (Cap. 1901.) | <i>Roi des Belges.</i> REINE DES BELGES. |
| <i>Rembrandt.</i> Dut. | <i>Roi des Iris.</i> IRIS KING. |
| <i>Rembrandt.</i> TB. (1902.) | Roland. ROLLANDIANA. |
| <i>Remedes.</i> IRIS KING. | ROLETTE. TB. (Bun. about 1900.) |
| RENAISSANCE. TB. (Vilm. N.) | ROLAND HOLST. Dut. |
| RENE DENIS. TB. (Den. N.) | ROLLANDIANA. TB. (Lmn. 1840.) |
| <i>Renjo-no-tama.</i> LOTUS JEWEL. | <i>Roland;</i> <i>Alban Francois.</i> |
| <i>reticulata.</i> Ret. NETTED I. | ROMANY. TB. (Bliss 1919.) |
| | ROMEO. TB. (Mil. 1912.) |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

IRIS, continued

ROMOLA. TB. (Bliss 1920.)
 ROOF I. EV. *I. tectorum*.
 ROSA BONHEUR. Eng.
 ROSABELLE. TB. (Yeld 1911.)
 ROSALBA. TB. (Bliss 1919.)
 ROSALIE. TB. (Cap. 1901.)
 ROSALIND. TB. (Bliss 1921.)
Rosamond. LAVANDULACEA.
 ROSE MADDER. TB. (Sturt. 1920.)
 ROSE QUEEN. Laev.
 ROSE SALTERNE. TB. (Bliss 1922.)
 ROSE UNIQUE. TB. (Farr 1910.)
 ROSEA. Ver.
rosenbachiana. Jun. SPINSTER I.
 ROSETTE. TB. (Sturt. 1921.)
 ROSEWAY. TB. (Bliss 1919.)
 ROSINE. DB. (Cap. 1901.)
 ROSSINI. Eng.
Rosy Gem. QUEEN OF MAY.
Rosy Morn. Jap.
 ROTORUA. TB. (Bliss 1921.)
 ROXANE. TB. (Cay. N.)
 ROYAL. IB. (Cap. 1901.)
 ROYAL BLUE. Span.
Royal Purple. DB.
Royal Purple. TB. PURPLE KING.
 R. R. SMITH. TB. (Fry. N.)
Rubella. SPECIOSA.
 RUBERRIMA. TB. (1887.) *King Edward VII; Ruberissima*.
 RUBY. TB. (Cap. 1901.)
Ruby. ASSUERUS.
 RUBY PERRY. TB. (Per. 1921?)
 RUFFLED MONSTER. Jap. (Chi. 1919.)
 RUNNER I. Reg. I. stolonifera.
 RUPERT. DB. (Cap. 1901.) *Pumila Rupert*.
 RUSH I. Span. I. juncea.
 RUSSET. TB. (Bliss N.)
 RUSSIAN I. I. ensata.
 RUTH RAND. TB. (Fry. 1917.)
Rutherford. ATTRACTION.
 saari. Onc. *Lupina; Manissadjana*;
Sari. SAR I.
Saari nazarensis. I. bismarckiana.
 SABRINA. DB. (Cap. 1901.)
Sadi Carnot; Saidi Citron. CARNOT.
 SAENREDAM. Dut. (Van T.)

IRIS, continued

SAFRANO. TB. (Dykes 1922.)
 SAGA. RC.
Salar Jung. TB. (1876.)
 SALONA. TB. (Shull N.)
 SALONIQUE. TB. (Cay. N.)
 SAMBOO. DB. (Per. 1903.)
 SAMBUCINA. TB. (Cult. before 1823.) *Abd-el-Kader; Abel-Kaver; Arc-en-ciel; Cheiron; Cherlon; Gypsy Queen; Leopold; Leopoldine; Nemesis; President Lincoln; Virgil. Sambucina Beethoven. BEETHOVEN. Sambucina Le Vesuve. VESUVE. Sambucina Major. MALVINA. Sambucina Mephistopheles. MEPHISTOPHELES.*
 SAMIDARE—The early summer rain-fall. Jap.
 SAMITE. TB. (Bliss 1920.)
 SAMSON. TB. (Lmn. 1840.)
 SAN GABRIEL. TB. (Dean 1921.)
Sanguinea Cy-Ag. I. orientalis.
 SAN LORENZO. Spur. (Bran. N.)
 SANO. Jap. *Sano-watashi*—Ferry at Sano.
 SANS SOUCI. TB. (1854.) *Carlotta Patti; Charlotte Patty*. Mixed with Honorable.
 SANTA ROSA. TB. (Mohr N.)
 SANTIAGO. DB. (Mil. 1908.)
 SAPHIR. RC.
 SAPHO. TB. (Lmn. 1840.)
 SAPPHIRE. DB. (Cap. 1901.)
Sappho. Span.
Sappho Neglecta. OTHELLO.
Sappho Plicata. PLICATA SAPPHO.
 SAR I. I. saari.
 SARABANDE. TB. (Sturt. 1918.)
 SARACEN. TB. (Fos. 1913.)
 SARAH. IB. (Fos. 1908.)
 SARANAC. TB. (Bliss 1921.)
 SARDONYX. TB. (Bliss N.)
Sari. I. saari.
 SARPEDON. TB. (Yeld 1914.)
 SATIN ROBE. TB. (Wal. N.)
Saturn. RC.
Saturn. Jap. (Named by Hal.)
Saturn. TB.
 SAUL. TB. (Den. 1921.)

IRIS, continued

- SAVIGNIAN. TB. (Mil. 19—.)
 SCALA. TB. (Vilm. N.)
 SCEPTRE. TB. (1868.)
Schiller. TB. (1894.)
 SCHNEEKUPPE. DB. (G. & K. 1910.)
Snow Cup.
 SCHWANHILDE. TB. (G. & K. 1920.)
Scorpioides. I. *alata.*
 SCORPION I. Jun. I. *alata.*
Sea Gull. Jap. (Hal. about 1885.)
 SEAGULL. TB. (Farr N.)
Sea Nymph. TB. (Yeld 1911.)
 SEASHORE I. Spur. I. *spuria.*
 SEGNERS. Dut.
Semele. MB. (Fos. 1915.)
 SEMINOLE. TB. (Farr 1920.)
 SEMIRAMIS. TB. (Krel. N.)
 SENARMONT. TB. (Den. 1911.) *De Senarmont.*
Senator Festelin. TB. *Senator Fostida.*
 SENATOR LEXOW. Jap. (Chi.)
Senjo-no-hora. ANGELS DEN.
 SENTINEL. TB. (Bliss 1920.)
setosa. Laev. ARCTIC I.
 SHADOW. Jap. (Hal. about 1885.)
Shakespeare. MALVINA.
 SHALIMAR. TB. (Fos. 1916.)
SHEKINAH. TB. (Sturt. 1918.)
 SHELFORD CHIEFTAIN. TB. (Fos. 1909.)
 SHELFORD GIANT. Spur. (Fos.)
 SHELFORD YELLOW. TB. (Fos. 1909.)
Shemogo-no-tsaki. FROSTY MOON-LIGHT.
 SHERBERT. TB. (Sturt. 1918.)
 SHERWIN-WRIGHT. TB. (Koh. 1915.)
Shichiakwa. Jap.
 SHIGA. Jap. *Shiga-no-uranami—Waves of Lake Shiga.*
Shimoyo-no-tsuki. FROSTY MOON-LIGHT.
 SHIPPO. Jap. *Cloisonne.*
Shirataki. GOLD BOUND.
 SHIRAZ. MB. (Fos. 1909.)
 SHIRIN. MB. (Fos. 1913.)
Shishi-ikari. ANGRY LION.
Shishi-odori. LION DANCE.
Shiunryo. PURPLE DRAGON.
Sho-jo. ORANG-OUTANG.
 SHOKKO BROCADE. Jap. *Shokko-no-nishiki.*

IRIS, continued

- Shomoyo-no-tsuki;* *Shumo-no-tsaki.*
 FROSTY MOONLIGHT.
 SHOTSHAM. TB. (1921.)
 SHREWSBURY. TB. (Farr 1916.)
 SHUCHU-NO-HANA—A handful of flowers. Jap. *Shuchu-kwa.*
 SHUSHAN. MB. (Fos. 1913.)
Siberian I. Sib. I. *sibirica.*
 SIBERIENNE. TB. (Dutch 1888.)
sibirica. Sib. SIBERIAN I.
 SIBIRICA ATROPURPUREA. Sib. (1876.)
 SIBIRICA FLOREPLENO. Sib. (1876.)
Sibirica sanguinea. I. *orientalis.*
 SIDONIE. DB. (Cap. 1901.)
 SILVA. TB. (Den. 1911.)
Silver King. FLORENTINE I.
 SILVER MIST. TB. (Dykes 1921.)
Silver Stars. Jap.
Silver Waters. GOLD BOUND.
 SILVERADO. TB. (Mohr N.)
 SILVIA. TB. (Hor. N.)
 SILVIUS. TB. (Hor. N.)
 SIMMONE WAISIERE. TB. (Mil. N.)
 SIMON. Eng.
 SIMPLICITY. TB. (McK. N. 1923.)
 SINCERITY. TB. (Yeld 1911.)
 SINDJAREICHI. Jun. (Van T.)
sindjarensis. Jun. ALEppo I.
Sindjarensis assyriaca. ASSYRIAN.
 SINDJKHAT. TB. (Sturt. 1918.)
 SINDPERS. Jun. (Van T.)
 SINDPUR. Jun. (Van T.)
 SINDPUR AMETHYSTE. Jun. (Van T.)
 SINTRAM. TB. (Bliss 1920.)
 SIOUX MAIDEN. TB. (Bral. N.)
Sir Dighton Probyn. MB. (Fos. 19—.)
 SIR GALAHAD. TB. (Shull N.)
 SIR GEORGE GREY. TB. (Bliss 1919.)
 SIR HUGH EVANS. TB. (Hor. 1922.)
Sir Robert Peel. ATTRACTION.
Sir Trevor Lawrence. MB. (Fos. 1905.)
Sir Walter Scott. MALVINA.
 SIRDAR. TB. (Cap. 1901.) *Sirdir.*
 SIRONA. RC. (Van T.)
sisyrinchium. MORAEA I.
 SIVAS. TB.
 SKY BLUE. TB. (Wet. N.)
 SLENDER I. Ev. I. *gracilipes.*
 SNOW BOUND. Jap. (Chi.)

IRIS, continued

SNOW QUEEN. Sib. (Barr about 1900.)

SNOWBALL. DB. (Cap. 1901.)
Snowball. BLANCHE FLEUR.
Snowcup. SCHNEEKUPPE.

SNOWDON. Span.

SNOWFLAKE. Spur.
Snowflake. Eng.

SOCRATES. DB. *Olibensis Socrates.*
Sociatare. SOLFATARE.

SOFAR I. Onc. *I. sofarana.*
sofarana. Onc. SOFAR I.
sofarana magnifica. Onc. KARTABA I.
Sofu-no-koi. AFFECTION.

SOLANA. TB. (Shull N.)

SOLEDAD. TB. (Mohr N.)

SOLFATARE. Span. *Cornflower;*
Heavenly Blue; Longfellow; Mon Bijou.

Solfatare. TB. (Verd.)

SOLIEL D'OR. Span.

SOMEROCAUTES. TB. (Fos. 1919.)

SOMORRIN. TB. (Mor. 1923.)

SOPHIA JOFFE. Span.

SOUBRETTE. TB. (Clev. N.)

SOUVENIR. Jap. (Hal. about 1885.)
Souvenir. CHENEDOLLE.

Souv. de Delagrange. DELAGRANGE.

SOUV. DE MME. GAUDICHAU. TB. (Mil. 1914.)

Souv. d' Une Amie. AMIE.

SOVEREIGN. Jap. *Kimi-no-megumi* —Favor of the sovereign.

SPAHI. TB. (Vilm. N.)

SPANISH I. Span. *I. xiphium.*

SPARTA. TB. (Probably Sal. 1868.)

SPECIOSA. TB. (Old French variety before 1830.) *Atropurpurea; Jac-
queminot; Minerva; Pallida speci-
osa; Plumeri; Queen Victoria;
Rubella.*

Speciosa. Eng.

Spectabilis. *I. xiphium.*
The name *I. spectabilis* has been mis-
applied to *I. germanica*.

Spectabilis. Span.

Spectabilis. TB. (Lmn. 1840.)

Spectabilis. PURPLE KING; *I. ger-
manica.*

SPEED. TB. (Hor. 1922.)

SPEEDWELL. TB. (Bliss 1919.)

IRIS, continued

Sperling. TB.

SPHINX. Eng.

SPINSTER I. Jun. *I. rosenbachiana.*

SPLENDOUR. TB. (Sturt. 1921.)

SPOTTED BEAUTY. Jap. (Hal. about 1885.)
Spotted Beauty. TB.

spuria. Spur. SEASHORE I.

SPURIA ALBA. Spur.

SPURIA AUREA. Spur. (Intro. into Eng. 1847.) *Aurea.*

SPURIA CAERULEA. Spur. *Gulden-
staedtiana caerulea.*

SPURIA FOLIIS VARIEGATIS. Spur.
Foliis variegatis.

SQUALENS. TB. (Cult. before 1790.)

ST. CLAIR. TB. (1854.) *Comte de St. Clair; Julia Gresi.*

STAMBOUL. TB. (Fos. 1916.)

STANDARD. DB. (Per. 1903.) *Blue Standard.*

STANDARD BEARER. TB. (Ware 1904.)

STANLEY. TB. (Dun. 1921.)

STANLEY H. WHITE. TB. (Sturt. 1919.)

STARRY HEAVENS. Jap. *Kumo-no-
ue—Above the cloud; Kumono-
wye; Sunny Skies.*

STATELLAE. DB. (Probably natural hybrid.) *Lutescens Statellae.*

STEEPWAY. TB. (Scott 1922.)

STELLATA. Span.

Stenophylla. TB.

STEWART. DB. (Cap. 1901.)
Still Grey Waters. GOLD BOUND.

stolonifera. Reg. *Leichtlini; Vaga.*
RUNNER I.

STOOL I. DB. *I. aphylla.*

Storm Cloud. NUEE D'ORAGE.

Storm King. SWERTI.

Striata. PURPLE KING.

Stump. AUREA.

Stylosa. *I. unguicularis.*

SUDAN. TB. (Bliss 1921.)

SUFFREN. TB. (Bliss 1919.)

SULPHUREA. Spur. (G. & K. 19—.)

SULTAN. Eng.

SULTANE. TB. (Lmn. 1840.) *Bertha Sacavin; Lavinee.*

IRIS, continued

SULPHUREA PALLIDA. DB. (Barr 1889.) *Pumila sulphurea pallida*.
Sumatra. TB. (1914.)
SUMIDA. Jap. *Sumida-gawa*—
 Sumida River.
Sunny Skies. STARRY HEAVENS.
SUNNYBROOK. Sib. (Clev. 1920.)
SUNRISE. IB. (G. & K.? 1920.)
SUNSET. TB. (Bliss N.)
Sunset. Span.
SUNSHINE. TB. (Yeld 1911.)
SUPERBA. Sib.
SUPERIORRIS. TB. (Trax. 1922.)
SURBITON. Span.
SUSAN BLISS. TB. (Bliss 1922.)
Surprise. BROOKLYN.
SUSANNA MARIA. Eng.
Susannah. MME. CHEREAU.
susiana. Onc. MOURNING I.
SUSQUEHANNA. TB. (Farr N.)
SUZANNE AUTISSIER. TB. (Den. 1923.)
SUZANNE CAYEUX. TB. (Cay. N.)
SUZON. TB. (Mil. 1921.)
SWATARA. TB. (Farr 1918.)
SWAZI. TB. (Bliss 1922.)
Sweton. CAJANUS.
SWEET I. TB. *I. pallida*.
SWEET LAVENDER. TB. (Bliss 1919.)
Sweet Lavender. Span.
SWEETHEART. Span.
Sweetheart. TB. (1919.)
SWERTI. TB. (Figured in Swerts Florilegium 1612.) *Fragrans; Pectatum; Storm King*.
 Sometimes wrongly called *I. aphylla*, the name of another Iris.

SWORD DANCE. Jap. *Tsurugi-no-mai*.
Sybil. TB.
SYLPHIDE. TB. (Lmn. 1848.)
SYLVAN NYMPH. Sib. (Harrison?)
Sylvester. TB.
SYMPATHY. TB. (Ware 1904.)
SYPHAX. TB. (Bliss 1917.)
SYRIAN I. Ret. *I. histrio*.
TAFFETA. TB. (Clev. 1920.)
TAHOE. Jap. (Hal. about 1885.)
Taiheiraku. PEACE.
TAJ MAHAL. TB. (Sturt. 1921.)

IRIS, continued

TAMAKA MUIRI. Jap. (Farr 1917.)
TAMAR. TB. (Bliss 1920.)
TAMERLAN. TB. (Vilm. 1904.)
TAURIAN I. Jun. *I. persica tauri*.
TEMPLETON. Jap. (Hal. about 1885.)
TANGIERS. TB. (Sturt. 1920.)
TANTE AURORA. TB. (1854.) *Ma Tante Aurora*.
TARQUIN. TB. (Lmn. 1840.) *Jordaens; Telegraph*.
TARTARIN. TB. (Bliss 1919.)
TAURIAN I. *I. persica tauri*.
TECTORUM. Ev. *Fimbriata; Tomiologpha*.
Roof I.
TECTORUM ALBUM. Ev.
TECTORUM LILACINUM. Ev.
TECTORUM MAJOR. Ev.
TECUMSEH. TB. (Farr 1910.)
Telegraph. TARQUIN.
TELEMAQUE. TB. (Lmn. 1840.)
Telemachus; Telemón.
tenax. Cal. OREGON I.
TENDRESSE. TB. (1854.) *La Tendre; La Tendresse*.
Tendresse. Span.
TENEBRAE. TB. (Bliss 1922.)
Teresita. THERESITA.
TERPSICHORE. RC. (Van T.)
TESSA. TB. (Bliss N.)
TH. DE BOCK. Dut. (De G.)
THACKERAY. Eng.
THALIA. Sib. (1881.)
Thalia. RC.
THE DOVE. MB. (Fos. 1909.)
The Moor. Span.
THE SCREAM. TB. (Sturt. 1920.)
THEA. RC.
THELMA PERRY. TB. (Per. 1913.)
TERESA. Span.
TERESITA. (Lmn. 1840.) *Teresita*.
THESEUS. TB. (Hor. N.)
THETIS. RC.
Thibault. MME. THIBAULT.
THOMAS KINGSCOTE. Sib. (Per. before 1920.)
THORA. TB. (G. & K. 1910.)
THORBECKE. TB. (Before 1897.)
Forbach; Victory; Mr. Gladstone.
THUNDERBOLT. Span. *Gold Cup*.

IRIS, continued

- THUNDERCLOUD. TB. (Sturt. 1921.)
 THUNDERSTORM. Jap.
 TIGER DANCE. Jap. *Dancing Tiger, Tora-odori.*
 TIMANDRA. TB. (Hor. N.)
 TINEAE. TB. *Tineai; Tinea.*
tingitana. Span. MOROCCO I.
 TINTALLION. TB. (Sturt. 1921.)
 TITAN. TB. (Bliss 1919.)
 TITUS. TB. (Per. 1921?)
 TOGA. TB. (Bliss N.)
 TOKYO. Jap.
 TOLEDO. Jap. (Chi.)
 TOLLONG. Long.
Tolmeiana. I. missouriensis.
Tom Cook. TB.
 TOM TIT. TB. (Bliss 1919.)
Tomiolopha. I. tectorum.
 TOPAZ. TB. (Lmn. 1848.) *Topal.*
Topaz. Jap. (Hal. about 1885.)
Topsy. DB. (Per.)
Tora-odori. TIGER DANCE.
 TORCHLIGHT. Jap. *Kagaribi; Hagaribi.*
 TOREADOR. TB. (Clev. 1920.)
 TORTOISE. Jap. (Hal.)
 TOUSSAINT. TB. *Toussaint l' Ouverture.*
 TOWACO. TB. (B. & A. 1917.)
 TRAUTLIEB. TB. (G. & K. 1899.) *Fraulieb.*
 TREGASTEL. TB. (Mil. 19—.)
 TRIANON. TB. (Vilm. 1921.)
 TRINOCULO. TB. (Hor. N.)
 TRINGLOT. TB. (Vilm. N.)
 TRINIDAD. TB. (Den. 1911.)
 TRISTESSE. TB. *Fristosse; La Tristesse; Pristessee.*
 TRISTRAM. TB. (Bliss 1919.)
 TRIUMPH. Jap.
Triumph. Eng.
 TROCELESTIAL (A. I. S. name.) TB.
Trojana Celestial.
 TROJAN I. I. *trojana.*
trojana. TB. TROJAN I.
 In the trade often confused with I. cypriana.
 TROMAGNIFICA (A. I. S. name.) TB
Trojana magnifica.

IRIS, continued

- TROOST. TB. (Den. 1908.)
 TROSUPERBA (A. I. S. name). TB.
Trojana Superba.
 TROUBADOUR. TB. (Mor. N.)
 TROUVAILLE. TB. (Cay. N.)
 TRUE BLUE. Sib. (Fry. 1919.)
 TRUE CHARM. TB. (Sturt. 1920.)
 TRUE DELIGHT. TB. (Sturt. N.)
T. S. Ware. Jap. (Named by Hal.)
Tsuru-no-kegoromo. CRANE FEATHERS.
Tsurugi-no-mai. SWORD DANCE.
 TUBE I. Cal. I. *macrosiphon.*
Tuji. Mt. FUJI.
 TUNISIE. TB. (Mil. 19—.)
 TURBAN. Jap. (Hal. about 1885.)
 TURCO. TB. (Vilm. 1921.)
 TURKESTAN I. MB. I. *bloudowi.*
 TURKOMAN. (Dykes.)
 TURQUOIS. TB. (Dun. 1921.)
 TUSCANY. TB. (Fos. 1920.)
Twilight. CREPUSCLE.
 TWIN LARCHES. TB. (Thom. 1922.)
 TYRIAN. TB. (Sturt. 1922.)
 TYROLEAN I. TB. I. *cengialti.*
 UCHIWA—Flat round fan. Jap.
Uji-no-hotaru. FIREFLY.
 ULYSSES. TB. (Lmn. 1840.)
 UMBRO. TB. (Yeld 1911.)
 UNA. RC. (Van T.)
 UNDINE. TB. (Koch. 1922.)
Ungarica. TB.
unguicularis. *Cretensis; Stylosa.* ALGERIAN I.
 UNGUICULARIS ALBA.
 UNIQUE. TB. (Lmn. 1840.) L'
 UNIQUE; *Oldenbarneweld.*
 URANIA. RC.
 URANUS. DB. (Cap. 1901.)
 URMICATA. MB. (Den. N.)
 URSULA. TB. (Hor. 1921.)
Usagasumi. MORNING MISTS.
 UTE CHIEF. TB. (Farr 1920.)
Vaga. I. *stolonifera.*
 VAINQUEUR. Eng.
 VALERY MAYET. TB. (Den. 1912.)
Deuil de Valery Mayet.
 VALKYRIE. TB. (Sturt. 1919.)
 VALLANT. Dut.

IRIS, continued

- VAN BEYEREN. Dut. (Van T.)
 VAN DE VELDE. Dut. (Van T.)
 VAN DER HELST. Dut. (De G.)
 VAN DER NEER. Dut. (De G.)
Van der Neer. Span. (Van T.)
 VAN DE VENNE. Dut.
 VAN EVERDINGEN. Dut. (Van T.)
 VAN EYCK. Dut. (Van T.)
 VAN GEERTI. TB. (Lmn. before 1858.)
 VAN MIERIS. Dut.
 VAN STEEN. Dut.
 VANESSA. TB. (Bliss 1922.)
 VARDAR. TB. (Cay. N.)
variegata. TB. HUNGARIAN I.
Variegata alba. INNOCENZA.
Variegata de Berghi. BERGI.
Variegata Minor. TB.
vartani. Ret. CHRISTMAS I.
Vauguelin. TB.
 VELOUTE. TB. (Vilm. N.)
 VELVET I. Onc. I. *paradoxa*.
 VELVET GEM. Jap. (Hal. about 1885.)
Velveteen. HECTOR.
 VENUS. TB. (Sal.)
Venus. Jap. (Named by Hal.)
 VENUSTA. TB. (Sal. 1868.)
 VERBENA. TB. (Yeld 19—.)
 VERDUN. DB. (Mil. 1916.)
verna. VERNAL I.
 VERNAL I. I. *verna*.
versicolor. Ver. *Virginiana*; *Virginica*. BLUEFLAG I.
 VESPER I. I. *dichotoma*.
 VESTA. Jap. (Hal. about 1885.)
 VESTAL. DB. (Cap. 1901.)
 VESUVE. TB. (Lmn. 1858.) Le *Vesuve; Sambucina Le Vesuve*.
 VESUVIUS. Span.
 VICEROY. Eng.
 VICTOIRE. TB. (Vilm. N.)
Victoire Lemon. VICTORINE.
 VICTOR. Jap. (Hal. about 1885.)
Victor Hugo. TB. (1887.)
 VICTORINE. TB. (Lmn. 1840.)
Vidonne; Elegans; Gladstone; Victoire Lemon.
 VICTORY. TB. (1859.) *Lamartine*.
 Mixed with Thorbecke.
 Victory. THORBECKE.

IRIS, continued

- VIEIL OR. TB. (Den. 1919.)
 VIERGE MARIE. TB. (1863.)
 VIKING. TB. (Bliss 1919.)
 VILLAREAL. TB. (Mil. 1910.)
 VINCENTIO. TB. (Hor. 1921.)
 VIOLA. TB. (Fos. 1913.)
 VIOLACEA. Sib. (Mil. 1921.)
Violacea. I. *germanica*.
 VIOLACEA GRANDIFLORA. TB. (1860.)
 VIOLET CAP. Jap. (Hal. about 1885.)
Violet Queen. TB.
 VIOLETTA. TB. (Dykes 1921.)
Virgil. SAMBUCINA.
 VIRGILE. TB. (Lmn. 1840.)
 VIRGILIA. TB. (Hor. 1921.)
Virgin; Virginial; Virginia; Virginica.
Virginite. VIRGINIE.
 VIRGINIA HALE. TB. (Bral. N.)
 VIRGINIA MOORE. TB. (Shull 1921.)
 VIRGINIA PFEIFFER. TB. (Fry. 1921.)
Virginiana. I. *versicolor*.
 VIRGINIA. TB. (Lmn. 1858.) *Virgin; Virginial; Virginia; Virginica; Virginite.*
Virginica. I. *versicolor*.
 VIRGO. DB. (Cap. 1901.)
 VOLUMNIA. TB. (Hor. N.)
 VOLUNTEER. Eng.
Von Humboldt. Span.
Von Humboldt. Dut.
Vondel. TB. *Fondel*.
 VULCAN. MB. (Fos. 1905.)
Vulgaris. I. *germanica*.
Waines. TB. (1914.)
 WAGNER. TB. (1912.)
Waka-hoki. LAUGHING DOLL.
 WAKAMURASAKI. Jap. *Reddish Purple*.
 WALHALLA. IB. (G. & K. 1908.)
 WALLY MOES. Dut.
 WALNERI. TB. (Sal. before 1855.)
 WALNERIANA. TB. (Lmn. 1840.)
Halleriana.
 WALTER REUTHE. TB. (Ware 1906.)
 WALTER SCOTT. TB. (Lmn. before 1858.) *John Bull*.
 See also MALVINA.

IRIS, continued

WANAQUE. TB. (B. & A. 1917.)
 WANETA. TB. (Dun. 1921.)
Warai-botei. LAUGHING DOLL.
 WARRIOR. TB. (Sturt. 1922.)
 WASE-BANRI. Jap.
 WASIOJA. Sib. (Fry. before 1921.)
 WATSON I. Cal. *I. douglasiana watsoniana.*
Watsoniana. *I. douglasiana watsoniana.*
 WAWAYANDA. TB. (B. & A. 1917.)
 WEDDING GOWN. TB. (Craw. N.)
 WEEQUAHIC. TB. (B. & A. 1917.)
 W. F. CHRISTMAN. TB. (Fry. 1917.)
 WHIFFENPOOF. TB. (Sturt. 1917.)
 WHIM. TB. (McK. 1923.)
White Bird Feathers. CRANE FEATHERS.
 WHITE CRANE. Jap. *Manadzuru*—
 White-naped crane.
 WHITE KNIGHT. TB. (Saun. 1916.)
 WHITE NYMPH. TB. (McK. N.)
 WHITE QUEEN. TB. (Gey. 1918.)
Queen Mary.
White Queen. Eng.
White Waterfall. GOLD BOUND.
White Wings. Jap.
 WHITE-EDGE I. Jun. *I. caerulea.*
 WIGAN. DB. (Mil.)
 WILD ROSE. TB. (Sturt. 1921.)
 WILL CAREY. TB. (Bliss N.)
William the First. CHRYSOLORA.
William III. AMAS.
 WILLIAM LOGAN. Sib. (Per. before 1921.)
 WILLIAM MARSHALL. TB. (Per. 1913.)
 WILLIAM TELL. Jap. (Hal. about 1885.)
William Tell. AMAS.
William Wallace. CAMELEON.
 WILLIE BARR. TB. (Barr 1876.)
 WILLMOTT I. Jun. *I. willmottiana.*
willmottiana. Jun. WILLMOTT I.
 WILLOUGHBY. TB. (Hor. N.)
 WILSON I. Sib. *I. wilsoni.*
wilsoni. Sib. WILSON I.
 WINDHAM. TB. (Farr 1909.)
 WINNIE DAVIS. TB. (Farr N.)

IRIS, continued

W. J. FRYER. TB. (Fry. 1917.)
 WOUVERMAN. Span.
 W. T. WARE. Span. *Mrs. W. T. Ware.*
 WYOMING. TB. (B. & A. 1917.)
 WYOMISSING. TB. (Farr 1909.)
Xerxes. Span. PRINCE HEINRICH.
 xiphoides. Eng. *Anglica.* ENGLISH I.
 xiphium. Span. *Hispanica;* *Specabilis.* SPANISH I.
Xiphium hybridum. DUTCH.
 YAMATO BROCADE. Jap. *Yamatonishiki.*
 YEDO PRIDE. Jap. *Yedo-jiman*—Pride of Yedo.
 YELD PURITY. TB. (Yeld N.)
 YELLOW BULB I. Jun. *Orchiodes sulphurea.*
 YELLOW HAMMER. IB. (Den. 1921.)
 YELLOW MOON. TB. (Sturt. N. 1923.)
 YELLOW PERFECTION. Span.
Yellow Perfection. AUREA.
 YELLOWBAND I. *I. ochroleuca.*
 YELLOWBEARD I. Span. *I. boissieri.*
 YELLOWFLAG I. Laev. *I. pseudacorus*
 YELLOWSTONE. TB. (Hall 1923.)
 YEMEN I. TB. *I. albicans.*
 YEOMAN. TB. (Bliss 1922.)
 YEZO. Jap.
 YEZO BROCADE. Jap. *Yezo-nishiki.*
 YOCASTE. RC.
 YOKOHAMA. Jap.
 Yolandie. LEONIDAS.
Yomo-no-umi. BOUNDLESS SEA.
Yomo-zakura. CHERRYBLOSSOM.
 YORITOMO. Jap. (Farr 1917.)
 YORK. TB. (Lmn. 1840.) *Duc de York;* *Duke of York.*
 YOSHINO. Jap.
 YOUNG BEAR. Jap. *Komochiguma*—A bear with young.
 YOUNTAKAH. TB. (B. & A. 1917.)
 YUNNAN I. Sib. *I. forresti.*
 YVONNE PELLETIER. TB. (Mil. 1916.) *Mlle. Yvonne Pelletier.*
 ZAMA FOREST. Jap. *Zama-no-mori.*
 ZANARDELLE. TB.
 ZANZIBAR. DB. (Sturt. 1918.)
 ZENOBIA. Jap. (Hal. about 1885.)

IRIS, continued

- ZEPHYR. TB. *Cengialti Zephyr.*
 ZOUAVE. TB. (Vilm. 1922.)
 ZUA. TB. (Craw. 1914.)
 ZULLICHAU. DB. (Mil. 19—.)
 ZULU. TB. (Bliss 1920.)
 ZUMBRO. TB. (Fry. 1920.)
 ZWANENBURG. MB. (Den. 1909 or
 1912.)

IRIS MORAEA . . . *Moraea iridioides*
 IRISH JUNIPER, IRISH YEW, etc. See
 JUNIPER, YEW, etc.

IRISLEAF BUGLELILY *Watsonia iridifolia*

IRONBARK BROADLEAF I.
 Eucalyptus siderophloia
 NARROWLEAF I. *E. crebra*
 PINK I. Hort. var. of *E. leucoxylon*
 PURPLE I. (*Eucalyptus leucoxylon*
purpurea† Cy)

RED I. *E. sideroxylon*
 ROSE I. (*E. s. rosea*† Cy)
 WHITE I. *E. leucoxylon*

IRONTREE *Metrosideros*
 IRONWEED *Vernonia*
 BALDWIN I. *V. baldwini*
 BUR I. *V. crinita*
 COMMON I. *V. noveboracensis*
 TALL I. *V. altissima*
 WESTERN I. *V. fasciculata*

IRONWOOD WHITE-IRONWOOD
 Toddalia lanceolata

Ironwood HOPHORNBEAM: *Ostrya virginiana*
 ISMENE *HYMENOCALLIS*
 ISOLEPIS *SCIRPUS*

ISOPYRUM *beternatum*
 ISSIAN IRIS *Iris persica issica*
 ITALIAN ALDER, ITALIAN ASTER, etc
 See ALDER, ASTER, etc.

ITEA SWEETSPIRE
 virginica SWEETSPIRE

IVY *Hedera*
 ALGERIAN I. *H. canariensis*
 Boston I. JAPANESE CREEPER:
 Ampelopsis tricuspidata

IVY, continued

BUNCHLEAF ENGLISH I. (*Hedera*
helix conglomerata† Cy)
 BUSH ENGLISH I. (*H. h. arborescens*† Cy)
 CAENWOOD I. Hort. var. of *H. helix*
 COLCHIS I. *Hedera colchica*
 ENGLISH I. *H. helix*
 GIANT ENGLISH I. Hort. var. of *H. helix*.

GROUND-IVY . . . *Nepeta hederacea*
 HANDLEAF ENGLISH I. (*Hedera*
helix palmata† Cy)
 Japanese I. JAPANESE CREEPER:
 Ampelopsis tricuspidata

LEOPARD ENGLISH I. (*Hedera helix*
maculata† Cy)

SILVER QUEEN I. Hort. var. of
Hedera.

SPOTTED GIANT I. Hort. var. of
H. helix.

VARIEGATED ENGLISH I. Hort. var.
 of *H. helix*.

YELLOWEDGE ALGERIAN I. (*H.*
canariensis variegata† Cy)

IVY GROUNDSEL, IVY STARGLORY, etc.
 See GROUNDSEL, STARGLORY, etc.

IVY-ARUM *Scindapsus pictus*
 SILVER I. (*S. p. argyraeus*† Cy)

IVY-GOURD *Coccinia cordifolia*

IVYLEAF MORNING-GLORY, IVYLEAF
 GERANIUM, etc. See MORNING-
 GLORY, GERANIUM, etc.

IXIA IXIA
 The name of this genus under the Ameri-
 can Rules is Hyalis.

columellaris PILLAR IXIA
 maculata SPOTTED I.
 speciosa (*crateroides*) CRIMSONCUP I.

IXORA IXORA
 amboinica FLAME I.
 chinensis CHINESE I.
 coccinea (*colei*; *dixiana*; *fraseri*) SCARLET I.

javanica CORAL I.
 parviflora WHITE I.

JABURAN *Ophiopogon jaburan*
 GOLDSTRIPE J. Hort. var. of *O.*
jaburan.

| | | | |
|--|--|--|---|
| JACARANDA | JACARANDA ovalifolia (<i>J. mimosaeifolia</i> Ag.) | | JASMINE, continued |
| | GREEN-EBONY | | ITALIAN J. Jasminum humile |
| JACK CRAB, JACK PINE, etc. See CRAB, PINE, etc. | | | NIGHTJASMINE |
| JACKFROST FORGET-ME-NOT (<i>Myosotis</i> <i>dissitiflora elegansissima</i> † Cy) | | | <i>Nyctanthes arbor-tristis</i> |
| JACKFRUIT . . . Artocarpus integrifolia | | | ORANGE-JASMINE Chalcas exotica |
| JACK-IN-THE-PULPIT | Arisaema triphyllum | | PRIMROSE J. Jasminum primulinum |
| JACKMAN CLEMATIS | Clematis jackmani | | PRIVET J. J. rigidum |
| JACKSON YEW (<i>Taxus baccata jacksonii</i> † Cy) | | | ROSY J. J. beesianum |
| JACOBAEA | SENECIO | | SLENDER J. J. gracillimum |
| Jacobaea-lily | ST. JAMES- | | SPANISH J. J. grandiflorum |
| LILY: Sprekelia formosissima | | | STARJASMINE Trachelospermum |
| JACOBINIA | JACOBINIA | | WINTER J. Jasminum nudiflorum |
| carnea (<i>magnifica</i>) | | | JASMINE NIGHTSHADE |
| coccinea | SCARLET J. | | <i>Solanum jasminoides</i> |
| pauciflora (<i>Libonia floribunda</i>) | | | JASMINUM JASMINE |
| JACOBS-ROD | Asphodeline | | azoricum AZORES J. |
| COMMON J. | A. lutea | | beesianum ROSY J. |
| JACQUEMONTIA | | | fruticans |
| pentantha | | | gracillimum SLENDER J. |
| JAFFA IRIS | Iris grantdaffii | | grandiflorum SPANISH J. |
| JAMAICA GOLDFERN, JAMAICA THATCH | | | humile (<i>revolutum</i>) . . . ITALIAN J. |
| PALM, etc. See GOLDFERN, PALM, etc. | | | <i>ligustrifolium</i> J. rigidum |
| JAMBOLAN-PLUM . . . Eugenia jambolana | | | nuditum |
| JAMESIA | | | nudiflorum WINTER JASMINE |
| americana (<i>Edwinia americana</i> Ag.) | | | officinale COMMON WHITE J. |
| JAPANESE ANEMONE, JAPANESE APRICOT, etc. See ANEMONE, APRICOT, etc. | | | primulinum PRIMROSE J. |
| JASMINE | Jasminum | | pubescens FURRY J. |
| ARABIAN J. | J. sambac | | <i>revolutum</i> J. humile |
| AZORES J. | J. azoricum | | <i>rigidum (ligustrifolium)</i> |
| CAPE-JASMINE . . . Gardenia florida | | | PRIVET JASMINE |
| CHILE-JASMINE . . . | | | sambac ARABIAN J. |
| Mandevilla suaveolens | | | Hort. var. of Jasminum: |
| COMMON WHITE J. | | | GRAND DUKE JASMINE. Hort. var. of J. sambac. |
| Jasminum officinale | | | JAVA FAN PALM, JAVA SUMAC, etc. See PALM, SUMAC, etc. |
| CONFEDERATE-JASMINE | | | JEFFERSONIA TWINLEAF |
| Trachelospermum jasminoides | | | diphylla TWINLEAF |
| CRAPE-JASMINE | | | JEFFREY PINE, JEFFREY SHOOTING-STAR, etc. See PINE, SHOOTING-STAR, etc. |
| Tabernaemontana species | | | JENNY STONECROP Sedum reflexum |
| FURRY J. . . Jasminum pubescens | | | JERSEY-TEA Ceanothus americanus |
| GRAND DUKE J. Hort. var. of J. sambac. | | | INLAND J. C. ovatus |
| | | | JERUSALEM-ARTICHOKE |
| | | | Helianthus tuberosus |
| | | | JERUSALEM-CHERRY |
| | | | <i>Solanum pseudocapsicum</i> |
| | | | FALSE J. S. capsicastrum |

JERUSALEM-CHERRY, continued

HENDERSON J. *Solanum hendersoni*
MELVIN J. (*S. capsicastrum mel-*
vini† Cy)

JERUSALEM-OAK *Chenopodium botrys*

JERUSALEM-SAGE *Phlomis*

JESSAMINE

CAROLINA-JESSAMINE

Gelsemium sempervirens

JETBEAD *Rhodotypos kerrioides*

JEW

WANDERING-JEW

Tradescantia fluminensis

JOBS-TEARS *Coix; C. lacryma-jobi*

JOE-PYE-WEED

Eupatorium purpureum

ROUGH J. *E. p. maculatum*

JOHNSON GRASS . . *Holcus halepensis*

JOINTED POLYPODY

Polypodium subauriculatum

JOINTFIR *EPHEDRA*

CLIMBING J. *E. altissima*

COMMON J. *E. distachya*

JONQUIL *Narcissus jonquilla*

JOSEPH SAGE *Salvia horminum*

JOSEPHS-COAT (*Amaranthus gangeticus melanocholicus† Cy*)

JOSHUA YUCCA . . *Yucca arborescens*

JUBAEA

spectabilis (J. chilensis Ag)

SYRUP PALM

JUDAS-TREE *Cercis siliquastrum*

WHITE J. (*C. s. alba† Cy*)

JUGLANS WALNUT

For horticultural varieties of Juglans cultivated for their nuts see BUTTERNUT and WALNUT, in American Pomological Society's List of Fruits and Nuts, in Appendix.

ailanthifolia *J. sieboldiana*
californica

CALIFORNIA BLACK WALNUT

cathayensis CHINESE W.
cinerea BUTTERNUT
cordiformis

J. sieboldiana cordiformis

hindsi HINDS WALNUT
japonica

The name *J. japonica* is often used erroneously for Japanese forms of *J. regia* or *J. sieboldiana*.

major
nigra BLACK WALNUT

JUGLANS, continued

praeparturiens BUSH WALNUT
Hort. var. of *J. regia*.

regia PERSIAN W.
See also hort. var. list below.

rupestris TEXAS W.
sieboldiana (ailanthifolia)

JAPANESE W.
—cordiformis FLAT W.

Ornamental hort. var. of *Juglans*:
BUSH WALNUT (*J. regia fertilis*

Cy; J. r. praeparturiens† Ar;
praeparturiens)

FERNLEAF W. (*J. r. laeñinata† Cy*)
WEEPING W. (*J. r. pendula† Cy*)

JUJUBE *Ziziphus*

ARGENTINE J. *Z. mistol*

COMMON J. *Z. jujuba*

INDIA J. *Z. mauritiana*

JULIANA LILAC . . *Syringa julianae*

JUMPING ORCHID *Catasetum macrocarpum*

JUMPSEED

MARBLED J. (*Polygonum filiforme variegatum† Cy*)

JUNCUS RUSH

effusus COMMON R.

Juneberry . . SHADBLOW: *Amelanchier*

JUNGFRAU SAXIFRAGE

Saxifraga cotyledon

JUNIPER *Juniperus*

For horticultural varieties of Juniper

see hort. var. list under *Juniperus*.

ALLIGATOR J. *J. pachyphloea*

BERMUDA REDCEDAR *J. bermudiana*

CALIFORNIA J. *J. californica*

CHERRystone J. *J. monosperma*

CHINESE J. *J. chinensis*

COLORADO J. *J. scopulorum*

COMMON J. *J. communis*

CREEPING J. *J. horizontalis*

FORMOSA J. *J. formosana*

GREEK J. *J. excelsa*

HIMALAYAN J. *J. recurva*

IRISH J. *J. communis hibernica*

JAPANESE J. *J. japonica*

MEYER J. *J. squamata meyeri*

MOUNTAIN J. *J. communis montana*

NEEDLE J. *J. rigida*

PHOENICEAN J. *J. phoenicea*

PLUM J. *J. macrocarpa*

PRICKLY J. *J. oxycedrus*

JUNIPER, continued

- REDCEDAR . . Juniperus virginiana
 SARGENT J. . J. chinensis sargentii
 SAVIN J. sabina
 SHORE J. J. conferta
 SOUTHERN REDCEDAR . J. lucayana
 SWEDISH J. . J. communis suecica
 SYRIAN J. J. drupacea
 For horticultural varieties of Juniper,
 see hort. var. list under Juniperus.

JUNIPER TAMARIX

Tamarix juniperina

- JUNIPERUS JUNIPER
argentea . . WHITELEAF CHINESE J.
 Hort. var. of J. chinensis.
aurea
 This name is often used erroneously for
 Golden Juniper and Golden Chinese
 Juniper, both in the hort. var. list, p. 254.
bermudiana (*J. barbadensis* Cy)
 BERMUDA REDCEDAR
 The name *J. barbadensis* is often applied,
 erroneously, to *J. lucayana*.
californica . CALIFORNIA JUNIPER
canadensis PROSTRATE J.
 Hort. var. of *J. communis*.
chinensis (*sinensis*) . . CHINESE J.
 —*japonica* Cy-Ag . . *J. japonica*
 —*procumbens* Cy . . *J. japonica*
 See note under *J. procumbens*.
 —*recurva* *J. recurva*
 —*sargentii* SARGENT JUNIPER
 See also hort. var. list, page 254.
communis COMMON J.
 —*hibernica* IRISH J.
 —*montana* (*nana*; *sibirica*)
 MOUNTAIN J.
 —*suecica* SWEDISH J.
 See also hort. var. list, page 254.
conferta (*J. litoralis* Cy) . SHORE J.
drupacea SYRIAN J.
excelsa GREEK J.
 See also hort. var. list, page 254.
femina REEVES J
 Hort. var. of *J. chinensis*.
formosana FORMOSA J.
fortunei *J. sphaerica*
hibernica . *J. communis hibernica*
horizontalis (*prostrata*; *sabina horizontalis*) . CREEPING JUNIPER
 See also hort. var. list, page 254.

JUNIPERUS, continued

- japonica* (*Juniperus chinensis japonica* Cy-Ag-Ar; *J. c. procumbens* Cy) . . JAPANESE JUNIPER
 See also hort. var. list, page 254.
litoralis Cy *J. conferta*
lucayana . . SOUTHERN REDCEDAR
macrocarpa PLUM JUNIPER
monosperma CHERRYSTONE J.
nana *J. communis montana neaboriensis*
 CONICAL CHINESE JUNIPER
 Hort. var. of *J. chinensis*.
oblonga
 This name is often applied, erroneously,
 to Weeping Juniper, hort. var. of *J. communis*.
oxycedrus PRICKLY JUNIPER
pachyphloea (*pachyphlaea*)
 ALLIGATOR J.
pfitzeriana PFTZER J
 Hort. var. of *J. chinensis*.
phoenicea PHOENICEAN J.
procumbens
 The names *J. procumbens* and *J. chinensis procumbens* have often been applied,
 erroneously, to *J. japonica*.
prostrata *J. horizontalis*
recurva (*chinensis recurva*)
 HIMALAYAN JUNIPER
rigida NEEDLE J.
sabina SAVIN
 —*horizontalis* *J. horizontalis*
 See also hort. var. list, page 254.
scopulorum . COLORADO JUNIPER
sibirica *J. communis montana sinensis* *J. chinensis sphaerica* (*fortunei*)
squamata
 —*meyeri* MEYER JUNIPER
stricta SPINY GREEK J.
 Hort. var. of *J. excelsa*.
suecica *J. communis suecica*
tamariscifolia TAMARIX SAVIN
 Hort. var. of *J. sabina*.
virginalis globosa
 GLOBE CHINESE JUNIPER
 Hort. var. of *J. chinensis*.
virginiana REDCEDAR
 See also hort. var. list below.
Hort. var. of Juniperus:
 CANNART REDCEDAR (*J. virginiana cannarti* Cy)

JUNIPERUS (Hort. var.), continued

- CHAMBERLAYN REDCEDAR (*Juniperus virginiana chamberlaynii* Cy)
 COLUMN CHINESE JUNIPER (*J. chinensis pyramidalis* Cy)
 COLUMN REDCEDAR (*virginiana cylindrica*)
 COLUMN SAVIN (*J. sabina fastigiata* Cy)
 CONICAL CHINESE JUNIPER (*J. chinensis neaboriensis* Ar; *neaborensis*)
 CREEPING REDCEDAR (*J. virginiana reptans* Cy)
 CYPRESS SAVIN (*J. sabina cupressifolia* Cy)
 FEATHER REDCEDAR (*J. virginiana plumosa* Cy; *virginiana plumosa argentea*)
 FOUNTAIN R. (*J. v. tripartita* Cy)
 GLOBE CHINESE JUNIPER (*J. chinensis globosa* Ar; *virginialis globosa*)
 GLOBE RED CEDAR (*J. virginiana globosa* Cy)
 GOLDEN JUNIPER (*J. communis aurea* Cy; *communis prostrata aurea*)
 GOLDEN CHINESE J. (*J. chinensis aurea* Cy)
 GOLDEN DWARF JAPANESE J. (*J. japonica aureovariegata*; *Juniperus chinensis procumbens aureo-variegata* Cy)
 GOLDEN JAPANESE J. (*J. japonica aurea* Cy)
 GOLDTIP REDCEDAR (*J. virginiana elegantissima* Cy)
 HOARFROST SAVIN (*J. sabina variegata* Cy)
 KOSTER REDCEDAR (*virginiana kosteri*)
 PFITZER JUNIPER (*J. chinensis pfitzeriana* Cy; *virginiana pfitzneriana*)
 PROSTRATE J. (*J. communis depressa* Cy; *communis prostrata nana*)

JUNIPERUS (Hort. var.), continued

- REEVES JUNIPER (*Juniperus chinensis femina* Cy; *femina chinensis reevesii*; *virginiana reevesiana*)
 SCHOTT REDCEDAR (*J. virginiana schottii* Cy)
 SILVER R. (*J. v. glauca* Cy)
 SMITH R. (*virginiana smithii*)
 SPINY GREEK JUNIPER (*J. excelsa stricta* Cy)
 TAMARIX SAVIN (*J. sabina tamiscifolia* Cy)
 TRIOMPHE D'ANGERS REDCEDAR.
 Hort. var. of *J. virginiana*.
 VARIEGATED DWARF JAPANESE JU-
 NIPER (*J. japonica aurea* Cy; *J. chinensis procumbens aurea* Cy)
 VARIEGATED GREEK J. (*J. excelsa variegata* Cy)
 WAUKEGAN J. (*J. horizontalis douglasii* Cy)
 WEEPING J. (*J. communis oblonga pendula* Cy)
 WEEPING CHINESE J. (*J. chinensis pendula* Cy)
 WEEPING REDCEDAR (*J. virginiana pendula* Cy)
 WHITELEAF CHINESE JUNIPER (*J. chinensis albovariegata* Cy)
 WHITETIP REDCEDAR (*J. virginiana albospicata* Cy)
 JUNO BUTTERFLYBUSH (*Buddleia davidii superba* Cy)
 JUNONIA IRIS *Iris junonia*
 JUPITERSBEARD . *Centranthus ruber*
 WHITE J. Hort. var. of *C. ruber*.
 JUSSIAEA PRIMROSE-WILLOW
longifolia BRAZILIAN P.
 KADSURA KADSURA
japonica SCARLET K.
 KAFIR. Hort. var. of *Holcus sorghum*
 KAFIRLILY Clivia
 SCARLET K. *C. miniata*
 KAKI PERSIMMON (*Kaki Pom*)
Diospyros kaki
 KALANCHOE KALANCHOE
flammea FLAME K.

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

- KALE . . . *Brassica oleracea acephala*
 SEAKALE *Crambe*
- KALMIA** *Kalmia*
angustifolia *LAMBKILL*
carolina *CAROLINA KALMIA*
glauca *K. polifolia latifolia*
latifolia *KALMIA, MOUNTAIN-LAUREL*
polifolia (glauca) . . . *BOG KALMIA*
—microphylla ALPINE BOG KALMIA
- Hort. var. of *Kalmia*:
 BANDED K. (*Kalmia latifolia fuscatat Cy*)
 FEATHERPETAL K. (*K. latifolia polypetala† Cy*)
 HEDGE K. (*Kalmia latifolia obtusata† Cy*)
 MYRTLELEAF K. (*K. latifolia myrtifolia† Cy*)
 RED K. (*K. l. rubra† Cy*)
 WHITE K. (*K. l. alba† Cy*)
- KALMIA** *Kalmia; K. latifolia*
ALPINE BOG K.
K. polifolia microphylla
 BANDED K. (*Kalmia latifolia fuscatat Cy*)
 BOG K. *K. polifolia*
 CAROLINA K. *K. carolina*
 FEATHERPETAL K. (*K. latifolia polypetala† Cy*)
 HEDGE K. (*K. l. obtusata† Cy*)
 LAMBKILL *K. angustifolia*
 MOUNTAIN-LAUREL . . . *K. latifolia*
 MYRTLELEAF K. (*K. latifolia myrtifolia† Cy*)
 RED K. (*K. l. rubra† Cy*)
 WHITE K. (*K. l. alba† Cy*)
- KALMIA DEUTZIA** (*Deutzia kalmiae-flora† Cy*)
KALM HYPERICUM *Hypericum kalmianum*
- KALOPanax ACANTHOPANAX**
KAMCHATKA BUGBANE, KAMCHATKA MEADOWSWEET, etc. See BUGBANE, MEADOWSWEET, etc.
- KANGAROO THORN** . . . *Acaia armata*
KANGRA BUCKWHEAT *Fagopyrum tataricum*
- KANSU BARBERRY, KANSU GOOSEBERRY, etc.** See BARBERRY, GOOSEBERRY, etc.
- KARANDA** *Carissa caranda*
KARO *Pittosporum crassifolium*
KARRI GUM . . . *Eucalyptus diversicolor*
KARTABA IRIS *Iris sofarana magnifica*
KASHGAR TAMARIX . . . *Tamarix hispida*
KASHMIR IRIS, KASHMIR PRIMROSE, etc. See IRIS, PRIMROSE, etc.
- KASUMI CHERRY** *Prunus serrulata pubescens*
- KAT** *Catha edulis*
KATSURA-TREE *Cercidiphyllum japonicum*
CHINESE K. *C. j. sinense*
- KAULFUSSIA** *CHARIEIS*
KAURI-PINE *Agathis australis*
KEI-APPLE *Dovyalis caffra*
KELLOGG LILY *Lilium kelloggi*
KELSEY LOCUST *Robinia kelseyi*
KENNEDIA Ag *HARDENBERGIA*
KENNEDYA *HARDENBERGIA*
- KENTIA** *KENTIA*
belmoreana *Howea belmoreana canterburyana*
forsteriana *Howea forsteriana macarthurii*
Ptychosperma macarthuri sanderiana *SANDER KENTIA wendlandiana*
Hydriastele wendlandiana
- KENTUCKY BLUEGRASS, KENTUCKY COFFETREE, etc.** See BLUEGRASS, COFFETREE, etc.
- KERCHOVE ARALIA** *Aralia kerchoveana*
- KERMES LOTUS** (*Nelumbo nucifera kermesiana† Cy*)
- KERRIA** *KERRIA*
japonica (*Corchorus japonicus*)
KERRIA
- Hort. var. of *Kerria*:
 DOUBLE KERRIA (*K. japonica flore-pleno Cy*)
 SILVER K. (*K. japonica argenteo-variegata† Cy*)

KEW PRIMROSE . *Primula kewensis*

KEY THATCH PALM . *Thrinax keyensis*

KHEDIE SNOWBUSH (*Phyllanthus nivosa* *atropurpureus*† Cy)

KIDNEY BEAN . *Phaseolus vulgaris*

KIDNEYWORT . . *Baccharis pilularis*

KILMARNOCK WILLOW (*Salix caprea pendula*† Cy)

KING CACTUS, KING ORANGE, etc.
See **CACTUS, ORANGE, etc.**

KINO GUM-MYRTLE

Angophora intermedia

KINSHIREN LOTUS (*Nelumbo nucifera kinshirensis* Cy)

KIRILOW INDIGO . *Indigofera kirilowii*

KIRK CRINUM . . . *Crinum kirki*

KNAPWEED . . . *Centaurea nigra*
CREAM K. (*C. nigra variegata*† Cy)

KNEIFFIA . . . **OENOTHERA**

KNIFE ACACIA . *Acacia cultriformis*

KNIGHT CYPRESS (*Cupressus benthamii knightiana*† Cy)

KNIPHOFIA . . . **TORCHLILY**

alooides **K. uvaria**
corallina (*Tritoma corallina*)

CORAL TORCHLILY

foliosa (*T. quartiniana*) . **SWORD T.**
hybrida (*T. hybrida*)

Hybrida is a name used erroneously in
the trade to include horticultural varieties
of uncertain parentage.

macowanii (*Tritoma macowanii*)

MACOWAN TORCHLILY

nobilis **K. uvaria nobilis**
pfitzeriana . . . **BONFIRE TORCHLILY**

Hort. var. of *K. uvaria*.

rufa (*Tritoma rufa*) . . . **EARLY T.**

saundersii **SAUNDERS T.**
Hort. var. of *K. uvaria*.

sulphurea (*Tritoma sulphurea*)

SULPHUR T

tricolor (*T. tricolor*) . **TRICOLOR T**

tucki (*T. tucki*) **TUCK T**

uvaria (*alooides*; *Tritoma uvaria*)

COMMON T.

—*nobilis* (*T. nobilis*) . . . **Giant T**

See also hort. var. list below.

Hort. var. of **Kniphofia**:

BONFIRE TORCHLILY (*K. uvaria*

grandis† Cy; *Tritoma pfitzeri*. *K. pfitzeriana*)

KNIPHOFIA (Hort. var.), continued

DAYGLOW TORCHLILY (*Kniphofia uvaria grandiflora*† Cy; *Tritoma uvaria grandiflora*)

SAUNDERS T. (*K. u. saundersii*† Cy;
Tritoma saundersii; *K. saundersii*)

KNOBcone PINE . . *Pinus attenuata*

KOBUS MAGNOLIA . *Magnolia kobus*

KOCHIA **SUMMER-CYPRESS**
scoparia **BELVEDERE**
trichophylla

COMMON SUMMER-CYPRESS

KOELLIA Ag **PYCANTHEMUM**

KOELREUTERIA. **GOLDENRAIN-TREE**
paniculata . . . **GOLDENRAIN-TREE**

KOHLRABI

Brassica oleracea caulo-rapa

KOLKWITZIA

amabilis

KOLOMIKTA . . *Actinidia kolomikta*

KOMAROV LILAC . *Syringa komarovii*

KOREAN AZALEA, KOREAN BITTER-SWEET, etc. See **AZALEA, BITTER-SWEET, etc.**

KOSTER BLUE SPRUCE (*Picea pungens kosteri*† Cy)

KOUSHA DOGWOOD . . *Cornus kousa*

KRAUNHIA Ag . . . **WISTERIA**

KRAUSSIA **TRICALYSIS**

KRELAGE IRIS . *Iris reticulata krelagei*

KRIGIA

montana . . . **MOUNTAIN-DANDELION**

virginica . . . **DWARF-DANDELION**

KUDZU-BEAN . *Pueraria thunbergiana*

KUMQUAT . . . *Fortunella japonica*

HONGKONG K. **F. hindsii**

MEIWA K. (*Neiha K.*) **F. crassifolia**

For varieties of Kumquat grown for
their fruit, see American Pomological
Society's List of Fruits, in Appendix.

KUNZIA **PURSHIA**

KURRAJONG

BLACK K. . *Sterculia diversifolia*

KWANSO DAYLILY (*Hemerocallis fulva kwanso*† Cy)

KYUSHU AZALEA

Azalea obtusa kiusiana

LABRADOR WILLOW . *Salix argyrocarpa*

LABRADOR-TEA *Ledum*

CRYSTAL-TEA *L. palustre*

TRUE L. *L. groenlandicum*

| | | | |
|--|-------------------------------|---------------------------------------|--|
| LABURNUM | LABURNUM <i>adami</i> † Cy | ADAM L. See hort. var. list below. | LADY FERN, LADY WASHINGTON GERANIUM, etc. See FERN, GERANIUM, etc. |
| <i>alpinum</i> (<i>Cytisus alpinus</i>) SCOTCH L. | | | LADYBELL Adenophora |
| <i>anagyroides</i> Cy-Ag-Ar . | <i>L. vulgare</i> | | BUSH L. A. potanini |
| <i>caramanicum</i> . ASIATIC LABURNUM | | | COMMON L. A. communis |
| <i>parksii</i> WATERER L. | | | LADYSLIPPER Cypripedium |
| See hort. var. list below. | | | BROWNIE L. C. fasciculatum |
| vulgare (<i>L. anagyroides</i> Cy-Ag-Ar; <i>Cytisus laburnum</i>) GOLDENCHAIN | | | CALIFORNIA L. C. californicum |
| <i>watereri</i> † Cy . WATERER LABURNUM | | | COMMON YELLOW L. C. pubescens |
| See hort. var. list below. | | | MOUNTAIN L. C. montanum |
| Hort. var. of Laburnum : | | | NORTHERN L. C. passerinum |
| ADAM LABURNUM (<i>L. adami</i> † Cy; <i>Laburnocytisus adami</i> Ar) | | | PINK L. C. acaule |
| AUTUMN GOLDENCHAIN (<i>L. vulgare</i> <i>autumnale</i> †; <i>semperflorens</i> ; <i>sem-</i> <i>perflorum</i>) | | | RAMSHEAD L. C. arietinum |
| CURLYLEAF G. (<i>L. v. bullatum</i> †) | | | SHOWY L. C. spectabile |
| GOLDLEAF G. (<i>L. v. aureum</i> †) | | | SMALL YELLOW L. C. parviflorum |
| OAKLEAF G. (<i>L. v. quercifolium</i> †) | | | WHITE L. C. candidum |
| WATERER LABURNUM (<i>L. watereri</i> † Cy; <i>parksii</i> ; <i>alpinum</i> × <i>vulgare</i> ; <i>Cytisus watereri</i>) | | | LAELIA See ORCHID GENERA. |
| WEEPING GOLDENCHAIN (<i>L. vulgare</i> <i>pendulum</i> †) | | | LAELIOCATTLEYA See ORCHID GENERA. |
| LACEBARK PINE . . . <i>Pinus bungeana</i> | | | LAESTAD WILLOW (<i>Salix laestadiana</i> † Ar) |
| LACEFLOWER <i>Trachymene</i> | | | LAGENARIA GOURD |
| BLUE L. <i>T. caerulea</i> | | | <i>leucantha</i> (<i>vulgaris</i>) . CALABASH G. |
| LACINARIA Ag LIATRIS | | | LAGERSTROEMIA CRAPEMYRTLE |
| LACHENALIA CAPE-COWSLIP | | | <i>indica</i> COMMON C. |
| <i>luteola</i> <i>L. tricolor luteola</i> | | | <i>parviflora</i> |
| <i>nelsoni</i> . . . NELSON CAPE-COWSLIP | | | <i>speciosa</i> (<i>flosreginae</i>) . QUEEN C. |
| Hort. var. of <i>L. tricolor</i> . | | | Hort. var. of Lagerstroemia : |
| pendula NODDING C. | | | PINK CRAPEMYRTLE (<i>indica rosea</i>) |
| <i>quadricolor</i> . <i>L. tricolor quadricolor</i> | | | PURPLE C. (<i>indica purpurea</i>) |
| tricolor THREECOLOR CAPE-COWSLIP | | | WHITE C. (<i>indica alba</i>) |
| — <i>luteola</i> LEMON C. | | | LAGUNARIA |
| — <i>quadricolor</i> . . . FOURCOLOR C. | | | pattersoni |
| Hort. var. of Lachenalia : | | | LAGURUS |
| NELSON CAPE-COWSLIP (<i>L. tricolor</i> <i>nelsoni</i> † Cy) | | | <i>ovatus</i> RABBITTAIL GRASS |
| LACQUER-TREE . . . <i>Rhus verniciflua</i> | | | LAKE IRIS <i>Iris cristata lacustris</i> |
| LACTUCA LETTUCE | | | LALAND FIRETHORN (<i>Pyracantha coc-</i> |
| <i>sativa</i> GARDEN L. | | | <i>cinea lalandi</i> † Cy) |
| LADIES-TRESSES <i>Spiranthes</i> | | | LAMANCE IRIS <i>Iris foliosa</i> |
| NODDING L. <i>S. cernua</i> | | | LAMARCK EVENING-PRIMROSE |
| PAINTED L. <i>S. picta</i> | | | <i>Oenothera lamarckiana</i> |
| SHORTLEAF L. <i>S. brevifolia</i> | | | LAMARCKIA ACHYRODES |
| SLENDER L. <i>S. gracilis</i> | | | LAMBKILL <i>Kalmia angustifolia</i> |

| | |
|---|--|
| LANCE COREOPSIS, LANCE VIBURNUM, etc. See COREOPSIS, VIBURNUM, etc. | LARCH, continued |
| LANCELEAF EUONYMUS, LANCELEAF MASKFLOWER, etc. See EUONY- MUS, MASKFLOWER, etc. | GOLDENLARCH |
| LANCEPOD <i>Lonchocarpus</i> ; <i>L. speciosus</i> | <i>Pseudolarix kaempferi</i> |
| LANTANA LANTANA <i>camara</i> COMMON L. <i>flava</i> (<i>mellisaefolia</i>) . . . YELLOW L. <i>hybrida</i> | JAPANESE L. <i>Larix leptolepis</i> SIBERIAN L. <i>L. sibirica</i> WEEPING EUROPEAN L. (<i>L. euro- paea pendula</i> †) |
| A name erroneously applied to dwarf garden forms of <i>L. camara</i> . | WESTERN L. <i>L. occidentalis</i> |
| sellowiana (<i>delicatissima</i>) | LARGETOOTH ASPEN |
| WEEPING LANTANA | <i>Populus grandidentata</i> |
| Hort. var. of Lantana: | LARIX LARCH |
| AMIEL | <i>americana</i> <i>L. laricina</i> |
| AURORA | <i>dahurica</i> DAHURIAN LARCH |
| CICERONE | <i>eurolepis</i> † Ar DUNKELD L. See hort. var. list below. |
| CORBEILLE D'ARGENT | <i>europaea</i> (<i>L. decidua</i> Cy-Ag-Ar) EUROPEAN L. |
| COMTESSE DE BIENCOURT | See also hort. var. list below. |
| CRAIG (<i>craigii</i>) | <i>hybrida</i> Cy DUNKELD L. See hort. var. list below. |
| GRAND SULTAN | <i>kaempferi</i> Ar <i>L. leptolepis</i> |
| HARKETT PERFECTION | <i>laricina</i> (<i>americana</i>) |
| IOLANDE | AMERICAN LARCH |
| JACOB SCHULTZ | <i>leptolepis</i> (<i>L. kaempferi</i> Ar) |
| JANNIA | JAPANESE L. |
| MICHAEL SCHMIDT | occidentalis WESTERN L. |
| PLUIE D'OR | <i>potanini</i> CHINESE L. |
| RADIATION | <i>sibirica</i> SIBERIAN L. |
| ROSE QUEEN | Hort. var. of Larix: |
| SNOW QUEEN | DUNKELD LARCH (<i>L. eurolepis</i> † Ar; <i>L. hybrida</i> Cy; <i>europaea</i> × <i>leptolepis</i>) |
| TETHYS | WEEPING EUROPEAN L. (<i>L. euro- paea pendula</i> †) |
| LANTERN GROUNDCHERRY | LARKSPUR <i>Delphinium</i> |
| <i>Physalis franchetii</i> | See also hort. var. list under <i>Delphinium</i> . |
| LAPAGERIA CHILE-BELLS | BARLOW L. (<i>Delphinium hybridum</i> <i>barlowi</i> † Cy) |
| <i>rosea</i> RED C. | BEE L. <i>D. elatum</i> |
| Hort. var. of Lapageria: | CARDINAL L. <i>D. cardinalis</i> |
| WHITE CHILE-BELLS (<i>L. rosea albi-</i> <i>flora</i> † Cy; <i>alba</i>) | CASHMERE L. <i>D. cashmerianum</i> |
| LAPEYROUSIA | CAUCASIAN L. <i>D. caucasicum</i> |
| <i>cruenta</i> (<i>Anomatheca cruenta</i>) | FIELD L. <i>D. consolida</i> |
| LAPLAND RHODODENDRON | HARDY L. <i>D. formosum</i> |
| <i>Rhododendron lapponicum</i> | HEARTPETAL L. <i>D. cardiopetalum</i> |
| LARCH <i>Larix</i> | MAACK L. <i>D. maackianum</i> |
| AMERICAN L. <i>L. laricina</i> | MOERHEIM L. <i>D. moerheimii</i> |
| CHINESE L. <i>L. potanini</i> | MOUNTAIN L. <i>D. hybridum</i> |
| DAHURIAN L. <i>L. dahurica</i> | MUSK L. <i>D. brunonianum</i> |
| DUNKELD L. (<i>L. eurolepis</i> † Ar) | ORANGE L. <i>D. nudicaule</i> |
| EUROPEAN L. <i>L. europaea</i> | |

BOLD-face=approved scientific names. ITALIC=synonyms or unapproved names.

LARKSPUR, continued

- PARRY L. . . . *Delphinium parryi*
 PERSIAN L. . . . *D. speciosum*
 ROCK L. *D. tricorne*
 ROCKET L. *D. ajacis*
 SIBERIAN L. . . . *D. grandiflorum*
 SKYBLUE L. (*D. formosum coelestinum† Cy*)
 SLENDER L. *D. grandiflorum chinense*
 TALL L. *D. exaltatum*
 WHITE SIBERIAN L. (*D. grandiflorum album† Cy*)
 YELLOW L. *D. zamil*
LARKSPUR COREOPSIS
Coreopsis delphinifolia
LARPENTE PLUMBAGO
Ceratostigma plumbaginoides
LASIANDRA . . . **TIBOUCHINA**
LASTREA (*LASTRAEA*)
aristata . . . *Polystichum aristatum*
dilatata . . . *Dryopteris dilatata*
filixmas *D. filixmas*
LATANIA
commersoni (*L. borbonica* Ag)
LATANIA
 The stock sold under the name Latania borbonica is usually *Livistona chinensis*
LATE PEAR, LATE THOROUGHWORT,
 etc. See PEAR, THOROUGHWORT,
 etc.
LATHYRUS **PEA**
grandiflorus . . . EVERLASTING P.
latifolius . . . PERENNIAL P.
 See also hort. var. list below.
magellanicus . . . LORD ANSON P.
niger (*Orobus niger*) . . . BLACK P.
odoratus SWEET P.
 A special list of the horticultural varieties of Sweet Pea is given opposite.
splendens . . . ROYAL PERENNIAL PEA
 Hort. var. of *L. latifolius*.
vernus (*Orobus vernus*)
 SPRING BITTERVETCH
 Hort. var. of **Lathyrus**, other than
 Sweet Pea:
 BRIDESMAID PEA (*L. latifolius grandiflorus† Cy*)
 ROYAL PERENNIAL P. (*L. l. splendens† Cy; splendens*)

LATHYRUS (Hort. var.), continued

- WHITE PERENNIAL PEA (*Lathyrus latifolius albus† Cy*)
 Hort. var. of SWEET PEA, *Lathyrus odoratus*:
 The Joint Committee acknowledges its indebtedness to Mr. George W. Kerr, President American Sweet Pea Society, for the preparation of this list, dated Nov. 15, 1922, which includes "only the very best varieties of the present day." Questions relating to list may be addressed to Mr. Kerr at Doylestown, Pa.
- ANNIE IRELAND
 AURORA
 AUSTIN FREDERICK
 BARBARA
 BLUEBIRD
 BRILLIANT
 BURPEE ORANGE
 CANARYBIRD
 CHARITY
 CHEERFUL
 CHERUB
 COLNE VALLEY
 COLUMBIA
 COMMANDER GODSALL
 CONQUEST
 DAINTINESS
 DAISYBUD
 DAYBREAK
 DORA
 DORIS
 EDNA MAY IMPROVED
 ELEGANCE
 ENCHANTRESS
 FAIRY
 FLAMINGO
 FLORADEL FAIRY
 FORDHOOK ROSE
 GEORGE SHAWYER
 GIANT WHITE
 GLITTERS
 GLORIOSA
 GLORIOUS
 HAWLMARK CERISE
 HAWLMARK PINK
 HAWLMARK SCARLET
 ILLUMINATION
 KING
 KING MAUVE
 KING WHITE

| | |
|--|---|
| LATHYRUS odoratus, | SWEET PEA (Hort. var.), continued |
| LAVENDER KING | |
| MAJESTIC CREAM | |
| MASCOTT HELIO | |
| MRS. A. HITCHCOCK | |
| MRS. KERR | |
| MRS. TOM JONES | |
| MRS. WARREN G. HARDING | |
| ORCHID | |
| PICTURE | |
| PINK PEARL | |
| PRINCE GEORGE | |
| PRINCESS | |
| RAVENWING | |
| RENNOWN | |
| ROSE QUEEN | |
| ROYAL PURPLE | |
| ROYAL SALUTE | |
| ROYAL SCOT | |
| SENATOR SPENCER | |
| SNOWSTORM | |
| SUNSET | |
| TANGERINE | |
| VALENTINE | |
| WARRIOR | |
| WHITE STAR | |
| ZVOLANEK ROSE | |
| LATTICELEAF | Aponogeton fenestralis |
| LAUREL | Laurus |
| CALIFORNIA-LAUREL | Umbellularia californica |
| CHERRY-LAUREL | . . Laurocerasus |
| GRECIAN LAUREL | . . Laurus nobilis |
| MOUNTAIN-LAUREL | Kalmia latifolia |
| PORTUGAL-LAUREL | Laurocerasus lusitanica |
| LAUREL CLOCKVINE, LAUREL GREEN-BRIER, etc. | See CLOCKVINE, GREENBRIER, etc. |
| Laurestinus | LAURUSTINUS: Viburnum tinus |
| LAUROCERASUS | CHERRY-LAUREL |
| caroliniana | (Prunus caroliniana Cy-Ag; Cerasus caroliniana) |
| CAROLINA CHERRY-LAUREL | CAROLINA CHERRY-LAUREL |
| lusitanica | (P. lusitanica Cy-Ag; Laurus lusitanica) |
| PORTUGAL-LAUREL | PORTUGAL-LAUREL |
| officinalis | (Prunus laurocerasus Cy-Ag-Ar; Laurus cerasus) |
| ENGLISH CHERRY-LAUREL | ENGLISH CHERRY-LAUREL |

| | |
|--|---|
| Hort. var. of Laurocerasus: | |
| BERTINI CHERRY-LAUREL | (<i>L. officinalis bertinii</i>) |
| CAUCASIAN C. | (<i>L. o. caucasica</i> †) |
| COLCHIS C. | (<i>L. o. colchica</i> †) |
| SHIPKA C. | (<i>L. o. schipkaensis</i> †) |
| SHORTLEAF C. | (<i>L. o. rotundifolia</i> †) |
| VERSAILLES C. | (<i>L. o. versailles</i> †) |
| LAURUS | LAUREL |
| benzoin | Benzoin aestivale |
| cerasus | Laurocerasus officinalis |
| lusitanica | <i>L. lusitanica</i> |
| nobilis | Grecian Laurel |
| LAURUSTINUS | Viburnum tinus |
| FUZZY L. | (<i>V. t. hirtum</i> † Cy) |
| SHINING L. | (<i>V. t. lucidum</i> † Cy) |
| SPIRY L. | (<i>V. t. strictum</i> † Cy) |
| VARIEGATED L. | (<i>V. tinus variegatum</i> † Cy) |
| LAVANDULA | LAVENDER |
| officinalis (<i>L. vera</i> Cy; <i>L. spica</i> Ag) | |
| spica (<i>L. latifolia</i> Ag) . . . | TRUE LAVENDER |
| LAVATERA | TREEMALLOW |
| arborea | VELVET T. |
| assurgentiflora | CALIFORNIA T. |
| olbia | |
| trimestris (<i>rosea</i>) | HERB T |
| Hort. var. of Lavatera: | |
| SHOWY HERB TREEMALLOW | (<i>L. trimestris splendens</i> † Cy; <i>splendens</i>) |
| WHITE HERB T. | (<i>L. t. alba</i> † Cy; <i>alba</i>) |
| LAVA UXIA | OENOTHERA |
| LAVENDER | Lavandula |
| SEA-LAVENDER | Limonium |
| SPIKE L. | Lavandula spica |
| TRUE L. | <i>L. officinalis</i> |
| LAVENDER-COTTON | |
| Santolina; S. chamaecyparissus | |
| HOARY L. | <i>S. incana</i> |
| LAWNGRASS | |
| JAPANESE L. | . Osterdamia japonica |
| LAWSON CYPRESS | |
| | <i>Chamaecyparis lawsoniana</i> |
| LAWSONIA | HENNA |
| inermis (<i>rubra</i>) | HENNA |
| LAYIA | |
| elegans | TIDYTIPS |
| glandulosa | |

- LEADPLANT . . . *Amorpha canescens*
 LEAFY MADEIRA BROOM, LEAFY
 STONECROP, etc. See BROOM.
 STONECROP, etc.
- LEATHER FERN, LEATHER SAXIFRAGE,
 etc. See FERN, SAXIFRAGE, etc.
- LEATHERFLOWER . . . *Clematis viorna*
- LEATHERJACKET. *Eucalyptus punctata*
- LEATHERLEAF . . .
Chamaedaphne calyculata
- LEATHERLEAF GUM, LEATHERLEAF
 ROSE, etc. See GUM, ROSE, etc.
- LEATHERWOOD . . . *Dirca; D. palustris*
- LEBANON
 CEDAR OF LEBANON ! *Cedrus libani*
- LEBANON IRIS, LEBANON STONECRESS,
 etc. See IRIS, STONECRESS, etc.
- LEBBEK *Albizia lebbeck*
- LECHUGUILA . . . *Agave lecheguilla*
- LEDEBOUR GLOBEFLOWER
Trollius ledebouri
- LEDUM LABRADOR-TEA
groenlandicum (latifolium) TRUE L.
palustre CRYSTAL-TEA
- LEEA WATERSHRUB
sambucina ELDERLEAF W.
- LEEK *Allium porrum*
- HOUSELEEK *Sempervivum*
- LILY LEEK *Allium moly*
- WOOD L. *A. tricoccum*
- LEHMANN GUM. *Eucalyptus lehmanni*
- LEICHTLIN AUBRIETIA, LEICHTLIN
 CAMAS, etc. See *Aubrieta*,
 CAMAS, etc.
- LEIOPHYLLUM . . . SANDMYRTLE
buxifolium (Dendrium buxifolium)
 BOX SANDMYRTLE
 —prostratum (*D. prostratum*)
 ALLEGHENY S.
- LEMAIREOCEREUS
dumortieri (Cereus dumortieri)
eburneus (C. eburneus)
eruca *Machaerocereus eruca*
stellatus (C. stellatus)
thurberi (C. thurberi)
weberi (C. weberi)
- LEMOINE DEUTZIA, LEMOINE MOCK-
 ORANGE, etc. See DEUTZIA,
 MOCKORANGE, etc.
- LEMON *Citrus limonia*
 For cultivated varieties of Lemon, see
 American Pomological Society's List of
 Fruits, in Appendix.
- WATERLEMON. *Passiflora laurifolia*
- LEMON BOTTLEBRUSH, LEMON DAY-
 LILY, etc. See BOTTLEBRUSH,
 DAYLILY, etc.
- LEMONADE SUMAC . . . *Rhus trilobata*
- LEMON-VERBENA . . . *Lippia citriodora*
- Lemonvine
- BLADEAPPLE: *Pereskia aculeata*
- LENNE MAGNOLIA (*Magnolia soulangiana lennei*† Cy)
- LENTISK *Pistacia lentiscus*
- LEONOTIS LIONS-EAR
leonurus LIONS-EAR
- LEONTODON Ag . . *TARAXACUM*
- LEONTOPODIUM . . . EDELWEISS
alpinum (Gnaphalium leontopodium)
 COMMON EDELWEISS
sibiricum SIBERIAN E.
- LEONURUS MOTHERWORT
cardiaca COMMON M.
- LEOPARD ENGLISH IVY, LEOPARD
 LILY, etc. See IVY, LILY, etc.
- LEOPARDBANE *Doronicum*
 AUSTRIAN L. *D. austriacum*
 CAUCASIAN L. *D. caucasicum*
 DOWNY L. *D. clusi*
 SHOWY L. (*D. plantagineum excelsum* Cy)
- SUNFLOWER L. *D. magnificum*
- LEOPARDPLANT. Hort. var. of *Ligularia kaempferi*.
- SILVEREDGE L. Hort. var. of *L. kaempferi*.
- LEOPOLD MAPLE (*Acer pseudoplatanus leopoldi*† Cy)
- LEPACHYS
columnaris (Ratibida columnaris Ag)
 —*pulcherrima (Obeliscaria pulcherrima)*
pinnata (Ratibida pinnata Ag)
- LEPARGYREA Ag . . *SHEPHERDIA*
- LEPIDIUM PEPPERGRASS
sativum GARDEN CRESS
- LEPTOSIPHON *GILIA*

LEPTOSPERMUM

The name of this genus under the American Rules is *Agonis*.

flexuosum (*Agonis flexuosa* Ag)
laevigatum AUSTRALIAN TEA-TREE

LEPTOSYNE . . . COREOPSIS

The common name *Coreopsis* applies also to the allied genus *Coreopsis*.

douglasi (*Coreopsis douglasi* Ag)
DOUGLAS COREOPSIS
maritima (*C. maritima* Ag) SEA C.
stillmani (*C. stillmani* Ag)
STILLMAN C.

LEPTOTES

bicolor (*Tetramicra bicolor*)

LESPEDEZA . . . BUSHCLOVER

bicolor (*Desmodium bicolor*)
SHRUB B.
capitata . . . ROUNDHEAD B.
formosa (*L. sieboldii* Cy; *Desmodium penduliflorum*)
PURPLE BUSHCLOVER
—**albiflora** (*L. japonica* Cy; *Desmodium japonicum*)

JAPANESE BUSHCLOVER

LESSER BOUGAINVILLEA, LESSER FLOWERING QUINCE, etc. See *Bougainvillea*, QUINCE, etc.

LETTERFLOWER . . . Grammanthes**LETSOMIA**

capitata
LETTUCE *Lactuca*
GARDEN L. *L. sativa*
WATERLETTUCE . *Pistia stratiotes*

LEUCAENA

glauca

LEUCOCASIA Ag. **COLOCASIA****LEUCOCRINUM**

montanum STARLILY

LEUCOJUM

aestivum SNOWFLAKE

vernus SUMMER S.

LEUCOTHOE

acuminata *L. populifolia*

catesbaei (*Andromeda catesbaei*)

DROOPING LEUCOTHOE

populifolia (*acuminata*)

LEUCOTHOE, continued

racemosa (*Andromeda racemosa*:
Eubotrys racemosa Ag)

SWEETBELLS

recurva (*E. recurva* Ag)
REDTWIG LEUCOTHOE

LEWIS MONKEYFLOWER

Mimulus lewisi

LEWISIA

rediviva BITTERROOT

LEYCESTERIA

formosa (*elegans*)
HIMALAYA-HONEYSUCKLE

LIATRIS

elegans (*Lacinaria elegans* Ag)
PINKSCALE G.

graminifolia (*Lacinaria graminifolia* Ag)

GRASSLEAF GAYFEATHER

ligulistylis (*Lacinaria ligulistylis* Ag)

ROCKY MOUNTAIN GAYFEATHER

odoratissima . *Trilisa odoratissima*

punctata (*Lacinaria punctata* Ag)

DOTTED GAYFEATHER

pycnostachya . . (*Lacinaria pycnostachya* Ag)

CATTAIL GAYFEATHER

scariosa (*Lacinaria scariosa* Ag)

spicata (*Lacinaria spicata* Ag)

SPIKE G.

—**montana** (*pumila*) . DWARF G.

squarrosa (*Lacinaria squarrosa* Ag)

LIBERIAN COFFEE . . *Coffea liberica*

LIBOCEDRUS

. INCENSE-CEDAR

chilensis CHILEAN I.

decurrens CALIFORNIA I.

LIBONIA

. . . JACOBINIA

LICORICE

COMMON L. *Glycyrrhiza*

LICORICE FERN

Polypodium glycyrrhiza

LICUALA

grandis

LIEGE MARANTA

(*Maranta leuconeura*

massangeana† Cy)

LIGULARIA

clivorum (*Senecio clivorum*)

kaempferi (*S. kaempferi*)

stenocephala

wilsoniana (*S. wilsonianus*)

GIANTGROUNDSEL

Hort. var. of *Ligularia*:

LEOPARDPLANT (*kaempferi aureo-maculata*; *Farfugium grande*)
SILVEREDGE L. (*kaempferi argentea*; *F. argenteum*)

LIGUSTRUM **PRIVET**
acuminatum (*ciliatum*; *medium*)
 See also hort. var. list below.
amurense **AMUR P.**
chinense **L. sinense**
ciliatum **L. acuminatum**
coriaceum **DWARF PRIVET**
ibolium **IBOLIUM P.**
 See hort. var. list below.
ibota (*L. obtusifolium* Ag-Ar) **IBOTA P.**

See also hort. var. list below.
japonicum **JAPANESE P.**
leucocarpum **YELLOWBERRY P.**

Hort. var. of *L. vulgare*.

lucidum (*macrophyllum*) **GLOSSY P.**
 See also hort. var. list below.
macrocarpum **BIGBERRY P.**
 Hort. var. of *L. acuminatum*.
macrophyllum **L. lucidum**
marginatum

A name used erroneously for Silveredge European Privet, hort. var. of *L. vulgare*.

massalongianum **HIMALAYAN PRIVET**
medium **L. acuminatum**
nepalense **NEPAL PRIVET**
obtusifolium Ag **L. ibota**
ovalifolium **CALIFORNIA PRIVET**

See also hort. var. list below.
quihoui **QUIHOU P.**
regelianum **REGEL P.**

Hort. var. of *L. ibota*.
sinense (chinense) . . . **CHINESE P.**
spicatum

This name is often used erroneously for *L. japonicum*, *L. lucidum*, *L. massalongianum*, and *L. nepalense*.

vulgare **EUROPEAN PRIVET**
 See also hort. var. list below.

Hort. var. of *Ligustrum*:

BIGBERRY PRIVET (*L. acuminatum macrocarpum*† Cy; *macrocarpum*)
GOLDEN CALIFORNIA P. (*L. ovalifolium variegatum*† Cy; *robustum variegatum*)

LIGUSTRUM (Hort. var.), continued

IBOLIUM PRIVET (*ibolium*)
PYGMY P. (*ibota nanum*)
REGEL P. (*Ligustrum ibota regelianum*† Cy; *regelianum*)
SILVEREDGE EUROPEAN P. (*L. vulgare glaucum*† Cy; *vulgare albomarginatum*; *marginatum*)
SILVERLEAF P. (*excelsum superbum*)
TRICOLOR P. (*Ligustrum lucidum tricolor*† Cy)
WATTLE P. (*ibota compactum*)
YELLOWBERRY P. (*L. vulgare leucocarpum*† Cy; *leucocarpum*)
YELLOW-DAPPLE EUROPEAN P. (*L. v. aureovariegatum*†)
YELLOWEDGE CALIFORNIA P. (*L. ovalifolium aureomarginatum*† Cy)
YELLOWLEAF EUROPEAN P. (*L. vulgare aureum*† Cy)

LILAC **Syringa**
 For additional horticultural varieties of Lilac see *Syringa*.

BROADLEAF L. **S. oblata**
CHENGDU L. **S. sweginzowi**
CHINESE L. **S. chinensis**
COMMON L. **S. vulgaris**
COMMON BLUE L. (*S. vulgaris caerulea*† Cy)
COMMON RED L. (*S. v. rubra*† Cy)
COMMON VIOLET L. (*S. vulgaris violacea*† Cy)
COMMON WHITE L. (*S. v. alba*† Cy)
DOUBLE HYACINTH L. (*S. hyacinthiflora plena*† Cy)
EARLY L. **S. affinis**
FEATHERED PERSIAN L. (*S. persica laciniata*† Cy)
FELTY L. **S. tomentella**
HAIRY L. **S. pubescens**
HENRY L. (*S. henryi*† Cy)
HIMALAYAN L. **S. emodi**
HUNGARIAN L. **S. josikaea**
HYACINTH L. (*Syringa hyacinthiflora*† Cy)
JAPANESE TREE L. . . . **S. japonica**
JULIANA L. **S. julianae**
KOMAROF L. **S. komarovii**
LATE L. **S. villosa**
LITTLELEAF L. . . . **S. microphylla**
MANCHURIAN L. . . . **S. amurensis**

LILAC, continued

- MARLY L. (*Syringa vulgaris marlyensis*† Cy)
 MEYER L. *Syringa meyeri*
 MOUNTAIN-LILAC *Ceanothus* species
 NODDING L. *Syringa reflexa*
 PALE CHINESE L. (*S. chinensis metensis*† Cy)
 PALE HUNGARIAN L. (*S. josikaea pallida*† Cy)
 PEKING L. *S. pekinensis*
 PERSIAN L. *S. persica*
 PINNATE L. *S. pinnatifolia*
 PURPLE CHINESE L. (*S. chinensis saugeana*† Cy)
 PURPLE EARLY L. *S. affinis giraldi*
 RED HUNGARIAN L. (*S. josikaea rubra*† Cy)
 RED PERSIAN L. (*Syringa persica rubra*† Cy)
 RED ROSE L. (*Syringa henryi eximia*† Cy)
 SARGENT L.
 S. komarovii sargentiana
 SCHNEIDER L. *S. koehneana*
 WEEPING PEKING L. (*S. pekinensis pendula*† Cy)
 WHITE CHINESE L. (*Syringa chinensis alba*† Cy)
 WHITE PERSIAN L. (*Syringa persica alba*† Cy)
 WILSON L. *S. wilsonii*
 WOLF L. *S. wolfii*
 YUNNAN L. *S. yunnanensis*
 For additional horticultural varieties of Lilac, see *Syringa*.

LILAC ASTER, LILAC CLEMATIS, etc.
 See ASTER, CLEMATIS, etc.

- LILUM LILY
 auratum GOLDBAND L.
 batemanniae BATEMANN L.
 bloomerianum *L. humboldti*
 bolanderi THIMBLE LILY
 brownii BROWNS L.
 canadense CANADA L.

See also hort. var. list on page 265.

- candidum MADONNA L.
 See also hort. var. list on page 265.
 carolinianum (*L. michauxii* Ag.)
 CAROLINA L.
 chalcedonicum . CHALCEDONIAN L.
 See also hort. var. list on page 265.

LILIUM, continued

- colchicum *Lilium monadelphum*
 columbianum COLUMBIA LILY
 concolor MORNINGSTAR L.
 croceum ORANGE L.
 dauricum CANDLESTICK L.
 elegans (*thunbergianum*)
 excelsum *L. testaceum*
 giganteum GIANT LILY
 grayi GRAYS L.
 hansonii HANSON L.
 henryi HENRY L.
 humboldti (*bloomerianum*)
 HUMBOLDT L.
 See also hort. var. list on page 265.
 japonicum (*kramerii*) JAPANESE L.
 kelloggii KELLOGG L.
 kramerii *L. japonicum*
 leichtlinii MOLEROOT LILY
 longiflorum EASTER L.
 See also hort. var. list on page 265.

maculatum

This name is often used erroneously for *L. medeoloides* and for the Purple-stripe Madonna Lily and the Spotted Chaledonian Lily, both included in the hort. var. list on page 265.

magnificum

A name used erroneously for the Great Speciosum Lily and the Larger Humboldt Lily, both entered in the hort. var. list on page 265.

- maritimum COAST LILY
 martagon MARTAGON L.
 maximowiczi FALSE TIGER L.
 medeoloides WHEEL L.
 michauxii Ag *L. carolinianum*
 monadelphum (*colchicum*)

CAUCASIAN LILY

See also hort. var. list on page 265.

- myriophyllum* *L. regale*
 occidentale EUREKA LILY
 pardalinum LEOPARD L.
 parryi LEMON L.
 parviflorum PANTHER L.
 parvum SIERRA L.

See also hort. var. list on page 265.

- philadelphicum ORANGECUP L.
 puberulum HAIRY HUMBOLDT L.
 Hort. var. of *L. humboldti*.
 regale (*myriophyllum*) . ROYAL L.
 roezli SANTA CRUZ L.
 roseum Cy *L. thomsonianum* Ag
 rubellum RUBELLUM LILY

LILIUM, continued

| | | | |
|---|---------------------|---|---|
| rubescens (<i>L. washingtonianum rubescens</i> Cy) | CHAPARRAL LILY | LILY | Lilium |
| sargentiae | SARGENT L. | AMAZONLILY | Eucharis |
| speciosum | SPECIOSUM L. | AMERICAN TURKSCAP L. | Lilium superbum |
| See also hort. var. list below. | | ATAMASCO-LILY | Zephyranthes atamasco |
| superbum AMERICAN TURKSCAP L. | | BATEMANN L. | Lilium batemanniae |
| <i>szovitzianum</i> GREAT CAUCASIAN L. | | BELLADONNA-LILY | Amaryllis belladonna |
| Hort. var. of <i>L. monadelphum</i> . | | BERMUDA EASTER L. | (<i>Lilium longiflorum eximium</i> † Cy) |
| tenuifolium | CORAL L. | BLACKBERRY-LILY | Belamcanda chinensis |
| testaceum (<i>excelsum</i>) NANKEEN L. | | BLOODLILY | Haemanthus |
| thomsonianum (<i>L. roseum</i> Cy) | | BROWNS L. | Lilium brownii |
| THOMSON L. | | BROWNSTEM EASTER L. | (<i>L. longiflorum giganteum</i> † Cy) |
| <i>thunbergianum</i> | <i>L. elegans</i> | BUGLELILY | Watsonia |
| tigrinum | TIGER LILY | CANADA L. | Lilium canadense |
| See also hort. var. list below. | | CANDLESTICK L. | <i>L. dauricum</i> |
| umbellatum | | CAROLINA L. | <i>L. carolinianum</i> |
| WESTERN ORANGECUP LILY | | CAUCASIAN L. | <i>L. monadelphum</i> |
| The name <i>L. umbellatum</i> is sometimes misapplied to <i>L. dauricum</i> . | | CHALCEDONIAN L. | <i>L. chalcedonicum</i> |
| wallachianum | WALLICH LILY | CHAPARRAL L. | <i>L. rubescens</i> |
| washingtonianum WASHINGTON L. | | COAST L. | <i>L. maritimum</i> |
| — <i>rubescens</i> Cy | <i>L. rubescens</i> | COLUMBIA L. | <i>L. columbianum</i> |
| See also hort. var. list below. | | CORAL L. | <i>L. tenuifolium</i> |
| Hort. var. of <i>Lilium</i> : | | DAYLILY | <i>Hemerocallis</i> |
| BERMUDA EASTER LILY (<i>L. longiflorum eximium</i> † Cy) | | DOUBLE TIGER L. | Hort. var. of <i>Lilium tigrinum</i> . |
| BROWNSTEM EASTER L. (<i>L. l. giganteum</i> † Cy) | | EASTER L. | <i>Lilium longiflorum</i> |
| DOUBLE TIGER L. (<i>Lilium tigrinum florepleno</i> Cy) | | EUREKA L. | <i>L. occidentale</i> |
| Giant TIGER L. (<i>Lilium tigrinum splendens</i> † Cy) | | FALSE TIGER L. | <i>L. maximowiczii</i> |
| GREAT CAUCASIAN L. (<i>L. monadelphum szovitzianum</i> † Cy) | | FLAXLILY | <i>Phormium</i> |
| GREAT SPECIOSUM L. (<i>L. speciosum magnificum</i> † Cy) | | Giant L. | <i>Lilium giganteum</i> |
| HAIRY HUMBOLDT L. (<i>L. humboldti puberulum</i> † Cy; <i>puberulum</i>) | | Giant TIGER L. (<i>Lilium tigrinum splendens</i> † Cy) | |
| LARGER HUMBOLDT L. (<i>L. h. magnificum</i> † Cy) | | GINGERLILY | <i>Hedychium</i> |
| MELPOMENE L. Hort. var. of <i>L. speciosum</i> . | | GLACIERLILY | |
| PURPLE WASHINGTON L. (<i>L. washingtonianum purpureum</i> † Cy) | | Erythronium grandiflorum | |
| PURPLESTRIPED MADONNA L. (<i>L. candidum maculatum</i> † Cy) | | GLORYLILY | <i>Gloriosa</i> |
| RED CANADA L. (<i>L. canadense coccineum</i> † Cy; <i>canadense rubrum</i>) | | GOLDBAND L. | <i>Lilium auratum</i> |
| SPOTTED CHALCEDONIAN L. (<i>L. chalcedonicum maculatum</i> † Cy) | | GRAYS L. | <i>L. grayi</i> |
| YELLOW SIERRA L. (<i>L. parvum luteum</i> † Cy) | | GREAT CAUCASIAN L. (<i>L. monadelphum szovitzianum</i> † Cy) | |
| | | GREAT SPECIOSUM L. (<i>L. speciosum magnificum</i> † Cy) | |
| | | GUERNSEY-LILY | <i>Nerine sarniensis</i> |
| | | HAIRY HUMBOLDT L. (<i>Lilium humboldti puberulum</i> † Cy) | |
| | | HANSON L. | <i>Lilium hansonii</i> |
| | | HENRY L. | <i>L. henryi</i> |

LILY, continued

- HUMBOLDT L. . . *Lilium humboldti*
Jacobaea-lily . . . ST.JAMESLILY
 JAPANESE L. . . *Lilium japonicum*
 KAFIRLILY . . . *Clivia*
 KELLOGG L. . . . *Lilium kelloggii*
 LARGER HUMBOLDT L. (*L. humboldti magnificum*† Cy)
 LEMON L. *L. parryi*
 LEOPARD L. . . . *L. pardalinum*
 MADONNA L. . . . *L. candidum*
Mariposa-lily MARIPOSA: *Calochortus*
 MARTAGON L. . . *Lilium martagon*
 MELPOMENE L. Hort. var. of *L. speciosum*.
 MOLEROOT L. . . . *L. leichtlini*
 MORNINGSTAR L. . . *L. concolor*
 NANKEEN L. . . . *L. testaceum*
 ORANGE L. . . . *L. croceum*
 ORANGECUP L. . *L. philadelphicum*
 PANTHER L. . . . *L. parviflorum*
 PLANTAINLILY *Hosta*
 PURPLE WASHINGTON L. (*Lilium washingtonianum purpureum*† Cy)
 PURPLESTRIBE MADONNA L. (*L. candidum maculatum*† Cy)
 RAINLILY *Cooperia*
 RED CANADA L. (*Lilium canadense coccineum*† Cy)
 ROSE L. *L. rubescens*
 ROYAL L. *L. regale*
 RUBELLUM L. . . . *L. rubellum*
 SACRED-LILY . . *Narcissus* species
 SANTA CRUZ L. . . . *L. roezli*
 SARGENT L. . . *Lilium sargentiae*
 SCARBORO-LILY . *Vallota purpurea*
 SEGO-LILY . . *Calochortus nuttallii*
 SIERRA L. . . . *Lilium parvum*
 SPEARLILY *Doryanthes*
 SPECIOSUM L. . . *Lilium speciosum*
 SPIDERLILY *Hymenocallis*
 SPOTTED CHALCEDONIAN L. (*Lilium chalcedonicum maculatum*† Cy)
 STARLILY *Leucocrinum montanum*
 ST.BERNARDLILY *Anthericum liliago*
 ST.BRUNOLILY *Paradisea liliastrum*
 ST.JAMESLILY *Sprekelia formosissima*
 STINGLILY *Blumenbachia*

LILY, continued

- THIMBLE L. . . . *Lilium bolanderi*
 THOMSON L. . . . *L. thomsonianum*
 TIGER L. *L. tigrinum*
 TOADLILY *Tricyrtis*
 TORCHLILY *Kniphofia*
 TROUTLILY *Erythronium*
 WALLICH L. *Lilium wallichianum*
 WASHINGTON L. *L. washingtonianum*
 WATERLILY *Nymphaea; Victoria*
 WESTERN ORANGECUP L. *Lilium umbellatum*
 WHEEL L. *L. medeoloides*
 YELLOW SIERRA L. (*L. parvum luteum*† Cy)
 ZEPHYRLILY *Zephyranthes*
 LILY LEEK, LILY MAGNOLIA, etc.
 See LEEK, MAGNOLIA, etc.
 LILYBASKET . *Hymenocallis calathina*
 LILY-OF-THE-VALLEY *Convallaria majalis*
 LILYTHORN *Catesbeia*
 HEDGE L. *C. spinosa*
 LIMA BEAN *Phaseolus lunatus macrocarpus*
 LIMBER HONEYSUCKLE, LIMBER PINE,
 etc. See HONEYSUCKLE, PINE.
 etc.
 LIME *Citrus aurantifolia*
 LIMEBERRY *Atalantia trimera*
 LIMEQUAT (*Citrus aurantifolia* ×
Fortunella japonica)
 See American Pomological Society's
 List of Fruits, in Appendix.
LIMNANTHEMUM **NYMPHOIDES**
 LIMNANTHES douglasi (*Floerkea douglasii*)
 MEADOWFOAM
 LIMNOCHARIS flava (*emarginata; plumieri*)
humboldti . *Hydrocleis nymphoides*
 LIMNORCHIS HABENARIA
 See ORCHID GENERA.
 LIMODORUM Ag. CALOPOGON
 LIMONIUM SEA-LAVENDER
arborescens (*Statice arborescens*)
 TREE S.

LIMONIUM, continued

- bonduelli* (*Statice bonduelli*)
ALGERIAN SEA-LAVENDER
eximium (*S. exigua*) SUNGARIAN S.
gmelini (*S. gmelini*)
latifolium (*S. latifolia*) BIGLEAF S.
sinuatum (*S. sinuata*)
NOTCHLEAF S.

suworowii (*S. suworowii*)
SUWOROW S.

tataricum (*S. tatarica*) TATARIAN S.
Hort. var. of Limonium:

LANCELEAF SEA-LAVENDER (*L. tataricum angustifolium*† Cy; *Statice incana*)

WHITE SUNGARIAN S. (*L. eximium album*† Cy)

LINANTHUS **GILIA**

LINARIA TOADFLAX
alba

A name sometimes used erroneously for White Kenilworth-ivy and Safron Toadflax, both in the hort. var. list below.

bipartita . CLOVEN-LIP TOADFLAX
See also hort. var. list below.

cymbalaria . . KENILWORTH-IVY
See also hort. var. list below.

dalmatica . DALMATIAN TOADFLAX
hepaticaefolia . . LIVERLEAF T.
linaria *L. vulgaris macedonica*

MACEDONIAN TOADFLAX
maroccana MOROCCO T.
reticulata PURPLENET T.
vulgaris (linaria) . . COMMON T.

Hort. var. of Linaria:
SAFFRON TOADFLAX (*L. bipartita alba*† Cy)

WHITE KENILWORTH-IVY (*L. cymbalaria alba*† Cy)

LINDELOFIA
longifolia

LINDEN *Tilia*
AMERICAN L. *T. americana*

BEETREE L. *T. heterophylla*

BIGLEAF AMERICAN L. (*T. americana macrophylla*† Cy)

BIGLEAF EUROPEAN L.
T. platyphyllos

LINDEN, continued

- COMMON L. *Tilia vulgaris*
CRIMEAN L. *T. euchlora*
CUTLEAF EUROPEAN L. (*T. platyphyllos laciniata*† Cy)

GOLDTWIG L. (*T. p. aurea*† Cy)
GRAY L. *T. neglecta*

HEARTLEAF EUROPEAN L.
T. cordata cordifolia

JAPANESE L. *T. japonica*
LITTLELEAF EUROPEAN L.
T. cordata

MONGOLIAN L. . . . *T. mongolica*
PYRAMIDAL EUROPEAN L. (*T. platyphyllos pyramidalis*† Cy)

REDTWIG L. (*T. p. corallina*† Cy)
RIKSDORF L. (*Tilia spectabilis moltkei*† Cy)

SHOWY L. *T. spectabilis*
SILVER L. *T. tomentosa*

VINELEAF L. (*T. platyphyllos vitifolia*† Cy)
WEEPING L. *T. petiolaris*
YELLOW L. *T. flavesens*

LINDEN BLOODLEAF, LINDEN DRACENA, etc. See BLOODLEAF, DRACENA, etc.

LINDERA

benzoin Benzoin aestivale
LINDLEY BUTTERFLYBUSH, LINDLEY CYPRESS, etc. See BUTTERFLYBUSH, CYPRESS, etc.

LINK BLACKBERRY . *Rubus linkianus*

LINNAEA TWINFLOWER
borealis americana (*L. americana*)
AMERICAN T.

LINOSYRIS
vulgaris (*Aster linosyris* Ag; *Chrysocoma linosyris*)
EUROPEAN GOLDILOCKS

LINUM FLAX
austriacum AUSTRIAN F.

coccineum SCARLET F.
Hort. var. of *L. grandiflorum*.

flavum GOLDEN F.
grandiflorum FLOWERING F.

lewisi PRAIRIE F.
narbonnense NARBONNE F.

perenne PERENNIAL F.
usitatissimum FLAX

Hort. var. of *Linum*:

- SCARLET FLAX (*L. grandiflorum*
coccineum† Cy; *coccineum*)
- WHITE PERENNIAL F. (*L. perenne*
album† Cy)

LIONS-EAR . . . *Leonotis*; *L. leonurus*

- LIPARIS** TWAYBLADE
- liliifolia* LILY T.
- loeseli* LOESEL T.
- longipes*
- LIPFERN** *Cheilanthes*
- Coville* L. *C. covillei*
- Fendler* L. *C. fendleri*
- Podfern* *C. siliquosa*
- Woolly* L. *C. tomentosa*

LIPPIA *Lippia*
canescens (*repens*) . CREEPING L.
citriodora (*Verbena citriodora*; *Aloysia citriodora*) . LEMON-VERBENA

- LIQUIDAMBAR** SWEETGUM
- formosana* FORMOSA S.
- styraciflua* SWEETGUM

LIRIODENDRON TULIPTREE
tulipifera TULIPTREE

- Hort. var. of *Liriodendron*:
- PYRAMID TULIPTREE (*L. tulipifera*
pyramidalis† Cy)
 - YELLOWEDGE T. (*L. t. aureomarginatum*† Cy)

LISIANTHUS *Eustoma russellianum*

LISTERA *cordata*

LITCHI LYCHEE
chinensis (*Nephelium litchi*)

LYCHEE
Litchi Pom. LYCHEE: *Litchi chinensis*

LITHOCARPUS (*PASANIA*)
cleistocarpa

cornea
densiflora

edulis (*L. glabra* Cy; *Pasania glabra*)

glabra (*L. thalassica* Cy; *P. thalassica*)

henryi
thalassica Cy *L. glabra*

LITHOSPERMUM *GROMWELL*

canescens PUCCOON

LITHOSPERMUM, continued

- carolinense* (*hirtum*)
- CAROLINA GROMWELL
- fruticosum* (*prostratum*)
- SHRUBBY G.

LITHRAEA

molleoides

LITTLE MERRYBELLS, LITTLE QUAKING GRASS, etc. See MERRYBELLS, GRASS, etc.

LITTLELEAF DOGWOOD, LITTLELEAF HOLLY, etc. See DOGWOOD, HOLLY, etc.

LITTLE-PICKLES . *Othonna crassifolia*

LIVE OAK *Quercus virginiana*

LIVEFOREVER *Sedum telephium*

WILD L *S. telephioides*

LIVER-BALSAM *Erinus*

ALPINE L *E. alpinus*

LIVERLEAF TOADFLAX

Linaria hepaticaefolia

LIVING-ROCK *Ariocarpus*; *A. fissuratus*

LIVISTONA

australis (*Corypha australis*)

AUSTRALIAN FAN PALM

chinensis CHINESE FAN P.

rotundifolia JAVA FAN P.

LIZARDTAIL *Saururus*

COMMON L. *S. cernuus*

LOASA CHILE-NETTLE

aurantiaca . *Blumenbachia lateritia*

tricolor . TRICOLOR CHILE-NETTLE

LOBB CRYPTOMERIA (*Cryptomeria japonica lobbi*† Cy)

LOBELIA *Lobelia*

cardinalis CARDINALFLOWER

erinus EDGING LOBELIA

See also hort. var. list on page 269.

fulgens MEXICAN L.

See also hort. var. list on page 269.

gracilis SLENDER L.

The name *L. gracilis* is often misspelled to Basket Lobelia, hort. var. of *L. erinus*.

heterophylla . HANDLEAF LOBELIA

infata INDIAN-TOBACCO

kalmi ONTARIO LOBELIA

pumila BLUE DWARF L.

Hort. var. of *L. erinus*.

ramosa *L. tenuior*

LOBELIA, continued

- speciosa* WHITE-EYE LOBELIA
Hort. var. of *L. erinus*.
siphilitica (*sypilitica*)
LARGE BLUE L.
See also hort. var. list below.
tenuior (*ramosa*) . AUSTRALIAN L.
tupa BLOOD L.
Hort. var. of *Lobelia*:
BASKET L. (*L. erinus gracilis*† Cy)
BLUE DWARF L. (*L. e. pumila*† Cy;
 pumila)
LARGE WHITE L. (*L. siphilitica*
 alba† Cy)
QUEEN VICTORIA L. Hort. var. of
 L. fulgens.
WHITE-EYE L. (*L. erinus spe-*
 ciosa† Cy; *speciosa*)
LOBELIA *Lobelia*
AUSTRALIAN L. *L. tenuior*
BASKET L. (*L. erinus gracilis*† Cy)
BLOOD L. *L. tupa*
BLUE DWARF L. (*Lobelia erinus*
 pumila† Cy)
CARDINALFLOWER . . *L. cardinalis*
EDGING L. *L. erinus*
HANDLEAF L. . . . *L. heterophylla*
INDIAN-TOBACCO *L. inflata*
LARGE BLUE L. . . . *L. siphilitica*
LARGE WHITE L. (*L. siphilitica*
 alba† Cy)
MEXICAN L. *L. fulgens*
ONTARIO L. *L. kalmii*
QUEEN VICTORIA L. Hort. var. of
 L. fulgens.
SLENDER L. *L. gracilis*
WHITE-EYE L. (*Lobelia erinus spe-*
 ciosa† Cy)
LOBLOLLY PINE *Pinus taeda*
LOBLOLLY-BAY . *Gordonia lasianthus*
LOBULARIA Ag *ALYSSUM*
LOCHNERA Ar *VINCA*
LOCK ELM *Ulmus minor*
LOCKHARTIA
See ORCHID GENERA.
LOCUST *Robinia*
BESSION L. (*R. pseudoacacia bes-*
 soniana† Cy)
CLAMMY L. *R. viscosa*
COMMON L. *R. pseudoacacia*

LOCUST, continued

- DECAISNE L. (*Robinia pseudoacacia*
 decaisneana† Cy)
HOLDT L. *Robinia holdtii*
HONEYLOCUST *Gleditsia*
KELSEY L. *Robinia kelseyi*
NEW MEXICAN L. R. *neomexicana*
ONE-LEAF L. (*R. pseudoacacia*
 monophylla† Cy)
PERPETUAL L. (*R. pseudoacacia*
 sempervirens† Cy)
ROSE-ACACIA *R. hispida*
THORNLESS L. (*R. pseudoacacia*
 inermis† Cy)
UMBRELLA L. (*R. pseudoacacia*
 umbraculifera† Cy)
WATERLOCUST . . *Gleditsia aquatica*
WESTERN L.
 Robinia neomexicana luxurians
LOGGEPOLE PINE . *Pinus murrayana*
LOESEL TWAYBLADE . *Liparis loeseli*
LOFTY CYPRESS, LOFTY FIG, etc.
 See CYPRESS, FIG, etc.
LOGWOOD
 Haematoxylon; *H. campechianum*
LOISELEURIA ALPINE-AZALEA
procumbens (*Chamaecistus procum-*
 bens) ALPINE-AZALEA
LOLIUM
 multiflorum (italicum)
 ITALIAN RYEGRASS
perenne PERENNIAL R.
LOMARIA BLECHNUM
LOMBARDY POPLAR (*Populus nigra*
 italica† Cy)
LONCHOCARPUS LANCEPOD
speciosus LANCEPOD
LONDON PLANETREE (*Platanus acer-*
 folia† Cy)
LONDON-PRIDE SAXIFRAGE
 Saxifraga umbrosa
LONGBARB ARROWHEAD
 Sagittaria longiloba
LONGCLUSTER WISTERIA
 Wisteria multijuga
LONGLEAF ASTER, LONGLEAF BLUETS,
etc. See ASTER, BLUETS, etc.
LONGLIP PENTSTEMON
 Pentstemon labrosus
LONGNECK CRINUM . *Crinum moorei*
LONGPOD POPPY . *Papaver dubium*

LONGS GRAPE *Vitis longi*
LONGSPUR EPIMEDIUM

Epimedium macranthum

LONGSTALK HOLLY *Ilex pedunculosa*

LONICERA HONEYSUCKLE

alberti *L. spinosa alberti*

albida. WHITE BELLE HONEYSUCKLE

Hort. var. of *L. bella*.

altmanni ALTMANN H.

americana (italica) . . . ITALIAN H.

amoena† Cy GOTHA H.

aurea

A name often misapplied to Golden Woodbine, hort. var. of *L. periclymenum*. The true *L. aurea*, of botanists is not in the trade.

belgica DUTCH WOODBINE

Hort. var. of *L. periclymenum*.

bella† Cy BELLE HONEYSUCKLE

See also hort. var. list on page 271.

brachypoda

HARDYLEAF JAPANESE H.

Hort. var. of *L. japonica*.

brownii† Cy BROWNS H.

See also hort. var. list on page 271.

caerulea SWEETBERRY H.

—*altaica*

—*graciliflora*

canadensis (ciliata)

AMERICAN FLY H.

caprifolium SWEET H.

See also hort. var. list on page 271.

chinensis PURPLE JAPANESE H.

Hort. var. of *L. japonica*.

chrysanthia CORALLINE H.

—*turkestanica*

ciliata *L. canadensis*

confusa

dioica (glauca)

LIMBER HONEYSUCKLE

etrusca ETRUSCAN H.

See also hort. var. list on page 271.

flava YELLOW H.

flexuosa. HARDYLEAF JAPANESE H.

Hort. var. of *L. japonica*.

fragrantissima WINTER H.

fuchsiioides

A name often misapplied to Scarlet

Fuchsia Honeysuckle, hort. var. of *L.*

brownii. The true *L. fuchsiioides*, of

botanists, is not in the trade.

LONICERA, continued

gigantea

A name often misapplied to Esau Honeysuckle and Cream Honeysuckle, both hort. var. of *L. etrusca*.

giraldi GERALD HONEYSUCKLE

glauca *L. dioica*

gracilipes SPANGLE HONEYSUCKLE

grandiflora BRIDE H.

Hort. var. of *L. tatarica*.

halliana HALL JAPANESE H.

Hort. var. of *L. japonica*.

heckrottii† Cy . . EVERBLOOMING H.

henryi HENRY H.

hirsuta HAIRY H.

iberica IBERIAN H.

involucrata BEARBERRY H.

—*flavescens*

—*serotina*

italica *L. americana*

japonica (Nintooa japonica)

JAPANESE HONEYSUCKLE

See also hort. var. list on page 271.

koehneana

korolkowi BLUELEAF H.

See also hort. var. list on page 271.

ledebouri

maacki (Chamaecerasus maacki)

AMUR H.

—*podocarpa* LATE H.

minutiflora† Cy . . BUNCHBERRY H.

morrowi MORROW H.

muendeniensis† Cy . . MUENDEN H.

muscaviensis† Cy . . MOSCOW H.

notha† Cy RUTARIAN H.

oblongifolia SWAMP FLY H.

—*altissima*

orientalis BUCKTHORN H.

periclymenum WOODBINE

See also hort. var. list on page 271.

pileata PRIVET HONEYSUCKLE

prolifera (sullivanti) . . . GRAPE H.

prostrata CREEPING H.

pyrenaica PYRENEES H.

quinquelocularis . . . MISTLETOE H.

reticulata aurea

YELLOWSNET JAPANESE H.

Hort. var. of *L. japonica*.

ruprechtiana MANCHURIAN H.

saccata

segreziensis† Cy . . . SEGREZ H.

LONICERA, continued

sempervirens . AUTUMN WOODBINE
Hort. var. of *L. periclymenum*.

sempervirens

TRUMPET HONEYSUCKLE

See also hort. var. list below.

similis

—*delavayi* DELAVAY H.

sinensis *L. standishi*

spinosa . THORN HONEYSUCKLE

—*alberti* (*Chamaecerasus alberti*)

ALBERT H.

standishi (*sinensis*) . STANDISH H.

sullivanti *L. prolifera*

syringantha . LILAC HONEYSUCKLE

—*wolfi* WOLF H.

tangutica BLUSH H.

tatarica TATARIAN H.

See also hort. var. list below.

thibetica TIBETAN H.

tragophylla

trichosantha SLENDER H.

utahensis UTAH H.

virginalis MAIDEN H.

Hort. var. of *L. tatarica*.

xylosteoides† Cy . . . VIENNA H.

xylosteum . . . EUROPEAN FLY H.

Hort. var. of **Lonicera**:

Other hybrids in Latin-name list above.

ARNOLD HONEYSUCKLE (*L. amoena arnoldiana*† Cy)

AUTUMN WOODBINE (*L. periclymenum scrotina*† Cy; *semperflorens*)

BRIDE HONEYSUCKLE (*L. tatarica grandiflora*† Cy; *grandiflora*)

BROAD BLUELEAF H. (*L. korolkowi floribunda*† Cy)

CREAM HONEYSUCKLE (*L. etrusca superba*† Cy)

DUTCH WOODBINE (*L. periclymenum belgica*† Cy; *belgica*)

ESAU HONEYSUCKLE (*L. etrusca pubescens*† Cy)

GOLDEN WOODBINE (*L. periclymenum aurea*† Cy)

GREAT TATARIAN HONEYSUCKLE (*L. tatarica latifolia*† Cy)

HALL JAPANESE H. (*L. japonica halliana*† Cy; *halliana*)

HARDYLEAF JAPANESE H. (*L. j. flexuosa*† Cy; *brachypoda*)

LONICERA (Hort. var.), continued

MAIDEN HONEYSUCKLE (*tatarica virginialis*; *tatarica elegans*; *virginialis*)

ORANGE H. (*L. brownii punicea*† Cy)

PURPLE SWEET H. (*L. caprifolium pauciflora*† Cy)

PURPLE JAPANESE H. (*L. japonica chinensis*† Cy; *chinensis*)

RED TATARIAN H. (*L. tatarica siberica*† Cy)

ROSY TATARIAN H. (*tatarica rosea*)

SCARLET FUCHSIA H. (*L. brownii fuchsioides*† Cy; *sempervirens fuchsioides*)

WHITE BELLE H. (*bella albida*; *albida*)

WHITE SWEET H. (*L. caprifolium alba*† Cy)

WHITE TATARIAN H. (*L. tatarica alba*† Cy)

YELLOW TATARIAN H. (*L. tatarica lutea*† Cy)

YELLOW TRUMPET HONEYSUCKLE (*L. sempervirens sulphurea*† Cy)

YELLOWNET JAPANESE H. (*L. japonica aureoreticulata*† Cy; *reticulata aurea*)

Other hybrids in Latin list preceding.

LOOKINGGLASS

VENUS L. *Specularia*; S. *speculum*

LOOSESTRIFE *Lysimachia*; *Lythrum* species; *Steironema*

CLETHRUM L. *Lysimachia clethroides*

FORTUNE L. . . . *L. fortunei*

FRINGED L. . *Steironema ciliatum*

GOLDEN L. . *Lysimachia vulgaris*

JAPANESE L. . . . *L. japonica*

MONEYWORT . . . *L. nummularia*

PURPLE L. . . *Lythrum salicaria*

ROSE L. (*L. s. roseum*† Cy)

SPOTTED L. . *Lysimachia punctata*

SWAMPANDLE . . . *L. terrestris*

WATER L. . . . *L. thrysiflora*

LOPHOPHORA . . . PEYOTE *williamsi* (*lewini*; *Anhalonium lewini*; *A. williamsi*) . . . PEYOTE

LOPHOSPERMUM MAURANDIA

LOQUAT . . . *Eriobotrya*; E. *japonica*

For varieties of Loquat cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.

- | | |
|--|--|
| LORD ANSON PEA | Lathyrus magellanicus |
| LORDS-AND-LADIES | Arum maculatum |
| LORINSERIA | . . . WOODWARDIA |
| LOROMA | |
| amethystina | Commonly planted in southern California under the names Archontophoenix (or Ptychosperma) alexandrae and Seaforthia (or Ptychosperma) elegans, neither of which is known to be in cultivation in the United States. Archontophoenix cunninghamii is the name of another, and little known, Australian palm, but the trees cultivated in California under that name appear to be identical with Loroma amethystina. |
| LOTUS | |
| bertholeti (<i>peliorhynchus</i>) | CORAL GEM TREFOIL |
| corniculatus | BIRD'S FOOT T. |
| LOTUS | Nelumbo |
| AMERICAN L. | <i>Nelumbo lutea</i> |
| BLUE EGYPTIAN L. | <i>Nymphaea caerulea</i> |
| DAWN L. | (<i>Nelumbo nucifera rosca</i> † Cy) |
| DOUBLE DAWN L. | Hort. var. of <i>Nelumbo nucifera</i> . |
| EMPEROR L. | Hort. var. of <i>N. nucifera</i> . |
| HINDU L. | <i>Nelumbo nucifera</i> |
| KERMES L. | (<i>N. n. kermesiana</i> † Cy) |
| KINSHIREN L. | (<i>N. nucifera kinshiren</i> † Cy) |
| MAGNOLIA L. | Hort. var. of <i>Nelumbo nucifera</i> . |
| PEKING L. | Hort. var. of <i>N. nucifera</i> . |
| RED PEKING L. | Hort. var. of <i>N. nucifera</i> . |
| SHIROMAN L. | Hort. var. of <i>N. nucifera</i> . |
| SIERRA LEONE L. | <i>Nymphaea lotus dentata</i> |
| WHITE EGYPTIAN L. | <i>Nymphaea lotus</i> |
| WHITE HINDU L. | (<i>Nelumbo nucifera alba</i> † Cy) |
| LOVE-IN-A-MIST | <i>Nigella</i> ; <i>N. damascena</i> |
| LOVE-LIES-BLEEDING | <i>Amaranthus caudatus</i> |
| LOW GLOBETHISTLE, LOW MEADOW-RUE, etc. | See GLOBETHISTLE, MEADOWRUE, etc. |
| LOWBUSH BLUEBERRY | <i>Vaccinium pensylvanicum</i> |
| LUCHU AZALEA | <i>Azalea sublanceolata</i> |
| LUCUMA | |
| mammosa (<i>Calocarpum mammosum</i>) | SAPOTE Ag) |
| nervosa | CANISTEL |
| LUDWIGIA | SEEDBOX |
| mulertti | WATER S. |
| LUFFA | TOWELGOURD |
| acutangula (<i>Cucumis acutangulus</i>) | SINGWA T. |
| cylindrica | SUAKWA T. |
| Lumbang Pom | CANDLE-NUT-TREE: <i>Aleurites moluccana</i> |
| LUNARIA | HONESTY |
| annua (<i>bicornis</i>) | HONESTY |
| rediviva | PERENNIAL H. |
| LUNGWORT | Pulmonaria |
| AZURE L. (<i>Pulmonaria angustifolia azurea</i> † Cy) | |
| BETHLEHEM L. | <i>P. saccharata</i> |
| COMMON L. | <i>P. officinalis</i> |
| COWSLIP L. | <i>P. angustifolia</i> |
| LUPINE | Lupinus |
| BLUSH L. | Hort. var. of <i>L. polyphyllus</i> . |
| BROOM L. | <i>L. cytisoides</i> |
| CHAMISSO L. | <i>L. chamissonis</i> |
| COMMON DWARF L. | <i>L. nanus</i> |
| CRUCKSHANKS L. | <i>L. mutabilis</i> cruckshanksi |
| DUNNETT L. | <i>L. dunnettii</i> |
| EARLY L. | <i>L. affinis</i> |
| EUROPEAN BLUE L. | <i>L. hirsutus</i> |
| EUROPEAN YELLOW L. | <i>L. luteus</i> |
| HARTWEG L. | <i>L. hartwegii</i> |
| MOERHEIM L. | Hort. var. of <i>L. polyphyllus</i> . |
| SNOW QUEEN L. | Hort. var. of <i>L. arboreus</i> . |
| SOUTH AMERICAN L. | <i>L. mutabilis</i> |
| SUN-DIAL L. | <i>L. perennis</i> |
| TEXAS L. | <i>L. subcarnosus</i> |
| TREE L. | <i>L. arboreus</i> |
| WASHINGTON L. | <i>L. polyphyllus</i> |
| WHITE L. | <i>L. albus</i> |

LUPINE, continued

WHITE WASHINGTON L. Hort. var. of *Lupinus polyphyllus*.

LUPINUS LUPINE
affinis EARLY L.
albus WHITE L.
arboreus TREE L.

See also hort. var. list below.

chamissonis CHAMISSO L.
crukshanksi

L. mutabilis cruckshanksi
cytisoides BROOM LUPINE
dunnettii Cy DUNNETT L.

See hort. var. list below.

hartwegi HARTWEG L.
hirsutus EUROPEAN BLUE L.

luteus EUROPEAN YELLOW L.
 The name *L. luteus* is sometimes used erroneously for *L. arboreus*.

moerheimi MOERHEIM LUPINE
 Hort. var. of *L. polyphyllus*.

mutabilis SOUTH AMERICAN L.
 —*cruckshanksi* . CRUCKSHANKS L.

nanus COMMON DWARF L.
perennis SUN-DIAL L.

polyphyllus WASHINGTON L.
 See also hort. var. list below.

subcarnosus TEXAS L.

Hort. var. of *Lupinus*:
 BLUSH LUPINE (*polyphyllus roseus*)
 DUNNETT L. (*L. dunnettii* Cy; *superbus*; *tricolor elegans*)

MOERHEIM L. (*L. polyphyllus moerheimi* Cy)

SNOW QUEEN L. Hort. var. of L. arboreus.

WHITE WASHINGTON L. (*L. polyphyllus albiflorus* Cy; *polyphyllus albus*)

LYCASTE

See ORCHID GENERA.

LYCHEE *Litchi chinensis*

LYCHNIS CAMPION
 The common name Campion applies also to the genus *Silene*.

alba (*vespertina*) EVENING CAMPION
alpina ARCTIC C.

See also hort. var. list on this page.

chalconica MALTESE CROSS
 See also hort. var. list on this page.

coelirosa (*Agrostemma coelirosa*;
A. coeli) ROSE-OF-HEAVEN
 See also hort. var. list on this page.

LYCHNIS, continued

coronaria (*Agrostemma coronaria*)
 ROSE CAMPION

coronata (*grandiflora*) . CROWN C.
 See also hort. var. list below.

dioica (*diurna*) RED C.
floscuculi RAGGED-ROBIN

See also hort. var. list below.

flosjovis (*Agrostemma flosjovis*)
 FLOWER-OF-JOVE

fulgens BRILLIANT CAMPION
grandiflora *L. coronata*

haageana Cy HAAGE CAMPION

See hort. var. list below.

plenissima DOUBLE RAGGED-ROBIN
 Hort. var. of *L. floscuculi*.

sennio
sieboldi SIEBOLD CAMPION
 Hort. var. of *L. coronata*.

splendens ROSEPINK C.
 Hort. var. of *L. viscaria*.

vespertina *L. alba*
viscaria CLAMMY CAMPION

See also hort. var. list below.

Hort. var. of *Lychnis*:

DOUBLE RAGGED-ROBIN (*L. floscuculi plenissima* Cy; *plenissima semperflorens*)

DOUBLE ROSEPINK CAMPION (*L. viscaria splendens florepleno*)

DOUBLE-RED ARCTIC C. (*alpina rubra plena*)

FLAG C. (*L. viscaria elegans* Cy; *Viscaria elegans*)

HAAGE C. (*L. haageana* Cy; *fulgens* × *Sieboldi*)

PURPLE-EYE ROSE-OF-HEAVEN (*L. coelirosa oculata* Cy; *Viscaria oculata*)

ROSEPINK CAMPION (*L. viscaria splendens* Cy; *splendens*)

SIEBOLD C. (*L. coronata sieboldi* Cy; *sieboldi*)

WHITE ARCTIC C. (*alpina alba*)

WHITE MALTESE CROSS (*chalcedonica alba*)

LYCIUM

barbarum

BARBARY MATRIMONY-VINE
 The true *L. barbarum* and *L. europaeum* are probably not in cultivation; the plants sold under these names are usually *L. halimifolium* or *L. chinense*.

LYCIUM, continued

chinenseCHINESE MATRIMONY-VINE
europaeum EUROPEAN M.
See note under *L. barbarum*, page 273.**halimifolium** (*vulgare*) COMMON M.**LYCOPERSICUM** (*LYCOPERSICON* Ag) TOMATO
esculentum TOMATO
pimpinellifolium Currant T.**LYCOPODIUM** CLUBMOSS
clavatum RUNNINGPINE
complanatum GROUNDCEDAR
lucidulum SHINING CLUBMOSS
obscurum (*dendroideum*) GROUNDPINE**LYCOPUS** BUGLEWEED
americanus AMERICAN B.
europaeus EUROPEAN B.**LYCORIS** CLUSTER-AMARYLLIS
radiata
squamigera (*Amaryllis hallii*) HARDY C.LYDIAN STONECROP . *Sedum lydium*LYGODIUM CLIMBING FERN
japonicum . JAPANESE CLIMBING F.
palmatum HARTFORD F.
scandens . FEATHERY CLIMBING F.**LYONIA**
ligustrina (*Xolisma ligustrina* Ag) HE-HUCKLEBERRY
marianna *Pieris mariana**nitida* *P. lucida*LYONOTHAMNUS . LYONSHRUB
floribundus CATALINA L.
—*asplenifolius* FERNLEAF L.LYONSHRUB *Lyonothamnus*
CATALINA L. *L. floribundus*
FERNLEAF L. *L. f. asplenifolius*LYSIAS HABENARIA
See ORCHID GENERA.LYSIELLA HABENARIA
See ORCHID GENERA.LYSIMACHIA LOOSESTRIFE
The common name Loosestrife applies
also to the allied genus *Steironema* and
to some of the species of the allied
genus *Lythrum***barystachys**

LYSIMACHIA, continued

ciliata *Steironema ciliatum*
clethroides . CLETHRUM LOOSESTRIFE
fortunei FORTUNE L.
japonica JAPANESE L.
nummularia MONEYWORT
punctata . SPOTTED LOOSESTRIFE
terrestris SWAMP CANDLE
thyrsiflora WATER LOOSESTRIFE
vulgaris GOLDEN L.**LYTHRUM** LYTHRUM
alatum WINGED L.
salicaria PURPLE LOOSESTRIFE
virgatum WAND LYTHRUMHort. var. of *Lythrum*:
ROSE LOOSESTRIFE (*L. salicaria*
roseum† Cy; *roseum superbum*)**MAACK LARKSPUR**
*Delphinium maackianum***MAACKIA** MAACKIA
amurensis AMUR M.
hupehensis CHINESE M.**MABA**
natalensis NATAL-EBOY**MACADAMIA** MACADAMIA
ternifolia (*Macadamia*
damia Pom) QUEENSLAND-NUTMACAFEE COPPERLEAF (*Acalypha*
wilkesiana macafeana† Cy)**MACARTHUR PALM**
*Ptychosperma macarthurii*MACARTNEY ROSE . *Rosa bracteata*MACDOUGAL ROSE . *Rosa macdougalii*MACEDONIAN PINE, MACEDONIAN
TOADFLAX, etc. See PINE
TOADFLAX, etc.**MACHAERIUM**
tipu *Tipuana speciosa***MACHAEROCECUS**
eruca (*Cereus eruca*; *Lemaireo-*
cereus eruca Cy)CREEPINGDEVIL CACTUS
gummosus (*C. gummosus*; *L. gum-*
mosus Cy)**MACLURA** OSAGE-ORANGE
pomifera (*aurantiaca*; *Toxylon pom-*
iferum Ag) OSAGE-ORANGE

MACNAB CYPRESS, MACNAB CINQUE-FOIL, etc. See CYPRESS, CINQUE-FOIL, etc.

MACOUN ROSE *Rosa macouni*
MACOWAN TORCHLILY

Kniphofia macowani

MACRADENIA
brassavolae

MADAGASCAR ASPARAGUS, MADAGASCAR PERIWINKLE, etc. See ASPARAGUS, PERIWINKLE, etc.

MADDEN-CHERRY *Maddenia*

MADDENIA

hypoleuca MADDEN-CHERRY

MADEIRA BROOM. *Cytisus maderensis*

MADEIRA-BAY *Persea indica*

MADEIRA-VINE

Boussingaultia baselloides

MADONNA LILY *Lilium candidum*

MADRID BROMEGRASS

Bromus madritensis

MADRONE *Arbutus menziesii*

MAGDALENA MOCKORANGE

Philadelphus magdalena

MAGELLAN BARBERRY, MAGELLAN

FUCHSIA, etc. See BARBERRY,

Fuchsia, etc.

MAGNOLIA *Magnolia*

acuminata CUCUMBERTREE

—*cordata* Cy *M. cordata*

alba superba

LARGE SAUCER MAGNOLIA

See hort. var. list opposite.

alexandrina ALEXANDER M.

See hort. var. list opposite.

conspicua (*M. denudata* Cy-Ag-Ar;

yulan) YULAN

cordata (*M. acuminata cordata* Cy)

YELLOW CUCUMBERTREE

denudata Cy-Ag-Ar *M. conspicua*

foetida *M. grandiflora*

fraseri FRASER MAGNOLIA

fuscata *Michelia fuscata*

glaucia (*M. virginiana* Ag)

SWEETBAY

gloriosa GLORIOSA MAGNOLIA

Hort. var. of *M. grandiflora*.

grandiflora (*foetida*) SOUTHERN M.

See also hort. var. list opposite.

halleana *M. stellata*

hypoleuca SILVER MAGNOLIA

MAGNOLIA, continued

kobus KOBUS MAGNOLIA

—*borealis*

lennei LENNE M.
See hort. var. list below.

liliflora (*purpurea*) LILY M.

See also hort. var. list below.

macrophylla BIGLEAF M.

major *M. thompsoniana*

norbertiana NORBERT MAGNOLIA

See hort. var. list below.

obovata

This name has been misapplied to *M. liliflora* and *M. hypoleuca*.

parviflora OYAMA MAGNOLIA

purpurea *M. liliflora*

pyramidalis . . . PYRAMID MAGNOLIA

rustica PURPLE SAUCER M.

See hort. var. list below.

salicifolia ANISE M.

soulangeana† Cy SAUCER M.

See hort. var. list below.

speciosa STRIPED SAUCER M.

See hort. var. list below.

stellata (*halleana*) STAR M.

See also hort. var. list below.

stricta EXMOUTH M.

Hort. var. of *M. grandiflora*.

thompsoniana (*major*) THOMPSON M.

tripetala UMBRELLA M.

virginiana Ag *M. glauca*

watsoni WATSON M.

wilsoni WILSON M.

yulan *M. conspicua*

Hort. var. of *Magnolia*:

ALEXANDER MAGNOLIA (*M. soulangeana alexandrina*† Cy)

EXMOUTH M. (*M. grandiflora exoniensis*† Cy; *stricta*)

GALISSON M. (*M. grandiflora galissoniensis*† Cy)

GLORIOSA M. (*M. g. gloriosa*† Cy)

LARGE SAUCER M. (*M. soulangeana alba superba* Cy; *alba superba*)

LENNE M. (*M. s. lennei*† Cy)

NARROWLEAF SOUTHERN M. (*M. grandiflora lanceolata*† Cy)

NORBERT M. (*M. soulangeana norbertiana*† Cy; *norbertiana*)

PINKSTAR M. (*M. stellata rosea*† Cy)

PURPLE LILY M. (*M. liliiflora nigra*† Cy; *soulangeana nigra*)

| | |
|---|--|
| MAGNOLIA (Hort. var.), continued | |
| PURPLE SAUCER MAGNOLIA (<i>M. soulangeana rustica</i> † Cy; <i>rustica</i>) | MAHALA-MATS <i>Ceanothus prostratus</i> |
| SAUCER M. (<i>M. soulangeana</i> † Cy; <i>denudata</i> × <i>liliflora</i>) | MAHALEB CHERRY <i>Prunus mahaleb</i> |
| STRIPED SAUCER M. (<i>M. s. speciosa</i> † Cy; <i>alexandrina speciosa</i>) | MAHOGANY <i>Swietenia</i> |
| MAGNOLIA <i>Magnolia</i> | MOUNTAIN-MAHOGANY |
| ALEXANDER M. (<i>M. soulangeana alexandrina</i> † Cy) | <i>Cercocarpus ledifolius</i> |
| ANISE M. <i>M. salicifolia</i> | VALLEY-MAHOGANY . <i>C. parvifolius</i> |
| BIGLEAF M. <i>M. macrophylla</i> | WEST INDIAN M. |
| CUCUMBERTREE . . . <i>M. acuminata</i> | <i>Swietenia mahogani</i> |
| EXMOUTH M. (<i>M. grandiflora exoniensis</i> † Cy) | MAHOGANY GUM, MAHOGANY TROUT-LILY, etc. See GUM, TROUTLILY, etc. |
| FRASER M. <i>M. fraseri</i> | MAHONIA HOLLYGRAPE |
| GALISSON M. (<i>M. grandiflora galissoniensis</i> † Cy) | If this group is separated from <i>Berberis</i> as a genus, its name under the American Rules is <i>Odostemon</i> . |
| GLORIOSA M. (<i>M. g. gloriosa</i> † Cy) | <i>aquifolium</i> (<i>Berberis aquifolium</i> Ag) OREGON HOLLYGRAPE |
| KOBUS M. <i>M. kobus</i> | <i>bealei</i> (<i>M. japonica</i> Cy) LEATHERLEAF H. |
| LARGE SAUCER M. Hort. var. of M soulangeana. | See note under <i>M. japonica</i> . |
| LENNE M. (<i>M. s. lennei</i> † Cy) | <i>fortunei</i> (<i>B. fortunei</i> Ag) CHINESE H |
| LILY M. <i>M. obovata</i> | <i>japonica</i> |
| NARROWLEAF SOUTHERN M. (<i>M. grandiflora lanceolata</i> † Cy) | This name has been commonly misapplied to <i>Mahonia bealei</i> . The true <i>M. japonica</i> , of botanists, is not in the trade. |
| NORBERT M. (<i>M. soulangeana norbertiana</i> † Cy) | <i>nervosa</i> (<i>B. nervosa</i> Ag) LONGLEAF HOLLYGRAPE |
| OYAMA M. <i>M. parviflora</i> | <i>nevini</i> (<i>B. nevini</i> Ag) FERNANDO H. |
| PINKSTAR M. (<i>M. stellata rosea</i> † Cy) | <i>pinnata</i> (<i>B. pinnata</i> Ag; <i>B. fascicularis</i>). CLUSTER HOLLYGRAPE |
| PURPLE LILY M. (<i>M. liliiflora nigra</i> † Cy) | <i>repens</i> (<i>B. repens</i> Ag) CREEPING H |
| PURPLE SAUCER M. (<i>M. soulangeana rustica</i> † Cy) | MAIANTHEMUM |
| PYRAMID M. <i>M. pyramidata</i> | <i>bifolium</i> (<i>Unifolium bifolium</i> Ag; <i>Smilacina bifolia</i>) |
| SAUCER M. (<i>M. soulangeana</i> † Cy) | <i>canadense</i> (<i>U. canadense</i> Ag) |
| SILVER M. <i>M. hypoleuca</i> | MAIDEN PINK . <i>Dianthus deltoides</i> |
| SOUTHERN M. <i>M. grandiflora</i> | MAIDENGRASS (<i>Misanthus sinensis gracillimus</i> † Cy) |
| STAR M. <i>M. stellata</i> | MAIDENHAIR |
| STRIPED SAUCER M. (<i>M. soulangeana speciosa</i> † Cy) | AMERICAN M. <i>Adiantum pedatum</i> |
| SWEETBAY <i>M. glauca</i> | AUSTRALIAN M. . . . <i>A. formosum</i> |
| THOMPSON M. <i>M. thompsoniana</i> | BARBADOS M. (<i>A. farleyense</i> Cy) |
| UMBRELLA M. <i>M. tripetala</i> | BAUSÉ M. Hort. var. of <i>A tenerum</i> . |
| WATSON M. <i>M. watsoni</i> | BERMUDA M. <i>A. bellum</i> |
| WILSON M <i>M. wilsonii</i> | CROWE M. (<i>A. cuneatum croweana</i> † Cy) |
| YELLOW CUCUMBERTREE <i>M. cordata</i> | DELTA M. <i>A. cuneatum</i> |
| YULAN <i>M. conspicua</i> | DIAMOND M. <i>A. trapeziforme</i> |
| MAGNOLIA WATERLILY <i>Nymphaea tuberosa</i> | FAN M. <i>A. tenerum</i> |
| | MIST M. <i>A. gracillimum</i> |

MAIDENHAIR, continued

- PERUVIAN M. . *Adiantum wagneri*
 ROSY M. Hort. var. of *A. tenerum*
 SOUTHERN M. . *A. capillus-veneris*
 ST. CATHARINE M. Hort. var. of *A. trapeziforme*.
 TASSEL M. (*A. cuneatum grandiceps*† Cy)
 TRAILING M. *A. caudatum*
 WALKING M. *A. lunulatum*
 MAIDENHAIR MEADOWRUE, MAIDENHAIR SPLEENWORT, etc. See MEADOWRUE, SPLEENWORT, etc.
 MAIDENHAIR-TREE . . *Ginkgo biloba*
 MAIZE *Zea mays*
 STRIPED M. Hort. var. of *Z. mays*
 MALABAR BOMBAX, MALABAR GLORY-LILY, etc. See *Bombax*, GLORY-LILY, etc.
 MALABAR-PLUM . . . *Eugenia jambos*
 MALACHE Ag *PAVONIA*
MALACOCARPUS
leninghausii (*Echinocactus leninghausii*)
mammulosus (*E. mammulosus*)
ottonis (*E. ottonis* Cy)
submammulosus (*E. submammulosus*)
tabularis (*E. tabularis*)
MALACOTHRIX
californica
glabra
 MALANGA *Xanthosoma*
 DUTCH M. *X. bataviense*
 LINDEN M. *X. lindeni*
 MARSHALL M. *X. marshalli*
 PRIMROSE M. *X. violaceum*
 SPOTTED M. *X. maculatum*
 YAUTIA *X. sagittifolium*
MALCOMIA
maritima
 MALE BAMBOO, MALE FERN, etc.
 See BAMBOO, FERN, etc.
MALLOW *Malva*
 CURLY M. *M. crispa*
 GLOBE-MALLOW . . . *Sphaeralcea*
 HOLLYHOCK M. *Malva alcea*
 MARSHMALLOW . . *Althaea officinalis*
 MUSK MALLOW *Malva moschata*
 POPPY-MALLOW *Callirhoe*
 PRAIRIEMALLOW *Sidalcea*

MALLOW, continued

- ROSEMALLOW *Hibiscus*
 TREEMALLOW *Lavatera*
 WAXMALLOW *Malvaviscus*
 WHITE MUSK M. (*Malva moschata alba*† Cy)
 MALLOW NINEBARK
Physocarpus malvaceus
MALPIGHIA *MALPIGHIA*
coccigera HOLLY M.
 MALTESE CROSS *Lychnis chalcedonica*
 WHITE MALTESE C. Hort. var. of *L. chalcedonica*.
 MALU-CREEPER *Bauhinia vahli*
MALUS APPLE, CRAB
 For varieties of Apple and Crab cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.
angustifolia (*Pyrus angustifolia* Cy)
 SOUTHERN CRAB
arnoldiana† Ar . . . ARNOLD C.
 See hort. var. list on page 278.
atrosanguinea† Ar . . . CARMINE C.
 See hort. var. list on page 278.
baccata (*Pyrus baccata* Cy)
 SIBERIAN C.
 —*jacki* JACK C.
 —*mandshurica* . . MANCHURIAN C.
cerasifera This name, as well as the name *M. cerasiformis*, has been applied erroneously to the Cherry Crab. See hort. var. list on page 278.
coronaria (*Pyrus coronaria* Cy)
 WILD SWEET CRAB
crataegifolia *M. florentina*
dawsoniana (*Pyrus dawsoniana* Cy)
 DAWSON CRAB
florentina (*crataegifolia*; *Pyrus florentina* Cy) . . FLORENTINE CRAB
floribunda (*Pyrus pulcherrima* Cy; *P. floribunda*)
 JAPANESE FLOWERING CRAB
niedzwetzkyana *M. niedzwetzkyana*
scheideckeri *M. scheideckeri*
 See also hort. var. list on page 278.
fusca (*rivularis*; *Pyrus fusca* Cy)
 OREGON CRAB
glaucescens (*Pyrus glaucescens* Cy)
 DUNBAR CRAB

MALUS, continued

halliana (*P. halliana* Cy) HALL CRAB
See also hort. var. list opposite.

ioensis (*P. ioensis* Cy). PRAIRIE C.
See also hort. var. list opposite.

malus **M. sylvestris**
micromalus (*Pyrus micromalus* Cy)
MIDGET CRAB

niedzwetzkyana (*P. malus niedzwetzkyana* Cy; *P. niedzwetskyana*; *Malus pumila niedzwetskyana* Ar)
REDVEIN CRAB

parkmani PARKMAN C.
See hort. var. list opposite.

prunifolia (*Pyrus prunifolia* Cy)
PEARLEAF C.

rinki (ringo; *Pyrus prunifolia rinki* Cy) . . . CHINESE APPLE

pumila Ar
According to the Arnold Arboretum the common cultivated apple belongs to *Malus pumila*, a species distinct from *M. sylvestris*.

purpurea† Ar . . . PURPLE CRAB
See hort. var. list opposite.

ringo **M. prunifolia rinki**

rivularis **M. fusca robusta**† Ar . . . CHERRY CRAB

See hort. var. list opposite.

sargentii (*Pyrus sargentii* Cy)
SARGENT C.

scheideckeri (*P. pulcherrima scheideckeri* Cy). SCHEIDECKER CRAB
sieboldii (*toringo*; *Pyrus sieboldii* Cy)

TORINGO CRAB

soulardi (*Pyrus soulardi* Cy)
SOULARD C.

spectabilis (*P. spectabilis* Cy)
CHINESE FLOWERING C.

See also hort. var. list opposite.

sublobata† Ar . . . YELLOW AUTUMN C.
See hort. var. list opposite.

sylvestris (*Pyrus malus* Cy; *Malus malus*) APPLE

See note under *M. pumila*.

For varieties of Apple cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.

theifera (*P. theifera* Cy) TEA CRAB

toringo **M. sieboldii**

toringoides CUTLEAF CRAB

MALUS, continued

transitoria TIBETAN CRAB
tschonoski

zumi (*Pyrus zumi* Cy) . . . ZUMI C.

Hort. var. of **Malus**:

ARNOLD CRAB (*baccata* × *floribunda*;
M. arnoldiana† Ar; *Pyrus pulcherrima arnoldiana* Cy)

BECHTEL C. (*Malus ioensis plena*† Ar; *ioensis bechtelii*)

CARMINE C. (*halliana* × *sieboldii*;
M. atrosanguinea† Ar; *Pyrus atrosanguinea* Cy)

CHERRY C. (*baccata* × *prunifolia*;
Malus robusta† Ar; *Pyrus cerasifera* Cy)

DOUBLE CHINESE C. (*spectabilis riversi florepleno*)

DOUBLE PINK CHINESE C. (*spectabilis riversi rosea plena*)

DOUBLE WHITE CHINESE C. (*spectabilis alba plena*)

PARKMAN C. (*Malus halliana parkmanii*† Ar; *Pyrus halliana parkmani* Cy; *P. parkmani*; *M. parkmani*)

PURPLE C. (*floribunda purpurea*;
M. purpurea† Ar)

RIVERS CHINESE C. (*M. spectabilis riversi*† Ar; *Pyrus spectabilis riversi* Cy; *spectabilis riversiana*)

YELLOW AUTUMN C. (*prunifolia rinki* × *sieboldii*; *Malus sublobata*† Ar)

MALVA MALLOW

alcea HOLLYHOCK M.

crispa CURLY M.

miniata *Sphaeralcea cispalatina*

moschata MUSK MALLOW

Hort. var. of **Malva**:

WHITE MUSK MALLOW (*M. moschata alba*† Cy)

MALVAVISCUS . . . WAXMALLOW

arboreus (*Achania malvaviscus*)

WAXMALLOW

MAME CHERRY . . . *Prunus incisa*

MAMEY . . . *Mammea*; *M. americana*

MAMMEA MAMEY

americana MAMEY

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

MAMMILLARIA

angularis
applanata
arizonica
bicolor
bocasana
candida
caputmedusae
carnea
carreti
celsiana
centricirrha
—macrantha
cirrhifera
clava
conoidea
cornifera
decipiens
dioica
dolichocentra
echinus
elegans
elephantidens
elongata
erecta
eriacantha
formosa
gigantea
gracilis
grahami
gummifera
halei
heeseana
heyderi
lasiacantha
leona
lesaunieri
longimamma
macromeris
meiacantha
melanocentra
micromeris .
microthele
minima
missouriensis
mutabilis
nickelsi
nivea
nuttalli
parkinsoni

BUTTON CACTUS**MAMMILLARIA**, continued

pectinata
per bella
phellosperma
plumosa
polyedra
potosina
pusilla
radians
radiosa
raphidacantha
recurvata
rhodantha
robustispina
roseana
scheeri
schelhasei
seitziana
semperfervi
senilis
setispina
sphaerica
spinosisima
stella-aurata . GOLDENSTAR CACTUS
strobiliformis
tuberculata
uncinata
vivipara
wildi
wrighti
zephyranthoides

MAMMOTH CLOVER Trifolium medium
MAMONCILLO . . . Melicocca bijuga
MANCHURIAN ASH, MANCHURIAN
CRAB, etc. See ASH, CRAB, etc.
MANDACARU . . . Cereus jamacaru
MANDARIN ORANGE Citrus nobilis deliciosa

MANDEVILLA

suaveolens . . . CHILE-JASMINE

MANETTIA MANETTIA

bicolor
inflata

MANGIFERA

indica MANGO
For cultivated varieties of Mango, see
the American Pomological Society's
List of Fruits, in Appendix.

MANGLES EVERLASTING

Helipterum manglesi

- MANGO *Mangifera indica*
For cultivated varieties, see American
Pomological Society's List of Fruits,
in Appendix.
- MANGOSTEEN . *Garcinia mangostana*
- MANIHOT
esculenta (*M. utilissima* Cy)
CASSAVA
- MANILA GRASS, MANILA TAMARIND,
etc. See GRASS, TAMARIND,
etc.
- MANNA GUM . *Eucalyptus viminalis*
- MANNAGRASS*
WATER M . . *Panicularia aquatica*
- MANZANITA
GREAT M . . *Arctostaphylos glauca*
WOOLLY M *A. tomentosa*
- MAPLE *Acer*
AMUR M *A. ginnala*
Ashleaf M. BOXELDER: *A. negundo*
BALCAN M. *A. heldreichii*
BENTLEAF NORWAY M. . (*A. platanoides laciniatum*† Cy)
BIGMOON M. . (*A. japonicum macrophyllum*† Cy)
BIGTOOTH M . . *A. grandidentatum*
BLACK M. *A. nigrum*
BLOODLEAF JAPANESE M. . (*A. palmatum atropurpureum*† Cy)
BLOODLEAF NORWAY M. . (*A. platanoides rubrum*† Cy)
BLOODVEIN M. . (*A. palmatum atropurpureum*† Cy)
BOXELDER *A. negundo*
CALIFORNIA B. . *A. n. californicum*
CHALK MAPLE . . *A. leucoderme*
COLISEUM M. . *A. cappadocicum*
COLUMN M. . (*A. platanoides columnare*† Cy)
CRESTED M. . (*A. palmatum crispum*† Cy)
CRIMPED NORWAY M. . (*A. platanoides cucullatum*† Cy)
Culleaf M. WIER MAPLE
CUTLEAF NORWAY M. . (*A. platanoides dissectum*† Cy)
DEVIL M. *A. diabolicum*
DUSTY M. . (*A. campestre pulverulentum*† Cy)
DWARF RED M.
 A. rubrum globosum

- MAPLE, continued
- FERNLEAF M. . (*Acer japonicum parsonsii*† Cy)
- FULLMOON M. . . *Acer japonicum*
GENEVA M. Hort. var. of *A. platanoides*.
- GLOBE M. . (*A. p. globosum*† Cy)
- GOLDEN BOXELDER (*A. negundo auratum*† Cy)
- GOLDENMOON MAPLE (*A. japonicum aureum*† Cy)
- GREEN-NET M. . (*A. palmatum reticulatum*† Cy)
- HEDGE M. *A. campestre*
- HENRY M. *A. henryi*
- JAPANESE M. *A. palmatum*
- LEOPOLD M. . (*A. pseudoplatanus leopoldii*† Cy)
- MANCHURIAN M.
 A. mandschuricum
- MONTPELIER M.
 A. monspessulanum
- MOUNTAIN M. *A. spicatum*
- NORWAY M. *A. platanoides*
- OREGON M. *A. macrophyllum*
- PAINTED M. *A. pictum*
- PERSIAN M. *A. insigne*
- PINKEDGE M. . (*A. palmatum roseomarginatum*† Cy)
- PURPLE SYCAMORE M. . (*A. pseudoplatanus purpurascens*† Cy)
- PYRAMIDAL SILVER M. Hort. var. of *A. dasycarpum*.
- RED M. *A. rubrum*
- RED JAPANESE M. . (*A. palmatum rubrum*† Cy)
- REDBUD M. *A. trautvetteri*
- RED-DEVIL M.
 A. diabolicum purpurascens
- Rock M. SUGAR MAPLE
- ROCKY MOUNTAIN M. . *A. glabrum*
- SCARLET JAPANESE M. . (*A. palmatum sanguineum*† Cy)
- SCHWEDLER M. . (*A. platanoides schwedleri*† Cy)
- SENTRY M. . (*A. saccharum monumentale*† Cy)
- SEVENLOBE M. . (*A. palmatum septemlobum*† Cy)
- SILVER M. *A. dasycarpum*
- SPIDERLEAF M. . (*A. palmatum ornatum*† Cy)

MAPLE, continued

- STOLL MAPLE (*Acer platanoides stollii* Cy)
- STRIPED M. . . *Acer pennsylvanicum*
- SUGAR M. . . . *A. saccharum*
- SUNRISE M. (*Acer palmatum aureum* Cy)
- SYCAMORE M. . . *A. pseudoplatanus*
- TATARIAN M. . . . *A. tataricum*
- THREADLEAF M. . (*A. palmatum dissectum* Cy)
- TRIDENT M. . . . *A. buergerianum*
- VEINY SYCAMORE M. (*A. pseudo-platanus nervosum* Cy)
- VELVET M. . . *A. insigne velutinum*
- VINE M. *A. circinatum*
- WIER M. (*A. saccharinum wieri* Cy)
- YELLOW SYCAMORE M. (*A. pseudo-platanus worleii* Cy)
- MAPLELEAF GERANIUM, MAPLELEAF VIBURNUM, etc. See GERANIUM, VIBURNUM, etc.
- MAPLEWORT *Aceranthus*; *A. diphyllus*
- MARANTA . ARROWROOT, MARANTA *arundinacea* BERMUDA ARROWROOT *closoni* Cy . . . CLOSON MARANTA
See hort. var. list below.
- goveniana* Cy . . . SPOTTED M.
See hort. var. list below.
- illustris* *Calathea illustris*
- insignis* *C. insignis*
- kerchoveana* . . REDSPOT MARANTA
Hort. var. of *M. leuconeura*.
- leuconeura* BANDED M.
See also hort. var. list below.
- makoyana* . . *Calathea makoyana*
- massangeana* . . LIEGE MARANTA
See hort. var. list below.
- roseopicta* . . *Calathea roseopicta*
- sanderiana* *C. sanderiana*
- vandenheckei* . . *C. vandenheckei*
- vittata* *C. vittata*
- Hort. var. of Maranta:
CLOSON M. (*M. closoni* Cy)
- LIEGE M. (*M. leuconeura massangeana* Cy; *massangeana*)
- REDSPOT M. (*M. leuconeura kerchoveana* Cy; *kerchoviana*)
- SPOTTED M. (*M. goveniana* Cy)
- MARBLED ALUMROOT, MARBLED BUTTERFLYFLOWER, etc. See ALUMROOT, BUTTERFLYFLOWER, etc.

- MARGARITA SPIREA (*Spiraea margarita* Cy)
- MARDIN IRIS . . . *Iris mesopotamica*
- MARGUERITE Chrysanthemum frutescens
- MARIES BALLOONFLOWER, MARIES FIR, etc. See BALLOONFLOWER, FIR, etc.
- MARIGOLD *Tagetes*
- African* M. AZTEC MARIGOLD
- AZTEC M. *Tagetes erecta*
- CAPE-MARIGOLD *Dimorphotheca*; *D. annua*
- CORN-MARIGOLD Chrysanthemum segetum
- DWARF M. (*Tagetes signata pumila* Cy)
- FIGMARIGOLD *Mesembryanthemum*
- FRENCH M. *Tagetes patula*
- MARSHMARIGOLD *Caltha*; *C. palustris*
- Pot-marigold CAL-
- ENDULA: *Calendula officinalis*
- STRIPED M. *Tagetes signata*
- SWEET M. *T. lucida*
- MARILAUNIDIUM NAMA
- MARIPOSA *Calochortus*
- BROWN-EYED M. *C. luteus oculatus*
- CATALINA M. *C. catalinae*
- EL DORADO M. Hort. var. of *C. venustus*.
- FAIRY M *C. uniflorus*
- GLOBE-TULIP *Calochortus* species
- GOLDENBOWL M. *C. clavatus*
- GUNNISON M. *C. gunnisoni*
- HOWELL M. *C. howellii*
- LEMON M. *C. luteus citrinus*
- LILAC M. *C. splendens*
- PURPLE-EYE M. *C. nitidus*
- Pussy-EARS *Calochortus* species
- SAGEBRUSH M. *C. macrocarpus*
- SAN DIEGO M. *C. weedi*
- SANTA M. *C. plummerae*
- SEGO-LILY *C. nuttallii*
- SMOKY M. *C. leichtlinii*
- VESTA M. *C. luteus vestae*
- WHITE M. *C. venustus*
- YELLOW M. *C. luteus*
- MARJORAM *Origanum*
- SWEET M. *O. majorana*
- WILD M. *O. vulgare*

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

MAYAPPLE, continued

HIMALAYAN M.

Podophyllum emodi

Mayflower

TRAILING-ARBUTUS: *Epigaea repens*

MAYFLOWER RHODODENDRON

*Rhododendron racemosum*MAYPOP *Passiflora incarnata*MAYS BRAKE (*Pteris cretica mayi*† Cy)MAYTEN *Maytenus boaria*

MAYTENUS

boaria MAYTENMAZZARD *Prunus avium*

MEADOW ANEMONE, MEADOW BROME-

GRASS, etc. See ANEMONE,

BROMEGRASS, etc.

MEADOWBEAUTY *Rhexia*COMMON M. . . . *R. virginica*MARYLAND M. . . . *R. mariana*MEADOWFOAM . *Limnanthes douglasii*MEADOWRUE *Thalictrum*COLUMBINE M . . *T. aquilegafolium*DUSTY M. . . . *T. glaucum*EARLY M. . . . *T. dioicum*HYBRID M. (*T. sulfureum*† Cy)LOW M. . . . *T. minus*MAIDENHAIR M. (*T. m. adiantifolium*† Cy)PURPLE M. . . . *T. dasycarpum*TALL M. . . . *T. polygamum*WHITE COLUMBINE M. Hort. var.
of *T. aquilegafolium*.YELLOW M. . . . *T. paniculatum*YUNNAN M. . . . *T. dipterocarpum*

MEADOWRUE PAULLINIA

*Paullinia thalictrifolia*MEADOWSWEET *Filipendula*CARMINE M. (*Filipendula rubra venusta*† Cy)DOUBLE DROPWORT (*F. hexapetala florepleno* Cy)DOUBLE EUROPEAN M. (*F. ulmaria plena*† Cy)DROPWORT *F. hexapetala*EUROPEAN M. . . . *F. ulmaria*JAPANESE M. . . . *F. purpurea*KAMCHATKA M . . . *F. camschatatica*PRAIRIE M. . . . *F. rubra*SHOWY JAPANESE M. (*F. purpurea elegans*† Cy)

MEADOWSWEET, continued

SIBERIAN M. . *Filipendula palmata*WHITE JAPANESE M. (*F. purpurea alba*† Cy)MEALYCUP SAGE . . *Salvia farinacea*MEALYMAT (*Sedum lydium glaucum*† Cy)

MECONOPSIS

bella

cambrica WELSHPOPPY

grandis

heterophylla FLAMEPOPPY

integrifolia

YELLOW CHINESE-POPPY

wallichii SATINPOPPY

Hort. var. of Meconopsis:

DOUBLE WELSHPOPPY (*M. cambrica florepleno* Cy)

MEDEOLA CUCUMBER-ROOT

virginica CUCUMBER-ROOT

MEDICAGO MEDICK

arborea TREE ALFALFA

sativa ALFALFA

scutellata SNAIL MEDICK

MEDICK *Medicago*SNAIL M. . . . *M. scutellata*

MEDINILLA MEDINILLA

magnifica

teysmanni (*amabilis*)

MEDIOCACTUS

coccineus (*Cereus setaceus*)

MEDITERRANEAN CONVOLVULUS

*Convolvulus althaeoides*MEDLAR *Mespilus germanica*For varieties of Medlar cultivated for
their fruit, see American Pomological
Society's List of Fruits, in Appendix.

MEGACLINIUM

See ORCHID GENERA.

MEGAPTERIUM . OENOTHERA

MEGASEA SAXIFRAGA

MEGOTIGEA Ag

HELICODICEROS

MEIBOMIA Ag . . DESMODIUM

MEIWA KUMQUAT

Fortunella crassifolia

MELALEUCA MELALEUCA

armillaris (*alba*) . . DROOPING M.

decussata LILAC M.

MELALEUCA, continued

- ericifolia . . . HEATH MELALEUCA
 hypericifolia (*oppositifolia*) . . . DOTTED M.
 incana GRAY M.
 leucadendron . . . CAJEPUT-TREE
 nesophila PINK MELALEUCA
 wilsoni WILSON M.
- MELANTHIUM . . . BUNCHFLOWER
virginicum (*canadense*)
- MELBOURNE CORALBUSH
Templetonia retusa

MELIA

- azedarach . . . CHINABERRY
 —*umbraculiformis* (*M. a. umbraculifera* Ag.) . . . TEXAS UMBRELLA-TREE

- MELIANTHUS . . . HONEYBUSH
 major BIGLEAF H.

MELICOCCA

- bijuga* (*Melicoccus bijugatus* Ag) . . . MAMONCILLO

- MELICOCCUS Ag . . . MELICOCCA

- MELILOTUS . . . SWEETCLOVER
 alba WHITE S.

- MELISSA BALM
 officinalis . . . COMMON B

- MELISSA THOROUGHWORT . . . *Eupatorium aromaticum melisooides*

- MELON . . . Cucumis; *C. melo*
 DUDAIM M. . . . *C. melo dudaim*
 MUSKMELON *C. melo*
 SNAKE M. *C. melo flexuosus*
 WATERMELON . . . *Citrullus vulgaris*

- MELOTHRIA
punctata (*Pilogyne suavis*)
 scabra

- MELVIN JERUSALEM-CHERRY (*Solanum capsicastrum melvini*† Cy)

- MENISPERMUM . . . MOONSEED
canadense COMMON M.
dauricum ASIATIC M.

- MENTHA MINT
arvensis FIELD M.
canadensis AMERICAN WILD M.
citrata BERGAMOT M.
piperita PEPPERMINT
pulegium PENNYROYAL
requieni REQUIEN MINT

MENTHA, continued

- rotundifolia* APPLE MINT
spicata (*viridis*) SPEARMINT

- MENTZELIA BLAZING-STAR
aurea (*M. lindleyi* Ag; *Bartonia aurea*)
laevicaulis

- MENYANTHES BOGBEAN
trifoliata COMMON B.
 MENZIES NEMOPHILA, MENZIES SPIREA, etc. See *Nemophila*, SPIREA, etc.

- MENZIESIA MENZIESIA
pilos ALLEGHENY M.

- MERATIA WINTERSWEET
praecox (*Chimonanthus fragrans*; *Calycanthus praecox*) WINTERSWEET

- MERIANA WATSONIA

- MERIDIANA Ag . . . GAZANIA

- MERIOLIX OENOTHERA

- MERRYBELLS *Uvularia*
 BIG M. *U. grandiflora*
 LITTLE M. *U. sessilifolia*
 WOOD M. *U. perfoliat*

- MERTENSIA BLUEBELLS
ciliata MOUNTAIN B.
virginica (*pulmonarioides*) VIRGINIA B.

- MESCALBEAN . . . *Sophora secundiflora*

- MESEMBRYANTHEMUM FIGMARIGOLD
cordifolium HEARTLEAF F.

- crystallinum* ICEPLANT
pyropeum (*tricolor*) TRICOLOR FIGMARIGOLD

- roseum* ROSE F.

- MESPILUS MEDLAR
germanica MEDLAR

- For varieties of Medlar cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.

- MESSMATE GUM . . . *Eucalyptus obliqua*
 METCALFE BEAN . . . *Phaseolus retusus*

- METROSIDEROS IRONTREE
floribunda . . . *Callistemon lanceolatus*
robusta RATA
semperflorens *Callistemon lanceolatus*

| | |
|---|--|
| MEXICAN ABELIA, MEXICAN CAMPION, etc. See <i>Abelia</i> , CAMPION, etc. | MILLET, continued |
| MEXICAN-ORANGE . . . <i>Choisya ternata</i> | JAPANESE M. |
| MEXICAN-STAR . . . <i>Milla biflora</i> | <i>Echinochloa crusgalli</i> edulis |
| MEYER JUNIPER, MEYER LILAC, etc. See JUNIPER, LILAC, etc. | PEARL M. . . <i>Pennisetum glaucum</i> |
| MICHAELMAS-DAISY <i>Aster tradescanti</i> | MILLETTIA MILLETTIA |
| MICHAUX BUCKEYE, MICHAUX SAXIFRAGE, etc. See BUCKEYE, SAXIFRAGE, etc. | <i>japonica</i> JAPANESE M. <i>megasperma</i> WINTERWISTERIA |
| MICHAUXIA campanuloides | MILTONIA PANSY-ORCHID |
| MICHELIA fuscata (<i>Magnolia fuscata</i>) | See ORCHID GENERA. |
| BANANA-SHRUB | MILTONIODEA |
| MICRAMELIS Ag | See ORCHID GENERA. |
| ECHINOCYSTIS | MILTONIOPSIS MILTONIA |
| MICRANTHES . . . SAXIFRAGA | Milo. Hort. var. of <i>Holcus sorghum</i> |
| MIDDENDORFF STONECROP | MIMOSA MIMOSA |
| Sedum middendorffianum | <i>pudica</i> SENSITIVEPLANT |
| MIDGET CRAB . . . <i>Malus micromalus</i> | MIMULUS MONKEYFLOWER |
| MIDWINTER EUONYMUS (<i>Euonymus bungeanus semipersistens</i> Cy) | <i>brevipes</i> CANARY M. <i>cardinalis</i> CRIMSON M. <i>cupreus</i> CHILEAN M. <i>glutinosus</i> BUSH M. <i>lewisi</i> LEWIS M. <i>luteus</i> GOLDEN M. — <i>alpinus</i> ALPINE M. <i>moschatus</i> MUSKPLANT <i>ringens</i> |
| MIGNONETTE . . . Reseda | ALLEGHENY MONKEYFLOWER |
| COMMON M. <i>R. odorata</i> | Hort. var. of <i>Mimulus</i> : |
| MIKADO SPIREA (<i>Spiraea japonica atrosanguinea</i> Cy) | MOTTLED MONKEYFLOWER (<i>tigrinus</i>). Hort. var. of <i>M. luteus</i> . |
| MIKAN PALM . . . <i>Rhopalostylis sapida</i> | MINA QUAMOCЛИT |
| MILKVETCH <i>Astragalus</i> | MINT Mentha |
| FOXTAIL M. <i>A. alopecuroides</i> | AMERICAN WILD M. <i>M. canadensis</i> |
| MILKWEED <i>Asclepias</i> | APPLE M. <i>M. rotundifolia</i> |
| BLOODFLOWER <i>A. curassavica</i> | BERGAMOT M. <i>M. citrata</i> |
| BUTTERFLYWEED <i>A. tuberosa</i> | English M. COST-MARY: <i>Chrysanthemum balsamita</i> |
| COMMON M. <i>A. syriaca</i> | FIELD M. <i>Mentha arvensis</i> |
| HAIRY M. <i>A. pulchra</i> | mountain-mint <i>Pycnanthemum</i> |
| HORSETAIL M. <i>A. verticillata</i> | PENNYROYAL <i>Mentha pulegium</i> |
| PINK SWAMP M. <i>A. incarnata rosea</i> | PEPPERMINT <i>M. piperita</i> |
| RED M. <i>A. rubra</i> | REQUIEN M. <i>M. requieni</i> |
| SMOOTH M. <i>A. sullivantii</i> | SPEARMINT <i>M. spicata</i> |
| SWAMP M. <i>A. incarnata</i> | STONEMINT <i>Cunila mariana</i> |
| MILKWEED GENTIAN | MIRABILIS FOUR-O'CLOCK |
| Gentiana asclepiadea | <i>jalapa</i> COMMON F. <i>longiflora</i> SWEET F. |
| MILKY BELLFLOWER | MISCANTHUS |
| Campanula lactiflora | <i>sinensis</i> (<i>Eulalia japonica</i>) EULALIA |
| MILLA | |
| <i>biflora</i> MEXICAN-STAR | |
| MILLET <i>Chaetochloa italicica</i> | |
| AFRICAN M. <i>Eleusine coracana</i> | |
| BROOMCORN M. <i>Panicum miliaceum</i> | |

Hort. var. of *Misanthus*:

GOLDEN ZEBRA GRASS (*Eulalia japonica zebrina stricta*). Hort. var. of *M. sinensis*.

MAIDEN GRASS (*E. j. gracillima*; *E. gracillima univittata*; *M. sinensis gracillimus*† Cy)

STRIPED EULALIA (*E. j. variegata*; *M. s. variegatus*† Cy)

ZEBRA GRASS (*E. j. zebrina*; *M. s. zebrinus*† Cy)

MISSOURI GOOSEBERRY, **MISSOURI HAWTHORN**, etc. See **GOOSEBERRY**, **HAWTHORN**, etc.

MIST MAIDENHAIR *Adiantum gracillimum*

MISTFLOWER *Eupatorium coelestinum*

MISTLETOE *AMERICAN M.*

Phoradendron flavescens

EUROPEAN M. . . . *Viscum album*

MISTLETOE CACTUS, **MISTLETOE FIG**, etc. See **CACTUS**, **FIG**, etc.

MISTY WOODRUFF *Asperula hexaphylla*

MITCHELLA . . . **PARTRIDGEBERRY**
repens . . . **PARTRIDGEBERRY**

MITELLA **BISHOPSCAP**
diphylla **COMMON B.**
nuda

MIYABE SPIREA . . *Spiraea miyabei*

MIYAMA CHERRY *Prunus maximowiczi*

MOCK-CUCUMBER *Echinocystis*; *E. lobata*

MOCKERNUT *Hicoria alba*

MOCKORANGE **Philadelphus**
See also hort. var. list under *Philadelphus*.

BEADLE M. *P. floridus*

BIG M. (*Philadelphus coronarius grandiflorus*† Cy)

BIG SCENTLESS M. *P. grandiflorus*

DOUBLE M. (*P. coronarius flore-pleno* Cy)

DROOPING M. *P. laxus*

DWARF SWEET M. (*P. coronarius nanus*† Cy)

GORDON M. *P. gordonianus*

MOCKORANGE, continued

GRAY M. . . . *Philadelphus incanus*

HAIRY M. *P. hirsutus*

HOARYLEAF M. *P. pubescens*

JACK M. (*P. schrenki jackii* Cy)

LEMOINE M. *P. lemoinei*

LITTLELEAF M. *P. microphyllus*

MAGDALENA M. *P. magdalena*

NEPAL M. *P. nepalensis*

PEKING M. *P. pekinensis*

PURPLECUP M. *P. purpurascens*

PURPLESPOT M. (*P. phantasia purpleomaculatus* Cy)

ROUNDLEAF M. (*P. coronarius speciosissimus*† Cy)

SATSUMA M. *P. satsumanus*

SCENTLESS M. *P. inodorus*

SCHRENK M. *P. schrenki*

SILK M. *P. sericanthus*

STAR M. *P. falconeri*

SWEET M. *P. coronarius*

WESTERN M. *P. lewisi*

WILLOWLEAF M. (*P. coronarius salicifolius*† Cy)

See also hort. var. list under *Philadelphus*.

MOCK-STRAWBERRY

Duchesnea; D. indica

MOERHEIM AUBRIETIA, **MOERHEIM**

BELLFLOWER, etc. See **Aubrieta**,
BELLFLOWER, etc.

MOHAVE ROSE . . *Rosa mohavensis*

MOLDAVICA Ag **DRACOCEPHALUM**

MOLEROOT LILY . . *Lilium leichtlini*

MOLINIA

caerulea (*Aira caerulea*)
Hort. var. of **Molinia**:

STRIPED MOLINIA (*M. caerulea variegata* Cy)

MOLUCCA-BALM *Moluccella*; *M. laevis*

MOLUCCELLA . . **MOLUCCA-BALM**
laevis **MOLUCCA-BALM**

MOMBIN

PURPLE M. . . *Spondias purpurea*

YELLOW M. *S. mombin*

MOMI FIR *Abies firma*

MOMORDICA . . **BALSAMAPPLE**
balsamina **BALSAMAPPLE**

MOMORDICA, continued

- charantia* BALSAM-PEAR
elaterium *Ecballium elaterium*
 MONARCH BIRCH, MONARCH IRIS,
 etc. See BIRCH, IRIS, etc.

- MONARDA** BEEBALM
didyma OSWEGO B.
 See also hort. var. list below.
fistulosa WILDBERGAMOT
—media PURPLE W.
—mollis Cy *M. mollis*
 See also hort. var. list below.
mollis (*M. fistulosa mollis Cy*)
 HAIRY WILDBERGAMOT
punctata SPOTTED BEEBALM
russelliana RUSSELL B.

Hort. var. of *Monarda*:

- AMARANTH BEEBALM (*didyma violacea superba*)
 BLAZING B. (*splendens*) Hort. var. of *M. didyma*.
 ROSE B. (*M. didyma rosea† Cy*)
 SALMON B. (*M. d. salmonnea† Cy*)
 WHITE B. (*didyma alba*)
 WHITE WILDBERGAMOT (*fistulosa alba*)

- MONDIA** Ag . . CHLOROCODON
 MONEYWORT *Lysimachia nummularia*
 MONGOLIAN DAPHNE, MONGOLIAN DEUTZIA, etc. See DAPHNE, DEUTZIA, etc.

- MONKEYCOMB *Pithecoctenium*
 ARGENTINE M. *P. cynanchoides*
 MEXICAN M. *P. muricatum*
 MONKEYFLOWER *Mimulus*
 ALLEGHENY M. *M. ringens*
 ALPINE M. *M. luteus alpinus*
 BUSH M. *M. glutinosus*
 CANARY M. *M. brevipes*
 CHILEAN M. *M. cupreus*
 CRIMSON M. *M. cardinalis*
 GOLDEN M. *M. luteus*
 LEWIS M. *M. lewisi*
 MOTTLED M. Hort. var. of *M. luteus*.

- MUSKPLANT *M. moschatus*
 MONKEYPUZZLE *Araucaria imbricata*
 MONKSHOOD *Aconitum*
 ACONITE *A. napellus*

MONKSHOOD, continued

- ARBOR M. Hort. var. of *Aconitum variegatum*.
 AUTUMN M. *Aconitum autumnale*
 AZURE M. *A. fischeri*
 CHINESE M. *A. chinense*
 CLAMBERING M. *A. uncinatum*
 MANCHURIAN M. *A. variegatum*
 PYRENEES M. *A. anthora*
 VIOLET M. *A. fischeri wilsoni*
 WOLFBANE *A. lycoctonum*
 MONKSHOOD-VINE

- Ampelopsis aconitifolia**

- MONOTROPA** INDIANPIPE
uniflora INDIANPIPE

- MONREALE** STONECROP

- Sedum monregalense*

- MONSTERA**
deliciosa CERIMAN

- MONTBRETIA** TRITONIA

- MONTEREY CYPRESS, MONTEREY PINE, etc. See CYPRESS, PINE, etc.

- MONTEVIDEO** ESCALLONIA
Escallonia montevidensis

- MONTEZUMA** BALDCYPRESS

- Taxodium mucronatum*

- MONTPELIER MAPLE, MONTPELIER ROCKROSE, etc. See MAPLE, ROCKROSE, etc.

- MONUMENT ELM (*Ulmus foliacea monumentalista† Cy*)

- MONVILLEA**
cavendishi (*Cereus cavendishi*)

- MOONFLOWER

- Calonyction*; *C. aculeatum*

- MOONSEED *Menispermum*
 ASIATIC M. *M. dauricum*
Carolina M.

- SNAILSEED: *Cocculus carolinus*
 COMMON M.

- Menispermum canadense*

- MOORES AGAPANTHUS (*Agapanthus umbellatus mooreanus† Cy*)

- MORAEA** MORAEA
iridioides IRIS M.

- MORAEA IRIS *Iris sisyrinchium*
 MORETON BAY FIG *Ficus macrophylla*

| | |
|---|--|
| MORETON-BAY-CHESTNUT | |
| Castanospermum australe | |
| MORINDA INDIAN-MULBERRY | |
| <i>citrifolia</i> INDIAN-MULBERRY | |
| MORINGA . . . HORSERADISH-TREE | |
| The name of this genus under the American Rules is <i>Hyperanthera</i> . | |
| oleifera . . . HORSERADISH-TREE | |
| MORMODES | |
| See ORCHID GENERA. | |
| MORNING-GLORY Ipomoea | |
| BIG BLUE M. (<i>I. hederacea grandiflora</i> † Cy) | |
| BLUE DAWNFLOWER I. leari | |
| BRAZILIAN M. I. setosa | |
| COMMON M. I. purpurea | |
| FINGERLEAF M. I. digitata | |
| IVYLEAF M. I. hederacea | |
| MEXICAN M. I. hirsutula | |
| SILVER M. Argyreia splendens | |
| SWEETPOTATO Ipomoea batatas | |
| TRICOLOR M. I. tricolor | |
| TRUMPET M. I. tuba | |
| WHITE-EDGE M. (<i>I. hederacea limbata</i> † Cy) | |
| MOROCCO CONVOLVULUS, MOROCCO TOADFLAX, etc. See <i>Convolvulus</i> , TOADFLAX, etc. | |
| MORRIS THATCH PALM | |
| <i>Thrinax morrisii</i> | |
| MORROW HONEYSUCKLE, MORROW SEDGE, etc. See HONEYSUCKLE, SEDGE, etc. | |
| MORUS MULBERRY | |
| <i>acidosa</i> ACID M. | |
| <i>alba</i> WHITE M. | |
| — <i>tatarica</i> RUSSIAN M. | |
| <i>multicaulis</i> SILKWORM M. | |
| <i>nigra</i> BLACK M. | |
| <i>rubra</i> RED M. | |
| Hort. var. of <i>Morus</i> : | |
| GLOBE MULBERRY (<i>alba globosa</i>) | |
| WEEPING M. (<i>Morus alba pendula</i> † Cy) | |
| For varieties of Mulberry cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix. | |
| MOSCOW HONEYSUCKLE (<i>Lonicera muscavensis</i> † Cy) | |
| MOSO BAMBOO . <i>Phyllostachys mitis</i> | |
| MOSQUITO-TRAP | |
| <i>Cynanchum acuminatifolium</i> | |
| MOSS | |
| CLUBMOSS <i>Lycopodium</i> | |
| SPANISH-MOSS <i>Tillandsia usneoides</i> | |
| Moss ARBORVITAE, Moss CAMPION, etc. See ARBORVITAE, CAMPION, etc. | |
| MOSSEYCUP OAK <i>Quercus macrocarpa</i> | |
| MOTH BEAN <i>Phaseolus aconitifolius</i> | |
| MOTHER CHRYSANTHEMUM, MOTHER SPLEENWORT, etc. See CHRYSANTHEMUM, SPLEENWORT, etc. | |
| MOTHER-OF-THYME <i>Thymus serpyllum</i> | |
| MOTHERWORT <i>Leonurus</i> | |
| COMMON M. <i>L. cardiaca</i> | |
| MOTH-ORCHID <i>Phalaenopsis</i> | |
| MOTTLED BAUHINIA, MOTTLED SNOW-BUSH, etc. See <i>Bauhinia</i> , SNOW-BUSH, etc. | |
| MOUNDLILY YUCCA . <i>Yucca gloriosa</i> | |
| MOUNT ATLAS PISTACHE, MOUNT OMEI ROSE, etc. See PISTACHE, ROSE, etc. | |
| MOUNTAIN ALDER, MOUNTAIN AVENS etc. See ALDER, AVENS, etc. | |
| MOUNTAIN-ASH <i>Sorbus</i> | |
| AMERICAN M. <i>S. americana</i> | |
| BEAMTREE <i>Sorbus</i> species | |
| EUROPEAN M. <i>S. aucuparia</i> | |
| JAPANESE M. <i>S. commixta</i> | |
| OAKLEAF M. <i>S. quercifolia</i> | |
| SERVICETREE <i>S. domestica</i> | |
| SHOWY M. <i>S. decora</i> | |
| WEEPING M. (<i>S. aucuparia pendula</i> † Cy) | |
| MOUNTAIN-BLUET <i>Centaurea montana</i> | |
| MAJOR M. Hort. var. of <i>C. montana</i> . | |
| PINK M. Hort. var. of <i>C. montana</i> | |
| PURPLE M. Hort. var. of <i>C. montana</i> . | |
| ROSY M. (<i>C. m. rosea</i> † Cy) | |
| WHITE M. (<i>C. m. alba</i> † Cy) | |
| MOUNTAIN-DANDELION | |
| <i>Krigia montana</i> | |
| MOUNTAIN-HOLLY | |
| <i>Nemopanthus mucronatus</i> | |
| MOUNTAIN-LAUREL . <i>Kalmia latifolia</i> | |
| MOUNTAIN-LILAC | |
| TALL M. . <i>Ceanothus divaricatus</i> | |

| | | |
|---|--|--|
| MOUNTAIN-MAHOGANY | <i>Cercocarpus ledifolius</i> | MUNSTEAD WHITE COLUMBINE (<i>Aquilegia vulgaris nivea</i> † Cy) |
| MOUNTAIN-MINT | <i>Pycnanthemum</i> | MUPIN COTONEASTER |
| SLENDER M. | <i>P. flexuosum</i> | <i>Cotoneaster moupinensis</i> |
| VIRGINIA M. | <i>P. virginianum</i> | MUSA BANANA |
| MOURNING CYPRESS, MOURNING IRIS, etc. See CYPRESS, IRIS, etc. | | cavendishi CAVENDISH B. |
| MOUSE-EAR GYPSOPHILA | <i>Gypsophila cerastioides</i> | ense ABYSSINIAN B. |
| MOYES ROSE | <i>Rosa moyesii</i> | sapientum COMMON B. |
| MUCUNA | | MUSCADCINE GRAPE <i>Vitis rotundifolia</i> |
| <i>pruriens</i> | <i>Stizolobium pruriens</i> | MUSCARI GRAPE-HYACINTH |
| MUEHLENBECKIA | | botryoides COMMON G. |
| The name of this genus under the Ameri- can Rules is Calacium. | | MUSK LARKSPUR, MUSK MALLOW, etc. See LARKSPUR, MALLOW, etc. |
| complexa | WIREVINE | MUSKMELON <i>Cucumis melo</i> |
| platyclada | RIBBONBUSH | MUSKPLANT . . . <i>Mimulus moschatus</i> |
| MUENDEN HONEYSUCKLE (<i>Lonicera</i> <i>muenteniensis</i> † Cy) | | MUSTANG GRAPE . . <i>Vitis candicans</i> |
| MUGHO PINE <i>Pinus montana mughus</i> | | MUSTARD |
| MUGWORT | <i>Artemisia vulgaris</i> | POTHERB M. . . <i>Brassica japonica</i> |
| MULBERRY | <i>Morus</i> | WHITE M. <i>B. alba</i> |
| ACID M. | <i>M. acidosa</i> | MYOPORUM |
| BLACK M. | <i>M. nigra</i> | laetum |
| French M. | AMERICAN BEAU- TYBERRY: <i>Callicarpa americana</i> | sandwicense |
| GLOBE M. Hort. var. of <i>Morus</i> <i>alba</i> . ⁴ | | MYOSOTIS FORGET-ME-NOT |
| INDIAN-MULBERRY | <i>Morinda</i> ; <i>M. citrifolia</i> | alpestris ALPINE F. |
| PAPER-MULBERRY | <i>Broussonetia</i> ; <i>B. papyrifera</i> | See also hort. var. list below. |
| RED M. | <i>Morus rubra</i> | — <i>victoria</i> <i>M. victoria</i> |
| RUSSIAN M. | <i>M. alba tatarica</i> | azorica . AZORES FORGET-ME-NOT |
| SILKWORM M. | <i>M. multicaulis</i> | dissitiflora SWISS F. |
| WEEPING M. (<i>Morus alba pen-</i> <i>dula</i> † Cy) | | See also hort. var. list below. |
| WHITE M. | <i>M. alba</i> | laxa BAY F. |
| For varieties of Mulberry cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix. | | palustris <i>M. scorpioides</i> |
| MULBERRY CHRYSANTHEMUM | <i>Chrysanthemum morifolium</i> | scorpioides (<i>palustris</i>) |
| <i>Chrysanthemum</i> | | TRUE FORGET-ME-NOT |
| MULLEIN | <i>Verbascum</i> | See also hort. var. list below. |
| BLACK M. | <i>V. nigrum</i> | stricta |
| CRETAN-MULLEIN | <i>Celsia cretica</i> | This name is often misapplied by gar- deners to Heath Forget-me-not, hort. var. of <i>Myosotis alpestris</i> . The true <i>M.</i> <i>stricta</i> , of botanists, is not in the trade. |
| GOLDEN GATE M. | <i>Ver-</i> <i>bascom longifolium pannosum</i> | sylvatica |
| OLYMPIC M. | <i>V. olympicum</i> | WOODLAND FORGET-ME-NOT |
| PURPLE M. | <i>V. phoeniceum</i> | <i>victoria</i> (<i>alpestris victoria</i>) |
| MUNDI-ROOT | <i>Chlorocodon whitei</i> | VICTORIA F. |
| MUNG BEAN | <i>Phaseolus aureus</i> | Hort. var. of FORGET-ME-NOT, Myo- sotis: |
| | | DWARF PERPETUAL (<i>M. scorpioides</i> <i>semperflorens</i> Cy; <i>palustris sem-</i> <i>perflorens</i>) |
| | | GOLDEN (<i>M. alpestris aurea</i> † Cy) |
| | | HEATH (<i>M. a. stricta</i> † Cy) |
| | | JACKFROST (<i>M. dissitiflora elegan-</i> <i>tissima</i> † Cy) |

| | | |
|---|---|--|
| MYRICA | BAYBERRY, WAXMYRTLE <i>asplenifolia</i> Comptonia <i>asplenifolia</i> | MYRTUS, continued |
| <i>carolinensis</i> | NORTHERN BAYBERRY | <i>microphylla</i> |
| <i>cerifera</i> | SOUTHERN WAXMYRTLE | This name is often misapplied to Rosemary Myrtle, hort. var. of <i>Myrtus communis</i> . The true <i>Myrtus microphylla</i> , of botanists, is not in the trade. |
| What was formerly considered to be one species and listed as <i>M. cerifera</i> is now known to be two species. Both range as far south as Florida, but the true <i>M. cerifera</i> extends north only to the Tuckahoe River, New Jersey, whereas <i>M. carolinensis</i> grows wild to Nova Scotia. | | |
| gale | SWEETGALE | ugni CHILE-GUAVA |
| Hort. var. of Myrica : | | Hort. var. of Myrtus : |
| MACFARLANE BAYBERRY (<i>cerifera</i> \times <i>carolinensis</i>) | | ROSEMARY MYRTLE (<i>M. communis microphylla</i> † Cy) |
| MYRICARIA | FALSE-TAMARIX | mysore THORN Caesalpinia <i>sepiaria</i> |
| <i>germanica</i> (<i>Tamarix germanica</i>) | GERMAN F. | MYSTACIDIUM ANGROECUM |
| MYRIOPHYLLUM PARROTFEATHER | <i>proserpinacoides</i> (<i>M. brasiliense</i> Ag). BRAZILIAN PARROTFEATHER | See ORCHID GENERA. |
| <i>verticillatum</i> CANADA P. | | |
| MYRISTICA | | NAIAF FUCHSIA |
| <i>fragrans</i> COMMON NUTMEG | | <i>Fuchsia magellanica gracilis</i> |
| MYROBALAN PLUM <i>Prunus cerasifera</i> | | NAILWORT <i>Paronychia</i> |
| MYROXYLON Cy TOLUIFERA | | ALLEGHENY N. <i>P. argyrocoma</i> |
| MYRRH <i>Myrrhis odorata</i> | | NAMA NAMA |
| MYRRHIS MYRRH | | The name of this genus under the American Rules is <i>Conanthus</i> . |
| <i>odorata</i> MYRRH | | parryi PARRY NAMA |
| MYRSIPHYLLUM ASPARAGUS | | NANDINA NANDINA |
| MYRTILLOCACTUS | | <i>domestica</i> NANDINA |
| <i>geometrizans</i> (<i>Cereus geometrizans</i>) | GARAMBULLO | NANKEEN LILY <i>Lilium testaceum</i> |
| MYRTLE <i>Myrtus</i> | | NANKING CHERRY <i>Prunus tomentosa</i> |
| CRAPEMYRTLE <i>Lagerstroemia</i> | | NANNYBERRY <i>Viburnum lentago</i> |
| GUM-MYRTLE <i>Angophora</i> | | NANODES |
| ROSEMARY M. (<i>Myrtus communis</i> <i>microphylla</i> † Cy) | | See ORCHID GENERA. |
| ROSEMYRTLE <i>Rhodomyrtus</i> | | NAPIER GRASS |
| SANDMYRTLE <i>Leiophyllum</i> | | <i>Pennisetum purpureum</i> |
| TRUE M. <i>Myrtus communis</i> | | NARBONNE FLAX, NARBONNE STAR-OF-BETHLEHEM, etc. See FLAX, STAR-OF-BETHLEHEM, etc. |
| WAXMYRTLE <i>Myrica</i> | | NARCISSUS NARCISSUS |
| MYRTLE CORIARIA, MYRTLE PACHISTIMA, etc. See <i>Coriaria</i> , <i>Pachistima</i> , etc. | | <i>biflorus</i> PRIMROSE N. |
| MYRTLELEAF Box, MYRTLELEAF KALMIA, etc. See Box, <i>Kalmia</i> , etc. | | <i>bulbocodium</i> PETTICOAT DAFFODIL |
| MYRTUS MYRTLE | | <i>incomparabilis</i> . . . HALFSKIRT D. |
| <i>communis</i> TRUE M. | | <i>jonquilla</i> JONQUIL |
| <i>luma</i> <i>Eugenia apiculata</i> | | <i>orientalis</i> . . . N. <i>tazetta orientalis</i> |
| | | <i>ornatus</i> . . . EARLY POETS NARCISSUS |
| | | Hort. var. of N. <i>poeticus</i> . |
| | | <i>poetaz</i> Cy POETAZ N. |
| | | See hort. var. list on page 291. |
| | | <i>poeticus</i> POETS N. |
| | | See also hort. var. list on page 291. |
| | | pseudonarcissus |
| | | COMMON DAFFODIL |
| | | <i>tazetta</i> . . . POLYANTHUS NARCISSUS |
| | | — <i>orientalis</i> . CHINESE SACRED-LILY |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

| | |
|---|--|
| Hort. var. of <i>Narcissus</i> : | |
| EARLY POETS N. (<i>N. poeticus ornatus</i> Cy) | NELSON CAPE-COWSLIP, NELSON MOSS PHLOX, etc. See CAPE-COWSLIP, PHLOX, etc. |
| POETAZ N. (<i>N. poetaz</i> Cy; <i>poeticus ornatus</i> × <i>tazetta</i>) | <i>NELUMBIUM</i> . . . <i>NELUMBO</i> |
| NARIHIRA BAMBOO | <i>NELUMBO</i> (<i>NELUMBIUM</i>) |
| <i>Arundinaria fastuosa</i> | LOTUS |
| NARROW BEECHFERN | <i>lutea</i> . . . AMERICAN L. |
| <i>Dryopteris phegopteris</i> | <i>nucifera</i> (<i>speciosa</i>) HINDU L. |
| NARROWLEAF CATTAIIL, NARROW-LEAF COTTONWOOD, etc. See CATTAIIL, COTTONWOOD, etc. | Hort. var. of LOTUS, <i>Nelumbo</i> : |
| <i>NASTURTIUM</i> . . . <i>RADICULA</i> | DAWN (<i>N. nucifera rosea</i> † Cy) |
| <i>NASTURTIUM</i> . . . <i>Tropaeolum</i> | DOUBLE DAWN (<i>N. nucifera rosea plena</i> Cy) |
| BUSH N. <i>T. minus</i> | EMPEROR (<i>N. n. alba grandiflora striata</i> Cy) |
| CANARY N. <i>T. peregrinum</i> | KERMES (<i>N. n. kermesiana</i> † Cy) |
| COMMON N. <i>T. majus</i> | KINSHIREN (<i>N. n. kinshiren</i> † Cy) |
| CORNUCOPIA N. <i>T. tricolor</i> | MAGNOLIA (<i>N. nucifera alba grandiflora</i> Cy) |
| FIVEFINGER N. <i>T. pentaphyllum</i> | PEKING (<i>nucifera pekinensis</i>) |
| SHIELD N. <i>T. peltophorum</i> | RED PEKING (<i>N. nucifera pekinensis rubra</i> Cy) |
| TOM THUMB N. (<i>Tropaeolum majus nanum</i> † Cy) | SHIROMAN (<i>N. n. alba plena</i> Cy) |
| VERMILION N. <i>T. speciosum</i> | NEMESIA NEMESIA |
| NASTURTIUM OXALIS | <i>strumosa</i> POUCHED N. |
| <i>Oxalis corniculata atropurpurea</i> | <i>versicolor</i> SPURRED N. |
| NATAL GRASS . . . <i>Tricholaena rosea</i> | Hort. var. of Nemesia: |
| NATAL-EBONY . . . <i>Maba natalensis</i> | DWARF N. (<i>N. versicolor compacta</i> † Cy; <i>compacta</i>) |
| NATIONAL ROSE . . . <i>Rosa gentiliana</i> | NEMOPANTHUS MOUNTAIN-HOLLY |
| NAVEL FLOWERING QUINCE. Hort. var. of <i>Cydonia japonica</i> . | <i>mucronatus</i> (<i>canadensis</i>) MOUNTAIN-HOLLY |
| NAVELSEED <i>Omphalodes</i> | NEMOPHILA NEMOPHILA |
| DOGWOOD N. <i>O. cornifolia</i> | <i>maculata</i> SPOTTED N. |
| FLAXLEAF N. <i>O. linifolia</i> | <i>menziesi</i> (<i>atomaria</i>) MENZIES N. |
| VENUSBUTTON <i>O. verna</i> | — <i>insignis</i> . . . BABY-BLUE-EYES |
| NAVELWORT . . . <i>Cotyledon umbilicus</i> | Hort. var. of Nemophila: |
| NECKLACE ORCHID. <i>Coelogyné dayana</i> | BROWN-EYED N. (<i>N. menziesi discoidalis</i> † Cy) |
| NECKLACETREE <i>Ormosia monosperma</i> | SEAKALE N. (<i>N. m. crambeoides</i> † Cy) |
| NECTARINE | NEOPIERIS PIERIS |
| <i>Amygdalus persica nectarina</i> | NEAPOLITAN CYCLAMEN |
| For varieties of Nectarine cultivated for their fruit, see American Pomological Society's List of Fruits in Appendix. | <i>Cyclamen neapolitanum</i> |
| NEEDLE FIR, NEEDLE JUNIPER, etc. See FIR, JUNIPER, etc. | NEBOBENTHAMIA |
| NEGUNDO ACER | <i>gracilis</i> |
| NEGUNDO CHASTE-TREE | NEOLLOYDIA |
| Vitex negundo | <i>beguini</i> (<i>Echinocactus beguini</i>) |
| NEILLIA NEILLIA | NEOWASHINGTONIA |
| affinis | WASHINGTONIA |
| longeracemosa | |
| sinensis TUBE NEILLIA | |

NEPAL CINQUEFOIL, NEPAL FIRE-THORN, etc. See **CINQUEFOIL**, FIRETHORN, etc.

NEPENTHES

NEPENTHES, PITCHERPLANT
The common name Pitcherplant applies also to the genera *Sarracenia*, *Darlingtonia*, and *Heliophora*.

phyllamphora

Hort. var. of *Nepenthes*:

COURT (*N. courtii* Cy)

DOMIN (*Nepenthes dominii* Cy; *dominiana*)

HENRY (*N. henryana* Cy; *sedeni* × *hookeriana*)

MASTERS (*N. mastersiana* Cy; *sanguinea* × *khasiana*)

MIDWAY (*N. intermedia* Cy)

PARADISE (*N. paradisae* Cy; *patersonii*)

REDBOTTLE (*Nepenthes atrosanguinea* Cy)

SEDEN (*N. sedenii* Cy)

NEPETA **NEPETA**

cataria **CATNIP**

hederacea (*glechoma*). **GROUND-IVY**

mussini

wilsonii **WILSON NEPETA**

Hort. var. of *Nepeta*:

VARIEGATED GROUND-IVY (*N. hederacea variegata* Cy; *N. glechoma variegata*)

NEPHELIUM

litchi **Litchi chinensis**
longana **Euphoria longana**

NEPHRODIUM . . **DRYOPTERIS**

NEPHROLEPIS . . **SWORDFERN**

acuminata (*davallioides*)

biserrata (*acuta*)

—*furcans* (*davallioides furcans*)

cordifolia (*cordata*; *tuberosa*)

—*compacta*

—*plumosa* (*tuberosa plumosa*)

—*tesselata*

duffi (*N. cordifolia duffii* Cy)

exaltata . . **COMMON SWORDFERN**

—*bostoniensis* . . **BOSTON FERN**

See also hort. var. list below.

pectinata **BASKET F.**

Hort. var. of **BOSTON FERN**, *N. exaltata bostoniensis*:

AMERPOHL (*amerpohli*)

NEPHROLEPIS (Hort. var.), continued

BABY RANDOLPH

BIG FOUR (*splendida*)

CHILDS (*childsi*)

COCKATOO (*elegantissima compacta cristata*)

CURLY (*superbissima*)

DOUBLE FEATHER (*elegantissima*)

DWARF (*Dwarf Boston*)

ELMSFORD (*elmsfordi*)

EMERALD FLEECE

FOSTER (*fosteriana*)

GALVESTON (*galvestoni*)

GIATRAS (*giatrasii*)

GOLDEN PLUME (*plumosa aurea*)

GOOD (*goodi*)

GRETNNA (*gretnai*)

HARRIS (*harrisii*)

KING CONSTANTINE

LACE (*smithii*)

MC CAW (*macawi*)

MILLER (*milleri*)

MILLS (*millsii*)

MINERVA (*robusta*)

NEW JERSEY

NEW YORK

NORWOOD (*norwoodii*)

OSTRICH PLUME (*elegantissima compacta*)

PARROT FEATHER (*magnifica*)

PERSHING

PIERSON (*piersonii*)

PLUME (*whitmani compacta*)

QUEEN SOPHIE

RANDOLPH (*randolphi*)

ROOSEVELT (*roosevelti*)

SCHOLZEL (*scholzeli*)

SCHUBERT (*schuberti*)

SCOTT (*scotti*)

SHINGLE (*muscosa*)

SICKLE (*falcata*)

SUPERIOR

TEDDY JUNIOR

TRAILING

VERONA

VICTORIA

VIRAGO (*viridissima*)

WANAMAKER (*wanamakeri*)

WHITMAN (*whitmani*)

WICHER (*wicheri*)

WILSON (*wilsonii*)

| | |
|---|-----------------------|
| NERINE | NERINE |
| sarniensis | GUERNSEY-LILY |
| NERIUM | OLEANDER |
| odorum | SWEET O. |
| oleander | COMMON O. |
| Horticultural varieties of Oleander are numerous, but the nomenclature is not standardized. | |
| NERTERA | BEADPLANT |
| depressa | |
| NESAEA | |
| verticillata | Decodon verticillatum |
| NETTED IRIS | Iris reticulata |
| NETTLE | |
| CHILE-NETTLE | Loasa |
| DEADNETTLE | Lamium |
| NEUBERT BARBERRY (Berberis neu- | |
| berti† Cy) | |
| NEVADA GOLDENROD | Solidago spectabilis |
| NEVIUSIA | SNOW-WREATH |
| alabamensis | SNOW-WREATH |
| NEW ENGLAND ASTER, NEW ENGL- | |
| LAND ROSEGENTIAN, etc. See | |
| ASTER, ROSEGENTIAN, etc. | |
| NEW MEXICAN HOP, NEW MEXICAN | |
| ROSE, etc. See HOP, ROSE, etc. | |
| NEW YORK ASTER, NEW YORK FERN, | |
| etc. See ASTER, FERN etc. | |
| NEW ZEALAND BUR, NEW ZEALAND | |
| CLEMATIS, etc. See BUR, CLEM- | |
| ATIS, etc. | |
| NICANDRA | APPLE-OF-PERU |
| physalodes | APPLE-OF-PERU |
| NICOTIANA | TOBACCO |
| affinis | JASMINE T. |
| Hort. var. of N. alata. | |
| alata | WINGED T. |
| colossea | N. tomentosa |
| forgetiana | |
| glaucha | TREE TOBACCO |
| noctiflora | |
| rustica | AZTEC T. |
| sanderae† Cy | SANDER T. |
| See hort. var. list below. | |
| sylvestris | |
| tabacum | COMMON T. |
| tomentosa (colossea) | Giant T. |
| Hort. var. of Nicotiana: | |
| JASMINE TOBACCO (N. alata grandi- | |
| flora† Cy; affinis) | |

NICOTIANA (Hort. var.), continued

| | |
|-----------------------------------|--------------------------|
| RED TOBACCO (Nicotiana tabacum | |
| macrophylla† Cy) | |
| SANDER T. (N. sanderae† Cy; alata | |
| ×forgetiana) | |
| NIEREMBERGIA | CUPFLOWER |
| frutescens | TALL C. |
| gracilis | SLENDER C. |
| rivularis | WHITECUP |
| NIGELLA | LOVE-IN-A-MIST |
| damascena | LOVE-IN-A-MIST |
| NIGGERHEAD CACTUS | - |
| Echinocactus horizonthalonius | |
| NIGHTBLOOMING CEREUS, NIGHT- | |
| BLOOMING CESTRUM, etc. See | |
| CEREUS, Cestrum, etc. | |
| NIGHTJASMINE | Nyctanthes arbor-tristis |
| NIGHTPHLOX | Zaluzianskya capensis |
| NIGHTSHADE | Solanum |
| BITTER N. | S. dulcamara |
| BLACK N. | S. nigrum |
| BRAZILIAN N. | S. seaforthianum |
| CATALINA N. | S. wallacei |
| COLA RICAN N. | S. wendlandi |
| EGGPLANT | Solanum species |
| FRANCISCAN-NIGHTSHADE | |
| Brunfelsia americana | |
| GREAT JASMINE N. (Solanum jas- | |
| minoides grandiflorum† Cy) | |
| JASMINE N | Solanum jasminoides |
| JERUSALEM-CHERRY | |
| S. pseudocapsicum | |
| PARAGUAY N. | S. rantonetti |
| PEPINO | S. muricatum |
| POTATO | S. tuberosum |
| PURPLE N. | S. xanti |
| SOLANBERRY | S. nigrum guineense |
| TREE N. | S. giganteum |
| YELLOW N. | S. warscewiczi |
| NIKKO ENKIANTHUS, NIKKO FIR, etc. | |
| See Enkianthus, FIR, etc. | |
| NINEBARK | Physocarpus |
| COMMON N. | P. opulifolius |
| GOLDLEAF N. (P. o. luteus† Cy) | |
| ILLINOIS N. | P. intermedius |
| MALLOW N. | P. malvaceus |
| TWINPOD N. | P. bracteatus |
| NINELEAF OXALIS | Oxalis enneaphylla |
| NINGALA BAMBOO | Arundinaria falcata |

| | | |
|---|----------------------------|---|
| NINGPO CLEMATIS | | NUT |
| | Clematis lanuginosa | BITTERNUT . . . Hicoria cordiformis |
| NINTOOA | LONICERA | BLADDERNUT . . . Staphylea |
| NIOBE Ag | HOSTA | BUTTERNUT . . . Juglans cinerea |
| NIPHOBOLUS . . . | CYCLOPHORUS | CANDLENUT . . . Aleurites |
| NIPPLE POLYPODY | | CHESTNUT . . . Castanea |
| | Polypodium percussum | HAZELNUT . . . Corylus |
| NIPPON HAWTHORN, NIPPON SPIREA, etc. See HAWTHORN, SPIREA, etc. | | MOCKERNUT . . . Hicoria alba |
| NIPPON-BELLS . . . | Shortia uniflora | PEANUT . . . Arachis; A. hypogaea |
| NOBLE FIR | Abies nobilis | PIGNUT Hicoria glabra |
| NODDING LILAC, NODDING TRILLIUM, etc. See LILAC, TRILLIUM, etc. | | QUEENSLAND-NUT . . . Macadamia ternifolia |
| NODFRUIT ROSE . . . | Rosa setipoda | SINGHARA-NUT . . . Trapa bispinosa |
| NOLANA | NOLANA | WALNUT Juglans |
| paradoxa (<i>atriplicifolia</i> ; <i>grandiflora</i>) . . . | DARK BLUE NOLANA | WINGNUT Pterocarya |
| NOLINA | NOLINA | NUT PINE Pinus edulis |
| beldingi | | NUTKA ROSE Rosa nutkana |
| longifolia | | NUTMEG CALIFORNIA-NUTMEG |
| parryi | PARRY N. | Torreya californica |
| NOOTKA CYPRESS | Chamaecyparis nootkatensis | COMMON N. . . Myristica fragrans |
| NOPALEA | | NUTMEG GERANIUM . . . Pelargonium odoratissimum |
| auberi | | NYCTANTHES . . . NIGHTJASMINE |
| cochenillifera . COCHINEAL CACTUS | | arbor-tristis . . . NIGHTJASMINE |
| dejecta | | NYCTERINIA . ZALUZIANSKYA |
| NORBERT MAGNOLIA (<i>Magnolia soulangiana norbertiana</i> † Cy) | | NYCTOCEREUS |
| NORDMANN FIR Abies nordmanniana | | serpentinus (<i>Cereus serpentinus</i>) . . . SERPENT CACTUS |
| NORFOLK-ISLAND-PINE | Araucaria excelsa | NYMPHAEA (CASTALIA Ag) . . . WATERLILY |
| NORTHERN BAYBERRY, NORTHERN BEDSTRAW, etc. See BAYBERRY, BEDSTRAW, etc. | | Under the American Rules the name Nymphaea is used for the yellow pond- lilies or Spatterdocks (Nuphar), and the name Castalia for the true Waterlilies, which are known as Nymphaea in the trade. |
| NORWAY MAPLE, NORWAY SPRUCE, etc. See MAPLE, SPRUCE, etc. | | advena Ag Nuphar advena |
| NOSEGAY FRANGIPANI | Plumeria rubra | alba (<i>Castalia alba</i> Ag) |
| NOTCHLEAF SEA-LAVENDER | Limonium sinuatum | EUROPEAN WHITE WATERLILY |
| NOVEMBER GOLDENROD | | See also hort. var. list on page 295. |
| NUPHAR | Solidago serotina | caerulea (<i>C. caerulea</i> Ag) |
| advena (<i>Nymphaea advena</i> Ag) | SPATTERDOCK | BLUE EGYPTIAN LOTUS |
| | SPATTERDOCK | candidissima |
| | | LARGE EUROPEAN WATERLILY |
| | | Hort. var. of <i>N. alba</i> . |
| | | capensis CAPE W. |
| | | —zanzibariensis . . . ZANZIBAR W. |
| | | See also hort. var. list on page 295. |
| | | dentata . . . <i>Nymphaea lotus dentata</i> |
| | | elegans . . . SEÑORITA WATERLILY |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

NYMPHAEA, continued

- flava* . . . *Nymphaea mexicana*
flavovirens . . . FROG WATERLILY
gigantea (*Castalia gigantea* Ag)
 AUSTRALIAN W.
gracilis . . . WHITE MEXICAN W.
lotus (*Castalia lotus* Ag)
 WHITE EGYPTIAN LOTUS
—*dentata*
 SIERRA LEONE WATERLILY
mexicana (*Castalia mexicana* Ag;
 flava)
 YELLOW MEXICAN WATERLILY
odorata (*Castalia odorata* Ag)
 AMERICAN W.
—*rosea* (*odorata rubra*)
 CAPE COD W.
 See also hort. var. list below.
ovalifolia . . . TABORA W.
pygmaea . . . N. *tetragona*
rubra . . . RED INDIA WATERLILY
tetragona (*pygmaea*; *Castalia tetra-*
gona Ag) . . . PYGMY WATERLILY
 See also hort. var. list below.
tuberosa (*Castalia tuberosa* Ag)
 MAGNOLIA W.
 See also hort. var. list below.
zanzibariensis
 N. *capensis zanzibariensis*
Hort. var. of WATERLILY, *Nymphaea*:
 ANDRE (*andreana*)
 ARETHUSA
 ATTRACTION
 AURORA
 BISSET (*bissetii*)
 BLUE BEAUTY (*pulcherrima*)
 DAUBEN (*daubeniana*)
 DEAN (*deaniana*)
 DEVONSHIRE (*devoniensis*)
 ERNST LUDWIG (*Grossherzog Ernst*
 Ludwig)
 ESCARBOUCLE
 EXQUISITE (*odorata exquisita*)
 EUGENIA DE LAND
 FIRE MARLIAC (*marliacea ignea*)
 FLAME MARLIAC (*marliacea flam-*
 mea)
 FLESH MARLIAC (*marliacea carneae*)
 FORMOSA
 FRANK TRELEASE

NYMPHAEA (Hort. var.), continued

- FROEBEL (*froebeli*)
 GEORGE HUSTER
 GLADSTONE (*gladstoniana*)
 GLORY (*gloriosa*)
 GRAZIELLA
 HELEN FOWLER
 HESSEL (*odorata sulphurea grandiflora*)
 HOPATCONG (*N. tuberosa maxima*†
 Cy; *odorata maxima*)
 JAMES BRYDON
 JUBILEE
 JUNO (*dentata superba*)
 KEW (*kewensis*)
 LARGE EUROPEAN (*N. alba candidissima*† Cy)
 LAYDEKER (*laydekeri*)
 LAYDEKER PURPLE (*laydekeri purpurea*)
 LAYDEKER ROSE (*laydekeri rosea*)
 LAYDEKER YELLOW (*laydekeri fulva*)
 LILAC (*laydekeri lilacea*)
 LOOSÉ
 MINERVA (*dentata magnifica*)
 MARLIAC (*marliacea*)
 MRS. C. W. WARD
• MRS. EDWARDS WHITAKER
 MRS. WOODROW WILSON
 O'MARA (*omarana*)
 PALE CAPE (*Nymphaea capensis azurea*† Cy)
 PANAMA-PACIFIC
 PAUL HARIOT
 PENNSYLVANIA
 PINK OPAL
 RED EUROPEAN (*alba rubra*)
 RED MAGNOLIA (*tuberosa rubra*)
 RICHARDSON (*tuberosa richardsoni*)
 ROBINSON (*robinsoni*)
 ROSE AREY
 ROSE MAGNOLIA (*tuberosa rosea*)
 ROSE MARLIAC (*marliacea rosea*)
 ROSY CAPE (*N. capensis rosea*† Cy)
 SEIGNORET (*seignoreti*)
 SIOUX
 SMALL AMERICAN (*N. odorata minor*† Cy)
 SPOTTED MARLIAC (*marliacea rubra punctata*)

NYMPHAEA (Hort. var.), continued

- STURTEVANT (*sturtevanti*)
 SULPHUR (*odorata sulphurea*)
 VESUVE
 W. B. SHAW
 WHITE MARLIAC (*marliacea albida*)
 WILLIAM BECKER
 WILLIAM DOOGUE
 WILLIAM FALCONER
 WILLIAM STONE
 YELLOW MARLIAC (*marliacea chromatella*)
 YELLOW PYGMY (*N. tetragona helvolat Cy; pygmaea helvolata*)

NYMPHOIDES **FLOATINGHEART**
indicum (*Limnanthemum indicum*)

WATER-SNOWFLAKE
lacunosum (*L. lacunosum*)
peltatum (*L. nymphaeoides*)

FLOATINGHEART**NYSSA** **TUPELO**
aquatica **BIG T.**
sylvatica (*multiiflora*) **TUPELO****OAK** **Quercus**
 ARKANSAS O. *Q. arkansana*
 AUSTRIAN TURKEY O. *Q. cerris austriaca*

- BASKET O. . SWAMP CHESTNUT OAK
 BLACK O. *Quercus velutina*
 BLACKJACK O. *Q. marilandica*
 BLUE O. *Q. douglasii*
 BLUE JAPANESE O. *Q. glauca*
 BRISTLETOOTH O. *Q. serrata*
 CALIFORNIA BLACK O. *Q. kelloggii*
 CALIFORNIA LIVE O. *Q. agrifolia*
 CALIFORNIA WHITE O. *Q. lobata*
 CHESTNUT O. *Q. prinus*
 CHINQUAPIN O. *Q. muehlenbergii*
 COMBLEAF ENGLISH O. . (*Q. robur pectinata Cy*)

- COMMON RED O. *Q. rubra*
 CORK O. *Q. suber*
 DAIMYO O. *Q. dentata*
 DAUVESSE ENGLISH O. . (*Q. robur daviessei Cy*)

- DURMAST O. *Q. sessiliflora*
 DWARF CHINQUAPIN O. . *Q. prinoides*
 ENGLISH O. *Q. robur*
 EUROPEAN TURKEY O. *Q. cerris*
 FORD HOLLY O. . (*Q. ilex fordii Cy*)

OAK, continued

- GEORGIA O. *Quercus georgiana*
 GOLDEN ENGLISH O. . (*Q. robur cordata Cy*)
 GREEN PYRAMIDAL O. . Hort. var. of *Q. robur*.
 HOLLY O. *Q. ilex*
 ITALIAN O. *Q. conferta*
 JAPANESE EVERGREEN O. . *Q. acuta*
 JERUSALEM-OAK
Chenopodium botrys
 LAUREL O. *Quercus laurifolia*
 LIVE O. *Q. virginiana*
 MONGOLIAN O. *Q. mongolica*
 MOSSYCUP O. *Q. macrocarpa*
 NORTHERN PIN O. *Q. ellipsoidalis*
 NORTHERN RED O.

- Q. rubra ambigua*
 OREGON O. *Q. garryana*
 ORIENTAL O. *Q. variabilis*
 ORIENTAL WHITE O. *Q. aliena*
 OVERCUP O. *Q. lyrata*
 PIN O. *Q. palustris*
 PLUME DAIMYO O. . (*Q. dentata pinatifida Cy*)

- POST O. *Q. stellata*
 PURPLE ENGLISH O. . (*Q. robur atropurpurea Cy*)
 PYRAMIDAL ENGLISH O. . (*Q. robur fastigiata Cy*)

- RED OAK
 See COMMON RED OAK, NORTHERN RED OAK, and SOUTHERN RED OAK.
 SAND BLACKJACK O.

- Quercus catesbeiae*
 SCARLET O. *Q. coccinea*
 SCRUB O. *Q. ilicifolia*
 SHALLOWCUP MONGOLIAN O.
Q. mongolica grosseserrata
 SHINGLE O. *Q. imbricaria*
 SILK-OAK *Grevillea robusta*
 SOUTHERN RED O. . *Quercus falcata*
 SPANISH O. SOUTHERN RED OAK
 SWAMP CHESTNUT O.

- Quercus michauxii*
 SWAMP WHITE O. *Q. bicolor*
 VARIABLE O. *Q. heterophylla*
 WATER O. *Q. nigra*
 WEEPING ENGLISH O. . (*Q. robur pendula Cy*)
 WHITE O. *Q. alba*
 WILLOW O. *Q. phellos*

- OAKESIA UVULARIA
 OAKFERN *Dryopteris linnaeana*
 OAKLEAF HYDRANGEA, OAKLEAF GOLD-
 ENCHAIN, etc. See HYDRANGEA,
 GOLDENCHAIN, etc.
 OATGRASS *Arrhenatherum*
 TALL O. *A. elatius*
 TUBER O. *A. bulbosum*
 VARIEGATED O. Hort. var. of *A.*
 bulbosum.
 OATS *Avena*; *A. sativa*
 ANIMATED O. *A. sterilis*
 OBELISCARIA LEPACHYS
 O'BRIAN CINQUEFOIL *Potentilla obriana*
 OCEANSRAY
 Holodiscus discolor ariaefolius
 OCIMUM BASIL
 basicum COMMON B.
 OCONEE-BELLS *Shortia galacifolia*
 OCTOBER CLEMATIS, OCTOBER HAW-
 THORN, etc. See CLEMATIS,
 HAWTHORN, etc.
 OCTOMERIA
 diaphana
 ODESSA TAMARIX . *Tamarix odessana*
 ODONTOIODA
 See ORCHID GENERA.
 ODONTOGLOSSUM
 See ORCHID GENERA.
 ODONTONEMA
 schomburgkianum (*Thrysacanthus*
 rutilans)
 ODONTONIA
 See ORCHID GENERA.
 ODONTOSORIA
 chinensis (*Davallia tenuifolia*)
 ODOSTEMON MAHONIA
 OENOTHERA
 EVENING-PRIMROSE, SUNDROPS
 acaulis DANDELION S.
 biennis COMMON EVENING-PRIMROSE
 bistorta (*Sphaerostigma bistorta*) TWISTED SUNDROPS
 brachycarpa (*Lavauxia brachycarpa*)
 caespitosa (*Pachylophus caespito-*
 sus) TUFTED EVENING-PRIMROSE
 californica
 drummondii DRUMMOND E.
 OENOTHERA, continued
 eximia (*Pachylophus eximius*) WHITE EVENING-PRIMROSE
 fraseri *Oenothera glauca fraseri*
 fruticosa (*Kneiffia fruticosa*) COMMON SUNDROPS
 See also hort. var. list below.
 glaucua (*K. glaucua*) BLUELEAF S.
 —*fraseri* FRASER S.
 lamarckiana LAMARCK EVENING-PRIMROSE
 missouriensis (*macrocarpa*; *Megap-*
 terium missouriense) MISSOURI SUNDROPS
 muricata OZARK SUNDROPS
 NORTHERN EVENING-PRIMROSE
 pilgrimi PILGRIM SUNDROPS
 rosea (*Hartmannia rosea*) ROSE S.
 serratula (*Meriolix serrulata*)
 speciosa (*Hartmannia speciosa*)
 tetraptera (*H. tetraptera*)
 viridescens
 whitneyi *Godetia grandiflora*
 youngi YOUNGS SUNDROPS
 Hort. var. of *O. fruticosa*.
 Hort. var. of Oenothera:
 BUSH SUNDROPS (*Oenothera fruticosa*
 majort Cy)
 YOUNGS S. (*O. f. youngi Cy*)
 OHLO *Vaccinium reticulatum*
 OHIO BUCKEYE *Aesculus glabra*
 OKRA *Hibiscus esculentus*
 OLD GARDEN DAHLIA *Dahlia rosea*
 OLDMAN CACTUS *Cephalocereus senilis*
 OLD-WORLD ARROWHEAD *Sagittaria sagittifolia*
 OLEA OLIVE
 europaea COMMON O.
 fragrans *Osmanthus fragrans*
 OLEANDER *Nerium*
 COMMON O. N. *oleander*
 SWEET O. N. *odorum*
 YELLOW-OLEANDER *Thevetia nerifolia*
 OLEANDER ALLAMANDA, OLEANDER
 WILLOW, etc. See Allamanda,
 WILLOW, etc.
 OLEARIA DAISYTREE
 The name of this genus under the
 American Rules is Shawia.
 haasti

| | | | |
|--|--|--|---------------------------|
| <i>Oleaster</i> | RUSSIAN-OLIVE: <i>Elaeagnus angustifolia</i> | <i>RUBUS</i> | <i>Lobelia kalmii</i> |
| OLEASTER PEAR | <i>Pyrus elaeagrifolia</i> | <i>ONYCHIUM</i> | CLAWFERN |
| OLIVE | <i>Olea</i> | <i>japonicum</i> | JAPANESE C. |
| COMMON O. | <i>O. europaea</i> | <i>OPHIOGLOSSUM</i> | ADDERSTONGUE |
| For cultivated varieties of Olive, see American Pomological Society's List of Fruits, in Appendix. | | <i>vulgatum</i> | COMMON A. |
| FALSE-OLIVE | <i>Elaeodendron; E. orientale</i> | <i>OPHIOPOGON</i> | SNAKEBEARD |
| RUSSIAN-OLIVE | <i>Elaeagnus angustifolia</i> | <i>jaburan</i> | JABURAN |
| SPURGE-OLIVE | <i>Cneorum; C. tricoccum</i> | <i>japonicus</i> | JAPANESE SNAKEBEARD |
| OLIVE DAPHNE | <i>Daphne oleoides</i> | Hort. var. of <i>Ophiopogon</i> : | |
| OLIVELEAF WILLOW | <i>Salix cinerea oleifolia</i> | <i>GOLDSTRIPE JABURAN</i> (<i>O. jaburan aureus variegatus Cy</i>) | |
| OLYMPIC 'AUBRIETIA', OLYMPIC COMBINE, etc. See <i>Aubrieta</i> , COLUMBINE, etc. | | <i>OPIUM POPPY</i> | <i>Papaver somniferum</i> |
| OMPHALODES | NAVELSEED <i>cornifolia (cappadocica)</i> | <i>OPLISMENUS</i> | |
| | DOGWOOD N. <i>linifolia (Cynoglossum linifolium)</i> | <i>compositus</i> (<i>O. hirtellus Cy; Panicum variegatum</i>) | BASKET GRASS |
| verna | FLAXLEAF N. <i>verna</i> | Often miscalled <i>O. hirtellus</i> , a species not in cultivation. | |
| Hort. var. of <i>Omphalodes</i> : | VENUSBUTTON | <i>OPULASTER Ag PHYSOCARPUS</i> | |
| WHITE VENUSBUTTON (<i>O. verna alba† Cy</i>) | | <i>OPUNTIA</i> | PRICKLYPEAR |
| ONCIDIODA | See ORCHID GENERA. | <i>arborescens</i> | <i>O. imbricata</i> |
| ONCIDIUM | See ORCHID GENERA. | <i>arenaria</i> | SAND CACTUS |
| ONE-FLOWER HAWTHORN | <i>Crataegus uniflora</i> | <i>basilaris</i> | BEAVERTAIL C |
| ONE-LEAF LOCUST (<i>Robinia pseudo-acacia monophylla† Cy</i>) | | <i>bigelovii</i> | |
| ONION | Allium; <i>A. cepa</i> | <i>brasiliensis</i> | |
| CHIVE | <i>A. schoenoprasum</i> | <i>compressa</i> | COMMON PRICKLYPEAR |
| GARLIC | <i>A. sativum</i> | <i>emoryi</i> | |
| LEEK | <i>A. porrum</i> | <i>engelmanni</i> | |
| NODDING O. | <i>A. cernuum</i> | <i>ficus-indica</i> | |
| SEA-ONION | Urginea; <i>U. scilla</i> | <i>fragilis</i> | |
| SHALLOT | Allium ascalonicum | <i>imbricata (arborescens)</i> | |
| WELSH O. | <i>A. fistulosum</i> | WALKINGSTICK CACTUS | |
| ONOCLEA | | <i>leptocaulis</i> | |
| sensibilis | SENSITIVE FERN | <i>leucotricha</i> | AARONSBEARD C. |
| <i>struthiopteris</i> | <i>Pteretis nodulosa</i> | <i>mesacantha</i> | |
| ONOPORDON (ONOPORDUM Ag) | COTTONTHISTLE | <i>microdasy</i> | |
| <i>tauricum</i> | <i>TAURUS C.</i> | <i>monacantha</i> | <i>O. vulgaris</i> |
| | | <i>phaeacantha</i> | |
| | | <i>polyacantha</i> | |
| | | <i>robusta</i> | |
| | | <i>subulata (Pereskia subulata)</i> | |
| | | <i>tomentosa</i> | |
| | | <i>tuna</i> | |
| | | <i>vulgaris (monacantha)</i> | |
| ORACH | | | |
| GARDEN O. | | | <i>Atriplex hortensis</i> |
| ORANGE | | | <i>Citrus sinensis</i> |
| CHERRY-ORANGE | | | <i>Citropsis</i> species |
| HARDY O. | | | <i>Citrus trifoliata</i> |
| KING O. | | | <i>C. nobilis</i> |

BOLD-face=approved scientific names. ITALIC=synonyms or unapproved names.

ORANGE, continued

- MANDARIN O. *Citrus nobi's deliciosa*
 MEXICAN-ORANGE . *Choisya ternata*
 MOCKORANGE *Philadelphus*
 OSAGE-ORANGE . *Maclura pomifera*
Otaheite O. TAHITI ORANGE
 SATSUMA O. . *Citrus nobilis unshiu*
 SEVILLE O. *C. aurantium*
 TAHITI O. *C. taitensis*
 For varieties of Orange cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix.

ORANGE CONEFLOWER, ORANGE DAY-LILY, etc. See CONEFLOWER, DAYLILY, etc.

ORANGECUP LILY

Lilium philadelphicum

- ORANGE-EYE BUTTERFLYBUSH
Buddleia davidi
 ORANGE-JASMINE . . *Chalcas exotica*
 ORANGE-ROSE BUTTERFLYFLOWER
Schizanthus retusus

- ORCHARD GRASS . *Dactylis glomerata*
 ORCHID

For consolidated list of the genera, species, and varieties of Orchid, see ORCHID GENERA, page 300.

- ARETHUSA . . . *Arethusa bulbosa*
Baby O. . . *Odontoglossum grande*
 BLETIILLA *Bletilla*
 HYACINTH B. . . *B. hyacinthina*
 BOG-ORCHID
 WHITE B. . . *Habenaria dilatata*
 BUTTERFLY ORCHID

- Oncidium papilio*
 CALYPSO *Calypso bulbosa*
 CATTLEYA *Cattleya*
 ACLAND C. . . . *C. aclandiae*
 LAWRENCE C. . . *C. lawrenceana*
 LEOPOLD C. . . . *C. leopoldi*
 QUEEN C. *C. dowiana*
 CRADLE-ORCHID *Anguloa*
 CLOWES C. *A. clowesi*
 IVORY C. *A. c. eburnea*
 RUCKER C. *A. ruckeri*

- FRINGE-ORCHID
 LARGE PURPLE F.
Habenaria fimbriata
 SMALL PURPLE F. . *H. psycodes*
 WHITE F. . . *H. blephariglottis*
 YELLOW F. *H. ciliaris*

ORCHID, continued

- GRASS-PINK ORCHID
Calopogon pulchellus
 HOLY-GHOST-FLOWER
Peristeria elata
 HOOKER O. . . *Habenaria hookeri*
 JUMPING O.
Catasetum macrocarpum
 LADIES-TRESSES . . . *Spiranthes*
 NODDING L. *S. cernua*
 PAINTED L. *S. picta*
 SHORTLEAF L. *S. brevifolia*
 SLENDER L. *S. gracilis*
 LADYSLIPPER *Cypripedium*
 BROWNIE L. . . . *C. fasciculatum*
 CALIFORNIA L. . *C. californicum*
 COMMON YELLOW L.
 C. pubescens
 MOUNTAIN L. . . . *C. montanum*
 PINK L. *C. acaule*
 RAMSHEAD L. . . . *C. arietinum*
 SHOWY L. *C. spectabile*
 SMALL YELLOW L. *C. parviflorum*
 WHITE L. *C. candidum*
 LAELIA *Laelia*
 MOTH-ORCHID *Phalaenopsis*
 NECKLACE O. . . *Coelogyne dayana*
 NORTHERN GREEN O.
Habenaria hyperborea
 ORCHIS *Orchis*
 SHOWY O. *O. spectabilis*
 SMALL ROUNDLEAF O.
O. rotundifolia
 PANSY-ORCHID *Miltonia*
 POGONIA *Pogonia*
 ROSE P. *P. ophioglossoides*
 PUTTYROOT . . *Aplectrum hyemale*
 RATTLESNAKE-PLANTAIN *Goodyera*
 CHECKERED R. . . *G. tessellata*
 CREEPING R. . . . *G. repens*
 DAWSON R. . . . *G. dawsoniana*
 DOWNY R. *G. pubescens*
 WESTERN R. . . . *G. decipiens*
 SATYR O. . . *Habenaria bracteata*
 SPIDER-ORCHID *Brassia*
 LAWRENCE S. . . *B. lawrenceana*
 SPOTTED S. *B. maculata*
 SWAN-ORCHID *Cycnoches*
 COMMON S. *C. chlorochilon*
 EGERTON S. *C. egertonianum*

ORCHID, continued

- TULIP O. *Cattleya citrina*
 TWAYBLADE *Liparis*
 LILY T. *L. liliifolia*
 LOESEL T. *L. loeseli*
 VANILLA *Vanilla*
 MEXICAN V. *V. planifolia*
 SOUTH AMERICAN V. *V. aromatic*

WINDMILL O.

- Cirrhopetalum refractum*

ORCHID GENERA

For convenience of reference the genera, species, and varieties of Orchids are here brought together in one consolidated list.

The American Joint Committee wishes to acknowledge its great indebtedness to the Ames Botanical Laboratory, North Easton, Massachusetts, and to Mr. F. Tracy Hubbard, Compiler, for supplying the material for Orchid Genera. A careful reading of Mr. Hubbard's statement below will show the lamentable chaos and confusion now existing in Orchid names, especially other than American terrestrial forms, occasioned by a lack of generally accepted standard principles for plant naming, and the almost inextricable tangle of Latin polynomials occasioned by the efforts of the hybridizer to carry the plant's pedigree in the name, and his reluctance to translate such polynomials into good English common names.

It is an unfortunate fact perhaps that very few Orchids, excepting the comparatively few terrestrial forms, are known under common or vernacular English names. Also, it is quite possible that with many rare species, which will probably never be generally distributed, a common English name would serve no useful purpose.

It is only fair to state here that Mr. Hubbard supplied common names for a large percentage of the Orchids in this list; but owing to the fact that usually such common names were literal translations of the Latin names (a device that has proved rarely satisfactory in other plant groups), and for the other reasons given above, it seemed to the American Joint Committee wise to omit them in Standardized Plant Names.

Considering these severe handicaps, and many others not discussed here, Mr. Hubbard has done an exceedingly creditable piece of work, and has conformed so far as could be done at the present time to the principles practiced by the American Joint Committee.

It is a notable beginning and should lead

ORCHID GENERA, continued

to the formation of an expert committee on Orchid nomenclature, to the end of simplifying and standardizing the names of species, natural varieties, and horticultural varieties of this remarkable and beautiful family of plants.

AMERICAN JOINT COMMITTEE

HARLAN P. KELSEY, Secretary.

STATEMENT OF F. TRACY HUBBARD

The genera, species, and varieties of Orchids in this list are in cultivation or have been offered for sale in America.

The Orchids present certain difficulties in conforming to the precedent, established in this work, of using common names in alphabetic sequence for horticultural varieties.

In this list the exact spelling as applied in horticulture or in the trade has been followed, except in such cases as incorrect termination or obvious transposition of letters, and if such spelling differs from the accepted spelling it has been attempted to point out, wherever possible, what was presumably intended. Many minor misspellings have been omitted as being superfluous.

In the case of hybrids the parentage has been designated, wherever known, and Rolfe and Hurst's Orchid Stud-book has been accepted as authoritative with certain qualifications:

1. In some instances in which the horticultural name of a parent differs from the botanically correct name, the horticultural name has been maintained; for instance, *Cattleya gigas*, the horticultural name, is adopted instead of *Cattleya warscewiczii*, the older and botanically correct name.

2. The Stud-book gives only the species name of the two parents. Where clearly designated in literature, the varietal form of the parent has been added.

3. If one of the parents as commonly cited is given a name which has been made a synonym in this list, the name here accepted is given, followed by the synonym in parentheses.

4. Where a varietal name has been carelessly raised to the rank of a species, the omission of the species name has been rectified by its insertion in brackets []. Furthermore, many hybrids accepted horticulturally are in reality minor variations of the same major cross and are not considered worthy of separation. Following the Stud-book, these have been treated as synonyms, and the name applied by the Stud-book, even though in some instances not in horticultural usage, has been adopted.

Throughout the Orchid list certain forms and abbreviations have been used. Parentheses () indicate that the en-

ORCHID GENERA, continued

closed portion is as in horticulture or the trade; brackets [] that the enclosure is our insertion. ABL signifies Ames Botanical Laboratory, and is used to designate the name which is botanically best according to our conception. Cy, as usual, designates the name used in Bailey's Standard Cyclopedia of Horticulture, when different from the name adopted in the list. Hyb. stands for hybrid and Nat. hyb. for natural hybrid.

Finally, certain genera, although more or less commonly known in horticulture under a given name, have been reduced to the more correct scientific name, where it has been judged best. The most noticeable of these changes are the replacement of *Platyclinis* by *Dendrochilum* and *Pescatorea* by *Zygodontum*. A few species usually known in horticulture under genera to which they certainly do not belong have been referred to their correct genera, for example *Saccellabium retusum*, also known quite as commonly as *S. blumei*, has been changed to *Rhynchostylis retusa*.

AMES BOTANICAL LABORATORY
F. TRACY HUBBARD, Compiler.

ACAMPE

grandiflora

Not found in botanical literature, probably a horticultural variety.

*multiflora**papillosa*

ACANTHOPHIPIUM

javanicum

ACINETA

*barkeri**superba* (*A. humboldti* Cy)

ACROPERA . . . GONGORA

loddigesii *G. galeata*

ADA

aurantiaca

AERIDES

affine *A. multiflorum**—roseum*

Hort. var. of *A. multiflorum*.

*crassifolium**expansum* *A. falcatum**—leoniae* *A. falcatum leonaei**—leonis* *A. falcatum leonaei**falcatum* (*expansum*; *larpentae*)*—houilletianum* (*Aerides houilletianum* Cy)*—leonaei* (*expansum leoniae*; *expansum leonis*)

ORCHID GENERA (AERIDES), continued

fieldingi

houilletianum Cy*A. falcatum houilletianum**larpentae**A. falcatum**lawrenciae**—sanderianum* (*sanderianum*)*lobbi* *A. multiflorum lobbi**maculosum**multiflorum* (*affine*)*—lobbi* (*lobbi*)*odoratum**—majus* (*A. virens* Cy)*quinquevulnera**sanderianum**A. lawrenciae sanderianum**vandarum**violaceum*

Not found in botanical literature, probably a horticultural variety.

virens Cy . . . *A. odoratum majus*

ANAETOCHILUS

ANOECTOCHILUS

ANGRAECUM

*articulatum**citratum**distichum* . *Mystacidium distichum**eburneum**—superbum**eichlerianum**leonis**modestum* (*sanderianum*)*sanderianum* *A. modestum**scottianum**sesquipedale*

ANGULOA . . . CRADLE-ORCHID

candida

Not found in botanical literature, probably a horticultural variety.

clowesi . *CLOWES CRADLE-ORCHID**—eburnea* *IVORY C.**eburnea* *A. clowesi eburnea**modestans*

Not found in botanical literature, probably a horticultural variety.

ruckeri . *RUCKER CRADLE-ORCHID*

ANOECTOCHILUS

marmorata

Not found in botanical literature, probably *Dossinia marmorata*.

ANSELLIA

africana

ORCHID GENERA, continued

APLECTRUM . . . PUTTYROOT
hyemale PUTTYROOT

ARACHNANTHE

clarkei (*Arachnis clarkei* ABL)
lowei (*Arachnis lowei* ABL; *Renanthera lowei* Cy; *Vanda lowei*)

ARACHNIS. ARACHNANTHE

ARETHUSA . . . ARETHUSA
bulbosa ARETHUSA

ARPOPHYLLUM
giganteum

ASPASIA
lunata
variegata

BARKERIA
 Botanically only a section of Epidendrum.

hindleyana *B. lindleyana*
lindleyana (*Epidendrum lindleyanum* ABL-Cy)

spectabilis (*E. spectabile* ABL-Cy)

BATEMANNIA
burtii *Zygopetalum burtii*

BIFRENARIA
atropurpurea
dallmagniei *B. tyrianthina*
harrisoniae (*Lycaste harrisoniae*)
tyrianthina (*dallmagniei*)

BLEPHARIGLOTTIS
HABENARIA

BLETIA
hyacinthina . . . *Bletilla hyacinthina*

BLETIILLA *BLETIILLA*
hyacinthina . (*Bletilla striata* ABL)
 HYACINTH B.

BOLLEA . . . **ZYGOPETALUM**

BRASSAVOLA
 For hybrids, see also *Brassocattlaelia*.

cucullata
digbyana (*Laelia digbyana* Cy)
fragrans
glauca (*L. glauca* Cy)
nodosa

ORCHID GENERA (BRASSAVOLA), cont.

The following crosses have appeared in horticulture without names:

B. digbyana \times *Lc. martineti*
Brassocattlaelia ASTARTE
B. digbyana \times *Lc. rubens*. This is a *Brassocattlaelia*. ABL.

BRASSIA . . . SPIDER-ORCHID
brachiata
gigantea

Not found in botanical literature, probably a horticultural variety.

lawrenceana . . . LAWRENCE S.
 —*longissima*
maculata SPOTTED S.
verrucosa

BRASSOCATTLAELIA

Also written *Brasso-Cattleya-Laelia*. Crosses between *Brassavola* and *Laeliocattleya* or *Cattleya* and *Brassolaelia*.

ASTARTE (*Brassavola digbyana* \times *L. martineti*)

HELEN SKINNER (*Brassolaelia Helen* \times *C. skinneri*)

mackayi (*B. digbyana* \times *L. elegans*)

ROWENA (*B. digbyana* \times *Lc. Doris*)

WOTAN (*Brassocattlaelia leemanniae* \times *Lc. callistoglossa*)

BRASSOCATTLEYA

Also written *Brasso-Cattleya*. Crosses between *Brassavola* and *Cattleya*.

ADMIRAL JELlico (*Brassocattleya veitchii* \times *C. rothschildiana*)

CALYPSO (*Dante*; *Brassavola digbyana* \times *C. bicolor*)

CARMEN (*B. digbyana* \times *C. Mrs. Myra Peters*)

conspicua (*B. digbyana* \times *C. leopoldii*)

CORDELIA (*B. digbyana* \times *C. intermedia*)

cyclops

Parents unknown.

Dante **CALYPSO**

Empress of Russia **B. maroni**

enterpe **B. euterpe**

euterpe (*enterpe*; *Brassocattleya langleyensis* \times *C. schilleriana*)

EVA (*Brassavola digbyana* \times *C. lawrenceana*)

ORCHID GENERA (BRASSOCATTLEYA),
continued

fournierae (*fournieri*; *B. digbyana* × *C. labiata*)

fournieri *B. fournierae*
heatonensis (*Brassovola digbyana* × *C. hardyana*)

holfordi (*B. digbyana* × *C. forbesi*)

hyæe (*Mme. Hye*; *B. digbyana* × *C. harrisoniana*)

ILENE (*Brassocattleya maronae* × *C. dowiana*)

Imperatrice de Russie . . . *B. maroni*
jessopi

Hyb.—probably the same as *Brassolaelia jessopi*.

KING EDWARD VII

Hyb.—possibly the same as *Brassolaelia veitchii*.

langleyensis (*Brassavola digbyana* × *C. schroederiana*)

—*eminens*

leemanniae (*leemani*; *B. digbyana* × *C. dowiana*)

leemani *B. leemanniae*

Mme. Hye *B. hyæe*

mariae (*Brassavola digbyana* × *C. warneri*)

MARIE

Hyb.—not found in botanical literature,
probably the same as *B. mariae*.

maronae (*B. digbyana* × *C. gigas*)

maroni (*Empress of Russia*; *Im-*
peratrice de Russie)

MARS (*Brassocattleya leemanniae* × *C. rafaeliae*)

menda (*B. veitchii* × *C. labiata*)

NESTOR (*B. maronae* × *C. labiata*)

OBERON (*B. digbyana-mossiae* × *C. schroederiana*)

POCAHONTAS (*Brassavola digbyana* × *C. Eldorado*)

praeti (*B. digbyana* × *C. leopoldii*)

Queen Alexandra *B. veitchii*

regina

Hyb.—parents not known.

ST. ALBANS (*B. digbyana* × *C. schil-*
leriana)

sedeni (*B. digbyana* × *C. trianae*)

—*ROSALIND*

SIREN (*B. digbyana* × *C. skinneri*)

ORCHID GENERA (BRASSOCATTLEYA),
continued

thorntoni (*B. digbyana* × *C. gas-*
kelliana)

TRIUNE

Hyb.—not known.

veitchii (*Queen Alexandra*; *B. dig-*
byana × *C. mossiae*)

—*alba*

—*SUNSET*

WATTEAU

Hyb.—not known.

WOTAN

Probably the same as *Brassocattlaelia Wotan*.

The following crosses have ap-
peared in horticulture without
names.

Brassavola digbyana × *C. leopoldii*

Brassocattleya conspicua

gressi × *digbyana*
grossi × *digbyana*. This and the last are
undoubtedly the same cross, but
whether *gressi* or *grossi* (probably a
Cattleya hybrid) is correct it has been
impossible to ascertain as no such
name has been found; *digbyana* is of
course a *Brassavola*.

Brassocattleya leemanniae × *C. labiata*

B. leemanniae × *C. schroederiana*

B. leemanniae × *Laeliocattleya Nella*.
This is a *Brassocattlaelia*.

B. maronae × *Laeliocattleya Gertrude*.
This is a *Brassocattlaelia*.

B. maronae × *Laeliocattleya Voltaire*.
This is a *Brassocattlaelia*.

C. peetersiae (*Mrs. Myra Peters*) × *Bras-*
savola digbyana

BRASSO-CATTLEYA-LAELIA
BRASSOCATTLAELIA

BRASSOLAELIA

Also written *Brasso-Laelia*. Crosses be-
tween *Brassavola* and *Laelia*.

gratrixiae (*Brassavola digbyana* × *Laelia cinnabarinus*)

HELEN (*B. digbyana* × *L. tenebrosa*)

jessopi (*B. digbyana* × *L. xanthina*)

LOUIS-BEL (*B. digbyana* × *L. booth-*
iana)

rolfei (*B. digbyana* × *L. crispa*)

veitchii (*B. digbyana* × *L. purpur-*
ata)

BROUGHTONIA

sanguinea

ORCHID GENERA, continued

BULBOPHYLLUM*barbigerum**beari*Not found in botanical literature, probably an error for *B. deari*.*careyanum**comosum**congoensis*Not found in botanical literature, probably *B. congolanum* is intended.*cupreum**dayanum**deari**falcatum* ABL*Megaclinium falcatum**grandiflorum**lilacinum**lobbi**odoratissimum**reinwardti**saurocephalum**suavissimum**virescens***BURLINGTONIA (RODRIGUEZIA ABL)***candida* (*Rodriguezia candida* ABL)*decora* (*R. decora* ABL)*fragrans* (*R. fragrans* ABL)**CALANTHE***bella* (*harrisi*; *turneri* \times *veitchi*)*Bryan* *C. darblayana***CLIVE** (*veitchi* \times ?)*Cornelius Vanderbilt* . . . *C. sedeni**darblayana* (*Bryan*; *William Murray*; *regnieri* \times *vestita*)*discolor**furcata* ABL *C. veratrifolia**harrisi* *C. bella***JOBSTOWN**

Hyb.—not found in botanical literature.

*masuca**mccwilliamsi*Probably the same as *C. veitchi* McWilliams.**MRS. CORNELIUS VANBERBILT**

Hyb.—not found in botanical literature.

*orpetiana**regnieri* (*vestita regnieri* ABL-Cy)*sanderiana* (*vestita* form ABL)*rubro-oculata**C. vestita rubro-oculata*

ORCHID GENERA (CALANTHE), cont.

*sanderiana**sandhurstiana**C. veitchi sandhurstiana**sedeni* (*Cornelius Vanderbilt*; *veitchi* \times *vestita rubro-oculata*)*summitensis*. Hyb.*veitchi* (*rosea* \times *vestita*)*—alba**—MCWILLIAMS**—rosea**—sandhurstiana* (*sandhurstiana*)*—superba**—WHITIN**veratrifolia* (*furcata* ABL)*vestita**—igneo-oculata gigantea*

Form not known.

—regnieri ABL-Cy . . . *C. regnieri**—rubro-oculata* (*rubro-oculata*)*—williamsi* (*williamsi*)*William Murray* . . . *C. darblayana**williamsi* . . . *C. vestita williamsi***CALOPOGON***pulchellus* (*Limodorum tuberosum* Ag; *L. pulchellum*)

GRASS-PINK ORCHID

CALYPSO CALYPSO*bulbosa* (*Calypso borealis*; *Cytherea bulbosa* Ag) CALYPSO**CAMAROTIS***manni**purpurea* (*C. rostrata* ABL-Cy; *Sarcocilus purpureus*)**CATASETUM***bungerothii**callosum**macrocarpum* . . JUMPING ORCHID*maculatum**scurra**tabulare**viridiflavum**viridiflorum*Not found in botanical literature, probably an error for *viridiflavum*.**CATTLEYA***ACHINE* (*C. labiata alba* \times *C. rafaeliae alba*)*aclandiae* ACLAND CATTLEYA*ADONIS* (*Enid*; *mossiae* \times *gigas*)

ORCHID GENERA (CATTLEYA), continued

- adula** (*bicolor* × *hardyana*)
ALCESTIS (*bicolor* × *mendeli*)
ALEX (*Tunis* × *aurea*)
ALFRED DIMMOCK (*lawrenceana* × *aurca*)
amabilis (*labiata* × *gigas*)
amethystina *C. intermedia*
amethystoglossa (*prinzi*)
armainvillierensis (*mendeli* × *gigas*)
armstrongiae (*hardyana* × *harrisoniana*)
ARTEMIS (*Iris* × *gaskelliana*)
ATALANTA (*leopoldi* × *gigas*)
aurantiaca

Epidendrum aurantiacum

- aurea** (*dowiana aurea* Cy)

Certainly for horticultural purposes *C. aurea* should be separated from *C. dowiana*; its scientific status is open to question, just as many of the recognized species of the *labiata* group are quite probably more correctly to be classed as varieties of *C. labiata* rather than as distinct species.

—alba

- ballantineana** (*ballantina* Cy)

Said to be a nat. hyb., *trianae* × *gigas sanderiana*.

—CLEMENT MOORE

- berti** (*harrisoniana* × *labiata*)

bicolor

- blacki** (*gaskelliana* × *mendeli*)

- boadicea** (*hardyana* × *gaskelliana*)

- bogotensis** (*trianae* ABL)

- alba** (*trianae* var. ABL)

- bowringiana**

- caerulea**

- caerulescens**

- brenda** (*dusseldorfii* × *gaskelliana alba*)

- cappei alba** (*schroederiana* × *trianae alba*)

- CARMEN** (*lueddemanniana* (*speciosissima*) × *gigas*)

- Cecilia** *C. ceciliae*

- ceciliae** (*Cecilia*; *lawrenceana* × *trianae*)

- C. G. ROEBLING** (*harrisoniana* × *mendeli*)

- childsi**

Hyb.—not found in botanical literature.

ORCHID GENERA (CATTLEYA), continued

- chocoensis** (*trianae chocoensis* Cy)

The scientific status of this species is in doubt.

- chrysotoxa** *C. dowiana*

- citrina** *TULIP ORCHID*

- claesiana** (*intermedia* × *loddigesii*)

- CLARISSA** (*loddigesii* × *mendeli*)

- clarkiae** (*labiata* × *bicolor*)

- COMET** (*dowiana* × *warneri*)

- cooksoni** (*hardyana* × *trianae*)

- crispa** *Laelia crispa*

- CYBELE OAKWOOD**. Hyb.

- dietrichiana** (*schilleriana* × *trianae*)

- DIRCE** (*Vulcan* × *gigas*)

- DOMOS**

Hyb.—not found in botanical literature.

- dowiana** (*chrysotoxa*)

QUEEN CATTLEYA

- rosetti**

This may be an error for *C. dowiana rosita*.

- dupreana** (*dupreyana*; *warneri* × *gigas*)

- dupreyana** *C. dupreana*

- dusseldorfi** *UNDINE* (*mackayi* var. ABL; *intermedia* *alba* × *mossiae alba*)

- edwardi** (*Prince Edward*; *schilleriana* × *gigas*)

- ELDORADO**

- ELLA** (*bicolor* × *gigas*)

- elongata**

- Empress Frederick* . . . *C. frederickiae*

- Enid** *ADONIS*

- Enid alba** *ADONIS* var.

- EURYDICE** (*acleandiae* × *labiata*)

- FABIA** (*dowiana* × *labiata*)

- ALBA** (*dowiana* × *labiata alba*)

- Ferdinand Denis** *C. fernandi fernandi* (*Ferdinand Denis*; *gigas* × *acleandiae*)

- forbesi**

- fowleri** (*leopoldi* × *hardyana*)

- frederickiae** (*Empress Frederick*; *aurea* × *mossiae*)

- FREYA** (*dowiana* × *mantini*)

- gaskelliana**

- alba**

- albescens**

- caerulea**

ORCHID GENERA (CATTLEYA), continued

- GENERAL FRENCH (*dowiana* \times *Ella*)
- GENERAL PAU (*labiata* \times *lueddemanniana* (*speciosissima*))
- germania* (*granulosa* \times *hardyana*)
- gigas* (*warscewiczi* ABL; *warszewiczi gigas* Cy)
- alba*
- albescens*
- atropurpurea*
- beyrotdi* (*gigas* *Frau Melani Beyrodt*)
- caerulescens*
- Frau Melani Beyrodt*
- C. gigas beyrotdi*
- hardyana*
- mandaiana*
- METEOR*
- rochellensis*
- sanderiana*
- granulosa*
- guttata* (*Epidendrum elatius*)
- leopoldi* *C. leopoldi*
- hardyana* (*gigas* \times *dowiana*)
- Nat. hyb.
- alba* (*gigas alba* \times *dowiana*)
- grandiflora*
- rosea*
- RUTHERFORD*
- SPRING BROOK*
- harrisi* (*mendeli* \times *leopoldi*)
- harrisoniae* *C. harrisoniana*
- harrisoniana* (*harrisoniae*)
- gigantea*
- violacea*
- hasselli* (*frederickiae* (*Empress Frederick*) \times *labiata*)
- Heloise* *C. heloisiae*
- heloisiae* (*Heloise*; *forbesi* \times *mossiae*)
- H. S. Leon* *C. leoni*
- hyaeae* (*Suzanne Hye de Crom*; *gaskelliana* \times *mossiae*)
- interglossa* (*amethystoglossa* \times *intermedia*)
- intermedia* (*amethystina*)
- alba*
- iridescens* (*Eldorado* \times *bicolor*)
- IRIS* (*bicolor* \times *dowiana*)
- JOCASTA* (*schroederiana* \times *mossiae*)

ORCHID GENERA (CATTLEYA), continued

- kienastiana* (*dowiana* \times *lueddemanniana* (*speciosissima*))
- labiata*
- alba*
- atropurpurea*
- caerulescens*
- cooksoniae*
- cooksoni*
- Probably the same as *C. labiata cooksoniae*.
- EMPEROR*
- Not found.
- MRS. G. B. WILSON*
- MRS. JULIUS ROEHRHS*
- MRS. M. ROEHRHS*
- polychilus*
- rosea*
- LADY EVELYN* (*Atalanta* \times *hardyana*)
- lawrenceana* **LAWRENCE CATTLEYA**
- LEDA* (*dowiana* \times *percivaliana*)
- leoni* (*H. S. Leon*; *schroederiana* \times *gigas*)
- leopoldi* (*guttata leopoldi*)
- LEOPOLD CATTLEYA**
- lobata* **Laelia boothiana**
- loddigesii*
- In scientific work this species usually includes *C. harrisoniana*, which is maintained in this list as distinct for horticultural purposes.
- Lord Rothschild* *C. rothschildiana*
- Lord Rothschild* *alba* (*dowiana* \times *gaskelliana alba*)
- C. rothschildiana* var.
- lueddemanniana* (*speciosissima*)
- alba* (*speciosissima alba*)
- stanleyi* (*speciosissima stanleyi*)
- luegeae* (*Adonis (Enid)* \times *dowiana*)
- luteola*
- MABEL* (*peetersiae* (*Mrs. Myra Peters*) \times *warneri*)
- Maggie Raphael* *alba*
- C. rafaeliae alba**
- MAGNET* (*mossiae* \times *whitei*)
- mantini* (*bowringiana* \times *aurea*)
- nobilior*
- maroni* (*dowiana* \times *velutina*)
- martineti*
- Hyb.—not found in botanical literature.
- maxima*

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

| | |
|-------------------------------------|---|
| ORCHID GENERA (CATTLEYA), continued | |
| maxima | alba |
| mcmastersiae | (schilleriana \times mendeli) |
| mendeli | Frequently spelled mendelli. |
| —alba | |
| —alba | ROEHR'S |
| —COLUMBIA | |
| —RUTHERFORD | |
| mimicia | C. minucia |
| minucia | (mimicia; loddigesii \times gigas) |
| miranda | (amethystoglossa \times trianae) |
| Miss Williams | C. williamsiae |
| MOIRA | (<i>Fabia</i> \times <i>mantini</i> <i>splendens</i>) |
| —alba | |
| MOONBEAM | Hyb.—not known. |
| mossiae | |
| —alba | |
| —aurea | |
| —C. BROWN | |
| —caerulea | |
| —caerulescens | |
| —grandiflora | |
| —gravesiana | |
| —hardyana | |
| —H. GRAVES | Presumably the same as C. mossiae gravesiana. |
| —lilacina | |
| —MRS. H. KOMITSCH | |
| —MRS. J. ROEHR'S, SR. | |
| —MRS. JULIUS ROEHR'S | |
| —MRS. J. T. BUTTERWORTH | |
| —reineckiana | |
| —reineckiana lilacina | Possibly C. mossiae lilacina is the same. |
| —rousseliana | |
| —rutherfordensis | |
| —superba | |
| —VICTORIA | |
| —wageneri | |
| M. RAPHAEL | C. rafaeliae |
| M. SANDER | (dusseldorfii \times mossiae alba) |
| Mrs. J. W. WHITELEY | (bowringiana \times hardyana) |
| Mrs. Pitt | C. pittiae |
| murrayi | (William Murray; mendeli \times lawrenceana) |

| | |
|-------------------------------------|--|
| ORCHID GENERA (CATTLEYA), continued | |
| Octave Doin | OCTAVIA |
| OCTAVIA | (Octave Doin; dowiana \times mendeli) |
| OLIVIA | (intermedia \times trianae) |
| parthenia | (Isabella \times mossiae) |
| peetersi | (hardyana \times labiata) |
| percivaliana | |
| —alba | |
| —atropurpurea | |
| —aurora | |
| —caerulea | |
| —expansa | |
| —gigantea | |
| —grandiflora | |
| —KAISER | |
| —OREOL | |
| —resplendens | |
| —roeblingiana | |
| —spectabilis | |
| —STANLEY RANGER | |
| —superba | |
| phrygia | (Adonis (Enid) \times Portia) |
| pittiae | (Mrs. Pitt; aurea \times harrisoniana) |
| pittiana | (dowiana \times granulosa) |
| PORTIA | (bowringiana \times labiata) |
| Prince Edward | C. edwardi |
| PRINCE JOHN | (dowiana \times hardyana) |
| PRINCE OLAF | (parthenia \times labiata) |
| PRINCE ROYAL | (<i>Fabia</i> \times hardyana) |
| PURPLE EMPEROR | (gigas \times Earl Grey) |
| QUIBO | (dowiana \times williamsiae) |
| radiata | (dowiana \times edwardi (Prince Edward)) |
| rafaeliae | (Maggie Raphael; Maggie Rafael; raphaelae; dowiana \times trianae) |
| —alba | (raphaelae alba; dowiana \times trianae alba) |
| raphaelae | C. rafaelae |
| —alba | C. rafaeliae alba |
| REMBRANDT | (elongata \times labiata) |
| rex | |
| roberti | (Robert de Wavrin; schilleriana \times Schroederiana) |
| Robert de Wavrin | C. roberti roehrsiana (hardyana \times mendeli) |

SMALL CAPITALS=approved common names. Abbreviations: (Ag) (Ar) (Cy) (\ddagger) see page 1.

- ORCHID GENERA (CATTLEYA), continued**
- rothschildiana (*Lord Rothschild; dowiana* \times *gaskelliana*)
 - schilleriana
 - schofieldiana (*granulosa schofieldiana* Cy)
 - schroederae . . . C. schroederiana
 - schroederiana (*schroederae; trianae* *schroederae* Cy)
 - alba
 - albescens
 - BARONESS
 - citrina
 - caerulea
 - lilacina
 - meta
 - refulgens
 - rosea
 - SUNSET
 - WILLIAM DUCKHAM
 - SIBYL (*iridescens* \times *aurea*)
 - skinneri
 - alba
 - rosea
 - SNOWDON (*labiata alba* \times *hyaeae* (*Suzanne Hye de Crom*))
 - SNOWFLAKE (*labiata alba* \times *dus-seldorfii Undine*)
 - SNOW QUEEN (*gaskelliana* \times *hyaeae* (*Suzanne Hye de Crom*))
 - SOULANGE
Hyb.—not known in botanical literature.
 - speciosissima . C. lueddemanniana
 - alba C. l. alba
 - gigantea C. lueddemanniana var.
 - stanleyi C. l. stanleyi
 - stuarti (*mendeli* \times *mossiae*)
 - suavior (*mendeli* \times *intermedia*)
 - superba (*violacea ABL-Cy*)
 - splendens (*violacea splendens ABL-Cy*)
 - Suzanne Hye de Crom . . C. hyaeae
 - thayeriana (*intermedia* \times *schroederiana alba*)
 - thurgoodiana (*hardyana* \times *lueddemanniana* (*speciosissima*))
 - trianae
 - A. C. BURRAGE
 - alba
 - ALICE
 - amesiana
 - A. N. COOLEY

- ORCHID GENERA (CATTLEYA trianae)**
continued
- atropurpurea
 - aurantiaca
 - backhousiana
 - BRIGHTNESS
 - caerulea
 - caerulescens
 - compacta
 - delicata
 - dodgesoni
 - E. B. DANE
 - leeana
 - luminosa
 - MRS. EARL G. BARTELS
 - MRS. EDWARD S. HARKNESS
 - MRS. H. J. LUTCHER
 - nigrescens
 - osmani
 - PEARL
 - PRESIDENT
 - purpurea
 - rosea
 - schiffmanni
 - splendens
 - virginialis
 - velutina
Possibly a nat. hyb., C. bicolor \times C. guttata.
 - VENUS (*dowiana* \times *Iris*)
 - vestalis (*dowiana* \times *maxima*)
 - violacea ABL-Cy C. superba
 - violacea splendens ABL-Cy
C. superba splendens
 - walkeriana
 - warneri
 - alba
 - marmorata
 - superba
 - warscewiczii ABL C. gigas
 - wavriniiana (*granulosa* \times *gigas*)
 - weedoniensis (*schofieldiana* \times *mendeli*)
 - wendlandiana (*boweringiana* \times *gigas*)
 - wigani (*T. W. Wigan*; *dowiana* \times *schilleriana*)
 - William Murray C. murrayi
 - williamsiae (*Miss Williams*; *gaskelliana* \times *harrisoniana*)
 - ZENIA
Hyb.—not known.
 - ZEPHYR (*schroederiana* \times *aurea*)

ORCHID GENERA (COELOGYNE), cont.**speciosa****stolonifera**

Not found in botanical literature.

tomentosa**CYCNOCHES . . . SWAN-ORCHID**
chlorochilon . . . COMMON S.
egertonianum . . . EGERTON S.**CYMBIDIUM****alexanderi** (*C. eburneo-lowianum* ×
insigne)**aloifolium****—swartzii****BEATRICE** (*lowianum* × *schlegeli*)**BUTTERFLY** (*insigne* × *lowio-grandiflorum*)**capella** (*pauwelsii* × *wiganianum*)**CASTAR** (*insigne* × *woodhamsianum*)**CHAFFINCH** (*Doris* × *gottianum*)**cooperi** (*insigne sanderi* × *schroederianum*)**CORONA** (*lowianum* × *schlegeli*)**CYBELE**

Hyb.—not known.

DIANA (*eburneo-lowianum* × *pauwelsii*)**DORIS** (*insigne* × *tracyanum*)**eburneo-lowianum . . . C. veitchii**
eburneum**EGRET** (*gottianum* × *pauwelsii*)**elegans** (*Cyperorchis elegans* ABL-Cy)**ELFIN** (*parishi sanderae* × *pauwelsii*)**ensifolium****erythrostylum****findlaysonianum** *C. finlaysonianum***finlaysonianum** (*findlaysonianum*)*George Woodham**C. woodhamsianum***giganteum****gottianum** (*eburneum* × *insigne*)**grandiflorum****hamburyanum** (*erythrostylum* ×
tracyanum)**holfordianum** (*eburneum* × *grandiflorum*)**iansonii**

Hyb.—not known.

insigne (*sanderi*)**ORCHID GENERA (CYMBIDIUM), cont.****JASPER** (*veitchii* (*eburneo-lowianum*)
× *parishi*)**lowii C. lowianum****lowianum** (*lowii*)**—aureum****—concolor****—grandiflorum C. sedeni****lowio-eburneum C. veitchii****MAGPIE**

Hyb.—not known.

mastersii (*Cyperorchis mastersii* ABL)**miranda** (*alczanderi* × *sedeni*)**MOIRA** (*pauwelsii* × *tracyanum*)**paulwelsii C. pauwelsii****pauwelsia** (*paulwelsii*; *pawelsii*)**pawelsii C. pauwelsii****pendulum****schlegelii** (*insigne* × *wiganianum*)**schroederianum**Not found in botanical literature, probably an error for *C. schroederii*.**sedeni** (*lowio-grandiflorum*; *lowianum grandiflorum*; *grandiflorum* × *lowianum*)**SWALLOW** (*alexanderi* × *pauwelsii*)**SYBIL** (*eburneum* × *pauwelsii*)

Also misspelled Sibyl.

tigrinum**traceyanum C. tracyanum****tracyanum** (*traceyanum* Cy)Probably the same as *C. grandiflorum*; by some considered a nat. hyb.**veitchii** (*eburneo-lowianum*; *lowio-eburneum*; *lowianum* × *eburneum*)**wiganianum** (*eburneum* × *tracyanum*)**winnianum** (*giganteum* × *mastersii*)**woodhamense**Probably the same as *C. woodhamsianum*.**woodhamsianum** (*George Woodham*; *lowianum* × *veitchii*)**CYPRIPEDIUM . LADYSLIPPER**For horticultural purposes this name is probably best retained for all forms. In science, today, the genus *Cypripedium* is split into four genera: *Selenipedium*, containing about three reed-like plants none of which is known in cultivation; *Cypripedium*, the North American and a few Chinese and Japanese species,

ORCHID GENERA (CYPRIPEDIUM), cont.

maintaining the Linnean use of the name; *Cordula*, the Old World tropical species which constitute the bulk of the greenhouse species and hybrids (these are all classed as *Paphiopedilum* by Bailey [Cy] and others); and *Paphiopedilum* (in its correct usage) for the Central and South American species which have been known in horticulture as *Selenipedium* (these are all classed as *Phragmopedium* by Bailey [Cy] and others).

In the following list the section and our preference will be abbreviated to Cyp. for *Cypripedium*; Cord. for *Cordula*, and Paph. for *Paphiopedilum*; but no new binomial or trinomial Latin names will be made, notwithstanding the fact that such names are not now in existence, especially in the case of hybrids and variations of species. (For discussion of the generic names see Rolfe in *Orchid Review*, vol. 20 (1912), pp. 1-3.) In synonymy, C. will be used for *Cypripedium*, Pa. for *Paphiopedilum*, Ph. for *Phragmopedium*, and S. for *Selenipedium*.

acaule. Cyp. (*Fissipes acaulis*)
PINK LADYSLIPPER

Acis *C. eucharis*
ACME. Cord. (*C. nitens* × *C. Leander* (Bessie K. Pitcher); *Pa. Acme* Cy)
Actaeus *C. simoni*
—*langleyense*. (*Pa. Actaeus langleyense* Cy; *C. insigne sanderae* × *C. leeanum*) . . . *C. simoni* var.
—*Victor* *C. simoni* var.
Acteus *C. simoni*
Acteus Julius Roehrs

C. simoni JULIUS ROEHRHS

adamsi. Cord. (*C. John Quincy Adams*; *C. Calypso* × *C. regale*).
A. de Lairesse *C. lairessei*
Adrastus mariae *HERA* var.
AESON. Cord. (*C. druryi* × *C. insigne*)

ainsworthii. Paph. (*C. brownii*; *C. calurum*; *Ph. ainsworthii* Cy; *Ph. brownii* Cy; *Ph. calurum* Cy; *S. brownii*; *C. longifolium* × *C. sedenii*)

AJAX. Cord. (*C. chamberlainianum* × *C. germinyanum*)

albanense. Cord. (*C. insigne* × *C. mastersianum*)

ORCHID GENERA (CYPRIPEDIUM), cont.

albertianum

C. leeanum albertianum
—*superbum*. *C. leeanum superbum*
Albert Truffaut . . . *C. savageanum*
albopurpureum. Paph. (*Ph. albo-purpureum* Cy; *C. schlimii* × *C. dominianum*)
Alcibiades *C. lasellei*
—*magnificum* *C. lasellei*
—*superbum* (*Pa. Alcibiades superbum* Cy; *C. leeanum* × *C. schlesingerianum* (Mons. de Curte))

C. lasellei var.

ALCIDES. Cord. (*Pa. Alcides* Cy; *C. insigne maulei* × *C. hirsutissimum*)
—*C. G. Roebling ALCIDES superbum*
—**CLIO**

—*superbum* (*C. Alcides C. G. Roebling*)

ALECTOR. Cord.. (*Pa. Alector* Cy; *C. barbatum crossi* × *C. spicerianum*; *C. eyermannianum* ABL)
alexandrae. Cord. (*C. godefroyae* × *C. nitens*)

Alfred Dimmock *C. castalia*

ALICE. Cord. (*Pa. Alice* Cy; *C. stonei* × *C. spicerianum*)

ALMA GEVAERT. Cord. (*C. lawrenceanum* × *C. maudiae*)

alnum. Cord. (*Pa. alnum* Cy; *C. barbatum* × *C. lawrenceanum*)

—*atropurpureum*

amandum *C. crossianum*

amesi. Cord. (*C. Oakes Ames*; *Pa. Oakes Ames* Cy; *C. ciliolare* × *rothschildianum*)

amesianum *C. measuresianum*

APHRODITE. Cord. (*Pa. Aphrodite* Cy; *C. niveum* × *C. lawrenceanum*)

appletonianum. Cord. (*Pa. appletonianum* Cy)

ARCHIE NIEL. Cord. (*C. leeanum compactum* × *C. [insigne] Harefield Hall*)

ARGUS. Cord. (*Pa. Argus* Cy)

arietinum. Cyp.

RAMSHEAD LADYSLIPPER

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- ARTEMIS. Cord. (*Pa. Artemis Cy*; *C. dayanum* \times *C. swananum*)
 - ARTHURIANUM. Cord. (*Pa. arthurianum Cy*; *C. insigne* \times *C. fairieanum*)
 - grandiflorum
 - pulchellum (*Pa. arthurianum pulchellum Cy*)
 - ASHBURTONAE. Cord. (*C. barteti*; *Pa. ashburtonae Cy*; *Pa. barteti Cy*; *C. barbatum* \times *C. insigne*)
 - calospilum (*Pa. ashburtonae calospilum Cy*)
 - expansum (*Pa. ashburtonae expansum Cy*)
 - laforcadei (*C. laforcadei*; *Pa. laforcadei Cy*; *C. barbatum* \times *C. insigne chantini*)
 - superbum
 - ASTRAEA. Cord. (*Pa. Astraea Cy*; *C. philippinense* \times *C. spicerianum*)
 - ANGUSTUM *C. hansenii*
 - AUREUM. Cord. (*Pa. aureum Cy*; *C. nitens* \times *C. spicerianum*)
 - album
 - candidum
 - CYRUS (*C. Cyrus*)
 - HYEANUM (*C. hyeanum*; *Pa. aureum hyeanum Cy*)
 - OEDIPPE (*C. Oedippe*)
 - SURPRISE
 - VIRGINALE (*C. virginale*; *Pa. aureum virginale Cy*)
 - AUROREUM. Cord. (*Pa. auoreum Cy*; *C. lawrenceanum* \times *C. venustum*)
 - BACONIS. Paph. (*C. conchiferum* \times *C. schlimii*)
 - BARBATO-MASTERSI ENDYMION
 - BARBATUM. Cord. (*Pa. barbatum Cy*)
 - BIFLORUM (*Paphiopedilum barbatum biflorum Cy*)
 - GRANDIFLORUM (*Pa. barbatum grandiflorum Cy*)
 - ILLUSTRE (*Pa. barbatum illustre Cy*)
 - SUPERBUM (*Pa. barbatum superbum Cy*)
 - WARNERI (*Paphiopedilum barbatum warneri Cy*)
 - BARBEYAE. Cord. (*C. Mme. Barbey*; *Pa. Mme. Barbey Cy*; *C. lawrenceanum* \times *C. tonsum*)

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- BARON SCHROEDER
 - CYPRIPEDIUM SCHROEDERI
 - BARTETI *C. ashburtoniae*
 - BEATRICE. Cord. (*Pa. Beatrice Cy*; *C. boxallii* \times *C. lowei*)
 - BEECKMANI. Cord. (*C. berkleyanum ABL*; *Pa. beeckmani Cy*; *C. bellatulum* \times *C. boxallii*)
 - BELLATULUM. Cord. (*Paphiopedilum bellatulum Cy*)
 - BERYL WEST POINT. Cord. (*C. beeckmani* \times *C. Mrs. Martin*)
 - BESSIE K. PITCHER . . . LEANDER
 - BLACK PRINCE. Cord. (*C. Hera* \times *C. rothschildianum*)
 - BLANCHE MOORE
 - Hyb.—parents unknown.
 - BOADICEA FLAMBOYANT *C. sanderi* var.
 - BOXALLI. Cord. (*Paphiopedilum villosum boxallii Cy*)
 - ALBOMARGINATUM
 - ATRATUM
 - DILECTUM
 - SUPERBUM
 - BRAGAIANUM *C. godseffianum*
 - BRANDTIAE. Cord. (*C. Frau Ida Brandt*; *Pa. Frau Ida Brandt Cy*; *C. Io* \times *C. youngianum*)
 - BROWNII *C. ainsworthii*
 - LEUCOGLOSSUM (*Ph. brownii leucoglossum Cy*) . *C. ainsworthii* var.
 - BRUNIANUM. Cord. (*C. leeanum* \times *C. oenanthum*)
 - BRYSA. Paph. (*Ph. Brysa Cy*; *S. Brysa*; *C. bossierianum* \times *C. sedeni candidulum*)
 - BUCHANIANUM. Cord. (*Pa. buchanianum Cy*; *C. druryi* \times *C. spicerianum*)
 - BUCKINGHAMI ABL . . . *C. gratrixianum*
 - BULLIERI. Cord. (*C. tonso-villosum*; *Pa. tonso-villosum Cy*; *C. tonsum* \times *C. villosum*)
 - CALANTHUM. Cord. (*C. Sappho*; *Pa. calanthum Cy*; *Pa. Sappho Cy*; *C. barbatum* \times *C. lowei*)
 - CALIFORNICUM. Cyp.
 - CALIFORNIA LADYSLIPPER
 - CALLO-ROTHSCHILDIANUM . . . *C. fowleri*
 - CALLOSUM. Cord. (*Pa. callosum Cy*)

ORCHID GENERA (CYPRIPEDIUM), cont.

callosum giganteum (*Pa. callosum giganteum Cy*)

—**sanderae** (*Paphiopedilum callosum sanderae Cy*)

calurum *C. ainsworthii*

—**rougieri** *C. lemoineianum*

CALYPSO. Cord. (*Pa. Calypso Cy; C. boxallii* × *C. spicerianum*)

CALYPSO OAKWOOD

candidum. Cyp.

WHITE LADYSLIPPER

canhami. Cord. (*C. Charles Canham*; *C. Mrs. Charles Canham*; *Pa. canhami Cy*; *Pa. Mrs. Canham Cy*; *C. superbiens* × *C. villosum*)

cardinale. Paph. (*Ph. cardinale Cy*; *S. cardinale*; *C. sedeni* × *C. schlimii albiflorum*)

caricinum. Paph. (*Ph. caricinum Cy*; *C. pearcei*)

CASTALIA. Cord. (*C. Alfred Dimmock*; *C. druryi* × *C. godseffianum*)

caudatum. Paph. (*Ph. caudatum Cy*; *S. caudatum*)

cenanthum *C. oenanthum*
Typographical error.

chamberlainianum. Cord. (*Pa. chamberlainianum Cy*)

chamberleeanum. Cord. (*C. mortenii*; *Pa. mortenii Cy*; *C. chamberlainianum* × *C. leeannum*)

Charles Canham *C. canhami*

charlesianum. Cord. (*C. nitens* × *C. leeannum*)

charlesworthii. Cord. (*Pa. charlesworthii Cy*)

—**NORMAN**

chloroneurum. Cord. (*C. Ianthe*; *C. williamsianum*; *Pa. chloroneurum Cy*; *Pa. Ianthe Cy*; *Pa. williamsianum Cy*; *C. harrissianum* × *C. venustum*)

chlorops *C. conchiferum*

ciliolare. Cord. (*Pa. ciliolare Cy*)

clarkii. Cord. (*C. charlesworthii* × *C. swanianum*)

CLEOLA. Paph. (*C. boissierianum* × *C. schlimii*)

ORCHID GENERA (CYPRIPEDIUM), cont.

COLOSSUS. Cord. (*C. nitens* × *C. villosum*)

colmani. Cord. (*C. harrissianum* × *C. javanicum*)

—**nigrum** (*Pa. colmani nigrum Cy*)

conchiferum. Paph. (*C. chlorops*; *Ph. conchiferum Cy*; *Ph. chlorops Cy*; *C. caricinum* × *C. longifolium hartwegii*)

concinnum. Cord. (*Pa. concinnum Cy*; *C. purpuratum* × *C. harrissianum*)

—**superbum**

concolor. Cord. (*Pa. concolor Cy*)

conspicuum. Cord. (*C. wallaertianum*; *Pa. conspicuum Cy*; *Pa. wallaertianum Cy*; *C. harrissianum* × *C. villosum*)

—**superbum**

CONSTANCE. Cord.

coppiniatum. Paph. (*Ph. coppiniatum Cy*; *C. sedeni* × *C. conchiferum*)

CREON. Cord. (*Pa. Creon Cy*; *C. harrissianum* *superbum* × *C. oenanthum* *superbum*)

crossianum. Cord. (*C. amandum*; *Pa. crossianum Cy*; *Pa. amandum Cy*; *C. insigne* × *C. venustum*)

—**aureum** (*C. insigne* × *C. venustum pardinum*)

—**pallidum** (*Pa. crossianum pallidum Cy*)

—**psittacinum**

—**tautzianum** (*Pa. crossianum tautzianum Cy*)

CUNIA. Cord. × Paph. (*Phragmopedium Cunia Cy*)

This is the result of a cross between a *Cordula* species (*C. stonei*) and a *Paphiopedilum* species (*C. longifolium*).

curtemanni. Cord. (*C. schlesingerianum* × *C. beeckmanni*)

—**magnificum** Lows

curtisi. Cord. (*Pa. curtisi Cy*)

—**exquisitum**

—**purpuratum**

—**ROEHRIS**

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- cymatodes. Cord. (*C. curtisi* × *C. superbiens*)
 - cynnides. Cord. (*C. William Lloyd*; *C. bellatulum* × *C. swanianum*)
 - dauthieri *C. harrisianum*
 - marmoratum
 C. harrisianum marmoratum
 - dayanum. Cord. (*Pa. dayanum* Cy)
 - superbum (*Pa. dayanum superbum* Cy)
 - deedmanianum. Cord. (*Pa. deedmanianum* Cy; *C. chamberlainianum* × *C. spicerianum*)
 - DESDEMONA. Cord. (*C. Sophie ABL*; *C. gowerianum* × *C. niveum*)
 - Dibdin MURILLO
 - dicksonianum. Cord. (*C. Countess of Carnavon*; *C. Hera* × *C. villosum*)
 - dilectum. Cord. (*Pa. dilectum* Cy; *C. boxallii* × *C. hirsutissimum*)
The same cross as *C. godseffianum* and probably identical with it.
 - dominianum. Paph. (*Ph. dominianum* Cy; *C. caricinum* × *C. caudatum*)
 - rubescens (*Ph. dominianum rubescens* Cy)
 - donatiannum *C. oenanthum*
 - DORA. Cord. (*C. bellatulum* × *C. charlesworthii*)
 - draco. Cord. (*C. Hera* × *C. insigne*)
 - druryi. Cord. (*Pa. druryi* Cy)
 - DUCHESS. Cord. (*C. aureum* × *C. insigne*)
Duchess of Sutherland
 C. sutherlandiae
 - DUKE OF MARLBOROUGH. Cord. (*C. Hera* × *C. leeanum*)
 - eastoni. Paph. (*C. longifolium* × *C. lindleyanum*)
 - EDITH. Cord. (*C. rothschildiana-boxallii*; *Pa. rothschildiana-boxallii* Cy; *C. boxallii* × *C. rothschildianum*)
 - edithae ROWENA
 - edwardi. Cord. (*C. fairieanum* × *C. superbiens*)
 - eismanni *C. eismannianum*

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- eismannianum. Cord. (*C. eismanni*; *C. lobengula*; *Pa. eismannianum* Cy; *Pa. lobengula* Cy; *C. boxallii* × *C. harrisianum*)
 - elliottianum. Cord. (*Pa. rothschildianum* *elliottianum* Cy)
 - EMILE. Cord. (*C. Emile Cappe*; *C. Hera* × *C. lathamianum*)
 - Emile Cappe EMILE
 - EMILY ROEBLING
 Hyb.—not known.
 - emodi. Cord. (*C. callosum sanderae* × *C. lawrenceanum hyeanum*)
 - ENDYMION. Cord. (*C. barbatomastersi*; *Pa. barbatomastersi* Cy; *C. barbatum* × *C. mastersianum*)
 - enfieldense. Cord. (*Pa. enfieldense* Cy; *C. lawrenceanum* × *C. hookeræ*)
 - eucharis. Cord. (*C. Acis*; *Pa. Acis* Cy; *C. lawrenceanum* × *C. insigne sanderae*)
 - euryades HERA
 - Black Empress
 HERA BLACK EMPRESS
 - euryale. Cord. (*C. robinsonianum*; *Pa. euryale* Cy; *Pa. robinsonianum* Cy; *C. lawrenceanum* × *C. superbiens*)
 - uryandrum. Cord. (*Pa. euryandrum* Cy; *C. barbatum* × *C. stonei*)
 - EVA. Cord. (*C. aureum hyeanum* × *C. memoria jerninghami*)
 - EVELYN AMES. Cord. (*C. Evelyn ABL*; *Pa. Evelyn Ames* Cy; *C. Calypso* × *C. leeanum*)
 - superbum (*C. Calypso Oakwood* × *C. leeanum giganteum*)
 - exul. Cord. (*Pa. exul* Cy)
 - eyermannianum ABL . . ALECTOR
 - fairieanum. Cord. (*Paphiopedilum fairieanum* Cy)
 - nigrum
 - FAIRY QUEEN. Cord. (*Pa. Fairy Queen* Cy; *C. curtisi* × *C. druryi*)
 - fasciculatum. Cyp.
 BROWNIE LADYSLIPPER

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

ORCHID GENERA (CYPRIPEDIUM), cont.

FIGARO. Cord. (*C. Tityus*; *C. oenanthum* \times *C. spicerianum*)

—**superbum** (*C. oenanthum superbum* \times *C. spicerianum*)

fowleri. Cord. (*C. callo-rothschildianum*; *Pa. fowleri* Cy; *Pa. callo-rothschildianum* Cy; *C. callosum* \times *C. rothschildianum*)

fraseri *C. porphyrochlamys*

Frau Ida Brandl *C. brandtiae*

fulshawense *C. schlesingerianum*

Galatea *C. oenanthum*

gandianum

Not found in botanical literature, very probably an error for *gaudianum*.

garfieldi. Cord. (*C. James Garfield*;

Pa. James Garfield Cy; *C. regale* \times *C. tonsum*)

Garret A. Hobart *C. hobarti*

Gaston Butel *C. schroederi*

gaudianum. Cord. (*Pa. gaudianum*

Cy; *C. curtisi* \times *C. harrisianum* *superbum*)

GAY GORDON. Cord. (*C. thompsoni* \times *C. Leander* (*Lady Wimborne*))

gayotiae. Cord. (*C. Mlle. Madeleine Gayot*; *C. pellucidum*; *Pa.*

Mlle. Madeleine Gayot; *Pa. pellucidum* Cy; *C. dayanum insigne*)

GEORGE MCWILLIAMS

Hyb.—not known.

GERALDA. Paph. (*Ph. Geraldia* Cy; *C. caudatum* \times *C. lindleyanum*)

germinyanum. Cord. (*Pa. germinyanum* Cy; *C. hirsutissimum* \times *C. villosum*)

giganteum. Paph. (*C. macrochilum*

giganteum; *Ph. macrochilum giganteum* Cy; *C. caudatum* \times *C. grande*)

gigas. Cord. (*C. prewettii*; *Pa. gigas* Cy; *Pa. prewettii* Cy; *C. lawrenceanum* \times *C. harrisianum*)

—**CORNDEAN HALL**

C. gigas corndeani

—**corndeani** (*gigas Corndean Hall*)

—**CORRUDEAN HALL**

Probably the same as *C. gigas corndeani*.

glaucocephalum. Cord. (*Pa. glaucocephalum* Cy)

ORCHID GENERA (CYPRIPEDIUM), cont.

godefroyae. Cord. (*Paphiopedilum* *godefroyae* Cy)

—**leucochilum** (*Pa. godefroyae leucochilum* Cy)

godseffianum. Cord. (*C. bragai-anum*; *Pa. godseffianum* Cy; *Pa. bragaianum* Cy; *C. boxallii* \times *C. hirsutissimum*)

—**albomarginatum**

GORDON HIGHLANDER. Cord. (*C. Dreadnought* \times *C. schlesingerianum* (*Mons. de Curte*))

gowerianum. Cord. (*Pa. gowerianum* Cy; *C. curtisi* \times *C. lawrenceanum*)

—**magnificum**

—**schofieldianum**

grande. Paph. (*Ph. grande* Cy; *S. grande*; *C. caudatum* \times *C. longifolium*)

—**atratum** (*Ph. grande atratum* Cy)

gratrixianum. Cord. (*C. bucking-hami* ABL; *Pa. gratrixianum* Cy; *C. bellatulum* \times *C. enfieldense*)

gravesiae. Cord. (*Pa. gravesiae* Cy; *C. Argus* \times *C. niveum*)

grovesianum. Cord. (*C. lathamianum* \times *C. leeanum*)

hanseni. Cord. (*C. augustum*; *Pa. augustum* Cy; *C. haynaldianum* \times *C. villosum*)

hardyanum *Penelaus* ABL

PENELAUS

HARLEQUIN. Cord. (*Pa. Harlequin* Cy; *C. thompsoni* \times *C. Mrs. Mos-tyn*)

harrisanum. Cord. (*C. dauthieri*; *C. hybridum*; *Pa. harrisanum* *hybridum* Cy; *C. villosum* \times *C. barbatum*)

—**liniatum** (*Pa. harrisanum liniatum* Cy)

—**luteolum**

—**marmoratum** (*C. dauthieri mar-moratum*)

—**nigrum**

—**pitcherianum** (*Pa. harrisanum pitcherianum* Cy)

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- harrisanum* *superbum* (*Pa. harrisanum* *superbum* Cy)
 - viridiflorum*
 - vivicans*
 - harveyanum.** Cord. (*Pa. harveyanum* Cy; *C. stoneyi* \times *C. leeanum*)
 - haynaldianum.** Cord. (*Pa. haynaldianum* Cy)
 - haywoodianum.** Cord. (*C. T. B. Haywood*; *Pa. T. B. Haywood*; *C. druryi* \times *C. superbiens*)
 - HELENA.** Cord. (*C. Helen II*; *C. bellatulum* \times *C. insigne*)
Helen II HELENA
 - Helen II Roehrs . . . HELENA* var.
 - HERA.** Cord. (*C. Adrastus*; *C. euryades*; *C. boxallii* \times *C. leeanum*)
 - BLACK EMPRESS** (*C. euryades Black Empress*)
 - fautzianum**
Probably a misspelling.
 - MRS. TAUTZ** (*Pa. Hera Mrs. Tautz* Cy)
 - SANDERS**
 - HIWATHA.** Cord. (*C. godseffianum* \times *C. leeanum*)
 - hirsutissimum.** Cord. (*Pa. hirsutissimum* Cy)
 - hirsutum** ABL . . . *C. spectabile*
 - hitchense**
Not found, probably the same as *C. hitchinsiae*.
 - hitchinsiae.** Cord. (*C. charlesworthii* \times *C. insigne*)
 - hobarti.** Cord. (*C. Garret A. Hobart*; *Pa. Garret A. Hobart*; *C. insigne* \times *C. lathamianum*)
 - Holbrook Gaskell . . . C. longwoodense*
 - hookerae.** Cord. (*C. volenteanum*; *Pa. hookerae* Cy)
 - hornianum.** Cord. (*C. picturatum*; *Pa. hornianum* Cy; *C. spicerianum* \times *C. superbiens*)
 - hybridum . . .** *C. harrisanum*
 - hyeanum . . . C. aureum* *hyeanum*
 - Ianthe . . . C. chloroneurum*
 - illustre.** Cord. (*C. lathamianum* \times *C. nitens*)
 - INDRA.** Cord. (*C. callosum* \times *C. villosum*)

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- ingens.* Cord. (*Pa. ingens* Cy; *C. insigne* \times *C. rothschildianum*)
 - insigne.** Cord. (*Pa. insigne* Cy)
 - amesiae**
Perhaps the same as *C. insigne amesi-anum*.
 - amesianum** (*Pa. insigne amesi-anum* Cy)
 - atrata**
 - aureola**
 - balliae**
 - balliae superbum**
 - BLANCHE MOORE**
 - BRIGHTNESS**
 - browni** (*Pa. insigne browni* Cy)
 - brugense** (*Pa. i. brugense* Cy)
 - chantini** (*Pa. i. chantini* Cy)
 - chantini lindeni**
 - chantini linderi**
Very likely the same as *C. insigne chantini lindeni*.
 - charlesworthii**
 - citrinum** (*Paphiopedilum insigne citrinum* Cy)
 - cobbianum**
 - corrugatum** (*Pa. insigne corruga-tum* Cy)
 - coulsonianum** (*Pa. insigne coul-sonianum* Cy)
 - dominianum** (*Pa. insigne domin-i-anum* Cy)
 - DOROTHY** (*Pa. i. Dorothy* Cy)
 - edenianum**
 - EDWARD ROEHRIS**
 - ernesti** (*Pa. insigne ernesti* Cy)
 - eyermannii** (*Pa. insigne eyer-manni* Cy)
 - fostermannii** (*Pa. insigne foster-manni* Cy)
 - giganteum**
 - GLADYS**
 - gravesi**
Probably the same as *C. insigne gravesi-anum*.
 - gravesianum** (*Pa. insigne graves-i-anum* Cy)
 - HAREFIELD HALL** (*Pa. insigne Harefield Hall* Cy)
 - heatonense**
 - HESSLE**

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- insigne hurrellianum* (*Pa. insigne hurrellianum* Cy)
 - immaculatum nigrum*
 - lagerae* (*Pa. insigne lagerae* Cy)
 - lageri*
Perhaps the same as *C. insigne lagerae*.
 - Laura Kimball** (*Pa. insigne Laura Kimball* Cy)
 - leopardinum*
 - lindeniae*
 - luciani* (*Pa. insigne luciani* Cy)
 - lucianiae*
Very likely the same as *C. insigne luciani*.
 - luteoalbum* (*Pa. insigne luteoalbum* Cy)
 - macfarlanei* (*Pa. insigne macfarlanei* Cy)
 - maculatum*
 - maulei* (*Pa. insigne maulei* Cy)
 - maximum* (*Pa. insigne maximum* Cy)
 - mcnabianum*
 - merxemi*
 - MONARCH**
 - MONKSHOOD**
 - montanum* (*Pa. insigne montanum* Cy)
 - MRS. GEORGE B. WILSON**
 - ODDITY**
 - OLIVINE**
 - punctatum grandiflorum*
 - rutherfordense*
 - rutherfordi*
Probably the same as *C. insigne rutherfordense*.
 - sadleri*
 - sanderae* (*Paphiopedilum insigne sanderae* Cy)
 - sanderianum* (*Pa. insigne sanderianum* Cy)
 - SPECIAL VARIETY**
 - STANDARD**
 - statterianum*
 - summitense*
 - sylhetense* (*Pa. insigne sylhetense* Cy)
 - T. MELSTROM**
 - watsoni*
 - westgatense*
 - W. M. Dow**
 - xanthinum*

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- insigne youngianum*
 - youngianum superbum*
 - zebrinum*
 - lo GRANDIS**. Cord. (*C. Argus* × *C. lawrenceanum*)
 - James Garfield* *C. garfieldi*
 - JAMES H. VEITCH**
A form of *Constance*.
 - James K. Polk* *C. polki*
 - javanicum*. Cord. (*Pa. javanicum* Cy)
 - J. MULLER**
Hyb.—not known.
 - John Quincy Adams* *C. adamsi*
 - JOSEPH HOWES**. Cord. (*C. nitens* (*sallieri*) × *C. villosum aureum*)
This is undoubtedly the same as *C. Colossus*.
 - josephianum*. Cord. (*Pa. josephianum* Cy; *C. druryi* × *C. sementa*)
 - JUNO**. Cord. (*Pa. Juno* Cy; *C. callosum* × *C. fairieanum*)
 - kamili*. Cord. (*C. boxallii* × *C. chamberlainianum*)
 - kimballianum*. Cord. (*Pa. kimballianum* Cy; *Pa. praestans* *kimballianum* Cy)
Supposed nat. hyb. between *C. dayanum* and *C. rothschildianum*. There appears to be much confusion in regard to this name as perhaps two distinct things bear the same name, one of which (possibly both) is a variation of *C. praestans*.
 - KING GEORGE V**. Cord. (*C. charlesworthii* × *C. Talisman*)
 - KRISHNA**. Cord. (*Pa. Krishna* Cy; *C. insigne* × *C. tonsum*)
 - laevigatum* *C. philippinense*
 - laforcadei*
C. ashburtonae *laforcadei*
 - lairessei*. Cord. (*C. A. de Lairesse*; *C. curtisi* × *C. rothschildianum*)
 - lanierianum*
Hyb.—not known.
 - lasellei*. Cord. (*C. Alcibiades*; *C. Alcibiades magnificum*; *Pa. Alcibiades* Cy; *Pa. Alcibiades magnificum* Cy; *C. leeanum* × *C. schlesingerianum*)
 - lathamianum*. Cord. (*C. thompsonii*; *Pa. lathamianum* Cy; *Pa. thompsonii* Cy; *C. spicerianum* × *C. villosum*)

ORCHID GENERA (CYPRIPEDIUM), cont.

- lathamianum** NEGLEYS
- laurae.** Cord. (*C. Mrs. G. D. Owen*; *Pa. Mrs. G. D. Owen* Cy; *C. superciliare* \times *C. villosum*)
- lawrenceanum.** Cord. (*Pa. lawrenceanum* Cy)
- gratrixianum**
- hyeanum** (*Pa. lawrenceanum hyeanum* Cy)
- superbum** (*Pa. lawrenceanum superbum* Cy)
- LEANDER.** Cord. (*C. Bessie K. Pitcher*; *C. Lady Wimborne*; *Pa. Leander* Cy; *Pa. Bessie K. Pitcher* Cy; *C. leeanum* \times *C. villosum*)
- ledouxiae.** Cord. (*Pa. ledouxiae* Cy; *C. calosum* \times *C. harrisanum*)
- leeanum.** Cord. (*Pa. leeanum* Cy; *C. insigne* \times *C. spicerianum*)
- albertianum** (*C. albertianum*; *Pa. albertianum* Cy; *C. insigne* \times *C. spicerianum wallacei*)
- aureum** (*Pa. leeanum aureum* Cy)
- bufordiense** (*Pa. leeanum bufordiense* Cy)
- clinkaberryanum** (*Pa. leeanum clinkaberryanum* Cy)
- E. B. DANE**
- giganteum** (*Pa. leeanum giganteum* Cy)
- grandiflorum** (*Pa. leeanum grandiflorum* Cy)
- gratrixiae**
- lutescens** (*Paphiopedilum leeanum lutescens* Cy)
- magnificum**
- masereelianum** (*Pa. leeanum masereelianum* Cy)
- nigrescens** (*Pa. leeanum nigrescens* Cy)
- nigrum**
- pulchellum** (*Pa. leeanum pulchellum* Cy)
- PURITY**
- roehrsianum**
- superbissimum**
- superbum** (*C. albertianum superbium*; *Pa. leeanum superbium* Cy)

ORCHID GENERA (CYPRIPEDIUM), cont.

- leeanum virginale**
- lemoinierianum.** Paph. (*C. calurum rougieri*; *C. ainsworthi* (*calurum*) \times *C. sedeni*)
- leonae.** Cord. (*C. insigne* \times *C. calosum*)
- leucorrhodum**
- C. sedeni leucorrhodum**
- lindleyanum.** Paph. Hyb. (*Ph. lindleyanum* Cy)
- Lloyd magnificum** *Charlesworths*
- C. cycnides** var.
- lobengula** . . . *C. eismannianum*
- longifolium.** Paph. (*Ph. longifolium* Cy)
- hartwegi** (*C. roezli*; *Selenipedium roezli*)
- magniflorum** (*Ph. longifolium magniflorum* Cy)
- longwoodense.** Cord. (*C. Holbrook Gaskell*; *Pa. Holbrook Gaskell* Cy; *C. charlesworthi* \times *C. leeanum*)
- Lord Derby** . . . *C. mabeliae*
- louryanum** . . . *C. lowryanum*
- lowei.** Cord. (*C. lowianum*; *Pa. lowei* Cy)
- lowianum** . . . *C. lowei*
- lowryanum.** Cord. (*C. louryanum*; *C. ashburtonae* \times *C. vernixium*)
- luridum.** Cord. (*Pa. luridum* Cy; *C. lawrenceanum* \times *C. villosum superbium*)
- purpureum** (*Pa. luridum purpureum* Cy)
- mabeliae.** Cord. (*C. Lord Derby*; *C. rothschildiana-superbiens*; *C. W. R. Lee*; *Pa. Lord Derby* Cy; *Pa. rothschildiana-superbiens* Cy; *Pa. W. R. Lee* Cy; *C. rothschildianum* \times *C. superbiens*)
- macfarlanei.** Cord. (*Pa. macfarlanei* Cy; *C. calophyllum* \times *C. spicerianum*)
- macrochilum giganteum**
- C. giganteum**
- macropterum.** Cord. (*Pa. macropterum* Cy; *C. lowei* \times *C. superbiens*)

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- madiotianum.** Cord. (*C. chamberlainianum* \times *C. villosum*)
 - magniflorum.** Paph.
Hyb.?—possibly the same as *C. longifolium magniflorum*.
 - mahlerae.** Cord. (*C. rothschildiana-lawrenceanum*; *Pa. mahlerae* Cy; *Pa. rothschildiana-lawrenceanum* Cy; *C. rothschildianum* \times *C. lawrenceanum*)
 - mandae.** Cord. (*C. insigne* \times *C. javanicum*)
 - mangoldii.** Cord. (*Pa. mangoldii* Cy)
Hyb.—parents not known.
 - marmorophyllum.** Cord. (*Pa. marmorophyllum* Cy; *C. hookerae* \times *C. barbatum*)
 - marstonae.** Cord. (*C. callosum* \times *C. insigne sanderae*)
Possibly the same as *C. leonae*.
 - massaiatum.** Cord. (*Pa. massaiatum* Cy; *C. rothschildianum* \times *C. superciliare*)
 - mastersi**
Not found in botanical literature, probably the same as *C. mastersianum*.
 - mastersianum.** Cord. (*Pa. mastersianum* Cy)
 - matthewsi.** Cord. (*C. lawrenceanum* \times *C. mastersianum*)
 - maudiae.** Cord. (*Pa. maudiae* Cy; *C. lawrenceanum* *hyeanum* \times *C. callosum sanderae*)
 - magnificum** (*Pa. maudiae magnifica* Cy)
 - NON PLUS ULTRA**
 - measuresianum.** Cord. (*C. amesianum*; *Pa. measuresianum* Cy; *Pa. amesianum* Cy; *C. villosum* \times *C. venustum*)
 - MEDEIA.** Cord. (*C. spicerianum* \times *C. hirsutissimum*)
 - MELANTHUS.** Cord. (*Pa. Melanthus* Cy; *C. hookerae* \times *C. stonei*)
 - memoria-moensi.** . C. *savageanum*
 - MILO.** Cord. (*C. oenanthum superbum* \times *C. insigne chantini*)
 - MINOS.** Cord. (*Pa. Minos* Cy; *C. arthurianum* \times *C. spicerianum*)

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- MINOS lowi** (*C. arthurianum pulchellum* \times *C. spicerianum*)
Apparently has the same parents as *C. Minos youngi*.
 - youngi** (*C. arthurianum pulchellum* \times *C. spicerianum*)
 - Mlle. Madeleine Gayot** . *C. gayotiae*
Mme. Barbey *C. barbeyae*
Mme. Cappe . . . *C. savageanum*
Mons. de Curle *C. schlesingerianum montanum*. Cyp.
 - MOUNTAIN LADYSLIPPER**
 - morganiae.** Cord. (*Pa. morganiae* Cy; *C. stonei* \times *C. superbiens*)
 - morteni** . . . *C. chamberleeanum*
Mrs. Charles Canham . *C. canhami*
Mrs. G. D. Owen . . . *C. laurae*
Mrs. W. A. Roebling *C. schroederae*
 - MURILLO.** Cord. (*C. Dibdin*; *Pa. Dibdin* Cy; *C. Argus* \times *C. boxallii*)
 - NELLIE.** Cord. (*C. tonso-charlesworthii*; *Pa. tonso-charlesworthii* Cy; *C. tonsum* \times *C. charlesworthii*)
 - NIEUPORT.** Cord. (*C. Hera* \times *C. Van Dyck*)
 - NIobe.** Cord. (*Pa. Niobe* Cy; *C. fairieanum* \times *C. spicerianum*)
 - ROEHRS**
 - shorthillense**
 - nitens.** Cord. (*C. sallieri*; *Pa. nitens* Cy; *Pa. sallieri* Cy; *C. villosum* \times *C. insigne maulei*)
 - ARDEL COURT**
 - CHILLINGHAM**
 - gravesianum** (*Pa. nitens gravesianum* Cy)
 - hyeanum** (*C. sallieri hyeanum*; *Pa. nitens sallieri hyeanum* Cy; *Pa. sallieri hyeanum* Cy)
 - nigrum**
 - nitidissimum.** Paph. (*Ph. nitidissimum* Cy; *C. caudatum* \times *C. conchiferum*)
 - niveum.** Cord. (*Pa. niveum* Cy)
Oakes Ames *C. amesi*
oakesi. Cord. (*C. curtisi* \times *C. purpuratum*)
Oedippe . . . *C. aureum* *OEDIPPE*

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- oenanthum.** Cord. (*C. oenanthum*; *C. donatianum*; *C. Galatea*; *C. thibautianum*; *Pa. oenanthum* Cy; *Pa. donatianum* Cy; *Pa. Galatea* Cy; *Pa. thibautianum* Cy; *C. harrisianum* × *C. insigne maulei*)
 - superbum** (*Pa. oenanthum superbum* Cy)
 - OLIVIA.** Cord. (*Pa. Olivia* Cy; *C. niveum* × *C. tonsum*)
 - ORION.** Cord. (*Pa. Orion* Cy; *C. concolor* × *C. insigne*)
 - orphanum.** Cord. (*Pa. orphanum* Cy; *C. barbatum* × *C. druryi*)
 - osbornei** *C. savageanum*
 - parishi.** Cord. (*Pa. parishi* Cy)
 - parviflorum.** Cyp.
 - SMALL YELLOW LADYSLIPPER
 - pubescens** *C. pubescens*
 - passerinum.** Cyp. *C. pavoninum*
 - pavoninum.** Cord. (*C. pavonianum*; *C. ravonianum*; *Pa. pavoninum* Cy; *C. boxallii* × *C. venustum*)
 - inversum**
 - Probably the same as the species.
 - pearcei** *C. caricinum*
 - pellucidum** *C. gayotiae*
 - PENELAUS.** Paph. (*C. hardyanum* *Penelauis* ABL; *Ph. Penelaus* Cy; *ainsworthi* (*calurum*) × *C. caudatum*)
 - PERSEUS.** Paph. (*Ph. Perseus* Cy; *C. sedeni* *porphyreum* × *C. lindleyanum*)
 - philippinense.** Cord. (*C. laevigatum*)
 - pitcherianum** *C. savageanum*
 - picturatum** *C. hornianum*
 - politum.** Cord. (*Pa. politum* Cy; *C. barbatum* × *C. venustum*)
 - polki.** Cord. (*C. James K. Polk*; *Pa. James K. Polk* Cy; *C. chamberlainianum* × *C. nitens*)
 - polletianum.** Cord. (*Pa. polletianum* Cy; *C. calophyllum* × *C. oenanthum superbum*)
 - magnificum**
 - polystigmaticum.** Cord. (*Pa. polystigmaticum* Cy; *C. venustum* × *C. spicerianum*)

- ORCHID GENERA (CYPRIPEDIUM), cont.**
- porphyrochlamys.** Cord. (*C. fraseri*; *Pa. fraseri* Cy; *C. barbatum* × *C. hirsutissimum*)
 - porphyreum** *C. sedeni prophryreum*
 - praestans.** Cord. (*Pa. praestans* Cy)
 - PREMIER.** Cord. (*Pa. Premier* Cy; *C. cymatodes* × *C. rothschildianum*)
 - prewetti** *C. gigas*
 - PRIAPUS.** Cord. (*Pa. Priapus* Cy; *C. philippinense* × *C. villosum*)
 - PRINCESS.** Cord. (*Pa. Princess* Cy; *C. coffineti* × *C. fairieanum*)
 - PROSPERO.** Cord. (*C. spicerianum* × *C. insigne sanderae*)
 - pubescens.** Cyp.
 - COMMON YELLOW LADYSLIPPER
 Some consider this only a large-flowered variety of *C. parviflorum*.
 - purpuratum.** Cord. (*Pa. purpuratum* Cy)
 - PYGMALION.** Cord. (*C. villosum* × *C. ciliare*)
 - PYTHO magnificum.** Cord. (*C. mastersianum* × *C. callosum magnificum*)
 - radiosum.** Cord. (*Pa. radiosum* Cy; *C. lawrenceanum* × *C. spicerianum*)
 - shorthillense**
 - ravonianum** *C. pavoninum*
 Typographical error.
 - regale.** Cord. (*Pa. regale* Cy; *C. purpuratum* × *C. insigne maulei*)
 - reginae** *C. spectabile*
 - reginaldianum.** Cord. (*Pa. reginaldianum* Cy; *C. insigne* × *C. siamense*)
 - REGINALD YOUNG.** Cord. (*C. hitchensiae* × *C. insigne* *Harefield Hall*)
 - reynaldi.** Cord. (*C. boxallii* × *C. villosum*)
 - robinsonianum** *C. euryale*
 - roezli** *C. longifolium hartwegii*
 - rolfei magnificum.** Cord. (*C. belalatum* × *C. rothschildianum*)
 - ROMULUS.** Cord. (*C. Troilus*; *C. Ville de Paris*; *C. Zeno*; *Pa. Troilus* Cy; *C. insigne* × *C. nitens*)
 - ROSETTI.** Cord. (*Pa. Rosetti* Cy; *C. insigne sandrianum* × *C. mauiae*)

ORCHID GENERA (CYPRIPEDIUM), cont.

*ROSETTI magnificum**rossianum*. Cord. (*C. tonso-barbatum*; *C. tonsum* × *C. barbatum*)*rothschildiano-boxalli* . . . EDITH
*rothschildiano-lawrenceanum**C. mahlerae**rothschildiano-superbiens*
*C. mabeliae**rothschildiano-tonsum* . . . SOLON
rothschildianum. Cord. (*Pa. rothschildianum* Cy)*ROWENA*. Cord. (*C. edithae*; *Pa. edithae* Cy; *C. bellatulum* × *C. chamberlainianum*)*ST. ALBANS*. Cord. (*C. Antigone* × *C. harrissianum*)*sallieri* . . . *C. nitens*
—*aureum* (*Pa. sallieri aureum* Cy)*C. nitens* var.—*hyeanum* . . *C. nitens hyeanum*—*nigromaculatum* (*Pa. sallieri nigromaculatum* Cy) *C. nitens* var.—*pictum* (*Pa. sallieri pictum* Cy)
C. nitens var.—*platypetalum* (*Pa. sallierei platypetalum* . . . *C. nitens* var.)*sanderi*. Cord. (*C. boadicea*; *C. Calypso* × *C. nitens*)*sanderianum*. Cord.
Sappho . . . *C. calanthum**sargentianum*. Paph. (*Ph. sargentianum* Cy)*saudersianum*. Paph. (*Ph. saundersianum* Cy; *C. caudatum* × *C. schlimii*)*savageanum*. Cord. (*C. Albert Truffaut*; *C. memoria-moensi*; *C. Mme. Cappe*; *C. osbornei*; *C. pitcherianum*; *Pa. savageanum* Cy; *Pa. Albert Truffaut* Cy; *Pa. memoria-moensi* Cy; *Pa. Mme. Cappe* Cy; *Pa. osbornei* Cy; *Pa. pitcherianum* Cy; *C. harrissianum* × *C. spicerianum*)*schlesingerianum*. Cord. (*C. fulshawense*; *C. Mons. de Curte*; *C. sibyrolense*; *C. W. W. Lunt*; *Pa. schlesingerianum* Cy; *Pa. sibyrolense* Cy; *Pa. W. W. Lunt*; *C. boxalli* × *C. insigne maulei*)

ORCHID GENERA (CYPRIPEDIUM), cont.

schlimii. Paph. (*Ph. schlimii* Cy)*schroederae*. Paph. (*C. Mrs. W. A. Roebling*; *Ph. schroederae* Cy; *Ph. Mrs. W. A. Roebling* Cy; *S. helenae*; *C. caudatum* × *C. sedeni*)—*gravesiae*—*splendens**schroederi*. Cord. (*C. Baron Schroeder*; *C. Gaston Butel*; *Pa. Baron Schroeder* Cy; *Pa. schroederae* Cy; *C. fairieanum* × *C. oenanthum*)*SEAFORTH HIGHLANDER*. Cord. (*C. Dreadnought* × *C. schlesingerianum* (*fulshawense*))*sedeni*. Paph. (*C. tenellum*; *Ph. sedeni* Cy; *Pa. tenellum* Cy; *S. sedeni*; *C. schlimii* × *C. longifolium*)—*candidulum* (*Ph. sedeni candidulum* Cy)—*leucorrhodum* (*C. leucorrhodum*; *Ph. leucorrhodum* Cy)—*porphyreum* (*C. porphyreum*; *Ph. porphyreum* Cy; *C. longifolium hartwegii* × *C. schlimii*)—*weidlichianum* (*C. weidlichianum*; *Ph. weidlichianum* Cy)*selligerum*. Cord. (*Pa. selligerum* Cy; *C. barbatum* × *C. philippinense*)—*majus* (*Pa. selligerum majus* Cy)
Probably not distinct from the species proper.—*porphyreum* (*Pa. selligerum porphyreum* Cy)*siamense*. Cord. (*Pa. siamense* Cy)
Nat. hyb. between *C. appletonianum* and *C. callosum*.*sibyrolense* . . *C. schlesingerianum**siebertianum*. Cord. (*Pa. siebertianum* Cy; *C. dayanum* × *C. insigne*)Probably the same as *C. gayotiae*.*simoni*. Cord. (*C. Actaeus*; *C. Actaeus*; *Pa. Actaeus* Cy; *C. leeanum* × *C. insigne sanderae*)*simoni JULIUS ROEHRHS* (*C. Actaeus Julius Roehrs*)—*nivale*—*punctatum*

ORCHID GENERA (CYPRIPEDIUM), cont.

Snowflake. Cord. (*C. godseffianum* \times *C. insigne sanderae*)

Solon. Cord. (*C. rothschildianotonsum*; *Pa. rothschildianotonsum Cy*; *C. rothschildianum* \times *C. tonsum*)

spectabile. Cyp. (*C. hirsutum ABL*; *C. reginae*). **SHOWY LADYSLIPPER**

spicerianum. Cord. (*Pa. spicerianum Cy*)

—**aureum**

—**roseum**

spicero-niveum. Cord. (*Pa. spicero-niveum Cy*; *C. spicerianum* \times *C. niveum*)

statherianum. Cord. (*C. chamberlainianum* \times *C. mastersianum*)

stevensi. Cord. (*C. Calypso* \times *C. lathamianum*)

stonei. Cord. (*Pa. stonei Cy*)

—**cannaertianum** (*Pa. stonei cannaertianum Cy*)

SUNSHINE. Cord. (*C. rothschildianum* \times *C. beekmani*)

superbiens. Cord. (*C. veitchi*; *C. veitchianum*; *Pa. superbiens Cy*)

superciliare. Cord. (*Pa. superciliare Cy*; *C. barbatum* \times *C. superbiens*)

sutherlandiae. Cord. (*C. Duchess of Sutherland*; *Pa. Duchess of Sutherland Cy*; *C. rothschildianum* \times *C. youngianum*)

swanianum. Cord. (*Pa. swanianum Cy*; *C. dayanum* \times *C. barbatum*)

—**excelsum**

swinburnei magnificum. Cord. (*Pa. swinburnei magnificum Cy*; *C. insigne maulei* \times *C. Argus*)

T. B. Haywood. *C. haywoodianum tenellum* *C. sedeni*

—**roseum** *C. sedeni* var.

tenue

Hyb.—not known.

tessellatum porphyreum. Cord. (*Pa. tessellatum porphyreum Cy*; *C. concolor* \times *C. barbatum*)

thayerianum superbum. Cord. (*C. boxallii* \times *C. lawrenceanum*)

ORCHID GENERA (CYPRIPEDIUM), cont.

Thetis. Cord. (*C. calophyllum ABL*; *Pa. Thetis Cy*; *C. venustum* \times *C. barbatum*)

thibautianum *C. oenanthum thompsoni* *C. lathamianum titanum* *C. urgandae titanium*

Tityus **FIGARO**
tonso-arthurianum. Cord. (*Pa. tonso-*

tonso-arthurianum Cy)
tonso-barbatum *C. rossianum*

tonso-charlesworthi **NELLIE**
tonso-purpuratum. Cord. (*Pa. tonso-*

tonso-purpuratum Cy)
tonso-sanderae. Cord. (*Pa. tonso-*

sanderae Cy)
Probably either *sanderi* or *sanderianum* was intended, or *C. tonsum sanderae*.

tonso-villosum *C. bullieri*
tonsum. Cord. (*Pa. tonsum Cy*)

—**charlesworthi**
C. tonso-charlesworthi is probably intended.

—**purpuratum**
C. tonso-purpuratum is probably intended.

—**sanderae**
See note under *C. tonso-sanderae*, above.

—**villosum**
C. tonso-villosum is probably intended.

TRANSVAAL. Cord. (*Pa. Transvaal Cy*; *C. chamberlainianum* \times *C. rothschildianum*)

triumphans. Cord. (*Pa. triumphans Cy*; *C. nitens* \times *C. oenanthum*)

Troilus **ROMULUS**

truffautiae. Cord. (*C. ciliolare* \times *C. stonei*)

URANUS. Paph. (*Ph. Uranus Cy*; *C. lindleyanum* \times *C. grande*)

urgandae. Paph. (*Ph. urgandae Cy*; *C. lindleyanum* \times *C. longifolium*)

—**GRAVES**
—**titanium** (*C. titanum*; *Phragmopedium titanum Cy*)

U. S. GRANT
Hyb.—not known.

VAN DYCK. Cord. (*C. Vandyke*; *C. hirsutissimum* \times *C. schlesingerianum* (Mons. de Curte))

ORCHID GENERA (CYPRIPEDIUM), cont.

VAN DYCK *superbum**Vandyke* VAN DYCK
veitchi *C. superbiens**venustum*. Cord. (*Pa. venustum* Cy)
vernixium. Cord. (*Pa. vernixium*
Cy; *C. Argus* × *C. villosum*)*VERONA*. Cord. (*C. beeckmani* × *C.*
leeanum)*vexillarium*. Cord. (*Pa. vexillarium*
Cy; *C. barbatum* × *C. fairieanum*)*victoria mariae*Not found in botanical literature, prob-
ably an artificial hyb.*VICTORIA MARIE*

Probably the same as the preceding.

Ville de Paris ROMULUS
vilosum. Cord. (*Pa. villosum* Cy)—*albomarginatum* (*Pa. villosum al-*
bomarginatum Cy)—*aureum* (*Pa. villosum aureum* Cy)—*superbum**volonceanum* Cy . . . *C. hookerae**wallaertianum* . . . *C. conspicuum**warneri*Not found in botanical literature, prob-
ably the same as *C. barbatum warneri*.*weidlichianum*C. *sedeni* *weidlichianum*

W. H. HARRISON

Hyb.—not known.

WILLIAM MCKINLEY

Hyb.—not known.

—*superbum**williamsianum* . . . *C. chloroneurum**winnianum*. Cord. (*Pa. winnianum*
Cy; *C. villosum* × *C. druryi*)W. R. Lee *C. mabeliae*W. W. Lunt . *C. schlesingerianum**youngianum*. Cord. (*Pa. youngia-*
nun Cy; *C. superbiens* × *C. phil-*
ippinense)*YVETTE* *superbum*

Hyb.—not known.

ZAMPA (*Pa. Zampa* Cy; *C. hirsutissimum* × *C. leeanum*)ZENO. Cord. (*C. boxallii* × *C. ton-*
sum)*Zeno* (*C. insigne* × *C. nitens*)

ROMULUS

ORCHID GENERA (CYPRIPEDIUM), cont.

The following crosses have ap-
peared in horticulture without
names:*aureum* *hyeanum* × *memoria jerninghami*
beeckmani × *schlesingerianum* (Mons.
de Curte) *C. curtemanni**boxallii* × *thompsoni*
chamberlainianum × *mastersianum**curtisi* × *purpureum* *C. oakesi*Purpuratum is undoubtedly intended;
there is no *C. purpureum*.*hitchense* [*hitchensiae*] × [*insigne*] *Hare-*
field Hall REGINALD YOUNG*insigne* *Harefield Hall* × *oenanthum**superbum*. Allied to *C. Milo*.—*Harefield Hall* × *spicerianum*.Allied to *C. leeanum*.—*Monarch* × *nitens*
leeanum × *beeckmani* *VERONA**lindleyanum* × [*sedeni*] *leucorrhodum**nitens* (*sallieri aureum*) × *insigne san-*
dareae. Allied to *C. Romulus*.*sanderae* × *insigne lucianiae*
schlesingerianum (Mons. de Curte) ×*clinkaberryanum*
spicerianum × *Laura Kimball*CYRTOPODIUM
andersoni
punctatum

CYTHERAEA . . . CALYPSO

DENDROBIUM

In this list *Sarcopodium* is included in
Dendrobium; by a majority of botanists
it is considered to be only a subgenus.*acuminatum* (*Sarcopodium acumi-*
natum Cy)—*aggregatum*—*majus**ainsworthi* (*Artemis*; *aureum* × *no-*
bile; *Artemus*; *edithae*)—*leechianum* (*leechianum*)—*splendidissimum* (*splendidissi-*
mum)*albosanguineum**amesianum* *grandiflorum*Not found in botanical literature, prob-
ably a garden hybrid.*amplum* (*Sarcopodium amplum* Cy)*anceps**Apollo* *grandiflorum*D. *rubens* *grandiflorum*Artemis D. *ainsworthi*

ORCHID GENERA (DENDROBIUM), cont.

- Artemus* *D. ainsworthii*
ASPASIA (*wardianum* \times *aureum*)
atrovioletaceum
aurantiacum
aureum *D. heterocarpum*
barbatulum
 It is quite possible that the material
 grown under this name is in reality *D.*
fytehianum.
barbigerum (*barbrigium*)
barbrigium *D. barbigerum*
 Misspelling.
bellatulum
bensoniae (*bensonii*)
bensonii *D. bensoniae*
bigibbum
bronckarti
brymerianum
bufordiense *D. dulce*
calceolaria
 D. moschatum calceolaria
calceolus *D. moschatum*
cambridgeanum (*Dendrobium ochre-*
atum ABL-Cy)
cariniferum
CASSIOPE (*moniliforme* \times *nobile*)
childsi
 Not found in botanical literature, prob-
 ably a garden hybrid.
chlorostele (*Juno*; *xanthocentron*
 Cy; *linawianum* \times *wardianum*)
chrysanthum (*paxtonii*)
chrysodiscus *D. melanodiscus*
chrysotoxum
 —*suavissimum* (*suavissimum*)
ciliatum annamense
clavatum
coelogyné (*Sarcopodium coelogyné*
 Cy)
crassinode (*pendulum* ABL-Cy)
 —*barberianum*
crepidatum
cretaceum
crystallinum
cupeta
 Not found in botanical literature, prob-
 ably a garden hybrid.
cupreum *D. moschatum cupreum*
curtisi (*Cassiope* \times *aureum*)
CYBELE (*findlayanum* \times *nobile*)
cymbidioides
dalhousieanum (*pulchellum* ABL)

ORCHID GENERA (DENDROBIUM), cont.

- dearei*
densiflorum
Desdemona *D. rubens*
devonianum
dixanthum
dominianum (*linawianum* \times *nobile*)
DORIS (*ainsworthii* \times *moniliforme*)
dulce (*bufordiense*; *aureum* \times *lin-*
awianum)
edithae *D. ainsworthii*
endocharis (*aureum* \times *moniliforme*)
eriaeflorum
enosmum (*endocharis* \times *nobile*)
 —*leucopterum*
Euryalus *D. rubens*
Euterpe *D. murrhiniacum*
falconeri
farmeri
fimbriatum
 —*oculatum*
findlayanum
formosum
 —*giganteum*
goldiei *D. superbiens*
HAROLD (*findlayanum* \times *linawianum*)
 —*amoenum*
heterocarpum (*aureum*)
hildebrandi
infundibulum
 —*jamesianum* (*jamesianum*)
jamesianum
 D. infundibulum jamesianum
johannis
Juno *D. chlorostele*
kingianum
leechianum
 D. ainsworthii leechianum
lituiflorum
 —*freemani*
luna *D. melanodiscus*
luteola
macrophyllum
 There is also a *D. macrophyllum* of
 Lindley, which is the same as *D. super-*
biens and which is probably the plant
 more commonly in cultivation.
 —*dayanum* *D. superbium nosmum*
 —*giganteum* *D. s. giganteum*
melanodiscus (*chrysodiscus*; *luna*;
 findlayanum \times *ainsworthii*)
 —*pallens* (*pallens*)

ORCHID GENERA (DENDROBIUM), cont.

meterocarpum

Not found, probably a garden hybrid.

micans* (*wardianum* \times *lituiflorum*)**moschatum* (*calceolus*)*****—calceolaria* (*calceolaria*)*****—cupreum* (*cupreum*)****MRS. ALFRED ROGERS** (*findlayanum* \times *hildebrandii*)***murrhiniacum* (*murrhiniacum*; *Euterpe*; *nobile* \times *wardianum*)*****murrhiniacum* *D. murrhiniacum*****NIOBE** (*tortile* \times *nobile*)***nobile******—album******—amesiae******—amesianum***

Probably the same as *D. nobile amesiae*.

—ashworthi

Probably the same as *D. nobile ashworthianum*.

—ashworthiae

Probably the same as *D. nobile ashworthianum*.

—ashworthianum***—ballianum******—cooksoni***

Probably the same as *D. nobile cooksonianum*.

—cooksonianum***—LARZ ANDERSON******—majus******—MRS. LARZ ANDERSON***

This and *D. nobile Larz Anderson* may be the same.

—murrhiniacum

Possibly the same as *D. murrhiniacum*.

—nobilis***—owenianum******—pulcherrimum******—RAJAH******—roseum******—rothwellianum******—rubrum******—SOUTH ORANGE******—summitense******—tollianum******—victoria regina******—virginale******—oculatum***

Not found in botanical literature, probably the same as *D. fimbriatum oculatum*.

ORCHID GENERA (DENDROBIUM), cont.

oncidium

Not found in botanical literature.

ochreatum* ABL-Cy**D. cambridgeanum******pallens* *D. melanodiscus pallens******parishi******paxtoni* *D. chrysanthum******pendulum* ABL-Cy *D. crassinode******phalaenopsis******—album******—caerulescens******—schroederae***

Probably the same as *D. phalaenopsis schroederianum*.

—schroederianum***—schroederianum albescens******—schroederianum album* ROEHRs*****—schroederianum roehrsiana***

Very likely this is the more correct name of *D. phalaenopsis schroederianum* album Roehrs.

pierardi***pitcherianum* (*rolfeae*; *nobile* \times *primulinum*)*****platycaulon******primulinum******pulchellum* ABL *D. dalhousieanum******regium******roeblingianum* (*nobile* \times *ruckeri*)*****rogersi***

Not found in botanical literature, probably a garden hybrid.

rolfeae* *D. pitcherianum***rubens* (*Desdemona*; *Euryalus*; *ainsworthi* \times *nobile*)*****grandiflorum* (*Apollo grandiflorum*)*****sanderae******schneiderianum* (*findlayanum* \times *au-******reum*)*****—grandiflorum******schuetzei******secundum******SIBYL* (*bigibbum* \times *linawianum*)*****speciosum******splendidissimum******D. ainsworthi splendidissimum******—grandiflorum* *D. ains-******worthi splendidissimum* var.*****splendidissimum grandiflorum******Thompsons* *D. ains-******worthi splendidissimum* var.**

ORCHID GENERA (DENDROBIUM), cont.**statterianum**

Supposed nat. hyb. between *D. bigibbum* and *D. phalaenopsis*.

suavissimum

D. chrysotoxum suavissimum

superbiens (*goldiei*)**superbum (*macrophyllum* of Lindley)****—anosmum (*macrophyllum dayanum*)****—dearei****—giganteum (*macrophyllum giganteum*)****THELMA (*wiganiæ album* × *nobile virginalis*)****thyrsiflorum . . . *D. thyrsiflorum*****thyrsiflorum (*thyrsiflorum*)**

Botanically considered a variety of *D. densiflorum*.

transparens**veitchii (*wardiano-japonicum*; *moniliforme* × *wardianum*)**

D. moniliforme is the older and more correct name of *D. japonicum*.

velutinum**VENUS (*falconeri* × *nobile*)****virginale**

Not found in botanical literature, probably the same as *D. nobile virginale*.

wardiano-japonicum . . . *D. veitchii***wardianum****—album****—giganteum****—lowii****wiganiæ (*nobile* × *signatum*)****xanthocentrum . . . *D. chlorostele*****DENDROCHILUM****cobbianum (*Platyclinis cobbiana* Cy; *P. gigantea*)****cucumerinum (*Platyclinis cucumerina* Cy)****filiforme (*P. filiformis* Cy)****glumaceum (*P. glumacea* Cy)****—superbum**

Of little standing as distinct.

latifolium (*Platyclinis latifolia* Cy)**DIACRIUM . EPIDENDRUM**

More correctly only a section of Epidendrum, though often maintained as a distinct genus.

ORCHID GENERA (DIACRIUM), cont.**bicornutum Cy**

Epidendrum bicornutum

DISA**luna (*racemosa* × *veitchii*)****ELLEANTHUS****longibracteatus****EPICATTLEYA**

Also written *Epi-Cattleya*. Crosses between *Epidendrum* and *Cattleya*.

gautemalensis

Hyb.—not found in botanical literature.

MRS. SMITH (*E. aurantiacum* × *C. gigas*)**NEBO (*Nibo*; *E. obrienianum* × *C. claesiana*)****Nibo NEBO****orpeti (*orpetiana*; *E. obrienianum* × *C. amethystoglossa*)****orpetiana *E. orpeti*****EPIDENDRUM****anceps****aromaticum****atropurpureum (*macrochilum*)****atropurpureum randi . . . *E. randi*****aurantiacum (*Cattleya aurantiaca*)****auritum ABL . . . *E. palleaceum*****bicornutum (*Diacrium bicornutum* Cy)****boothianum (*erythronioides*)****boundi (*burtoni* × *radicans*)****brassavolae****burtoni (*ybaguense* × *obrienianum*)****ciliare****cinnabarinum****cochleatum****conspicuum *E. roseum*****cooperianum****coriaceum *E. variegatum*****decipiens****dellense (*radicans* × *xanthinum*)****dichromum****diurnum ABL *E. virens*****elatius *Cattleya guttata*****erythronioides *E. boothianum*****falcatum**

Probably the form grown is *E. parkinsonianum* and not the true *E. falcatum*, which is smaller.

ORCHID GENERA (EPIDENDRUM), cont.

*fragrans**gattonense* (*boundi* \times *xanthinum*)*godseffianum* . . . *E. osmanthum**inversum**kewense* (*ejectum* \times *xanthinum*)*lageri*

Not known, probably a garden hybrid.

*latilabrum*More commonly known as *E. latilabre*,
but the original spelling is *latilabrum*.*lindleyanum* ABL-CyBarkeria *lindleyana**longifolium**macrochilum* . . *E. atropurpureum**nemorale**obrieni* *E. obrienianum**obrienianum* (*obrieni*; *ejectum* \times
radicans)*odoratissimum**oncidiooides**osmanthum* (*godseffianum*)*palleaceum* (*auritum* ABL)*planilabris*

Not found in botanical literature.

polybulbon (*Dinema polybulbon*)*porphyreum**prismatocarpum**pristes**radicans* (*rhizophorum*)*randi* (*atropurpureum* *randianum*)(Cy; *atropurpureum* *randi*)*rhizophorum* *E. radicans**rigidum**roseum* (*conspicuum*)This may also apply to a variety of *E.*
atropurpureum.*skinneri**spectabile* ABL-CyBarkeria *spectabilis**stamfordianum**wallacei**stenopetalum**variegatum* (*coriaceum*)*virens* (*diurnum* ABL)*virgatum**vitellinum**vitellinum majus**wallisi*

ORCHID GENERA (EPIDENDRUM), cont.

*watsonii*An unpublished species (that is, without
a description). Known only in horti-
culture. The printed form of the name
is *watsonianum*.*xanthinum*The following cross has ap-
peared in horticulture without a
name.*aurantiacum* \times *Cattleya gigas*. This is an
Epicattleya.**EPIPACTIS***gigantea* (*Serapias gigantea* ABL)
pubescens ABL*Goodyera pubescens**tesselata* ABL *G. tesselata***EPIPHRONITIS**Crosses between *Epidendrum* and *Soph-
ronitis*.*veitchii* (*E. radicans* \times *S. grandiflora*)**ERIA***anchorifera**barbata**bractescens**convallarioides**coronaria* (*Trichosma suavis* Cy)*densiflora**excavata**ferruginea**gigantea**lavata*Not found in botanical literature, prob-
ably an error for *E. lanata*.*monostachys**obesa***ERIOPSIS***rutidobulbon**EUANTHE* ABL*sanderiana* ABL *Vanda sanderiana***GALEANDRA***devonianae**lacustris**GALEORCHIS* . . . *ORCHIS***GOMESA***planifolia**GOMEZA* *GOMESA***GONGORA***charlesworthii**galeata* (*Acropora loddigesii*; *Max-
illaria galeata*)

ORCHID GENERA (GONGORA), cont.
maculata (*quinquinervis* ABL-Cy)

GOODYERA

RATTLESNAKE-PLANTAIN

dawsoniana (*dawsonii*; *Haemaria discolor* *dawsoniana* ABL; *H. dawsoniana* Cy) DAW-

SON RATTLESNAKE-PLANTAIN

decipiens (*G. menziesii* Cy; *Perarium decipiens* Ag; *Epipactis decipiens* ABL) WEST-

ERN RATTLESNAKE-PLANTAIN

menziesii *G. decipiens*
pubescens (*Perarium pubescens* Ag;

Epipactis pubescens ABL)

DOWNTY RATTLESNAKE-PLANTAIN

repens CREEPING R.
—*ophioides* (*Perarium ophioides* Ag)

tesselata (*P. tessellatum* Ag; *Epipactis tessellata* ABL) . . CHECK-
ERED RATTLESNAKE-PLANTAIN

GRAMMANGIS ABL

GRAMMATOPHYLLUM

ellisi ABL *G. ellisi*

GRAMMATOPHYLLUM

ellisi (*Grammangis ellisi* ABL)

HABENARIA

blephariglottis (*Blephariglottis blephariglottis*)

WHITE FRINGE-ORCHID

bracteata (*Coeloglossum bracteatum*)

SATYR ORCHID

ciliaris (*Blephariglottis ciliaris*)

YELLOW FRINGE-ORCHID

dilatata (*Limnorchis dilatata*)

WHITE BOG-ORCHID

fimbriata

LARGE PURPLE FRINGE-ORCHID
hookeri (*H. hookeriana* Cy; *Lysias hookeriana*) . . HOOKER ORCHID

hookeriana Cy *H. hookeri*

hyperborea (*Limnorchis hyperborea*) . NORTHERN GREEN ORCHID

obtusata (*Lysilla obtusata*)

psycodes (*Blephariglottis psycodes*)

SMALL PURPLE FRINGE-ORCHID

HAEMARIA ABL **GOODYERA**

discolor *dawsoniana* ABL

G. dawsoniana

ORCHID GENERA, continued

HARTWEGIA

purpurea

HOULLETTIA

brocklehurstiana

odoratissima

—*antioquiensis*

HUNTLEYA Cy

ZYGOPETALUM

burtii Cy *Z. burtii*

IBIDIUM Ag . **SPIRANTHES**

LAELIA

The name of this genus under the American rules is *Amalia*.

acuminata *L. rubescens*

albida

anceps

—*alba*

—*alba* BULLS

—*amesiae*

Probably the same as *L. anceps amesiana*.

—*amesiana*

—*blanda*

—*BULLS*

This is very likely the same as *L. anceps alba* BULLS.

—*dawsonii*

—*grandiflora*

—*hillii*

Probably the same as *L. anceps hilliana*.

—*hilliana*

—*hilliana rosefieldensis*

—*holidayana*

Not found in botanical literature, probably a garden variety.

—*lageriana*

—*leeana*

—*percivaliana*

—*protheroiana*

—*rosea*

—*sanderiana*

—*schroederae*

—*schroederi*

Probably the same as either *L. anceps schroederae* or *L. anceps schroederiana*.

—*schroederiana*

—*stella*

—*stella vestalis*

—*veitchiana*

—*williamsi*

—*winniana*

arnoldiana [of Manda]

It is impossible to say whether this and the next are the same.

ORCHID GENERA (LAELIA), continued

- arnoldiana*
Laeliocattleya callistoglossa
autumnalis
—*alba*
—*atrorubens*
bella *Laeliocattleya bella*
boothiana (*Cattleya lobata*)
cinnabarinia
cinnabaerosa *L. cinnabrosa*
cinnabrosa (*cinnabaerosa*; *cinnabarina* \times *tenebrosa*)
crispa (*Cattleya crispa*)
—*superba*
crispilabia (*Laelia cinnabarinia crispilabia* Cy)
dayana *L. pumila dayana*
digbyana Cy *Brassavola digbyana*
elegans *Laeliocattleya elegans*
This species has been a source of much confusion, having been treated as a valid species of *Laelia*, but apparently it is a cross between *Cattleya leopoldii* and *Laelia purpurata*.
—*schilleriana*
Laeliocattleya schilleriana
flava
glaуa Cy . . . *Brassavola glauca*
gouldiana
grandis tenebrosa Cy . *L. tenebrosa*
harpophylla
jongheana
latona (*cinnabarinia* \times *purpurata*)
lindleyana (*Cattleya lindleyana*)
majalis (*speciosa* ABL)
—*alba*
monophylla
NORA (*cinnabarinia* \times *xanthina*)
OLIVIA (*crispa* \times *xanthina*)
pattini
Not found in botanical literature, probably a garden hybrid.
perrini
praestans *L. pumila major*
pumila
—*dayana* Cy (*dayana*)
—*major* (*praestans*; *pumila praestans* Cy)
purpurata
—*russelliana*
—*schroederae*
L. purpurata schroederi
—*schroederi* (*purpurata schroederae*)

ORCHID GENERA (LAELIA), continued

- purpurata williamsi*
ragotiana (*cinnabarinia* \times *grandis*)
rubescens (*acuminata*)
speciosa *L. majalis*
superbiens
tenebrosa (*grandis tenebrosa* Cy)
Whether this is a true species or a variety of *L. grandis* is open to question. We have followed R. A. Rolfe who considers it a distinct species.
—*grandis*
Not found, possibly *L. grandis*.
—WALTON GRANGE
The following crosses have appeared in horticulture without names:
cinnabarinia \times *xanthina* *NORA*
perrini \times *Cattleya aurea*
Laeliocattleya decia
pumila \times *purpurata*
pumila dayana \times *anceps stella*
purpurata \times *Laeliocattleya ballii* (G. S. Ball). This is a *Laeliocattleya*.
tenebrosa \times *Laeliocattleya canhamiana*
Laeliocattleya KATHLEEN
LAELIOCATTLEYA
Also written *Laelia-Cattleya* and *Laelio-Cattleya*. Crosses between *Laelia* and *Cattleya* or between one of these genera and a *Laeliocattleya* or between two *Laeliocattleyas*. In references below the abbreviation *L.* is used for *Laelia*, *Lc.* for *Laeliocattleya*.
AGNES (*Lc. callistoglossa* \times *Lc. schilleriana*)
ALEBRIE (*L. ingrami* \times *C. superba*)
ALEX (*C. dowiana* \times *Lc. Tunis*)
ALPHAND (*C. Fabia* \times *Lc. callistoglossa*)
ANTIGONE (*L. purpurata* \times *C. schilleriana*)
ANTIMACHUS (*C. gigas* \times *Lc. dominiana*)
APHRODITE (*Lc. eudora*; *C. mendeli* \times *L. purpurata*)
ARIEL (*C. aurea* \times *Lc. cowani*)
armstrongiae (*C. Iris* \times *Lc. G. Woodhouse*)
arnoldiana *Lc. callistoglossa*
astoriae (*Lc. Hon. Mrs. Astor*; *C. gaskelliana* \times *L. xanthina*)
ATALANTA (*Lc. Clonia* ABL; *C. gigas* \times *Lc. elegans*)
AUSTRALIA (*L. tenebrosa* \times *Lc. luminosa*)

ORCHID GENERA (LAELIOCATTLEYA), continued

baden-powelli (*Lc. Gen. Baden Powell; C. lawrenceana* \times *L. tenebrosa*)
balli (*Lc. G. S. Ball; C. schroederiana* \times *L. cinnabarinus*)
BEDOUIN (*L. purpurata* \times *Lc. hyeana*)
bella (*L. bella*; *C. labiata* \times *L. purpurata*)
—**alba** (*C. labiata alba* \times *L. purpurata*)
Berthe Fournier . . *Lc. fournierae*
BLACK PRINCE (*C. hardyana* \times *Lc. bletchleyensis*)
bletchleyensis (*L. tenebrosa* \times *C. gigas sanderiana*)
bola (*C. labiata* \times *Lc. callistoglossa*)
boylei (*Lc. Frederick Boyle; C. trianae* \times *L. anceps*)
—**kerchoviae** (*Lc. Frederick Boyle kerchoviae*)
britannia (*C. gigas* \times *Lc. canhamiana*)
—**alba** (*C. gigas alba* \times *Lc. canhamiana alba*)
BRYAN (*C. gaskelliana* \times *L. crispa*)
callistoglossa (*Lc. arnoldiana; C. gigas* \times *L. purpurata*)
canhamiana (*Lc. Lady Wigan; C. mossiae* \times *L. purpurata*)
—**alba** (*C. mossiae alba* \times *L. purpurata*)
—**rex** (*C. mossiae wagneri* \times *L. purpurata*)
CARMENCITA (*C. dowiana* \times *Lc. lumenosa*)
CELIA (*C. superba* \times *L. purpurata*)
C. G. ROEBLING . . *Lc. roeblingi*
charlesworthii (*C. dowiana* \times *L. cinnabarinus*)
choletiana (*C. mossiae* \times *L. superbiens*)
CLIVE (*C. dowiana* \times *L. pumila*)
Clonia ABL *ATALANTA*
colmaniana (*C. dowiana* \times *Lc. callistoglossa*)
CORONIS (*C. labiata* \times *L. cinnabarinus*)
cowani (*C. mossiae* \times *L. cinnabrosa*)
cranstounae (*C. harrisoniana* \times *L. tenebrosa*)

ORCHID GENERA (LAELIOCATTLEYA), continued

decia (*C. aurea* \times *L. perrini*)
DOMAS (*C. mossiae* \times *Lc. dominiana*)
dominiana (*C. dowiana* \times *L. purpurata*)
Dr. R. Schiffman . . *Lc. schiffmani*
ducaniana *Lc. duncani*
duncani (*Lc. duncani*; *C. hardyana* \times *Lc. gottoiana*)
edwardii (*C. hardyana* \times *L. cinnabarinus*)
elegans (*L. elegans*; *C. leopoldi* \times *L. purpurata*)
ELSIE (*C. trianae* \times *L. cinnabarinus*)
Endymion *EVA*
EPICASTA (*C. gigas* \times *L. pumila*)
eudora *APHRODITE*
EVA (*Lc. Endymion*; *Lc. orpetiana*;
C. gaskelliana \times *L. tenebrosa*)
eximia (*C. warneri* \times *L. purpurata*)
—**gigantea magnifica**
exoniensis (*C. mossiae* \times *L. crispa*)
FABIA
 Hyb.—probably the same as *Cattleya Fabia*.
FASCINATOR (*C. schroederiana* \times *L. purpurata*)
—**magnificum**
FELICITY (*C. mendeli* \times *L. crispa*)
fournierae (*Lc. Berthe Fournier; C. dowiana* \times *Lc. elegans*)
Frederick Boyle *Lc. boylei*
Frederick Boyle kerchoviae
 Lc. boylei kerchoviae
G. C. Whitelegge . . *Lc. whiteleggei*
Gen. Baden Powell *Lc. baden-powelli*
General French . . *Lc. warnhamensis*
GOLDEN ORIOLE (*C. dowiana* \times *Lc. charlesworthii*)
—**alba**
gottoiana
 Nat. hyb. between *C. warneri* and *L. tenebrosa*.
greenwoodi (*C. hardyana* \times *Lc. schilleriana*)
G. S. Ball *Lc. balli*
haroldiana (*C. hardyana* \times *L. tenebrosa*)

- ORCHID GENERA (LAELIOCATTLEYA),
continued**
- HECTOR (*C. dowiana* × *Lc. martineti*)
HERGA (*C. gaskelliana* × *Lc. elegans*)
herscentiae (*C. dowiana* × *Lc. boothiana*)
highburiensis (*C. lawrenceana* × *L. cinnabarinus*)
Hon. Mrs. Astor . . . *Lc. astoriae*
hyeana (*C. lawrenceana* *hyeana* × *L. purpurata*)
ISABEL SANDER (*C. mossiae* × *Lc. canhamiana*)
JOSEPHINE (*Lc. massiliensis* ABL; *C. trianae* × *L. crispa*)
KATHLEEN (*Lc. Kathleen Grey*; *Lc. Kathline*; *L. tenebrosa* × *Lc. canhamiana*)
labiosa (*C. labiata* × *Lc. luminosa*)
Lady Rothschild . *Lc. rothschildiae*
Lady Wigan . . . *Lc. canhamiana*
LINDA (*C. aurea* × *Lc. Arachne*)
lucasiana (*C. labiata* × *L. tenebrosa*)
LUCIA (*C. mendeli* × *L. cinnabarinus*)
—superba
luminosa . . . *Lc. truffautiana*
Luster *LUSTRE*
lustra *LUSTRE*
LUSTRE (*Lc. Luster*; *Lc. lustra*; *C. lueddemanniana* (*speciosissima*) × *Lc. callistoglossa*)
MABEL (*C. trianae* × *L. tenebrosa*)
MME. BRASSEUR-HYE (*C. gigas* × *Lc. Aphrodite* (*eudora*))
martineti (*C. mossiae* *reineckiana* × *L. tenebrosa*)
mauretanica (*Lc. canhamiana* × *Lc. martineti*)
MEMNON (*C. mendeli* × *Lc. elegans*)
MERCIA (*C. schroederiana* × *L. [pumila] dayana*)
MOONBEAM (*C. schroederiana* × *Lc. balli* (*G. S. Ball*))
MRS. TEMPLE (*C. mossiae* × *Lc. greenwoodi* (*Henry Greenwood*))
MYGDON (*C. trianae* × *Lc. truffautiae* (*luminosa*))
MYRA (*C. trianae* × *L. flava*)
—alba
nysa (*Lc. nyssa*; *C. gigas* × *Lc. crispa*)

- ORCHID GENERA (LAELIOCATTLEYA),
continued**
- nyssa* *Lc. nysa*
OPHIR (*C. dowiana* × *L. xanthina*)
orpetiana *EVA pacavia*
Not known, probably a garden hybrid.
PALLAS (*C. aurea* × *L. crispa*)
PHOEBE (*Lc. Hippolyta* ABL; *C. mossiae* × *L. cinnabarinus*)
PRIAM (*C. harrisoniana* × *Lc. callistoglossa*)
PURPLE EMPEROR (*C. gigas* × *Lc. callistoglossa*)
QUEEN OF SHEBA
Not known, probably a garden hybrid.
roeblingi (*Lc. C. G. Roebling*; *Lc. violetta*; *C. gaskelliana* × *L. purpurata*)
rothschildiae (*Lc. Lady Rothschild*; *C. gigas* × *L. perrini*)
schiffmani (*Lc. Dr. R. Schiffman*; *C. mendeli* × *Lc. callistoglossa*)
schilleriana (*L. elegans* *schilleriana*; *C. intermedia* × *L. purpurata*)
SOLANGE (*C. dowiana* × *Lc. Lustre*)
TARQUINIAS (*C. schilleriana* × *Lc. callistoglossa*)
thurgoodiana (*C. hardyana* × *Lc. martineti*)
truffautiana (*Lc. luminosa*; *C. dowiana* × *L. tenebrosa*)
violetta *Lc. roeblingi*
warnhamensis (*Lc. General French*; *C. trianae* × *L. cinnabarinus*)
wellsiana (*Lc. willsiana* Cy; *C. trianae* × *L. purpurata*)
whiteleggei (*Lc. G. C. Whitelegge*; *C. hardyana* × *Lc. callistoglossa*)
ZIXA (*C. mendeli* × *Lc. bella*)
- The following crosses have appeared in horticulture without names:
- Lc. Aphrodite* (*eudora*) × *C. gigas*
MME. BRASSEUR-HYE
L. cinnabarinus × *C. schroederiana*
Lc. balli
Lc. martineti × *C. labiata*
C. mossiae *rousseliana* × *L. tenebrosa*.
A close ally of, if not the same as *Lc. martineti*.
Lc. schilleriana × *Lc. callistoglossa* AGNES

ORCHID GENERA, continued

LEPTOTES

bicolor (*Tetramicra bicolor*)

LIMNORCHIS . HABENARIA

LIMODORUM Ag.

CALOPOGON

LIPARIS TWAYBLADE

liliifolia LILY T.*loeseli* LOESEL T.*longipes*

LISTERA

cordata

LOCKHARTIA

*elegans**gigantea*

Not found, probably a garden variety.

LYCASTE

*aromatica**candida**costata**cruenta**deppei*Named for Deppe, but originally (under *Maxillaria*) spelled *deppii*.*fulvescens**harrisoniae* . *Bifrenaria harrisoniae**hybrida* (*deppei* \times *skinneri*)*lanipes**lasioglossa**plana**skinneri**—alba**—grandiflora**tricolor**tyrianthina* . *Bifrenaria tyrianthina*

LYSIAS HABENARIA

LYSIELLA . . . HABENARIA

MACRADENIA

brassavolae

MASDEVALLIA

*bella**chimaera**coccinea**—harryana* ABL-Cy . *M. harryana**coriacea**estradae**harryana* (*Masdevallia coccinea harryana* ABL-Cy)

ORCHID GENERA (MASDEVALLIA), cont.

*harryana lutea**houtteana* (*benedicti*)*ignea* (*militaris* ABL-Cy)*macrura**militaris* ABL-Cy *M. ignea**reichenbachiana**schlimii**tovarensis**veitchii* *M. veitchiana**veitchiana* (*veitchii*)

MAXILLARIA

angustifolia *M. variabilis**densa* *Ornithidium densum**galeata* *Gongora galeata*There is also a valid *M. galeata* which is probably not in horticulture.

grandiflora

henchmanni *M. variabilis**houtteana**hyacinthina**Xylobium hyacinthinum*

incarnata

Not found, perhaps a garden variety; according to Bailey's Cyclopedias a trade name only.

luteoalba

—turneri ABL *M. turneri**nigrescens**picta**porphyrostella* . . *M. porphyrostele**porphyrostele* (*porphyrostella*)*pulsella*Not found, evidently a misspelling, possibly for *pusilla*.

rubescens

Not found, probably intended for *rufescens*.

sanderiana

*setigera**tenuifolia**turneri* (*luteoalba turneri* ABL)*variabilis* (*angustifolia*; *henchmanni*)*venusta*MEGACLINIUM (*Bulbophyllum*

ABL)

This genus is recognized by some authorities and by others is reduced to *Bulbophyllum*.*falcatum* (*Bulbophyllum falcatum* ABL)

ORCHID GENERA, continued

- MILTONIA . . PANSY-ORCHID
 —Ajax . . . Miltonioda AJAX
bleuana (*Miltoniopsis bleui*; *Miltonia verillaria* \times *roezli*)
 —charlesworthii
 Presumably the same as *M. charlesworthii*.
 —grandiflora
 —hyeana
 Presumably the same as *M. hyeana*.
 —magnifica
 —nobilior
 —QUEEN ALEXANDRA
 —rosea
 —ST. ANDRE
 Presumably the same as *M. St. Andre*.
 bluntii
 Supposed nat. hyb. between *M. clowesi* and *M. spectabilis*.
 —lubbersiana
 candida
 charlesworthii
 clowesi
 cuneata
 flavescens
 hyeana (*bleuana* \times *vexillaria*)
 lambeauana
 Not found, probably a garden hybrid or a form of *M. vexillaria*.
moreliana . *M. spectabilis moreliana*
 phalaenopsis
 —alba
 regnelli
 roezli
 —alba
Sr. ANDRE (*bleuana* \times *roezli*)
 schroederae
 Not found, probably the same as *M. schroederiana*.
 schroederiana
 spectabilis
 —moreliana (*moreliana*)
uetillaria *M. vexillaria*
 Typographical error.
vexillaria (*uetillaria*)
 —EMPEROR AUGUSTA VICTORIA
 —gigantea
 —H. H. HUNNEWELL
 —lambeauiana
 —leopoldi
 —leucoglossa
 —magnifica

ORCHID GENERA (MILTONIA), continued

- vexillaria MEMORIA G. D. OWEN
 —rosea
warscewiczi (*Oncidium fuscum*)

MILTONIODA

Crosses between *Cochlioda* and *Miltonia*.
 AJAX (*Miltonia Ajax*; *Miltonia schroederiana* \times *C. noeziiana*)

MILTONIOPSIS . MILTONIA
bleuui *Miltonia bleuana*

MORMODES

- buccinator
 —citrinum

MYSTACIDIUM

distichum (*Angraecum distichum*)

NANODES

More properly included in *Epidendrum*.
 ABL.

medusae (*Epidendrum medusae*
 ABL)

NEO-BENTHAMIA

gracilis

OCTOMERIA

diaphana

ODONTIODA

Crosses between *Cochlioda* and *Odontoglossum*.

ADRASTIA (*Odontioda bohnhoffiae* \times
Odontoglossum crispum)

boltonii (*C. noeziiana* \times *Odontoglossum vuylstekeae*)

bradshawiae (*C. noeziiana* \times *Odontoglossum crispum*)

—GATTON PARK

brewii (*Odontioda charlesworthii* \times
Odontoglossum harryanum)

charlesworthii (*C. noeziiana* \times *Odontoglossum harryanum*)

CLEOPATRA (*C. noeziiana* \times *O. lairessei*)

cooksoniae (*C. noeziiana* \times *O. armainvillierense* (*ardentissimum*))

DIANA (*C. noeziiana* \times *O. amabile*)

DON (*C. noeziiana* \times *O. Othello*)

goodsoniae

Hyb.—parents not known.

JOAN (*Odontioda charlesworthii* \times
Odontoglossum armainvillierense
 (*ardentissimum*))

ORCHID GENERA (ODONTIODA), cont.
keighleyensis (*C. noeziiana* \times *Odontoglossum cirrhosum*)

LADY COLMAN (*C. noeziiana* \times *O. Queen of Sheba*)

lambeauiana (*C. noeziiana* \times *Odontoglossum lambeauianum*)

luditia

Not found, possibly the same as *Odontioda Lutetiae*.

LUTETIA (*C. noeziiana* \times *Odontoglossum luteopurpureum*)

MADELINE (*Odontioda charlesworthi* \times *Odontoglossum crispum*)

PATRICIA (*Odontioda charlesworthi* \times *Odontoglossum Phoebe*)

RED CROSS (*Odontioda cooksoniae* \times *Odontoglossum armainvillierense* (*ardentissimum*))

ROYAL GEM (*Odontioda vuylstekeae* \times *Odontoglossum armainvillierense* (*ardentissimum*))

sanderae (*C. noeziiana* \times *Odontoglossum percultum*)

thwaitesi (*thwaitesse*; *C. vulcanica* \times *O. harryanum*)

thwaitesse . . . *O. thwaitesi*

vuylstekeae (*C. noeziiana* \times *O. pescatorei*)

ZEPHYR (*C. noeziiana* \times *O. wilckeana*)

ODONTOGLOSSUM

ADMIRAL (*pescatorei* \times *Beaute Coeleste* (*eximum*))

aireworthii (*crispum* \times *lambeauianum*)

album

Not found, probably a white form of either *O. biconiense* or *O. citrosum*.

aliciae (*edwardii* \times *spectabile*)

altum (*armainvillierense* \times *hallii*)

amabile (*spectabile* \times *crispum*)

amandum (*denisoniae* \times *pescatorei*)

amoenum (*concinnum*; *pescatorei* \times *sceptrum*)

andersonianum

O. crispum andersonianum

ardentissimum *Cy*

O. armainvillierense

ORCHID GENERA (ODONTOGLOSSUM),
 continued

armainvillierense (*ardentissimum*;
crispum \times *pescatorei*)

—xanthotis

ashworthianum (*edwardii* \times *ossultonii*)

BEAUTE-COELLESTE (*eximea*; *eximum*;
armanivillierense \times *crispum*)

biconiense

caulstoni (*crispum* (*alexandrae*) \times
harryanum)

cervantesi

charlesworthii (*harryano-triumphans*;
harryanum \times *triumphans*)

cirrhosum

citrosum (*pendulum ABL*)

—album

—roseum

clayti

Not found, probably a garden hybrid.

CLYTIE (*edwardii* \times *pescatorei*)

cordatum

crawshayanum (*hallii* \times *harryanum*)

crispodnei (*crispum* \times *coradieni*)

criso-harryanum . . . *O. spectabile*

crispum (*alexandrae*)

—andersonianum (*andersonianum*)

—E. B. DANE

—xanthodes

denisonae (*wilkeanum*; *crispum* \times
luteopurpureum)

DORA (*lambeauianum* \times *pescatorei*
Duchess of Westminster)

DORIS (*crispum* \times *ossultonii*)

edwardii

edwardianum . . . *O. edwardinum*

edwardinum (*edwardianum*; *edwardii*

\times eximum)

elegans (*cirrhosum* \times *hallii*)

excellens (*pescatorei* \times *triumphans*)

eximea . . . **BEAUTE-COELLESTE**

eximum . . . **BEAUTE-COELLESTE**

FASCINATOR (*crispum* \times *adrianae*)

fletcherianum (*edwardii* \times *cirrhosum*)

GLADYS (*cirrhosum* \times *spectabile*)

grande

Commonly known in horticulture as
Baby Orchid, a name which seems so inappropriate that it has been rejected.

ORCHID GENERA (ODONTOGLOSSUM),
continued*halli**harryano-triumphans*

O. charlesworthii

*harryanum**harvengtense* (*loochristiense*; *crispum* \times *triumphans*)*hastilabium**hellmense* (*harvengtense* \times *crispum*)*hibernicum* (*halli* \times *hastilabium*)*holmesi* (*spectabile* \times *adrianae*)*hunnewellianum**hyeanum* (*Souvenir de Victor Hye de Crom*; *harryanum* \times *luteopurpureum*)*illustrissimum* (*lambeauianum* \times *armainvillierense* (*ardentissimum*))*insleayi**ISIDORUS* (*cirrhosum* \times *Rio Tinlo*)*Japonais* ABL. O. *lambeauianum**JASPER* (*crispum* *victoria regina* \times *amabile*)*laeve**lambeauianum* (*Japonais* ABL; *rolfeae* \times *crispum*)*lobbi* (*lobbiae*; *amabile* \times *pescatorei*)*lobbiae* O. *lobbi**loochristiense* . . . O. *harvengtense**luteopurpureum**—sceptrum* (*sceptrum* ABL)*maculatum**maritana* (*rolfeae* \times *sceptrum*)*mirificum* (*crispum* \times *sceptrum*)*nebulosum**nitidum* (*spectabile* \times *denisonae* (*wilkeanum*))*nobile* ABL-Cy . . . O. *pescatorei**oberthuri* (*adrianae* \times *harbengtense*)*ossulstonei* O. *ossultoni**ossultoni* (*ossulstonei*; *pescatorei* \times *spectabile*)*OTHELLO* (*adrianae* \times *harryanum*)*pendulum* ABL . . . O. *citrosum**pescatorei* (*nobile* ABL-Cy)*PHILOMENE* (*rolfeae* \times *percultum*)*PHOEBE* (*cirrhosum* \times *crispum*)*pulchellum*ORCHID GENERA (ODONTOGLOSSUM),
continued*reichenheimi*By some this is considered to be variety of O. *laeve*.*rolfeae* (*harryanum* \times *pescatorei*)*rossi**—majus**ruckerianum*By some considered to be a variety of O. *crispum*.*schlieperianum* (*schlipperianum*)*—album**schlipperianum* . O. *schlieperianum*SOLON (*adrianae* \times *armainvillierense* (*ardentissimum*)))*SORAMIS* (*Phoebe* \times *crispum*)*Souvenir de Victor Hye de Crom*O. *hyeanum**spectabile* (*crispo-harryanum*; *crispum* \times *harryanum*)*thompsoni*Not found, probably the same as O. *thompsonianum*.*thompsonianum* (*crispum* \times *edwardii*)*tigrinum* (*Fascinator* \times *harryanum*)Not to be confused with O. *tigrinum* of Lindley (probably not in cultivation), which is *Oncidium tigrinum*.*triumphans**triphosum* (*triumphans* \times *cirrhosum*)*uro-skinneri**VENILIA* (*cirrhosum* \times *pescatorei*)*vuylstekei* (*denisonae* \times *triumphans*)Not to be confused with *Odontoglossum vuylstekeae* which is the result of a different cross, O. *spectabile* \times O. *vuylstekei*.*warnhamense* (*halli* \times *pescatorei*)*wilkeanum* O. *denisonae**williamsianum*Nat. hyb. between O. *grande* and O. *schlieperianum*.

The following cross has appeared in horticulture without a name:

cirrhosum \times *crispum* PHOEBE**ODONTONIA**Crosses between *Miltonia* and *Odontoglossum*.*lairesseae* (*M. warscewiczi* \times O. *crispum*)

ORCHID GENERA, continued

ONCIDIODA

Crosses between *Oncidium* and *Cochlioda*.

charlesworthii (*O. incurvum* × *C. noeziiana*)

ONCIDIUM

altissimum

Some of the material in cultivation may be *O. baueri* of which *O. altissimum* of Lindley, not of Swartz, is a synonym.

ampliatum

—majus

anthocrene

aurosum *O. excavatum*

barbatum

bicallosum

caloglossum (*Oncidium pectorale*
caloglossum ABL)

Supposed by some to be a nat. hyb. between *O. forbesi* and *O. marshallianum*.

marshallianum

carthaginense

cavendishianum

cebolleta

concolor

cornigerum

crispum

curtum

divaricatum

excavatum (*aurosum*)

flexuosum

forbesi

fuscatum . . *Miltonia warszewiczii*

gardneri

graminifolium

—wrayi

guttatum ABL *O. luridum*

harrisonianum

hastatum

incurvum

jonesianum

kramerianum

lanceanum

leucochilum

longipes

luridum (*guttatum* ABL)

macranthum

marshallianum

microchilum

oblongatum

ORCHID GENERA (ONCIDIUM), cont.

ornithorhynchum

—albiflorum (*ornithorhynchum album*)

—album

O. ornithorhynchum albiflorum

—roseum

papilio BUTTERFLY ORCHID

—majus

pectorale caloglossum ABL *O. caloglossum*

phymatochilum

pubes

pulchellum

pulvinatum

reichenheimi

Not found, presumably an error and *Odontoglossum* not *Oncidium* was intended.

rogersi *O. varicosum rogersi*

sarcodes

sphacelatum

—banrei

splendidum (*tigrinum splendidum* ABL)

thymatochilum

Not found, probably an error for *phy-matochilum*.

tigrinum

—splendidum ABL *O. splendidum*—unguiculatum (*unguiculatum*)

unguiculatum

O. tigrinum unguiculatum

uniflorum

varicosum

—rogersi (*rogersi*)

wentworthianum

ORCHIS ORCHIS

rotundifolia . SMALL ROUNDLEAF *O.*spectabilis (*Galeorchis spectabilis*

 Cy) SHOWY ORCHIS

ORNITHIDIUM

densum (*Maxillaria densa*)

fragrans

ORNITHOCHILUS

fuscus

PAPHIOPEDILUM Cy
CYPRIPEDIUM

PERAMNIUM Ag. GOODYERA

ORCHID GENERA, continued

PERISTERIA

elata HOLY-GHOST-FLOWER

PESCATOREA

ZYGOPETALUM

Also written Pescatoria, as in Bailey's Cyclopedias.

aurea

Not found, probably some garden form of Zygotetalum.

cerina Cy . . Zygotetalum cerinum

clabochorum . . Z. klabochorum

dayana Cy Z. dayanum

dayana rhodacra Cy Zy-

goptetalum dayanum rhodacrum

klabochorum Cy . . Z. klabochorum

PHAIUS PHAJUS

PHAJUS

The original spelling of the name and the form now commonly accepted in scientific works is Phajus; the change is so slight that it has been deemed best to adopt the more correct spelling. ABL.

cooksonae (*grandifolius* \times *humboldtii*)cooksoni (Norman; *simulans* \times *wallichii*)

grandifolius

incarvillei ABL P. wallichii

maculatus

marthae (*blumei* \times *simulans*)

Norman P. cooksoni

sanderianus

Not certain, but probably the same as P. sanderi.

wallichii (*incarvillei* ABL)

PHALAENOPSIS MOTH-ORCHID

amabilis (*grandiflora*)—rimestadtiana (*rimestadtiana*)APHRODITE (*Phalaenopsis amabilis* Aphrodite ABL)

CYNTHIA

Supposed nat. hyb. between P. schilleriana and P. amabilis.

equestris ABL P. rosea

ESMERALDA

grandiflora P. amabilis

grandifolia

Not found, probably an error for grandiflora.

ORCHID GENERA (PHALAENOPSIS), con.

leucorrhoda (*Phalaenopsis Aphrodite leucorrhoda* Cy)

Claimed by some to be a nat. hyb. between P. schilleriana and P. amabilis, by others, including Rolfe, a hyb. between P. Aphrodite and P. schilleriana, and by still others, to be a variety of P. Aphrodite, which in turn we feel is a variety of P. amabilis, a treatment reducing this to a sub-variety of that species. ABL.

lueddemanniana

—ochracea

rimestadtiana

P. amabilis rimestadtiana

A geographical form of P. amabilis.

rosea (*equestris* ABL)sanderiana (*P. Aphrodite sanderiana* Cy)

Considered by some to be a nat. hyb., by others a variety of P. Aphrodite which we believe to be a variety of P. amabilis and this a sub-variety of that species. ABL.

schilleriana

stuartiana

violacea

PHOLIDOTA

auriculata

Not found, possibly an error for P. articulata.

conchoidea P. imbricata

imbricata (*conchoidea*)

monostachys

Not found.

variegata

Not found, probably some garden variety.

PHRAGMOPEDILUM Cy

CYPripedium

PHYSOSIPHON

loddigesii (*tubatus* ABL)

PILUMNA TRICHOPILIA

fragrans T. fragrans

—nobilis T. fragrans var.

PLATYCLINIS Cy

DENDROCHILUM

autumnalis gigantea . D. cobbianum

cobbiana Cy D. cobbianum

cucumerina Cy D. cucumerinum

filiformis Cy D. filiforme

glumacea Cy D. glumaceum

latifolia Cy D. latifolium

ORCHID GENERA, continued

PLEIONE

Often considered only a section of *Coelogynie*.

*birmanica**lagenaria**maculata**praecox wallichiana* ABL*P. wallichiana**wallichiana* (*Pleione praecox wallichiana* ABL)**PLEUROTHALLIS***gelida**roezlii**tridentata**velaticaulis***POGONIA** *Pogonia ophioglossoides* ROSE P.**POLYSTACHYIA***bractescens*

Not found, probably an error for *P. bracteosa*.

*cerea**lutescens*

Not found, probably an error for *P. luteola*.

*rufinula***PROMENAEA**

Often considered only a section of *Zygotepetalum*.

citrina (*P. xanthina* ABL-Cy; *Zygotepetalum xanthinum*)**RENANTHERA***coccinea**imschootiana**—alba**lowei* Cy . . . *Arachnanthe lowei**storiei***RHYNCHOSTYLIS***retusa* (*Saccolabium retusum*; *S. blumei*)*—guttata* (*S. guttatum*)*violacea* (*S. violaceum*; *Anota violacea* ABL)**RODRIGUEZIA** ABL**BURLINGTONIA****SACCOLABIUM***bellinum**blumei* . . . *Rhynchostylis retusa*ORCHID GENERA (**SACCOLABIUM**), con.*giganteum* *Vanda densiflora**guttatum**Rhynchostylis retusa* *guttata**illustre*

Probably *Vanda densiflora* *illistris*.

retusum *Rhynchostylis retusa**violaceum* *R. violacea***SARCANTHUS***williamsoni***SARCOCHILUS***calceolus**purpureus* *Camarotis purpurea**unguiculatus* (*pollidus* ABL)**SARCOGLOTTIS** ABL**SPIRANTHES***picta* ABL *S. picta***SCHOMBURGHIA****SCHOMBURGKIA***crispa**lyonsi**tibicinis* (*tibicina*)*undulata***SCUTICARIA***hadweni**steeli***SELENIOPEDIUM**

The plants cultivated under this name belong to *Paphiopedilum* and are listed under *Cypripedium*. The true *Selenipedium* of botanists is, as far as known, not in cultivation.

brownii . . . *Cypripedium ainsworthii**Brysa* *C. BRYSA**cardinale* *C. cardinale**caudatum* *C. caudatum**grande* *C. grande**helenae* *C. schroederae**roezli* . . . *C. longifolium* *hartwegii**sedeni* *C. sedeni***SERRASTYLIS***modesta* (*Macradenia* ABL)**SIGMATOSTALIX***radicans***SOBRALIA***amesiana* (*wilsonii* \times *xantholeuca*)*leucoxantha*

ORCHID GENERA (SOBRALIA), continued

macrantha—*alba* (*macrantha kienastiana* Cy)**virginalis****wilsoniana**Not found, probably the same as *wilsoni*.**xantholeuca****SOPHROCATTLEYA**

Also written Sophro-Cattleya. Crosses between Sophronitis, Cattleya, and Laelia.

danae (*Sophrolaelia laeta* \times *C. harrisoniana*)**MEDEIA** (*Sophrolaelia orpeti* \times *C. bicolor*)**SOPHROCATTLEYA**

Also written Sophro-Cattleya. Crosses between Sophronitis and Cattleya.

DORIS (*Sophronitis grandiflora* \times *C. dowiana*)**PSYCHE**Hyb. not found, probably *Sophrolaelia Psyche*.**SOPHROLAELIA**

Also written Sophro-Laelia. Crosses between Sophronitis and Laelia.

Phrosa **PHROSO****PHROSO** (*Sophrolaelia Phrosa*; *Sophrolaelia laeta* \times *L. jongheana*)**SOPHRONITIS****cernua****coccinea** **S. grandiflora****grandiflora** (*coccinea*)**SPATHOGLOTTIS****aureo-vieillardi** Cy . . . **S. veitchii**
plicata**rubro-vieillardi**

Not found, probably some garden variety.

veitchii (*aureo-vieillardi* Cy; *aurea* \times *vieillardi*)**SPIRANTHES** . LADIES-TRESSES
brevifolia (*longilabris* ABL)

SHORT-LEAF L.

cernua (*Ibidium cernuum* Ag)

NODDING L.

gracilis (*I. gracile* Ag). SLENDER L.**picta** (*Sarcoglottis picta* ABL)

PAINTED L

ORCHID GENERA, continued

STANHOPEA**amesiana** (*lowii* ABL-Cy)**bucephalus****devoniensis****eburnea****grandiflora**This name cannot be placed with certainty. *S. grandiflora*, of Lindley, is the same as *S. eburnea* while *S. grandiflora* of the younger Reichenbach equals *S. bucephalus*, both of which are in cultivation.**insignis****langleyensis**

Not found, probably a garden form.

lowii ABL-Cy **S. amesiana****oculata****reichenbachiana****tigrina**—**aurea**—**venusta****STENOGLOTTIS****fimbriata****longifolia****TAINIA****viridifusca****TETRAMICRA****bicolor** **Leptotes bicolor****THUNIA**Joined by some to *Phajus*.**alba****bensoniae** (*alba bensoniae* ABL)**marshalliana** (*alba marshalliana* ABL)**wrigleyana** (*bensoniae* \times *marshalliana*)The more correct name (if this form is recognized) is *T. veitchiana*, but our feeling is that it is nothing but a cross between two plants which we consider to be only varieties of *T. alba* and is therefore scarcely worthy of notice.**TRICHOPILIA****coccinea** (*marginata* ABL-Cy)—**marginata** (*marginata* ABL-Cy)**fragrans** (*Pilumna fragrans*)**gigantea**

Not found.

| ORCHID GENERA (TRICHOPILIA), cont. | |
|--|-----------------------|
| hennesi | T. hennisia |
| hennisiana (<i>hennesi</i>) | |
| hermisi | |
| Not found, perhaps an error for T. hennisi which is the same as T. hennisia. | |
| suavis | |
| tortilis | |
| <i>TRICHOSMA</i> Cy | ERIA |
| <i>suavis</i> Cy | <i>Eria coronaria</i> |
| <i>TRIGONIDIUM</i> | |
| amesianum | |
| Not found, probably a garden variety. | |
| egertonianum | |
| <i>VANDA</i> | |
| amesiana | |
| batemani (<i>Vandopsis lissochilooides</i> ABL-Cy) | |
| bensoni | |
| boxalli Cy . . . V. lamellata boxalli | |
| caerulea (<i>coerulea</i> ABL) | |
| —albescens | |
| —roehrsiana | |
| caerulescens (<i>coerulescens</i> ABL) | |
| cristata | |
| denisoniana (<i>dennisoniae</i>) | |
| dennisoniae . . . V. denisoniana | |
| densiflora (<i>Saccolabium giganteum</i>) | |
| —illustris | |
| gigantea (<i>Vandopsis gigantea</i> ABL-Cy; <i>Stauropsis gigantea</i>) | |
| hookeriana | |
| joaquimiae (Miss Joaquim; <i>hookeriana</i> \times <i>teres</i>) | |
| kimballiana | |
| lamellata | |
| —boxalli (<i>boxalli</i> Cy) | |
| limbata | |
| lowei Arachnanthe lowei | |
| luzonica V. luzonica | |
| luzonica (<i>lusonica</i>) | |
| Miss Joaquim . . . V. joaquimiae | |
| parishi | |
| —mariottiana | |
| roxburghi (<i>tessellata</i> ABL) | |
| sanderiana (<i>Euanthe sanderiana</i> ABL) | |
| suavis (<i>tricolor suavis</i> Cy) | |
| teres | |
| —alba | |
| —andersoni | |

| ORCHID GENERA (VANDA teres), cont. | |
|---|-------------------|
| —aurora | V. teres aurorea |
| —auoreea (<i>teres aurora</i>) | |
| —candida | |
| —tricolor | |
| Probably the same as V. tricolor. | |
| <i>tessellata</i> ABL | V. roxburghii |
| <i>tricolor</i> | |
| —dodgsoni | |
| —planilabris | |
| — <i>suavis</i> | V. suavis |
| <i>VANILLA</i> | VANILLA |
| <i>aromatica</i> | SOUTH AMERICAN V. |
| <i>planifolia</i> | MEXICAN V. |
| <i>WARSCEWICZELLA</i> | |
| By many joined to <i>Zygopetalum</i> . | |
| <i>aromatica</i> | |
| Little known. | |
| <i>discolor</i> | |
| <i>wendlandi</i> | |
| <i>XYLOBIUM</i> | |
| <i>hyacinthinum</i> (<i>Maxillaria hyacin-thina</i>) | |
| <i>leontoglossum</i> | |
| <i>ZYGOPETALUM</i> | |
| Including <i>Bollea</i> and <i>Pescatorea</i> . | |
| <i>burkei</i> | |
| <i>burti</i> (<i>Huntleya burti</i> Cy; <i>Batemania burti</i>) | |
| <i>cerinum</i> (<i>Pescatorea cerina</i> Cy) | |
| <i>coeleste</i> (<i>Bollea coelestis</i> Cy) | |
| <i>crinitum</i> . . . Z. mackayi crinitum | |
| <i>dayanum</i> (<i>Pescatorea dayana</i> Cy) | |
| — <i>rhodacrum</i> (<i>Pescatorea dayana</i> <i>rhodacra</i> Cy) | |
| <i>gairianum</i> | |
| <i>gautieri</i> . . . Z. maxillare gautieri | |
| <i>intermedium</i> | |
| Z. mackayi intermedium | |
| There is also a valid Z. intermedium which apparently is not in cultivation. | |
| <i>klabochorum</i> (<i>Pescatorea clabocho-rum</i> ; <i>P. klabochorum</i> Cy) | |
| <i>lalindei</i> (<i>Bollea lalindei</i> Cy) | |
| <i>mackayi</i> | |
| — <i>crinitum</i> (<i>crinitum</i> Cy) | |
| — <i>intermedium</i> (<i>intermedium</i>) | |
| <i>maxillare gautieri</i> (<i>gautieri</i> Cy) | |
| <i>xanthinum</i> . . . <i>Promenaea citrina</i> | |

| | |
|---|-------------------------------|
| ORCHIS | ORCHIS |
| rotundifolia | SMALL ROUNDLEAF O. |
| spectabilis (<i>Galeorchis spectabilis</i> Cy) | SHOWY ORCHIS |
| OREGON ASH, OREGON CRAB, etc. See ASH, CRAB, etc. | |
| OREODOXA | |
| <i>regia</i> Cy | <i>Roystonea regia</i> |
| ORGANPIPE CACTUS | |
| | <i>Pachycereus marginatus</i> |
| ORIENTAL ARBORVITAE, ORIENTAL BITTERSWEET, etc. See ARBOR- VITAE, BITTERSWEET, etc. | |
| ORIGANUM | MARJORAM |
| majorana | SWEET M. |
| vulgare | WILD M. |
| ORMOSIA | ORMOSIA |
| monosperma | NECKLACETREE |
| ORNITHIDIUM | |
| See ORCHID GENERA. | |
| ORNITHOCHILUS | |
| fuscus | |
| ORNITHOGALUM | |
| | STAR-OF-BETHLEHEM |
| arabicum | ARABIAN S. |
| narbonense | NARBONNE S. |
| —pyramidalis | PYRAMID S. |
| umbellatum | COMMON S. |
| OROBUS | |
| lathyroides | <i>Vicia oroboides</i> |
| niger | <i>Lathyrus niger</i> |
| vernus | <i>L. vernus</i> |
| OROBUS VETCH | |
| <i>Vicia oroboides</i> | |
| ORONTIUM | |
| aquaticum | GOLDENCLUB |
| OROXylum | |
| EAST INDIAN TRUMPETFLOWER | |
| <i>indicum</i> | EAST INDIAN T. |
| ORTHOCARPUS | |
| purpurascens | |
| ORYZA | RICE |
| sativa | RICE |
| OSAGE-ORANGE . . . | <i>Maclura pomifera</i> |
| OSIER | |
| CLASPING PURPLE O. Hort. var. of <i>Salix purpurea</i> . | |
| COMMON O. | <i>Salix viminalis</i> |
| LAMBERT PURPLE O. Hort. var. of <i>Salix purpurea</i> . | |

| | |
|---|--|
| OSIER, continued | |
| PURPLE O. | <i>Salix purpurea</i> |
| WEEPING PURPLE O. (<i>S. purpurea</i> <i>pendula</i> † Cy) | |
| OSMANTHUS | OSMANTHUS |
| <aquifolium< a=""></aquifolium<> | HOLLY O. |
| delavayi | DELAVAY O. |
| fortunei | FORTUNE O. |
| fragrans | SWEET O. |
| Hort. var. of Osmanthus: | |
| GOLDEN O. (<i>O. aquifolium aureum</i> †; <i>O. a. aureomarginatus</i> Cy) | |
| SILVER O. (<i>O. a. argenteus</i> †; <i>O. a.</i> <i>argenteomarginatus</i> Cy) | |
| OSMUNDA | |
| cinnamomea | CINNAMON FERN |
| claytoniana | INTERRUPTED F. |
| regalis | ROYAL F. |
| Hort. var. of O. regalis: | |
| SLENDER ROYAL FERN (<i>gracilis</i>) | |
| OSTERDAMIA | |
| <i>japonica</i> (<i>Zoysia japonica</i> Cy) | JAPANESE LAWNGRASS |
| matrella (Z. <i>matrella</i> Cy) | |
| | MANILA GRASS |
| tenuifolia (Z. <i>tenuifolia</i> Cy) | |
| | MASCARENE G. |
| OSTRICH FERN . . . | <i>Pteretis nodulosa</i> |
| OSTRYA | HOPHORNBEAM |
| <i>virginiana</i> (<i>virginica</i>) AMERICAN H. | |
| OSWEGO BEEBALM . . . | <i>Monarda didyma</i> |
| <i>Oswego-tea</i> | OSWEGO BEEBALM |
| OTAKSA HYDRANGEA (<i>Hydrangea opu-</i> <i>loides otaksa</i> † Cy) | OTAKSA HYDRANGEA (<i>Hydrangea opu-</i> <i>loides otaksa</i> † Cy) |
| OTHAKE Ag | POLYPTERIS |
| OTHONNA | OTHONNA |
| <i>crassifolia</i> (<i>O. capensis</i> Ag) | |
| | LITTLE-PICKLES |
| OUVIRANDRA Ag | |
| | APONOGETON |
| OVERCUP OAK | <i>Quercus lyrata</i> |
| OXALIS | OXALIS |
| acetosella | COMMON WOODSORREL |
| albiflora | <i>O. variabilis</i> |
| bowiei | BOWIE OXALIS |
| cernua | BUTTERCUP O. |
| corniculata | CREEPING O. |
| — <i>atropurpurea</i> (<i>tropaeoloides</i>) | |
| | NASTURTIUM O. |

OXALIS, continued

- deppei** ROSETTE OXALIS
enneaphylla NINELEAF O.
 See also hort. var. list below.
lasiandra PRIMROSE O.
rosea ROSE O.
 The name O. rosea is sometimes misapplied to Rosy Nineleaf Oxalis, hort. var. of O. enneaphylla.
stricta (*Xanthoxalis stricta*)
 COMMON YELLOW OXALIS
tropaeoloidea
O. corniculata atropurpurea
valdiviensis . . . CHILEAN OXALIS
variabilis (*albiflora*) . . . CAPE O.
violacea (*Ionoxyalis violacea*)
 VIOLET WOODSORREL
 Hort. var. of *Oxalis*:
 ROSY NINELEAF O. (*enneaphylla rosea*)

- OXALIS** *Oxalis*
BOWIE O. *O. bowiei*
BUTTERCUP O. *O. cernua*
CAPE O. *O. variabilis*
CHILEAN O. *O. valdiviensis*
COMMON YELLOW O. *O. stricta*
CREEPING O. *O. corniculata*
NASTURTIUM O. *O. c. atropurpurea*
NINELEAF O. *O. enneaphylla*
PRIMROSE O. *O. lasiandra*
ROSE O. *O. rosea*
ROSETTE O. *O. deppei*
 ROSY NINELEAF O. Hort. var. of *O. enneaphylla*.
 WOODSORREL *Oxalis* species

- OXEYE** *Buphthalmum*
 HEARTLEAF O. *B. speciosum*
 WILLOWLEAF O. *B. salicifolium*
OXEYE BUTTERFLYBUSH, **OXEYE DAISY**, etc. See **BUTTERFLYBUSH**, **DAISY**, etc.

- OXLIP** PRIMROSE . . . *Primula elatior*

OXYANTHUS

- isthmia* Cy . . *Posoqueria latifolia*
OXYCOCCOS Ag . . . **VACCINIUM**
OXYDENDRUM . . . **SOURWOOD**
arboreum (*Andromeda arborea*) **SOURWOOD**

OYAMA MAGNOLIA

- Magnolia parviflora*

OYSTER

- VEGETABLE-OYSTER** *Tragopogon porrifolius*
Oysterplant **VEGETABLE-OYSTER**: *Tragopogon porrifolius*
 SPANISH O. *Scolymus hispanicus*

OZARK SUNDROPS

- Oenothera missouriensis*

- PACHIRA** **PACHIRA**
aquatica **GUIANA-CHESTNUT**

- PACHISTIMA** **PACHISTIMA**
canbyi **CANBY** P.
myrsinoides **MYRTLE** P.

- PACHYCEREUS**
chrysomallus (*Cephalocereus chrysomallus*)

- marginatus* (*Cereus marginatus*)
ORGANPIPE CACTUS
pectenaboriginum (*C. pecten-aboriginum*) . . . **HAIRBRUSH CACTUS**
pringlei (*C. pringlei*)

- PACHYLOPHUS** . . . **OENOTHERA**

- PACHYSANDRA** . . . **PACHYSANDRA**
procumbens **MOUNTAIN** P.
terminalis **JAPANESE** P.

- PACIFIC DOGWOOD**, **PACIFIC SCREW-PINE**, etc. See **DOGWOOD**, **SCREW-PINE**, etc.

PACOURIA

- capensis*

- PAEONIA** **PEONY**
albiflora (*edulis*) **CHINESE** P.
arborea *P. suffruticosa*
corallina **CORAL PEONY**
edulis *P. albiflora*
lutea **GOLDEN PEONY**
moutan *P. suffruticosa*
officinalis **COMMON PEONY**
suffruticosa (*arborea*; *moutan*)

- TREE P.
tenuifolia **FRINGED** P.

Hort. var. of PEONY, *Paeonia*:

For convenience of reference the common names of Peony species have been included in this list of horticultural varieties.

According to Dr. L. H. Bailey the horticultural varieties of Peony, except the few derived from the Tree Peony, are mostly the progeny of *Paeonia albiflora*, though many are from *P. officinalis*.

PAEONIA, PEONY (Hort. var.), continued

This list is brought up to spring, 1923. The original copy was revised by A. P. Saunders, Secretary, American Peony Society, Clinton, N. Y., to whom correspondence in reference to Peonies should be addressed.

The originator's name, where known, is given after each variety, but accuracy is not guaranteed. This list will serve as a working basis for future revisions and additions.

The Peony well illustrates the crying need of standardization in names of horticultural varieties of many groups of our most popular garden flowers which are now in a state of chaos; and also the imperative necessity of *name registration*, by an authoritative body, of all new varieties introduced. Elimination of unworthy varieties is especially desirable.

Special Note. As is the case in practically all special lists submitted to it for publication in Standardized Plant Names, the American Joint Committee has found it necessary to modify a few names which violated its rules of procedure, for example, *Old Silver Tip* becomes *Old Silvertip*; *O-pe-chee* becomes *Opechee*; *Mademoiselle Marie Calot* becomes *Mlle. Marie Calot*, etc. Another example is the use of the possessive, which the American Joint Committee has discarded in all cases; therefore it is only fair to state that Dr. Saunders disagrees with this practice.

AMERICAN JOINT COMMITTEE ON
HORTICULTURAL NOMENCLATURE
HARLAN P. KELSEY, *Secretary.*

**ABBREVIATIONS OF NAMES OF
ORIGINATORS**

| | |
|---------|----------------------|
| Ban. | Sir J. Banks. |
| Barr. | Barr. |
| Buy. | Buyck. |
| Bra. | Brand. |
| Cal. | Calot. |
| Cr. | Crousse. |
| Del. | Delache. |
| Des. | Dessert. |
| Don. | Donkelaer. |
| Fran. | Franklin. |
| Gom. | Gombault. |
| G. & K. | Goos and Koenemann. |
| Gue. | Guerin. |
| Har. | Harrison. |
| Hol. | Hollis. |
| K. & L. | Kallen and Lunemann. |
| Kel. | Kelway. |
| Ker. | Kernberger. |
| Lem. | Lemoine. |
| Lemon. | Lemon. |
| Mech. | Mechin. |
| Miel. | Miellez. |

PAEONIA, PEONY (Hort. var.), continued

| | |
|-------|----------------|
| Mil. | Millet. |
| Min. | Minot. |
| Nie. | Nieuwenhuyzen. |
| Pail. | Paillet. |
| Par. | Parmentier. |
| Pele. | Pele. |
| Pet. | Peterson. |
| Ple. | Pleas. |
| Pot. | Potts. |
| Ren. | Renault. |
| Rieh. | Richardson. |
| Riv. | Riviere. |
| Ros. | Rosenfield. |
| Sav. | Savreau. |
| Saun. | Saunders. |
| Sen. | Seneclauze. |
| Shay. | Shaylor. |
| Ter. | Terry. |
| Thur. | Thurlow. |
| Verd. | Verdier. |
| Wal. | Wallace. |
| War. | Warnaar. |

ACHILLE. (Cal.)**ADELAIDE HOLLIS.** (Hol.)**ADMIRAL DEWEY.** (Hol.)**ADMIRAL SCHLEY.** (Ter.)***ADMIRAL TOGO.** (Hol.)**ADOLPHE ROUSSEAU.** (Des. & Mech.)**AGIDA.****AGNES KIRKWOOD.** (Ter.)**AGNES MARY KELWAY.** (Kel.)**A. J. DAVIS.** (Bra.)**AKSARBEN.** (Ros.)**ALBA SULFUREA.** (Cal.)**ALBATRE.** (Cr.)**ALBERT CROUSSE.** (Cr.)**ALBIFLORE, THE BRIDE.** (Des.) *La Financée; The Bride.***ALEXANDRE DUMAS.** (Gue.)**ALEXANDRIANA.** (Cal.)**ALFRED.** (Ter.)**ALFRED DE MUSSET.** (Cr.)**ALICE.** (Ter.)**ALICE BOYD.** (Ter.)**ALICE CROUSSE.** (Cal.)**ALICE DE JULVECOURT.** (Pel.)**ALMA.** Jap. (Shay.)**ALPHA AND OMEGA.** (Ple.)**ALPHEUS HYATT.** (Rich.)**ALSACE-LORRAINE.** (Lem.)**ALTAR CANDLES.** (Ple.)**AMANDA YALE.** (Bra.)**AMAZONE.** (Lem.)**AMBROISE VERSCHAFFELT.** (Cal.)

PAEONIA, PEONY (Hort. var.), continued
 A. M. SLOCUM. (Fran.)
 ANDRÉ LAURIES. (Cr.)
 A. P. SAUNDERS. (Thur.)
 ARCHIE BRAND. (Bra.)
 ARETHUSA.
 ARLEQUIN. (Des.)
 ARMAND ROUSSEAU. (Des. & Mech.)
 ARMANDINE MECHIN. (Mech.)
 ARSENE MEURET. (Verd.)
 ASA GRAY. (Cr.)
 ASSMANSHAUSEN. (G. & K.)
 ATROSANGUINEA. (Cal.)
 ATTRACTION. (Hol.)
 AUGUSTE DESSERT. (Des.)
 AUGUSTE LEMOINIER. (Cal.)
 AUGUSTE VILLAUME. (Cr.)
 AUGUSTIN D'HOUR. (Cal.) *Marechal MacMahon.*
 AUNT ELLEN. (Bra.)
 AURORA. (Ple.)
 AURORE. (Des.)
 AUSTIN CHAMBERLAIN. (Kel.)
 AVALANCHE. (Cr.)
 AVIATEUR REYMOND. (Des.)
 BALFOUR. (Kel.)
 BALL o' COTTON. (Fran.)
 BARON J. HULOT. (Mil.)
 BARONESS SCHROEDER. (Kel.)
 BATTLEFIELD. (Hol.)
 BAY STATE. (Hol.)
 BAYADÈRE. (Lem.)
 BEATRICE KELWAY. (Kel.)
 BEAUTÈ DE VILLECANTE. (Gom.)
 BEAUTÈ FRANCAISE. (Gue.)
 BEAUTYS MASK. (Hol.)
 BELISAIRE. (Lem.)
 BELLE ALLIANCE. (Cr.)
 BELLE DOUAISIENNE. (Cal.)
 BELLE HOUGH. (Ter.)
 BELLE MAUVE. (Lem.)
 BELLE OF CRESCENT. (Ter.)
 BENJAMIN FRANKLIN. (Bra.)
 BERLIOZ. (Cr.)
 BERNARD PALISSY. (Cr.)
 BERNARDINE. (Kel.)
 BERTHA. (Ter.)
 BERTRADE. (Lem.)
 BESSIE MAGILL. (Ter.)
 BESSIE MEEHAN. (Ter.)
 BIEBRICH. (G. & K.)
 BIRKET FOSTER. (Kel.)

PAEONIA, PEONY (Hort. var.), continued
 BLACK PRINCE. (Thur.)
 BLANCHE CIRE.
 BLANCHE DESSERT. (Des.)
 BOBBIE BEE. (Hol.)
 BOULE BLANCHE. (Cr.)
 BOULE DE NEIGE. (Cal.)
 BOUQUET DE FLORA. (Ple.)
 BRANDS MAGNIFICENT.
Bridesmaid. MARIE JACQUIN.
 BUNCH OF PERFUME. (Kel.)
 BUNKER HILL. (Hol.)
 CAMERON. (Cr.)
 CAMILLE. (Des.)
 CANARI. (Gue.)
 CANDEUR. (Des.)
 CANDIDISSIMA. (Cal.)
 CARMEN. (Lem.)
 CARNEA ELEGANS. (Cal.)
Carnea Elegans. (Gue.)
 CARNEA TRIUMPHANS. (Gue.)
 CARNOT. (Des.)
 CAROLINE ALLAIN. (Gue.)
 CARRIE. (Ter.)
 CAVALLERIA RUSTICANA. (Kel.)
 CELESTIAL. (Barr.)
 CENDRILLON. (Des.)
 CERES. (Verd.)
 CERISETTE.
 CHARLEMAGNE. (Cr.)
 CHARLES McKELLIP. (Bra.)
 CHARLES SEDGWICK MINOT. (Rich.)
 CHARLOTTE CUSHMAN. (Hol.)
 CHERRY HILL. (Thur.)
 CHESTINE GOWDY. (Bra.)
 CHINESE P. *P. albiflora.*
 CHRISTINE RITCHER. (Hol.)
 CHRISTINE SHAND. (Kel.)
 CLAIRE DUBOIS. (Cr.)
 CLAIRETTE. (Des.)
 CLARA BARTON. (Ter.)
Clarisse Calot. RUBRA TRIUMPHANS.
 CLAUDE CELLEE. (Lem.)
 CLAUDE LORRAIN. (Cr.)
 CLEMENCEAU. (Des.)
 CLEMENTINE GILLOT. (Cr.)
 CLIO. (Pet.)
Cold Slaw. MME. LEMOINIER.
 COMET. (Fran.)
 COMMODORE DEWEY. (Ter.)
 COMMODORE EMGE. (Bra.)
 COMMON P. *P. officinalis.*

PAEONIA, PEONY (Hort. var.), continued
 COMTE DE GOMER. (Cal.)
 CONSTANT DEVRED. (Cal.)
 COQUELIN. (Des.)
 COQUETTE. (Lem.)
 CORAL P. *P. corallina*.
 CORNELIA SHAYLOR. (Shay.)
 CORONATION. (Kel.)
 COUNTESS OF WARWICK. (Kel.)
 COURONNE D'OR. (Cal.)
 CRIMSON AND GOLD. (Wal.)
 CRIMSON QUEEN. (Ter.)
 CRIMSON VICTORY. (Ros.)
 CRYSTAL LAKE. (Fran.)
 CURIOSITY. (Des. & Mech.)
 C. W. SCHOCK. (Fran.)
 CYNTHIA. (Ter.)
 CYTHEREA. (Cal.) *Cytherée*.
 DARKNESS. (Bra.)
 DAUBENTON. (Cr.)
 DAYBREAK. (Hol.)
 DEBORAH SAYLES. (Shay.)
 DE CANDOLLE. (Cr.)
 DEEMSTER. (Kel.)
 DEFIANCE. (Ter.)
 DELACHE. (Del.) *Delachei*.
 DELICATISSIMA.
 DENIS HELYE. (Verd.)
 DIRECTEUR AUBRY. (Cr.)
 DISTINCTION. (Des.)
 DORCHESTER. (Rich.)
 DOROTHY. (Kel.)
 DOROTHY ALLISON. (Shay.)
 DOROTHY E. KIBBY. (Hol.)
 DOROTHY KELWAY. (Kel.)
 DOCTOR BONAVIA. (Kel.)
 DOCTEUR BOISDUVAL.
 DR. BRETONNEAU. (Gue.)
Dr. Bretonneau. LADY LEONORA
 BRAMWELL.
 DR. CAILLOT. (Verd.)
 DR. EDGAR PLEAS. (Ple.)
 DR. H. BARNSBY. (Des.)
 DR. H. VAN DER TAK. (K. & L.)
 DUC DE CAZES. (Gue.)
 DUC DE WELLINGTON. (Cal.)
 DUCHESS OF PORTLAND. (Barr.)
 DUCHESS OF SUTHERLAND.
 DUCHESS OF TECK. (Kel.)
 DUCHESSE DE NEMOURS. (Cal.)
Duchesse de Nemours. (Gue.)
 DUCHESSE D'ORLEANS. (Gue.)

PAEONIA, PEONY (Hort. var.), continued
 DUKE OF CLARENCE. (Kel.)
 DUKE OF DEVONSHIRE. (Kel.)
 E. B. BROWNING. (Bra.)
 E. C. SHAW. (Thur.)
 EDITH FORREST. (Hol.)
 EDITH WEST. (Bra.)
 EDMOND ABOUT. (Cr.)
 EDMOND LEBON. (Cal.)
 EDOUARD ANDRÉ. (Mech.)
 EDULIS SUPERBA. (Lemon.)
 EDWARD W. BECKER. (Fran.)
 EDWIN FORREST. (Hol.)
 E. G. HILL. (Lem.)
 EGLANTINE. (Des.)
 ELEANOR ANN SMITH. (Fran.)
 ELIE CHEVALIER. (Des.)
 ELLA CHRISTIANSEN. (Bra.)
 ELLA CHRISTINE KELWAY. (Kel.)
 ELLA WHEELER WILCOX. (Bra.)
 ELWOOD PLEAS. (Ple.)
 EMILE HOSTE.
 EMILE LEMOINE. (Cal.)
 EMILY. (Kel.)
 EMPEREUR NICOLAS. (Cr.)
 ENCHANTERESSE. (Lem.)
 ENCHANTMENT. (Hol.)
 ENFANT DE NANCY. (Cr.)
 ERNEST HARDINE. (Kel.)
 ESTAFETTE. (Des.)
 ESTHER. (Ter.)
 ETENDARD DU GRAND HOMME. (Miel.)
 ETIENNE DESSERT. (Des.)
 ETIENNE MECHIN. (Mech.)
 ETTA. (Ter.)
 EUCHARIS. (Lem.)
 EUGÈNE BIGOT. (Des.)
 EUGÈNE REIGNOUX. (Des.)
 EUGÈNE VERDIER. (Cal.)
 EUGÉNIE VERDIER. (Cal.)
 EUPHEMIA. (Ter.)
 EVANGELINE. (Lem.)
 EVENING GLOW. (Hol.)
 EXCELSIOR. (Ter.)
 EXQUISITE. (Kel.)
 FANNY CROSBY (Bra.)
 FARIBAULT. (Bra.)
 FAUST. (Miel.)
 FELIX CROUSSE. (Cr.)
 FERDINAND STOLICZKA. (Rich.)
 FESTIVA. (Don.)
 FESTIVA MAXIMA. (Miel.)

PAEONIA, PEONY (Hort. var.), continued
FINE LADY. (Kel.)
FLAG OF TRUCE. (Kel.)
FLAG OF WAR. (Kel.)
FLAMBEAU. (Cr.)
FLASHLIGHT. (Hol.)
FLORAL TREASURE. (Ros.)
FLORENCE NIGHTINGALE. (Bra.)
FRAGRANS. (Ban.)
FRAICHEUR. (Lem.)
FRANCES SHAYLOR. (Shay.)
FRANCES WILLARD. (Bra.)
FRANCIS B. HAYES. (Rich.)
FRANÇOIS ORTEGAT. (Par.)
FRANÇOIS PREMIER. (Verd.)
FRANÇOIS ROUSSEAU. (Des.)
FRANK BRAMLEY. (Kel.)
FREEDOM. (Kel.)
FRINGED P. P. tenuifolia.
GALATEA. (Lem.) *Galathée.*
GEN. BERTRAND. (Gue.)
GEN. CAVAGNAC. (Cal.)
GEN. CUSTER. (Ter.)
GEN. DAVOUST. (Cr.)
GEN. DE BOISDEFFRE. (Cr.)
GEN. DODDS. (Cr.)
GEN. GRANT. (Ter.)
GEN. HANCOCK. (Ter.)
GEN. HOOKER. (Ter.)
GEORGE B. SOWERBY. (Rich.)
GEORGE HOLLIS. (Hol.)
GEORGE WASHINGTON. (Hol.)
GEORGE W. TRYON. (Rich.)
GEORGIANA SHAYLOR. (Shay.)
GERMAINE BIGOT. (Des.)
GIGANTEA. (Cal.) *Lamartine.*
GINETTE. (Des.)
GISELE. (Lem.)
GISMONDA. (Cr.)
GLADIATOR. (Hol.)
GLOIRE DE BOSKOOP.
GLOIRE DE CHARLES GOMBAULT
 (Gom.)
GLOIRE DE CHENONCEAUX (Mech.)
GLOIRE DE DOUAI. (Cal.)
GLOIRE DE TOURNAINE. (Des.)
GLORY. (Hol.)
GLORY OF SOMERSET. (Kel.)
GOLDEN P. P. lutea.
GOLDEN HARVEST. (Ros.)

PAEONIA, PEONY (Hort. var.), continued
GOLDEN NUGGET. (Ple.)
GOLDMINE. (Hol.)
GOLIATH. (Hol.)
GOVERNOR JOHNSON. (Bra.)
GRACE D. BRYAN. (Ros.)
GRACE LOOMIS. (Saun.)
GRANDIFLORA. (Rich.) *Henry Woodward.*
GRANDIFLORA CARNEA **PLENA.**
 (Lemon.)
GRANDIFLORA LUTESCENS. (Gue.)
GRANDIFLORA NIVEA **PLENA.**
 (Lemon.)
GRAZIELLA.
GRETCHEN. (G. & K.)
GROVER CLEVELAND. (Ter.) *Tecumseh.*
GYPSY. (Hol.)
GYPSY QUEEN. (Ple.)
H. A. HAGEN. (Rich.)
H. F. REDDICK. (Bra.)
HARRIET BEECHER STOWE. (Hol.)
HARRIET FARNSLEY. (Bra.)
HARRIET OLNEY. (Bra.)
HARRY GRANDPREY. (Bra.)
HELEN WOLAVER. (Bra.)
HELENA LESLIE. (Barr.)
HENRI DEMAY. (Cal.)
HENRI LAURENT. (Cr.)
HENRI MURGER. (Cr.)
HENRY AVERY. (Bra.)
HENRY FARNAM. (Kel.)
Henry Woodward. **GRANDIFLORA**
HERCULES. (Ter.)
HEROINE. (Lem.)
HETTIE ANN. (Fran.)
HIGH JINX. (Fran.)
HUMEI ALBA. (Lem.)
HUMEI CARNEA. (Gue.)
INNOCENCE. (Hol.)
INSIGNIS. (Gue.)
IRMA. (Cal.)
ISOLINE. (Lem.)
JAMES BOYD. (Thur.)
JAMES KELWAY. (Kel.)
JAMES R. MANN. (Thur.)
JAMES VICK. (Ter.)
J. B. RENDATLER. (Cal.)
JEANNE D'ARC. (Cal.)

PAEONIA, PEONY (Hort. var.), continued
JEANNE GAUDICHAU. (Mil.)
JEANNETTE OPPLIGER. (Bra.)
JENNIE E. RICHARDSON. (Hol.)
JEANNOT. (Des.)
JENNY LIND
JESSIE K. CROSBY. (Hol.)
JESSIE SHAYLOR. (Shay.)
JOHN HANCOCK. (Hol.)
JOHN RICHARDSON. (Rich.)
JOSEPH GRIFFIN. (Ple.)
JUDGE BERRY. (Bra.)
JULES CALOT. (Cal.)
JULIETTE DESSERT. (Des.)
JUNE DAY. (Fran.)
KARL ROSENFIELD. (Ros.)
KELWAY GLORIOUS. (Kel.)
KELWAY QUEEN. (Kel.)
KING OF ENGLAND. (Kel.)
KONIGSWINTER. (G. & K.)
L'ECLATANTE. (Cal.)
L'ETINCELANTE. (Des.)
L'INDISPENSABLE.
L'INNOCENCE. (Shay.)
LA BRUNE. (Verd.)
LA COQUETTE. (Gue.)
LA FAYETTE. (Des.)
LA FÉE. (Lem.)
LA FIANCEE. (Lem.)
La Fiancée. ALBIFLORA, THE BRIDE.
LA FONTAINE. (Des.)
La Fontaine. (Lem.)
LA FRAICHEUR. (Des.)
LA FRANCE. (Lem.)
LA LORRAINE. (Lem.)
LA NUIT. (Shay.)
LA PERLE. (Cr.)
LA ROSIERE. (Cr.)
LA SUBLIME. (Par.)
LA TENDRESSE. (Cr.)
LA TULIPE. (Cal.)
LA VESTALE. (Cal.)
LABOLAS. (Kel.)
LADY ALEXANDRA DUFF. (Kel.)
LADY ARDILAUN.
LADY BERESFORD. (Kel.)
LADY BROOKE. (Kel.)
LADY CARRINGTON. (Kel.)
LADY CURZON. (Kel.)
LADY EMILY. (Ple.)

PAEONIA, PEONY (Hort. var.), continued
LADY GWENDOLEN CECIL. (Kel.)
LADY IRIS. (Ple.)
LADY LEONORA BRAMWELL. (Verd.)
Dr. Bretonneau.
LADY NORTHBROOK.
LADY SOMERSET. (Kel.)
LAKE OF SILVER. (Fran.)
LAMARTINE. (Lem.)
Lamartine. GIGANTEA.
LAURA DESSERT. (Des.)
LEANDER STARR JAMIESON. (Kel.)
LE CYGNE. (Lem.)
LE JOUR. (Shay.)
LE NOIR. (Shay.)
LEONA KINNEY. (Bra.)
LEVIATHAN. (Kel.)
LIBERTY. (Hol.)
LITTLE GEM. (Ple.)
LITTLE SWEETHEART. (Bra.)
LIVINGSTONE. (Cr.)
LONGFELLOW. (Bra.)
LORA DEXHEIMER. (Bra.)
LORCH. (G. & K.)
LORD KITCHENER. (Ren.)
LORD ROSEBERY. (Barr.)
LOTTIE COLLINS. (Kel.)
LOUIS VAN HOUTTE. (Cal.)
LOUISA BRAND. (Bra.)
LOUISE RENAULT. (Cr.)
LOVELINESS. (Hol.)
LUCIENNE. (Des.)
LUCRECE. (Cal.)
LUCY E. HOLLIS. (Hol.)
LUETTA PFEIFFER. (Bra.)
LURANA. (Ple.)
LUTEA PLENISSIMA. (Buy.)
LYDE. (Kel.)
LYNDA. (Bra.)
MABEL L. FRANKLIN. (Fran.)
MADELEINE GAUTHIER. (Des.)
MAGNIFICA. (Miel.)
MAJOR LODER. (Kel.)
MARCELLE DESSERT. (Des.)
MARCHIONESS OF LANSDOWNE. (Kel.)
Maréchal MacMahon. AUGUSTIN D'HOUR.
MARÉCHAL VAILLANT. *Souvenir d'Auguste Miellez.*
MARGUERITE DESSERT. (Des.)

PAEONIA, PEONY (Hort. var.), continued
 MARGUERITE GAUDICHAU. (Mil.)
 MARGUERITE GERARD. (Cr.)
 MARIA KELWAY. (Kel.)
 MARIE. (Cal.)
 MARIE CROUSSE. (Cr.)
 MARIE DEROUX. (Cr.)
 MARIE D'HOUR. (Cal.)
 MARIE HOUILLON. (Cal.)
 MARIE JACQUIN. (Verd.) *Water Lily; Bridesmaid.*
 MARIE LEMOINE. (Cal.)
 MARIE STUART. (Cal.)
 MARJORIE ALLISON. (Shay.)
 MARMONTEL. (Cr.)
 MARQUIS C. LAGERGREN. (Des.)
 MARQUIS DE LORY.
 MARSHALL P. WILDER. (Hol.)
 MARTHA BULLOCH. (Bra.)
 MARTHA WASHINGTON. (Hol.)
 MARY A. LIVERMORE. (Hol.)
 MARY BAKER EDDY. (Hol.)
 MARY BRAND. (Bra.)
 MARY COMSTOCK. (Bra.)
 MARY L. HOLLIS. (Hol.)
 MARY P. KING. (Fran.)
 MARY W. SHAYLOR. (Shay.)
 MASTERPIECE. (Kel.)
 MATHILDE DE ROSENECK. (Cr.)
 MATHILDE MECHIN. (Mech.)
 MATILDA LEWIS. (Saun.)
 MAUD L. RICHARDSON. (Hol.)
 MAY DAVIDSON
 MEADOWVALE. (Hol.)
 MEISSONIER. (Cr.)
 MELLIN KNIGHT. (Bra.)
 METEOR
 MIDNIGHT. (Bra.)
 MIDSUMMER NIGHTS DREAM. (Ple.)
 MIGNON. (Lem.)
 MIKADO. (Barr.)
 MILES STANDISH. (Hol.)
 MILLAIS. (Kel.)
 MILTON HILL. (Rich.)
 MINERVA. (Des.) *Minerve.*
 MINNETASKA. (Fran.)
 MIRABEAU. (Lem.)
 MIREILLE. (Cr.)
 MISS HENNINGER. (Ter.)
 MISS MORRIS. (Ter.)
 MISS SALWAY. (Kel.)
 MISTRAL. (Des.)

PAEONIA, PEONY (Hort. var.), continued
 Mlle. DESBUISSON. (Cr.)
 Mlle. GERMAINE PERTHUIS. (Mil.)
 Mlle. JEANNE RIVIERE. (Riv.)
 Mlle. JULIETTE DESSERT. (Des.)
 Mlle. LEONIE CALOT. (Cal.) *Mons. Charles Leveque.*
 Mlle. MARIE CALOT. (Cal.)
 Mlle. RENÉE DESSERT. (Mech.)
 Mlle. ROSE RENDATLER. (Cal.)
 Mlle. ROUSSEAU. (Cr.)
 Mlle. VAILLANT
 Mme. ADRIEN SENECLAUZE. (Sen.)
 Mme. AUGUSTE DESSERT. (Des.)
 Mme. AUGUSTE PELTEREAU. (Mech.)
 Mme. BARILLET DESCHAMPS. (Cal.)
 Mme. BENOIT RIVIERE. (Riv.)
 Mme. BIGOT. (Des.)
 Mme. BOLLET. (Cal.)
 Mme. BOULANGER. (Cr.)
 Mme. BREON. (Gue.)
 Mme. BUCQUET. (Des.)
 Mme. CALOT. (Miel.)
 Mme. CAMILLE BANCEL. (Cr.)
 Mme. CHAUMY. (Cal.)
 Mme. COSTE. (Cal.)
 Mme. CROUSSE. (Cal.)
 Mme. DE COVIN. (Cr.)
 Mme. DE GALHAU. (Cr.)
 Mme. DE VATRY. (Gue.)
 Mme. DE VERNEVILLE. (Cr.)
 Mme. D'HOUR. (Cal.)
 Mme. D. TREYERAN. (Des.)
 Mme. DUCEL. (Mech.)
 Mme. EMILE DUPRAZ. (Riv.)
 Mme. EMILE GALLE. (Cr.)
 Mme. EMILE LEMOINE. (Lem.)
 Mme. FOREL. (Cr.)
 Mme. FOULD. (Cr.)
 Mme. FRANÇOIS TOSCANELLI. (Riv.)
 Mme. GAUDICHAU. (Mil.)
 Mme. GEISSLER. (Cr.)
 Mme. GUYOT. (Pail.)
 Mme. HERVE. (Cr.)
 Mme. HUTIN. (Cr.)
 Mme. JOANNE SALLIER. (Pail.)
 Mme. JULES CALOT. (Cal.)
 Mme. JULES DESSERT. (Des.)
 Mme. JULES ELIE. (Cal.)
 Mme. LEBON. (Cal.)
 Mme. LEMOINE. (Cal.)
 Mme. LEMOINIER. (Cal.) *Cold Slaw*

PAEONIA, PEONY (Hort. var.), continued
 MME. LEMONNIER. (Verd.)
 MME. LOISE MÈRE. (Cal.)
 MME. MANCHET. (Des.)
 MME. MECHIN. (Mech.)
 MME. MOREAU. (Cr.)
 MME. MOUTOT. (Cr.)
 MME. MUYSART. (Cal.)
 MME. PLEAS. (Ple.)
 MME. REIGNOUX. (Des.)
 MME. SAVREAU. (Sav.)
 MME. SCHMIDT. (Cal.)
 MME. THOUVENIN. (Cr.)
 MME. VICTOR VERDIER. (Cal.)
 MME. VILMORIN. (Gue.)
 MODÈLE DE PERFECTION. (Cr.)
 MODESTE GUERIN. (Gue.)
 MONS. BARRAL. (Cal.)
 MONS. BASTIAN LEPAGE. (Cr.)
 MONS. BOUCHARLATAINE. (Cal.)
Mons. Charles Léveque. Mlle.
 LÉONIE CALOT.
 MONS. CHEVREUL. (Des.)
 MONS. DE VILLENEUVE. (Verd.)
 MONS. DUPONT. (Cal.)
 MONS. JULES ELIE. (Cr.)
 MONS. KRELAGE. (Cr.)
 MONS. MARTIN CAHUZAC. (Des.)
 MONS. PAILLET. (Gue.)
 MONS. PASTEUR. (Des.)
 MONS. PAUL DU RIBERT. (Cal.)
 MONT BLANC. (Lem.)
 MOONBEAM. (Kel.)
 MORNING STAR. (Ter.)
 MOSES HULL. (Bra.)
 MOUNTEBANK. (Kel.)
 MR. L. VAN LEENWEN. (Nie.)
 MR. MANNING. (Kel.)
 MRS. A. C. RUGGLES. (Bra.)
 MRS. A. M. BRAND. (Bra.)
 MRS. CAREW. (Bra.)
 MRS. CHARLES GILBERT. (Shay.)
 MRS. C. S. MINOT. (Min.)
 MRS. C. W. WARD.
 MRS. EDWARD HARDING. (Shay.)
 MRS. FRANK BEACH. (Bra.)
 MRS. GEORGE BUNYARD. (Kel.)
 MRS. HARRISON. (Ter.)
 MRS. JOHN M. LEWIS. (Lewis.)
 MRS. JOHN SMYTHE FOGG. (Hol.)
 MRS. KEY. (Ter.)
 MRS. M. B. BECKETT. (Ple.)

PAEONIA, PEONY (Hort. var.), continued
 MRS. MCKINLEY. (Ter.)
 MRS. PLEAS. (Ter.)
 MRS. WOODWARD. (Ter.)
 MULTIFLORA. (Ple.)
 MYRTLE GENTRY. (Bra.)
 NANA SAHIB. (Kel.)
 NE PLUS ULTRA. (Miel.)
 NELLIE B. BECKETT. (Ple.)
 NEPTUNE. (Des.)
 NIGRA. (Ter.)
 NIGRICANS.
 NOBILISSIMA. (Miel.) *Noblissima.*
 NOEMIE DEMAY. (Cal.)
 NOKOMIS. (Fran.)
 NORFOLK. (Rich.)
 NOVELTY. (Barr.)
 NULLI SECUNDUS. (Kel.)
 NYMPHAEA. (Thur.)
 NYMPHE. (Des.)
 OCTAVIE DEMAY. (Cal.)
 ODETTE. (Des.)
 OLD SILVERTIP. (Bra.)
 OLIVIA. (Kel.)
 ONLOOKER. (Kel.)
 OPAL. (Ple.)
 OPECHEE. (Fran.)
 ORANGE PRINCE. (Ple.)
 ORNEMENT DES MASSIFS. (Cr.)
 ORPHÉE. (Lem.)
 OTHELLO. (Des.)
Othello. (Lem.)
 PALLAS. (Ter.)
 PARADISE. (Hol.)
 PASTEUR. (Cr.)
 PAUL FISHER. (Rich.)
 PEARLED ROSE. (Ple.)
 PERFECTION. (Rich.) *Richardsons
 Perfection.*
 PERLE BLANCHE. (Des.)
 PERLE ROSE. (Des.)
 PERRETTE. (Des.)
 PETAGRA. (Fran.)
 PETER PAN. (Hol.)
 PETITE RENÉE. (Des.)
 PHILIPPE RIVOIRE. (Riv.)
 PHILOMELE. (Cal.)
 PHOEBE CARY. (Bra.)
 PHYLLIS KELWAY. (Kel.)
 PIERRE DESSERT. (Mech.)
 PIERRE DUCHARTRE. (Cr.)
 PIERRE REIGNOUX. (Des.)

PAEONIA, PEONY (Hort. var.), continued
PLEAS JUBILEE. (Ple.)
PLUTARCH. (Kel.)
POETE FREDERIC MISTRAL. (Riv.)
POMPONETTE. (Des.)
PONEMAH. (Fran.)
POTTSI. (Pot.)
POTTSI ALBA. (Buy.)
PRAIRIE KING. (Ros.)
PRESIDENT ROOSEVELT. (War.)
President Taft. REINE HORTENSE.
PRES. W. H. TAFT. (Hol.)
PRESIDENT WILSON. (Thur.)
PRIDE OF ESSEX. (Thur.)
PRIDE OF LANGPORT. (Kel.)
PRIMEVÈRE. (Lem.)
PRINCE DE TALINDYKE.
PRINCE IMPERIAL. (Cal.)
PRINCE OF DARKNESS. (Bra.)
PRINCE OF WALES. (Ter.)
PRINCESS BEATRICE. (Kel.)
PRINCESS CLOTILDE.
PRINCESS ELLEN. (Ter.)
PRINCESS IRENE. (Kel.)
PRINCESS MATHILDE. (Des.)
PRINCESS MAUD. (Kel.)
PRINCESS MAY. (Kel.)
PRINCESS OF WALES. (Kel.)
Princess of Wales. (Ter.)
PROFESSOR BUDD. (Ter.)
PROLIFERA TRICOLOR. (Lemon.)
PULCHERRIMA. (Gue.)
PURITY. (Ter.)
PURPUREA SUPERBA. (Del.)
QUEEN ALEXANDRA.
QUEEN EMMA.
QUEEN OF HEARTS. (Fran.)
QUEEN OF THE PLEASANCE. (Ple.)
QUEEN VICTORIA. (Kel.)
RACHEL. (Lem.)
Rachel. (Ter.)
RALPH. (Ple.)
RAOUL DESSERT. (Des.)
RAPHAEL. (Mech.)
RAUENTHAL. (G. & K.)
RED BIRD. (Fran.)
REINE HORTENSE. (Cal.) *President Taft.*
RENÉE MARIE. (Des.)

PAEONIA, PEONY (Hort. var.), continued
REVERIE. (Fran.)
RICHARD CARVEL. (Bra.)
Richardsons Perfection. **PERFECTION**
ROSA BONHEUR. (Des.)
ROSE D'AMOUR. (Cal.)
ROSE HERE. (Bra.)
ROSELITA. (Hol.)
ROSETTE. (Des.)
ROSY GEM. (Ter.)
ROSY DAWN. (Ple.)
Rosy Dawn. (Barr.)
R. P. WHITFIELD. (Rich.)
RUBENS. (Del.)
RUBRA SUPERBA. (Rich.)
RUBRA TRIUMPHANS. (Del.) *Clarisse Calot.*
RUTH BRAND. (Bra.)
RUY BLAS. (Des.)
SAINFOIN. (Kel.)
SAMOSET. (Hol.)
SAMUEL HENSHAW. (Rich.)
SAPPHO. (Lem.) *Sapho.*
SARAH. (Ple.)
SARAH BERNHARDT. (Lem.)
Sarah Bernhardt. **UMBELLATA ROSEA**
SARAH CARSTENSON. (Ter.)
SARAH K. THURLOW. (Thur.)
SAUCY LASS
SEA FOAM. (Pet.)
SECRETARY FEWKES. (Shay.)
SENATOR. (Ter.)
SERENE. (Fran.)
SHABENA. (Har.)
SHIRLEY WALKER. (Shay.)
SIGNORINETTE. (Kel.)
SILVER CUP. (Kel.)
SILVIA. (Saun.)
SIMONNE CHEVALIER. (Des.)
SIR FREDERICK LEIGHTON. (Barr.)
SIR SPENCER PONSONBY FANE. (Kel.)
SIR WILLIAM HARCOURT. (Barr.)
SISTER ANNIE. (Bra.)
SNOWBALL. (Hol.)
SOLANGE. (Lem.)
SOLFATARE. (Cal.)
SOPHIA MILLER. (Kel.)
Souvenir d'Auguste Miellez. **MARECHAL VAILLANT.**

PAEONIA, PEONY (Hort. var.), continued
SOUVENIR DE FRANÇOIS RUITTON. (Riv.)
SOUVENIR DE GASPARD CALOT. (Cal.)
SOUVENIR DE GUYNEMER. (Mil.)
SOUVENIR DE L'EXPOSITION DE BORDEAUX. (Des.)
SOUVENIR DE L'EXPOSITION DU MANS. (Mech.)
SOUVENIR DE L'EXPOSITION UNIVERSELLE. (Cal.)
SOUVENIR DE LOUIS BIGOT. (Des.)
SOUVENIR DU DR. BRETONNEAU. (Des.)
SOUVENIR D'HARAUCOURT. (Mil.)
SPEEDWELL. (Hol.)
SPLENDIDA. (Kel.)
STANDARD BEARER. (Hol.)
STANLEY. (Cr.)
Stanley. (Kel.)
STEPHANIE. (Ter.)
STRASBOURG. (G. & K.)
SULLY PRUDHOMME. (Cr.)
SULPHUREA. (Lem.)
SUMMER DAY. (Kel.)
SUNBEAM. (Hol.)
SUPREME. (Hol.)
SUSAN B. ANTHONY. (Bra.)
SUSANNE DESSERT. (Des. & Mech.)
SUZETTE. (Des.)
T. B. TERRY. (Ple.)
Tecumseh. GROVER CLEVELAND.
TENIERE. (Cr.)
THE AMAZON. (Har.)
THE BRIDE. (Ter.)
The Bride. ALBIFLORA, THE BRIDE.
THE GEM. (Ple.)
THE JEWEL. (Ple.)
THE KING. (Kel.)
THE MOOR. (Barr.)
THE NYMPH. (Har.)
THE QUEEN. (Kel.)
THEODORE ROOSEVELT. (Ple.)
THERESA. (Des.)
THOMAS C. THURLOW. (Thur.)
TOM THUMB. (Ter.)
TONKA. (Fran.)
TORPILLEUR. (Des.)
TORQUEMADA

PAEONIA, PEONY (Hort var.), continued
TOURANGELLE. (Des.)
TRAGEDY. (Hol.)
TREE P. P. suffruticosa.
TRIOMPHE DE L'EXPOSITION DE LILLE. (Cal.)
TRIOMPHE DE PARIS. (Gue.)
TRIOMPHE DU NORD. (Miel.)
Triumphans Gandavensis. ALICE DE JULVECOURT.
TULIPIFLORA. (Ter.)
UMBELLATA ROSEA. (Des.) Sarah Bernhardt.
VAN DYCK. (Cr.)
VARIEGATA. (Ter.)
VELOUTINE. (Des.)
VENICE. (Des.) Venise.
VENUS. (Kel.)
VERIBEST. (Hol.)
VESUVE. (Des.)
VICTOIRE DE LA MARNE. (Des.)
VICTOR HUGO. (Cr.)
VICTORY CHATAEU THIERRY. (Bra.)
VILLE DE NANCY. (Cal.)
 VIRGINIA CORY. (Ple.)
 VIRGINIE. (Cal.)
 VIRGO MARIA. (Cal.)
 VISCOUNTESS FOLKESTONE.
 VOLCAN. (Lem.)
 WAHWAHTAYSEE. (Fran.)
 WALTER FAXON. (Rich.)
 WALTER MORGAN. (Ple.)
 WASHINGTON. (Gue.)
Water Lily. MARIE JACQUIN.
 WATERLOO. (Kel.)
 WATTEAU.
 WELCOME GUEST. (Hol.)
 WENONAH. (Fran.)
 W. F. CHRISTMAN. (Fran.)
 WHITE LADY. (Kel.)
 WHITE QUEEN. (Wal.)
 WHITE SWAN. (Ple.)
 WHITLEYI MAJOR.
 WIESBADEN. (G. & K.)
 WILBUR WRIGHT. (Kel.)
 WILD ROSE. (Ple.)
 WILLIAM F. TURNER. (Shay.)
 WILLIAM MESMAN. (Ker.)
 WILLIAM PENN. (Bra.)

- | | |
|--|--|
| PAEONIA, PEONY (Hort. var.), continued | |
| WILTON LOCKWOOD. | (Shay.) |
| WINNIFRED DOMME. | (Bra.) |
| WINNIKENNI. | (Thur.) |
| ZOE CALOT. | (Miel.) |
| ZOE VERNIORY. | (Gue.) |
| PAGNUCCI GRAPE . . . | Vitis pagnucci |
| PAGODA DOGWOOD | Cornus alternifolia |
| PAINTBRUSH | |
| INDIAN P. | Castilleja coccinea |
| PAINTED ABUTILON, PAINTED DAISY, etc. See Abutilon, DAISY, etc. | |
| PAINTED-CUP | Castilleja |
| INDIAN PAINTBRUSH | |
| | Castilleja coccinea |
| TEXAS PAINTED-CUP . . . | C. indivisa |
| WOOLLY P. | C. foliolosa |
| PAKCHOI CABBAGE | Brassica chinensis |
| PALAFOXIA | |
| hookeriana | Polypterus hookeriana |
| PALAFOXIA | Polypterus hookeriana |
| PALAY RUBBERVINE | |
| | Cryptostegia grandiflora |
| PALE BROOM, PALE CAMOMILE, etc. See BROOM, CAMOMILE, etc. | |
| PALELEAF GOLDENROD | |
| | Solidago pallida |
| PALESTINE IRIS . . . | Iris bismarckiana |
| PALIURUS | |
| spina-christi (<i>aculeatus</i>) | |
| | CHRIST-THORN |
| PALM | |
| AFRICAN OIL P. . . | Elaeis guineensis |
| APRICOT P. | Cocos eriospatha |
| ARECA | Areca |
| BAUER P. | Rhopalostylis baueri |
| BEACH P. | Pyrenoglyphis major |
| BELMORE P. | Howea belmoreana |
| BETEL P. | Areca catechu |
| BLUE P. | Glaucothea armata |
| BONNET P. | Cocos bonnetii |
| BOTTLE P. | Hyophorbe amaricaulis |
| BRANDEGEI P. | Erythrina brandegei |
| BRITTLE THATCH P. | |
| | Thrinax microcarpa |
| CABBAGE P. | |
| SAW CABBAGE P. | |
| | Paurotis arborescens |
| CALIFORNIA WASHINGTON P. | |
| | Washingtonia filifera |
| PALM, continued | |
| CANARY DATE P. | |
| | Phoenix canariensis |
| CANARY HAIR P. | Hort. var. of |
| | Chamaerops humilis. |
| CANTERBURY P. | |
| | Hedyscepe canterburyana |
| CARYOTA | Caryota |
| CEYLON DATE P. | |
| | Phoenix zeylandica |
| CHINESE FAN P. | |
| | Livistona chinensis |
| CLIFF DATE P. | Phoenix rupicola |
| CLUB PALM | |
| | SPINY CLUB P. |
| | Bactris |
| COCONUT | Cocos nucifera |
| CUTLEAF P. | C. schizophylla |
| DATE P. | Phoenix; P. dactylifera |
| | CANARY DATE P. P. canariensis |
| | CEYLON DATE P. P. zeylandica |
| | CLIFF DATE P. |
| | P. rupicola |
| | DWARF DATE P. |
| | P. humilis |
| | INDIA DATE P. |
| | P. sylvestris |
| | SENEGAL DATE P. |
| | P. reclinata |
| DATIL P. | Cocos datilifera |
| DECKEN P. | Deckenia nobilis |
| DWARF DATE P. | Phoenix humilis |
| ERYTHEA | Erythrea |
| | DWARF E. |
| | E. elegans |
| FAN P. | |
| | AUSTRALIAN FAN P. |
| | Livistona australis |
| CHINESE FAN P. . . | L. chinensis |
| FIJI FAN P. | Pritchardia pacifica |
| JAVA FAN P. | |
| | Livistona rotundifolia |
| FIELD P. | Cocos campestris |
| FIJI FAN P. | Pritchardia pacifica |
| FLORIDA THATCH P. | |
| | Thrinax floridana |
| FORSTER P. | Howea forsteriana |
| FORTUNE P. | Trachycarpus fortunei |
| GUADALUPE P. | Erythrina edulis |
| HAIR P. | Chamaerops; C. humilis |
| | CANARY HAIR P. Hort. var. of C. humilis. |
| INDIA DATE P. | Phoenix sylvestris |
| JAMAICA THATCH P. | |
| | Thrinax parviflora |
| JAVA FAN P. | Livistona rotundifolia |
| KENTIA | Kentia |
| SANDER K. | K. sandersoniana |

PALM, continued

- KEY THATCH P. *Thrinax keyensis*
 LADY P. Hort. var. of *Chamaerops humilis*.
 LATANIA . . . *Latania commersoni*
 MACARTHUR P.
 Ptychosperma macarthurii
 MARTIUS P. *Trachycarpus martiana*
 MEXICAN WASHINGTON P.
 Washingtonia robusta
 MIKAN P. . . . *Rhopalostylis sapida*
 MORRIS THATCH P. *Thrinax morrisii*
 NEEDLE P. *Rhipidophyllum hystrix*
 OIL P.
 AFRICAN OIL P.
 Elaeis guineensis
 PALMA DULCE . . . *Brahea dulcis*
 PALMETTO *Sabal*
 BLACKBURN PALMETTO
 S. blackburniana
 BLUESTEM P. *S. glabra*
 CAROLINA P. *S. palmetto*
 GHIESBRECHT P. Hort. var. of *S. palmetto*.
 SAW P. *Serenoa serrulata*
 SCRUB P. *Sabal etonia*
 TEXAS P. *S. texana*
 VICTORIA P. *S. exul*
 PINDO PALM *Cocos australis*
 RHAPIS *Rhipis*
 FERN R. *R. flabelliformis*
 REED R. *R. humilis*
 ROEBELIN P. *Phoenix roebelinii*
 ROOTSPINE P.
 Acanthorhiza aculeata
 ROYAL P. *Roystonea*; *R. regia*
 SAN DIEGO P. *Cocos plumosa*
 SARGENT P.
 Pseudophoenix sargentii
 SAW CABBAGE P.
 Paurotis arborescens
 SENEGAL DATE P. *Phoenix reclinata*
 SILVER P. *Coccothrinax argentea*
 SPINDLE P. *Hyophorbe verschaffeltii*
 SPINE-DATE *Acanthophoenix*
 RED S. *A. rubra*
 SPINY CLUB P. *Bactris*
 SUGAR P. *Arenga saccharifera*
 SYRUP P. *Jubaea spectabilis*
 THATCH P. *Thrinax*
 BRITTLE THATCH P.
 T. microcarpa

PALM, continued

- FLORIDA THATCH P.
 Thrinax floridana
 JAMAICA THATCH P. T. *parviflora*
 KEY THATCH P. *T. keyensis*
 MORRIS THATCH P. *T. morrisii*
 TODDY P. *Caryota urens*
 WASHINGTON P. *Washingtonia*
 CALIFORNIA WASHINGTON P.
 W. filifera
 MEXICAN WASHINGTON P.
 W. robusta
 WEDDELL P. *Cocos weddelliana*
 WENDLAND P.
 Hydriastele wendlandiana
 WINDMILL P. *Trachycarpus excelsa*
 YELLOW P.
 Chrysalidocarpus lutescens
PALM GENERA
 ACANTHOPHOENIX
 rubra(*Areca rubra*) RED SPINE-DATE
 ACANTHORHIZA
 aculeata ROOTSPINE PALM
 ACOELORRAPHE Ar
 PAUROTIS
 ARCHONTOPHOENIX
 The palms cultivated in California under this name are Loroma amethystina. The true Archontophoenix is not known to be in cultivation in the United States. See note under Loroma amethystina.
 ARECA ARECA
 alba *Dictyosperma album*
 baueri *Rhopalostylis baueri*
 catechu(*A. catechu* Ag) BETEL PALM
 lutescens *Chrysalidocarpus lutescens*
 rubra *Acanthophoenix rubra*
 sapida *Rhopalostylis sapida*
 verschaffeltii *Hyophorbe verschaffeltii*
 ARENGA
 saccharifera SUGAR PALM
 BACTRIS SPINY CLUB P.
 major Cy *Pyrenoglyphis major*
 minor
 BRAHEA
 dulcis PALMA DULCE
 filifera *Washingtonia filifera*
 CARYOTA CARYOTA
 mitis (*sobolifera*)
 urens TODDY PALM

PALM GENERA, continued

| | |
|--|----------------------------|
| CHAMAEROPS | HAIR P. |
| <i>excelsa</i> | Trachycarpus excelsa |
| <i>fortunei</i> | T. fortunei |
| <i>humilis</i> | HAIR PALM |
| <i>nepalensis</i> | Trachycarpus martiana |
| Hort. var. of Chamaerops humilis : | |
| CANARY HAIR PALM (<i>C. canariensis</i>) | |
| LADY PALM (<i>C. elegans</i>) | |
| CHRYSALIDOCARPUS | |
| <i>lutescens</i> (<i>Areca lutescens</i>) | YELLOW PALM |
| COCCOTHRINAX | |
| <i>argentea</i> (<i>C. garberi</i> Cy.) | SILVER P. |
| <i>radiata</i> (<i>Thrinax elegans</i>) | |
| COCOS | |
| <i>australis</i> | PINDO P. |
| The name <i>C. australis</i> is often misapplied to <i>C. criospatha</i> . | |
| <i>bonneti</i> | BONNET PALM |
| <i>campestris</i> | FIELD P. |
| <i>datil</i> | DATIL P. |
| <i>eriospatha</i> | APRICOT P. |
| <i>flexuosa</i> | |
| <i>nucifera</i> | COCONUT |
| <i>plumosa</i> | SAN DIEGO PALM |
| <i>romanzoffiana</i> | |
| <i>schizophylla</i> | CUTLEAF P. |
| <i>weddelliana</i> | WEDDELL P. |
| CORYPHA | |
| <i>australis</i> | <i>Livistona australis</i> |
| DAEMONOROPS | |
| <i>fissus</i> | |
| DECKENIA | |
| <i>nobilis</i> | DECKEN PALM |
| DICTYOSPERMA | |
| <i>album</i> (<i>Areca alba</i>) | |
| ELAEIS | |
| <i>guineensis</i> | AFRICAN OIL P. |
| ERYTHEA | ERYTHEA |
| <i>armata</i> | <i>Glaucothea armata</i> |
| <i>brandegeei</i> | BRANDEGEE PALM |
| <i>edulis</i> | GUADALUPE P. |
| <i>elegans</i> | DWARF ERYTHEA |
| GLAUCOTHEA | |
| <i>armata</i> (<i>Erythea armata</i>) | |
| | BLUE PALM |

PALM GENERA, continued

| | |
|---|--|
| HEDYSCEPE | |
| <i>canterburyana</i> (<i>Kentia canterburyana</i>) | CANTERBURY PALM |
| HOWEA | |
| <i>belmoreana</i> (<i>Kentia belmoreana</i>) | BELMORE P. |
| <i>forsteriana</i> (<i>K. forsteriana</i>) | FORSTER P. |
| HYDRIASTELE | |
| <i>wendlandiana</i> (<i>Kentia wendlandiana</i>) | WENDLAND PALM |
| HYOPHORBE | |
| <i>amaricaulis</i> | BOTTLE P. |
| <i>verschaffelti</i> (<i>Areca verschaffelti</i>) | SPINDLE P. |
| INODES Ag | SABAL |
| JUBAEA | |
| <i>spectabilis</i> (<i>J. chilensis</i> Ag) | SYRUP PALM |
| KENTIA | KENTIA |
| <i>belmoreana</i> | <i>Howea belmoreana</i> |
| <i>canterburyana</i> | <i>Hedyscepe canterburyana</i> |
| <i>forsteriana</i> | <i>Howea forsteriana</i> |
| <i>macarthurii</i> | <i>Ptychosperma macarthurii</i> |
| <i>sanderiana</i> | <i>SANDER KENTIA</i> |
| <i>wendlandiana</i> | <i>Hydriastele wendlandiana</i> |
| LATANIA | |
| <i>commersoni</i> (<i>L. borbonica</i> Ag) | LATANIA |
| The stock sold under the name Latania borbonica is usually <i>Livistona chinensis</i> . | |
| LICUALA | |
| <i>grandis</i> | |
| LIVISTONA | |
| <i>australis</i> (<i>Corypha australis</i>) | AUSTRALIAN FAN PALM |
| <i>chinensis</i> | CHINESE FAN P. |
| <i>rotundifolia</i> | JAVA FAN P. |
| LOROMA | |
| <i>amethystina</i> | Commonly planted in southern California under the names <i>Archontophoenix</i> (or <i>Ptychosperma</i>) <i>alexandriæ</i> and <i>Seaforthia</i> (or <i>Ptychosperma</i>) <i>elegans</i> , neither of which is known to be in |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PALM GENERA (LOROMA), continued
 cultivation in the United States.
Archontophoenix cunninghamii is the name of another, and little known, Australian palm, but the trees cultivated in California under that name appear to be identical with *Loroma amethystina*.

MARTINEZIA*caryotaefolia***NEOWASHINGTONIA****WASHINGTONIA****OREODOXA***regia* Cy *Roystonea regia***PAUROTIS***arborescens* (*Serenoa arborescens* Cy; *Acoelorrhaphis arborescens* Ar)

SAW CABBAGE PALM

wrightii (*A. wrightii* Ar)**PHOENICOPHORIUM** Ag
STEVENSONIA**PHOENIX** . . . DATE PALM*canariensis* . . CANARY DATE P.*dactylifera* . . . DATE P.

For varieties of the cultivated Date, the fruit of the Date Palm, see American Pomological Society's List of Fruits, in Appendix.

humilis (*P. ouseleyana* Ag)

DWARF DATE PALM

leonensis *P. reclinata**ouseleyana* Ag *P. humilis**pumila**reclinata* (*leonensis*)

SENEGAL DATE PALM

roebelinii *ROEBELIN* P.*rupicola* CLIFF DATE P.*sylvestris* INDIA DATE P.*zeylanica* CEYLON DATE P.**PRITCHARDIA***pacifica* (*Styloclada pacifica* Ag)

FIJI FAN P.

PSEUDOPHOENIX*sargentii* (*P. vinifera* Ar)

SARGENT P.

PTYCHORAPHIS*singaporensis* (*Ptychosperma singaporense*)**PTYCHOSPERMA***alexandriæ*See note under *Loroma amethystina*.**PALM GENERA (PTYCHOSPERMA)**, cont.*elegans*See note under *Loroma amethystina*.*macarthuri* (*Kentia macarthuri*)

MACARTHUR PALM

*singaporensis**Ptychoraphis singaporensis***PYRENOGLYPHIS***major* (*Bactris major* Cy)

BEACH PALM

RHAPIDOPHYLLUM*hystric* NEEDLE P.**RHAPIS** RHAPIS*flabelliformis* FERN R.*humilis* REED R.**RHOPALOSTYLIS***baueri* (*Areca baueri*) BAUER PALM*sapida* (*A. sapida*) . . MIKAN P.**ROYSTONEA** . . . ROYAL P.*regia* (*Oreodoxa regia* Cy) ROYAL P.**SABAL** PALMETTO*blackburniana* (*umbraculifera*; *Inodes blackburniana* Ag)

BLACKBURN PALMETTO

etonia SCRUB P.*exul* (*Inodes exul* Ag) VICTORIA P.*glabra* (*adansonii*; *S. minor* Ar)

BLUESTEM P.

palmetto (*Inodes palmetto* Ag)

CAROLINA P.

texana (*mexicana*; *Inodes texana* Ag) TEXAS PALMETTOHort. var. of *Sabal*:*GHIESBRECHT* PALMETTO (*S. giesbrechtii*)Hort. var. of *S. palmetto*.**SEAFORTHIA***elegans*The palm commonly cultivated in California under this name is *Loroma amethystina*. The true *Seaforthia elegans* is not known to be in cultivation in the United States.**SERENOA** . . . SAW PALMETTO*arborescens* Cy *Paurotis arborescens**serrulata* SAW PALMETTO**STEVENSONIA***grandifolia* (*grandiflora*; *Phoenicophorium boersigianum* Ag)

PALM GENERA, continued

STYLOMA

pacifica Ag . Pritchardia *pacifica*

THRINAX . . . THATCH PALM

argentea . Coccothrinax *argentea**elegans* C. *radiata**floridana* FLORIDA THATCH PALM*keyensis* . . . KEY THATCH P.*microcarpa* . BRITTLE THATCH P.*morrisi* . . . MORRIS THATCH P.*parviflora* . JAMAICA THATCH P.

TRACHYCARPUS

excelsa (*Chamaerops excelsa*)

WINDMILL P.

fortunei (*C. fortunei*) FORTUNE P.*martiana* (*C. nepalensis*) MARTIUS P.

VERSCHAFFELTIA

splendida

WASHINGTONIA (NEO-WASHINGTONIA)

WASHINGTON PALM

filifera (*Brahea filifera*; *B. filamentosa*)

CALIFORNIA WASHINGTON PALM

robusta (*W. gracilis* Cy; *W. sonorae* Cy)

MEXICAN WASHINGTON PALM

PALM VIOLET *Viola palmata*PALMA DULCE *Brahea dulcis*

PALMER PENTSTEMON

Pentstemon palmeri

PALMETTO Sabal

BLACKBURN P . . S. *blackburniana*BLUESTEM P S. *glabra*CAROLINA P S. *palmetto*GHIESBRECHT P. Hort. var. of S. *palmetto*.SAW P *Serenoa serrulata*SCRUB P Sabal *etonia*TEXAS P S. *texana*PALMGRASS *Chaetochloa palmifolia*PALOBLANCO *Celtis reticulata*PAMPASGRASS *Cortaderia*COMMON P C. *argentea*

PANAX GINSENG

ginseng P. *schinseng**gracillimum* . LINELEAF ARALIAHort. var. of *Dizygotheca veitchii*.*monstrosum* ARALIA POLYSCIASHort. var. of *Polyscias guilfoylei*.

PANAX, continued

quinquefolium (*Aralia quinquefolia*)

AMERICAN GINSENG

schinseng (*ginseng*) . CHINESE G.*sessiliflorum*Acanthopanax *sessiliflorum*

trifolium DWARF GINSENG

victoriae VICTORIA POLYSCIASHort. var. of *Polyscias guilfoylei*.

Hort. var. of Panax:

JAPANESE GINSENG

PANCRATIUM

calathinum *Hymenocallis calathina*

PANDANUS SCREWPINE

graminifolius GRASSY S.In the trade the name P. *graminifolius* is often misapplied to P. *pygmaeus*.*pygmaeus* PACIFIC SCREWPINE*pygmaeus* DWARF S.*utilis* COMMON S.*veitchii* VEITCH S.

PANDOREA PANDOREA

australis (*Tecomia australis*)

AUSTRALIAN P.

jasminoides (*T. jasminoides*)

JASMINE P.

ricasoliana (*T. ricasoliana*; *T. mackeni*) . . . RICASOL PANDOREA

PANICLE HYDRANGEA

Hydrangea paniculata

PANICULARIA

aquatica (*Glyceria aquatica*; *G. spectabilis*) WATER MANNAGRASS

PANICUM

barbinode PARA GRASS*miliaceum* BROOMCORN MILLET*palmifolium* CyChaetochloa *palmifolia**sulcatum* Cy C. *poiretiana**variegatum* *Opismenus compositus*

PANSY

COMMON P V. *tricolor*TUFTED P V. *cornuta**Pansy Violet*BIRDSFOOT VIOLET: *Viola pedata*

PANSY-ORCHID Miltonia

PANTHER LILY *Lilium parviflorum*

PAPAVER POPPY

alpinum ALPINE P.*bracteatum* GREAT SCARLET P.

PAPAVER, continued

- dubium LONGPOD POPPY
 —laevigatum DRAGON P.
 glaucum TULIP P.
laevigatum . *P. dubium laevigatum*
 nudicaule ICELAND POPPY
 orientale ORIENTAL P
 See also hort. var. list below.
- parkmani . PARKMAN ORIENTAL P
 Hort. var. of *P. orientale*.
- pavoninum PEACOCK P.
 pilosum OLYMPIC P.
 rhoeas CORN P.
 —umbrosum

CRIMSON BLACKSPOT P

- sommiferum OPIUM P.
umbrosum . *P. rhoeas umbrosum*

Hort. var. of POPPY, *Papaver*:

- ADMIRAL
 AFRICAN
 AMERICAN FLAG
 APRICOT. *Apricot Queen*.
 AUSTEN DOUBLE SHIRLEY
 BEAUTY OF LEVERMORE
 BLUSH QUEEN
 BOSTON. *Boston Peerless*.
 BRIGHTNESS
 BRILLIANT
 CARDINAL
 CARNATION. *Carnation-flowered*.
 CERISE BEAUTY
 CHARLES DARWIN
 CHINESE
 DAINTY LADY
 DANNEBROG. *Danebrog; Danish*
Danish Flag; Danish Cross.
 DUKE OF TECK
 EDNA PERRY
 ELDORADO
 FAIRY BLUSH
 FIREKING
 FLAG-OF-TRUCE
 FLANDERS FIELD
 FORDHOOK FAIRY
 GERALD PERRY
 GOLDEN GATE
 GOLIATH
 GRAND MOGUL
 HOOKER SINGLE
 IMPROVED SHIRLEY
 ISLE OF SHOALS
 JAPANESE POMPON

PAPAVER (Hort. var.), continued

- JOYCE
 KING EDWARD
 LIGHTNESS
 MAHOGANY. *Mahonoy; Mahony*.
 MAID-OF-THE-MIST
 MARIE STUDHOLME
 MAY CAMPBELL
 MEPHISTO
 MIKADO
 MISS SHERWOOD
 MRS. J. HARKNESS
 MRS. MARSH
 MRS. PERRY
 ORIFLAMME
 PARKMAN. *Parkmani; P. orientale e parkmani† Cy.*
 PEONY. *Peony-flowered*.
 PERRY WHITE
 PICOTÉE
 PRINCE OF ORANGE
 PRINCESS ENA
 QUEEN ALEXANDRA
RANUNCULUS. *Ranunculus-flowered*.
 REMBRANDT
 ROSE QUEEN
 ROYAL SCARLET
 SALMON QUEEN
 SHELL PINK
 SHIRLEY
 SHRIMP PINK
 SILVER LINING
 SILVER QUEEN
 SNOWDRIFT
 THE BRIDE
 TRILBY
 VICTORIA LOUISE
 VIRGINIA
 WHITE SHIRLEY
 WHITE SWAN
- PAPAW Asimina; *A. triloba*
 PAPAYA Carica; *C. papaya*
 PAPER-MULBERRY
Broussonetia; *B. papyrifera*
 PAPERTREE *Edgeworthia*
 GOLDEN P. . . . *E. chrysanthra*
 INDIA P. . . . *E. gardneri*
 PAPHIOPEDILUM Cy
 CYPRIPEDIUM
 See ORCHID GENERA.
 PAPYRIUS Ag. BROUSSONETIA

| | |
|---|--|
| <i>PAPYRUS</i> | <i>CYPERUS</i> |
| <i>PAPYRUS</i> | <i>Cyperus papyrus</i> |
| <i>PARA GRASS</i> , PARA RUBBERTREE, etc. | |
| See GRASS, RUBBERTREE, etc. | |
| <i>PARADISE BROOM</i> (<i>Cytisus scoparius andeanus</i> † Cy) | |
| <i>PARADISEA</i> | <i>ST.BRUNOLILY</i> |
| | <i>liliastrum</i> (<i>Anthericum liliastrum</i>) |
| | <i>ST.BRUNOLILY</i> |
| Hort. var. of <i>Paradisea</i> : | |
| GREAT <i>ST.BRUNOLILY</i> (<i>P.liliastrum major</i> † Cy; <i>Anthericum giganteum</i>) | |
| <i>PARAGUAY NIGHTSHADE</i> | |
| | <i>Solanum rantonetti</i> |
| <i>PARASOLTREE</i> | |
| CHINESE P. | <i>Sterculia platanifolia</i> |
| MOTTLED P. (<i>S.p. variegata</i> † Cy) | |
| <i>PARDANTHUS</i> | <i>BELAMCANDA</i> |
| <i>PARITIUM</i> | <i>HIBISCUS</i> |
| <i>PARKINSONIA</i> | <i>PARKINSONIA aculeata</i> |
| <i>PARKMAN CRAB</i> , PARKMAN ORIENTAL POPPY, etc. See CRAB, POPPY, etc. | |
| <i>PARMENTIERA</i> | |
| cerifera | <i>CANDLETREE</i> |
| <i>PARNASSIA</i> | <i>PARNASSIA</i> |
| asarifolia | <i>BROOK P.</i> |
| californica | <i>CALIFORNIA P.</i> |
| caroliniana | <i>CAROLINA P.</i> |
| fimbriata | <i>ROCKY MOUNTAIN P.</i> |
| <i>PARONYCHIA</i> | <i>NAILWORT</i> |
| argyrocoma | <i>ALLEGHENY N.</i> |
| <i>PARROT</i> | <i>ALSTROEMERIA</i> , PARROT PITCHERPLANT, etc. See <i>Alstroemeria</i> , PITCHERPLANT, etc. |
| <i>PARROTBEAK</i> | <i>Cianthus</i> |
| RED P. | <i>C. puniceus</i> |
| WHITE P. | Hort. var. of <i>C. puniceus</i> . |
| <i>PARROTFEATHER</i> | <i>Myriophyllum</i> |
| BRAZILIAN P. | <i>M. proserpinacoides</i> |
| CANADA P. | <i>M. verticillatum</i> |
| <i>PARROTIA</i> | <i>PARROTIA jacquemontiana</i> (<i>Parrotiopsis jacquemontiana</i> Ar.) |
| | <i>HIMALAYAN PARROTIA persica</i> |
| | <i>PERSIAN P.</i> |
| | |
| | PARRY LARKSPUR, PARRY PINE, etc. |
| | See LARKSPUR, PINE, etc. |
| | <i>PARSLEY</i> |
| | <i>Petroselinum</i> ; <i>P. hortense</i> |
| | <i>PARSLEY HAWTHORN</i> |
| | <i>Crataegus apiifolia</i> |
| | <i>PARSNIP</i> |
| | <i>Pastinaca</i> ; <i>P. sativa</i> |
| | COW-PARSNIP |
| | <i>Heracleum</i> |
| | <i>PARSONS ARBORVITAE</i> (<i>Thuja occidentalis compacta</i> † Cy) |
| | <i>PARSONSIA</i> |
| | <i>CUPHEA</i> |
| | <i>PARTHENOCISSUS</i> Cy-Ag |
| | <i>AMPELOPSIS</i> |
| | <i>PARTRIDGEBERRY</i> |
| | <i>Mitchella</i> ; <i>M. repens</i> |
| | <i>PASANIA</i> |
| | <i>LITHOCARPUS</i> |
| | <i>PASHI PEAR</i> |
| | <i>Pyrus pashia</i> |
| | <i>PASPALUM</i> |
| | <i>dilatatum</i> |
| | DALLIS GRASS |
| | <i>PASQUEFLOWER</i> |
| | AMERICAN P. |
| | <i>Anemone patens nuttalliana</i> |
| | EUROPEAN P. |
| | <i>A. pulsatilla</i> |
| | RED P. (<i>A. pulsatilla rubra</i> † Cy) |
| | WHITE P. Hort. var. of <i>A. pulsatilla</i> . |
| | <i>PASSIFLORA</i> |
| | PASSIONFLOWER |
| | <i>alato-caerulea</i> (<i>pfordti</i>) |
| | <i>caerulea</i> |
| | BLUECROWN P. |
| | See also hort. var. list below. |
| | <i>coccinea</i> |
| | SCARLET P. |
| | <i>edulis</i> |
| | PURPLE GRANADILLA |
| | <i>gracilis</i> . CRINKLED PASSIONFLOWER |
| | <i>ignea</i> |
| | <i>P. manicata</i> |
| | incarnata |
| | MAYPOP |
| | <i>laurifolia</i> |
| | (Yellow Granadilla Pom) WATERLEMON |
| | <i>ligularis</i> |
| | SWEET GRANADILLA |
| | <i>lutea</i> |
| | YELLOW PASSIONFLOWER |
| | <i>manicata</i> (<i>ignea</i> ; <i>Tacsonia manicata</i>) |
| | RED PASSIONFLOWER |
| | <i>militaris</i> |
| | SOLDIER P. |
| | <i>mollissima</i> (<i>Tacsonia mollissima</i>) |
| | SOFTLEAF P. |
| | <i>multiformis</i> |
| | SWEET-CALABASH |
| | <i>pfordti</i> |
| | <i>P. alato-caerulea</i> |
| | <i>princeps</i> |
| | <i>P. racemosa</i> |
| | <i>quadrangularis</i> GIANT GRANADILLA |
| | <i>racemosa</i> (<i>princeps</i>) |
| | <i>suberosa</i> |
| | CORK PASSIONFLOWER |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

PASSIFLORA, continued

vanvolxemi

violacea . VIOLET PASSIONFLOWER
Hort. var. of PASSIONFLOWER, **Passiflora:**CONSTANCE ELLIOTT. Hort. var. of
P. caerulea.PASSIONFLOWER **Passiflora**
BLUECROWN P. *P. caerulea*
CONSTANCE ELLIOTT P. Hort. var.
of *P. caerulea*.CORK P. *P. suberosa*
CRINKLED P. *P. gracilis*
GRANADILLA **Passiflora** species
MAYPOP *P. incarnata*
RED P. *P. manicata*
SCARLET P. *P. coccinea*
SOFTLEAF P. *P. mollissima*
SOLDIER P. *P. militaris*
SWEET-CALABASH *P. multiflora*
VIOLET P. *P. violacea*
WATERLEMON *P. laurifolia*
YELLOW P. *P. lutea**Passionvine* PASSIONFLOWER**PASTINACA** PARSNIP
sativa PARSNIPPASTURE GOOSEBERRY, PASTURE ROSE,
etc. See GOOSEBERRY, ROSE, etc.
PATAGONIAN FITZROYA*Fitzroya patagonica*PATIENCE DOCK . . . *Rumex patientia*PAUL ENGLISH HAWTHORN (*Crataegus oxyacantha pauli* Cy)**PAULLINIA** **PAULLINIA**
thalictrifolia . . . MEADOWRUE P.**PAULOWNIA** **PAULOWNIA**
tomentosa (imperialis) . ROYAL P.**PAUROTIS**
See under **PALM GENERA**, page 355.**PAVIA** **AESCULUS****PAVONIA** **PAVONIA**
*hastata (Malache hastata Ag)*PAX ASH *Fraxinus paxiana*PEA **Lathyrus; Pisum**AUSTRALIAN-PEA *Dolichos lignosus*BLACK P. *Lathyrus niger*BRIDESMAID P. (*L. latifolius grandiflorus* Cy)**PEA**, continued**BUTTERFLY-PEA**

Centrosema; Clitoria

CATJANG-PEA *Vigna catjang*CHICKPEA *Cicer; C. arietinum*COMMON P. *Pisum sativum*COWPEA *Vigna*

EVERLASTING P.

Lathyrus grandiflorus

LORD ANSON P. *L. magellanicus*PERENNIAL P. *L. latifolius*ROSARY-PEA *Abrus precatorius*ROYAL PERENNIAL P. (*Lathyrus latifolius splendens* Cy)SCURF-PEA *Psoralea*SENNA-PEA *Swainsona*SWEET P. *Lathyrus odoratus*WHITE PERENNIAL P. (*L. latifolius albus* Cy)**PEACH** **Amygdalus**; **A. persica**For varieties of Peach cultivated for
their fruit, see American Pomological
Society's List of Fruits, in Appendix.

ALMOND P. Hort. var. of Amygdalus.

BLOODLEAF P. Hort. var. of Amygdalus persica.

CHINESE WILD P. . . . *A. davidiana*CHRYSANTHEMUM P. Hort. var. of
A. persica.DOUBLE RED P. Hort. var. of *A. persica*.DOUBLE WHITE P. Hort. var. of *A. persica*.FLAT P. . . . *A. persica platycarpa*NECTARINE *A. p. nectarina*PURPLELEAF P. Hort. var. of *A. persica*.REDFLOWERING P. Hort. var. of *A. persica*.WHITEFLOWERING P. Hort. var. of
A. persica.PEACHBLOW THRIFT (*Statice armeria*
splendens Cy)PEACHLEAF BELLFLOWER, PEACH-
LEAF WILLOW, etc. See BELL-
FLOWER, WILLOW, etc.PEACOCK POPPY . *Papaver pavoninum*PEANUT *Arachis; A. hypogaea*

- PEAR** *Pyrus*
 For varieties of Pear cultivated for their fruit see American Pomological Society's List of Fruits, in Appendix.
- ALMOND P.** *Pyrus amygdaliformis*
ALSATIAN P. *P. auricularis*
BALSAM-PEAR *Momordica charantia*
BIRCHLEAF P. . . *Pyrus betulaefolia*
BRETSCHNEIDER P. *P. bretschneideri*
CALLERY P. *P. calleryana*
COMMON P. *P. communis*
DUSKY P. *P. phaeocarpa*
EGG P. *P. ovoidea*
HONDO P. *P. ussuriensis hondoensis*
LATE P. *P. serotina*
OLEASTER P. *P. elaeagrifolia*
PASHI P. *P. pashia*
PRICKLYPEAR *Opuntia*
USSURIAN P. . . *Pyrus ussuriensis*
WILLOWLEAF P. . . *P. salicifolia*
- PEAR HAWTHORN** *Crataegus tomentosa*
- PEARCE BEGONIA** . . *Begonia pearcei*
- PEARL ACACIA**, **PEARL EVERLASTING**, etc. See **ACACIA**, **EVERLASTING**, etc.
- PEARLBUSH** *Exochorda*
COMMON P. *E. grandiflora*
REDBUD P. *E. giraldi*
TURKESTAN P. *E. korolkowi*
WILSON P. *E. giraldi wilsoni*
PEARLEAF CRAB . . *Malus prunifolia*
PEARLSTRIPE FLAXLILY (*Phormium cookianum variegatum*† Cy)
- PEARLWORT** . . *Sagina*; *S. subulata*
- PEA-SHRUB** *Caragana*
DWARF P. *C. pygmaea*
LITTLELEAF P. *C. microphylla*
MONGOLIAN P. *C. chamlagu*
PEA-TREE *Caragana* species
RUSSIAN PEA-SHRUB *C. frutex*
- PEATPINK** *Silene pennsylvanica*
- PEA-TREE**
SIBERIAN P. *Caragana arborescens*
WEEPING P. (*C. a. pendula*† Cy)
- PECAN** *Hicoria pecan*
 For cultivated varieties of Pecan see American Pomological Society's List of Fruits and Nuts, in Appendix.
- PEDICULARIS** **WOODBETONY**
canadensis **EARLY W.**
- PEDICULARIS**, continued
lanceolata **SWAMP WOODBETONY**
palustris **EUROPEAN W.**
- PEDIOTCACTUS**
simpsoni (*Echinocactus simpsoni*)
SNOWBALL CACTUS
- PEEGEE HYDRANGEA** (*Hydrangea paniculata grandiflora*† Cy)
- PEKING COTONEASTER**, **PEKING HAWTHORN**, etc. See **COTONEASTER**, **HAWTHORN**, etc.
- PELARGONIUM**
PELARGONIUM, GERANIUM
acerifolium (*Geranium citriodorum*)
MAPLELEAF GERANIUM
- domesticum** **LADY WASHINGTON G.**
graveolens **ROSE G.**
hortorum **FISH G.**
odoratissimum **NUTMEG G.**
peltatum **IVYLEAF G.**
zonale (*Geranium zonale*)
HORSESHOE G.
- PELEYCYPHORA**
aselliformis **HATCHET CACTUS**
pectinata
- PELICANFLOWER**
Aristolochia grandiflora
GREAT P. *A. g. sturtevanti*
- PELLAEA** **CLIFFBRAKE**
atropurpurea **PURPLE C.**
densa Cy *Cheilanthes siliquosa*
falcata **AUSTRALIAN CLIFFBRAKE**
gracilis *Cryptogramma stelleri*
viridis (*Pteris adiantoides*)
GREEN CLIFFBRAKE
- PELTANDRA** **ARROW-ARUM**
virginica (*P. undulata* Cy)
VIRGINIA A.
- PENIOCEREUS**
greggi (*Cereus greggi*)
DEERHORN CACTUS
- PENNSETUM**
alopecuroides (*P. japonicum* Cy;
Gymnothrix japonica)
atrosanguineum
CRIMSON FOUNTAIN GRASS
 Hort. var. of *P. ruppeli*.
- cupreum* **PURPLE FOUNTAIN G.**
 Hort. var. of *P. ruppeli*.
- glaucum* (*P. americanum* Cy; *typhoideum*) . . . **PEARL MILLET**

PENNISETUM, continued

| | |
|---|---------------------------------------|
| latifolium (<i>Gymnothrix latifolium</i>) | |
| <i>longistylum</i> | P. <i>villosum</i> |
| <i>macrophyllum</i> | P. <i>macrostachyum</i> |
| <i>macrostachyum</i> (<i>macrophyllum</i>) | |
| See also hort. var. list below. | |
| <i>purpureum</i> | NAPIER GRASS |
| <i>ruppeli</i> (<i>ruppelianum</i> ; <i>cupreum</i>) | |
| | FOUNTAIN G. |
| See also hort. var. list below. | |
| <i>typhoideum</i> | P. <i>glaucum</i> |
| <i>villosum</i> (<i>longistylum</i>) | FEATHERTOP |
| Hort. var. of Pennisetum: | |
| CRIMSON FOUNTAIN GRASS (<i>atrosanguineum</i>). Hort. var. of P. <i>ruppeli</i> . | |
| PURPLE FOUNTAIN G. (<i>cupreum</i>) | |
| Hort. var. of P. <i>ruppeli</i> . | |
| PURPLE PENNISETUM (<i>macrostachyum atropurpureum</i>) | |
| PENNYROYAL | Mentha <i>pulegium</i> |
| PENTSTEMON | PENTSTEMON |
| acuminatus | STIFF P. |
| angustifolius (<i>caeruleus</i>) | |
| | NARROWLEAF P. |
| antirrhinoides | SNAPDRAGON P. |
| barbatus (<i>Chelone barbata</i>) | |
| — <i>torreyi</i> Cy | P. <i>torreyi</i> |
| <i>caeruleus</i> | P. <i>angustifolius</i> |
| campanulatus | |
| | COMMON PENTSTEMON |
| centranthifolius | SCARLET-BUGLER |
| cobaea | COBAEA PENTSTEMON |
| cordifolius | HEARTLEAF P. |
| <i>cyanthus</i> | P. <i>glaber</i> <i>cyanthus</i> |
| <i>diffusus</i> | BUSHY PENTSTEMON |
| <i>digitalis</i> | P. <i>laevigatus</i> <i>digitalis</i> |
| <i>glaber</i> | BLUE PENTSTEMON |
| — <i>cyanthus</i> | |
| <i>gloxinioides</i> | GLOXINIA P. |
| <i>grandiflorus</i> | SHELL-LEAF P. |
| <i>hartwegi</i> | HARTWEG P. |
| <i>heterophyllus</i> | VIOLET P. |
| <i>hirsutus</i> (<i>pubescens</i>) | EASTERN P. |
| <i>labrosus</i> | LONGLIP P. |
| <i>laevigatus</i> | SMOOTH P. |
| — <i>digitalis</i> | FOXGLOVE P. |
| <i>murrayanus</i> | CUPLEAF P. |
| <i>ovatus</i> | EGGLEAF P. |
| <i>palmeri</i> | PALMER P. |
| <i>pubescens</i> | P. <i>hirsutus</i> |

PENTSTEMON, continued

| | |
|---|---------------------------------------|
| punicetus | |
| | SCARLETFUNNEL PENTSTEMON |
| secundiflorus | |
| smallii | SMALLS P. |
| spectabilis | SHOWY P. |
| <i>torreyi</i> (<i>P. barbatus torreyi</i> Cy) | TORREY P. |
| tubiflorus | TUBE P. |
| PENTSTEMON | Pentstemon |
| BLUE P. | P. <i>glaber</i> |
| BUSHY P. | P. <i>diffusus</i> |
| COBAEA P. | P. <i>cobaea</i> |
| COMMON P. | P. <i>campanulatus</i> |
| CUPLEAF P. | P. <i>murrayanus</i> |
| EASTERN P. | P. <i>hirsutus</i> |
| EGGLEAF P. | P. <i>ovatus</i> |
| FOXGLOVE P. | P. <i>laevigatus</i> <i>digitalis</i> |
| GLOXINIA P. | P. <i>gloxinioides</i> |
| HARTWEG P. | P. <i>hartwegi</i> |
| HEARTLEAF P. | P. <i>cordifolius</i> |
| LONGLIP P. | P. <i>labrosus</i> |
| NARROWLEAF P. | P. <i>angustifolius</i> |
| PALMER P. | P. <i>palmeri</i> |
| SCARLET-BUGLER | |
| | P. <i>centranthifolius</i> |
| SCARLETFUNNEL P. | P. <i>puniceus</i> |
| SHELL-LEAF P. | P. <i>grandiflorus</i> |
| SHOWY P. | P. <i>spectabilis</i> |
| SMALLS P. | P. <i>smallii</i> |
| SMOOTH P. | P. <i>laevigatus</i> |
| SNAPDRAGON P. | P. <i>antirrhinoides</i> |
| STIFF P. | P. <i>acuminatus</i> |
| TORREY P. | P. <i>torreyi</i> |
| TUBE P. | P. <i>tubiflorus</i> |
| VIOLET P. | P. <i>heterophyllus</i> |
| PEONY | Paeonia |
| | For horticultural varieties see under |
| | <i>Paeonia</i> , page 343. |
| CHINESE P. | P. <i>albiflora</i> |
| COMMON P. | P. <i>officinalis</i> |
| CORAL P. | P. <i>corallina</i> |
| FRINGED P. | P. <i>tenuifolia</i> |
| GOLDEN P. | P. <i>lutea</i> |
| TREE P. | P. <i>suffruticosa</i> |
| PEPEROMIA | PEPEROMIA |
| maculosa | SPOTTED P. |
| PEPINO | Solanum <i>muricatum</i> |
| PEPPER | Piper |
| BLACK P. | P. <i>nigrum</i> |
| REDPEPPER | Capsicum |

| | | |
|---|----------------------------|--|
| PEPPERGRASS | Lepidium | PERIWINKLE, continued |
| PEPPERMINT | Mentha piperita | WHITE COMMON P. (<i>Vinca minor</i> <i>alba</i> † Cy) |
| PEPPERMINT GUM | Eucalyptus odorata | WHITESPOT P. (<i>V. major elegantissima</i> † Cy) |
| PEPPERTREE | Schinus | PERNETTYA PERNETTYA |
| BRAZILIAN P. | <i>S. terebinthifolius</i> | <i>mucronata</i> BROADLEAF P. |
| CALIFORNIA P. | <i>S. molle</i> | PERPETUAL BEGONIA, PERPETUAL |
| PEPPERVINE | Ampelopsis arborea | LOCUST, etc. See BEGONIA, |
| PEPPERWORT | Marsilea | LOCUST, etc. |
| PERAMIUM Ag | GOODYERA | PERSEA PERSEA |
| See ORCHID GENERA. | | <i>americana (gratissima)</i> . . . AVOCADO |
| PERDICIUM Ag | GERBERA | <i>borbonia (carolinensis)</i> . . . REDBAY |
| PERENNIAL FLAX, PERENNIAL HON- | | <i>indica</i> MADEIRA-BAY |
| ESTY, etc. See FLAX, HONESTY, | | <i>leiogyna</i> TRAPP AVOCADO |
| etc. | | For horticultural varieties of Avocado, see American Pomological Society's List of Fruits, in Appendix. |
| PERESKIA | PERESKIA | PERSIAN BUTTERCUP, PERSIAN CY- |
| aculeata | BLADEAPPLE | CLAMEN, etc. See BUTTERCUP, |
| grandifolia (<i>bleo</i>) | BUSH PERESKIA | Cyclamen, etc. |
| nicoyana | | PERSICA AMYGDALUS |
| subulata | Opuntia subulata | PERSIMMON Diospyros |
| PERILLA | PERILLA | For varieties of Persimmon cultivated for their fruit, see American Pomological Society's List of Fruits, in Appendix. |
| frutescens | GREEN P. | COMMON P. <i>D. virginiana</i> |
| Hort. var. of Perilla: | | DATEPLUM <i>D. lotus</i> |
| CUTLEAF P. (<i>atropurpurea</i> ; <i>P. fru-</i> | | KAKI P. (<i>Kaki Pom</i>) . . . <i>D. kaki</i> |
| <i>tescens lacinia</i> † Cy) | | MOUNTAIN P. <i>D. montana</i> |
| PURPLE P. (<i>P. frutescens nankinen-</i> | | PERUVIAN GROUNDCHERRY, PERU- |
| <i>sit</i> Cy) | | VIAN MAIDENHAIR, etc. See |
| PERILOCA | SILKVINE | GROUNDCHERRY, MAIDENHAIR, |
| graeca | GRECIAN S. | etc. |
| sepium | CHINESE S. | PESCATOREA . ZYGOPETALUM |
| PERISTERIA | | See ORCHID GENERA. |
| elata | HOLY-GHOST-FLOWER | PETALOSTEMUM . PRAIRIECLOVER |
| PERISTROPHE | | <i>candidum</i> WHITE P. |
| speciosa | | <i>decumbens</i> TENNESSEE P. |
| PERIWINKLE | Vinca | <i>villosum</i> SILKY P. |
| BIGLEAF P. | <i>V. major</i> | PETASITES BUTTERBUR |
| BUTTERFLY P. (<i>Vinca minor varie-</i> | | <i>fragrans</i> SWEET B. |
| <i>gata</i> † Cy) | | <i>japonica</i> JAPANESE B. |
| COMMON P. | <i>V. minor</i> | Hort. var. of Petasites: |
| DOUBLE COMMON P. (<i>V. m. flore-</i> | | Giant BUTTERBUR (<i>P. japonica</i> <i>gigantea</i> † Cy) |
| <i>pleno</i> Cy) | | PETRORHAGIA Ag TUNICA |
| GENTIAN P. (<i>V. m. caerulea</i> † Cy) | | PETROSELINUM PARSLEY |
| HERBACEOUS P. | <i>V. herbacea</i> | <i>hortense</i> PARSLEY |
| MADAGASCAR P. | <i>V. rosea</i> | |
| MOTTLED P. (<i>Vinca major varie-</i> | | |
| <i>gata</i> † Cy) | | |
| PURPLE P. Hort. var. of <i>V. minor</i> | | |
| SILVERLEAF P. Hort. var. of <i>V.</i> | | |
| minor. | | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PETSAI CABBAGE *Brassica pekinensis*
PETTICOAT DAFFODIL

Narcissus bulbocodium

PETUNIA PETUNIA
hybrida COMMON P.

There are many varieties of Petunia in
the trade, but their names have not yet
been standardized.

PEYOTE . . . *Lophophora williamsi*
PFITZER JUNIPER (*Juniperus chinensis pfitzeriana*† Cy)

PHACELIA PHACELIA
campanularia . . . HAREBELL P.
congesta
linearis (*Eutoca multiflora*)

THREADLEAF P.

parryi PARRY P.
tanacetifolia TANSY P.
viscida (*Eutoca viscida*)
whitlavia (P. *minor* whitlavia Ag;
Whitlavia grandiflora)

BLUEBELL PHACELIA

Hort. var. of Phacelia:
GLOXINIA P. (*P. whitlavia gloxinio-*
ides† Cy; *Whitlavia gloxinioides*)

PHAEDRANTHUS Cy-Ag
BIGNONIA

PHAIUS PHAJUS

PHAJUS
See ORCHID GENERA.

PHALAENOPSIS . . . MOTH-ORCHID
See ORCHID GENERA.

PHALARIS
arundinacea . REED CANARY GRASS
Hort. var. of Phalaris:

RIBBON GRASS (*P. arundinacea*
picta† Cy; *arundinacea variegata*)

PHARIUM Ag BESSERA

PHASEOLUS BEAN
aconitifolius MOTH B.
acutifolius latifolius . . . TEPARY B.
angularis ADZUKI B.
aureus MUNG B.
calcaratus RICE B.
caracalla SNAIL B.
coccineus (*multiflorus*)

SCARLET RUNNER

See also hort. var. list below.

lunatus CIVET BEAN

PHASEOLUS, continued

lunatus macrocarpus . LIMA BEAN
metcalfei Ag P. retusus
multiflorus P. coccineus
nanus

A name often applied, erroneously, to
dwarf varieties of *Phaseolus vulgaris*.

retusus (*P. metcalfei* Ag)
METCALFE BEAN

vulgaris COMMON
BEAN; KIDNEY B.; HARICOT B.

Hort. var. of *Phaseolus*:

BUTTERFLY RUNNER. Hort. var. of
P. coccineus.

WHITE R. Hort. var. of P. coc-
cineus.

PHEASANTEYE . Adonis autumnalis

PHEGOPTERIS . . . DRYOPTERIS

PHELLODENDRON . . CORKTREE
amurense AMUR C.
chinense CHINESE C.
sachalinense SAKHALIN C.

PHILADELPHUS . . . MOCKORANGE
brachybotrys (*pekinensis brachybo-*
trys)

—*purpurascens* Cy P. *purpurascens*

cordifolius P. *lewisii*

coronarius . . . SWEET MOCKORANGE

—*acuminatus* Cy . P. *satsumanus*

—*gordonianus* . . . P. *gordonianus*

coulteri . COULTER MOCKORANGE

dianthiflorus DOUBLE M.

Hort. var. of P. *coronarius*.

falconeri STAR M.

floridus BEADLE M.

gordonianus (*coronarius gordonianus*) . GORDON MOCKORANGE

grandiflorus (*P. inodorus grandiflorus*† Cy) . BIG SCENTLESS M.

The name *P. grandiflorus* is often ap-
plied, erroneously, to *P. pubescens* and
to Big Mockorange, hort. var. of *P. coronarius*.

hirsutus . . . HAIRY MOCKORANGE

incanus GRAY M.

inodorus SCENTLESS M.

See also hort. var. list below.

latifolius P. *pubescens*

laxus (*speciosus*)

DROOPING MOCKORANGE

PHILADELPHUS, continued

- lemoinei* Cy LEMOINE MOCKORANGE
See hort. var. list below.
- lewi* (*cordifolius*) . . . LEWIS M.
magdalena . . . MAGDALENA M.
mexicana . . . MEXICAN M.
microphyllus . . . LITTLELEAF M.
nanus . . . DWARF SWEET M.
Hort. var. of *P. coronarius*.
- nepalensis* . . . NEPAL M.
nivalis . . . SNOWBANK M.
See hort. var. list below.
- pekinensis* PEKING MOCKORANGE
—*brachybotrys* . . . *P. brachybotrys*
pubescens (*latifolius*) HOARY MOCKORANGE
The name *P. pubescens* is sometimes misapplied to *P. laxus*.
- purpurascens* (*P. brachybotrys purpurascens* Cy) PURPLECUP MOCKORANGE
purpureomaculatus PURPLESPOT M.
See hort. var. list below.
- satsumanus* (*satsumi*; *P. coronarius acuminatus* Cy) SATSUMI MOCKORANGE
- schrenkii* . . . SCHRENK M.
See also hort. var. list below.
- sericanthus* . . . SILK M.
speciosissimus . . . ROUNDLEAF M.
Hort. var. of *P. coronarius*.
- speciosus* . . . *P. laxus subcanus* wilsoni . . . WILSON MOCKORANGE
Hort. var. of MOCKORANGE, *Philadelphus*:
AVALANCHE
BANNIERE
BIG (*Philadelphus coronarius grandiflorus*† Cy)
BOULE D'ARGENT
BOUQUET BLANC
CANDELABRE
CONQUÈTE
DOUBLE (*P. coronarius florepleno* Cy; *dianthiflorus*; *coronarius dianthiflorus*)
DWARF GOLDEN
DWARF SWEET (*P. coronarius nanus*† Cy; *nanus*)
FANTASIE (*phantasia*)
GERBE DE NEIGE

PHILADELPHUS (Hort. var.), continued

- GIRANDOLE
GOLDEN (*aureus*; *foliis aureis*; *coronarius aureus*)
JACK (*P. schrenkii jackii* Cy)
JUNO (*erectus*; *lemoinei erectus*)
LEMOINE (*P. lemoinei*† Cy; *coronarius* × *microphyllus*)
MANTEAU D'HERMINE
MAXIMUS
MONT BLANC
NUÉE BLANCHE
PAVILON BLANC
PERLE BLANCHE
PURPLESPOT (*P. phantasia purpureomaculatus* Cy; *purpureomaculatus*)
ROMEO
ROSACE
ROUNDEAF (*P. coronarius speciosissimus*† Cy)
SNOWBANK (*nivalis*)
SOUVENIR DE BILLIARD (*billardi*; *insignis*)
SPLENDENS
VIRGINAL
VOIE LACTÉE
WILLOWLEAF (*P. coronarius salicifolius*† Cy)
ZEYHER (zezheri)
- PHILIBERTIA . . . PHILIBERTIA
clausa (*Funastrum clausum* Ag) SWEET P.
- PHILLYREA (*FILARIA*) PHILLYREA
angustifolia . . . NARROWLEAF P.
decora . . . LANCELEAF P.
latifolia . . . BROADLEAF P.
- PHILODENDRON PHILODENDRON
bipinnatifidum
giganteum . . . CLIMBING P.
spectabile . . . VELVET P.
- PHILOTRIA . . . ELODEA
- PHLEBODIUM POLYPODIUM
- PHLEUM . . . TIMOTHY
pratense . . . TIMOTHY
- PHLOMIS . . . JERUSALEM-SAGE
tuberosa
- PHLOX . . . PHLOX
amoena . . . AMOENA P.
arendsii . . . ARENDS P.

PHLOX, continued

argillacea
carolina **P. ovata**
cuspidata

This name is often used, erroneously, for *P. pilosa* and for Star Phlox, hort. var. of *P. drummondii*.

decussata

A gardener's name for the group of horticultural varieties of *P. maculata* and *P. paniculata* \times *P. maculata*.

divaricata **BLUE PHLOX**
drummondii **DRUMMOND P.**

See also special list below.

glaberrima **SMOOTH P.**
suffruticosa

See also special list below.

grandiflora

This name is often applied, erroneously, to Big Drummond Phlox and to Big Moss Phlox, both in the hort. var. list below.

maculata . **SWEET WILLIAM PHLOX**
ovata (carolina) . . . **MOUNTAIN P.**

paniculata **GARDEN P.**
 See also special list below.

pilosa **DOWNTY P.**
reptans **P. stolonifera**

stellaria **MAUVE PHLOX**
stellaris **STAR P.**

Hort. var. of *P. drummondii*.

stolonifera (reptans) . **CREEPING P.**
subulata **MOSS P.**

See also special list below.

suffruticosa

P. glaberrima suffruticosa

Hort. var. of Phlox:

Because of the large number of horticultural varieties of Phlox, the common-name list and the hort. var. list have been combined in the special list below.

PHLOX **Phlox**

Except as otherwise indicated the plants included in this list are horticultural varieties of *Phlox paniculata* or hybrids between that species and *P. maculata*. Hort. var. of *P. glaberrima suffruticosa* have the abbreviation Suf.; *P. subulata*, Sub.; *P. drummondii*, Drum.; *P. arendsi*, Ar.; *P. divaricata*, Div.

ADONIS
AETNA
AFRICA
ALBATRE
ALBERT LETEAU
ALBION

PHLOX, continued

ALCESTES
AMANDA. Ar.
AMARANTH
AMOENA P. P. amoena.
AMPHITRYON
ANNIE COOK
ANTONIN MERCIÉ
AQUILON
ARENDS P. P. arendsi.
ARETE
ARGON
ASIA
ASTIER REHU
ASTRILD
ATHIS
ATLAS
AUGUST FREMIET
AURORA BOREALIS
AUSTRALIA
BACCHANTE
BALZAC
BARON VON DEDEM
B. COMTE
BEACON
BERANGER
BERENICE
BIG DRUMMOND. Drum. *P. drummondii rotundata*† Cy.
BIG MOSS. Sub. *P. subulata grandiflora*† Cy.
BLACK WARRIOR
BLANC NAIN
BLUE P. P. divaricata.
BLUE HILL
BOULE DE FEU
BOUQUET FLEURI
BRANTOME
BRIDESMAID
BRILLIANT
BROGNIART
CAMERON
CANADA. *Divaricata canadensis*.
CANDEUR
CARACTACUS
CARAN D'ACHE
CENDRILLON
CHAMOIS ROSE
CHAMPION VERIBEST
CHAMPS ELYSEE
CHARLES DARWIN
CHARLOTTE. Ar.

PHLOX, continued

CHARLOTTE SAISON
 CHATEAUBRIAND
 CHATRAIN
 CLARA BENZ
 COLIBRI
 COMTE UNGERER STERNBERG
Comte von Hochberg. VON HOCH-
 BERG.
 COQUELICOT
 CORNELIE DOTTER
 CREEPING P. *P. stolonifera.*
 CREPUSCLE
 CYRANO
 CZARINA
 DANIEL LESEUER
 DAUBIGNY
 DAWN
 DAYBREAK
 DELAREY
 DE MIRBEL
 DIPLOMAT
Divaricata canadensis. CANADA.
 DOWNY P. *P. pilosa.*
 Dr. CHARCOT
 DRUMMOND P. *P. drummondii.*
 DUGUESCLIN
 ECLAIREUR
 EDMOND BOSSIER
 EDMOND ROSTAND
 EDWARD LOCKROY
 EIFFEL TOWER
 ELECTRA
 ELIZABETH CAMPBELL
 EMBRASEMENT
 EMIL KRANZ
 EMILE LITTRÉ
 EPOPEE
 ESCLAMONDE
 ETNA
 ETTAS CHOICE
 EUGENE DANZANVILLIERS
 EUROPE
 EVELYN
 EVENTIDE. Sub.
 FANNIE STUART
 FAUST
 FERNAND CORTEZ
 FEU DU MONDE
 FIANCÉE

PHLOX, continued

FIREBALL. Drum.
 FLAMBEAU
 FLORA HORNUNG
 FLORENCE
 FORT DE FRANCE
 FRAU ACKERKNECHT
 FRAU ANTON BUCHNER
 FRAU RICHARD GROSS
Fräulein von Lassburg. LASSBURG
 FREYA
 GARDEN P. *P. paniculata.*
 GEFION
 GENERAL CHANZY
 GENERAL VAN HEUTZ
 GEORGES STROEHLEIN
 G. F. WILSON. Sub.
 GIRONDIN
 GISMONDA
 GLADSTONE
 GLENWOOD
 GLOIRE DE MAROC
 GLOW
 GOETHE. *Wolfgang von Goethe.*
 GOLIATH
 GRETA. Ar.
 GRIDEUR
 GRUPPENKOENIGIN
 GUSTAVE NADAUD
 HAOJ EILERS
 HANNY PFLEIDERER
 HECTOR
 HELENE. Ar.
 HELENE VACARESCO
 HENRI MARTIN
 HENRI MURGER
 HENRI REGNAULT
 HERCULES. Suf.
 HERMINA
 HEROINE
 HERVOR
 H. MENIOR
 HODUR
 HORTENSE
 H. O. WIJERS
 IDUNA
 IMPERATOR
Independence. MRS. JENKINS.
 INDIAN CHIEF. Suf.
 INGEBORG

PHLOX, continued

INSPECTOR EPEL
 IRIS
 ISABELLINA. Drum.
 ISABEY
 JAMES BENNETT
 JAMES GALLOWAY
 JAPONAISE
 JEAN DUPOIS
 JEANNE D'ARC
 J. H. SLOCUM
 JOCELYN
 JORDAN
 JOSEPH BARR
 JOSEPHINE GERBEAUX
 JULES BRETON
 JULES CAMBON
 JULES SANDEAU
 JULIUS HEURLIN
 KATHE. Ar.
 KATINKA BEELI
 LA FRANCE
 L'AIGLON
 LAMARTINE
 LANIBOIRE
 LAPHAM. Div.
 LASSBURG. *Fräulein von Lassburg.*
 LA VAGUE
 LE CYGNE
 LE MAHDI
 LE MAUVE
 LEONARDO DA VINCI
 LE POLE DU NORD
 LE PRINTEMPS
 LE PROPHETE
 LE SIECLE
 LE SOLEIL
 L'ESPERANCE
 L'EVENEMENT
 LILAC MOSS. Sub. *P. subulata* *lilacina*† Cy.
 LITTLE DOT. Sub.
 LOFNA
 LOKI
 LOTHAIR
 LOUISE. Ar.
 LOUISE ABBEMA
 LUMINEUX
 LUSTER
 MADAGASCAR

PHLOX, continued

MAGICIAN
 MAGNIFICENCE. Suf.
 MAID MARIAN
 MANZELBRUNNER
 MARGARETE CLOSS
 MARMORATA
 MARQUISE DE ST. PAUL
 MARY WILKINS
 MATADOR
 MAUVE P. *P. stellaria.*
 MAUVE QUEEN
 METEOR
 MICHAEL BUCHNER
 MINERVA
 MIRAMER
 MISS ELLEN WILLMOTT
 MISS LINGARD. Suf.
 MISS MILLER. Suf.
 MISS PEMBERTON
 MME. BENZANSON
 MME. CORNUDET
 MME. MELLINGER
 MME. MEURET
 MME. PAPE CARPENTIER
 MME. PAUL DUTRIE
 MME. PROSPER LANGIER
 MODEL Sub.
 MOERHEIM. Sub.
 MONS. GRAHAM
 MONT BLANC. Suf.
 MONTAGNARD.
 MOSS P. *P. subulata.*
 MOUNTAIN P. *P. ovata.*
 MOZART
 MRS. ARNOLD TURNER
 MRS. CHARLES DORR
 MRS. COOK
 MRS. INGALLS
 MRS. JENKINS. *Independence.*
 MRS. OLIVER
 NELSON MOSS. Sub. *P. subulata* *nelsoni*† Cy.
 NORWOOD
 OBERGARTNER WITTIG
 ORNAMENT
 OSTARIS
 O. WITTICH
 PANTHEON
 PAPILLON

PHLOX, continued

PAUL FLICHE
PAUL MARTIN
PEACHBLOSSOM
PEACHBLOW
PEARL
PERFECTION. Suf.
PHARAON
PINK BEAUTY
PLUTO
PREMIER MINISTRE
PRINCESS LOUISE
PROFESSOR SCHLEIEMANN
PROFESSOR VIRCHOW
PURITY
PURPLE MOSS. Sub. *P. subulata atropurpurea*† Cy.
PURPLE QUEEN. Suf.
PYRAMID
QUEEN
REDACTEUR FLAMMER
REDOUBT
RHEINLANDER
RICHARD STRAUSS
RICHARD WALLACE
RIECHENAU. *Schlossgaertner Riechenau.*
RIJNSTROOM. *Rynstrom; Rheinstrom.*
RIVERTON JEWEL
ROBERT WERNER
ROI DES MASSIFS
ROSE MOSS. Sub. *Subulata rosea.*
ROSENBERG
ROSETTA
ROSSIGNOL
ROSY GEM. Suf.
R. P. STRUTHERS
Rynstrom. RIJNSTROOM.
SAISON LIERVAL
SALOME
SARABANDE
SAVORGNAN DE BRAZZA
Schlossgaertner Riechenau. RIECHENAU.
SELMA
SERAPH. Sub.
SIEBOLD
SIGRID ARNOLDSON
SIR EDWIN LANDSEER
SMOOTH P. *P. glaberrima.*
SNOWBALL. Drum.

PHLOX, continued

SNOWDON. Suf.
SOMMERKLEID
SPRITE. Sub.
STANISLAS
STAR. Drum. *P. drummondii stellariast* Cy.
STELLA CHOICE
SUFFRAGE
SUNSHINE
SUPERB. *Superbias.*
SWEET WILLIAM P. *P. maculata.*
TAPIS BLANC
TERRE NEUVE
THEBAIDE
THE BRIDE. Sub.
THOR
TRAGEDIAN. *Tragedii.*
VESUVIUS
VICTOR
VIKING
VIOLETTA
VIVID. Sub.
VON HOCHBERG. *Comte von Hochberg.*
WALTER GROFF
WANADIS
W. C. EGAN
WHITE LADY
WHITE MOSS. Sub. *Subulata alba.*
WIDAR
WILLIAM MUHLE
WILLIAM RAMSEY
WILLIAM ROBINSON
Wolfgang von Goethe. GOETHE.
ZOUAVE
PHOENICEAN JUNIPER
Juniperus phoenicea
PHOENICOPHORIUM Ag
STEVENSONIA
PHOENIX DATE PALM
canariensis . . CANARY DATE P.
dactylifera DATE P.
For varieties of the cultivated Date, the
fruit of the Date Palm, see American
Pomological Society's List of Fruits, in
Appendix.
humilis (*P. ouselyana* Ag)
DWARF DATE PALM
leonensis *P. reclinata*
ouseleyana Ag *P. humilis*
pumila

PHOENIX, continued

- reclinata* (*leonensis*) SENEGAL DATE PALM
roebelini ROEBELIN P.
rupicola CLIFF DATE P.
sylvestris INDIA DATE P.
zeyanica CEYLON DATE P.

PHOLIDIOTA

See ORCHID GENERA.

PHORADENDRON

- flavescens* . AMERICAN MISTLETOE

PHORMIUM

- FLAXLILY
cookianum GREEN F.
tenax NEW ZEALAND F.

Hort. var. of *Phormium*:

- PEARLSTRIPE FLAXLILY (*P. cookianum variegatum*† Cy)

- PHOTINIA PHOTINIA
arbutifolia (*P. salicifolia* Ag; *Heteromeles arbutifolia* Ar)
 CHRISTMASBERRY
japonica *Eriobotrya japonica*
serrulata LOW PHOTINIA
villosa —*laevis*

PHRAGMOPEDILUM Cy
 CYPRIPEDIUM

See ORCHID GENERA.

PHRYGIAN IRIS Iris biliotti

PHYLLANTHUS

- acidus* (*disticha*)
 (Iba Pom) STAR-GOOSEBERRY
nivosus STAR SNOWBUSH
 Hort. var. of *Phyllanthus*:
 KHEDIVE SNOWBUSH (*P. nivosus atropurpureus*† Cy)
 MOTTLED S. (*P. n. roseopictus*† Cy)

PHYLLAUREA Ag. CODIAEUM

PHYLLITIS

- scolopendrium* (*Scolopendrium vulgare*) HARTSTONGUE

PHYLLOCACTUS . EPIPHYLLUM
biformis *Disocactus biformis*

PHYLLOSTACHYS

- aurea* Cy GOLDEN JAPANESE BAMBOO
 Hort. var. of *P. bambusoides*

PHYLLOSTACHYS, continued

- bambusoides* (*quilioi*; *Bambusa quilioi*) JAPANESE TIMBER BAMBOO
 See also hort. var. list below.

- castillonis* Cy CASTILLO B.
 Hort. var. of *P. bambusoides*.

- henonis* Cy *P. nigra*

- marliacea* Cy . WRINKLED BAMBOO
 Hort. var. of *P. bambusoides*.

- mitis* (*pubescens*; *edulis*; *Bambusa mitis*) MOSO BAMBOO

- nigra* (*P. henonis* Cy; *puberula*; *Bambusa henonis*; *B. nigra*) BLACKJOINT BAMBOO

The name *Phyllostachys nigra* is often applied erroneously to Black Bamboo, hort. var. of Blackjoint Bamboo. See hort. var. list below.

- puberula* *P. nigra*

- pubescens* *P. mitis*

- quilioi* *P. bambusoides*

- ruscifolia* (*Bambusa viminalis*) DWARF CANE

- violescens* (*B. violescens*) VIOLET BAMBOO

- viridi-glaucescens* (*B. viridi-glaucescens*)

Hort. var. of *Phyllostachys*:

- BLACK BAMBOO (*P. nigra* Cy). Hort. var. of *P. nigra*.

- BLACKSPOT B. (*P. n. punctata*† Cy)

- CASTILLO B. (*P. bambusoides castillonis*†; *P. castillonis* Cy; *Bambusa castillonis*)

- GOLDEN JAPANESE B. (*P. b. aurea*†; *P. aurea* Cy; *Bambusa aurea*; *B. mazeli*)

- WRINKLED B. (*P. b. marliacea*†; *P. marliacea* Cy)

PHYLLOTAENIUM

XANTHOSOMA

PHYMATODES Cy POLYPODIUM

PHYMOSIA Ag. SPHAERALCEA

PHYSALIS . . . GROUNDCHERRY

- alkekengi* STRAWBERRY G.

- bunyardi* BUNYARD G.

- edulis* CAFE-GOOSEBERRY

- franchetii* LANTERN GROUNDCHERRY

- ixocarpa* TOMATILLO

- peruviana* (*Poha*

- Pom) PERUVIAN GROUNDCHERRY

- pubescens* COMMON G.

| | |
|--|------------------|
| PHYSOCARPUS | NINEBARK |
| bracteatus (<i>Opulaster bracteatus</i> Ag) | TWINPOD NINEBARK |
| glabratus (<i>O. glabratus</i> Ag) | |
| intermedius (<i>O. intermedius</i> Ag) | ILLINOIS N. |
| malvaceus (<i>O. malvaceus</i> Ag) | MALLOW N. |
| monogynus (<i>O. monogynus</i> Ag) | |
| opulifolius (<i>O. opulifolius</i> Ag; <i>Spiraea opulifolia</i>) | COMMON NINEBARK |
| Hort. var. of Physocarpus : | |
| GOLDEAF NINEBARK (<i>P. opulifolius luteus</i> † Cy; <i>aureus</i>) | |
| PHYSOSIPHON | |
| See ORCHID GENERA. | |
| PHYSOSTEGIA FALSE-DRAGONHEAD | |
| speciosa P. <i>virginiana speciosa</i> | |
| virginiana (<i>virginica</i> ; <i>Dracocephalum virginianum</i> Ag) | |
| VIRGINIA FALSE-DRAGONHEAD | |
| — speciosa . . . TALL CLUSTER F. | |
| Hort. var. of Physostegia : | |
| WHITE FALSE-DRAGONHEAD (<i>P. virginiana alba</i> † Cy) | |
| PHYTOLACCA | POKEBERRY |
| americana (<i>decandra</i>) | COMMON P. |
| PIAROPUS Ag . . . EICHHORNIA | |
| PICEA SPRUCE | |
| abies Ag-Ar P. <i>excelsa</i> | |
| ajanensis P. <i>jezoensis</i> | |
| alba P. <i>canadensis</i> | |
| alcockiana (<i>P. bicolor</i> Cy-Ag-Ar; <i>Abies alcockiana</i>) | ALCOCK SPRUCE |
| bicolor Cy-Ag-Ar . . . P. <i>alcockiana</i> | |
| canadensis (<i>alba</i> ; <i>P. glauca</i> Ag-Ar) | WHITE SPRUCE |
| — albertiana ALBERTA S. | |
| See also hort. var. list opposite. | |
| conica . . . ARROWHEAD NORWAY S. | |
| Hort. var. of <i>P. excelsa</i> . | |
| douglasii . . . <i>Pseudotsuga douglasii</i> | |
| engelmannii . . . ENGELMANN SPRUCE | |
| See also hort. var. list opposite. | |
| excelsa (<i>P. abies</i> Ag-Ar; <i>Abies excelsa</i>) . . . NORWAY SPRUCE | |
| See also hort. var. list opposite. | |
| PICEA , continued | |
| glauca Ag-Ar . . . P. <i>canadensis</i> | |
| glehni SAKHALIN SPRUCE | |
| jezoensis (<i>ajanensis</i>) . . . YEDDO S. | |
| — hondoensis HONDO S. | |
| kosteriana KOSTER BLUE S. | |
| Hort. var. of <i>P. pungens</i> . | |
| mariana (<i>nigra</i>) BLACK S. | |
| See also hort. var. list below. | |
| maximowiczi . . . JAPANESE BUSH S. | |
| menziesii P. <i>sitchensis</i> | |
| morinda P. <i>smithiana</i> | |
| nigra P. <i>mariana</i> | |
| obovata SIBERIAN SPRUCE | |
| omorika SERBIAN S. | |
| orientalis (<i>Abies orientalis</i>) | ORIENTAL S. |
| See also hort. var. list below. | |
| parryana P. <i>pungens</i> | |
| polita TIGERTAIL SPRUCE | |
| pungens (<i>parryana</i> ; <i>Abies pungens</i>) | COLORADO SPRUCE |
| See also hort. var. list below. | |
| rubens Ag P. <i>rubra</i> | |
| rubra (<i>P. rubens</i> Ag) . . . RED SPRUCE | |
| sargentiana SARGENT S. | |
| schrenkiana SCHRENK S. | |
| sitchensis (<i>menziesii</i> ; <i>Abies menziesii</i>) SITKA SPRUCE | |
| smithiana (<i>morinda</i>) | HIMALAYAN S. |
| Hort. var. of Picea : | |
| ARROWHEAD NORWAY SPRUCE (<i>P. excelsa conica</i> † Cy; <i>conica</i>) | |
| BARRY S. (<i>P. excelsa clanbrasiliiana</i> † Cy; <i>barryi</i>) | |
| BLUE COLORADO S. (<i>P. pungens glauca</i> † Cy) | |
| BLUE ENGELMANN S. (<i>P. engelmanni glauca</i> † Cy) | |
| BURLY NORWAY S. (<i>excelsa robusta</i>) | |
| CRANSTON NORWAY S. (<i>excelsa cranstoni</i>) | |
| DOUMET S. (<i>Picea mariana doumetii</i> † Cy) | |
| DWARF ALBERTA S. (<i>P. glauca conica</i> Ar) | |
| Hort. var. of <i>P. canadensis</i> . | |
| DWARF COLORADO S. (<i>P. pungens compacta</i> † Cy) | |
| DWARF PYRAMID S. (<i>excelsa parviformis</i>) | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PICEA (Hort. var.), continued

- ELLWANGER SPRUCE (*P. excelsa ellwangeriana*† Cy)
 FINEDON S. (*P. e. finnedonensis*† Cy)
 GLOBE NORWAY S. (*P. excelsa compacta*† Cy)
 GOLDEN COLORADO S. (*P. pungens aurea*† Cy)
 GOLDEN NORWAY S. (*P. excelsa aurea*† Cy)
 GOLDEN WHITE S. (*canadensis aurea*)
 GREGORY S. (*Picea excelsa gregoryana*† Cy)
 KNIGHT S. (*excelsa elegans*)
 KOSTER BLUE S. (*P. pungens kosteri*† Cy; *kosteriana*)
 MAXWELL S. (*Picea excelsa maxwelli*† Cy)
 MERK S. (*excelsa merki*)
 PROSTRATE NORWAY S. (*P. excelsa procumbens*† Cy)
 PYGMY NORWAY S. (*P. excelsa pygmaea*† Cy)
 PYRAMIDAL BLACK S. (*P. mariana fastigiata*† Cy)
 PYRAMIDAL NORWAY S. (*P. excelsa pyramidalis*† Cy)
 REMONT S. (*P. e. remontii*† Cy)
 SILVER COLORADO S. (*P. pungens argentea*† Cy)
 SILVER NORWAY S. (*P. excelsa argenteospicata*† Cy)
 SILVER WHITE S. (*P. canadensis caerulea*† Cy)
 SMITH NORWAY S. (*excelsa smithii*)
 WEEPING BLUE S. (*P. pungens glauca pendula* Cy)
 WEEPING NORWAY S. (*P. excelsa pendula* Cy)
 YELLOWTIP ORIENTAL S. (*P. orientalis aureospicata*† Cy)
- PICKERELWEED Pontederia; *P. cordata*
 PICKLES
 LITTLE-PICKLES Othonna crassifolia
 PICRASMA quassioides (*Rhus ailanthoides*)

- PIEBALD DOGWOOD (*Cornus sanguinea variegata*† Cy)
 PIED GAZANIA . . *Gazania splendens*
 PIEDMONT AZALEA, PIEDMONT RHODODENDRON, etc. See AZALEA, RHODODENDRON, etc.
- PIERIS floribunda (*Andromeda floribunda*) MOUNTAIN ANDROMEDA
japonica (*A. japonica*) JAPANESE A.
lucida (*A. nitida*; *A. coriacea*; *Neopieris nitida*; *Lyonia nitida*) FETTERBUSH
mariana (*A. mariana*; *Lyonia mariana*; *Neopieris mariana*) STAGGERBUSH
- PIGNUT *Hicoria glabra*
 PIKOW SPIREA . . *Spiraea pikowiensis*
 PILGRIM SUNDROPS *Oenothera pilgrimi*
- PILLAR IXIA *Ixia columellaris*
 PILOCEREUS CEPHALOCEREUS
 PILOGYNE MELOTHRIA
 PILUMNA TRICHOPILIA
 See ORCHID GENERA.
- PIMELEA RICEFLOWER
ferruginea (*Banksia ferruginea* Ag) ROSY RICEFLOWER
- PIMENTA officinalis ALLSPICE
 PIMPERNEL Anagallis
 FLAXLEAF P. *A. linifolia*
- PIMPINELLA ANISE
anisum ANISE
 PIN CHERRY, PIN OAK, etc. See CHERRY, OAK, etc.
- PINCUSHION DEVILS-PINCUSHION
Echinocactus texensis
- PINDO PALM *Cocos australis*
 PINDROW FIR *Abies pindrow*
 PINE *Pinus*
 ALEppo P. *P. halepensis*
 ARIZONA P. *P. arizonica*
 ARMAND P. *P. armandi*
 AUSTRIAN P. *P. nigra*
 BISHOP P. *P. muricata*

PINE, continued

- BLUE WHITE P. (*Pinus strobus glauca*† Cy)
 BRISTLECONE P. . . . *Pinus aristata*
 CANARY P. *P. canariensis*
 CHINESE P. *P. sinensis*
 CLUSTER P. *P. pinaster*
 CORSICAN P. *P. nigra poiretiana*
 COULTER P. *P. coulteri*
 CYPRESS-PINE *Callitris robusta*
 DAMMAR-PINE *Agathis*
 DIGGER P. *Pinus sabiniana*
 DWARF WHITE P. (*Pinus strobus nana*† Ar.)
 FOXTAIL P. *P. balfouriana*
 GOLDEN JAPANESE P. (*P. densiflora aurea*† Cy)
 GOLDEN SCOTCH P. (*P. sylvestris aurea*† Cy)
 GOLDEN WHITE P. (*P. strobus aurea*† Cy)
 GRAYBARK P. . . *Pinus leucodermis*
 GROUNDPINE *Lycopodium obscurum*
 HIMALAYAN P. . . . *Pinus excelsa*
 ITALIAN STONE P. . . . *P. pinea*
 JACK P. *P. banksiana*
 JAPANESE BLACK P. . . *P. thunbergii*
 JAPANESE RED P. . . . *P. densiflora*
 JAPANESE GLOBE P. Hort. var. of
 P. densiflora.
 JAPANESE UMBRELLA P. (*P. d. umbraculifera*† Cy)
 JAPANESE WHITE P. . . *P. parviflora*
 JEFFREY P. *P. jeffreyi*
 KAURI-PINE *Agathis australis*
 KNOBCONE P. . . . *Pinus attenuata*
 KOREAN P. *P. koraiensis*
 LACEBARK P. *P. bungeana*
 LARGE SWISS P. *P. montana uncinata*
 LIMBER P. *P. flexilis*
 LOBLOLLY P. *P. taeda*
 LODGEPOLE P. *P. murrayana*
 LONGLEAF P. *P. palustris*
 MACEDONIAN P. *P. peuce*
 MEXICAN STONE P. . . *P. cembroides*
 MEXICAN WHITE P. . . *P. ayacahuite*
 MONTEREY P. *P. radiata*
 MUGHO P. . . *P. montana mughus*
 NORFOLK-ISLAND-PINE *Araucaria excelsa*

PINE, continued

- NORWAY P. *Pinus edulis*
 NUT P. *P. parryana*
 PARRY P. *P. rigida*
 POND P. *P. serotina*
 PYRAMIDAL WHITE P. (*P. strobus fastigiata*† Cy)
 RED P. *P. resinosa*
 RIGA P. *P. sylvestris rigensis*
 ROCKY MOUNTAIN YELLOW P. *P. ponderosa scopulorum*
 RUNNINGPINE *Lycopodium clavatum*
 SCOTCH P. *Pinus sylvestris*
 SCREWPINE *Pandanus*
 SCRUB P. *Pinus virginiana*
 SHORE P. *P. contorta*
 SHORTLEAF P. *P. echinata*
 SHRUBBY SWISS P. *P. montana pumilio*
 SINGLELEAF P. *P. monophylla*
 SUGAR P. *P. lambertiana*
 SWISS MOUNTAIN P. . . . *P. montana*
 SWISS STONE P. *P. cembra*
 TABLE MOUNTAIN P. *P. pungens*
 TORREY P. *P. torreyana*
 UMBRELLA-PINE *Sciadopitys verticillata*
 VARIEGATED NUT P. (*Pinus edulis albovariegata*† Cy)
 WATERER P. Hort. var. of *P. sylvestris*.
 WEEPING JAPANESE P. (*Pinus densiflora pendula*† Cy)
 WEEPING YELLOW P. (*P. ponderosa pendula*† Cy)
 WESTERN WHITE P. *P. monticola*
 WESTERN YELLOW P. *P. ponderosa*
 WHITE P. *P. strobus*
 WHITEBARK P. *P. albicaulis*
 WHITETIP JAPANESE P. (*P. densiflora alboterminata*† Cy)
 YUNNAN P. *P. sinensis yunnanensis*
 PINEAPPLE *Ananas sativus*
 For cultivated varieties of Pineapple
 see American Pomological Society's
 List of Fruits, in Appendix.
 PINWOODS CONEFLOWER, PINWOODS
 GRAPE, etc. See CONEFLOWER,
 GRAPE, etc.

| | | |
|---|---------------------------------|--|
| PINK | Dianthus | PINKWAX STONECROP (<i>Sedum japonicum macrophyllum</i> † Cy) |
| ABBOTSFORD P. Hort. var. of Dianthus. | | |
| BLOOD P. | D. cruentus | PINNATE LILAC . <i>Syringa pinnatifolia</i> |
| BORDERED P. | D. marginatus | PINUS PINE |
| CARNATION | D. caryophyllus | albicaulis WHITEBARK P. |
| CARTHUSIAN P. | D. carthusianorum | aristata BRISTLECONE P. |
| CHEDDER P. | D. caesius | arizonica ARIZONA P. |
| CHINESE P. | D. chinensis | armandi ARMAND P. |
| CLOVE P. | D. caryophyllus | attenuata KNOBCONE P. |
| DAI DEM P. (D. chinensis diadematus† Cy) | | aurea |
| DOUBLE CLUSTER P. (Dianthus latifolius† Cy) | | This name is often used, erroneously, for Golden Japanese Pine, Golden Scotch Pine, and Golden White Pine, all in the hort. var. list, page 374. |
| FIREPINK | Silene virginica | australis <i>Pinus palustris</i> |
| FRINGED CHINESE P. (Dianthus chinensis laciniatus† Cy) | | austriaca <i>P. nigra</i> |
| Garden P. | GRASS PINK | ayacahuite (<i>strobiformis</i>) MEXICAN WHITE PINE |
| GRASS P. | D. plumarius | balfouriana FOXTAIL P. |
| HEDDEWIG P. (D. chinensis hedewigii† Cy) | | banksiana (<i>divaricata</i>) . . JACK P. |
| ICE P. | D. glacialis | bungeana LACEBARK P. |
| IMPERIAL P. (D. chinensis imperialis† Cy) | | canariensis CANARY P. |
| LILAC P. | D. superbus | cembra SWISS STONE P. |
| MAIDEN P. | D. deltoides | cembroides MEXICAN STONE P. |
| NEWPORT P. Hort. var. of Dianthus. | | contorta SHORE P. |
| PEATPINK | Silene pennsylvanica | — <i>latifolia</i> Cy <i>P. murrayana</i> |
| PERPETUAL P. Hort. var. of Dianthus plurarius. | | coulteri COULTER PINE |
| RAGGED P. (D. chinensis asper† Cy) | | densiflora JAPANESE RED P. |
| SWAMP-PINK | Helonias bullata | See also hort. var. list, page 374. |
| SWEET-WILLIAM Dianthus barbatus | | <i>divaricata</i> <i>P. banksiana</i> |
| WHITE MAIDEN P. Hort. var. of D. deltoides. | | echinata (<i>mitis</i>) SHORTLEAF PINE |
| PINK CENTAURIUM, PINK INDIGO, etc. | | edulis NUT P. |
| See Centaurium, INDIGO, etc. | | See also hort. var. list, page 374. |
| PINKBELLS | Heuchera brizoides | excelsa (<i>P. griffithii</i> Ag.) HIMALAYAN P. |
| PINKEDGE MAPLE (<i>Acer palmatum roseomarginatum</i> † Cy) | | flexilis LIMBER P. |
| PINKROOT | Spigelia; <i>S. marilandica</i> | griffithii Ag <i>P. excelsa</i> |
| PINKSCALE GAYFEATHER | Liatris elegans | halepensis ALEppo PINE |
| PINKSHELL AZALEA | Azalea vaseyi | inops <i>P. virginiana</i> |
| PINK-SHOWER | Cassia grandis | insignis <i>P. radiata</i> |
| PINKSTAR MAGNOLIA (<i>Magnolia stellata rosea</i> † Cy) | | jeffreyi JEFFREY PINE |
| PINKSTEM STONECROP (<i>Sedum sarmentosum carneum</i> † Cy) | | koraiensis KOREAN P. |
| PINKSTRIPE FLOWERING QUINCE. | | lambertiana SUGAR P. |
| Hort. var. of <i>Cydonia japonica</i> . | | laricio <i>P. nigra</i> |
| | | leucodermis GRAYBARK PINE |
| | | maritima <i>P. pinaster</i> |
| | | massoniana |
| | | This name is often misapplied to <i>P. densiflora</i> . The true <i>P. massoniana</i> is not in cultivation in the United States. |
| | | <i>mitis</i> <i>P. echinata</i> |
| | | monophylla SINGLELEAF PINE |

PINUS, continued

- | | | |
|-----------------------|--|--------------------------------|
| montana | (<i>P. mugo</i> Ar) | SWISS MOUNTAIN PINE |
| —mughus | . | MUGHO P. |
| —pumilio | . | SHRUBBY SWISS P. |
| —uncinata | . | LARGE SWISS P. |
| monticola | . | WESTERN WHITE P. |
| mughus | . | <i>P. montana</i> mughus |
| muricata | . | BISHOP PINE |
| murrayana | (<i>Pinus contorta latifolia</i> Cy-Ar) | LODGEPOLE PINE |
| nigra | (<i>laricio</i> ; <i>austriaca</i> ; <i>nigra austriaca</i>) | AUSTRIAN PINE |
| —poiretiana | . | CORSICAN P. |
| palustris | (<i>australis</i>) | LONGLEAF P. |
| parryana | (<i>P. quadrifolia</i> Ag) | PARRY P. |
| parviflora | (<i>pentaphylla</i>) | JAPANESE WHITE P. |
| pentaphylla | . | <i>P. parviflora</i> |
| peuce | . | MACEDONIAN PINE |
| pinaster | (<i>maritima</i>) | CLUSTER P. |
| pinea | . | ITALIAN STONE P. |
| ponderosa | . | WESTERN YELLOW P. |
| —scopulorum | | ROCKY MOUNTAIN YELLOW P. |
| pungens | . | TABLE MOUNTAIN P. |
| <i>quadrifolia</i> Ag | . | <i>P. parryana</i> |
| radiata | (<i>insignis</i>) | MONTEREY PINE |
| resinosa | . | RED P. |
| rigensis | . | <i>P. sylvestris</i> rigensis |
| rigida | . | PITCH PINE |
| sabiniana | . | DIGGER P. |
| scopulorum | | <i>P. ponderosa</i> scopulorum |
| serotina | . | POND PINE |
| sinensis | . | CHINESE P. |
| —yunnanensis | . | YUNNAN P. |
| strobiformis | . | <i>P. ayacahuite</i> |
| strobus | . | WHITE PINE |
| | See also hort. var. list following. | |
| <i>sylvestris</i> | | SCOTCH P. |
| | See also hort. var. list following. | |
| —rigensis | . | RIGA P. |
| taeda | . | LOBLOLLY P. |
| thunbergi | . | JAPANESE BLACK P. |
| torreyana | . | TORREY P. |
| uncinata | . | <i>P. montana</i> uncinata |
| virginiana | (<i>inops</i>) | SCRUB PINE |
| watereriana | . | WATERER P. |
| | Hort. var. of <i>P. sylvestris</i> . | |

Hort. var. of *Pinus*:

- | | |
|---|--|
| BLUE WHITE PINE | (<i>P. strobus glauca</i> † <i>Cy</i>) |
| DWARF WHITE P. | (<i>Pinus strobus nanus</i> † <i>Ar</i>) |
| GOLDEN JAPANESE P. | (<i>P. densiflora aurea</i> † <i>Cy</i>) |
| GOLDEN SCOTCH P. | (<i>Pinus sylvestris aurea</i> † <i>Cy</i>) |
| GOLDEN WHITE P. | (<i>P. strobus aurea</i> † <i>Cy</i>) |
| JAPANESE GLOBE P. | (<i>densiflora globosa</i>) |
| JAPANESE UMBRELLA P. | (<i>P. densiflora umbraculifera</i> † <i>Cy</i> ; <i>tabulae-formis</i>) |
| PYRAMIDAL WHITE P. | (<i>P. strobus fastigiata</i> † <i>Cy</i>) |
| VARIEGATED NUT P. | (<i>P. edulis albovariegata</i> † <i>Cy</i>) |
| WATERER P. | (<i>sylvestris watereri</i>) |
| WEEPING JAPANESE P. | (<i>P. densiflora pendula</i> † <i>Cy</i>) |
| WEEPING YELLOW P. | (<i>P. ponderosa pendula</i> † <i>Cy</i>) |
| WHITETIP JAPANESE P. | (<i>P. densiflora alboterminata</i> † <i>Cy</i>) |
| PINXTERBLOOM | Azalea <i>nudiflora</i> |
| DOWNTY P. | <i>A. rosea</i> |
| PIPE | |
| DUTCHMANS-PIPE | <i>Aristolochia siphonanthoides</i> |
| INDIANPIPE | <i>Monotropa uniflora</i> |
| PIPER | PEPPER |
| nigrum | BLACK P. |
| PIPER WILLOW | <i>Salix piperita</i> |
| PIPSSEWA | <i>Chimaphila</i> |
| COMMON P. | <i>C. umbellata</i> |
| STRIPED P. | <i>C. maculata</i> |
| PIQUERIA | STEVIA |
| trinervia (<i>Stevia serrata</i>) . . . | STEVIA |
| PIRANGA | |
| decora | |
| patula | |
| PISTACHE | Pistacia; <i>P. vera</i> |
| CHINESE P. | <i>P. chinensis</i> |
| MOUNT ATLAS P. | <i>P. atlantica</i> |
| TEXAS P. | <i>P. texana</i> |
| PISTACIA | PISTACHE |
| atlantica | MOUNT ATLAS P. |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PISTACIA, continued**chinensis (sinensis)**

CHINESE PISTACHE

| | |
|-----------------------|----------------|
| lentiscus | LENTISK |
| mutica | TEREBINTH |
| terebinthus | FALSE T. |
| texana | TEXAS PISTACHE |
| vera | PISTACHE |

PISTIA

| | |
|----------------------|--------------|
| stratiotes | WATERLETTUCE |
|----------------------|--------------|

PISUM

| | |
|-----------------------|-----------|
| sativum | PEA |
| Pitanga Pom | COMMON P. |

NAM-CHERRY: *Eugenia uniflora*

PITCH PINE *Pinus rigida*

PITCHER HELIOPSIS (*Heliopsis helianthoides pitcheriana*† Cy)

PITCHERPLANT: *Darlingtonia*; *Nepenthes*; *Heliamphora*; *Sarracenia*

CALIFORNIA P.

Darlingtonia californica

CATESBY P. *Sarracenia catesbaei*

COMMON P. *S. purpurea*

DRUMMOND P. *S. drummondii*

HOODED P. *S. minor*

PARROT P. *S. psittacina*

PURPLE DRUMMOND P. (*S. drummondii rubra*† Cy)

RORAIMA P. *Heliamphora nutans*

SWEET P. *Sarracenia rubra*

TRUMPET P. *S. flava*

PITHECOCTENIUM MONKEYCOMB
cynanchoides (clematideum)

ARGENTINE M.

muricatum MEXICAN M.

PITHECOLLOBIUM (PITH ECO-
LOBIUM)

dulce GUAMACHIL

unguis-cati BLACKBEAD

PITTOSPORUM Pittosporum

crassifolium KARO

eugenioides TARATA

heterophyllum ROCK Pittosporum

phillyraeoides WILLOW P.

tenuifolium TAWHIWHI

tobira TOBIRA

See also hort. var. list following.

undulatum ORANGE Pittosporum

viridiflorum CAPE P.

Hort. var. of Pittosporum:

WHITESPOT TOBIRA (*P. tobira varie-*
gatum† Cy)

PITYROGRAMMA GOLDFERN

sulphurea (*Ceropteris sulphurea* Cy;

Gymnogramma sulphurea)

JAMAICA GOLDFERN

tartarea (*C. tartarea* Cy)

SILVER FERN

triangularis (*C. triangularis* Cy)

CALIFORNIA GOLDFERN

PLANETREE *Platanus*

AMERICAN P. *P. occidentalis*

ARIZONA P. *P. wrightii*

CALIFORNIA P. *P. racemosa*

EUROPEAN P. *P. orientalis*

LONDON P. (*P. acerifolia*† Cy)

PLANT

AMULETPLANT

Putranjiva roxburghii

ANCHORPLANT *Colletia cruciata*

BEADPLANT *Nertera depressa*

CENTURYPLANT *Agave americana*

COMPASSPLANT *Silphium laciniatum*

EGGPLANT *Solanum melongena*

Gasplant *Dictamnus albus*

ICEPLANT *Mesembryanthemum crystallinum*

LEADPLANT *Amorpha canescens*

LEOPARDPLANT. Hort. var. of Ligularia.

MUSKPLANT *Mimulus moschatus*

OYSTERPLANT *Scolymus species*

PITCHERPLANT

Darlingtonia; Nepenthes; Heliamphora; Sarracenia

RESURRECTIONPLANT

Selaginella lepidophylla

RICEPAPER-PLANT

Tetrapanax papyriferum

ROUGE-PLANT *Rivina humilis*

SENSITIVEPLANT *Mimosa pudica*

TELEGRAPH-PLANT

Desmodium gyrans

UNICORNPLANT *Martynia*

WAXPLANT *Hoya*

PLANTAIN

POOR-ROBINS-PLANTAIN

Erigeron pulchellus

PLANTAIN, continued

- RATTLESNAKE-PLANTAIN *Goodyera*
WATERPLANTAIN
Alisma; *A. plantago-aquatica*
PLANTAIN THRIFT *Statice plantaginea*
PLANTAINLEAF SEDGE
 Carex plantaginea
PLANTAINLILY *Hosta*
 BIG P. *H. plantaginea grandiflora*
 BLUE P. *H. caerulea*
 CUSHION P. *H. sieboldiana*
 FORTUNE P. *H. fortunei*
 GREAT P. (*H. f. gigantea*† Cy)
 LANCELEAF P. *H. lancifolia*
 WAVYLEAF P. (*H. l. undulata*† Cy)
 WHITE P. *H. plantaginea*

- PLATANUS PLANETREE
occidentalis AMERICAN P.
orientalis EUROPEAN P.

The name *P. orientalis* is commonly misapplied to London Planetree. See hort. var. list below.

- racemosa . CALIFORNIA PLANETREE
wrighti ARIZONA P.
Hort. var. of *Platanus*:

LONDON PLANETREE (*P. acerifolia*† Cy; *orientalis* × *occidentalis*)

- PLATYCYERIUM Cy ALCICORNİUM
PLATYCLINIS . DENDROBIUM
See ORCHID GENERA.

- PLATYCODON
grandiflorum (*Campanula grandiflora*; *Wahlenbergia grandiflora*)
 BALLOONFLOWER

- Hort. var. of *Platycodon*:
JAPANESE BALLOONFLOWER (*P. grandiflorum japonicum*† Cy)
MARIES B. (*P. g. mariesii*† Cy)
WHITE B. (*P. g. album*† Cy)

- PLATYSTEMON . PLATYSTEMON
californicus CREAMCUPS

- PLEIONE
See ORCHID GENERA.

- PLEUROTHALLIS
See ORCHID GENERA.

- PLUM *Prunus*
For varieties of Plum cultivated for
their fruit see American Pomological
Society's List of Fruits, in Appendix.

- ALLEGHENY P. . *P. alleghaniensis*
AMERICAN P. *P. americana*

PLUM, continued

- APRICOT *Prunus armeniaca*
APRICOT P. *P. simoni*
BEACH P. *P. maritima*
BIG CHICKASAW P.
 P. angustifolia varians
BLACKTHORN *P. spinosa*
CANADA P. *P. nigra*
CHERRY *Prunus* species
CHICKASAW P. *P. angustifolia*
CHOKECHERRY *Prunus* species
COCO-PLUM . *Chrysobalanus icaco*
COMMON P. *Prunus domestica*
DATEPLUM *Diospyros lotus*
DOUBLEFLOWERING P. (*Prunus triloba plena*† Cy)
FLOWERING P. *P. triloba*
HORTULAN P. *P. hortulana*
JAMBOLAN-PLUM
 Eugenia jambolana
JAPANESE P. *Prunus salicina*
MALABAR-PLUM . *Eugenia jambos*
MAZZARD *Prunus avium*
MYROBALAN P. *P. cerasifera*
PURPLELEAF P. (*P. c. pissardii*† Cy)
SAND P. *P. angustifolia watsonii*
WILDGOOSE P. *P. munsoniana*
PLUM IRIS, PLUM JUNIPER, etc. See
IRIS, JUNIPER, etc.

- PLUMBAGO PLUMBAGO
capensis CAPE P.
larpetiae
 Ceratostigma plumbaginoides
rosea ROSE PLUMBAGO
—coccinea SCARLET P.
Hort. var. of *Plumbago*:
WHITE CAPE P. (*Plumbago capensis alba*† Cy)
PLUMBAGO *Plumbago*
CAPE P. *P. capensis*
LARPENTE P.
 Ceratostigma plumbaginoides
ROSE P. *Plumbago rosea*
SCARLET P. *P. r. coccinea*
WHITE CAPE P. (*Plumbago capensis alba*† Cy)

- PLUME
PRINCESPLUME
 Polygonum orientale
SCARLETPLUME . *Euphorbia fulgens*
TEXASPLUME . *Gilia coronopifolia*

PLUME ALBIZZIA, PLUME CALLA, etc.
See *Aibizzia*, *CALLA*, etc.

PLUMEPOPPY *Bocconia*
BRONZE P. *B. microcarpa*
PINK P. *B. cordata*

PLUMERIA FRANGIPANI
acutifolia MEXICAN F.
rubra NOSEGAY F.

PLUMESEED MAURANDIA
Maurandia lophospermum

PLUMLEAF HAWTHORN
Crataegus prunifolia

PLUM-YEW *Cephalotaxus*
CHINESE P. *C. fortunei*
HARRINGTON P. *C. harringtonia*
JAPANESE P. *C. drupacea*
SPIRAL P. (*C. harringtonia fastigiata* Cy)

POA BLUEGRASS
amabilis

A name sometimes misapplied in the trade to *Eragrostis unioloides*.

compressa . . CANADA BLUEGRASS
nemoralis WOOD B.
pratensis KENTUCKY B.
trivialis ROUGH B.

PODFERN *Cheilanthes siliquosa*

PODOCARPUS *Podocarpus*
macrophylla YEW P.
nagi JAPANESE P.
totara TOTARA P.

PODOPHYLLUM MAYAPPLE
emodi HIMALAYAN M.
peltatum COMMON M.

POETS NARCISSUS. *Narcissus poeticus*

POGONIA POGONIA
ophioglossoides ROSE P.
Poha Pom PERUVIAN GROUND-
CHERRY: *Physalis peruviana*

POINCIANA
gilliesi *Caesalpinia gilliesi*
pulcherrima Ag . . *C. pulcherrima*
regia (*Delonix regia* Ag; *Caesalpinia regia*) ROYAL POINCIANA

POINSETTIA POINSETTIA
pulcherrima (*Euphorbia pulcherrima* Cy-Ag) POINSETTIA

POIRET BARBERRY . . *Berberis poireti*

POISON

CROWPOISON

Zygadenus muscaetoxicus
POKEBERRY *Phytolacca*
COMMON P. *P. americana*
Pokeweed POKEBERRY

POLEMONIUM POLEMONIUM
caeruleum GREEK-VALERIAN
—*himalayanum* (*himalaicum*; *grandiflorum*)
humile (*richardsoni*)

DWARF POLEMONIUM
reptans CREEPING P.

Hort. var. of Polemonium:
WHITE GREEK-VALERIAN (*P. caeruleum album*† Cy)

Polish Privet EUROPEAN PRIVET: *Ligustrum vulgare*

POLYANTHUS NARCISSUS, POLYANTHUS
PRIMROSE. See *Narcissus*, PRIMROSE, etc.

POLYCODIUM Ag . . VACCINIUM

POLYGALA POLYGALA
brachypoda
dalmaisiana DALMAIS P.
paucifolia FRINGED P.
senega SENECA-SNAKEROOT
virgata CAPE POLYGALA

POLYGONATUM SOLOMONSEAL
biflorum SMALL S.
commutatum (*giganteum*) GREAT S.
multiflorum EUROPEAN S.

POLYGONUM FLEECEFLOWER
affine (*brunonis*) . . HIMALAYAN F.
alpinum ALPINE F.
amplexicaule MOUNTAIN F.
auberti CHINA FLEECEVINE
baldschuanicum

SILVER FLEECEVINE
brunonis *P. affine*
compactum (*P. sieboldi compactum* Cy-Ag)

cuspidatum (*P. sieboldi* Cy-Ag)
JAPANESE FLEECEFLOWER
filiforme JAPANESE JUMPSEED

See also hort. var. list, page 378.
multiflorum . . TUBER FLEECEVINE
The name *P. multiflorum* is often misapplied to *P. amplexicaule*.

POLYGONUM, continued

- orientale* PRINCESPLUME
sachalinense SACALINE
sericeum . . SILKY FLEECEFLOWER
sieboldii Cy-Ag . . *P. cuspidatum*
 —*compactum* Cy-Ag *P. compactum*

Hort. var. of *Polygonum*:

- MARLED JUMPSEED (*P. filiforme*
 variegatum† Cy; *variegatum*)

POLYPODIUM POLYPODY
aureum (*Phlebodium aureum* Cy)
 GOLDEN P.

See also hort. var. list below.

- falcatum* Cy *P. glycyrrhiza*
fraxinifolium . . ASHLEAF POLYPODY
glaucopruinatum (*Phymatodes glaucum* Cy; *Polyodium glaucum*)
glycyrrhiza (*P. falcatum* Cy)

- LICORICE FERN
incanum *P. polypodioides*
percussum NIPPLE POLYPODY
phyllitidis STRAPFERN
phymatodes EAST INDIAN POLYPODY
polypodioides (*incanum*)

- RESURRECTION FERN
subauriculatum (*Goniophlebium subauriculatum*) JOINTED POLYPODY
 See also hort. var. list below.

- vulgare* COMMON P.

Hort. var. of *Polyodium*:

- KNIGHT POLYPODY (*knightiae*).
 Hort. var. of *P. subauriculatum*
 Lows P. (*lowi*) Hort. var. of *P. aureum*.
 MANDA P. (*mandaianum*) Hort. var. of *P. aureum*.

- POLYPODY** *Polyodium*
 ASHLEAF P. . . . *P. fraxinifolium*
 COMMON P. *P. vulgare*
 EAST INDIAN P. . . . *P. phymatodes*
 GOLDEN P. *P. aureum*
 JOINTED P. *P. subauriculatum*
 KNIGHT P. Hort. var. of *P. subauriculatum*.
 LICORICE FERN . . *P. glycyrrhiza*
 LOWS P. Hort. var. of *P. aureum*
 MANDA P. Hort. var. of *P. aureum*
 NIPPLE P. *P. percussum*

POLYPODY, continued

- RESURRECTION FERN
 Polyodium polypodioides
 STRAPFERN *P. phyllitidis*

POLYPTERIS

- hookeriana* (*Palafoxia hookeriana*;
 Othake hookerianum Ag)

PALAFOXIA

POLYSCIAS POLYSCIAS
balfouriana (*Aralia balfouriana*)

BALFOUR P

- filicifolia* (*A. filicifolia*)

FERNLEAF P.

- guilfoylei* (*A. guilfoylei*)

GUILFOYLE P.

Hort. var. of *Polyscias*:

- ARALIA P. (*P. guilfoylei monstrosa*†
 Cy; *Aralia monstrosa*; *Panax monstrosom*)

- VICTORIA P. (*P. g. victoriae*† Cy)

POLYSTACHYA

See ORCHID GENERA.

POLYSTICHUM HOLLYFERN
acrostichoides (*Aspidium acrostichoides*;
Dryopteris acrostichoides)

CHRISTMAS FERN

- aculeatum* (including *angulare* Cy;
 A. aculeatum)

- adiantiforme* (*P. capense* Cy; *coriaceum*) LEATHER FERN

- aristatum* (*Lastrea aristata*)

EAST INDIAN HOLLYFERN

- brauni* (*Aspidium brauni*)

BRAUN H.

- lobatum*

- lonchitis* MOUNTAIN H
 munitum (*Aspidium munitum*)

GIANT H

- tsussimense* (*A. tsussimense*)

TSUSIMA H.

- varium* JAPANESE H.

POMEGRANATE *Punica*

- COMMON P. *P. granatum*

- DWARF P. (*P. g. nana*† Cy)

- LEGRELLE P. Hort. var. of *P. granatum*.

For varieties of Pomegranate cultivated
 for their fruit see American Pomological
 Society's List of Fruits, in Appendix.

Pomelo **GRAPEFRUIT**: *Citrus grandis*

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PONCIRUS

- trifoliata* Cy-Ag . . Citrus trifoliata
 POND PINE Pinus serotina
 POND-APPLE Annona glabra
 POND-CYPRESS Taxodium ascendens
 PONDWEED

CAPE-PONDWEED

- Aponogeton distachyus*

PONTEDERIA

- cordata* PICKERELWEED
 PONTIC AZALEA, PONTIC RHODODEN-
 DRON, etc. See AZALEA, RHODO-
 DENDRON, etc.

POOR-ROBINS-PLANTAIN

- Erigeron pulchellus*

- POPLAR POPULUS
 BALM-OF-GILEAD P. *P. candicans*
 BALSAM P. *P. balsamifera*
 BLACK P. *P. nigra*
 BLACK ITALIAN P. . . . *P. serotina*
 BOLLEANA P. *P. bolleana*
 CAROLINA COTTONWOOD
 P. angulata
 CAROLINA P. *P. eugenei*
 CHINESE ASPEN . . . *P. adenopoda*
 CHINESE P. *P. lasiocarpa*
 CHINESE WHITE P. . . *P. tomentosa*
 EUROPEAN ASPEN . . . *P. tremula*
 FALSE LOMBARDY P. . . *P. robusta*
 FREMONT COTTONWOOD *P. fremontii*
 GRAY P. *P. canescens*
 JAPANESE P. *P. maximowiczii*
 KOREAN P. *P. koreana*
 LARGETOOTH ASPEN
 P. grandidentata

(P. nigra italicat Cy)

- LOMBARDY P. *P. nigra italicat Cy*
 MONGOLIAN P. *P. suaveolens*
 NARROWLEAF COTTONWOOD

P. angustifolia

- NORTHERN C. *P. monilifera*
 PURDOM P. *P. purdomi*
 QUAKING ASPEN . . . *P. tremuloides*
 SARGENT COTTONWOOD *P. sargentii*
 SIEBOLD P. *P. sieboldii*
 SILVER P. (*P. alba niveat Cy*)
 SIMON P. *P. simoni*
 SMOOTHBARK COTTONWOOD

P. acuminata

- SOUTHERN C. *P. deltoides*
 SZECHWAN P. *P. szechuanica*

POPLAR, continued

- VAN GEERT P. Hort. var. of Pop-
 ulus serotina.

- WEEPING ASPEN (*P. tremula pen-
 dula† Cy*)

- WHITE P. *Populus alba*

- WILSON P. *P. wilsonii*

- YUNNAN P. *P. yunnanensis*

POPLAR STONECROP

- Sedum populifolium*

- POPPY *Papaver*

- ALPINE P. *P. alpinum*

- CALIFORNIA-POPPY . . . *Eschscholtzia*

- CANYONPOPPY *Romneya*

- CELANDINE-POPPY *Stylophorum diphyllum*

- CORN P. *Papaver rhoes*

- CRIMSON BLACKSPOT P.

- P. r. umbrosum*

- DRAGON P. *P. dubium laevigatum*

- FALSEPOPPY *Meconopsis*

- GREAT SCARLET P.

- Papaver bracteatum*

- HORNPOPPY *Glaucium*

- ICELAND P. *Papaver nudicaule*

- LONGPOD P. *P. dubium*

- MEXICAN TULIP P. *GOLDEN-*

- CUP: Hunnemannia fumariaefolia*

- OLYMPIC P. *Papaver pilosum*

- OPIUM P. *P. somniferum*

- ORIENTAL P. *P. orientale*

- PARKMAN ORIENTAL P. (*P. o.*

- parkmanii† Cy*)

- PEACOCK P. *P. pavonium*

- PLUMEPOPPY *Bocconia*

- PRICKLEPOPPY *Argemone*

- SATINPOPPY *Meconopsis wallichii*

- SNOWPOPPY *Eomecon chionantha*

- TREEPOPPY *Dendromecon; D. rigidum*

- TULIP P. *Papaver glaucum*

- WATERPOPPY *Hydrocleis; H. nymphoides*

- POPPY ANEMONE *Anemone coronaria*

- POPPY-MALLOW *Callirhoe*

- LOW P. *C. involucrata*

- TALL P. *C. pedata*

- POPULUS POPLAR

- acuminata

- SMOOTHBARK COTTONWOOD

POPULUS, continued

- adenopoda* CHINESE ASPEN
alba WHITE POPLAR
—bolleana *P. bolleana*
—pyramidalis Cy-Ag . *P. bolleana*
 See also hort. var. list following.
angulata (*P. balsamifera* Ar)
 CAROLINA COTTONWOOD
—robusta *P. robusta*
***angustifolia* (*fortissima*)**
 NARROWLEAF COTTONWOOD
aurea VAN GEERT POPLAR
 Hort. var. of *P. serotina*.
***balsamifera* (*P. tacamahacca* Ar)**
 BALSAM P.
balsamifera Ar *P. angulata*
berolinensis
bolleana (*P. alba pyramidalis* Cy-Ag; *alba bolleana*)
 BOLLEANA POPLAR
brevifolia *P. simoni*
canadensis *P. deltoides*
candidans BALM-OF-GILEAD POPLAR
canescens GRAY P.
carolinensis
 A name applied erroneously to Carolina Cottonwood, *P. angulata*, and to Carolina Poplar, the latter in the hort. var. list following.
***deltoides* (*canadensis*; *P. balsamifera virginiana* Ar)**
 SOUTHERN COTTONWOOD
—monilifera Cy . . . *P. monilifera*
eugenei Cy CAROLINA POPLAR
 See hort. var. list following.
fastigiata LOMBARDY P.
 Hort. var. of *P. nigra*.
fortissima *P. angustifolia*
fremonti . FREMONT COTTONWOOD
graeca *P. grandidentata*
grandidentata (*graeca*)
 LARGETOOTH ASPEN
italica LOMBARDY POPLAR
 Hort. var. of *P. nigra*.
koreana KOREAN P.
lasiocarpa CHINESE P.
maximowiczi JAPANESE P.
monilifera (*Populus deltoides monilifera* Cy)
 NORTHERN COTTONWOOD
nigra BLACK POPLAR
 See also hort. var. list following.
purdomi PURDOM P.

POPULUS, continued

pyramidalis

This name has been used, erroneously, for Lombardy Poplar. See hort. var. list below.

robusta (*angulata robusta*)

FALSE LOMBARDY POPLAR

sargentii SARGENT COTTONWOOD*serotina* BLACK ITALIAN POPLAR

See also hort. var. list below.

sieboldii SIEBOLD P.*simoni* (*brevifolia*) SIMON P.

See also hort. var. list below.

suaveolens MONGOLIAN P.

The plant heretofore cultivated under the name *P. suaveolens* is *P. maximowiczi*.

szechuanica SZECHWAN POPLAR*tacamahacca* Ar . . . *P. balsamifera**tomentosa* CHINESE WHITE POPLAR*tremula* EUROPEAN ASPEN

See also hort. var. list below.

tremuloides QUAKING A.*vangeerti* VAN GEERT POPLAR

Hort. var. of *P. serotina*.

wilsonii WILSON P.*yunnanensis* YUNNAN P.

Hort. var. of *Populus*:

CAROLINA POPLAR (*P. eugenei* Cy)LOMBARDY P. (*P. nigra italicata* Cy;
fastigiata; *italicata*; *pyramidalis*)NARROW SIMON P. (*P. simoni fastigiata* Ar)SILVER P. (*P. alba nivea* Cy)VAN GEERT P. (*vangeerti*; *vangeerti aurea*; *aurea*) Hort. var. of *P. serotina*.WEEPING ASPEN (*P. tremula pendula* Cy)

PORCELAIN AMPELOPSIS, PORCELAIN HEATH, etc. See AMPELOPSIS, HEATH, etc.

PORT GREGORY GUM

Eucalyptus calophylla

PORTERANTHUS Ag. GILLENNIA

PORTIATREE . . . *Thespisia populnea*

PORTUGAL-LAUREL

Laurocerasus lusitanica

PORTUGUESE BELLFLOWER, PORTUGUESE CYPRESS, etc. See BELLFLOWER, CYPRESS, etc.

- POTULACA** PORTULACA
grandiflora COMMON P.
oleracea (aurea) COMMON PURSLANE
 Hort. var. of *Portulaca*:
 THELLUSSON PORTULACA (*P. grandiflora thellussoni*† Cy; *thellussoni*)
 THORBURN P. (*P. g. thorburni*† Cy; *thorburni*)
 WHITE P. (*P. g. albiflora*† Cy)
- POSOQUERIA**
latifolia (*Oxyanthus isthmia* Cy)
 POSSUMHAW *Ilex decidua*
 POST OAK *Quercus stellata*
 POTANIN INDIGO . . *Indigofera potanini*
 POTATO *Solanum tuberosum*
 AIRPOTATO *Dioscorea bulbifera*
 SWEETPOTATO *Ipomoea batatas*
 POTATOBEEAN *Aipos tuberosa*
- POTENTILLA** CINQUEFOIL
anserina (*Argentina anserina*)
 SILVERWEED
argentea SILVER CINQUEFOIL
atrosanguinea HIMALAYAN C.
canadensis (*Fragaria canadensis*)
 COMMON C.
formosa *P. nepalensis friedrichseni*
 FRIEDRICHSEN CINQUEFOIL
 Hort. var. of *P. fruticosa*.
fruticosa SHRUBBY C.
dahurica DAHURIAN C.
veitchii VEITCH C.
 See also hort. var. list below.
grandiflora ALPINE C.
macnabiana Cy MACNAB C.
 See hort. var. list below.
nepalensis (formosa) . . NEPAL C.
obriana O'BRIAN C.
pyrenaica PYRENEES C.
rupestris CLIFF C.
russelliana RUSSELL C.
tridentata WINELEAF C.
veitchii *P. fruticosa veitchii*
- Hort. var. of *Potentilla*:
 FRIEDRICHSEN CINQUEFOIL (*P. fruticosa friedrichseni*† Cy)
 MACNAB C. (*P. macnabiana*† Cy)
- POTERIUM** BURNET
 The common name Burnet applies also to the closely allied genus *Sanguisorba*.
- POTERIUM**, continued
obtusum JAPANESE BURNET
sanguisorba *Sanguisorba minor*
 POTHERB MUSTARD *Brassica japonica*
- POTHOS**
argyraea SILVER IVY-ARUM
 Hort. var. of *Scindapsus pictus*.
Pot-marigold
 CALENDULA: *Calendula officinalis*
 POTTS TRITONIA *Tritonia pottsi*
 POUCHED NEMESIA *Nemesia strumosa*
 POWDERED THALIA . . *Thalia dealbata*
 POWELL CRINUM . . *Crinum powelli*
 PRAIRIE ASTER, PRAIRIE CRAB, etc.
 See ASTER, CRAB, etc.
 PRAIRIECLOVER *Petalostemum*
 SILKY P. *P. villosum*
 TENNESSEE P. *P. decumbens*
 WHITE P. *P. candidum*
- PRAIRIEGENTIAN**
Eustoma russellianum
 PRAIRIEMAILLOW *Sidalcea*
 CHECKERBLOOM *S. malvaeflora*
 WHITE P. *S. candida*
 PRATT BARBERRY, PRATT ROSE, etc.
 See BARBERRY, ROSE, etc.
 PRICE VIOLET *Viola priceana*
 PRICKLEPOPPY *Argemone*
 CRESTED P. *A. platyceras*
 HEDGEHOG P. A. *platyceras hispida*
 SHOWY P. *A. grandiflora*
 PRICKLY COMFREY, PRICKLY JUNIPER, etc. See COMFREY, JUNIPER, etc.
 PRICKLY-ASH *Zanthoxylum*
 COMMON P. *Z. americanum*
 HERCULES-CLUB . . *Z. clava-herculis*
 JAPANESE P. *Z. piperitum*
 PRICKLYPEAR *Opuntia*
 COMMON P. *O. compressa*
 PRICKLY-THRIFT *Acantholimon*
 COMB P. *A. glumaceum*
 PRIDE-OF-MADEIRA *Echium fastuosum*
 PRIMROSE *Primula*
 ALPINE AURICULA. Hort. var. of *P. auricula*.
 ARABIAN P. *P. verticillata*
 ARAB-PRIMROSE . . *Arnebia cornuta*
 AURICULA *Primula auricula*
 BABY P. *P. forbesi*
 BIGLEAF P. *P. cortusoides*

PRIMROSE, continued

- BIRDSEYE P. . . . *Primula farinosa*
 CHINESE P. *P. sinensis*
 COWSLIP P. *P. veris*
 ENGLISH P. *P. acaulis*
 EVENING-PRIMROSE . . *Oenothera*
 FAIRY P. . . . *Primula malacoides*
 FRINGED CHINESE P. (*P. sinensis*
 fimbriata Cy)
 FRINGED TOP P. (*P. obconica fimbriata* Cy)
 HIMALAYAN P. *Primula denticulata*
 JAPANESE P. *P. japonica*
 KASHMIR P.
 P. denticulata cashmiriana
 KEW P. *P. kewensis*
 OXLIP P. *P. elatior*
 PARRY P. *P. parryi*
 POLYANTHUS P. . . . *P. polyantha*
 ROSY JAPANESE P. (*P. japonica*
 rosea† Cy)
 ROSY TOP P. (*Primula obconica*
 rosea† Cy)
 SHOWY TOP P. (*P. o. superba*† Cy)
 SIEBOLD P. . . . *Primula sieboldii*
 SILVERDUST P. . . . *P. pulverulenta*
 SWEET COWSLIP P.
 P. veris suaveolens
 TOP P. *P. obconica*
 WHITE FAIRY P. (*P. malacoides*
 alba† Cy)
 PRIMROSE FORSYTHIA, PRIMROSE JAS-
 MINE, etc. See FORSYTHIA,
 JASMINE, etc.
 PRIMROSE-WILLOW *Jussiaea*
 BRAZILIAN P. *J. longifolia*
PRIMULA PRIMROSE
 acaulis (*P. vulgaris* Ag) ENGLISH P.
 auricula (*lutea*; *Auricula lutea*)
 AURICULA
 • See also hort. var. list opposite.
 cashmeriana
 P. denticulata cachemiriana
 chinensis *P. sinensis*
 cortusoides . . BIGLEAF PRIMROSE
 denticulata HIMALAYAN P.
 —*cachemiriana* (*cashmeriana*)
 KASHMIR P.
 elatior OXLIP P.
 farinosa BIRDSEYE P.

PRIMULA, continued

- fimbriata*
 This name has been used erroneously for
 Fringed Chinese Primrose and Fringed
 Top Primrose, both in the hort. var.
 list below.
forbesi BABY PRIMROSE
frondosa
grandiflora
 This name has been applied erroneously
 to large-flowered forms of various species.
japonica JAPANESE PRIMROSE
 See also hort. var. list below.
kewensis KEW P.
lutea *P. auricula*
malacoides FAIRY PRIMROSE
obconica TOP P.
 See also hort. var. list below.
officinalis *P. veris*
parryi PARRY PRIMROSE
polyantha POLYANTHUS P.
praenitens Ag *P. sinensis*
pulverulenta SILVERDUST PRIMROSE
rosea
 This name has been used, erroneously,
 for Rosy Japanese Primrose and Rosy
 Top Primrose, both in the hort. var.
 list below.
sieboldi SIEBOLD PRIMROSE
sinensis (*chinensis*; *P. praenitens*
 Ag) CHINESE PRIMROSE
 See also hort. var. list below.
suaveolens . . *P. veris suaveolens*
superba . . . SHOWY TOP PRIMROSE
 Hort. var. of *P. obconica*.
veris (officinalis) . . COWSLIP P.
 —*suaveolens* . . SWEET COWSLIP P.
verticillata ARABIAN P.
vulgaris Ag *P. acaulis*
 Hort. var. of *Primula*:
 ALPINE AURICULA. Hort. var. of
 P. auricula.
 FRINGED CHINESE PRIMROSE (*P.*
 sinensis fimbriata† Cy)
 FRINGED TOP P. (*P. obconica fimbriata*† Cy)
 QUEEN OF WHITES. Hort. var. of
 P. sieboldii.
 ROSY JAPANESE P. (*P. japonica*
 rosea† Cy)
 ROSY TOP P. (*P. obconica rosea*† Cy)
 SHOWY TOP P. (*P. o. superba*† Cy)

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

PRIMULA (Hort. var.), continued

STAR PRIMROSE (*Primula sinensis stellata*† Cy)

WHITE FAIRY P. (*P. malacoides alba*† Cy)

Numerous other horticultural varieties of Primula, including those derived from *P. veris* and *P. elatior*, are in the American trade, but their names have not yet been standardized.

PRINCESFEATHER

Amaranthus hypochondriacus

BLOODRED P. (*A. h. sanguineus*† Cy)

PRINCESPLUME *Polygonum orientale*

PRINSEPIA **PRINSEPIA**
sinensis CHERRY P.
uniflora WHITE P.

PRITCHARDIA

pacifica (*Stylooma pacifica* Ag.)
FIJI FAN PALM

PRIVET *Ligustrum*

AMUR P. *L. amurensis*

BIGBERRY P. (*L. acuminatum macrorcarpum*† Cy)

CALIFORNIA P. *L. ovalifolium*

CHINESE P. *L. sinense*

DWARF P. *L. coriaceum*

EUROPEAN P. *L. vulgare*

GLOSSY P. *L. lucidum*

GOLDEN CALIFORNIA P. (*L. ovalifolium variegatum*† Cy)

HIMALAYAN P. *L. massalongianum*

IBOLIUM P. Hort. var. of *Ligustrum*

IBOTA P. *L. ibota*

JAPANESE P. *L. japonicum*

NEPAL P. *L. nepalense*

Polish P. EUROPEAN PRIVET

PYGMY P. Hort. var. of *L. ibota*.

QUIHOU P. *L. quihoui*

REGEL P. (*L. ibota regelianum*† Cy)

SILVEREDGE EUROPEAN P. (*L. vulgare glaucum*† Cy)

SILVERLEAF P. Hort. var. of *Ligustrum*.

SYRIAN-PRIVET

Fontanesia phillyreoides

TRICOLOR P. (*Ligustrum lucidum tricolor*† Cy)

WATTLE P. Hort. var. of *L. ibota*

YELLOWBERRY P. (*L. vulgare leucocarpum*† Cy)

PRIVET, continued

YELLOW-DAPPLE EUROPEAN P. (*Ligustrum vulgare aureovariegatum*†)

YELLOWEDGE CALIFORNIA P. (*L. ovalifolium aureomarginatum*† Cy)

YELLOWLEAF EUROPEAN P. (*L. vulgare aureum*† Cy)

PRIVET ADELIA, **PRIVET** HONEYSUCKLE, etc. See ADELIA, HONEYSUCKLE, etc.

PROMENAEA

See ORCHID GENERA.

PROSARTES **DISPORUM**

PROSTRATE ENGLISH YEW, PROSTRATE JUNIPER, etc. See YEW, JUNIPER, etc.

PROVENCE BROOM . *Cytisus purgans*

PRUNELLA (**BRUNELLA**)

SELFHEAL

grandiflora GREAT S.

webbiana WEBB S.

PRUNUS . PLUM, CHERRY, APRICOT

See also *Amygdalus* and *Laurocerasus*.

For varieties cultivated for their fruit, see APRICOT, CHERRY, and PLUM in American Pomological Society's List of Fruits, in Appendix.

For ornamental horticultural varieties see hort. var. list, page 385.

alleghaniensis . ALLEGHENY PLUM

americana AMERICAN P.

amygdalus . *Amygdalus communis*

amygdalo-persica Ar ALMOND PEACH

Hort. var. of *Amygdalus*.

angustifolia . . . CHICKASAW PLUM

—*varians* . . . BIG CHICKASAW P.

—*watsoni* SAND P.

apetala

armeniaca APRICOT

—*sibirica* (*Amygdalus sibirica*)

SIBERIAN A.

avium (*Cerasus avium*) MAZZARD

See also hort. var. list, page 385.

besseyi BESSEY CHERRY

campanulata TAIWAN C.

One of the species of Japanese Flowering Cherry.

canescens

caroliniana Cy-Ag

Laurocerasus caroliniana

PRUNUS, continued*cerasifera* (*myrobalana*)

MYROBALAN PLUM

See also hort. var. list, page 385.

cerasus (*Cerasus caproniana*)

SOUR CHERRY

See also hort. var. list, page 385.

communis Cy*Amygdalus communis**concinna**conradinae* . CONRADINA CHERRY*dasycarpa* . . . PURPLE APRICOT*davidiana* Cy *Amygdalus davidiana**dehiscens**demissa* (*P. virginiana demissa* Ar.)

WESTERN CHOKECHERRY

—*melanocarpa* (*P. virginiana melanocarpa* Ar.)

BLACK WESTERN CHOKECHERRY

domestica . . . COMMON PLUM*fruticosa* . . . BUSH CHERRY

See also hort. var. list, page 385.

*glandulosa*Double-flowered horticultural varieties
are known as Flowering Almond. See
hort. var. list, page 385.*hortulana* . . . HORTULAN PLUM*ilicifolia* (*Cerasus ilicifolia*)

HOLLYLEAF CHERRY

—*integrifolia* . . . *Prunus lyoni**incana**incisa* . . . MAME CHERRYOne of the species of Japanese Flowering
Cherry.—*serrata*

BRISTLELEAF MAME CHERRY

japonica . . . CHINESE BUSH C.This species is not one of the true Japanese
Flowering Cherries.The name *P. japonica* is often misapplied
to the Flowering Almond varieties
of *P. glandulosa*, and to some of the
true Japanese Flowering Cherries, especially
the weeping variety of *P. subhirtella*, Shidare-higan.*lannesiana* . . . HITOYE CHERRYOne of the species of Japanese Flowering
Cherry.*laurocerasus* Cy-Ag*Laurocerasus officinalis**lusitanica* Cy-Ag . . *L. lusitanica**lyoni* (*ilicifolia integrifolia*; *Cerasus**integrifolia*) . CATALINA CHERRY*maackii* AMUR C.**PRUNUS**, continued*mahaleb* (*Cerasus mahaleb*)

MAHALEB CHERRY

maritima BEACH PLUM*maximowiczi* . MIYAMA CHERRY*melanocarpa**Prunus demissa melanocarpa**mume* JAPANESE APRICOT*munsoniana* . . WILDGOOSE PLUM*myrobalana* . . *Prunus cerasifera**nana* Cy . . . *Amygdalus nana**nigra* CANADA PLUM*nipponica* . . . TAKANE CHERRYOne of the species of Japanese Flowering
Cherry.*nucipersica**Amygdalus persica nectarina**orthosepala**padus* (*Cerasus padus*)

EUROPEAN BIRD CHERRY

See also hort. var. list, page 385.

*pendula*This name has been applied, erroneously,
to weeping forms of several species,
especially to *Shidare-higan*, hort.
var. of *P. subhirtella*, one of the Japanese
Flowering Cherries.*pennsylvanica* (*Cerasus pennsylvanica*) . . . PIN CHERRY*persica* Cy . . *Amygdalus persica persicoides* Cy . . ALMOND PEACHHort. var. of *Amygdalus*.*pissardi* . . . PURPLELEAF PLUMHort. var. of *P. cerasifera*.*platycarpa**Amygdalus persica platycarpa pseudocerasus*This name is often misapplied to *P. serrulata*
and other Japanese Flowering Cherries.
The true *P. pseudocerasus* is
not in the trade.*pumila* SAND CHERRYThe name *P. pumila* is often misapplied
to dwarf forms of other species.*rhexi* RHEX CHERRYHort. var. of *P. cerasus*.*sachalinensis**Prunus serrulata sachalinensis**salicina* (*triflora*) . JAPANESE PLUM*sargentii* . *P. serrulata sachalinensis**semperflorens*

EVERBLOOMING CHERRY

Hort. var. of *P. cerasus*.

PRUNUS, continued

serotina (*Cerasus serotina*)

BLACK CHERRY

serrulata ORIENTAL C.
One of the species of Japanese Flowering
Cherry.**—pubescens** . . KASUMI CHERRY**—sachalinensis** (*sargentii*) YAMA C.**—spontanea** . . WILD ORIENTAL C.**sibirica** . *Prunus armeniaca sibirica***sieboldi** (*Cerasus sieboldii*)

SIEBOLD CHERRY

One of the species of Japanese Flowering
Cherry.**simoni** APRICOT PLUM**sinensis**This name is often used, erroneously,
for *P. glandulosa* and *P. japonica*.**spinosa** BLACKTHORN**subhirtella** . . HIGAN CHERRYOne of the species of Japanese Flowering
Cherry.**tomentosa** . . . NANKING CHERRY**triflora** *Prunus salicina***triloba** (*Amygdalus triloba*)

FLOWERING PLUM

See also hort. var. list following.

virginiana COMMON CHOKECHERRY**—demissa** Ar . . *Prunus demissa***—melanocarpa** Ar**P. d. melanocarpa**

See hort. var. list below.

watsoni . . *P. angustifolia watsoni***yedoensis** . . . YOSHINO CHERRYOne of the species of Japanese Flowering
Cherry.Ornamental hort. var. of *Prunus*:CHERRY (exclusive of Japanese
Flowering Cherries)AMBER CHOKECHERRY (*P. virginiana leucocarpa*† Cy)DOUBLEFLOWERING CHERRY (*P. avium plena*† Cy)EVERBLOOMING C. (*P. cerasus semperflorens*† Cy)HARBINGER C. (*P. padus commutata*† Cy)PARASOL C. (*reflexa*) Hort. var.
of *P. fruticosa*.RHEX C. (*P. cerasus rhexi*† Cy;
ranunculiflora; *Cerasus rhexi*)WEEPING BUSH C. (*P. fruticosa pendula*† Cy)

PRUNUS (Ornamental hort. var.), continued

FLOWERING ALMOND

DOUBLE PINKFLOWERING AL-
MOND (*glabra albiplena*). Hort.
var. of *P. glandulosa*.DOUBLE WHITEFLOWERING A.
(*trichostyla sinensis*) Hort. var.
of *P. glandulosa*.

PLUM

DOUBLEFLOWERING PLUM (*P. tri-
loba plena*† Cy)PURPLELEAF P. (*P. cerasifera
pissardi*† Cy)

JAPANESE FLOWERING CHERRY

This list is based on E. H. Wilson's
"Cherries of Japan," the spelling of the
Japanese names having been revised
with the aid of a manuscript prepared
by the Japanese botanist and horticul-
turist, Dr. T. Tanaka.For convenience of reference the wild
species and subspecies of Japanese
Flowering Cherry are included in this list.AMANOGAWA (*Prunus lannesiana
erecta*)AMAYADORI (*P. l. amayadori*)ARASHIYAMA (*P. l. arasiyama*)ARIAKE (*P. l. ariake*)ASAGI (*P. l. grandiflora*)BANRIKŌ (*P. l. excelsa*)BENDEN (*P. serrulata sachali-
nensis benden*)BENITORANOWO (*P. lannesiana
benitoranowo*)BOTAN-ZAKURA (*P. l. moutan*)CHIS-IMA-ZAKURA (*P. nipponica
kurilensis*)CHOJI-ZAKURA (*P. apetala*)CHŌSHU-HIZAKURA (*P. serrulata
sachalinensis chosiuhihizakura*)FUDAN-ZAKURA (*P. lannesiana
fudanzakura*)FUGENZŌ (*P. serrulata sachalin-
ensis fugenzo*; *Kofugen*; James
H. Veitch).FUKUROKUJU (*P. lannesiana fu-
kurokuju*)GIGO-ZAKURA (*P. l. campanulata*)GOZANOMANIOI (*P. l. gozano-
manioi*)GYOIKŌ (*P. l. gioiko*)HABUTAE (*P. l. habutai*)HAKKASAN (*P. serrulata sachali-
nensis hakkasan*)

PRUNUS, JAPANESE FLOWERING CHERRY,
continued

HATA-ZAKURA (*Prunus lannesiana hatazakura*)
HIGAN CHERRY. *P. subhirtella*.
HIGURASHI (*P. lannesiana amabilis*)
HITOYE CHERRY. *P. lannesiana*.
Hisakura. ICHIYŌ.
HŌRAISAN (*P. l. horaisan*)
HŌRINJI (*P. serrulata sachalinensis horinji*)
HOSOKAWANIOI (*P. lannesiana hosokawa-odora*)
ICHIYŌ (*P. serrulata sachalinensis hisakura; Hisakura*)
ISE-ZAKURA (*P. lannesiana isezakura*)
ITOKUKURI (*P. serrulata sachalinensis fasciculata*)
James H. Veitch. FUGENZŌ.
JŌNIOI (*P. lannesiana jonioi*)
JUGATSU-ZAKURA (*P. subhirtella autumnalis*)
KAN-ZAKURA (*P. serrulata spontanea praecox*)
KASUMI CHERRY. *P. serrulata pubescens*.
KIRIGAYA (*P. lannesiana kirigaya*)
KIRIN (*P. serrulata sachalinensis kirin*)
Kofugen. FUGENZŌ.
KOHA-ZAKURA (*P. sieboldii parvifolia*)
KOKESHIMIDSU (*P. lannesiana kokeshimidsu*)
KOKONOYE (*P. serrulata sachalinensis homogena*)
KONGŌSAN (*P. lannesiana kongosan*)
KOSHIOYAMA (*P. serrulata spontanea kosioyama*)
KUNRINJISHIROTAE (*P. lannesiana kunrinjishirotai*)
KWANZAN (*P. serrulata sachalinensis sekiyama*)
MAME CHERRY. *P. incisa*.
MASUYAMA (*P. serrulata sachalinensis masuyama*)

PRUNUS, JAPANESE FLOWERING CHERRY,
continued

MAZAKURA (*Prunus lannesiana mazakura*)
MEIGETSU (*P. serrulata pubescens sancta*)
MIKURUMAGAESHI (*P. lannesiana mikurumakaisi*)
MINAKAMI (*P. l. minakami*)
MIYAKO (*P. l. miyako*)
Mount Fuji. SHIROTAE.
Naden. SIEBOLD CHERRY.
ŌCHISHIMA (*P. lannesiana ochichima*)
ŌGON (*P. l. ogon*)
ŌJÖCHIN (*P. l. ojochin*)
ŌNADEN (*P. serrulata sachalinensis ohnanden*)
ŌSHIBAYAMA (*P. lannesiana ohsibiyama*)
ŌSHIMA-ZAKURA (*P. l. albida*)
PINK CANTON (*P. serrulata rosea*)
RANZAN (*P. l. ranzan*)
Sekiyama. KWANZAN.
SENRIKŌ (*P. lannesiana senriko*)
SHIBAYAMA (*P. serrulata pubescens shibayama*)
SHIDARE-HIGAN (*P. subhirtella pendula; Cerasus japonica*)
SHIRAYUKI (*P. serrulata pubescens sirayuki*)
SHIROFUGEN (*P. serrulata sachalinensis albo-rosea*)
SHIRO-HIGAN (*P. subhirtella ascendens*)
SHIROTAE (*P. lannesiana sirotae; Mount Fuji*)
SHŌGETSU (*P. serrulata sachalinensis superba*)
SHŌJŌ (*P. yedoensis shojo*)
SHUJAKU (*P. serrulata sachalinensis shujaku*)
SIEBOLD CHERRY. *P. sieboldii*.
SŌBAN-ZAKURA (*P. lannesiana sōbanzakura*)
Somei-yoshino. YOSHINO CHERRY.
SUMIZOME (*P. l. subfusca*)
SURUGADAINIOI (*P. l. surugadainioda*)
TAIWAN CHERRY *P. campanulata*

PRUNUS, JAPANESE FLOWERING CHERRY,
continuedTAIZANFUKUN (*Prunus yedoensis*
taizanfukun)TAKANE CHERRY. *P. nipponica*.
Takinioi (*P. lannesiana catalacta*)TEMARI (*P. l. temari*)UDZU-ZAKURA (*P. serrulata sachalinensis spiralis*)WAKAKI-NO-SAKURA (*P. s. spontanea humilis*)WASHINOWO (*P. lannesiana wasinowoi*)WILD ORIENTAL CHERRY. *P. serrulata spontanea*.YAMA CHERRY. *P. serrulata sachalinensis*.YAYEAKEBONO (*P. lannesiana versicolor*)YAYE-ŌSHIMA (*P. l. donarium*)YEDO-ZAKURA (*P. l. nobilis*)YŌKIHİ (*P. sieboldii mollis*)YOSHINO CHERRY. *P. yedoensis***PSEDERA . . . AMPELOPSIS****PSEUDOLARIX . . . GOLDENLARCH**
kaempferi (*fortunei*; *P. amabilis*
Ag-Ar) . . . GOLDENLARCH**PSEUDOPHOENIX**
sargentii (*P. vinifera* Ar)
SARGENT PALM**PSEUDOTSUGA**
douglasii (*P. taxifolia* Cy-Ar; *P.*
mucronata Ag; *Picea douglasii*;
Abies douglasii) . . DOUGLAS-FIR*—glauca* (*glauca*) . . . BLUE D.*macrocarpa* . . . BIGCONE-SPRUCEHort. var. of *Pseudotsuga*:FRETZ DOUGLAS-FIR (*P. douglasii*
fretzii; *P. taxifolia* *fretzii* Cy;
Tsuga fretzii)ROYAL BLUE D. (*P. d. glauca elegansissima*)SILVER D. (*P. d. argentea*†)WEEPING D. (*P. d. pendula*†)**PSIDIUM . . . GUAVA**
cattleianum . . . STRAWBERRY G.*friedrichsthalianum* . . . COSTA RICAN G.*guajava* GUAVAHort. var. of *Psidium*:YELLOW STRAWBERRY GUAVA (*P.*
cattleianum lucidum† Cy)**PSORALEA . . . SCURF-PEA**
esculenta . . INDIAN BREADROOT**PSYCHOTRIA . . . PSYCHOTRIA**
capensis CAPE P.**PTELEA . . . HOPTREE**
trifoliata . . . COMMON H.Hort. var. of *Ptelea*:
GOLDEN HOPTREE (*P. trifoliata aurea*† Cy)**PTERETIS**
nodulosa (*Matteuccia struthiopteris*
Cy; *Onoclea struthiopteris*)
OSTRICH FERN**PTERIDIUM . . . BRACKEN**
aquininum (*Pteris aquilina*)
BRACKEN**PTERIS . . . BRAKE**
adiantoides . . . *Pellaea viridis*
aquilina . . . *Pteridium aquilinum*
argyraea . . . STRIPED BRAKE
Hort. var. of *Pteris quadriaurita*.*childsi* CHILDS B.
Hort. var. of *P. cretica*.*cretica* CRETAN B.
See also hort. var. list, page 388.*ensiformis* SWORD B.
See also hort. var. list, page 388.*heterophylla* . . . *Anopteris hexagona*
internata MOORES BRAKE
Hort. var. of *Anopteris hexagona*.*longifolia*
mayi MAYS B.
Hort. var. of *P. cretica*.*multifida* (*P. serrulata* Cy)
SPIDER B.
See also hort. var. list, page 388.*nobilis* TALL CRETAN B.
Hort. var. of *P. cretica*.*ouvrardi* OUVRARD B.
Hort. var. of *P. multifida*.*quadriaurita*
See also hort. var. list, page 388.*rivertoniana* . . . RIVERTON BRAKE
Hort. var. of *P. cretica*.*serrulata* Cy *P. multifida*

PTERIS, continued

sieboldi SIEBOLD BRAKE
Hort. var. of *P. cretica*.

tremula AUSTRALIAN B.

tripartita

victoriae VICTORIA B.
Hort. var. of *P. ensiformis*.

wilsoni WILSON B.
Hort. var. of *P. cretica*.

wimsetti WIMSETT B.
Hort. var. of *P. cretica*.

Hort. var. of *Pteris*:

CHILDS BRAKE (*childsi*). Hort. var. of *P. cretica*.

CRESTED SPIDER B. (*cristata*) Hort. var. of *P. multifida*.

MAYS B. (*P. cretica mayi*† Cy)

OUVRARD B. (*ouvrardi*) Hort. var. of *P. multifida*.

RIBBON B. (*Pteris cretica albolineata*† Cy)

RIVERTON B. (*rivertoniana*) Hort. var. of *P. cretica*.

SIEBOLD B. (*sieboldi*) Hort. var. of *P. ensiformis*.

SILVER B. (*P. quadriaurita argyraea*† Cy)

TALL CRETAN B. (*nobilis*) Hort. var. of *P. cretica*.

VICTORIA B. (*Pteris ensiformis victoriae*† Cy)

WILSON B. (*P. cretica wilsoni*† Cy)

WIMSETT B. (*wimsetti*) Hort. var. of *P. cretica*.

PTEROCARIA WINGNUT

fraxinifolia CAUCASIAN W.

rhoifolia JAPANESE W.

stenoptera CHINESE W.

Hort. var. of *Pterocarya*:

REHDER WINGNUT (*P. rehderiana*† Cy; *fraxinifolia* × *stenoptera*)

PTEROSTYRAX EPAULETTE-TREE

corymbosa LITTLE E.

hispida FRAGRANT E.

PTERYGOTA Ag STERCULIA**PTYCHOPHRASIS**

singaporense (*Ptychosperma singaporense*)

PTYCHOSPERMA

alexandriæ

See note under *Loroma amethystina*

PTYCHOSPERMA, continued

elegans

See note under *Loroma amethystina*.

macarthuri (*Kentia macarthurii*)*

MACARTHUR PALM

singaporense

Ptychoraphis singaporense

PUCCOON *Lithospermum canescens*

PUERARIA **PUERARIA**

thunbergiana (*P. hirsuta* Cy-Ag;
Dolichos japonicus) KUDZU-BEAN

PULMONARIA **LUNGWORT**

angustifolia COWSLIP L.
officinalis (*maculata*) . COMMON L.

saccharata BETHLEHEM L.

Hort. var. of **Pulmonaria**:

AZURE LUNGWORT (*P. angustifolia*
azurea† Cy)

PULQUE AGAVE **Agave atrovirens**

PUMPKIN **Cucurbita pepo**

PUNICA **POMEGRANATE**

granatum COMMON P.

For varieties of Pomegranate cultivated
for their fruit see American Pomological
Society's List of Fruits, in Appendix.

Ornamental hort. var. of **Punica**:

DWARF POMEGRANATE (*P. granatum*
nana† Cy)

LEGRELLE P. (*legrellei*) Hort. var.
of *P. granatum*.

PURDY IRIS, PURDY PUSSY-EARS, etc.

See IRIS, PUSSY-EARS, etc.

PURPLE APRICOT, PURPLE AZALEA,
etc. See APRICOT, AZALEA, etc.

PURPLEBELL COBAEA

Cobaea scandens

PURPLECAKE RASPBERRY

Rubus neglectus

PURPLECONE WHITE FIR (*Abies concolor violacea*† Cy)

PURPLECUP MOCKORANGE (*Philadelphus brachybotrys purpurascens*†
Cy)

PURPLE-EYE MARIPOSA, PURPLE-EYE
ROSE-OF-HEAVEN, etc. See MAR-
IPOSA, ROSE-OF-HEAVEN, etc.

PURPLE-LADY AUBRIETIA (*Aubrieta*
deltoides *purpurea*† Cy)

PURPLELEAF BUGLE, PURPLELEAF
CATALPA, etc. See BUGLE,
Catalpa, etc.

PURPLENET TOADFLAX

Linaria reticulata

PURPLESPOT MOCKORANGE

*Philadelphus purpureomaculatus*PURPLESTEM ANGELICA, PURPLESTEM
FORSYTHIA, etc. See Angelica,
FORSYTHIA, etc.PURPLESTRIPE MADONNA LILY (*Lilium candidum maculatum*† Cy)PURSHIA ANTELOPE-BRUSH
tridentata (*Kunzia tridentata*)
ANTELOPE-BRUSH

PURSLANE

COMMON P. . . . *Portulaca oleracea*ROCKPURSLANE *Calandrinia*PUSSY WILLOW *Salix discolor*

PUSSY-EARS

BIG P.

*Calochortus maweanus major*COAST P. . . . *C. maweanus*PINK P. (*C. maweanus roseus*† Cy)PURDY P. . . . *C. purdyi*SIERRA P. . . . *C. caeruleus*YELLOW P. . . . *C. monophyllus*PUSSYTOES *Antennaria*COMMON P. . . . *A. dioica*

PUTRANJIVA

roxburghii . . . INDIA AMULETPHANT

PUTTYROOT . . . *Aplectrum hyemale*PUZZLE WILLOW (*Salix ambigua*† Ar)

PYCNANTHEMUM

MOUNTAIN-MINT

flexuosum (*Koellia flexuosa* Ag.)

SLENDER M.

virginianum (*K. virginiana* Ag.)

VIRGINIA M.

PYGMY ARBORVITAE, PYGMY WATER-
LILY, etc. See ARBORVITAE,
WATERLILY, etc.

PYRACANTHA FIRETHORN

angustifolia (*Coloneaster angusti-
folia*). NARROWLEAF FIRETHORN*coccinea* (*Crataegus pyracantha*)

SCARLET F.

crenulata (*Coloneaster crenulata*;
Crataegus crenulata)

NEPAL FIRETHORN

Hort. var. of Pyracantha:

LALAND FIRETHORN (*P. coccinea
lalandii*† Cy; *lalandii*)PYRAMID HAWTHORN, PYRAMID
HOLLY, etc. See HAWTHORN,
HOLLY, etc.PYRAMIDAL BLACK SPRUCE, PYRAMI-
DAL ENGLISH OAK, etc. See
SPRUCE, OAK, etc.PYRENEES ADONIS, PYRENEES CHRYS-
ANTHEMUM, etc. See Adonis,
CHRYSANTHEMUM, etc.PYRENOGLYPHIS
major (*Bactris major* Cy)
BEACH PALM

PYRETHRUM CHRYSANTHEMUM

PYROLA PYROLA
americana ROUNDLEAF P.
elliptica SHINLEAF
rotundifolia (*grandiflora*)

EUROPEAN PYROLA

secunda SIDEBELLS P.

PYROSTEGIA Cy-Ag . BIGNONIA

PYRUS PEAR
For varieties of Pear cultivated for their
fruit see American Pomological Society's
List of Fruits, in Appendix.*americana* . . . *Sorbus americana**amygdaliformis* . . . ALMOND PEAR*angustifolia* Cy *Malus angustifolia**arbutifolia* . . . *Aronia arbutifolia**arnoldiana* . . . ARNOLD CRABHort. var. of *Malus*.*atrosanguinea* Cy . . . CARMINE C.Hort. var. of *Malus*.*aucuparia* . . . *Sorbus aucuparia**auricularis* . . . ALSATIAN PEAR*baccata* Cy . . . *Malus baccata**betulæfolia* . . . BIRCHLEAF PEAR*bretschneideri* BRETSCHNEIDER P.*calleryana* CALLERY P.*cerasifera* Cy . . . CHERRY CRABHort. var. of *Malus*.*communis* . . . COMMON PEAR*coronaria* Cy . . . *Malus coronaria**dawsoniana* Cy . . . *M. dawsoniana**elaeagrifolia* . . . OLEASTER PEAR*florentina* Cy . . . *Malus florentina**floribunda* *M. floribunda**fusca* Cy *M. fusca**halliana* Cy *M. halliana*

—parkmanii Cy . . . PARKMAN CRAB

Hort. var. of *Malus halliana*.

PYRUS, continued*hondoensis*

P. *ussuriensis* *hondoensis*
ioensis Cy *Malus ioensis*
malus Cy *M. sylvestris*
niedzwetkskyana Cy

M. niedzwetkskyana
niedzwetkskyana *M. niedzwetkskyana*
nigra *Aronia melanocarpa*
ovoidea (simoni) *EGG PEAR*
parkmani *PARKMAN CRAB*

Hort. var. of *Malus halliana*.

passia *PASHI PEAR*
phaeocarpa *DUSKY P.*
prunifolia Cy *Malus prunifolia*
rinki Cy *M. p. rinki*
pulcherrima Cy *M. floribunda*
—arnoldiana Cy *ARNOLD CRAB*

Hort. var. of *Malus*.

—scheideckeri Cy *M. scheideckeri*
quercifolia *Sorbus quercifolia*
ringo *Malus prunifolia rinki*
salicifolia *WILLOWLEAF PEAR*
sargentii Cy *Malus sargentii*
scheideckeri *M. scheideckeri*
serotina *LATE PEAR*
serrulata
sieboldi Cy *Malus sieboldi*
simoni *P. ovoidea*
sorbus *Sorbus domestica*
soulardii Cy *Malus soulardii*
spectabilis Cy *M. spectabilis*
toringo *M. sieboldii*
ussuriensis *USSURIAN PEAR*
--hondoensis (*P. hondoensis*)

HONDO P.

zumi Cy *Malus zumi*

QUAKING ASPEN, **QUAKING BROME-GRASS**, etc. See **ASPEN**, **BROME-GRASS**, etc.

QUAMASIA Ag **CAMASSIA**

QUAMOCLIT **STARGLORY**

coccinea (*Ipomoea coccinea*)

SCARLET S.

—hederifolia (*Mina sanguinea*)

IVY S.

lobata (*M. lobata*) *CRIMSON S.*

pinnata (*Q. pennata* Ag; *Ipomoea quamoclit*) *CYPRESSVINE*

Hort. var. of Quamoclit:

CARDINAL CLIMBER (*Ipomoea quamoclit hybrida*)

QUEBEC HAWTHORN

Crataegus submollis

QUEEN CRAPEMYRTLE

Lagerstroemia speciosa

QUEENCUP *Clintonia uniflora*

QUEEN-OF-THE-NIGHT

Selenicereus grandiflorus

QUEENSLAND TREEBINE

Cissus oblonga

QUEENSLAND-NUT

Macadamia ternifolia

QUERCUS

acuta *OAK*

agrifolia *JAPANESE EVERGREEN O.*

alba *CALIFORNIA LIVE O.*

albina *WHITE O.*

aliena *ORIENTAL WHITE O.*

aquatica *Q. nigra*

arkansana *ARKANSAS OAK*

banisteri *Q. ilicifolia*

bicolor (platanoides)

SWAMP WHITE OAK

borealis Ag-Ar *Q. rubra ambigua*

—maxima Ag-Ar *Q. rubra*

catesbeiae *SAND BLACKJACK OAK*

cerris *EUROPEAN TURKEY O.*

—austriaca *AUSTRIAN TURKEY O.*

coccinea *SCARLET O.*

concordia *GOLDEN ENGLISH O.*

Hort. var. of *Q. robur*.

conferta (pannonica) *ITALIAN O.*

crispula Ag

Q. mongolica grosseserrata

cuspidata *Castanopsis cuspidata*

dauvessieri *DAUVESSE ENGLISH OAK*

Hort. var. of *Q. robur*.

dentata *DAIMYO O.*

The name *Q. dentata* is often misapplied to *Q. glandulifera*.

See also hort. var. list, page 391.

douglasii *BLUE OAK*

elliptoidalis *NORTHERN PIN O.*

falcata (*Q. rubra* Ag-Ar)

(*Spanish O.*) *SOUTHERN RED O.*

ferruginea *Q. marilandica*

garryana *OREGON OAK*

georgiana *GEORGIA O.*

QUERCUS, continued

- glandulifera*
glaucia BLUE JAPANESE OAK
grosseserrata Ag
Q. mongolica grosseserrata
heterophylla VARIABLE OAK
ilex HOLLY O.
 See also hort. var. list following.
ilicifolia (banisteri) SCRUB O.
imbricaria SHINGLE O.
kelloggi CALIFORNIA BLACK O.
laurifolia LAUREL O.
lobata CALIFORNIA WHITE O.
lyrata OVERCUP O.
macrocarpa MOSSYCUP O.
marilandica (ferruginea) BLACKJACK O.
michauxi (Q. prinus Cy-Ag) SWAMP CHESTNUT O.
 Not Q. *prinus* of this catalogue.
minor *Q. stellata*
mongolica MONGOLIAN OAK
—grosseserrata (*Q. grosseserrata*
 Ag; *Q. crispula* Ag) SHALLOWCUP MONGOLIAN OAK
montana Cy-Ag *Q. prinus*
muhlenbergii CHINQUAPIN OAK
nigra (aquatica) WATER O.
obtusiloba *Q. stellata*
palustris PIN OAK
pannonica *Q. conferta*
pectinata COMBLEAF ENGLISH OAK
 Hort. var. of *Q. robur*.
pedunculata *Q. robur*
phellos WILLOW OAK
platanoides *Q. bicolor*
prinoides DWARF CHINQUAPIN OAK
prinus (*Q. montana* Cy-Ag) CHESTNUT O.
 The name *Q. prinus*, for many years applied to the Chestnut Oak, has now been restored by botanists to the Basket Oak, *Q. michauxi* of this catalogue, to which it was originally applied.
robur (pedunculata) ENGLISH OAK
 See also hort. var. list following.
rubra (Q. borealis maxima Ag-Ar) COMMON RED O.
—ambigua (Q. borealis Ag-Ar) NORTHERN RED O.
rubra Ag-Ar *Q. falcata*

QUERCUS, continued

- sempervirens* *Q. virginiana*
serrata BRISTLETOOTH OAK
sessiliflora DURMAST O.
stellata (minor; obtusiloba) POST O.
suber CORK O.
tinctoria *Q. velutina*
variabilis ORIENTAL OAK
velutina (tinctoria) BLACK O.
virginiana (sempervirens) LIVE O.
 Hort. var. of *Quercus*:
 COMBLEAF ENGLISH OAK (*Q. robur*
pectinata† Cy)
 DAUVESSE ENGLISH O. (*Q. r. dau-*
vessei† Cy)
 FORD HOLLY O. (*Q. ilex fordii*† Cy)
 GOLDEN ENGLISH O. (*Q. robur con-*
cordia† Cy; *concordia*)
 GREEN PYRAMIDAL O. (*Q. r. fastigi-*
ata viridis Cy)
 PLUME DAIMYO O. (*Q. dentata pin-*
natifida† Cy)
 PURPLE ENGLISH O. (*Q. robur atro-*
purpurea† Cy)
 PYRAMIDAL ENGLISH O. (*Q. r. fas-*
tigiatia† Cy)
 WEEPING ENGLISH O. (*Q. r. pen-*
dula† Cy)
 QUIHOU PRIVET . *Ligustrum quihoui*
 QUILL COREOPSIS . *Coreopsis radiata*
 QUINCE *Cydonia*
 BALTZ FLOWERING Q. Hort. var. of
C. japonica.
 CHINESE Q. *C. sinensis*
 COMMON Q. *C. oblonga*
 DOUBLE PINKFLOWERING Q. Hort.
 var. of *C. japonica*.
 DOUBLE SCARLETFLOWERING Q.
 Hort. var. of *C. japonica*.
 FLOWERING Q. *C. japonica*
 GREAT CRIMSONFLOWERING Q. Hort.
 var. of *C. japonica*.
 LESSER FLOWERING Q. . . . *C. maulei*
 NAVEL FLOWERING Q. Hort. var.
 of *C. japonica*.
 PEARL FLOWERING Q. Hort. var. of
C. japonica.
 PINKSTRIPE FLOWERING Q. Hort.
 var. of *C. japonica*.

QUINCE, continued

RUBY FLOWERING Q. Hort. var. of
C. maulei.WHITEFLOWERING Q. Hort. var. of
C. japonica.

QUINOA . . . Chenopodium quinoa

QUISQUALIS

indica . . . RANGOON-CREEPER

RABBIT-EAR IRIS . . . Iris laevigata

RABBITEYE BLUEBERRY

Vaccinium virgatum

RABBITTAIL GRASS . Lagurus ovatus

RADICULA

armoracia (*Armoracia rusticana* Ag;
Cochlearia armoracia; *Roripa
armoracia*) . . . HORSERADISHnasturtium-aquaticum (*Sisymbrium
nasturtium-aquaticum* Ag; *S.
aquaticum*; *S. nasturtium*; *Nas-
turtium officinale*; *Roripa nas-
turtium*) . . . WATERCRESS

RADISH . . . Raphanus; R. sativus

HORSERADISH . Radicula armoracia

RAGGED PINK (*Dianthus chinensis
asper*† Cy)RAGGED-ROBIN . *Lychnis floscululi*DOUBLE R. (*L. f. plenissima*† Cy)

RAINBOW CACTUS

Echinocereus rigidissimus

RAINLILY . . . Cooperia

GREAT R. . . . *C. pedunculata*RAISINTREE . . . *Hovenia dulcis*RAJAH SAXIFRAGE . *Saxifraga ligulata*

RAJANIA

pleioneura . . . COCKSCOMB-YAM

RAMONA Ag . . . AUDIBERTIA

RAMPION . . . *Campanula rapunculus*FALSE R. . . . *C. rapunculoides*RAMROD BAMBOO . *Arundinaria hindsi*

RAMSHEAD LADYSLIPPER

*Cypripedium arietinum*RANGOON-CREEPER . *Quisqualis indica*

RANUNCULUS . . . BUTTERCUP

aconitifolius . . . ACONITE B.

acris . . . TALL B.

amplexicaulis . . . YELLOWEYE B.

asiaticus . . . PERSIAN B.

bulbosus . . . BULB B.

delphinifolius . . . WATER B.

fascicularis . . . TUFTED B.

RANUNCULUS, continued

gramineus . . . GRASSY BUTTERCUP

hispidus . . . BRISTLY B.

repens (*speciosus*) . . . CREEPING B.

septentrionalis . . . SWAMP B.

speciosus . . . R. repens

RAPE Brassica napus

RAPHANUS RADISH

sativus RADISH

RAPHIOLEPIS

indica . . . INDIA-HAWTHORN

umbellata (*japonica*) . . . YEDDO-HAWTHORN

Hort. var. of Raphiolepis:

ROUNDLEAF YEDDO-HAWTHORN (*R.
umbellata ovata*† Cy)

RASPBERRY Rubus

See also BLACKBERRY and DEWBERRY.

For horticulat varieties of Raspberry
cultivated for their fruit see American
Pomological Society's List of Fruits, in
Appendix.BANK R. *R. palmatus*

Black R. COMMON BLACKCAP

BOULDER R. *R. deliciosus*COMMON BLACKCAP *R. occidentalis*COMMON RED R. *R. strigosus*EUROPEAN R. *R. idaeus*FLOWERING R. *R. odoratus*HAWTHORN R. *R. crataegifolius*HIMALAYA-BERRY . . . *R. thyrsanthus*KOREAN R. *R. coreanus*PURPLECAKE R. *R. neglectus*ROSELEAF R. *R. rosaeflorus*STRAWBERRY R. *R. illecebrosus*WHITEBARK R. *R. leucodermis*WHITEFLOWERING R. *R. parviflorus*WINEBERRY *R. phoenicolasmus*WOOLLY R. *R. lasiostylus*YELLOW HIMALAYAN R. *R. ellipticus*RATA *Metrosideros robusta*

RATHBUNIA

alamosensis (*Cereus alamosensis*)

RATIBIDA Ag LEPACHYS

RATTAIL CACTUS

Aporocactus flagelliformis

RATTLESNAKE FERN

*Botrychium virginianum*RATTLESNAKE-PLANTAIN . *Goodyera*CHECKERED R. *G. tesselata*CREEPING R. *G. repens*

RATTLESNAKE-PLANTAIN, continued

DAWSON R. . . . *Goodyera dawsoniana*
 DOWNY R. . . . *G. pubescens*
 DWARF R. . . . *G. repens ophiooides*
 WESTERN R. . . . *G. decipiens*

RAVENNA GRASS *Erianthus ravennae*

REBUTIA

minuscula (*Echinocactus minusculus*)

RED ASH, RED BANEERRY, etc. See
 ASH, BANEERRY, etc.

REDBAY *Persea borbonia*

REDBEAD *Adenanthera pavonina*

REDBEARDED IRIS *Iris hoogiana*

REDBOX *Eucalyptus polyanthemos*

REDBUD *Cercis*

AMERICAN R. *C. canadensis*

CALIFORNIA R. *C. occidentalis*

CHINESE R. *C. chinensis*

JUDAS-TREE *C. siliquastrum*

TEXAS R. *C. reniformis*

WHITEBUD (*C. canadensis alba*† Cy)

REDBUD MAPLE, REDBUD PEARLBUSH,
 etc. See MAPLE, PEARLBUSH, etc.

REDCEDAR *Juniperus virginiana*
 BERMUDA R. *J. bermudiana*

CANNART R. (*J. virginiana canariif*† Cy)

CHAMBERLAYN R. (*J. v. chamberlainii*† Cy)

COLUMN R. Hort. var. of *J. virginiana*.

CREEPING R. (*J. v. reptans*† Cy)

FEATHER R. (*J. v. plumosa*† Cy)

FOUNTAIN R. (*J. v. tripartita*† Cy)

GLOBE R. (*J. v. globosa*† Cy)

GOLDTIP R. (*J. v. elegantissima*† Cy)

KOSTER R. Hort. var. of *J. virginiana*.

SCHOTT R. (*J. v. schottii*† Cy)

SILVER R. (*J. v. glauca*† Cy)

SMITH R. Hort. var. of *J. virginiana*.

SOUTHERN R. *J. lucayana*

TRIOMPHE D'ANGIERS R. Hort.
 var. of *J. virginiana*.

WEEPING R. (*J. v. pendula*† Cy)

WHITETIP R. (*J. v. albospicata*† Cy)

RED-DEVIL MAPLE
Acer diabolicum purpurascens

REDFLOWERING DOGWOOD (*Cornus florida rubra*† Cy)

REDLEAF ROSE *Rosa rubrifolia*

REDMAIDS *Calandrinia menziesii*

RED-OSIER DOGWOOD
Cornus stolonifera

REDPEPPER *Capsicum*
 BUSH R. *C. frutescens*

COMMON R. *C. annuum*

REDRIM HAWTHORN (*Crataegus oxyacantha bicolor*† Cy)

REDSPOT MARANTA (*Maranta leuconeura kerchoveana*† Cy)

REDSPRAY RUELLIA *Ruellia amoena*

REDSPUR COLUMBINE (*Aquilegia chrysanthra jaeschkani*† Cy)

REDSTEM SAXIFRAGE, REDSTEM SELAGINELLA, etc. See SAXIFRAGE,
Selaginella, etc.

REDTIP STONECROP
Sedum maximum haematodes

REDTOP *Agrostis palustris*

REDTWIG ELM, REDTWIG LINDEN, etc.
 See ELM, LINDEN, etc.

REDVEIN ABUTILON, REDVEIN ALDER,
 etc. See Abutilon, ALDER, etc.

RED-WHITE-AND-BLUE FLOWER
Cuphea llavea

REDWOOD *Sequoia sempervirens*
 BLUE R. (*S. s. glauca*† Cy)

REED
 GIANT R. *Arundo donax*

STRIPED GIANT R. (*A. donax variegata*† Cy)

REED CANARYGRASS, REED RHAPIS,
 etc. See CANARYGRASS, Rhapis,
 etc.

REEVES JUNIPER, REEVES SPIREA,
 etc. See JUNIPER, SPIREA, etc.

REGEL PRIVET (*Ligustrum ibota regelianum*† Cy)

REHMANNIA
angulata (*Sparmannia sinensis* Ag)

REID ARBORVITAE (*Thuja occidentalis reidi*† Cy)

REINECKIA REINECKIA
carnea PINK R.

REINWARDTIA
trigyna (*R. indica* Ag; *Linum trigynum*) YELLOWFLAX

REMONT SPRUCE (*Picea excelsa remontii* Cy)

RENANTHERA

See ORCHID GENERA.

REQUIEN MINT . . . *Mentha requieni*
RESCUE GRASS . . . *Bromus unioloides*

RESEDA *Mignonette*
odorata COMMON M.

RESURRECTION FERN
 Polypodium polypodioides

RESURRECTIONPLANT
 Selaginella lepidophylla

RETINOSPORA

There is no such genus as Retinospora, or Retinispora as it was originally spelled. The plants referred to it are all juvenile states of the genera Chamaecyparis and Thuja. The American Joint Committee recognizes the trade convenience of the name Retinospora and is therefore using it as a common name. The following varieties of Retinospora are in the American trade with the possible exception of Heath.

ANDELY (*Chamaecyparis thyoides andelyensis* Cy; *Retinospora leptoclada*)

CEDAR (*C. thyoides ericoides* Cy)

CLUBMOSS (*Chamaecyparis obtusa lycopodioides* Cy)

FERNSPRAY (*C. o. filicoides* Cy)

GOLDEN SAWARA (*Chamaecyparis pisifera aurea* Cy)

GOLDENPLUME (*C. p. plumosa aurea* Cy; *Retinospora plumosa aurea*)

HEATH (*Thuja occidentalis ericoides* Cy; *Retinospora ericoides* Hort.; *R. dubia*)

MOSS (*Chamaecyparis pisifera squarrosa* Cy; *Retinospora veitchii*)

PLUME (*C. p. plumosa* Cy; *Retinospora plumosa*)

SANDER (*Chamaecyparis obtusa ericoides* Cy; *Retinospora sanderi*; *Juniperus sanderi*)

SAWARA . . . *Chamaecyparis pisifera*

SILVERTIP (*C. pisifera plumosa argentea* Cy)

THREAD (*C. p. filifera* Cy; *C. obtusa filifera*; *Retinospora filifera*)

RETINOSPORA

Several varieties of Chamaecyparis and Thuja that have been called Retinospora by gardeners do not have the type of foliage that entitles them to the common name Retinospora. These are referred below to their accepted common names as horticultural varieties of Hinoki Cypress (Chamaecyparis obtusa) and American Arborvitae (Thuja occidentalis).

ellwangeriana

 TOM THUMB ARBORVITAE
obtusa . . . *Chamaecyparis obtusa*
—albospicata

 SILVERTIP HINOKI CYPRESS
—aurea . . . GOLDEN HINOKI C.

—compacta . . . FOOTBALL C.
—gracilis . . . SLENDER HINOKI C.

—gracilis aurea YELLOWTIP HINOKI C.

—nana . . . DWARF HINOKI C.
—pygmaea . . . PYGMY HINOKI C.

REUTER WILLOW (*S. reuteri* Ar)
REX BEGONIA *Begonia rex*

RHAMNUS BUCKTHORN

alaternus ITALIAN B.
alnifolia ALDER B.

alpina ALPINE B.
The name R. alpina is often misapplied in the trade to R. fallax.

californica CALIFORNIA BUCKTHORN

—tomentella . . . WHITELEAF B.

caroliniana (*carolina*) CAROLINA B.

cathartica COMMON B.

crenata JAPANESE B.

The name R. crenata is often misapplied to R. dahurica.

dahurica (*R. davurica* Ag) DAHURIAN BUCKTHORN

fallax VEINY B.
frangula GLOSSY B.

imeretina CAUCASIAN B.

purshiana CASCARA B.

RHAPIDOPHYLLUM

hystrix NEEDLE PALM

RHAPIS RHAPIS

flabelliformis FERN R.

humilis REED R.

RHEUM RHUBARB

cellinianum COLLIN R.

palmatum SORREL R.

rhaponticum COMMON R.

Hort. var. of *Rheum*:

- TANGUTIAN RHUBARB (*R. palmatum tanguticum*† Cy)
 RHEX CHERRY (*Prunus cerasus rhexi*† Cy)
RHEXIA MEADOWBEAUTY
mariana MARYLAND M.
virginica COMMON M.
RHIPSALIS
cassutha (*R. cassutha* Cy) MISTLETOE CACTUS
paradoxa CHAIN C.
salicornioides *Hatiora salicornioides*
RHODANTHE HELIPTERUM
 RHODE ISLAND BENT *Agrostis capillaris*
 RHODES GRASS *Chloris gayana*
RHODOCHITON
volubile PURPLE BELLVINE
RHODODENDRON RHODODENDRON
 See also AZALEA. "Ar" in the following
 list refers to the Arnold Arboretum
 "Monograph of Azaleas," April 15, 1921.
albiflorum ROCKY MOUNTAIN RHODODENDRON
arborescens Cy-Ar *Azalea arborescens*
arboreum TREE RHODODENDRON
arbutifolium See common-name list, page 396.
brachycarpum FUJIYAMA R.
calendulaceum Cy-Ar *Azalea calendulacea*
californicum (*washingtonianum*;
macrophyllum) COAST RHODODENDRON
calophyllum BIGLEAF R.
campylocarpum HONEYBELL R.
canadense Cy-Ar *Rhodora canadensis*
canescens Cy-Ar *Azalea canescens*
carolinianum CAROLINA RHODODENDRON
 —*album* (*carolinianum margarettae*) WHITE CAROLINA R.
catawbiense CATAWBA R.
caucasicum CAUCASIAN R.
ciliatum FRINGED R.

RHODODENDRON, continued**concinnum**

The name *R. concinnum* is often mis-
 applied to *R. yanthinum*.

coreanum *Azalea poukhanensis*
dahuricum (*R. dauricum* Ag-Ar)

DAHURIAN RHODODENDRON
davidsonianum DAVIDSON R.
decorum
faberi FABER R.
ferrugineum ROCK R.
floribundum

gandavense Ar *Azalea gandavensis*
hirsutum GARLAND RHODODENDRON
indicum Cy-Ar *Azalea indica*
intricatum BLUET RHODODENDRON
japonicum Cy-Ar *Azalea japonica*
kaempferi Cy *A. kaempferi*
kamtschaticum

KAMCHATKA RHODODENDRON
laetevirens WILSON R.
 See common-name list, page 399.

lapponicum LAPLAND R.
ledifolium Cy *Azalea ledifolia*
longistylum
lutescens

luteum Cy-Ar *A. pontica*
macrophyllum

Rhododendron californicum
maximum (*maximum album*)

ROSEBAY RHODODENDRON
 —*roseum* PINK ROSEBAY R.
metternichi LEATHERLEAF R.
micranthum MANCHURIAN R.
minus (*punctatum*). PIEDMONT R.

See note under *R. punctatum*.
molle Ar *Azalea mollis*
morteri Cy *A. gandavensis*
mortieri Ar *A. gandavensis*
mucronatum Ar *A. ledifolia*
mucronulatum (*R. dauricum mu-*
cronulatum Ar)

KOREAN RHODODENDRON
nudiflorum Cy-Ar *Azalea nudiflora*
obtusum amoenum Cy-Ar *A. amoena*

—*kaempferi* Ar *A. kaempferi*

occidentale Cy-Ar *A. occidentalis*

parvifolium

ponticum PONTIC RHODODENDRON

poukhanense Cy

Azalea poukhanensis

RHODODENDRON, continued*poukhanense yodogawa* Cy*Azalea yodogawa**punctatum* . *Rhododendron minus*

The Latin name *R. punctatum* is a synonym of *R. minus*. It was formerly misapplied to *R. carolinianum*. *PUNCTATUM* is now established as the trade name of an imported hybrid, probably *R. ferrugineum* × *carolinianum*, and is so entered in the special list below.

racemosum*MAYFLOWER RHODODENDRON**reticulatum* Ar . *Azalea rhombica**rhombicum* Cy *A. rhombica**roseum* *R. maximum roseum**roseum* Ar *Azalea rosea**rubiginosum**schlippenbachi* Cy-Ar*A. schlippenbachi**sinense* Cy *A. mollis**smirnovi* SMIRNOW *RHODODENDRON**spinuliferum* *TORCH R.**vaseyi* Cy-Ar *Azalea vaseyi**viscosum* Cy-Ar *A. viscosa**washingtonianum* . *R. californicum**wilsoni* (*wilsonae*; *wilsonianum*)*WILSON RHODODENDRON*

See common-name list, page 399.

yanthinum*yedoense* Ar *Azalea yodogawa**yedoense poukhanense* Ar*A. poukhanensis***yunnanense***YUNNAN RHODODENDRON***Hort. var. of Rhododendron:**

Because of the large number of varieties of *Rhododendron* the common-name list and the hort. var. list have been combined in the special list below.

RHODODENDRON . . . **Rhododendron**

Abbreviations indicating the name of the group to which a horticultural variety is reported to belong, or the species from which it is reported to have been derived, in whole or in part, are as follows:

Arb. Arboreum.

Cat. Catawbiense.

Cau. Caucasicum.

Grif. Griffithianum.

Jav. Javanicum group of species.

Max. Maximum.

Pon. Ponticum.

Prae. Praecox group of hybrids.

ABRAHAM LINCOLN. Cat.*ALBUM ELEGANS*. Cat.*ALBUM GRANDIFLORUM*. Cat.**RHODODENDRON**, continued*Album novum*. SNOW WHITE.

ALEXANDER ADIE. Cat.

ALEXANDER DANCER. Cat.

ALICE. Cat.

ALPHONSE. Cat. *Concessum*.

AMARANTINORA. Cat.

Amphion. F. L. AMES.

ANNA PARSONS. Cat.

APHRODITE. Max. *Maximum superbum*.*Arbutifolium*. DAPHNE.*Atrorubrum*. ROSE RED.*ATROSANGUINEUM*. Cat.

AUGUST VAN GEERT. Cat.

BACCHUS. Cat.

BALSAM. Jav. *Balsaminaeflorum*.*Balsaminaeflorum album*. WHITE*BALSAM*.*Balsaminaeflorum aureum*. YELLOW*BALSAM*.

BARON SCHROEDER. Cat.

BARONESS HENRY SCHROEDER. Cat.

BEAUTY OF SURREY. Cat.

BERTHA PARSONS. Cat.

Bicolor. VIRGIN.BIGLEAF R. *R. calophytum*.

BISMARCK. Cau.

BLANDY. Cat. *Blandyanum*;*Blandianum*.*BLUEBELL*. Cat.*BLUET* R. *R. intricatum*.*BOULE DE NEIGE*. Cau.

BRILLIANT. Jav.

BUTLER. Cat. *Butlerianum*.*Caerulescens*. MODESTY.*CANDIDISSIMUM*. *Catawbiense* × *maximum*.*CARACTACUS*. Cat.*CARMINE JASMINE*. Jav. *Jasmini-florum carminatum*.*CAROLINA* R. *R. carolinianum*.*CATAWBA* R. *R. catawbiense*.*CATAWBIENSE ALBUM*. Cat.*CATHERINE VAN TOL*. Cat.*CAUCASIAN* R. *R. caucasicum*.*CERES*. Jav.*CHANCELLOR*. Cat.*CHARLES BAGLEY*. Cat.*CHARLES DICKENS*. Cat.*CHARLIE WATERER*. Cat.

RHODODENDRON, continued

Chevalier Felix de Sauvage. SAUVAGE.
Cleo. Cau.
Coast R. R. californicum.
Concessum. ALPHONSE.
Congestum roseum. ROSEBALL.
Coriaceum. YELLOWSPOT.
Crown Prince. Cat.
C. S. Sargent. Cat.
Cunningham. Cat. *Cunninghami.*
Cynthia. Cat.
Dahurian R. R. dahuricum
Daisy Rand. Cat.
Daphne. Ferrugineum × carolinianum; *R. arbutifolium† Cy;*
Daphnoidea.
Davidson R. R. davidsonianum.
Delicatissimum. *Maximum × catabiense.*
Delicatum. FAIRY.
Diadem. Jav.
DIANA. Cat.
DONCASTER. Cat.
DOUBLE FASTUOSUM. Cat. *Fastuosum florepleno.*
DOUBLE ROCKY MOUNTAIN. *R. albilobum plenum† Cy.*
DR. TERRY. Cat.
Duchess of Connaught. Jav.
Duchess of Edinburgh. Jav.
EARLY GEM. Prae.
Eos. Jav.
E. S. RAND. Cat.
EVEREST. Cat. *Everestianum.*
EVERGREEN DAHURIAN. *Rhododendron dahuricum sempervirens† Cy.*
EXQUISITE. Jav.
FABER R. R. faberi.
FAIRY. Cat. *Delicatum.*
FASTUOSUM. Cat.
Fastuosum florepleno. DOUBLE FASTUOSUM.
FAVORITE. Jav.
F. B. HAYES. Cat.
F. D. GODMAN. Cat.
F. L. AMES. Cat. *Amphion.*
FLORENCE. Cat.
FLUSHING. Cat.
FRECKLES. Cau. *Ochroleucum.*
FRINGED R. R. ciliatum.
FUJIYAMA R. R. brachycarpum.

RHODODENDRON, continued

GARLAND R. R. hirsutum.
GENERAL GRANT. Cat.
Giant. Cat. *Giganteum.*
GLENNY. Cau. *Glennyanum.*
GOMER WATERER. Cat.
GOWEN. *Gowenianum.*
Grandiflorum. PARSONS GRANDIFLORUM.
GUIDE. Cat.
HANNA FELIX. Cat.
HANNIBAL. Cat.
HENRIETTA SARGENT. Cat.
HENRY PROBASCO. Cat.
H. H. HUNNEWELL. Cat.
HONEYBELL R. R. campylocarpum.
H. W. SARGENT. Cat.
IGNATIUS SARGENT. Cat. *The Boss.*
JACKSON. Cau. *Jacksoni; Venustum.*
JAMES BATEMAN. Cat.
JAMES MACINTOSH. Cat.
Jasminiflorum carminatum. CAR-MINE JASMINE.
J. MARSHALL BROOKS. Cat.
JOHN WALTER. Cat.
JOHN WATERER. Cat.
J. R. TRUMPY. Cat.
J. SPENCER.
JUNO. Cat. *Roseum superbum.*
KAMCHATKA R. R. kamtschaticum.
KATE WATERER. Cat.
KETTLEDRUM. Cat.
KING-OF-THE-PURPLES. Cat.
KISSENA. Cat.
KOREAN R. R. mucronulatum.
Lady Annette de Trafford. LADY TRAFFORD.
LADY ARMSTRONG. Cat.
LADY CLERMONT. Cat.
LADY ELEANOR CATHCART. Cat.
LADY GREY EGERTON. Cat.
LADY HILLINGDON.
LADY TRAFFORD. Cat. *Lady Annette de Trafford.*
Laetevirens. WILSON.
LAPLAND R. R. lapponicum.
LEATHERLEAF R. R. metternichi.
LEE PURPLE. Cat. *Lee Dark Purple.*
LITTLE BEAUTY. Jav.
LORD WOLSELEY. Jav.

RHODODENDRON, continued
LUCIFER. Cat. *Luciferum.*
Luteoroseum. OPAL.
MABEL PARSONS. Cat.
MADAME CARVALHO. Cat.
MADAME MASSON. Cat.
MADAME THIERS. Cat.
MADAME WAGNER. Cat.
MAIDEN BLUSH. Jav.
MANCHURIAN R. *R. micranthum.*
MARCHIONESS OF LANSDOWNE. Cat.
MARQUIS OF WATERFORD. Cat.
Maximum superbum. APHRODITE
Mayflower R. *R. racemosum.*
MELTON. Cat.
MEMOIR. Cat.
METEOR. Cat.
MICHAEL WATERER. Cat.
MINNIE. Cat.
MODESTY. Cat. *Caeruleascens.*
MONT BLANC. Cau.
MRS. CHARLES SARGENT. Cat.
MRS. FLORENCE SMITH. Cat.
MRS. HARRY INGERSOLL. Cat.
MRS. HOLFFORD. Cat. *Mrs. R. S. Holfford.*
MRS. JOHN CLUTTON. Pon.
MRS. JOHN PENN. Cat.
MRS. JOHN WATERER. Cat.
MRS. MENDEL. Cat.
MRS. MILNER. Cat.
MUM. Cat.
MYRTLE. *Minus* \times *hirsutum*; *Myrtifolium.*
NORMA. Cat.
Ochroleucum. FRECKLES.
OLD PORT. Cat.
OPAL. Jav. *Luteoroseum.*
PARSONS GLORIOSA. Cat.
PARSONS GRANDIFLORUM. Cat.
Grandiflorum.
Perspicuum. SNOWBALL.
PIEDMONT R. *R. minus.*
PINK PEARL. Grif.
PINK ROSEBAY R. *R. maximum roseum.*
PONTIC R. *R. ponticum.*
Praecox. WINTER.
PRESIDENT LINCOLN. Cat.
PRESIDENT ROOSEVELT. Cat.

RHODODENDRON, continued
PRINCESS ALEXANDRA. Jav.
PRINCESS FREDERICA. Jav.
PRINCESS MARY OF CAMBRIDGE. Cat.
PRINCESS ROYAL. Jav.
PROMETHEUS. Cat.
PUNCTATUM
The name *R. punctatum*, which botanically is a synonym of *R. minus*, was formerly misapplied to *R. carolinianum*, but **PUNCTATUM** is now established in the trade as the name of an imported hybrid, probably *R. ferrugineum* \times *carolinianum*.
PURPUREUM CRISPUM. Cat.
PURPUREUM ELEGANS. Cat.
PURPUREUM GRANDIFLORUM. Cat.
QUEEN. Jav.
RALPH SAUNDERS. Cat.
ROCK R. *R. ferrugineum.*
ROCKY MOUNTAIN R. *R. albiflorum.*
ROSABEL. Cat.
ROSA MUNDI. Cat.
ROSE RED. Cat. *Atrorubrum.*
ROSEBALL. Cat. *Congestum roseum.*
ROSEBAY R. *R. maximum.*
ROSEUM ELEGANS. Cat.
Roseum pictum. TINTED VENUS.
Roseum superbum. JUNO.
ROSY MORN. Jav.
R. S. FIELD. Cat.
R. S. HOLFFORD. Cat.
SALMONO. Cat. *Salmono-roseum.*
SAMUEL P. PARSONS. Cat.
SAUVAGE. Cat. *Chevalier Felix de Sauvage.*
SCIPIO. Cat.
SEFTON. Cat.
SENATOR CHARLES SUMNER. Cat.
SHERWOOD. Cat. *Sherwoodianum.*
SIR HENRY HAVELOCK. Cat.
SMIRNOW R. *R. smirnovi.*
SNOW WHITE. Cat. *Album novum.*
SNOWBALL. Cat. *Perspicuum.*
STELLA. Cat.
TAYLOR. Jav. *Taylori.*
The Boss. IGNATIUS SARGENT.
TINTED VENUS. Cat. *Roseum pictum.*
TORCH R. *R. spinuliferum.*
TREE R. *R. arboreum.*

- | | |
|--------------------------------------|---|
| RHODODENDRON | continued |
| TRIUMPH. | Jav. <i>Triumphans</i> . |
| Venustum. | JACKSON. |
| VIRGIN. | Cat. <i>Bicolor</i> . |
| WARRIOR. | Cat. |
| WELLESLEY. | <i>Wellesleyanum</i> . |
| WELS. | Arb. <i>Welsianum</i> . |
| WHITE BALSAM. | Jav. <i>Balsamini-florum album</i> . |
| WHITE CAROLINA R. | R. <i>carolinianum album</i> . |
| WHITE PEARL. | |
| WHITE ROCK. | R. <i>ferrugineum album</i> † Cy. |
| WILLIAM AUSTIN. | Cat. |
| WILSON R. | <i>Ferrugineum</i> × <i>minus</i> ; <i>R. laetivirens</i> † Cy; <i>Wilsoni</i> ; <i>Wilsonae</i> ; <i>Wilsonianum</i> . |
| WINTER. | <i>Ciliatum</i> × <i>dahuricum</i> ; <i>R. praecox</i> † Cy. |
| YELLOW BALSAM. | Jav. <i>Balsam-iniflorum aureum</i> . |
| YELLOWSPOT. | Cau. <i>Coriaceum</i> . |
| YUNNAN R. | R. <i>yunnanense</i> . |
| RHODOMYRTUS | ROSEMYRTLE tomentosa DOWNY R. |
| RHODORA | RHODORA canadensis (<i>Rhododendron canadense</i> Cy-Ar; <i>Azalea canadensis</i>) RHODORA |
| RHODOTYPOS | JETBEAD kerrioides (<i>R. scandens</i> Ar) JETBEAD |
| RHOPALOSTYLIS | |
| baueri (<i>Areca baueri</i>) | BAUER PALM |
| sapida (<i>A. sapida</i>) . . . | MIKAN P. |
| RHUBARB | Rheum |
| COLLIN R. | R. <i>collinianum</i> |
| COMMON R. | R. <i>rhaponticum</i> |
| SORREL R. | R. <i>palmatum</i> |
| TANGUTIAN R. | (<i>R. palmatum</i> <i>languiticum</i> † Cy) |
| RHUS | SUMAC |
| ailanthoides | <i>Picrasma quassiodoides</i> |
| aromatica Ag | <i>Rhus canadensis</i> |
| canadensis (<i>R. aromatica</i> Ag) | FRAGRANT SUMAC |
| copallina | SHINING S. |

- RHUS**, continued

cotinoides (*Cotinus americanus* Cy-Ag-Ar). AMERICAN SMOKETREE

cotinus (*C. coggygria* Cy-Ag-Ar) COMMON SMOKETREE
See also hort. var. list below.

glabra SMOOTH SUMAC

—cismontana YELLOW S.
See also hort. var. list below.

hirta Ag *Rhus typhina*

javanica (*osbeckii*; *semialata osbeckii*) JAVA SUMAC

michauxi MICHAUX POISON S.

osbeckii *R. javanica*

semialata osbeckii *R. javanica*

trilobata LEMONADE SUMAC

typhina (*R. hirta* Ag) STAGHORN S.
See also hort. var. list below.

verniciflua LACQUER-TREE

Hort. var. of **Rhus**:

CUTLEAF SUMAC (*R. glabra lacinata*† Cy)

PURPLE SMOKETREE (*R. cotinus atropurpurea*†; *Cotinus coggygria atropurpurea* Cy)

SHREDDED SUMAC (*R. typhina lacinata*† Cy; *hirta lacinata*)

RHYNCHOSIA ROSARYBEAN

phaseoloides (*Dolicholus phaseoloides* Ag) ROSARYBEAN

precatoria (*D. precatorius* Ag) MEXICAN R.

RHYNCHOSPERMUM

TRACHELOSPERMUM

RHYNCHOSTYLIS

See ORCHID GENERA.

RIBBON BRAKE, RIBBON GRASS, etc.
See BRAKE, GRASS, etc.

RIBBONBUSH

Muehlenbeckia platyclada

RIBES (including *GROSSULARIA* Ag) GOOSEBERRY, Currant
For varieties of Gooseberry and Currant cultivated for their fruit see American Pomological Society's list of Fruits, in Appendix.

alpestre HEDGE GOOSEBERRY

alpinum MOUNTAIN CURRANT

americanum (*floridum*) AMERICAN BLACK C.

RIBES, continued

atrosanguineum

RUBY WINTER CURRANT

Hort. var. of *R. sanguineum*.*aureum* . . . SLENDER GOLDEN C.The fragrant plant cultivated as *R. aureum* is *R. odoratum*.

See also hort. var. list opposite.

cereum . . . WAX CURRANT*curvatum* (*Grossularia curvata* Ag)

GEORGIA GOOSEBERRY

cynosbati (*Grossularia cynosbati* Ag)

PASTURE GOOSEBERRY

See also hort. var. list opposite.

fasciculatum

WINTERBERRY CURRANT

—chinense

CHINESE WINTERBERRY C.

floridum . . . *R. americanum**glandulosum* (*prostratum*)

SKUNK CURRANT

gordonianum . . . GORDON C.

See hort. var. list following.

inerme (*Grossularia inermis* Ag)

WINE GOOSEBERRY

longiflorum . . . *R. odoratum**missouriense* (*G. missouriensis* Ag)

MISSOURI GOOSEBERRY

nigrum

EUROPEAN BLACK CURRANT

niveum (*G. nivea* Ag)

SNOW GOOSEBERRY

odoratum (*longiflorum*)

GOLDEN CURRANT

pinetorum (*G. pinetorum* Ag)

ORANGE GOOSEBERRY

prostratum . . . *R. glandulosum**robustum† Cy*

HAWTHORN GOOSEBERRY

See hort. var. list following.

rotundifolium (*G. rotundifolia* Ag)

ROUNDELFOLIA GOOSEBERRY

*rubrum*This name is often misapplied to *R. vulgare*. The true *R. rubrum*, of botanists, is not in the trade.*sanguineum* . . . WINTER CURRANT

See also hort. var. list following.

*saxosum*The plant listed under this name in the trade is *R. inerme*.*stenocarpum* . KANSU GOOSEBERRY

tenue ASIATIC MOUNTAIN CURRANT

vulgare . . . COMMON RED C.Hort. var. of *Ribes*:GORDON CURRANT (*R. gordonianum† Cy; odoratum × sanguineum*)HAWTHORN GOOSEBERRY (*R. robustum† Cy; niveum × hirtellum*)RUBY WINTER CURRANT (*R. sanguineum atrorubens† Cy; atrosanguineum*)SMOOTH PASTURE GOOSEBERRY (*R. cynosbati inerme† Cy*)YELLOWBERRY CURRANT (*R. aureum chrysococcum† Cy*)

RICASOL PANDOREA

Pandorea ricasoliana

RICCARTON FUCHSIA

*Fuchsia magellanica riccartoni*RICE *Oryza*; *O. sativa*WILDRICE *Zizania*

RICE ACACIA, RICE BEAN, etc. See ACACIA, BEAN, etc.

RICEFLOWER *Pimelea*ROSY R. . . . *P. ferruginea*

RICEPAPER-PLANT

Tetrapanax papyriferum

RICHARDIA . ZANTEDESCHIA

RICINUS CASTOR-BEAN

communis COMMON C.

Hort. var. of CASTOR-BEAN, *R. communis*:BIGFRUIT (*macrocarpus*)BIGLEAF (*macrophyllus*)BOURBON (*bourboniensis*)CAMBODIA (*cambogensis*)GIBSON (*gibsoni*)HYBRID (*hybridus*)PALERMO (*panormitanus*)PHILIPPINE (*philippinensis*)PURPLE (*purpureus*)RED (*sanguineus*)ZANZIBAR (*zanzibarensis*)RIGA PINE . *Pinus sylvestris rigensis*RIKSDORF LINDEN (*Tilia spectabilis**moltkei† Cy*)RINGLEAF WEEPING WILLOW (*Salix babylonica annularis† Cy*)RINGWORM CASSIA . . . *Cassia alata*RIVER BIRCH, RIVER HAWTHORN,
etc. See BIRCH, HAWTHORN,
etc.RIVERBANK GRAPE . . . *Vitis vulpina*

| | | |
|---|--|---|
| RIVERS BEECH, RIVERS CHINESE CRAB, etc. See BEECH, CRAB, etc. | ROCKBEAUTY | Draba pyrenaica |
| RIVINA humilis ROUGE-PLANT | ROCKBELL | Wahlenbergia |
| ROBINIA LOCUST <i>bessoniana</i> BESSON L. Hort. var. of <i>R. pseudoacacia</i> . | GENTIAN R. | W. gracilis |
| <i>decaisneana</i> DECAISNE L. Hort. var. of <i>R. pseudoacacia</i> . | ROCKBRAKE | Cryptogramma |
| ROSE-ACACIA See also hort. var. list below. | AMERICAN R. | <i>C. acrostichoides</i> |
| ISPIDA ROSE-ACACIA See also hort. var. list below. | SLENDER R. | <i>C. stellari</i> |
| HOLDTI HOLDT LOCUST <i>inermis</i> | ROCKCRESS | Arabis |
| A name misapplied to horticultural varieties of <i>R. pseudoacacia</i> , such as Thornless or Umbrella, but sometimes misapplied also to Smooth Rose-acacia. See hort. var. list below. | ALPINE R. | <i>A. alpina</i> |
| KELSEYI KELSEY LOCUST <i>neomexicana</i> NEW MEXICAN L. —luxurians WESTERN L. <i>pseudoacacia</i> (<i>pseudacacia</i>) | DOUBLE ALPINE R. | Hort. var. of <i>A. alpina</i> . |
| COMMON L. <i>semperflorens</i> PERPETUAL L. Hort. var. of <i>R. pseudoacacia</i> . | DOWNTY R. | <i>A. mollis</i> |
| VISCOSA CLAMMY L. Hort. var. of <i>Robinia</i> : | DWARF ALPINE R. | Hort. var. of <i>A. alpina</i> . |
| BESSON LOCUST (<i>R. pseudoacacia bessoniana</i> † Cy; <i>bessoniana</i>) | ITALIAN R. | <i>A. muralis</i> |
| DECAISNE L. (<i>R. p. decaisneana</i> † Cy; <i>decaisneana</i>) | WALLCRESS | <i>A. albida</i> |
| PERPETUAL L. (<i>R. p. semperflorens</i> † Cy; <i>semperflorens</i>) | ROCKERY BLISTERCRESS | <i>Erysimum pulchellum</i> |
| SINGLELEAF L. (<i>R. pseudoacacia monophylla</i> † Cy) | ROCKET | <i>Hesperis</i> |
| SMOOTH ROSE-ACACIA (<i>R. hispida macrophylla</i> † Cy) | DAMES R. | <i>H. matronalis</i> |
| THORNLESS LOCUST (<i>R. pseudoacacia inermis</i> † Cy) | ROCKET CANDYTUFT (<i>Iberis amara coronaria</i> † Cy) | <i>Iberis amara</i> |
| UMBRELLA L. (<i>R. pseudoacacia umbaculifera</i> † Cy) | ROCKPURSLANE | <i>Calandrinia</i> |
| ROBINSON ANEMONE (<i>Anemone nemorosa robinsoniana</i> † Cy) | COMMON R. | <i>C. grandiflora</i> |
| ROCHEA ROCHEA coccinea (<i>Crassula coccinea</i>) | PERUVIAN R. | <i>C. umbellata</i> |
| SCARLET R. | ROCKROSE | <i>Cistus</i> |
| ROCK LIVING-ROCK | BROWN-EYED R. | (<i>C. ladaniferus maculatus</i> † Cy) |
| Ariocarpus; <i>A. fissuratus</i> | GUM R. | <i>C. ladaniferus</i> |
| ROCK ASTER, ROCK CANDYTUFT, etc. See ASTER, CANDYTUFT, etc. | LAUREL R. | <i>C. laurifolius</i> |
| | MONTPELIER R. | <i>C. monspeliensis</i> |
| | SALVIA R. | <i>S. salvifolius</i> |
| | WHITELEAF R. | <i>C. albidus</i> |
| | ROCKSPIREA | <i>Holodiscus discolor</i> |
| | ROCKSPRAY | <i>Cotoneaster microphylla</i> |
| | THYME R. | <i>C. m. thymifolia</i> |
| | ROCKY MOUNTAIN CRANESBILL, etc. See CRANESBILL, GAY- FEATHER, etc. | <i>C. thymifolia</i> |
| | RODGERSIA | |
| | podophylla | BRONZELEAF |
| | tabularis | |
| | ROEBELIN PALM | <i>Phoenix roebelinii</i> |
| | ROMAN WORMWOOD | <i>Artemisia pontica</i> |
| | ROMERO | <i>Trichostema lanatum</i> |
| | ROMNEYA | CANYON-POPPY |
| | coulteri | <i>Coulter C.</i> |
| | trichocalyx | <i>Bridal C.</i> |
| | Roof IRIS, Roof HOUSELEEK, etc. | |
| | See IRIS, HOUSELEEK, etc. | |

ROOT

- ALUMROOT *Heuchera*
 ARROWROOT *Maranta*
 BITTERROOT *Lewisia rediviva*
 BLOODROOT *Sanguinaria canadensis*
 BOWMANSROOT *Gillenia trifoliata*
 BREADROOT *Psoralea esculenta*
 CRINKLEROOT *Dentaria diphylla*
 CUCUMBER-ROOT *Medeola virginica*
 DRAGONROOT *Arisaema dracontium*
 MUNDI-ROOT *Chlorocodon whitei*
 PINKROOT *Spigelia marilandica*
 PUTTYROOT *Aplectrum hyemale*
 SERPENTROOT *Scorzonera*
 SNAKEROOT *Aristolochia* species
 SUGAR-ROOT *Craniolaria annua*
 TUFTROOT *Dieffenbachia*
 YELLOWROOT *Zanthorrhiza apifolia*

ROOTSPINE PALM

- Acanthorhiza aculeata*

RORAIMA PITCHERPLANT

- Heliamphora nutans*

RORIPA (RORIPPA) RADICULA

ROSA ROSE

For horticultural varieties see American Rose Society's special list, on page 406.

- acicularis* PRICKLY ROSE
—bourgeauiana (sayi) BOURGEAU R.
—engelmanni ENGELMANN R.
alpina *R. pendulina*
altaica *R. spinosissima altaica*
arkansana ARKANSAS ROSE
 The name *R. arkansana* is often misapplied to *R. heliophila*.
banksiae (banksiana)

BANKSIAN ROSE

- normalis* WILD BANKSIAN R.
banksiopsis FALSE BANKSIAN R.
bella SOLITARY R.
blanda MEADOW R.
—willmottiae
bracteata MACARTNEY R.
brunoni BROWNS R.
californica CALIFORNIA WILD R.
camellia *R. laevigata*
canina DOGBRIER
carolina *R. palustris*

A recent re-identification of the plate that is the basis of *R. carolina* of Linnaeus shows that the name *R. carolina* as first used applies to the Pasture Rose, which has been known as *R. humilis*,

ROSA carolina, continued

while the correct botanical name for the Swamp Rose, long treated as *R. carolina*, is *R. palustris*.

- carolina* Cy-Ag-Ar *R. humilis*

- cathayensis* *R. multiflora cathayensis caudata*

- centifolia* CABBAGE ROSE

- cherokeensis* *R. laevigata*

- chinensis* CHINESE ROSE

- cinnamomea* CINNAMON R.

- coriifolia* LEATHERLEAF R.

- froebeli (laxa)* FROEBEL R.

- corymbulosa* WHITE-EYE R.

- damascena* DAMASK R.

- davidi* DAVID R.

- davurica* DAHURIAN R.

- ecae* ECA R.

- eglantieria* Ar *R. rubiginosa*

- engelmanni* *R. acicularis engelmanni*

- fendleri* *R. woodsi fendleri*

- ferox* *R. rugosa*

- ferruginea* *R. rubrifolia*

- filipes* THREADSTALK ROSE

- foetida (lutea)* AUSTRIAN BRIER R.

- foliolosa*

- gallica* FRENCH R.

- gentiliana* NATIONAL R.

- gratissima* SWEETLEAF R.

- gymnocarpa* BALD-HIP R.

- helenae* HELEN R.

- heliophila* Cy *R. suffulta*

- hugonis* HUGONIS R.

- humilis* (*R. carolina* Cy-Ag-Ar)

- PASTURE R.

See note under *R. carolina*.

- grandiflora*

- triloba*

- villosa*

- illinoiensis* *R. rubiginosa*

- jacki* Cy *R. maximowicziana jacki*

- laevigata* (*camellia*; *cherokeensis*;

- nivea*; *sinica*; *ternata*)

- CHEROKEE ROSE

- laxa* *R. coriifolia froebeli*

- lheritierana* BOURSault ROSE

- lucida* (*R. virginiana* Cy-Ag)

- VIRGINIA ROSE

- lutea* *R. foetida*

- macdougalii* MACDOUGAL ROSE

ROSA, continued

- macouni MACOUN ROSE
 macrophylla BIGLEAF R.
 marreti MARRET R.
 maximowicziana
 —jacki (*R. jacki* Cy)
microphylla R. roxburghii
minutifolia
mirifica
mohavensis MOHAVE ROSE
moschata MUSK R.
 —*nastarana* (*pissartii*)
 PERSIAN MUSK R.
moyesi MOYES R.
multibracteata
multiflora JAPANESE R.
 —*cathayensis* CATHAY R.
nitida BRISTLY R.
nivea R. laevigata
nutkana NUTKA ROSE
 —*hispidia* BRISTLY NUTKA R.
odorata TEA R.
 —*gigantea* GIANT TEA R.
omeiensis MOUNT OMEI R.
palustris (*carolina*) . . . SWAMP R.

See note under *R. carolina*.

- pendulina* (*alpina*) . PYRENEES R.
persica (*simplicifolia*) . PERSIAN R.
pimpinellifolia . . . R. spinosissima
pinetorum PINWOODS ROSE
pisocarpa
pissartii R. *moschata nastarana*
polyantha

The Latin name *Rosa polyantha* is often used, erroneously, for the Polyantha group of roses, hybrids between *R. chinensis* and *R. multiflora*.

- pomifera* (*R. villosa* Ar)
pratti PRATT ROSE
roxburghii (*microphylla*)

ROXBURGH R.

- normalis* . SINGLE ROXBURGH R.
- rubifolia* . . . R. *setigera tomentosa*
- *rubicinosa* (*eleganteria* Ar; *illinoiensis*) . . . SWEETBRIER
- rubrifolia* (*ferruginea*) REDLEAF ROSE
- rugosa* (*ferox*) . . . RUGOSA R.
- kamtschatica* . KAMCHATKA R.
- saturata* CORAL R.
- sayi* R. *acicularis bourgeauiana*
- sertata* GARLAND ROSE

ROSA, continued

- setigera* PRAIRIE ROSE
 —*tomentosa* (*rubifolia*)
setipoda NODFRUIT R.
simplicifolia R. *persica*
sinica R. *laevigata*
sonomensis SONOMA ROSE
soulieana SOULIE R.
spinosissima (*pimpinellifolia*)
 SCOTCH R.
 —*altaica* ALTAI R.
 —*hispida* BRISTLY SCOTCH R.
spithamea
stellata NEW MEXICAN R.
suffulta (*R. heliophila* Cy)
sweginzowi SWEGINZOW R.
ternata R. *laevigata*
villosa Ar R. *pomifera*
virginiana Cy-Ag R. *lucida*
watsoniana WATSON ROSE
wichuraiana WICHURIAN R.
willmottiae WILLMOTT R.
woodsi WOODS R.
 —*fendleri* FENDLER R.
xanthina KOREAN R.

Hort. var. of ROSE, Rosa:

In order that all the Rose names in this book may be found in one alphabetical sequence, the common names and the Latin names of the wild species and sub-species have been repeated, in their proper alphabetical position, in the following list of horticultural varieties.

ROSES IN AMERICAN COMMERCE TO
OCTOBER 1, 1923

The following list has been prepared in the office of the Editor of the American Rose Annual (J. Horace McFarland) in anticipation of the completion of an impartial descriptive catalogue of roses for the American Rose Society. All available catalogues, American and foreign, have been consulted, and the subjoined list includes all the roses that have been mentioned in some American catalogue within the past five years.

In promotion of that accuracy which is so desirable, much correspondence has been undertaken. The painstaking work of Charles E. F. Gersdorff in compiling an "Official List of Roses Introduced in America," as finally revised and published in the American Rose Annual for 1922, has been of great value, and Mr. Gersdorff has also read the manuscript of the following list. The Editor's assistant, Miss Bess E. Trump, has done the work of compiling

ROSA, ROSE, continued

with intelligence and care. The manuscript has been revised by Robert Pyle, President of the American Rose Society, and the species of the rose family interspersed have been passed upon by Dr. Alfred Rehder, of the Arnold Arboretum.

Particular care has been given to the determination of synonyms and of renamed varieties.

While not essential to the accuracy of the names of the roses listed, there are added to each the name of the originator or introducer and the year of introduction, so far as ascertainable. There is also appended a carefully subdivided classification.

The length of the list is deplored. Many of the varieties are so nearly identical that they could well be eliminated, while others are of such minimum value that they merely confuse and clutter up the situation. It is hoped that before long such rigid discrimination will be given old as well as new rose varieties as will tend to reduce the length of the list. An average of nearly 150 varieties come newly into commerce each year and more than that number ought each year to be dropped.

In the United States, new roses usually receive the scrutiny of the Registration Committee of the American Rose Society before the names offered are formally assigned to them, and notification of each such new variety offered for registration is sent to the French and English rose societies, in the hope of avoiding name duplication. Co-operation in name scrutiny has been also arranged with Canadian and Australian rose organizations. There is thus the beginning of orderly control at least of names.

The names of varieties that follow are in accord with the code of nomenclature adopted by the American Rose Society, and are in every ascertainable case precisely as first published by the originator or introducer.

Suggestions, information, and criticisms relative to this list will be cheerfully received by J. Horace McFarland, Editor American Rose Annual, Harrisburg, Pa.

ABBREVIATIONS OF CLASS NAMES OF ROSES

| | |
|----------|----------------------------|
| AB. | Austrian Brier. |
| Alp. | Alpine. |
| Ayr. | Ayrshire. |
| BB. | Bourbon-Bengal. |
| Ben. | Bengal (or China). |
| Bour. | Bourbon. |
| Brac. | Bracteata. |
| Cl.Ben. | Climbing Bengal. |
| Cl.Bour. | Climbing Bourbon. |
| Cl.HP. | Climbing Hybrid Perpetual. |

ROSA, ROSE, continued

| | |
|------------|----------------------------|
| Cl.HT. | Climbing Hybrid Tea. |
| Cl.M. | Climbing Moss. |
| Cl.Nois. | Climbing Noisette. |
| Cl.T. | Climbing Tea. |
| D.Pol. | Dwarf Polyantha. |
| H.Ben. | Hybrid Bengal (or China). |
| H.G. | Hybrid Gigantea. |
| H.Laev. | Hybrid Laevigata. |
| H.Mac. | Hybrid Macrocarpa |
| H.Mos. | Hybrid Moschata. |
| H.Nois. | Hybrid Noisette. |
| HP. | Hybrid Perpetual. |
| H.Per. | Hybrid Pernetiana. |
| H.Pol. | Hybrid Polyantha. |
| H.Pol-Ayr. | Hybrid Polyantha-Ayrshire. |
| H.Pol- | |
| Rug. | Hybrid Polyantha-Rugosa. |
| H.Rug. | Hybrid Rugosa. |
| H.Sb. | Hybrid Sweetbrier. |
| HT. | Hybrid Tea. |
| HT-Pol. | Hybrid Tea-Polyantha. |
| HW. | Hybrid Wichuraiana. |
| M. | Moss. |
| Mult. | Multiflora. |
| Nois. | Noisette. |
| Per. | Pernetiana. |
| Per-HT. | Pernetiana-Hybrid Tea. |
| Prov. | Provence. |
| Semp. | Semperflorens. |
| Set. | Setigera. |
| Spin. | Spinosissima. |
| T. | Tea. |
| T.-Pol. | Tea-Polyantha. |

ABBREVIATIONS OF NAMES OF ORIGINATORS

Where less than five varieties are credited to an originator or introducer, his name is not abbreviated. The address of each originator is given where known, even though the person or firm may no longer be in business.

| | |
|----------|---|
| Ag. | U. S. Department of Agriculture, Washington, D. C. |
| Bar. | Barbier & Co., Orleans, France. |
| Ben. | Bennett, Shepperton, England. |
| Ber. | A. Bernaix, Villeurbanne-Lyon, Rhone, France. |
| Bide | S. Bide & Son, Farnham, England. |
| Breit. | J. Breitmeyer's Sons, Detroit, Mich. |
| Bru. | Bruant, Poitiers, France. |
| Bud. | Budlong & Son Co., Auburn, R. I. |
| Bur. | Luther Burbank, Santa Rosa, Calif. |
| Burr. | J. Burrell & Co., Cambridge, England. |
| Byrnes | Edward M. Byrnes, U. S. Dept. of Agriculture, Washington, D. C. |
| Calif. | California Rose Co., Los Angeles, Calif. |
| Cant, B. | B. R. Cant & Sons, Colchester, England. |

ROSA, ROSE, continued

Cant, F. Frank Cant & Co., Colchester, England.
 Cham. M. Chamard, Lyon-Monplaisir, France.
 C. & J. The Conard & Jones Co., West Grove, Pa.
 Chap. Chaplin Bros., Ltd., Waltham Cross, England.
 Clarke Clarke Bros., Portland, Ore.
 Cock. James Cocker & Sons, Aberdeen, Scotland.
 Coch. Cochet-Cochet, Coubert, France.
 Coch. P. Pierre Cochet, Grisy-Suisnes, France.
 Cook, A. Anthony Cook, Baltimore, Md.
 Cook, J. John Cook, Baltimore, Md.
 Cook, T. Thomas N. Cook, Watertown, Mass.
 Coq. Coquereau.
 Croib. J. Croibier & Sons, Par Vennissieux-pres-Lyon, Rhone, France.
 Dawson Jackson Dawson, Arnold Arboretum, Jamaica Plain, Mass.
 D. & C. Dingee & Conard Co., West Grove, Pa.
 Dicks., A. Alex. Dickson & Sons, Newtownards, County Down, Ireland.
 Dicks., H. Hugh Dickson, Ltd., Belfast, Ireland.
 Dorn. F. Dorner & Sons Co., Lafayette, Ind.
 Dreer Henry A. Dreer, Philadelphia, Pa.
 Dubr. Dubreuil, Lyon, France.
 Ducher, Mme. Ducher, Lyon, France.
 Dunlop John H. Dunlop, Richmond Hill, Ontario, Canada.
 Eas. Walter Easlea, Eastwood, Leigh-on-Sea, Essex, England.
 E. & B. Ellwanger & Barry, Rochester, N. Y.
 Elliott Elliott Nursery Co., Inc. Pittsburgh, Pa.
 Far. R. & J. Farquhar & Co., Boston, Mass.
 Fauq. Fauque & Sons.
 Feast Feast & Sons, Baltimore, Md.
 For. Fortune.
 Gamon Gamon, Lyon, France.
 Ger. Gerard.
 Gersd. Chas. E. F. Gersdorff, Washington, D. C.
 Gesch. Geschwindt, Karpona, Hungary.
 Glen St. M. Glen Saint Mary Nurseries, Glen Saint Mary, Fla.
 G. & R. Good & Reese Co., Springfield, Ohio.
 Grav. M. M. Gravereaux, Roseraie de l'Hay, Seine, France.

ROSA, ROSE, continued

Gude Gude Bros., Washington, D. C.
 Guil., P. Pierre Guillot, Lyon, Monplaisir, France.
 Guil. père Guillot père, Lyon, Monplaisir, France.
 Guil. fils Guillot fils, Lyon, Monplaisir, France.
 Guin. Guinoiseau, Angers, France.
 Hardy Hardy, Paris, France.
 Hark. R. Harkness & Co., Hitchins, England.
 Hend. Henderson.
 Hend., J. J. Henderson, U. S. A.
 Hend., P. Peter Henderson & Co., New York, N. Y.
 Hicks Elisha J. Hicks, Hurst, Twyford, Berks, England.
 Hill, E. G. E.G.Hill Co., Richmond, Ind.
 Hill, J. H. Joseph H. Hill Co., Richmond, Ind.
 Hob. Hobbies, Ltd., Dereham, England.
 Hoopes Hoopes, Bro. & Thomas Co., West Chester, Pa.
 Howard Howard Rose Co., Hemet, Calif.
 H. & S. Howard & Smith, Los Angeles, Calif.
 J. & P. Jackson & Perkins Co., Newark, N. Y.
 Ketten Ketten Bros., Luxembourg, Grand Duchy of Luxembourg.
 Kiese Herm. Kiese & Co., Vieselbach-Erfurt, Germany.
 Lach. Lacharme, Lyon, France.
 Lamb., E. Elie Lambert, Lyon, France.
 Lamb., P. Peter Lambert, Trier, Germany.
 LeC. Philip LeCornu, High View, Jersey, England.
 Leend. M. Leenders & Co., Steyl-Tegelen, Holland.
 Lem. V. Lemoine & Son, Nancy, France.
 Lemon F. H. Lemon & Co., Richmond, Ind.
 Lev. Lévéque, Nurseryman, Grey sur Seine, Seine, France.
 Levav. Levavasseur & Sons, Orleans, Loiret, France.
 Levet Francois Levet, Lyon, France
 Liab. Jean Liabaud, Lyon, France.
 L. & S. Lowe & Shawyer, Uxbridge, England.
 Lovett J. T. Lovett, Little Silver, N. J.
 Manda W. A. Manda, South Orange, N. J.
 Mar. Margottin, Bourg-la-Reine, France.
 May, H. B. H. May, Summit, N. J.
 May, J. John N. May, Summit, N. J.
 McG. Samuel McGredy & Son, Portadown, Ireland.
 Merry. H. Merryweather & Sons, England.

ROSA, ROSE, continued

| | |
|-------------|--|
| Mont. | Montgomery Co., Inc., Hadley, Mass. |
| Mont., A. | Alex. Montgomery, Hadley, Mass. |
| M.-R. | Moreau-Robert, Angers, France. |
| Nab. | C. Nabonnand, Esterel Parc par Mandelieu, pres Cannes (Alpes-Maritimes), France. |
| Nonin | M. Nonin. |
| Paul | Paul & Sons, Cheshunt, Herts, England. |
| Paul, W. | Wm. Paul & Son, Waltham Cross, Ltd., Herts, England. |
| Per.-D. | J. Pernet-Ducher, Venise-sieux-les-Lyon, Rhone, France. |
| Pem. | Rev. J. H. Pemberton, Havering-atte-Bower, near Rumford, Essex, England. |
| Penz. | Lord Penzance, Eashing Park, England. |
| Pernet | Pernet, Lyon, France. |
| Pier., A.N. | A. N. Pierson, Inc., Cromwell, Conn. |
| Pier., F.R. | F. R. Pierson, Tarrytown, N. Y. |
| Poul. | Poulsen, Germany. |
| Schmidt | J. C. Schmidt, Erfurt, Germany. |
| Schul. | Heinrich Schultheis, Steinfurth, Kreis Friedberg, Hessen, Germany. |
| Schw. | Schwartz. |
| Schw., A. | André Schwartz, Venissieux Rhone, France. |
| Schw., J. | Joseph Schwartz, Lyon, France. |
| Schw., Mme. | Mme. Schwartz, Lyon, France. |
| Scott. | Robert Scott & Son, Sharon Hill, Pa. |
| S. & H. | Storrs & Harrison Co., Painesville, Ohio. |
| S. & N. | Souperf & Notting, Luxembourg, Grand Duchy of Luxembourg. |
| Spr. | Rev. James M. Sprunt, Kenansville, N. C. |
| Tanne | Tanne. |
| Thomas | Capt. George C. Thomas, Jr., Beverly Hills, Calif. |
| Tot. | Charles H. Totty Co., Madison, N. J. |
| Tow. | Edward Towill, Roslyn, Pa. |
| Tur. | E. Turbat & Co., Orleans, France. |
| Turn. | Charles Turner, Slough, England. |
| Türke | Türke. |
| Un. | F. R. M. Undritz, West New Brighton, L. I., N. Y. |
| Van F. | Walter Van Fleet, Glenn Dale, Md. |

ROSA, ROSE, continued

| | |
|-----------|---|
| Veitch | J. Veitch & Sons, England. |
| Verd., E. | Eugene Verdier, Paris, France. |
| Verd., V. | Victor Verdier, Paris, France. |
| Vers. | H. A. Verschuren & Sons, Haps, Holland. |
| Vestal | Joseph W. Vestal & Son, Little Rock, Ark. |
| Vibert | Vibert, Angers, France. |
| Walsh | M. H. Walsh, Woods Hole, Mass. |
| Weig. | L. Weigand, Saden, Faunus, Germany. |
| Welt. | Nicola Welter, Trier, Germany. |

ABEL CARRIÈRE. HP. (E. Verd. 1875.)

ABUNDANCE. D.Pol. (Hend. 1910.)

acicularis. PRICKLY R.*acicularis bourgeauiana*. *Sayi*. BOURGEAU R.*acicularis engelmanni*. *Engelmanni*. ENGELMANN R.

ADÉLAÏDE MOULLÉ. HW. (Bar. 1902.)

ADMIRAL DEWEY. HT. (Taylor 1899.)

ADMIRAL SCHLEY. HT. (J. Cook 1901.)

ADMIRAL WARD. HT. (Per.-D. 1915.)

ÄNNCHEN MÜLLER. D.Pol. (Schmidt 1907.) *Anna Mueller*; *Anna Müller* *Annchen Müller*; *Annie Mueller*; *Annie Müller*; *Anny Mueller*; *Anny Müller*; *Baby Anna Müller*; *Pink Baby Rambler*.

AGATHEA. D.Pol.

AGNES. H.Rug. (Saunders 1922.)

AGRIPPINA. Ben. (Intro. into England from China in 1789.) *Cramoisi Supérieur*; *Cramoisi Superior*.AGLAIA. Mult. (P. Lamb. 1896.) *Yellow Rambler*.

AGNES EMILY CARMAN. H.Rug. (Carman 189-.)

A. K. Williams. ALFRED K. WILLIAMS.

ALADDIN. HT. (W. Paul 1916.) *Alan Cheales*. REV. ALAN CHEALES.

ALBA RUBRIFOLIA. HW. (Van F. 1898.)

ALBÉRIC BARBIER. HW. (Bar. 1900.)

ALBERT HOFFMANN. T. (Welt. 1905.)

ALBERT STOPFORD. T. (Nab. 1898.)

ALEXANDER EMSLIE. HT. (A. Dicks. 1918.)

ROSA, ROSE, continued

- ALEXANDER HILL GRAY. T. (A. Dicks. 1911.) *Yellow Cochet; Yellow Man-maan Cochet.*
 ALEXANDRE GIRAUT. HW. (Bar. 1909.)
 ALFRED COLOMB. HP. (Lach. 1865.)
 ALFRED K. WILLIAMS. HP. (Schw. 1877.) *A. K. Williams.*
 ALFRED W. MELLERSH. HT. (W. Paul 1918.)
 ALICE ALDRICH. H.Rug. (Lovett 1899.)
Alice de Rothschild. MISS ALICE DE ROTHSCHILD.
 ALICE LEMON. HT. (E. G. Hill 1911.)
 ALIDA LOVETT. HW. (Van F. 1905.)
 ALINE SISLEY. T. (Guil. fils 1874.)
 ALISTER STELLA GRAY. Nois. (Gray 1894.) *Golden Rambler.*
 ALLIANCE FRANCO-RUSSE. T. (Goinard 1899.) *Franco-Russia.*
 ALPHONSE SOUPERT. HP. (Lach. 1883.)
Alpina. R. pendulina.

ALPINE

The Alpine group of roses consists of derivatives of the Pyrenees Rose, *Rosa pendulina*.

- ALTAI R. *R. spinosissima altaica.*
Altaica. R. spinosissima altaica.
Amelia Gude. MISS AMELIA GUDE.
 AMALIE DE GREIFF. HT. (P. Lamb. 1912.)
 AMATEUR TEYSSIER. HT. (Gamon 1899.)
 AMÉLIE GRAVEREAUX. H.Rug. (Grav. 1904.)
America. Hill's America.
 AMERICA. Mult. (Walsh 1915.)
 AMERICAN BEAUTY. HP. (Bancroft and Field Bros. 1886.) *Mme. Ferdinand Jamin.*

This rose was sent out as *Mme. Ferdinand Jamin* by Ledéchaux in 1875.

- American Beauty, Cl. CL. AMERICAN BEAUTY.*
American Beauty, Cl. Pink. CHRISTINE WRIGHT; CL. PINK AMERICAN BEAUTY.
American Beauty, Cl. White. CL. FRAU KARL DRUSCHKI; FREEDOM.

ROSA, ROSE, continued

- American Beauty, Hardy.* ULRICH BRUNNER.
American Beauty, Pink. GEORGE ARENDTS; MRS. CHARLES E. RUSSELL; QUEEN OF EDGELY; RADIANCE.
American Beauty, White. FRAU KARL DRUSCHKI.
American Beauty, Yellow. LEMON QUEEN.
American Legion. LEGION.
 AMERICAN PILLAR. HW. (Van F. 1902.)
 AMETHYSTE. HW. (Nonin 1912.)
 AMY ROBSART. H.Sb. (Penz. 1894.)
 ANDRÉ GAMON. HT. (Per.-D. 1909.)
 ANDRÉ SCHWARTZ. T. (J. Schw. 1884.)
Andrew Schwartz; Everblooming Jack.
 ANDRÉAS HÖFER. Mult. (Kiese 1911.)
 ANDRÉ LENOBLE. D.Pol. (Tur. 1916.)
 ANEMONEN R. H. Laev. (Schmidt 1896.) *Anemone R.*
 ANGELUS. HT. (Lemon 1920.)
 ANGELE PERNET. Per. (P.-D. 1924.)
 ANNA ALEXIEFF. HP. (Mar. 1858.)
 ANNA DE DIESBACH. HP. (Lach. 1859.) *Gloire de Paris; Glory of Paris.*
Anna Mueller
 For this and similar misspellings, see *ÄNNCHEN MÜLLER.*
 ANNA OLIVIER. T. (Ducher 1872.)
Anna Oliver.
Anne Marie. SOUV. D'ANNE MARIE.
 ANNE-MARIE SOUPERT. HT. (S. & N. 1903.) *Anna Marie Soupert.*
 ANNE OF GEIERSTEIN. H.Sb. (Penz. 1894.) *Annie of Geierstein.*
 ANNI WELTER. M. (Welt. 1906.) *Annie Welter.*
Annie Crawford. MISS ANNIE CRAWFORD.
 ANNIE WOOD. HP. (E. Verd. 1866.)
 ANTOINE RIVOIRE. HT. (Per.-D. 1895.) *Mrs. Taft.*
 ANTOINE VERDIER. HT. (Jamain '71.)
 APOLLINE. Ben. (V. Verd. 1848.) *Appoline; Appoline.*
 APOTHEKER FRANZ HAHNE. Per. (Müller 1919.)

ROSA, Rose, continued

APOTHEKER GEORG HÖFER. HT.
(Welt. 1900.)

APPLE BLOSSOM. Mult. (Dawson
189-.)

Apple Blossom R. EMPRESS OF CHINA.

ARCADIA. HW. (Walsh 1913.)

ARCHIDUC CHARLES. Prov. (Vibert)
Archduke Charles.

ARCHIDUCHESSE ELISABETH D'AU-
TRICHE. HP. (M.-R. 1881.) *Arch-
duchess Elizabeth of Austria.*

ARCHE GRAY. HP. (H. Dicks. 1920.)

ARDS ROVER. Cl.HP. (A. Dicks 1898.)

Arenberg. PRINCE ENGELBERT
CHARLES D'ARENBERG.

ARETHUSA. Ben. (W. Paul 1903.)

ARIADNE. HT. (W. Paul 1918.)

ARIEL. Mult. (Paul 1910.)

arkansana. ARKANSAS R.

ARKANSAS R. R. arkansana.

Armosa. HERMOSA.

This rose is so well known in the trade
as Hermosa that that name is retained,
despite the fact that it was first pub-
lished as Armosa.

ARNOLD. H. Rug. (Dawson 1893.)
*Arnoldiana; Dawson's Hybrid Ru-
gosa; rugosa × General Jacquem-
inot.*

ARTHUR COOK. HT. (McG. 1922.)

ARTHUR R. GOODWIN. Per. (Per.-D.
1909.) A. R. Goodwin.

ASPIRANT MARCEL ROUYER. HT.
(Per.-D. 1919.)

ATROPURPUREA. H.Rug. (Paul 1900.)

Augusta Victoria. KAISERIN AU-
GUSTE VIKTORIA.

Augusta Victoria, Cl. MRS. ROBERT
PEARY.

AUGUSTE RIGOTARD. HP. (J. Schw.
1861.)

AUGUSTE ROUSSEL. H.Mac. (Bar.
1913.)

AUGUSTINE GUINOISSEAU. HT. (Guin.
1889.) *Mlle. Augustine Guinois-
seau; White La France.*

Augustine Guinoisseau, Jr. JUNIOR
AUGUSTINE GUINOISSEAU.

AUGUSTINE HALEM. HT. (Guil. fils
1891.)

AUGUSTUS HARTMANN. HT. (B. R.
Cant 1914.)

ROSA, Rose, continued

AUNT HARRIET. HW. (Van F. 1918.)
AURORA. HT. (W. Paul 1898.)

AUSTRALIAN BEAUTY. Cl.HT. (Kers-
lake.)

AUSTRIAN BRIER R. R. foetida.

AUSTRIAN COPPER. AB. (Ger. 1596.)

R. foetida bicolor Cy; *R. f. puni-
cea* Ar; Copper Austrian.

Austrian Yellow. R. foetida.

AUTUMN TINTS. HT. (B. R. Cant
1914.)

AVIATEUR BLÉRIOT. HW. (Fauq.
1910.)

Aviateur Metivier. SOUV. DE L'AVIA-
TEUR METIVIER.

Aviateur Olivier Montalent. SOUV. DE
L'AVIATEUR OLIVIER DE MONTA-
LENT.

AVOCO. HT. (A. Dicks. 1907.)

AYRSHIRE.

The Ayrshire group of roses consists
of descendants of the Ayrshire Rose, a
horticultural variety of *Rosa arvensis*.

BABETTE. HW. (Walsh 1908.)

Baby.

For all synonyms prefixed Baby, see main
name.

Baby Anna Müller. ÆNNCHEN MÜL-
LER.

Baby Catherine Zemet. KATHARINA
ZEIMET.

Baby Chatenay. ROSALIE.

Baby Doll. TIP-TOP.

Baby Dorothy. MAMAN LEVAVAS-
SEUR; Mrs. W. H. CUTBUSH.

Baby Dorothy Perkins. Mrs. W. H.
CUTBUSH.

Baby Dorothy, Pink. MAMAN LEVA-
VASSEUR.

BABY ELEGANCE. D.Pol. (Hob. 1913.)

Baby Ethel Cavel. Miss EDITH CA-
VELL.

BABY FARBENKÖNIGIN. D.Pol.

Baby Gruss an Archin. GRUSS AN
AACHEN.

Baby Herriot. ETOILE LUISANTE.

BABY LYON R. D.Pol. (Tur. 1916.)

Baby Marvel of Reds. MERVEILLE
DES ROUGES.

Baby Moss R. WICHMOSS.

Baby Rambler, Cl. Miss G. MESSMANN.

ROSA, ROSE, continued

Baby Rambler, Crimson. MME. NORBERT LEVAVASSEUR.
Baby Rambler, Crimson, Cl. Cl. CL. CRIMSON BABY RAMBLER.
Baby Rambler, Double White. KATHARINA ZEIMET.
Baby Rambler, Pink. ÆNNCHEN MÜLLER; MAMAN LEVAVASSEUR; MRS. W. H. CUTBUSH; ORLEANS; PHYLLIS.
Baby Rambler, Red! JESSIE; MME. NORBERT LEVAVASSEUR.
Baby Rambler, White. JEANNE D' ARC; KATHARINA ZEIMET; ZELIA BOURGEOIS.
Baby Rambler, White, Vaughan's. VAUGHAN'S WHITE BABY RAMBLER.
Baby Rambler, Yellow. ETOILE DE MAI; EUGÉNIE LAMESCH.
Baby Tausendschön. ECHO; LOUISE WALTER.
BAGATELLE. Mult. (S. & N. 1908.)
BALD-HIP R. R. gymnocarpa.
BALDUIN. HT. (P. Lamb. 1896; intro. in U.S. by Dingee & Conard Co. in 1902 as *Helen Gould*.) Crimson Maman Cochet; Helen Gould; Red Cochet; Red Maman Cochet.
Balduin, Cl. Cl. BALDUIN.
Ball of Snow. BOULE DE NEIGE; PERLE DES BLANCHES.
BALTIMORE. HT. (J. Cook 1898.)
BALTIMORE BELLE. Set. (Feast 1843.)
banksiae. Banks R.; Banksia; Banksiana; Banksiae alba; Banksiae alboplena; White Banksian R.; Double Banksian R. BANKSIAN R. Banksiae lutea. YELLOW BANKSIAN R.
banksiae normalis. WILD BANKSIAN R.
BANKSIAN R. R. banksiae.
Banksian R., Double Yellow. YELLOW BANKSIAN R.
Banksian R., False. R. banksiopsis.
Banksian R., Wild. R. banksiae normalis.
Banksian R., Yellow; Yellow Banksia. YELLOW BANKSIAN R.
Banksiana. R. banksiae.
banksiopsis. FALSE BANKSIAN R.
BARBAROSSA. HP. (Welt. 1906.) Red Frau Karl Druschi.

ROSA, ROSE, continued

BARDOU JOB. Cl.Bour. (Nab. 1887.) Not identical with MME. BARDOU JOB.
BARON DE BONSTETTEN. HP. (Liab. 1871.) Baronne de Bonstetten; Mons. Boncenne.
BARON DE WASSENAER. M. (V. Verd. 1854.)
BARONESS ROTHSCHILD. HP. (Pernet 1867.) Baronne Adolphe de Rothschild.
 Intro. as Baronne Adolphe de Rothschild by Pernet in 1867 but so generally known in commerce as Baroneess Rothschild that that name is retained.
BARONESSE VAN ITTERSUM. Mult. (Leend. 1911.) Baronesse von Ittersum; Jkvr. D. Baronesse van Ittersum.
Baronne Adolphe de Rothschild. BARONESS ROTHSCHILD.
Bath, White. WHITE BATH.
BEACON BELLE. H.Pol-Ayr. (Far 1919.)
BEAU CARMIN. Ben. (Descemet.)
BEAUTÉ DE LYON. Per. (Per.-D. 1910.)
BEAUTÉ INCONSTANTE. T. (Per.-D. 1892.)
Beauté Poitevine. BELLE POITEVINE. *Beauty of Glazenwood.* FORTUNE DOUBLE YELLOW.
BEAUTY OF ROSEMAWR. Bour. (C. & J. 1903.)
BEAUTY OF STAPLEFORD. HT. (Ben. 1880.)
BEAUTY OF THE PRAIRIES. Set. (Feast 1843.) *Feast's No. 1; Mme. Caradori-Allan; Prairie Queen; Queen of the Prairies.*
BEAUTY OF WALTHAM. HP. (W. Paul 1862.)
bella. SOLITARY R.
BELLE DES JARDINS. Prov. (Guil. fils 1872.)
BELLE LYONNAISE. T. (Levet 1860.)
BELLE OF PORTUGAL. HG.
BELLE PORTUGOISE. HG. (Cayeux.)
Belle Poitevine. H.Rug. (Bru. 1895.) *Beauté Poitevine.*
Belle Siebrecht. MRS. W. J. GRANT.
Belle Siebrecht, Cl. Cl. MRS. W. J. GRANT.

| | |
|---|--|
| ROSA, ROSE, continued | ROSA, ROSE, continued |
| BELLE VICHYSOISE. Nois. (Lev. 1897.) | BLOOMFIELD ENDURANCE. HT. (Thomas 1920.) |
| BEN CANT. HP. (B. R. Cant 1901.) | BLOOMFIELD PERPETUAL. HT. (Thomas 1920.) |
| BENGAL OR CHINA | BLOOMFIELD PROGRESS. HT. (Thomas 1920.) |
| The Bengal group comprises forms of <i>R. chinensis</i> . | <i>Blue Rambler; Blue Rose.</i> VEILCHEN-BLAU. |
| BENEDICTE SEGUIN. HT. (Per.-D. 1919.) | BLUMENSCHMIDT. T. (Schmidt. 1906.) |
| BENOIT COMTE. HT. (Schw. 1883.) | Blush Dorothy Perkins. DOROTHY DENNISON. |
| BERNAIX R. <i>Polyantha grandiflora</i> . | Blush Maman Cochet. WILLIAM R. SMITH. |
| BERTHA CLAVEL. Bour. <i>Striped Mal-maison</i> . | BLUSH RAMBLER. Mult. (B. R. Cant 1903.) |
| BERTHE GEMEN. HP. (Gemen 1899.) | BLUSHING BRIDE. HT. (H. Dicks. 1918.) |
| <i>Bertha Giemen.</i> | BOADICEA. T. (W. Paul 1901.) |
| BERWICK. Spin. | BOB DAVISON. HP. (A. Dicks. 1902.) |
| BERYL. T. (A. Dicks. 1898.) | BONA WEILLSCHOTT. HT. (S. & N. 1889.) <i>Bona Wellshot.</i> |
| BESS LOVETT. HW. (Van F. 1905.) | BONNIE BELLE. HW. (Walsh 1911.) |
| BESSIE BROWN. HT. (A. Dicks. 1899.) | BONNIE PRINCE. HW. (T. N. Cook 1918.) |
| BETSY VAN NES. D.Pol. (S. van Ryn 1914.) | BON SILENE. T. (Hardy 1835.) |
| BETTY. HT. (A. Dicks. 1905.) | BORDEAUX. Mult. (S. & N. 1907.) |
| BETTY ALDEN. H.Pol-Ayr. (Far. 1919.) | BORDURE. D.Pol. (Bar. 1911.) <i>Baby Bordure.</i> |
| BETTY BLOSSOM. HW. (Dawson 1900.) | BOSTON. HT. (Mont. 1917.) |
| BETTY UPRICHARD. HT. (A. Dicks. 1920.) | BOSTON BEAUTY. H.Pol-Ayr. (Far. 1919.) |
| BIGLEAF R. <i>R. macrophylla</i> . | BOUGÈRE. T. (Bougère 1832.) |
| BILLARD ET BARRÉ. Cl.T. (Per.-D. 1899.) <i>Billard et Barré; Billiard and Barré.</i> | <i>Bougère, White.</i> WHITE BOUGÈRE. |
| BIRDIE BLYE. Mult. (Van F. 1904.) | BOULE DE NEIGE. H.Nois. (Lach. 1867.) <i>Ball of Snow.</i> |
| <i>Cl. Birdie Blye; Heart of France.</i> | BOUQUET D'OR. Nois. (Ducher 1872.) |
| Black Beauty. HOOSIER BEAUTY. | <i>Bouquet de Or.</i> |
| BLACK PRINCE. HP. (W. Paul 1866.) | BOUQUET ROSE. HW. (Theunis 1911.) |
| Black Rose, The. PRINCE CAMILLE DE ROHAN. | BOURBON |
| BLANC DOUBLE DE COUBERT. H.Rug. (Coch. 1892.) <i>Blanc de Coubert; Blanche Double de Coubert.</i> | The Bourbon group of roses are the result of supposed crosses between <i>R. damascena</i> and <i>R. gallica</i> with a sport of <i>R. chinensis</i> found on the Isle of Bourbon. Erroneously called <i>R. borbonica</i> . |
| BLANCHE FROWEIN. Cl.HT. (Leend. 1915.) | <i>Bourbon Queen.</i> REINE DES ILE BOUR-BON. |
| BLANCHE MOREAU. M. (M.-R. 1880.) | BOURGEAU R. <i>R. acicularis bourgeauiana.</i> |
| <i>Mme. Blanche Moreau; White Moss R.</i> | BOURSault R. <i>R. lheritierana.</i> |
| blanda. MEADOW R. | <i>bracteata.</i> MACARTNEY R. |
| blanda willmottiae. | |
| BLOOMFIELD ABUNDANCE. HT. | |
| (Thomas 1920.) | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

ROSA, ROSE, continued

- Bradwardine.* ROSE BRADWARDINE.
BRAISWICK CHARM. HW. (F. Cant 1914.)
BRAISWICK FAIRY. Mult. (F. Cant 1913.)
BRENDA. H.Sb. (Penz. 1894.) *Maiden's Blush; Peach.*
BRIDE. T. (J. May 1885.) *The Bride. Bride, Cl.* RUTH VESTAL.
BRIDESMAID. T. (Moore 1892.) *The Hughes.*
Bridesmaid, Cl. Cl. BRIDESMAID.
BRILLIANT. HT. (H. Dicks. 1914.)
BRISTLY R. R. nitida.
BRISTLY NUTKA R. R. nutkana hispida.
BRISTLY SCOTCH R. R. spinosissima hispida.
BRITISH QUEEN. HT. (McG. 1912.)
BROWNS R. R. brunoni.
brunoni. BROWNS R.
BURBANK. Ben. (Bur. 1898.)
BURGEMEESTER SANDBERG. HT. (Van Rossem 1920.)
Burnet R. R. spinosissima hispida.
BUTTERCUP. Cl.T. (Calif. 1908.)
CABBAGE R. R. centifolia.
CALIFORNIA. HT. (H. & S. 1916.)
CALIFORNIA WILD R. R. californica. californica. CALIFORNIA WILD R.
CALLISTO. H.Mos. (Pem. 1920.)
CALOCARPA. H.Rug. (Bru. 1895.)
CAMBRAI. Per. (Smith & Son 1921.)
Camellia. R. laevigata.
CAMILLE BERNARDIN. HP. (Gau-treau 1865.)
CAMOENS. HT. (Schw. 1881.)
Campaign. PRESIDENT TAFT.
CANDEUR LYONNAISE. HP. (Croib. 1914.)
canina. DOGBRIER.
CAPITAINE GEORGES DESSIRIER. HT. (Per.-D. 1919.)
CAPRICE. Bour. (Vivant 1852.)
CAPTAIN CHRISTY. HT. (Lach. 1873.)
Captain Christy, Cl. Cl. CAPTAIN CHRISTY.
CAPTAIN F. BALD. HT. (A. Dicks. 1919.)

ROSA, ROSE, continued

- CAPTAIN HAYWARD.** HP. (Ben. 1893.) *Captain Haywood.*
CAPTAIN HUDSON. Per. (Kersbargen Bros. 1911.)
CAPTAIN KILBEE-STUART. HT. (A. Dicks. 1922.)
CARDINAL. HT. (J. Cook 1904.)
CARINE. HT. (A. Dicks. 1911.)
CARISSIMA. HW. (Walsh 1904.)
CARMINE PILLAR. Cl. HT. (Paul 1895.) *Paul's Carmine Pillar.*
Carolina. R. *humilis.*
Carolina. R. *palustris.*
 A recent re-identification of the plate that is the basis of R. carolina of Linnaeus shows that the name R. carolina as first used applies to the Pasture Rose, which has been known as R. *humilis*, while the correct botanical name for the Swamp Rose, long treated as R. carolina, is R. *palustris*.
CAROLINE D'ARDEN. HP. (A. Dicks. 1888.)
CAROLINE DE SANSAL. HP. (Desprez 1849.)
CAROLINE GOODRICH. HP.
Caroline Goodrich, Cl. Cl. CAROLINE GOODRICH.
CAROLINE MARNIESSE. Nois. (Roeser 1848.)
Caroline Testout. MME. CAROLINE TESTOUT.
Caroline Testout, Cl. Cl. MME. CAROLINE TESTOUT.
CAROUBIER. HW. (Nonin 1912.)
CASIMIR MOULLÉ. HW. (Bar. 1910.)
CATHAY R. *Cathayensis.* R. *multiflora cathayensis.*
CATHERINE MERMET. T. (Guil. fils 1869.)
CATHERINE SEYTON. H.Sb. (Penz. 1895.)
Catherine Zeimet; Baby Catherine Zeimet. KATHARINA ZEIMET.
caudata.
CECELIA. D. Pol. *Pink Gem.*
CÉCILE BRUNNER. H.Pol. (Mme. Ducher 1881.) *Cecil Brunner; Fairy Rose; Mignon; Migron; Mlle. Cécile Brunner; Mme. Cécile Brunner; Sweetheart.*

- ROSA**, Rose, continued
Cécile Brunner, Cl. CL. CÉCILE BRUNNER.
Cécile Brunner, Cl. Yellow. CL. YELLOW CÉCILE BRUNNER.
Cécile Brunner, Pink. PINK CÉCILE BRUNNER.
Cécile Brunner, White. WHITE CÉCILE BRUNNER.
Cécile Brunner, Yellow. GEORGE ELGER; PERLE D'OR.
CÉCILE CUSTERS. HT. (Leend. 1914.) *Cecil Clusters*.
CECILIA. Mult.
CELESTE. HW. (Walsh 1911.)
CELINA. M. (Hardy 1855.)
CELINE FORESTIER. Nois. (Trouillard 1842.)
Cemetery R. **R. wichuraiana**.
centifolia. *Provence R.* CABBAGE R.
Centifolia cristata. CRESTED MOSS R.
Centifolia muscosa. MOSS R.
Cetina. SETINA.
C. F. Meyer. CONRAD FERDINAND MEYER.
CHAMELEON. HT. (A. Dicks. 1918.)
CHAMP WEILAND. HT. (Weiland & Risch 1915.)
CHAMPION OF THE WORLD. H. Ben. (Woodhouse 1894.)
Chapeau de Napoleon. CRESTED MOSS R.
CHARLES DARWIN. HP. (Paul 1879.)
CHARLES DE LEGRADY. T. (Per.-D. 1884.) *Charles Legrady*.
Charles Dingee. WILLIAM R. SMITH.
Charles Frederick Worth. MME. CHARLES FREDERICK WORTH.
CHARLES J. GRAHAME. HT. (A. Dicks. 1905.)
CHARLES K. DOUGLAS. HT. (H. Dicks. 1919.)
CHARLES LEEFEBVRE. HP. (Lach. 1862.)
Charles Legrady. CHARLES DE LEGRADY.
CHARLES WAGNER. HP. (Van F. '04.)
CHARLOTTE KLEMM. HT. (Türke '05.)
CHATEAU DE CLOS VOUGEOT. HT. (Per.-D. 1908.)
Chateau de Clos Vougeot, Cl. CL. CHATEAU DE CLOS VOUGEOT.
- ROSA**, Rose, continued
Chatenay, Baby. ROSALIE.
Chatenay, Cl. CL. MME. ABEL CHATENAY.
Chatenay, Red. RED CHATENAY.
CHEERFUL. HT. (McG. 1915.)
CHEROKEE R. **R. laevigata**.
Cherokee R., Double. DOUBLE CHEROKEE R.
Cherokee R., Red. RAMONA.
Cherokeensis. **R. laevigata**.
CHERRY PAGE. HT. (Eas. 1914.)
CHERRY RIPE. HT. (Paul 1905.)
CHESHUNT HYBRID. HT. (Paul 1873.) *Chestnut Hybrid*.
CHINA or BENGAL. Forms of *R. chinensis*.
CHINESE R. **R. chinensis**.
chinensis. CHINESE R.
Chinensis manetti. MANETTI R.
Chinensis viridiflora. GREEN R.
CHIN-CHIN CHINA. Ben. (Hob. 1909.) *Chin-Chin*.
CHRISSEIE MACKELLAR. HT. (A. Dicks. 1913.)
CHRISTIAN CURLE. HW. (Cock. 1909.)
CHRISTINE. HT. (McG. 1918.)
Christine de Noué. Mlle. CHRISTINE DE NOUÉ.
CHRISTINE WRIGHT. HW. (Hoopes 1909.) *Cl. Pink American Beauty*.
CHROMATELLA. Nois. (Coq. 1843.) *Cloth of Gold*.
CINDERELLA. HW. (Walsh 1909.)
cinnamomea. CINNAMON R.
CINNAMON R. **R. cinnamomea**.
CIRCÉ. HT. (W. Paul 1916.)
Cissie Easlea. Per. (Per.-D. 1913.)
CLIMBING AGRIPPINA. Cl. Bour. (Courrier 1885.) *Cl. Cramoisi Supérieur*.
CL. AMERICAN BEAUTY. HW. (Hoopes 1909.)
Cl. American Beauty, Pink. CHRISTINE WRIGHT.
Cl. American Beauty, White. CL. FRAU KARL DRUSCHKI; FREEDOM.
Cl. Augusta Victoria. Mrs. ROBERT PEARY.
Cl. Baby Rambler. MISS G. MESSMANN.
CL. BALDUIN. Cl. HT. (G. & R. 1912.) *Cl. Helen Gould*.

ROSA, ROSE, continued

Climbing Belle Siebrecht. Cl. MRS. W. J. GRANT.
Cl. Birdie Blye. BIRDIE BLYE.
Cl. Bride. RUTH VESTAL.
CL. BRIDESMAID. Cl.T. (D. & C. 1897.)
CL. CAPTAIN CHRISTY. Cl.HT. (Ducher 1881.)
CL. CAROLINE GOODRICH. Cl.HP.
Cl. Caroline Testout. Cl. MME. CAROLINE TESTOUT.
CL. CÉCILE BRUNNER. H.Pol. (Sport at Riverside, Calif., 1901.) *Cl. Mlle. Cécile Brunner;* *Cl. Mme. Cécile Brunner;* *Cl. Sweetheart.*
CL. CHATEAU DE CLOS VOUGEOT. Cl.HT. (Morse 1920.)
Cl. Chatenay. Cl. MME. ABEL CHATENAY.
CL. CLOTILDE SOUPERT. T.-Pol. (D. & C. 1902.)
CL. COL. R. S. WILLIAMSON. Cl.HT. (A. Dicks. 1908.)
CL. COLUMBIA. Cl.HT. (Tot. 1920; Vestal 1923.)
CL. COMMANDEUR JULES GRAVEREAUX. Cl.HP. *Cl. Jules Gravereaux.*
CL. COMTESSE EVA STARHEMBERG. Cl.T. (Glen St. M. 1917.)
Cl. Cramoisi Supérieur. Cl. AGRIPINA.
CL. CRIMSON BABY RAMBLER. Mult.
CL. DEVONIENSIS. Cl.T. (Pavitt 1858.)
CL. ETOILE DE FRANCE. Cl.HT. (Howard 1915.)
CL. FRAU KARL DRUSCHKI. Cl.HP. (Lawrenson 1906.) *Cl. White American Beauty.*
Cl. Gainsborough. GAINSBOROUGH.
CL. GENERAL MACARTHUR. Cl.HT.
Cl. George Shawyer. Cl. MRS. GEORGE SHAWYER.
CL. GRUSS AN TEPLITZ. Cl.HT. (S. & H. 1911.) *Cl. Virginia R. Coxe.*
Cl. Guillot. Cl. MARIE GUILLOT.
CL. HADLEY. Cl. HT.
Cl. Helen Gould. Cl. BALDUIN.
Cl. Hélène Cambier and similar misspellings, see Cl. MLLE. HÉLÈNE CAMBIER.
Cl. Hermosa. Cl. HERMOSA; SETINA.

ROSA, ROSE, continued

CLIMBING HOOSIER BEAUTY. Cl.HT. (Western Rose Co. 1918.)
CL. HUGH DICKSON. Cl.HP. (Calif. 1914.)
CL. H. V. MACHIN. Cl.HT. (H. & S. 1922.)
CL. IRISH FIREFLAME. Cl.HT. (A. Dicks. 1917.)
Cl. Jules Gravereaux. Cl. COMMANDEUR JULES GRAVEREAUX.
CL. JULES MARGOTTIN. Cl.HP. (Cranston 1874.)
Cl. Kaiserin; *Cl. Kaiserin Augusta Victoria.* Mrs. ROBERT PEARY.
CL. KAISERIN AUGUSTE VIKTORIA. Cl.HT. (A. Dicks. 1897.)
CL. KILLARNEY. Cl.HT. (Reinberg 1908.) *Cl. Pink Killarney.*
CL. LA FRANCE. Cl.HT. (P. Hend. 1893.)
CL. LADY ASHTOWN. Cl.HT. (Bradley 1909.)
CL. LADY HILLINGDON. Cl.T. (Hicks 1917.)
CL. LIBERTY. Cl.HT. (H. B. May 1908.)
CL. LOUISE CATHERINE BRESLAU. Cl.Per.
Cl. Malmaison. Cl. SOUV. DE LA MALMAISON.
CL. MAMAN COCHET. Cl.T. (H. & S. 1915.) *Cl. Pink Maman Cochet;* *Cl. Pink Cochet.*
Cl. Maman Cochet, White. Cl. WHITE MAMAN COCHET.
CL. MARIAN. Cl.HP.
CL. MARIE GUILLOT. Cl.T. (D. & C. 1898.) *Cl. Guillot.*
CL. METEOR. Cl.HT. (D. & C. 1901.)
Cl. Mlle. Cécile Brunner; *Cl. Mme. Cécile Brunner.* Cl. CÉCILE BRUNNER.
CL. MLLE. HÉLÈNE CAMBIER. Cl. HT. (Calif. 1911.) *Cl. Helena Gambier;* *Cl. Hélène Cambier.*
CL. MME. ABEL CHATENAY. Cl.HT. Cl. Chatenay.
CL. MME. CAROLINE TESTOUT. Cl. HT. (Chauvry 1901.) *Cl. Caroline Testout;* *Cl. Testout.*

- ROSA**, ROSE, continued
- CL. MME. JULES GROLEZ. Cl.HT.
(Gamon 1911.)
- CLIMBING MME. MÉLANIE SOUPERT.
Cl.HT. (Bur. 1914.)
- CL. MME. WAGRAM, COMTESSE DE
TURENNE. Cl.T. *Cl. Mme. Wagram;* *Cl. Paul Neyron.*
- CL. MME. WELCHE. Cl.T. (Mellen
1911.)
- CL. MOSELLA. T.-Pol. (C. & J. 1909.)
Cl. Moss. LA PAULI.
- CL. MRS. AARON WARD. Cl.HT. (A.
Dicks. 1922.)
- CL. MRS. GEORGE SHAWYER. Cl.HT.
Cl. George Shawyer.
- CL. MRS. W. J. GRANT. Cl.HT. (E.
G. Hill 1899; W. Paul 1899.) *Cl.*
Belle Siebrecht.
- CL. MY MARYLAND. Cl.HT. (D. & C.
1915.)
- CL. OPHELIA. Cl.HT.
- CL. OPHELIA QUEEN. Cl.HT. (West-
bury Rose Co., 1923.)
- CL. ORIENTAL. Cl.Ben. (Ag. 1914.)
- CL. ORLEANS R. Mult. (Levav. 1913.)
- CL. PAPA GONTIER. Cl.T. (Chase &
Co. 1905.)
- CL. PAUL LÉDÉ. Cl.HT. (Stuart Low
& Co. 1913.)
- Cl. Paul Neyron.* CL. MME. WA-
GRAM, COMTESSE DE TURENNE.
- CL. PERLE DES JARDINS. Cl.T. (J.
Hend. 1889.) *Cl. Perle.*
- Cl. Pink American Beauty.* CHRIS-
TINE WRIGHT.
- CL. PINK AMERICAN BEAUTY. Cl.HT.
(U. S. Nursery Co. 1914.)
- Cl. Pink Killarney.* CL. KILLARNEY.
- Cl. Pink Cochet;* *Cl. Pink Maman*
Cochet. CL. MAMAN COCHET.
- CL. PRINCE DE BULGARIE. Cl.HT.
- CL. QUEENS SCARLET. Cl.Ben.
- CL. RAINBOW. Cl.T. (Calif. 1914.)
- Cl. Reine Marie Henriette.* REINE
MARIE HENRIETTE.
- Cl. Reve d'Or.* REVE D'OR.
- CL. RHEA REID. Cl.HT. (Calif. 1914.)
- CL. RICHMOND. Cl.HT. (A. Dicks.
1912.)
- ROSA**, ROSE, continued
- CL. ROSEMARY. Cl.HT. (D. & C.)
Climbing Safrano. REVE D'OR.
- CL. SOUV. DE LA MALMAISON. Cl.
Bour. (Ben. 1893.) *Cl. Malmaison.*
- CL. SOUV. OF WOOTTON. Cl.HT.
(Butler 1899.) *Cl. Souv. de Woot-
ton;* *Cl. Wootton.*
- CL. SOUV. DU PRÉSIDENT CARNOT.
Cl.HT.
- CL. SUNBURST. Cl.HT. (Howard 1915.)
Cl. Sweetheārt. CL. CÉCILE BRUNNER.
- Cl. Testout.* CL. MME. CAROLINE
TESTOUT.
- Cl. Virginia R. Coxe.* CL. GRUSS AN
TEPLITZ.
- CL. Viscountess Folkestone. GAINS-
BOROUGH.
- Cl. White American Beauty.* CL.
FRAU KARL DRUSCHKI; FREEDOM.
- Cl. White Cochet.* CL. WHITE MAMAN
COCHET.
- CL. WHITE KILLARNEY. Cl.HT.
(Brant 1912.)
- CL. WHITE MAMAN COCHET. Cl.T.
(Needle & Co. 1911.) *Cl. White*
Cochet.
- CL. WHITE PET. Mult. (Corboeuf
1894.)
- Cl. Wichuriana.* R. *wichuriana.*
- CL. WINNIE DAVIS. Cl.HT. (Calif.
1913.)
- Cl. Wootton.* CL. SOUV. OF WOOTTON.
- CL. YELLOW CÉCILE BRUNNER. Mult.
- CLAIRE CARNOT. Nois. (Guil. fils
1873.)
- CLAIRE JACQUIER. Mult. (Ber.
1887.)
- CLARA BARTON. HT-Pol. (Van F.
1898.)
- CLARA CURTIS. HT. (A. Dicks. 1919.)
- CLARA STAHL. D.Pol. (Maass 1913.)
- CLARA WATSON. HT. (Prince 1894.)
- CLARE DE ESCOFET. HT. (Eas.
1920.)
- CLARICE GOODACRE. HT. (A. Dicks.
1916.)
- CLEMENCE RAOUX. HP. (Granger
1869.) *Clem Raoux.*
- CLEVELAND. HT. (H. Dicks. 1916.)

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

ROSA, ROSE, continued

- Clio. HP. (W. Paul 1894.)
Cloth of Gold. CHROMATELLA.
CLOTILDE PFTZER. T.-Pol. (S. & N. 1899.) *White Soupert.*
CLOTILDE SOUPERT. T.-Pol. (S. & N. 1890.) *Clouthilde Soupert.*
Clotilde Soupert, Cl. CL. **CLOTILDE SOUPERT.**
Cochet, Cl. Pink. CL. MAMAN COCHET.
Cochet, Cl. White. CL. WHITE MAMAN COCHET.
Cochet, Golden. MME. VALÉRE BEAUMEZ; HELEN GOOD.
Cochet, Pink. MAMAN COCHET.
Cochet, Red. BALDUIN.
Cochet, The Beauty. HELEN GOOD.
Cochet, White. WHITE MAMAN COCHET.
Cochet, Yellow. ALEXANDER HILL GRAY; MLE. HÉLÈNE CAMBIER; MME. DEREVAS-MATRAT.
COLCESTRIA. HT. (B. R. Cant 1916.)
COLLEEN. HT. (McG. 1914.)
COLONEL LECLERC. HT. (Per.-D. 1909.)
COLONEL OSWALD FITZGERALD. HT. (A. Dicks. 1917.)
COLONEL R. S. WILLIAMSON. HT. (A. Dicks. 1907.)
Colonel R. S. Williamson, Cl. CL.
COLONEL R. S. WILLIAMSON.
COLUMBIA. HT. (E. G. Hill 1917.)
Pink Ophelia.
Columbia, Cl. CL. **COLUMBIA.**
Columbia, Red. **RED COLUMBIA.**
COMMANDANT BEAUREPAIRE. PROV. (M.-R. 1874.)
COMMANDANT FÉLIX FAURE. HP. (Boutigny 1900.) *Commander Félix Faure.*
COMMANDANT L. BARTRE. HT. Schw. 1920.)
COMMANDEUR JULES GRAVEREAUX. HP. (Croib. 1908.) *Commander Jules Gravereaux.*
Commandeur Jules Gravereaux, Cl. CL. **COMMANDEUR JULES GRAVEREAUX.**

ROSA, ROSE, continued

- Common Blush.* OLD BLUSH.
Common Moss. OLD PINK MOSS.
COMTE AMÉDÉ DE FORAS. T. (Gamon 1902.)
COMTE D'EPREMESNIL. H.Rug. (Nab. 1882.)
COMTE DE RAIMBAUD. HP. (Roland 1867.)
COMTE G. DE ROCHEMUR. HT. (Schw. 1912.)
COMTESSE ANNA THUN. T. (S. & N. 1888.) *Countess Anna Thun.*
COMTESSE D'OXFORD. HP. (Guil. 1869.) *Countess of Oxford.*
COMTESSE DE BARBANTANE. Bour. (P. Guil. 1858.)
COMTESSE DE CASSAGNE. HT. (M. Guil. 1919.)
COMTESSE DE LUDRE. HP. (E. Verd. 1879.)
COMTESSE DE MURINAIS. M. (Vibert 1827.) *Countess of Murinalis; White Moss R.*
COMTESSE DE RAFELIS ST. SAUVEUR. HT. (Leend. 1916.) *Comtesse de Raffles.*
COMTESSE DE SAXE. T. (S. & N. 1904.) *Comtesse de Saxe.*
Comtesse de Turenne. MME. WAGRAM,
COMTESSE DE TURENNÉ.
COMTESSE DU CAYLA. Ben. (P. Guil. 1902.)
COMTESSE DUSY. T. (S. & N. 1894.)
Comtesse Eva Starhemberg, Cl. CL.
COMTESSE EVA STARHEMBERG.
COMTESSE FÉLICIE HOYOS. HT. (S. & N. 1911.)
COMTESSE MARIE CHRISTINE PES. HT. (Ber. 1912.)
COMTESSE RIZA DU PARC. T. (J. Schw. 1876.)
CONRAD FERDINAND MEYER. H.Rug. (Müller 1900.) *C. F. Meyer; Conrad Meyer; Consul Ferdinand Meyer.*
Conrad Ferdinand Meyer, Red. RED CONRAD FERDINAND MEYER.
CONSTANCE. Per. (Per.-D. 1915.)
CONSTANCE CASSON. H.Per. (B. R. Cant 1920.)

- ROSA, ROSE, continued**
- Copper Austrian.* AUSTRIAN COPPER
COQUETTE DE LYON. T. (Ducher
 1871.) *Yellow Hermosa.*
COQUETTE DES ALPES. H. Nois. (Lach.
 1868.)
COQUETTE DES BLANCHES. H. Nois.
 (Lach. 1872.)
COQUINA. HW. (Walsh 1911.)
CORA. Ben. (Mme. Schw. 1899.)
CORAL R. R. *saturata.*
CORAL CLUSTER. D. Pol. (Murrell
 1921.)
CORALIE. HW. (W. Paul 1919.)
CORALLINA. T. (W. Paul 1900.)
CORDELIA. Mult. (W. Paul 1915.)
coriifolia. LEATHERLEAF R.
coriifolia froebeli. *Laxa.* FROEBEL R.
CORNELIA. HT. (Scott 1919.)
CORNELIA COOK. T. (A. Cook 1855.)
Cornelia Gook; Cornélie Koch.
CORONA. Mult. (Bur. 1913.)
Coronation. HP. (H. Dicks. 1913.)
CORONATION. HW. (Turn. 1912.)
CORONET. D. Pol. (W. Paul 1912.)
corymbulosa. WHITE-EYE R.
Cottage R. RUSSELIANA.
Count Zeppelin. GRAF ZEPPELIN.
Countess Anna Thun. COMTESSE
 ANNA THUN.
COUNTESS ANNESLEY. HT. (A.
 Dicks. 1905.) *Countess of Annesley.*
COUNTESS CAIRNS. HT. (W. Paul
 1904.)
COUNTESS CLANWILLIAM. HT. (H.
 Dicks. 1914.)
COUNTESS OF CALEDON. HT. (A.
 Dicks. 1897.)
COUNTESS OF DERBY. HT. (A. Dicks.
 1905.)
COUNTESS OF GOSFORD. HT. (McG.
 1906.) *Countess Gosford.*
Countess of Ilchester. MARY, COUNT-
 ESS OF ILCHESTER.
COUNTESS OF LONSDALE. HT. (H.
 Dicks. 1919.)
Countess of Murinais. COMTESSE DE
 MURINAIS.
Countess of Oxford. COMTESSE D'OX-
 FORD.
COUNTESS OF ROSEBERRY. HP. (Post-
 ans 1879.)
- ROSA, ROSE, continued**
- COUNTESS OF SHAFTESBURY.* HT. (H.
 Dicks. 1909.)
COURTNEY PAGE. HT. (McG. 1922.)
COVENT GARDEN. HT. (B. R. Cant
 1919.)
C. P. STRASHEIM. T.
*Cramoisi Supérieur; Cramoisi Super-
 ior.* AGRIPPINA.
Cramoisi Supérieur, Cl. CL. AGRIP-
 PINA.
Creeping R. R. *wichuraiiana.*
Creole Beauty. MME. DE VATRY.
CRESTED MOSS R. R. *centifolia cris-
 tata* Cy.
Crimson Baby Rambler. MME. NOR-
 BERT LEVAVASSEUR.
Crimson Baby Rambler, Cl. CL.
 CRIMSON BABY RAMBLER.
CRIMSON CHAMPION. HT. (J. Cook
 1916.)
CRIMSON CHATENAY. HT. (Merry.
 1916.)
Crimson China. POURPRE SANGUINE.
CRIMSON CROWN. HT. (A. Dicks.
 1905.)
CRIMSON EMBLEM. HT. (McG. 1916.)
Crimson Frau Karl Druschki. HIS
 MAJESTY.
CRIMSON GLOBE. M. (W. Paul 1890.)
Red Moss R.
CRIMSON HERMOSA. Ben.
Crimson Hermosa. GRUSS AN TEPP-
 LITZ.
Crimson Maman Cochet. BALDUIN;
 ETOILE DE FRANCE.
CRIMSON QUEEN. HT. (A. Mont.
 1912.)
CRIMSON RAMBLER. Mult. (Turn.
 1893.)
Crimson Rambler, Dwarf. MME. NOR-
 BERT LEVAVASSEUR.
Crimson Rambler, Everblooming.
 FLOWER OF FAIRFIELD.
Crimson Rambler, Improved. EX-
 CELSA.
*Crimson Rambler, Perpetual Flower-
 ing.* FLOWER OF FAIRFIELD.
Crimson Rambler, Philadelphia. PHIL-
 ADELPHIA.
Crimson Rambler, Weigand's. NON
 PLUS ULTRA.

ROSA, ROSE, continued

CRIMSON ROAMER. HW. (Manda 1901.)
Crown Princess Cecilie. KRONPRIN-ZESSIN CECILIE.
Crown Princess Victoria. KRONPRIN-ZESSIN VIKTORIA.
 CRUSADER. HT. (Mont. 1919.)
 CUMBERLAND BELLE. Cl.M. (Dreer 1900.)
 C.V. HAWORTH. HT. (A. Dicks. 1917.)
 C. W. COWAN. HT. (A. Dicks. 1912.)
Cynthia Forde. MISS CYNTHIA FORDE.
 DAHURIAN R. *R. davurica.*
Daily Mail; *Daily Mail R.* MME. EDOUARD HERRIOT.
 DAINTY. HT. (H. Dicks. 1921.)
damascena. DAMASK R.
 DAMASK R. *R. damascena.*
 DANÄE. H.Mos. (Pem. 1912.)
 DARK PINK RUSSELL. HT. (A. Mont. 1916.)
 DAVID R. *R. davidi.*
davidi. DAVID R.
davurica. DAHURIAN R.
 DAWN. Cl.HT. (Paul 1898.)
 DAWSON. Mult. (Dawson 1888.)
Dawson's Hybrid Rugosa. ARNOLD.
 DAYBREAK. HW. (Dawson 1909.)
 DAZZLING RED. HW. (Manda 1913.)
 DEAN HOLE. HT. (A. Dicks. 1904.)
 DEBUTANTE. HW. (Walsh 1901.)
 DEFIANCE. HT. (Kress 1914.)
 DELICATA. H.Rug. (G. Cooling & Sons 1898.)
 DELIGHT. HW. (Walsh 1904.)
 DESDEMONA. HT. (Paul 1911.)
 DÉSIRÉ BERGERA. HW. (Bar. 1909.)
 DESPORTES R. *Canina* \times *gallica*; *R. macrantha*† Cy.
 DEUIL DE PAUL FONTAINE. M. (Fontaine 1873.) *Paul Fontaine.*
 DEUTSCHLAND. Per. (Zuchtunger 1911.)
 DEVONIENSIS. T. (Foster 1838.) *Magnolia R.*
Devoniensis. Cl. Cl. DEVONIENSIS.
 DEWDROP. D.Pol. (Hob. 1912.) *Baby Dewdrop.*
 DINSMORE. HP. (P. Hend. 1888.)
 DOCTEUR ANDRY. HP. (E. Verd. 1864.) *Dr. Andry.*

ROSA, ROSE, continued

DOGBRIER. *R. canina.*
 DONALD MACDONALD. HT. (A. Dicks. 1916.) *Donald McDonald.*
 DONAU. HW. (Praskac 1913.)
 DORA. HT. (W. Paul 1907.)
 DORA HANSEN. HT. (Jacobs 1910.)
Dora van Tets. MEVROUW DORA VAN TETS.
 DOROTHY DENNISON. HW. (Dennison 1909.) *Blush Dorothy Perkins.*
 DOROTHY JEAVONS. Mult. (Bakers 1912.)
 DOROTHY PAGE-ROBERTS. HT. (A. Dicks. 1907.)
 DOROTHY PERKINS. HW. (J. & P. 1902.) *Pink Rambler.*
Dorothy Perkins, Baby. MRS. W. H. CUTBUSH.
Dorothy Perkins, Blush. DOROTHY DENNISON.
Dorothy Perkins, Red. EXCELSA.
Dorothy Perkins, White. WHITE DOROTHY.
 DOROTHY RATCLIFFE. HT. (McG.'12.)
Double Banksian R. *R. banksiae.*
 DOUBLE BROWNS R. *Brunoni floreplobo;* *Moschata brunoni floreplobo.*
 DOUBLE CHEROKEE R. *Laevigata floreplobo.*
 DOUBLE FRENCH R. *R. gallica officinalis*† Cy.
Double Laevigata. DOUBLE CHEROKEE R.
 DOUBLE MUSK R. *Moschata floreplobo.*
 DOUBLE OPHELIA. HT. (E. G. Hill 1917.)
 DOUBLE PINK KILLARNEY. HT. (Scott 1910.)
 DOUBLE RUGOSA R. *R. rugosa rubroplobo*† Cy.
 DOUBLE VIRGINIA R. *R. virginiana plena* Cy; *R. rapa.*
 Hort. var. of *R. lucida.*
Double White Baby Rambler. KATHARINA ZEIMET.
 DOUBLE WHITE KILLARNEY. HT. (Bud. 1913; Tot. 1914.)
Double White Wichuraiana. MRS. M. H. WALSH.
Double Yellow Banksian R. YELLOW BANKSIAN R.

| | |
|--|--|
| ROSA, ROSE, continued | ROSA, ROSE, continued |
| DOUGLAS. Ben. (V. Verd. 1848.) | DUKE OF CONNAUGHT. HP. (Paul 1876.); HT. (Ben. 1880.) |
| DR. HENRI NEUPREZ. HW. (Tanne 1913.) | DUKE OF EDINBURGH. HP. (W. Paul 1868.) <i>Duke of Edinburg.</i> |
| DR. HUEY. HW. (Thomas 1914.) | DUKE OF FIFE. HP. (Cock. 1892.) |
| DR. J. CAMPBELL HALL. HT. (A Dicks. 1904.) | DUKE OF TECK. HP. (Paul 1880.) |
| DR. JOSEPH DREW. HT. (Page 1918.) | DUKE OF WELLINGTON. HP. (Granger 1865.) |
| DR. O'DONEL BROWNE. HT. (A. Dicks. 1908.) | DUPUY JAMAIN. HP. (Dupuy 1868.) |
| DR. REYMOND. Mult. | <i>Dutch Beauty.</i> VELUWEZOOM. |
| DR. WILLIAM GORDON. HP. (W. Paul 1905.) | <i>Dwarf Crimson Rambler.</i> MME. NORBERT LEVAVASSEUR. |
| DR. W. VAN FLEET. HW. (Van F. 1910.) <i>Dr. Van Fleet; Van Fleet R.</i> | EARL HAIG. HT. (A. Dicks. 1921.) |
| DUC DE ROHAN. HP. (Lev. 1861.) | EARL OF DUFFERIN. HP. (A. Dicks. 1887.) |
| DUCHER. Ben. (Ducher 1869.) | EARL OF GOSFORD. HT. (McG. 1912.) |
| DUCHESS OF ABERCORN. HT. (H. Dicks. 1919.) | EARL OF PEMBROKE. HP. (Ben. 1882.) |
| DUCHESS OF ALBANY. HT. (W. Paul 1888.) <i>Red La France.</i> | EARL OF WARWICK. HT. (W. Paul 1904.) |
| DUCHESS OF BEDFORD. HP. (Postans 1879.) | EBLOUSSANT. D.Pol. (Tur. 1918.) |
| DUCHESS OF FIFE. HP. (Cocker 1893.) | ECA R. <i>R. ecae.</i> |
| DUCHESS OF NORMANDY. HT. (LeC. 1913.) | <i>ecae.</i> ECA R. |
| DUCHESS OF PORTLAND. HT. (A. Dicks. 1901.) | ECARLATE. HT. (Boyard 1907.) |
| DUCHESS OF SUTHERLAND. HT. (A. Dicks. 1912.) | ECHO. D.Pol. (P. Lamb. 1914.) <i>Baby Tausendschön; Baby Echo.</i> |
| DUCHESS OF WELLINGTON. HT. (A. Dicks. 1909.) <i>Orange Killarney.</i> | ECLAIR. HP. (Lach. 1883.) |
| DUCHESS OF WESTMINSTER. HT. (A. Dicks. 1911.) | EDEL. HT. (McG. 1919.) |
| DUCHESSE D'AUERSTAËDT. Cl.T. (Ber. 1888.) <i>Duchess Arsladet; Duchess de Auerstadt.</i> | EDGAR M. BURNETT. HT. (McG. 1914.) |
| DUCHESSE DE BRABANT. T. (Bernède 1857.) | EDITH BELLENDEN. H.Sb. (Penz. 1895.) |
| DUCHESSE DE MORNY. HP. (E. Verd. 1863.) | EDITH CAVELL. HT. (Chap. 1918.) <i>Edith Cavell.</i> H.Pol. Miss EDITH CAVELL. |
| DUCHESSE DE THURINGE. BB. (Guil. père 1847.) | EDITH PART. HT. (McG. 1913.) |
| DUCHESSE DE VALLOMBROSA. HP. (Schw. 1875.) | EDU MEYER. HT. (P. Lamb. 1904.) |
| DUCHESSE MARIE SALVIATI. T. (S. & N. 1890.) | EDWARD BOHANE. HT. (A. Dicks. 1915.) |
| DUKE OF ALBANY. HP. (W. Paul 1882.) | EDWARD MAWLEY. HT. (McG. 1911.) |
| | EDWIN F. SMITH. HT. (Byrnes 1918.) |
| | EDWIN LONSDALE. HW. (Hoopes 1903.) |
| | <i>Eglanteria. R. rubiginosa.</i> |
| | <i>Eglantine. R. rubiginosa.</i> |
| | E. GODFREY BROWN. HT. (H. Dicks. 1919.) |
| | <i>E. Guillard. SOUV. d'E. GUILLARD.</i> |
| | EISENACH. HW. (Kiese 1910.) |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

ROSA, Rose, continued

- ELDORADO. Per. (H. & S. 1922.)
 ELEANOR HENNING. HT. (Eas. 1920.)
 ELECTRA. Mult. (Veitch 1900.)
 ELEGANTE. HT. (Per.-D. 1918.)
 ELIE BEAUVILLAIN. T. (Beauvillain 1887.) *Eli Beauvilain.*
 ELISA ROBICHON. HW. (Bar. 1901.) *Eliza Robichon.*
 ELIZABETH. HT. (B. R. Cant 1911.)
 ELIZABETH BARNES. HT. (A. Dicks. 1908.)
 ELIZABETH CULLEN. HT. (A. Dicks. 1921.)
 ELIZABETH ROWE. M. (Rowe 1866.)
 ELIZABETH ZIEGLER. HW. (A. N. Pier. 1917.)
 ELLEN DREW. HP. (Drew 1896.)
 ELLEN POULSEN. D.Pol. (Poul. 1912.) *Baby Ellen Poulsen; Ella Poulsen; Ellen Poulson.*
 ELLEN WILLMOTT. HT. (Ber. 1898.)
 ELLI HARTMANN. HT. (Welt. 1913.)
 ELSIE. HW. (W. Paul 1910.)
 ELSIE BECKWITH. HT. (G. Beckwith & Son, 1922.)
 ELVIRA ARAMAYO. Per. (P. J. Looymans & Son 1922.)
 EMILE FORTÉPAULE. HW. (Bar. '02.)
 EMILY GRAY. HW. (Williams 1918.)
 EMMA WRIGHT. HT. (McG. 1918.)
 EMPEREUR DU MAROC. HP. (Guin. 1858.)
Empress. KAISERIN AUGUSTE VICTORIA.
Empress Eugenie. IMPERATRICE EU-GÉNIE.
 EMPRESS OF CHINA. Ben. (Elizabeth Nurs. Co. 1896.) *Apple Blossom.*
 EMPRESS OF INDIA. HP. (Laxton 1876.)
 ENCHANTER. HT. (J. Cook 1903.)
 ENCHANTRESS. T. (J. Cook 1904.)
 ENFANT DE LYON. T. (Avoux 1859.) *Sweet Anise R.*
 ENGELMANN R. R. *acicularis engelmanni.*
Engelmanni. R. *acicularis engelmanni.*
English Sweetbrier. R. *rubiginosa.*

ROSA, Rose, continued

- E. P. H. KINGMA. Per. (Vers. 1919.)
 ERNA TESCHENDORFF. D.Pol. (Teschendorff 1911.) *Baby Erna Teschendorf.*
 ERNST GRANDPIERRE. HW. (Weig. 1900.) *Ernest Grandpierre.*
 ESTHER PRADEL. Nois. (Pradel 1860.) *Estelle Pradel.*
 E. T. COOK. HT. (W. Paul 1906.)
 ETHEL. HW. (Turn. 1912.)
Ethel Cavel, Baby. Miss EDITH CAVELL.
 ETHEL DICKSON. HT. (H. Dicks. 1917.)
 ETHEL JAMES. HT. (McG. 1921.)
 ETHEL MALCOLM. HT. (McG. 1910.)
 ETHEL SOMERSET. HT. (A. Dicks. 1921.)
 ETIENNE LEVET. HP. (Levet 1871.)
 ETINCELANTE. HT. (Cham. 1913.)
 ETOILE DE FRANCE. HT. (Per.-D. 1904.) *Crimson Maman Cochet; Star of France.*
Etoile de France, Cl. Cl. ETOILE DE FRANCE.
Etoile de France, Jr. JUNIOR ETOILE DE FRANCE.
 ETOILE DE HOLLANDE. HT. (Vers. 1919.)
 ETOILE DE LYON. T. (P. Guil. 1881.) *Golden Bedder; Star of Lyon.*
 ETOILE DE MAI. T.-Pol. (Gamon 1893.) *Yellow Baby Rambler.*
 ETOILE D'OR. T.-Pol. (Dubreuil 1889.)
 ETOILE LUISANTE. D.Pol. (Tur. 1918.) *Baby Etoile Luisante; Baby Herriot.*
 EUGÈNE BOULLET. HT. (Per.-D. 1910.)
 EUGÈNE DE BEAUHARNAIS. Ben. (Hardy 1838.)
 EUGÈNE E. MARLITT. HT. (Gesch. 1900.) *Mme. Eugène Marlitt.*
 EUGÈNE FURST. HP. (S. & N. 1876.)
 EUGÈNE JACQUET. HW. (Tur. 1916.)
 EUGÈNE VERDIER. HP. (Guil. fils 1863.)
 EUGENIA. Per. (Collier 1920.)
 EUGÉNIE LAMESCH. T.-Pol. (P. Lamb. 1899.) *Yellow Baby Rambler.*

- ROSA**, Rose, continued
EUGÉNIE MÜNCHEN. HT. (Ketten 1913.)
EUGÉNIE VERDIER. HP. (P. Guil. 1869.)
EUPHROSYNE. Mult. (P. Lamb. 1896.) *Pink Rambler.*
EVANGELINE. HW. (Walsh 1906.)
EVELYN. HT. (W. Paul 1918; A. N. Pier. 1918.)
EVELYN DAUNTESEY. HT. (McG. 1911.)
EVELYN THORNTON. D.Pol. (Bees 1919.)
EVENING STAR. Per. (Morse 1919.)
Everblooming Crimson Rambler.
FLOWER OF FAIRFIELD.
Everblooming General Jacqueminot.
MAGNAFRANO.
Everblooming Jack R. ANDRÉ SCHWARTZ; RICHMOND.
EVERGREEN GEM. HW. (Manda 1889.)
E. VEYRAT HERMANOS. Cl.T. (Ber. 1895.) *Pillar of Gold.*
EXCELLENZ VON SCHUBERT. Mult. (P. Lamb. 1909.)
EXCELSA. HW. (Walsh 1908.) *Excella;* *Improved Crimson Rambler;* *Red Dorothy Perkins.*
EXETER. HT.
FABVIER. Ben. (Laffay 1832.)
Fairy R. CÉCILE BRUNNER.
FALSE BANKSIAN R. R. *banksiopsis.*
Fairy R., Pink. PINK BEAUTY.
FANNY STOLLWERCK. Cl.T. (Nab. 1896.)
FARBENKÖNIGIN. HT. (Hinner 1902.) *Queen of Colors.*
FARQUHAR. HW. (Dawson 1903.) *The Farquhar.*
Father Hugo's R. R. *hugonis.*
Feast's No. 1. BEAUTY OF THE PRAIRIES.
F. E. Coulthwaite. FLORENCE EDITH COULTHWAITE.
FÉLICITÉ ET PERPÉTUE. Semp. (Jacques 1827.)
FELICITY. HT. (Clarke 1919.)
FELLEMBERG. Ben. (Fellemburg 1857.) *Fellenberg.*
FENDLER R. R. *woodsi fendleri.*
- ROSA**, Rose, continued
Fendleri. R. *woodsi fendleri.*
FERDINAND DE LESSEPS. HP. (E. Verd. 1869.)
FERDINAND JAMIN. HT. (Per.-D. 1896.)
FERNIEHURST. HT. (A. Dicks. 1911.)
Ferox. R. *rugosa.*
Ferruginea. R. *rubrifolia.*
filipes. THREADSTALK R.
FIMBRIATA. H.Rug. (Morlet 1891.)
Fimbriata. HP. (Schmidt. 1901.)
Fireflame. IRISH FIREFLAME.
FISHER HOLMES. HP. (E. Verd. 1865.) *Fisher et Holmes.*
 First sent out as Fisher et Holmes but now so commonly known as Fisher Holmes that this name will be retained.
F. J. GROOTENDORST. H.Pol-Rug. (F. J. Grootendorst & Son 1918.)
FLAME. HW. (Turn. 1912.)
FLAME OF FIRE. HT. (McG. 1916.)
FLOC CONDE NIEGE. D.Pol. (Lille 1898.)
FLORA. Mult. (Mme. Schw. 1888.)
FLORA McIVOR. H.Sb. (Penz. 1894.)
FLORENCE CHENOWETH. AB. (Chenoweth 1918.)
FLORENCE EDITH COULTHWAITE. HT. (A. Dicks. 1908.) *F. E. Coulthwaite.*
FLORENCE FORRESTER. HT. (McG. 1914.)
FLORENCE HASWELL VEITCH. HT. (W. Paul 1911.)
FLORENCE M. IZZARD. HT. (McG. 1922.)
FLORENCE PEMBERTON. HT. (A. Dicks. 1903.)
FLORENCE SPAULL. HT. (B. R. Cant 1916.)
FLORIBUNDA. Mult. (Dubr. 1885.)
FLORINDA NORMAN THOMPSON. HT. (A. Dicks. 1920.)
FLOWER OF FAIRFIELD. Mult. (Schul. 1908.) *Everblooming Crimson Rambler;* *Perpetual Flowering Crimson Rambler.*
foetida. Lutea; Austrian Yellow; Yellow Austrian. AUSTRIAN BRIER R.
Foetida bicolor. AUSTRIAN COPPER.
Foetida harisoni Cy. HARISON'S YELLOW.
Foetida persiana. PERSIAN YELLOW.

ROSA, ROSE, continued
foliolosa.

FORTUNE R. *Fortuneana; Laevigata florepleno.*

FORTUNE DOUBLE YELLOW. Nois. (Fortune 1845.) *Beauty of Glazenvwood; Fortunei; Fortune's Yellow; Gold of Ophir; R. fortuneana.*

FRAGRANT BOUQUET. Per-HT. (H. & S. 1922.)

FRANCES CHARTERIS SETON. HT. (W. Paul 1911.) *Francis C. Seaton.*

FRANCES GAUNT. HT. (A. Dicks. 1918.)

FRANCES WILLARD. T. (G. & R. 1899.) *President Cleveland.*

FRANCIS DUBREUIL. T. (Dubr. 1894.) *François Dubrefuil.*

FRANCIS SCOTT KEY. HT. (J. Cook 1913.)

Francisca Krüger. Mlle. FRANZISKA KRÜGER.

FRANÇOIS CROUSSE. Cl.T. (P. Guil. 1900.)

FRANÇOIS FOUCARD. HW. (Bar. 1900.)

FRANÇOIS GUILLOT. HW. (Bar. 1907.)

FRANÇOIS JURANVILLE. HW. (Bar.

1906.)

FRANÇOIS LEVET. HP. (Levet 1880.)

FRANÇOIS MICHELON. HP. (Levet

1870.)

FRANÇOIS POISSON. HW. (Bar. 1902.)

Franco-Russia. ALLIANCE FRANCO-RUSSE.

FRANK W. DUNLOP. HT. (Dunlop 1919.)

FRANKLIN. HT. (Per.-D. 1919.)

FRANZ DEEGEN. HT. (Hinner 1901.)

Franziska Krüger. Mlle. FRANZISKA KRÜGER.

FRAU ADA REHFIELD. H.Pol.

FRAU BERTA GURTNER. Mult. (Gurtler 1914.)

FRAU BERTHA KIESE. HT. (Kiese 1914.)

FRAU J. REITER. HT. (Welt. 1905.)
Frau J. Reuter; Mrs. J. Reuter.

FRAU KARL DRUSCHKI. HP. (P. Lamb. 1900.) *La Reine des Neiges; Snow Queen; White American Beauty.*

ROSA, ROSE, continued

Frau Karl Druschki, Cl. Cl. FRAU KARL DRUSCHKI.

Frau Karl Druschki, Crimson. HIS MAJESTY.

Frau Karl Druschki, Pink. GEORGE ARENDTS; HEINRICH MÜNCH; PINK FRAU KARL DRUSCHKI.

Frau Karl Druschki, Red. BARBAROSSA; HIS MAJESTY.

Frau Karl Druschki, Yellow. LUDWIG MÖLLER.

Frau Karl Schmidt; Frau Karl Smid. MME. GUSTAVE METZ.

FRAU MATH. NOEHL. HT. (Welt. 1913.)

FRAU MARGARETHE MÖLLER. HT. (Poul. 1911.)

Frau Mélanie Niedieck. MÉLANIE NIEDIECK.

FRAU OBERBÜRGERMEISTER PIECQ. HT. (Jacobs 1911.)

FRAU OBERHOFGÄRTNER SINGER. HT. (P. Lamb. 1908.)

FRAU SYNDICA ROELOFFS. Ben. (P. Lamb. 1900.)

FRAU VON BRAUER. HW. (P. Lamb. 1913.)

FRAULEIN OCTAVIA HESSE. HW. (Hesse 1910.) *Octavia Hesse.*

FREDA. HT. (Paul 1911.)

FREEDOM. HW. (Un. 1918.) Cl. *White American Beauty.*

Freedom. HT. (Lemon 1920.)

FREIFRAU IDA VON SCHUBERT. HT. (P. Lamb. 1912.)

FREIFRAU VON MARSCHALL. HW. (P. Lamb. 1903.)

FREIFRAU VON DER GOLTZ. HT. (P. Lamb. 1912.) *Frei. G. v. d. Goltz.*

FRIEHERR VON MARSCHALL. T. (P. Lamb. 1903.)

FRIEDRICHSRUH. HT. (Türke 1907.)

FRENCH R. R. gallica.

French R., Double. DOUBLE FRENCH R.

F. R. M. Undritz.

Changed to GENERAL JOHN PERSHING.

FROEBEL R. R. coriifolia froebeli.

F. R. PATZER. HT. (A. Dicks. 1909.)

G. AMÉDÉE HAMMOND. HT. (A. Dicks. 1915.) *G. A. Hammond,*

- ROSA**, ROSE, continued
- GAINSBOROUGH. Cl. HT. (G. & R. 1903.) *Cl. Gainsborough; Cl. Viscountess Folkestone; Gainesboro.*
- GALATEA. HT. (Pem. 1914.)
- gallica**. FRENCH R.
Gallica officinalis. DOUBLE FRENCH R.
Gallica versicolor. ROSA MUNDI.
- GARDENIA. HW. (Manda 1899.) *Hardy Maréchal Niel.*
- GARISENDA. HW. (Bonfiglioli 1911.)
- GARLAND R. *R. sertata*.
- GARNET CLIMBER. HW. (Van F. 1907.)
- GARTENDIREKTOR HARTRATH. HT. (Leend. 1911.)
- GÉANT DES BATAILLES. HP. (Nérard 1846.) *Giant of Battles.*
- GEISHA. Mult. (Gesch. 1914.); Per. (Van Rossem 1920.)
- General Arnold Jansen; General Janssen.* GENERAL-SUPERIOR ARNOLD JANSSEN.
- General de Tartas.* GENERAL TARTAS.
- GENERAL JACQUEMINOT. HP. (Roussel 1852.) *General Jack; General Jackminot; Jack R.*
- GENERAL JOHN PERSHING. HW. (Un. 1917.) *F. R. M. Undritz.*
- GENERAL MACARTHUR. HT. (E. G. Hill 1904.) *General McArthur.*
- General MacArthur, Cl. Cl.* GENERAL MACARTHUR.
- GENERAL ROBERT E. LEE. T. (G. & R. 1896.) *Robert E. Lee.*
- GENERAL SMUTS. HT. (Van Rossem 1922.)
- GENERAL-SUPERIOR ARNOLD JANSSEN. HT. (Leend. 1912.) *General Arnold Jansen; General Janssen; General-Superior Arnold Jensen; General S. A. Janssen; General-Superior Jansen; Nelmore; S. A. Janssen.*
- GENERAL TARTAS. T. (Bernède.) *General de Tartas.*
- GENERAL WASHINGTON. HP. (Granger 1860.)
- GENEVIEVE. Mult. (J. & P. 1911.)
- gentiliana.* NATIONAL R.
- ROSA**, ROSE, continued
- GEOFFREY HENSLOW. HT. (A. Dicks. 1912.)
- GEORG REIMERS. HT. (S. & N. 1910.) *George Reimers.*
- GEORGE ARENDTS. HP. (Hinner 1910.) *George Ahrends; Pink American Beauty; Pink Frau Karl Druschki.*
- GEORGE C. WAUD. HT. (A. Dicks. 1908.) *George C. Ward.*
- GEORGE DICKSON. HP. (A. Dicks. 1912.) *George Dixon.*
- GEORGE ELGER. T.-Pol. (Tur. 1912.) *George Elgar; Yellow Cécile Brunner.*
- George Shawyer, Cl. Cl.* MRS. GEORGE SHAWYER.
- George Washington.* MARY WASHINGTON.
- GEORGES CLEMENCEAU. Per. (Lev. 1919.)
- GEORGES PERNET. T.-Pol. (Per.-D. 1887.) *George Pernet.*
- GEORGES VIBERT. Prov. (Robert 1853.)
- GERBE R. HW. (Fauq. 1904.)
- GERMAINE. D.Pol. (Peauger 1912.)
- GERMAINE ROSSIAUD. HT. (Cham. 1915.)
- Germaine Trochon.* MILLE. GERMAINE TROCHON.
- GHISLAINE DE FELIGONDE. Mult. (Tur. 1916.)
- Giant La France.* MME. CAROLINE TESTOUT.
- Giant of Battles.* GÉANT DES BATAILLES.
- Giant TEA R. *R. odorata gigantea.*
- GLADYS HARKNESS. HT. (A. Dicks. 1900.)
- GLADYS HOLLAND. HT. (McG. 1917.)
- GLOIRE DE CHÉDANE-GUINOISSEAU. HP. (Chédane & Pajotin 1907.)
- GLOIRE DE DIJON. Nois. (Jacotot 1853.)
- Gloire de Dijon, Red.* REINE MARIE HENRIETTE.
- GLOIRE DE L'EXPOSITION DE BRUXELLES. HP. (S. & N. 1890.) *Gloire de Bruxelles; Glory of the Exposition of Brussels.*

ROSA, ROSE, continued

Gloire de Lyonnaise. GLOIRE LYONNAISE.

GLOIRE DE MARGOTTIN. HP. (Mar. 1887.) *Gloire Margottin.*

Gloire de Paris; Glory of Paris. ANNA DE DIESBACH.

GLOIRE DES BELGES. HT. (Cham. 1915.)

GLOIRE DES MARCHES. H.Pol.

GLOIRE DES MOUSSEUX. M. (Laffay 1852.) *Glory de Mosses; Glory of Mosses.*

GLOIRE DES POLYANTHA. T.-Pol. (Guil. fils 1887.) *Gloire de Polyantha.*

GLOIRE DES ROSOMANES. Cl.Ben. (Vibert 1825.) *Ragged Robin.*

GLOIRE LYONNAISE. HT. (Guil. fils 1884.) *Gloire de Lyonnaise.*

Gloire Margottin. GLOIRE DE MARGOTTIN.

GLORIFIED LA FRANCE. HT. (J. Cook 1919.)

GLORIO. HT. (E. G. Hill, 1923.)

Glory de Mosses; Glory of Mosses.

GLOIRE DES MOUSSEUX.

GLORY OF HURST. D.Pol. (Hicks 1921.)

GLORY OF STEINFURTH. HT. (Schul. 1921.)

Glory of the Exposition of Brussels.

GLOIRE DE L'EXPOSITION DE BRUXELLES.

GLOW WORM. Per. (Eas. 1919.)

Gold of Ophir. FORTUNE DOUBLE YELLOW.

Golden Bedder. ETOILE DE LYON.

Golden Chain. REVE D'OR.

Golden Cochet. MME. VALÈRE BEAUMEZ; HELEN GOOD.

GOLDEN EMBLEM. HT. (McG. 1917.)

GOLDEN GATE. T. (Jones 1888.) White House R.

Golden Gate, White. IVORY.

GOLDEN GEM. HT. (Tow. 1917.)

GOLDEN OPHELIA. HT. (B. R. Cant 1919.)

Golden Rambler. ALISTER STELLA GRAY.

Golden Rays. RAYON d'OR.

ROSA, ROSE, continued

Golden Rose of China. R. hugonis.

GOLDEN RULE. HT. (E. G. Hill 1918.)

GOLDEN SPRAY. HT. (H. Dicks. 1917.)

Golden Sun. SOLEIL D'OR.

GOLDEN TROPHY. Cl.T. (Calif. 1914.)

GOLDFINCH. Mult. (Paul 1907.) Yellow Rambler; Yellow Tausend-schön.

GORGEOUS. HT. (H. Dicks. 1915.)

GOTTFRIED KELLER. Per. (Müller 1894.)

GRACE DARLING. HT. (Ben. 1884.)

GRACE MOLYNEUX. HT. (A. Dicks. 1908.)

GRACILIS. M. (Prevost.)

GRAF ZEPPELIN. Mult. (Boehm 1910.) Count Zeppelin; Pink Rambler.

GRAND MOGUL. HP. (W. Paul 1887.)

GRANDE DUCHESSE MARIE-ADELAIDE. Per. (S. & N. 1912.) Grande Duchesse de Luxembourg; Marie Adelaide; Marie Adelaide, Grande Duchesse of Luxembourg.

GRANGE COLOMBE. HT. (P. Guil. 1911.)

gratissima. SWEETLEAF R.

GREATHEART. HT. (Rosenbluth 1918.)

GREEN MANTLE. H.Sb. (Penz. 1895.)

GREEN R. R. chinensis viridiflora† Cy; Viridiflora.

Greetings to Teplitz. GRUSS AN TEP-LITZ.

GRETA KLUIS. D.Pol. (Kluis & Koning 1915.)

GREVILLE. Mult. Grevillea; Seven Sisters.

Grevillea, Scarlet. RUSSELIANA.

GROSSHERZOG FRIEDRICH (VON BADEN). HT. (P. Lamb. 1908.) Grossherzog Friedrich.

GRUSS AN AACHEN. T.-Pol. (Geduldig 1909.) Baby Gruss au Archin.

GRUSS AN FREUNDORF. HW. (Praskac 1913.)

ROSA, ROSE, continued

- GRUSS AN TEPLITZ.** HT. (Gesch. 1897.) *Crimson Hermosa; Greetings to Teplitz; Grues an Teplitz; Virginia R. Coxe.*
Gruss an Teplitz, Cl. CL. **GRUSS AN TEPLITZ.**
Guillot, Cl. CL. **MARIE GUILLOT.**
GUSTAV GRÜNERWALD. HT. (P. Lamb. 1903.)
GUSTAVE PIGANEAU. HP. (Per.-D. 1889.)
Gustave Prat. SOUV. DE **GUSTAVE PRAT.**
GUSTAVE RÉGIS. HT. (Per.-D. 1890.)
gymnocarpa. BALD-HIP R.
HACKEBURG. Mult. (Kiese 1912.)
HADLEY. HT. (Mont. 1914.)
Hadley, Cl. CL. **HADLEY.**
HAILEYBURY. HP. (Paul 1896.)
HANSA. H.Rug. (Schaum 1905.)
HANSEN. H.Rug. (Budd 189-.)
Hansa.
Hardy American Beauty. ULRICH BRUNNER.
Hardy Maréchal Niel. GARDENIA.
HARISON'S YELLOW. AB. (Harison 1830.) *Harrison's Yellow; Hogg's Yellow; R. foetida harisonii Cy.; R. harisonii Ar; Yellow Sweetbrier.*
Harisoni. HARISON'S YELLOW.
HARRY KIRK. T. (A. Dicks. 1907.)
HAUFF. Mult. (P. Lamb. 1911.)
HAWLMARK CRIMSON. HT. (A. Dicks. 1920.)
H. D. M. BARTON. HT. (H. Dicks. 1917.)
Heart of France. BIRDIE BLYE.
HECTOR MACKENZIE. HT. (P. Guil. 1908.)
HEINRICH MÜNCH. HP. (Münch & Haufe 1911.) *Henry Münch; Pink Frau Karl Druschki.*
HEINRICH SCHULTHEIS. HP. (Ben. 1882.)
HELEN R. R. helenae.
HELEN ARMACOST. HT.
HELEN CHAMBERLAIN. HT. (Eas. 1918.)
HELEN GOOD. T. (G. & R. 1906.) *Golden Cochet; The Beauty Cochet.*

ROSA, ROSE, continued

Helen Gould. BALDUIN.

Sent out by the Dingee & Conard Co. under this name in 1902, but was originated by P. Lambert in 1896 and named Balduin.

Helen Gould, Cl. CL. **BALDUIN.**

HELEN KELLER. HP. (A. Dicks. 1895.)

HELEN TAFT. HT. (Byrnes 1913.) *Miss Helen Taft.*

Helen Cambier and similar misspellings, see **MILLE.** **HÉLÈNE CAMBIER.**

helena. HELEN R.

HÉLÈNE. Mult. (P. Lamb. 1898.) *Helen.*

HÉLÈNE WATTINE. HT. (S. & N. '10.)

Heliophila. R. *suffulta.*

Heliophila alba. WHITE SUN.

HENRIETTA. HT. (Merry. 1916.) *Henriette.*

HENRIETTE PERIER. D.Pol. (Tur. 1916.)

HENRI MARTIN. M. (Laffay 1863.) *Henry Martin; Red Moss R.*

HENRI PLANTIER. Bour. *Henry Plantier.*

Henry Münch. HEINRICH MÜNCH.

HENRY M. STANLEY. T. (D. & C. 1891.)

H. E. RICHARDSON. HT. (H. Dicks. 1913.)

HER MAJESTY. HP. (Ben. 1885.)

HERMOSA. Ben. (Marcheseau 1840.) *Armosa; Pink Hermosa.*

First sent out as Armosa, but the name Hermosa is so generally accepted that it will be retained.

Hermosa, Cl. CL. **HERMOSA; SETINA.**

Hermosa, Crimson. CRIMSON HERMOSA; **GRUSS AN TEPLITZ.**

Hermosa, Red. QUEEN OF SPAIN; QUEENS SCARLET.

Hermosa, White. MARIE LAMBERT.

Hermosa, Yellow. COQUETTE DE LYON.

HERZOG FRIEDRICH II VON ANHALT. HT. (Welt. 1907.) *Herzog Frederick II von Anhalt; Herzog von Anhalt.*

HERZOGIN MARIE ANTOINETTE. HT. (Jacobs 1911.) *H. Marie Antoinette; Marie Antoinette.*

H. F. EILERS. HT. (P. Lamb. 1914.)

ROSA, ROSE, continued

- HIAWATHA. HW. (Walsh 1904.)
 HIGHLAND MARY. T. (D. & C. 1908.)
 HILDA. HT. (Myers & Samtman 1911.)
 HILL'S AMERICA. HT. (E. G. Hill 1921.) *America.*
 HIS MAJESTY. HT. (McG. 1909.)
Crimson Frau Karl Druschki; Red Frau Karl Druschki.
 H. Marie Antoinette. HERZOGIN MARIE ANTOINETTE.
 HOFGÄRTNER KALB. Ben. (Felberg-Leclerc 1914.)
Hogg's Yellow R. HARISON'S YELLOW R.
 HON. EDITH GIFFORD. T. (Guil. fils 1882.)
 HON. INA BINGHAM. HT. (A. Dicks. 1905.)
 HON. MRS. R. C. GROSVENOR. HT. (B. R. Cant 1916.)
 HOOSIER BEAUTY. HT. (Dorn. 1915.)
Black Beauty; Liberty Beauty.
Hoosier Beauty, Cl. CL. HOOSIER BEAUTY.
 HORACE VERNET. HP. (Guil. fils 1866.)
 HORTULANUS ALBERT FIET. HT. (Leen. 1919.)
 HORTULANUS BUDDE. HT. (Vers. 1919.)
 H. P. PINKERTON. HT. (H. Dicks. 1918.)
 HUGH DICKSON. HP. (H. Dicks. 1904.) *Triumph.*
Hugh Dickson, Cl. CL. HUGH DICKSON.
 HUGH WATSON. HP. (A. Dicks. 1905.)
 HUGONIS. R. *hugonis.*
hugonis. Father Hugo's R.; Golden Rose of China. HUGONIS.
 HUGO ROLLER. T. (W. Paul 1907.)
 HUMBOLDT. HT. (E. G. Hill 1922.)
humilis. R. carolina Cy-Ag-Ar. PASTURE R.
humilis grandiflora.
humilis triloba.
humilis villosa.
 H. V. MACHIN. HT. (A. Dicks. 1914.)

ROSA, ROSE, continued

- H. V. MACHIN, Cl. CL. H. V. MACHIN.
Hybrida, Max Graf. MAX GRAF.
 HYBRID GIGANTEA.
Hybrids with R. odorata gigantea.
 HYBRID MACROCARPA.
Hybrids with a disputed form of R. odorata.
 HYBRID PERPETUAL.
Also called Hybrid Remontant; involving many crosses between R. chinensis, R. gallica, R. centifolia, and R. damascena.
 HYBRID TEA.
Includes R. odorata and its hybrids with the mixed origin of the Hybrid Perpetual class; specifically obtained by crossing varieties of Tea roses and Hybrid Perpetual roses.
 IDA KLEMM. Mult. (Walter 1907.)
 IDA SCHUBERT.
 IDEAL. HT. (Becker 1900.)
Ideal. D.Pol. (Jan Spek 1912.)
Illinoiensis. R. *rubiginosa.*
 IMOGEN. HT. (W. Paul 1915.) *Imogene.*
 IMPERATRICE EUGÉNIE. Bour. (Plantier 1855.) *Empress Eugénie.*
Improved Crimson Rambler. EXCELSA.
 IMPROVED RAINBOW. T. (Bur. 1910.)
 INDEFECTIBLE. D.Pol. (Tur. 1919.)
 INDEPENDENCE DAY. HT. (Bees 1919.)
Indiana. WILLIAM NOTTING.
 INDIANA. HT. (E. G. Hill 1907.)
Indian Summer. TITANIA.
 IONA HERDMAN. HT. (McG. 1914.)
 IRENE THOMPSON. HT. (McG. 1921.)
 IRISH AFTERGLOW. HT. (A. Dicks. 1918.)
 IRISH BEAUTY. HT. (A. Dicks. 1900.)
Irish Beauty. KILLARNEY.
 IRISH BRIGHTNESS. HT. (A. Dicks. 1903.)
 IRISH ELEGANCE. HT. (A. Dicks. 1905.)
 IRISH ENGINEER. HT. (A. Dicks. 1904.)
 IRISH FIREFLAME. HT. (A. Dicks. 1913.) *Fireflame.*
Irish Fireflame, Cl. CL. IRISH FIREFLAME.
 IRISH GLORY. HT. (A. Dicks. 1900.)

- ROSA**, Rose, continued
- IRISH HARMONY. HT. (A. Dicks. 1904.)
- IRISH MODESTY. HT. (A. Dicks. 1900.)
- IRISH PRIDE. HT. (A. Dicks. 1903.)
- IRISH STAR. HT. (A. Dicks. 1903.)
- ISABELLA SPRUNT. T. (Sprunt 1866.)
Isabelle Sprunt.
- ISOBEL. HT. (McG. 1916.)
- IVORY. T. (American Rose Co. 1902.) *White Golden Gate.*
- Jack R.* GENERAL JACQUEMINOT.
- Jack R.*, *Everblooming*. ANDRÉ SCHWARTZ; RICHMOND.
- Jacki.* R. *maximowicziana jacki.*
- JACQUES PORCHER. HT. (P. Guil. 1914.)
- JACQUES VINCENT. HT. (S. & N. 1908.)
- JAMES COEY. HT. (A. Dicks. 1909.)
- JAMES SPRINT. Cl. Ben. (Sprunt 1856.)
- JAMES VEITCH. M. (E. Verd. 1864.)
- JANET. HT. (A. Dicks. 1915.)
- JANET'S PRIDE. H.Sb. (Whitwell 1892.)
- JAPANESE R. R. *multiflora.*
- J. B. CLARK. HP. (H. Dicks. 1905.)
- J. B. M. CAMM. Bour. (Paul 1900)
- J. B. VARRONE. T. (Guil. fils 1889.)
- JEAN ANDRÉ. Nois. (Pelletier 1888.)
- JEAN C. N. FORESTIER. Per. (Per. D. 1920.)
- JEAN GIRIN. HW. (Girin 1910.)
- JEAN LIABAUD. HP. (Liab. 1875.)
- JEAN NOTÉ. HT. (Per.-D. 1908.)
- JEAN SOUPERT. HP. (Lach. 1875.)
- JEANNE D'ARC. D.-Pol. (Levav. 1909.) *Baby Joan de Arc; Jean d'Arc; Joan d'Arc; Joan of Arc; White Baby Rambler.*
- JEANNE DRIVON. Mult. (Schw. 1883.)
- JEANNE ESCOFFIER. Per. (Buatois 1921.)
- Jeannette Heller. WILLIAM R. SMITH.
Jeannette Heller, Yellow. SOUV. D'E. GUILLARD.
- JEANNIE DEANS. H.Sb. (Penz. 1895.)
- JEANNIE DICKSON. HP. (A. Dicks. 1890.)
- ROSA**, Rose, continued
- JERSEY BEAUTY. HW. (Manda 1899.)
- JESSIE D.POL. (Merry. 1909.) *Red Baby Rambler.*
- J. F. BARRY. Per. (Piper 1913.)
- J. G. GLASSFORD. HT. (H. Dicks. 1920.)
- Jkvr. D. Baronesse van Ittersum.*
- BARONESSE VAN ITTERSUM.
- J. L. MOCK. JONKHEER J. L. MOCK.
- JO. WESSELHÖFT. JOHANNES WESSELHÖFT.
- JOAN. HT. (Pem. 1919.)
- Joan d'Arc*, and similar misspellings, see JEANNE D'ARC.
- Joan de Arc, Baby.* JEANNE D'ARC.
- JOANNA BRIDGE. HT. (Hicks, 1916.)
- Joey Hill.* JOSEPH HILL.
- JOHANNA SEBUS. HT. (Müller 1899.)
- JOHANNES WESSELHÖFT. HT. (Welt. 1899.) *Jo. Wesselhöft.*
- JOHANNISFEUER. Per. (Türke 1909.)
- JOHN BURTON. HW. (Hoopes 1903.)
- JOHN DAVISON. HT. (McG. 1919.)
- JOHN HOPPER. HP. (Ward 1862.)
- JOHN KEYNES. HP. (E. Verd. 1865.)
- JOHN SHARP WILLIAMS. HT. (Chugman's Nurseries, 1907.)
- JOHN STUART MILL. HP. (Turn. 1875.)
- JONKHEER J. L. MOCK. HT. (Leend. 1909.) *J. L. Mock; John Mouk; Jonk. J. L. Mock; Jonkheer Mock; Mock; New La France.*
- JOSEPH BAUD. Per. (Gillot 1919.)
- JOSEPH BILLARD. HW. (Bar. 1905.)
- JOSEPH GUY. D.POL. (Nonin 1921.) *Lafayette.*
- JOSEPH HILL. HT. (Per.-D. 1903.) *Joey Hill.*
- JOSEPH LIGER. HW. (Bar. 1909.)
- JOSEPHINE. HT. (W. Paul 1914.)
- JOSEPHINE VESTAL. HT. (E. G. Hill 1923.)
- J. S. FAY. HP. (Walsh 1899.)
- JUANITA. HW. (Walsh 1907.)
- JUBILEE. HP. (Walsh 1897.)
- Jules Gravereaux, Cl. Cl. COMMANDEUR JULES GRAVEREAUX.*
- JULES MARGOTTIN. HP. (Mar. 1853.)

ROSA, Rose, continued

Jules Margottin, Cl. CL. JULES MARGOTTIN.
JULES TABART. Per. (Bar. 1920.)
JULIA BARRET. HT. (Schw. 1920.)
JULIA MANNERING. H.Sb. (Penz. 1895.) *Julie Mannering.*
JULIET. Per. (W. Paul 1909.)
JUNIOR AUGUSTINE GUINOISSEAU. HT. (Calif. 1911.) *Augustine Guinoisseau, Jr.*
JUNIOR ETOILE DE FRANCE. HT. (Calif. 1911.) *Etoile de France, Jr.*
KAISER FRIEDRICH. T. (Droge-müller 1890.)
Kaiserin. KAISERIN AUGUSTE VIKTORIA.
Kaiserin, Cl.; Kaiserin Augusta Victoria, Cl. Mrs. ROBERT PEARY.
Kaiserin, Yellow. MME. JENNY GILLEMET.
KAISERIN AUGUSTE VIKTORIA. HT. (Lambert & Reiter 1891.) *Augusta Victoria; Empress; Kaiserin; Kaiserin Augusta Victoria.*
Kaiserin Auguste Viktoria, Cl. CL. KAISERIN AUGUSTE VIKTORIA.
Kaiserin Auguste Viktoria, Red. MME. JULES GROLEZ.
Kaiserin Auguste Viktoria, Yellow. NATALIE BÖTTNER; PERLE VON GODESBERG.
KALMIA. HW. (Walsh 1911.)
KAMCHATKA R. R. rugosa kamtschatica.
KATHARINA ZEIMET. D.Pol. (P. Lamb. 1901.) Baby Catherine Zemet; Catherine Zeimet; Double White Baby Rambler; Katherine Zeimet; White Baby Rambler.
KATHLEEN HARROP. H. Bour. (A. Dicks. 1919.)
KENTFIELD. Poly. (Richard Diener Co., Inc. 1922.)
Key, Pink. PINK KEY.
KEYSTONE. Mult. (D. & C. 1904.)
KILLARNEY. HT. (A. Dicks. 1898.) *Irish Beauty; Pink Killarney.*
KILLARNEY BRILLIANT. HT. (A. Dicks. 1914.)

ROSA, Rose, continued

Killarney, Cl.; Killarney, Cl. Pink, CL. KILLARNEY.
Killarney, Cl. White, CL. WHITE KILLARNEY.
Killarney, Double Pink. DOUBLE PINK KILLARNEY.
Killarney, Double White. DOUBLE WHITE KILLARNEY.
Killarney, Orange. DUCHESS OF WELLINGTON.
Killarney, Pink. KILLARNEY.
KILLARNEY QUEEN. HT. (Bud. 1912.)
Killarney, White. WHITE KILLARNEY.
Killarney, Yellow. MME. JENNY GILLEMET.
KING DAVID. HT. (Calif. 1910.)
KING GEORGE V. HP. (H. Dicks. 1912.) *King George.*
KITTY. H.Pol.
KLONDYKE. HW. (Paul 1911.)
K. of K. HT. (A. Dicks. 1917.) *Kitchener of Khartoum.*
KOMMERZIENRAT W. RAUTEN-STRACH. Mult. (P. Lamb. 1909.)
KÖNIGIN CAROLA. HT. (Türke 1903.)
KÖNIGIN EMMA. HT. (Vers. 1903.)
KÖNIGIN WILHELMINA. T. (Vers. 1904.)
KOOTENAY. HT. (A. Dicks. 1917.)
KOREAN R. R. xanthina.
KORNER. Mult. (P. Lamb. 1914.)
KRONPRINZESSIN CÆCILIE. HT. (Schmidt 1908.) *Crown Princess Cecilia.*
KRONPRINZESSIN VIKTORIA. Bour. (Späth 1887.) *Crown Princess Victoria; White Malmaison.*
L'IDEAL. Cl. Nois. (Nab. 1887.)
LA CHAMPAGNE. HT. (Bar. 1919.)
LA DETROIT. HT. (Hopp & Lemke 1904.)
LA FIAMMA. HW. (Walsh 1909.) *La Flamme.*
LA FRANCE. HT. (Guil. fils 1867.) *Pink La France.*
La France, Cl. CL. LA FRANCE.
La France, Giant. MME. CAROLINE TESTOUT.

- ROSA**, Rose, continued
La France, *Glorified*. GLORIFIED LA FRANCE.
La France, *New*. JONKHEER J. L. MOCK.
La France, *Pink*. LA FRANCE.
La France, *Red*. DUCHESS OF ALBANY.
La France, *Striped*. MME. ANGELIQUE VEYSSET.
La France, *White*. AUGUSTINE GUINOSSEAU.
La France, *Yellow*. MME. PERNET-DUCHER.
LA FRANCE VICTORIEUSE. HT. (Grav. 1919.)
LA GALISSIÈRE. HT. (Schw. 1907.)
LA GUIRLANDE. HW.
LA MARNE. D.Pol. (Bar. 1915.)
Baby Le Marn.
LA PAULI. Cl.M. Cl. Moss.
LA PRINCESS VERA. T. (Nab. 1878.)
LA PROSPÉRINE. T.-Pol. (Ketten 1897.)
LA REINE. HP. (Laffay 1842.) *The Queen.*
La Reine des Neiges. FRAU KARL DRUSCHKI.
La Rosière. PRINCE CAMILLE DE ROHAN.
LA SOMME. Per. (Bar. 1919.)
LA TOSCA. HT. (Mme. Schw. 1900.)
LADY ALICE STANLEY. HT. (McG. 1909.)
LADY ANDERSON. HT. (Campbell-Hall 1920.)
LADY ANN BORODELL. HT. (S. J. Reuter & Son 1914.)
LADY ARTHUR HILL. HP. (A. Dicks. 1889.)
LADY ASHTOWN. HT. (A. Dicks. 1904.) *Lady Ashton.*
Lady Ashtown, Cl. CL. LADY ASHTOWN.
Lady Banks R. YELLOW BANKSIAN R.
LADY BARHAM. HT. (A. Dicks. 1911.)
LADY BATTERSEA. HT. (Paul 1901.) *Red Niphetos.*
LADY BLANCHE. HW. (Walsh 1913.)
- ROSA**, Rose, continued
LADY CATHERINE R. HT. (Bide 1911.) *Lady Katherine*; *Lady Catherine R.*
LADY CURZON. Prov. (Turn. 1901.)
LADY DE BATHE. HT. (B. R. Cant 1911.)
LADY DIXON. HT. (A. Dicks. 1919.)
LADY DOWNE. HT. (W. Paul 1911.)
LADY DUNCAN. HW. (Dawson 1900.)
LADY DUNLEATH. HT. (A. Dicks. 1913.)
LADY GAY. HW. (Walsh 1905.)
LADY GODIVA. HW. (Paul 1908.)
LADY GREENALL. HT. (A. Dicks. 1911.) *Lady Grenall.*
LADY GWENDOLINE COLVIN. Cl. HT.
LADY HELEN STEWART. HP. (A. Dicks. 1887.)
LADY HELEN VINCENT. HT. (A. Dicks. 1907.)
LADY HILLINGDON. T. (L. & S. 1910.) *Lady Hellingdon.*
Lady Hillingdon, Cl. CL. LADY HILLINGDON.
LADY INCHIQUIN. HT. (A. Dicks. 1920.)
LADY JOY. HT. (Nanz & Neuner 1901.)
LADY MARS. Cl.T. (Calif. 1909.)
LADY MARY CORRY. T. (A. Dicks. 1900.)
LADY MARY WARD. HT. (McG. 1913.)
LADY MAUREEN STEWART. HT. (A. Dicks. 1920.)
LADY MOYRA BEAUCLERC. HT. (A. Dicks. 1901.)
LADY PENZANCE. H.Sb. (Penz. 1894.)
LADY PIRRIE. HT. (H. Dicks. 1910.) *Lady Pierre.*
LADY PLYMOUTH. T. (A. Dicks. 1914.)
LADY ROBERTS. T. (F. Cant 1902.)
LADY ROUNDWAY. HT. (B. R. Cant 1922.)
LADY SACKVILLE. HT. (McG. 1923.)
LADY SHEFFIELD. HP. (W. Paul 1881.)
LADY URSULA. HT. (A. Dicks. 1908.) *Laevigata*, *Double*. DOUBLE CHEROKEE R.

ROSA, ROSE, continued

- laevigata.** *Camellia; Cherokeensis; Nivea; Sinica; Ternata; Pink Cherokee R.; White Cherokee R. CHEROKEE R.*
- Laevigata florepleno.** DOUBLE CHEROKEE R.
- Lafayette.** JOSEPH GUY.
- LAMARQUE.** Nois. (Maréchal 1830.)
- LAMIA.** HT. (Eas. 1918.)
- LANSDOWNE.** HT. (Leonard 1914.)
- LAURE DE BROGLIE.** Ben. (Dubr. 1910.)
- Laure Dupont.** MME. LAURE DUPONT
- LAURENT CARLE.** HT. (Per.-D. 1907.)
- LAURETTE MESSIMY.** Ben. (Guil. fils 1887.)
- Laxa.** *R. coriifolia froebeli.*
- LAWRENCE ALLEN.** HP. (Cooling 1896.)
- Le Marn, Baby.** LA MARNE.
- LE MEXIQUE.** HW. (Schw. 1912.)
- LE PACTOLE.** T. (Miellez 1845.) *La Pactole.*
- LE PHOENIX.** Bour.
- LE POILU.** HW. (Bar. 1915.)
- LE PONCEAU.** T.-Pol. (Hémeray-Aubert 1911.) *Le Poncheau.*
- LE PROGRÈS.** HT. (Per.-D. 1903.)
- LEATHERLEAF R.** *R. coriifolia.*
- LEGION.** HT. (Tow. 1920.) *American Legion.*
- LEMON PILLAR.** Nois. (Paul 1915.)
- LEMON QUEEN.** HT. (Hob. 1912.) *Yellow American Beauty.*
- LENA.** HT. (A. Dicks. 1906.)
- LEONIE LAMBERT.** HP. (P. Lamb. 1914.)
- LEONIE LAMESCH.** T.-Pol. (P. Lamb. 1899.)
- LEONTINE GERVAIS.** HW. (Bar. 1903.) *Leontine Gerevais.*
- LESLIE HOLLAND.** HT. (H. Dicks. 1911.)
- LESSING.** Mult. (P. Lamb. 1914.)
- LETTY COLES.** T. (Coles 1876.)
- LEUCHTFEUER.** Ben. (Kiese 1908.)
- LEUCHTSTERN.** Mult. (Schmidt 1899.)
- Iheritierana.** BOURSAULT R.
- LIBERTY.** HT. (A. Dicks. 1900.)
- Liberty, Cl. CL LIBERTY.*
- Liberty Beauty.* HOOSIER BEAUTY.

ROSA, ROSE, continued

- LIEUTENANT CHAURÉ.** HT. (Per.-D. 1910.)
- LILLIAN MOORE.** HT. (H. Dicks. 1917.)
- LILY ITO.** Semp.
- Little Dorothy.* MAMAN LEVAVASSEUR.
- LITTLE GEM.** M. (W. Paul 1880.)
- LOHENGRIN.** HT. (Schmidt 1903.)
- Lolita Armour.** MISS LOLITA ARMOUR.
- LONGWOOD.** HW. (Wintzer 1914.)
- LONGWORTH RAMBLER.** Cl. HT. (Liab. 1880.)
- LORD CALVERT.** HT. (J. Cook 1919.)
- LORD KITCHENER.** HT. (Chap. 1918.)
- LORD PENZANCE.** H.Sb. (Penz. 1894.)
- LORD RAGLAN.** HP. (Guil. père 1854.)
- LOS ANGELES.** HT. (H. & S. 1916.)
- Louis Perrier.** SOUV. DE LOUIS PERRIER.
- LOUIS PHILIPPE.** Ben. (Guérin 1834.) *Louis Phillippe.*
- LOUIS VAN HOUTTE.** HP. (Lach. 1869.)
- LOUISE BALDWIN.** HT. (McG. 1919.)
- LOUISE CATHERINE BRESLAU.** Per. (Per.-D. 1912.)
- Louise Catherine Breslau, Cl. Cl.*
- LOUISE CATHERINE BRESLAU.**
- LOUISE RETTÉ.** HP. (Cham. 1915.) *Mlle. Louise Cretté.*
- LOUISE GRINER.** HT. (Cham. 1919.)
- LOUISE WALTER.** D.Pol. (Walter 1909.) *Baby Louise Walter; Baby Tausendschön; Louise Welter; Mrs. Louise Walter.*
- LUCETTE.** HW. (P. Guil. 1910.)
- lucida.** *R. virginiana Cy-Ag.* VIRGINIA R.
- Lucida alba.** WHITE VIRGINIA R.
- LUCIEN CHAURÉ.** HT. (S. & N. 1913.)
- LUCIEN DE LEMOS.** HT. (P. Lamb. 1906.)
- LUCILE.** HW. (Walsh 1911.)
- LUCIOLE.** T. (Guil. fils 1886.)
- LUCULLUS.** Ben. (Guin. 1854.) *Red Pet.*
- LUCY ASHTON.** H.Sb. (Penz. 1894.)
- LUCY BERTRAM.** H.Sb. (Penz. 1895.)

| | |
|---|---|
| ROSA, Rose, continued | ROSA, Rose, continued |
| LUDWIG MÖLLER. HT. (Kiese 1914.) <i>Ludwig Moeller; Yellow Frau Karl Druschki.</i> | MAMAN COCHET. T. (P. Coch. 1892.) <i>Pink Cochet; Pink Maman Cochet.</i> |
| LULU. HT. (Eas. 1919.) <i>Lutea. R. foetida.</i> | Maman Cochet, Blush. WILLIAM R. SMITH. <i>Maman Cochet, Cl.; Cl. Pink Maman Cochet. Cl. MAMAN COCHET.</i> |
| LUXEMBOURG. M. (Hardy.) | Maman Cochet, Cl. White, Cl. WHITE MAMAN COCHET. |
| LYNCH HYBRID. HW. | Maman Cochet, Crimson. BALDUIN; ETOILE DE FRANCE. |
| LYON RAMBLER. Mult. (Dubr. 1909.) | Maman Cochet, Pink. MAMAN COCHET. |
| LYON R. Per. (Per.-D. 1907.) <i>Lyon. Lyonii alba.</i> WHITE VIRGINIA R. | Maman Cochet, Red. BALDUIN; MME. SCIPION COCHET; MRS. B. R. CANT. |
| MA FILLETTE. T.-Pol. (S. & N. 1898.) | Maman Cochet, White. WHITE MAMAN COCHET. |
| MA PETITE ANDRÉE. T.-Pol. (Chauvry 1897.) <i>Red Soupert.</i> | Maman Cochet, Yellow. ALEXANDER HILL GRAY; MME. DEREVAS-MATTRAT; MILLE. HÉLÈNE CAMBIER. |
| MABEL DREW. HT. (A. Dicks. 1911.) | MAMAN LEVAVASSEUR. D.Pol. (Levav. 1907.) <i>Baby Dorothy; Little Dorothy; Pink Baby Dorothy; Pink Baby Rambler.</i> |
| MABEL MORRISON. HP. (Broughton 1878.) | MAMAN TURBAT. D.Pol. (Tur. 1911.) <i>Baby Maman Tarbat.</i> |
| MACARTNEY R. R. bracteata. | Mamie. MRS. CONWAY JONES. |
| MACDOUGAL R. R. macdougali. | MANDA'S TRIUMPH. HW. (Manda 1898.) |
| macdougali. MACDOUGAL R. | MANETTI R. <i>R. chinensis manetti</i> Cy; <i>R. manetti.</i> |
| MACOUN R. R. macouni. | MANIFESTO. HT. (McG. 1920.) |
| macouni. MACOUN R. | MARCELLA. HT. (W. Paul 1913.) |
| macrophylla. BIGLEAF R. | MARCHIONESS OF DOWNSHIRE. HP. (A. Dicks. 1894.) |
| MADDALENA SCALARANDIS. Ben. (Scalarandis 1901.) <i>M. Scalarandis.</i> | MARCHIONESS OF DUFFERIN. HP (A. Dicks. 1891.) |
| MADISON. T. (Brant 1906.) | MARCHIONESS OF LONDONDERRY. HP. (A. Dicks. 1893.) |
| MADONNA. HT. (J. Cook 1908.) | MARCHIONESS OF LORNE. HP. (W. Paul 1889.) |
| MAGNA CHARTA. HP. (W. Paul 1876.) | MARCHIONESS OF ORMONDE. HT. (H. Dicks. 1918.) |
| MAGNAFRANO. HT. (Van F. 1905.) <i>Everblooming General Jacqueminot.</i> | MARÉCHAL FOCH. D.Pol. (Levav. 1918.) <i>Red Orleans R.</i> |
| MAGNOLIA. HT. (Paul 1912.) <i>Magnolia R. DEVONIENSIS.</i> | MARÉCHAL NIEL. Nois. (Pradel 1864.) <i>Maréchal Niel, Hardy. GARDENIA. Maréchal Niel, Weisse; Maréchal Niel, White. WEISSE MARÉCHAL NIEL.</i> |
| MAHARAJAH. HT. (B. R. Cant 1904.) <i>Single Maharajah.</i> | |
| Maiden's Blush. WILLIAM R. SMITH; BRENDAA. | |
| MAID MARIAN. HW. (Walsh 1909.) <i>Maid Marion.</i> | |
| MAJESTIC. HT. (W. Paul 1914.) | |
| MAJOR PIERSON. HT. | |
| Malmaison. SOUV. DE LA MALMAISON. | |
| Malmaison, Cl. CL. SOUV. DE LA MALMAISON. | |
| Malmaison, Striped. BERTHA CLAVEL. | |
| Malmaison, White. KRONPRINZESSIN VIKTORIA. | |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

ROSA, ROSE, continued

- MARÉCHAL ROBERT. T. (Mme. Ducher 1875.)
 MARGARET. HT. (W. Paul 1909.)
 MARGARET DICKSON. HP. (A. Dicks. 1891.)
 MARGARET DICKSON HAMILL. HT. (A. Dicks. 1915.)
 MARGARET M. WYLIE. HT. (H. Dicks. 1921.)
Marguerite d'Italie. REINE MARGUERITE D'ITALIE.
 MARGUERITE MONTAVON. HT. (S. & N. 1912.)
 MARIA KANNEN. T.-Pol. *Marie Kannon.*
 MARIA LEONIDA. Brac. (Lem. 1829.)
Marie Leonida.
Marian. Cl. CL. MARIAN.
Marie. ROSE MARIE.
Marie Adelsoide; *Marie Adelaide,*
Grande Duchesse of Luxembourg.
 GRANDE DUCHESSE MARIE-ADELAIDE.
Marie Antoinette. HERZOGIN MARIE ANTOINETTE.
 MARIE BAUMANN. HP. (Baumann 1863.)
 MARIE BRISSONNET. D.Pol. *Marie Brissonet.*
 MARIE DE BLOIS. M. (Robert 1852.)
 MARIE DELESALLE. HT. (S. & N. 1909.)
Marie de Zayas. SOUV. DE MARIE DE ZAYAS.
 MARIE DRIVON. BB.
 MARIE FINGER. HP. (Rambeaux 1874.)
 MARIE GUILLOT. T. (Guil. fils 1874.) *Mme. Marie Guillot.*
Marie Guillot. Cl. CL. MARIE GUILLOT.
Marie Henrietta; *Marie Henriette.*
 REINE MARIE HENRIETTE.
Marie Henriette, Striped. MME. DRIOUT.
 MARIE-JEANNE. Mult. (Tur. 1913.)
 MARIE LAMBERT. T. (E. Lamb. 1886.) *Snowflake; White Hermosa.*
 MARIE LOUISE. T. (Sarter 1855.)

ROSA, ROSE, continued

- MARIE PAVIC. T.-Pol. (Alégatière 1888.) *Baby Marie Pavie; Marie Pavie.*
 MARIE RADY. HP. (Fontaine 1865.)
 MARIE VAN HOUTTE. T. (Ducher 1871.) *Mlle. Marie van Houtte.*
 MARIE VERDIER. HP. (E. Verd. 1877.)
 MARIGOLD. T. (E. G. Hill 1905.)
 MARION BRUNELL. Cl.T. (Brunell 1917.)
 MARION DINGEE. HT. (J. Cook 1889.)
 MARJORIE BULKELEY. HT. (H. Dicks. 1921.)
 MARQUISE DE CASTELLANE. HP. (Pernet 1869.)
 MARQUISE DE GANAY. HT. (P. Guil. 1909.)
 MARQUISE DE QUERHOËNT. T. (Godard 1901.)
 MARQUISE DE SALISBURY. HT. (Pernet 1891.)
 MARQUISE DE SINÉTY. HT. (Per.-D. 1906.)
 MARQUISE LITTA DE BRÉTEUIL. HT. (Per.-D. 1893.) *Marquise Litta.*
 MARRET R. R. marreti.
 marreti. MARRET R.
 MARSHALL P. WILDER. HP. (E. & B. 1885.) *M. P. Wilder.*
 MARTHA DREW. HT. (McG. 1921.)
 MARTHA KELLER. D.Pol. (Walter 1912.)
Martha Washington. MARY WASHINGTON.
Marvel of Reds; Baby Marvel of Reds.
 MERVEILLE DES ROUGES.
 MARY, COUNTESS OF ILCHESTER. HT. (A. Dicks. 1909.) *Countess of Ilchester.*
 MARY HILL. HT. (E. G. Hill 1917.)
 MARY LOVETT. HW. (Van F. 1915.)
 MARY WALLACE. HW. (Van F. 1921.)
 MARY WASHINGTON. Mult. *George Washington; Martha Washington.*
 MA TULIPE. HT. (Bonnaire 1899.)

- ROSA**, Rose, continued
MAVOURNEEN. HT. (Florex Gardens 1913.)
MAX GRAF. H.Rug. (Bowditch 1919.) *R. hybrida, Max Graf.*
MAX HESDÖRFFER. HT. (Jacobs 1902.)
maximowicziana
maximowicziana jacki. *R. jacki* Cy.
MAY MARTIN. HT. (Martin & Forbes 1918.)
MAY MILLER. HT. (E. G. Hill 1910.) *Miss May Miller.*
MAY QUEEN. HW. (Van F. 1898.)
MEADOW R. *R. blanda.*
MEADOW SWEET. D.Pol. (Hob. 1912.) *Meadowsweet.*
MEDEA. T. (W. Paul 1891.)
MEDINA. HT. (White Bros. 1922.)
MEG MERRILIES. H.Sb. (Penz. 1893.) *Meg Merrillies.*
MÉLÉANIE NIEDIECK. HT. (Leend. 1915.) *Frau Mélanie Niedieck.*
MELODY. HT. (A. Dicks. 1911.)
Memorial R.; White Memorial R.
R. wichuraiana.
MERMAID. H.Brac. (W. Paul 1918.)
MERRIE ENGLAND. HP. (Hark. 1897.)
MERVEILLE DE LYON. HP. (Pernet 1882.) *White Baroness.*
MERVEILLE DES ROUGES. D.Pol. (Dubr. 1911.) *Baby Marvel of Reds; Marvel of Reds.*
META. T. (A. Dicks. 1898.)
METEOR. HT. (Gesch. 1887.)
Meteor, Cl. CL. METEOR.
MEVROUW DORA VAN TETS. HT. (Leend. 1912.) *Dora van Tets.*
M. H. WALSH. HP. (A. Dicks. 1905.)
Michigan R. *R. setigera.*
Microphylla. *R. roxburghii.*
Microphylla alba; *White Microphylla.* *WHITE ROXBURGH R.*
Mignon; *Migon.* CÉCILE BRUNNER.
MIGNONNETTE. T.-Pol. (Guil. fils 1881.)
MILADY. HT. (Tow. 1913.) *My Lady.*
- ROSA**, Rose, continued
MILDRED GRANT. HT. (A. Dicks. 1901.)
MILKY WAY. HW. (Walsh 1900.)
MIMI PINSON. D.Pol. (Bar. 1919.)
MINIATURE. T.-Pol. (Alégratière 1883.)
MINNA. H.Sb. (Penz. 1895.)
MINNEHAHA. HW. (Walsh 1904.)
MINNIE DAWSON. Mult. (Dawson 1896.)
MINNIE FRANCIS. T. (America.)
minutifolia.
MIREILLE. T. (A. Schw. 1913.) *Murelle.*
mirifica.
MISS ALICE DE ROTHSCHILD. T. (A. Dicks. 1910.) *Alice de Rothschild.*
MISS AMELIA GUDE. HT. (Lemon 1921.) *Amelia Gude.*
MISS ANNIE CRAWFORD. HP. (1915.) *Annie Crawford.*
MISS CONNOR. HT. (A. Dicks. 1920.)
MISS C. W. VAN ROSSEM. HT. (Vers. 1919.)
MISS CYNTHIA FORDE. HT. (H. Dicks. 1909.) *Cynthia Forde.*
MISS EDITH CAVELL. D.Pol. (Meiderwyk 1917.) *Baby Ethel Cavel.*
MISS FLORA MITTEN. HW. (Lawrenson 1913.)
MISS G. MESSMANN. Mult. (Messmann 1911.) *Cl. Baby Rambler;*
Miss Messman.
Miss Helen Gambier. MLLÉ. HÉLÈNE CAMBIER.
Miss Helen Taft. HELEN TAFT.
MISS HELYETT. HW. (Fauq. 1909.) *Miss Helyate.*
MISS KATE MOULTON. HT. (Monson 1906.)
MISS LOLITA ARMOUR. Per. (H. & S. 1919.) *Lolita Armour.*
MISS MAUDY SHUBROOK. HT. (Calif. 1914.)
Miss May Miller. MAY MILLER.
Miss Messman. MISS G. MESSMANN.
MISS MILDRED VESTAL. HT. (Vestal 1919.)
MISS M. J. SPENCER. HT. (H. Dicks. 1920.)

ROSA, Rose, continued

MISS RUBY DENT. HP. (Calif. 1916.)
MISS STEWART CLARK. HT. (A
Dicks. 1916.)

MISS WILLMOTT HT. (McG. 1917.)
Mlle. Augustine Guinoisseau. AUGUS-
TINE GUINOISSEAU.

MLLE. BLANCHE MARTIGNAT. T.
(Gamom 1903.)

Mlle. Cécile Berthod. MME. CÉCILE
BERTHOD.

Mlle. Cécile Brunner. CÉCILE BRUN-
NER.

Mlle. Cécile Brunner, Cl. CL. CÉCILE
BRUNNER.

MLLE. CHRISTINE DE NOUÉ. T.
(Guil. fils 1895.) *Christine de Noué.*

MLLE. CLAIRE ANDRUEJOL. HT.
(Schw. 1920.)

MLLE. DE LA VALLETTE. Ben. (A.
Schw. 1909.)

MLLE. EUGÉNIE VERDIER. HP.
(Guil. fils 1869.)

Mlle. Francisque Favre; Baby Mlle.
Francisque Favre. MME. FRAN-
CISQUE FAVRE.

MLLE. FRANZiska KRÜGER. T.
(Nab. 1880.) *Francisca Krüger;*
Franziska Krüger; Mlle. Francisca
Krueger; Mme. Franziska Krüger;
Mme. F. Krüger.

MLLE. GERMAINE TROCHON. HT.
(Per.-D. 1893.) *Germaine Trochon.*

MLLE. HÉLÈNE CAMBIER. HT. (Per-
D. 1895.) *Helen Cambier; Helena*
Cambier; Helena Gambier; Hélène
Cambier; Hélène Gambier; Miss
*Helen Gambier; Mlle. Helena Gam-
bier; Mlle. Hélène Gambier; Yel-
low Cochet; Yellow Maman Cochet.*

Mlle. Hélène Cambier, Cl. CL. MLLE.
HÉLÈNE CAMBIER.

MME. HELEN DOUCHE. HT. (Bua-
tois 1921.)

Mlle. Jean Dupuy. MME. JEAN DUPUY.

Mlle. Louise Cretté. LOUISE CRETTE.

MLLE. MARIE MASCURAUD. HT.
(Ber. 1909.)

Mlle. Marie van Houtte. MARIE
VAN HOUTTE.

MLLE. SIMONE BEAUMEZ. HT. (Per-
D. 1906.)

ROSA, Rose, continued

Mlle. Valère Beaumez. MME. VALÈRE
BEAUMEZ.

MME. ABEL CHATENAY. HT. (Per-
D. 1894.)

Mme. Abel Chatenay, Cl. CL. MME.
ABEL CHATENAY.

MME. AGATHE NABONNAND. T. (Nab.
1885.)

MME. ALEXANDRE DREUX. Per. (S.
& N. 1921.)

MME. ALFRED CARRIÈRE. H. Nois.
(Schw. 1879.)

MME. ALFRED DE ROUGEMONT. Nois.
(Lach. 1862.)

MME. ANGÉLIQUE VEYSSET. HT.
(Veysset 1890.) *Mme. Veysett;*
Striped La France.

MME. ANTOINE MARI. T. (Mari 1901.)

MME. ANTONIN CHARVET. HW.
(Girin 1912.)

Mme. A. Riccardo. MRS. AMBROSE
RICARDO.

MME. AUGUSTE NONIN. HW. (Nonin
1912.)

MME. BADIN. T. (Croib. 1897.)

MME. BARDOU JOB. HT. (Dubr. 1914.)

Mme. Bayard Thayer. MRS. BAYARD
THAYER.

MME. BÉRARD. Cl.T. (Levet 1872.)

MME. BERTHE FONTAINE. HP. (Buatois
1898.)

Mme. Blanche Moreau. BLANCHE
MOREAU.

Mme. Bosanquet. MRS. BOSANQUET.

MME. BUTTERFLY. HT. (E. G. Hill
1918.)

MME. CAMILLE. T. (Guil. fils 1871.)

Mme. Caradori-Allan. BEAUTY OF
THE PRAIRIES.

MME. CARISTIE MARTEL. HT. (Per-
D. 1917.)

MME. CAROLINE KÜSTER. Cl.T. (Per-
net 1893.)

MME. CAROLINE TESTOUT. HT. (Per-
D. 1890.) *Caroline Testout; Giant*
La France; Portland R.

Mme. Caroline Testout, Cl. CL. MME.
CAROLINE TESTOUT.

Mme. Caroline Testout, White. WHITE
MME. CAROLINE TESTOUT.

- ROSA, ROSE**, continued
MME. C. CHAMBARD. HT. (Cham.
1911.)
MME. CÉCILE BERTHOD. T. (Guil.
fils 1871.) *Mlle. Cécile Berthod.*
Mme. Cécile Brunner. CÉCILE BRUN-
NER.
Mme. Cécile Brunner, Cl. Cl. CÉCILE
BRUNNER.
MME. CHARLES CRAPELET. HP.
(Fontaine 1858.) *Mme. Cratelet.*
MME. CHARLES DE LUZE. HT. (Per-
D. 1903.)
MME. CHARLES DUBREUIL. HT.
(P. Guil. 1912.)
MME. CHARLES LE JEUNE. HT. (P.
Guil. 1911.) *Mme. Charles Lejune.*
MME. CHARLES LUTAUD. HT. (Per-
D. 1912.)
MME. CHARLES WOOD. HP. (E.
Verd. 1861.)
MME. CHARLES FREDERICK WORTH.
H.Rug. (Mme. Schw. 1889.)
Charles Frederick Worth; Mme.
Charles Worth.
MME. COLETTE MARTINET. HT.
(Per.-D. 1915.)
MME. CONSTANT SOUPERT. T. (S. &
N. 1905.) *Mme. Constance Soupert.*
Mme. Cratelet. MME. CHARLES
CRAPELET.
MME. CUSIN. T. (Guil. fils 1881.)
Mme. Cutbush. MRS. W. H. CUTBUSH.
MME. D'HEBRY. PROV. (Pradel 1857.)
MME. DE LA ROCHE-LAMBERT. M.
(Robert 1851.)
MME. DE VATRY. T. (Guérin 1855.)
Creole Beauty.
MME. DELVILLE. HP. (Mme. Schw.
1890.)
MME. DEREVAS-MATRAT. T. (Bu-
attois 1898.) *Yellow Cochet; Yellow*
Maman Cochet.
MME. DE WATTEVILLE. T. (Guil.
fils 1883.) *The Tulip R.*
MME. DRIOUT. Cl.T. (Thiriat 1902.)
Striped Reine Marie Henriette.
MME. EDMÉE METZ. HT. (S. & N.
1901.)
- ROSA, ROSE**, continued
MME. EDMOND ROSTAND. HT. (Per-
D. 1912.)
MME. EDMOND SABLAYROLLES. T.
(Bonnaire 1906.)
MME. ÉDOUARD HERRIOT. Per. (Per-
D. 1913.) *Daily Mail; Daily Mail*
R.; Mme. E. Herriot; Mme
Edward Herriot.
MME. EDWARD VICARS. T. (A
Schw. 1907.) *Mme. E. Vicaro.*
MME. ELIE LAMBERT. T. (E. Lamb.
1890.)
Mme. Eugène Marlitt. EUGÈNE E.
MARLITT.
MME. EUGÈNE RESAL. Ben. (P.
Guil. 1894.)
MME. EUGÈNE VERDIER. HP. (E.
Verd. 1878.)
Mme. Eugène Verdier. SOUV. DE
MME. EUGÈNE VERDIER.
Mme. Ferdinand Jamin. AMERICAN
BEAUTY.
 Intro. in U. S. as American Beauty by
 Bancroft in 1886, and is so generally
 known by that name that it will be re-
 tained.
Mme. Francisca Krüger; Mme. Fran-
ziska Krüger; Mme. F. Krüger.
Mlle. FRANZISKA KRÜGER.
MME. FRANCISQUE FAVRE. D.Pol.
(Dubr. 1915.) *Baby Mlle. Fran-*
cisque Favre; Mlle. Francisque
Favre.
MME. GABRIEL LUIZET. HP. (Liab.
1877.)
MME. GAMON. T. (Gamon 1905.)
MME. GEORGES BÉNARD. HT. (Cor-
boeuf 1900.)
MME. GEORGES BRUANT. H.Rug.
(Bru. 1887.)
MME. GHYS. Mult. (Ghys 1912.)
MME. GOTHA. T.
MME. G. SERRURIER. T. (S. & N.
1909.) *Mme. G. Selluier.*
MME. GUSTAVE METZ. HT. (La-
mesch 1905.) *Frau Karl Schmidt;*
Frau Karl Smid.
MME. HAUSMANN. HP. (Baumann
1863.)

ROSA, ROSE, continued

- MME. HECTOR LEUILLOT. HT. (Per.-D. 1903.)
 MME. HEINTZ. T. (Lev. 1904.)
 MME. HONORÉ DEFRESNE. T. (Levet 1886.)
 MME. HOSTE. T. (Guil. fils 1887.)
 MME. HUGUETTE DESPINAY. HW. (Girin 1912.)
 MME. ISAAC PEREIRE. Bour. (Garçon 1881.)
 MME. JEAN DUPUY. T. (P. Lamb. 1901.) *Mlle. Jean Dupuy.*
 MME. JEAN LILLE. HT. (Guil. 1912.)
 MME. JEAN SISLEY. Ben. (Dubr. 1885.)
 MME. JENNY GILLEMOT. HT. (Per.-D. 1905.) *Mme. Jenny Gilmot; Mme. Jenny Guillemot; Yellow Kaiserin; Yellow Killarney.*
 MME. JOSEPH COMBET. HT. (Bonnaire 1894.)
 MME. JOSEPH SCHWARTZ. T. (J. Schw. 1880.)
 MME. JULES BOUCHÉ. HT. (Croib. 1911.)
 MME. JULES GOUCHAULT. D.Pol. (Tur. 1913.)
 MME. JULES GRAVEREAUX. Nois. (S. & N. 1901.)
 MME. JULES GROLEZ. HT. (P. Guil. 1897.) *Red Kaiserin Augusta Victoria.*
Mme. Jules Grolez, Cl. CL. MME. JULES GROLEZ.
 MME. J. W. BUDDE. HT. (S. & N. 1906.) *Mrs. J. W. Budde.*
 MME. LACHARME. HP. (Lach. 1872.)
 MME. LAMBARDE. T. (Lach. 1878.)
Mme. Lombard.
 MME. LAURE DUPONT. Ben. (A. Schw. 1907.) *Laure Dupont.*
 MME. LÉON PAIN. HT. (P. Guil. 1904.) *Mme. Léon Paine.*
 MME. LÉON SIMON. HT. (P. Lamb. 1900.)
 MME. LOUIS PONCET. HT. (P. Guil. 1900.) *Mme. Louis Poiret; Mme. Louise Poiret.*

ROSA, ROSE, continued

- MME. LUCIEN BALLET. HT. (Per.-D. 1911.)
 MME. LUCIEN DURANTHON. T. (Bonnaire 1898.)
 MME. LUCIEN VILLEMINOT. H.Rug. (Grav. 1903.) *Mme. L. Villeminot.*
 MME. MARCEL DELANNEY. HT. (Leend. 1916.) *Mme. Marcel Delenay.*
 MME. MARGOTTIN. T. (Guil. fils 1866.)
Mme. Marie Guillot. MARIE GUILLOT.
 MME. MASSON. HP. (Masson 1856.)
Mme. Mason.
 MME. MAURICE DE LUZE. HT. (Per.-D. 1907.)
 MME. MEHA SABATIER. HT. (Per.-D. 1917.)
 MME. MÉLANIE SOUPERT. HT. (Per.-D. 1905.) *Mme. Mélaine Soupert.*
Mme. Mélanie Soupert, Cl. CL. MME. MÉLANIE SOUPERT.
 MME. MINA BARBANSON. HT. (S. & N. 1900.) *Mme. Mina Brabanson.*
 MME. NORBERT LEVAVASSEUR. D.Pol. (Lev. 1903.) *Crimson Baby Rambler; Dwarf Crimson Rambler; Mme. N. Levavasseur; Red Baby Rambler.*
 MME. P. DOITHIER. HT. (Cham. 1920.)
 MME. PAUL EULER. HT. (P. Guil. 1908.) *Prima Donna.*
 MME. PAUL PARMENTIER. HT. (Gillot 1919.)
 MME. PERNET-DUCHER. HT. (Per.-D. 1891.) *Yellow La France; Yellow Pres. Carnot; Yellow Sow. du Président Carnot.*
 MME. PHILIPPE RIVOIRE. HT. (Per.-D. 1905.) *Mme. Philip Revoir.*
 MME. PIERRE GUILLOT. T. (Guil. fils 1888.)
 MME. PIZAY. HT. (Cham. 1920.)
 MME. PLANTIER. H.Ben. (Plantier 1835.)
 MME. RAVARY. HT. (Per.-D. 1899.)
 MME. RAYMOND POINCARE. HT. (Grav. 1919.)

- ROSA, ROSE, continued
 MME. RENÉ GÉRARD. T. (P. Guil. 1897.)
Mme. Rodocanachi. SUZANNE-MARIE RODOCANACHI.
 MME. RODOLPHE ARNAUD. HT. (Perdriolle 1912.) *Mons. R. Arnaud.*
 MME. RUAU. Per. (Grav. 1909.)
 MME. SANCY DE PARABÈRE. Alp. (Bonnet 1874.)
 MME. SCHWALLER. T. (Ber. 1886.)
 MME. SCIPION COCHET. T. (Ber. 1887.) *Red Cochet; Red Maman Cochet.*
 MME. SEGOND WEBER. HT. (S. & N. 1908.)
 MME. THÉODORE DELACOURT. HT. (Per.-D. 1913.)
 MME. VALÉRE BEAUMEZ. HT. (A. Schw. 1909.) *Golden Cochet; Mlle. Valére Beaumez; Mme. Valerie Beaumey.*
Mme. Veysset. MME. ANGÉLIQUE VEYSSET.
 MME. VICTOR RAULT. HT. (Croib. 1920.)
 MME. VICTOR VERDIER. HP. (E. Verd. 1863.)
 MME. VICTORIA GAGNIÈRE. HF. (A. Schw. 1910.)
 MME. WAGRAM, COMTESSE DE TURENNE. T. (Ber. 1895.) *Comtesse de Turenne; Mme. Wagram.*
Mme. Wagram, Comtesse de Turenne, Cl.; Cl. Mme. Wagram. CL. MME. WAGRAM, COMTESSE DE TURENNE.
 MME. WELCHE. T. (Mme. Ducher 1878.)
Mme. Welche, Cl. Cl. Mme. Welch. MOCK R. JONKHEER J. L. MOCK.
 MODESTY. HT. (McG. 1916.)
Modesty. HT. (Schoener 1919.) *Molloty.*
 MOHAVE R. R. mohavensis.
mohavensis. MOHAVE R.
 MOLLY BLIGH. HT. (A. Dicks. 1917.)
 MOLLY SHARMAN-CRAWFORD. T. (A. Dicks. 1908.)
Mons. Boncenne. BARON BONSTETTEN.
 MONS. DÉSIR. Cl.T. (Pernet 1888.) *Mons. de Sir.*
- ROSA, ROSE, continued
 MONS. FRAISSENON. HT. (Gamon 1912.)
Mons. R. Arnaud. MME. RODOLPHE ARNAUD.
 MONTGOMERY'S PRISCILLA. HT. (Mont. 1922.) *Priscilla.*
 MONTROSE. HT. (J. Cook 1916.)
 MOONLIGHT. H.Mos. (Pem. 1913.)
 MORNING GLOW. T. (W. Paul 1902.)
moschata. MUSK R.
Moschata floreploeno. DOUBLE MUSK R.
Moschata nastarana. Pissarti. PERSIAN MUSK R.
 MOSELLA. T.-Pol. (Lambert & Reitter 1895.) *Yellow Soupert.*
Mosella, Cl. Cl. MOSELLA.
 MOSS R. R. centifolia muscosa† Cy.
Moss R., Baby. WICHMOSS.
Moss R., Cl. LA PAULI.
Moss R., Common. OLD PINK MOSS R.
Moss R., Perpetual White. PERPETUAL WHITE MOSS R.
Moss R., Pink. OLD PINK MOSS R.
Moss R., Red. CRIMSON GLOBE;
 HENRI MARTIN.
Moss R., White. BLANCHE MOREAU;
 COMTESSE DE MURINAIS.
 MOUNT OMEI R. R. omeiensis.
 MOUSSELINE. M. (Moreau-Robert 1881.)
Moyes R. R. moyesi.
Moyes R., Pink. PINK MOYES R.
moyesi. MOYES R.
Moyesi rosea. PINK MOYES R.
M. P. Wilder. MARSHALL P. WILDER.
 MR. P. L. BAUDET. HT. (Lourens 1916.) *Mrs. P. L. Baudet; P. L. Baudet.*
 MRS. AARON WARD. HT. (Per.-D. 1907.)
Mrs. Aaron Ward, Cl. Cl. Mrs. AARON WARD.
 MRS. A. GLEN KIDSTON. HT. (A. Dicks. 1916.) *Mrs. Glen Kidston.*
 MRS. A. KINGSMILL. H.Laev. (Paul 1911.)
 MRS. ALFRED BYASS. T. (W. Paul 1904.)
 MRS. ALFRED TATE. HT. (McG. 1909.)

ROSA, ROSE, continued

- MRS. AMBROSE RICARDO, HT. (McG. 1914.) *Mme. A. Riccardo.*
 MRS. A. M. KIRKER, HP. (H. Dicks. 1906.)
 MRS. AMY HAMMOND, HT. (McG. 1911.)
 MRS. ANDREW CARNEGIE, HT. (Cock 1913.)
 MRS. ANTHONY WATERER, H.Rug. (Waterer 1898.)
 MRS. ARCHIBALD MACKAY, HT. (Hicks 1915.)
 MRS. ARCHIE GRAY, HT. (H. Dicks. 1914.)
 MRS. ARTHUR E. COXHEAD, HT. (McG. 1910.) *Mrs. A. E. Coxhead.*
 MRS. ARTHUR ROBERT WADDELL, HT. (Per.-D. 1908.) *Mrs. A. R. Waddell.*
 MRS. BAYARD THAYER, HT. (Waban Rose Conservatories 1916.) *Mme. Bayard Thayer.*
 MRS. BELMONT TIFFANY, HT. (Bud. 1917.)
 MRS. BERTRAM J. WALKER, HT. (H. Dicks. 1915.)
 MRS. BOSANQUET, Bour. (Laffay 1832.) *Mme. Bosanquet.*
 MRS. B. R. CANT, T. (B. R. Cant 1901.) *Mrs. Ben. R. Cant; Red Cochet; Red Maman Cochet.*
 MRS. BROOK E. LEE, HT. (Byrnes 1918.)
 MRS. B. T. GALLOWAY, HT. (Byrnes 1918.)
 MRS. BRYCE ALLAN, HT. (A. Dicks. 1916.)
 MRS. BULLEN, Per. (Per.-D. 1916.)
 MRS. CALVIN COOLIDGE, HT. (U.S. Cut Flower Co. 1924.)
 MRS. CAMPBELL HALL, T. (Hall 1914.)
 MRS. C. E. SHEA, HT. (McG. 1917.)
 MRS. CHARLES BELL, HT. (Mrs. Charles Bell 1917.)
 MRS. CHARLES CUSTIS HARRISON, HT. (A. Dicks. 1910.) *Mrs. C. C. Harrison.*
 MRS. CHARLES DINGEE, HT. (D.&C.)
 MRS. CHARLES E. ALLAN, HT. (H. Dicks. 1911.) *Mrs. Charles E. Allen.*

ROSA, ROSE, continued

- MRS. CHARLES E. PEARSON, Per. (McG. 1913.) *Mrs. C. E. Pearson.*
 MRS. CHARLES E. RUSSELL, HT. (A. Mont. 1913.) *Mrs. Chas. Russell; Pink American Beauty; Russell.*
 MRS. CHARLES GERSDORFF, Cl.HT. (Gersdorff 1916.)
 MRS. CHARLES HUNTER, HT. (W. Paul 1912.)
 MRS. CHARLES LAMPLough, HT. (McG. 1920.)
 MRS. CHARLES REED, HT. (Hicks 1914.)
 MRS. CONWAY JONES, HT. *Mamie.*
 MRS. CORNWALLIS WEST, HT. (A. Dicks. 1911.)
 MRS. COCKER, HP. (Cock. 1899.) *Mrs. Crocker.*
 MRS. CURNOCK SAWDAY, HT. (Hicks 1920.)
Mrs. Cutbush. MRS. W. H. CUTBUSH.
 MRS. C. V. HAWORTH, HT. (A. Dicks. 1919.)
 MRS. C. W. DUNBAR-BULLER, HT. (A. Dicks. 1919.)
 MRS. C. W. THOMPSON, Mult. (Ag. 1920.)
 MRS. DAVID JARDINE, HT. (A. Dicks. 1908.) *Mrs. Jardine.*
 MRS. DAVID M'KEE, HT. (A. Dicks. 1904.) *Mrs. David McKee.*
 MRS. DE GRAW, Bour. (Burgess 1885.)
 MRS. DUDLEY CROSS, T. (W. Paul 1907.)
 MRS. EDWARD ALFORD, HT. (L. & S. 1912.) *Mrs. E. Alford.*
 MRS. EDWARD CLAYTON, Ben. (A. Schw. 1910.)
 MRS. EDWARD J. HOLLAND, HT. (McG. 1909.)
 MRS. EDWARD MAWLEY, T. (A. Dicks. 1899.)
 MRS. EDWARD POWELL, HT. (Ber. 1911.) *Mrs. E. Powell.*
 MRS. ELISHA HICKS, HT. (Hicks 1919.)
 MRS. E. T. STOTESBURY, HT. (Tow. 1918.)

| | |
|---|--|
| ROSA , Rose, continued | ROSA , Rose, continued |
| MRS. E. W. STERLING. HT. (J. Cook 1916.) <i>Mrs. Sterling.</i> Not disseminated. | MRS. GORDON SLOANE. HT. (A. Dicks. 1912.) |
| MRS. FARMER. Per. (Per.-D. 1918.) | MRS. G. W. KERSHAW. HT. (A. Dicks. 1906.) |
| MRS. F. F. THOMPSON. HT. (Tot. 1915.) | MRS. HARKNESS. HP. (Hark. 1893.) |
| MRS. FOLEY-HOBBS. T. (A. Dicks. 1910.) | MRS. HAROLD BROCKLEBANK. HT. (A. Dicks. 1907.) |
| MRS. FORDE. HT. (A. Dicks. 1913.) | MRS. H. D. GREENE. HT. (Eas. 1918.) |
| MRS. FRANK BRAY. HT. (A. Dicks. 1912.) | MRS. HENRY BALFOUR. HT. (McG. 1919.) |
| MRS. FRANK CANT. HP. (F. Cant 1899.) | MRS. HENRY MORSE. HT. (McG. 1919.) |
| MRS. FRANKLIN DENNISON. HT. (McG. 1915.) | MRS. HENRY WINNETT. HT. (Dunlop 1917.) |
| MRS. FRANK WORKMAN. HT. (H. Dicks 1911.) | MRS. HERBERT HAWKSWORTH. T. (A. Dicks. 1912.) |
| MRS. FRED COOK. Per. (Eas. 1920.) | MRS. HERBERT STEVENS. T. (McG. 1910.) <i>Mrs. Hubert Stevens.</i> |
| MRS. FRED SEARL. HT. (A. Dicks. 1917.) | MRS. HORNBY LEWIS. HT. (Hicks 1921.) |
| MRS. FRED STRAKER. HT. (A. Dicks. 1910.) | MRS. H. R. DARLINGTON. HT. (McG. 1920.) |
| MRS. FREDERICK W. VANDERBILT. Per. (McG. 1913.) | <i>Mrs. H. T. Hillas.</i> MRS. T. HILLAS. |
| MRS. F. W. FLIGHT. Mult. (Cutbush 1906.) | MRS. HUBERT TAYLOR. T. (A. Dicks. 1909.) |
| MRS. F. W. SANFORD. HP. (Curtis 1898.) | MRS. HUGH DICKSON. HT. (H. Dicks. 1915.) |
| MRS. GEORGE DICKSON. HP. (Ben. 1884.) | MRS. ISABELLE MILNER. HT. (W. Paul 1906.) |
| MRS. GEORGE GORDON. HT. (H. Dicks. 1915.) | MRS. JAMES G. PENNY. HT. (Vestal.) Taken out of commerce because too much like Mrs. Charles Bell. |
| MRS. GEORGE MARRIOTT. HT. (McG. 1918.) | MRS. JAMES LYNAS. HT. (H. Dicks. 1914.) |
| MRS. GEORGE NORWOOD. HT. (Hicks 1914.) | MRS. JAMES WHITE. HT. (H. Dicks. 1911.) |
| MRS. GEORGE PRESTON. HT. (A. Dicks. 1910.) | MRS. J. C. AINSWORTH. HT. (Clarke 1918.) |
| MRS. GEORGE SHAWYER. HT. (L. & S. 1911.) <i>Mrs. George Sawyer.</i> <i>Mrs. George Shawyer, Cl.</i> CL. MRS. GEORGE SHAWYER. | <i>Mrs. Jardine.</i> MRS. DAVID JARDINE. <i>Mrs. J. H. Laing.</i> MRS. JOHN LAING. |
| <i>Mrs. George Shawyer, White.</i> WHITE SHAWYER. | MRS. JOHN COOK. HT. (J. Cook 1919.) |
| MRS. GEORGE C. THOMAS. CL. HT. (Thomas 1921.) | MRS. JOHN FOSTER. HT. (Hicks 1915.) |
| <i>Mrs. Glen Kidston.</i> MRS. A. GLEN KIDSTON. | MRS. JOHN LAING. HP. (Ben. 1887.) <i>Mrs. J. H. Laing.</i> |
| | MRS. JOSEPH H. WELCH. HT. (McG. 1911.) |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

ROSA, ROSE, continued

- MRS. J. PIERPONT MORGAN. T. (May 1895.) *Mrs. Pierpont Morgan.*
Mrs. J. Reuter. FRAU J. REITER.
Mrs. J. W. Budde. MME. J.W. BUDDE.
Mrs. LEONARD PETRIE. HT. (A. Dicks. 1910.)
Mrs. Louise Walter. LOUISE WALTER.
Mrs. LOVETT. HW. (Van F. 1917.)
Mrs. MACKELLAR. HT. (A. Dicks. 1915.)
Mrs. MAUD DAWSON. HT. (A. Dicks. 1915.)
Mrs. M. H. WALSH. HW. (Walsh 1911.) *Mrs. Walsh; Double White Witchuraiana.*
Mrs. MONA HUNTING. HT. (H. Dicks. 1916.)
Mrs. MOORFIELD STOREY. HT. (Waban Rose Conservatories 1915.) *Mrs. Moorefield Story.*
Mrs. MUIR MACKEAN. HT. (McG. 1912.)
MRS. MYLES KENNEDY. T. (A. Dicks. 1906.) *Mrs. Miles Kennedy.*
Mrs. PETER BLAIR. HT. (A. Dicks. 1906.)
Mrs. Pierpont Morgan. MRS. J. PIERPONT MORGAN.
Mrs. P. L. Baudet. MR. P. L. BAUDET.
Mrs. PRENTISS NICHOLS. HT. (Scott 1922.)
Mrs. RAMON DE ESCOFET. Per. (Eas. 1919.)
Mrs. R. B. MELLON. Spin. (Elliott 1917.)
MRS. REDFORD. HT. (McG. 1919.)
Mrs. R. D. McClure. HT. (H. Dicks. 1913.)
Mrs. R. G. SHARMAN-CRAWFORD. HP. (A. Dicks. 1894.) *Mrs. R. G. S. Crawford; Mrs. Sharman Crawford.*
Mrs. RICHARD DRAPER. HT. (H. Dicks. 1912.)
Mrs. ROBERT GARRETT. HT. (J. Cook 1900.)

ROSA, ROSE, continued

- MRS. ROBERT PEARY. Cl.HT. (De Voecht & De Wilde 1897.) *Cl. Augusta Victoria; Cl. Kaiserin; Cl. Kaiserin Augusta Victoria.*
Mrs. Roosevelt. MRS. THEODORE ROOSEVELT.
Mrs. SAM ROSS. HT. (H. Dicks. 1912.) *Mrs. Samuel Ross.*
MRS. SARAH YEATS. HT. (Yeats 1916.) *Mrs. Sarah Yates.*
Mrs. Sharman Crawford. MRS. R. G. SHARMAN-CRAWFORD.
Mrs. S. K. RINDGE. Per. (H. & S. 1919.)
MRS. SOPHIA NEATE. T. (Bide 1908.)
Mrs. Sterling. MRS. E. W. STERLING.
Mrs. STEWART CLARK. HT. (H. Dicks. 1907.)
Mrs. S. T. WRIGHT. T. (A. Dicks. 1914.)
Mrs. Taft. ANTOINE RIVOIRE; MRS. W. H. CUTBUSH.
MRS. THEODORE ROOSEVELT. HT. (E. G. Hill 1904.) *Mrs. Roosevelt.*
Mrs. T. HILLAS. HT. (Per.-D. 1913.) *Mrs. H. T. Hillas.*
Mrs. TOM PAUL. HT. (A. Dicks. 1920.)
MRS. W. A. TAYLOR. HT. (Byrnes 1918.)
MRS. WAKEFIELD CHRISTIE-MILLER. HT. (McG. 1909.) *Mrs. Wakefield Christy-Miller; Mrs. W. C. Miller.*
MRS. WALLACE H. ROWE. HT. (McG. 1912.) *Mrs. Wallace Rowe.*
Mrs. Walsh. MRS. M. H. WALSH.
Mrs. WALTER EASLEA. HT. (A. Dicks. 1910.)
MRS. WALTER ED. MARTIN. HT. (Reymond 1912.) *Mrs. Walter E. Martin.*
MRS. WALTER T. SUMNER. HT. (Clarke 1920.)
Mrs. W. C. Miller. MRS. WAKEFIELD CHRISTIE-MILLER.
Mrs. WEMYSS QUIN. HT. (A. Dicks. 1914.)

- ROSA, ROSE, continued**
- Mrs. W. H. CUTBUSH. D.Pol. (Cut-bush 1906.) *Baby Dorothy; Baby Dorothy Perkins; Mme. Cutbush; Mrs. Cutbush; Mrs. Wm. Cutbush; Mrs. Wm. H. Catbush; Mrs. Taft; Pink Baby Rambler.*
- MRS. WILFORD LLOYD. HT. (A. Dicks. 1910.)
- MRS. WILLIAM C. EGAN. Per-HT. (H. & S. 1922.)
- MRS. WILLIAM R. HEARST. HT. (A. N. Pier. 1916.) *Mrs. William Randolph Hearst.*
- MRS. W. J. GRANT. HT. (A. Dicks. 1894.) *Belle Siebrecht.*
- Mrs. W. J. Grant, Cl. CL. Mrs. W. J. GRANT.
- MRS. WM. G. KONING. D.Pol. (Kluis & Koning 1916.)
- M. Scalarandis.* MADDALENA SCALARANDIS.
- multibracteata.*
- multiflora.* JAPANESE R.
- multiflora cathayensis.* *Cathayensis.* CATHAY R.
- Murelle.* MIREILLE.
- MURIEL DICKSON. Per. (H. Dicks. 1916.)
- MURIEL GRAHAME. T. (A. Dicks. 1896.) *Muriel Graham.*
- MURIEL MOORE. HT. (Moore 1916.)
- MUSK R. *R. moschata.*
Musk R., Double. DOUBLE MUSK R.
Musk R., Persian. PERSIAN MUSK R.
My Lady. MILADY.
- MY MARYLAND. HT. (J. Cook 1908.)
- My Maryland,* Cl. CL. MY MARY-LAND.
- MY QUEEN. HT. (Schoener 1919.)
- NATALIE BÖTTNER. HT. (Böttner 1909.) *Nathalia Böttner; Yellow Kaiserin Augusta Victoria.*
- NATHALIE NYPELS. D.Pol. (Leend. 1920.)
- NATIONAL R. *R. gentiliana.*
- NATIONAL EMBLEM. HT. (McG. 1915.)
- NEDERLAND. HT. (Vers. 1919.)
- NEERVELT. Cl. HT. (Vers. 1910.)
- NEIGE D'AVRIL. Mult. (Robichon 1908.)
- ROSA, ROSE, continued**
- NELLIE PARKER. HT. (H. Dicks. 1916.)
- NELMORE. GENERAL-SUPERIOR ARNOLD JANSEN.
- NERISSA. HT. (W. Paul 1912.)
- NEW CASTLE. HT.
- NEW CENTURY. H.Rug. (Van F. 1900.)
- New La France.* JONKHEER J. L. MOCK.
- NEW MEXICAN R. *R. stellata.*
- NEWPORT FAIRY. Mult. (Gardner 1908.) *Newport Rambler.*
- NILES COCHET. T. (Calif. 1906.)
- NIPHETOS. T. (Bougère-Breton 1843.) *Niphetos, Red.* LADY BATTERSEA.
- NITA WELDON. T. (A. Dicks. 1909.) *Nita Weldon.*
- nitida.* BRISTLY R.
- Nivea.* *R. laevigata.*
- NOBLESSÉ. HT. (McG. 1917.)
- NODFRUIT R. *R. setipoda.*
- NOELLA NABONNAND. Cl.T. (Nab. 1901.)
- NOISETTE.
- Presumed to be hybrids between *R. moschata* and *R. chinensis.*
- NOKOMIS. HW. (Walsh 1918.)
- NON PLUS ULTRA. Mult. (Weig. 1904.) *Weigand's Crimson Rambler.*
- NORMA. HT. (D. & C. 1904.)
- NORTHERN LIGHT. HW. (Van F. 1898.)
- NOVA ZEMBLA. H.Rug. (Mees 1907.)
- NUTKA R. *R. nutkana.*
Nutka R., Bristly. *R. nutkana hispida.*
- nutkana.* NUTKA R.
- nutkana hispida.* BRISTLY NUTKA R.
- NUTTALL R. *Palustris nuttalliana.*
Hort. var. of *R. carolina.*
- OAKMONT. HP. (May 1893.)
- OBERHOFGÄRTNER TERCKS. HT. (Welt. 1902.)
- Octavia Hesse.* FRAULEIN OCTAVIA HESSE.
- odorata.* TEA R.
- odorata gigantea.* GIANT TEA R.
- OEILLET FLAMAND. Prov. (Vibert 1845.)

ROSA, ROSE, continued

- OEILLET PARFAIT. PROV. (Foulard 1841.)
 OLD BLUSH. Ben. (Parsons 1796.)
Common Blush.
Old English. OLD PINK MOSS R.
 OLD-GOLD. HT. (McG. 1913.)
 OLD PINK MOSS R. M. (Holland 1596.) *Common Moss R.; Old English; Old Pink; Pink Moss R.*
Olga de Wurtemburg. REINE OLGA DE WURTEMBERG.
 OLIVE WHITTAKER. HT. (Eas. 1920.)
 OLIVIA. HT. (E. G. Hill 1907.)
Oliva.
omeiensis. MOUNT OMEI R.
 OPHELIA. HT. (W. Paul 1912.)
Ophelia, Cl. Cl. OPHELIA.
Ophelia, Double. DOUBLE OPHELIA.
Ophelia, Golden. GOLDEN OPHELIA.
Ophelia, Oregon. OREGON OPHELIA.
Ophelia, Pink. COLUMBIA; PINK OPHELIA; ROSE-PINK OPHELIA.
Ophelia Queen, Cl. Cl. OPHELIA QUEEN.
Ophelia, Rose-Pink. ROSE-PINK OPHELIA.
 OPHELIA SUPREME. HT. (Daille-douze 1917.)
Ophelia, White. WHITE OPHELIA.
Ophelia, Yellow. SYLVIA.
 OPHIRIE. Nois. (Goubault 1841.)
Ophire.
Orange Killarney. DUCHESS OF WELINGTON.
 OREGON OPHELIA. HT. (Clarke 1920.)
Oriental, Cl. Cl. ORIENTAL.
 ORIOLE. HT. (Calif. 1910.)
 ORLEANS. D.Pol. (Levav. 1910.)
Baby Orleans; Pink Baby Rambler.
Orleans, Cl. Cl. ORLEANS.
Orleans, Red. MARÉCHAL FOCH.
 OSKAR CORDEL. HP. (P. Lamb. 1898.)
Oscar Cordel.
 OTHELLO. HT. (Paul 1911.)
 OTTO von BISMARCK. HT. (Schmidt 1908.)
 PADRE. HT. (B. R. Cant 1921.)
 PAEONIA. HP. (Lach. 1855.)
palustris. *Carolina.* SWAMP R.

ROSA, ROSE, continued

- Palustris nuttalliana.* NUTTALL R.
 PANACHÉE DOUBLE. PROV. (Vibert 1839.)
 PANAMA. HT. (J. Cook 1913.)
 PAPA GONTIER. T. (Nab. 1883.)
Papa Gontier, Cl. Cl. PAPA GONTIER.
 PÂQUERETTE. D.Pol. (Guil. fils 1875.) *Pacquerette.*
 PARADISE. HW. (Walsh 1907.)
Parfumerie de l'Hay. ROSE À PARFUM DE L'HAY.
 PARKZIERDE. Cl.Bour. (P. Lamb. 1909.)
 PASTURE R. R. humilis.
 PAULA. T. (Paul 1908.)
Paul Fontaine. DEUIL DE PAUL FONTAINE.
 PAUL LAFONT. HT. (P. Guil. 1920.)
Paul Lédé, Cl. Cl. PAUL LÉDÉ.
 PAUL NEYRON. HP. (Levet 1869.)
Peony R.
Paul Neyron, Cl. Cl. MME. WAGRAM, COMTESSE DE TURENNE.
 PAUL NOËL. HW. (Tanne 1913.)
Paul's Carmine Pillar. CARMINE PILLAR.
 PAUL'S LEMON PILLAR. Cl.HT. (Paul 1915.)
 PAUL'S SCARLET CLIMBER. HW.
 (W. Paul 1916.) *Paul's Scarlet.*
 PAUL TRANSON. HW. (Bar. 1900.)
 PAULINE DAWSON. HW. (Dawson 1916.)
 PAX. H.Mos. (Pem. 1918.)
 PAX LABOR. Per. (Cham. 1918.)
 PEACE. T. (Piper 1902.)
Peach. BRENDA.
PEACH BLOSSOM. D.Pol. *Baby Peach Blossom.*
Pearl of Godesburg; Perle de Godesberg.
 PERLE VON GODESBERG.
Pearl of the Gardens. PERLE DES JARDINS.
Pearl, Pink. PINK PEARL.
 PEARL QUEEN. HW. (Van F. 1898.)
 PEARL RIVERS. T. (D. & C. 1890.)
 PEERLESS. HT. (Lippiatt 1907.)
 PEGGY. HT. (A. Dicks. 1906.)
 PEGGY ASTBURY. Per. (Eas. 1920.)
 PENCIL R. *Spinosisima penicillata.*
pendulina. *Alpina.* PYRENEES R.

- ROSA**, Rose, continued
Peony R. PAUL NEYRON.
PERFECTION DES BLANCHES. H.Nois. (J. Schw. 1873.)
Perle, Cl. CL. PERLE DES JARDINS.
PERLE D'OR. T.-Pol. (Dubr. 1883.)
Yellow Cécile Brunner.
PERLE DE LYON. T. (Ducher 1872.)
PERLE DES BLANCHES. H.Nois. (Lach. 1872.) *Ball of Snow.*
PERLE DES JARDINS. T. (Levet 1874.)
Pearl of the Gardens.
Perle des Jardins, Cl. CL. PERLE DES JARDINS.
PERLE DES NEIGES. Mult. (Dubr. 1902.)
PERLE DES PANACHÉES. Prov. (Vibert 1845.)
PERLE ORLEANaise. D.Pol. (Dujeau 1912.)
PERLE VON GODESBERG. HT. (Schneider 1902.) *Pearl of Godesburg; Perle de Godesberg; Yellow Kaiserin Augusta Victoria.*
Pernet's Triumph. TRIOMPHE DE PERNET PÈRE.
PERNETIANA. Introducing into the Hybrid Tea relationship the blood of *R. foetida*.
Perpetual Flowering Crimson Rambler. FLOWER OF FAIRFIELD.
PERPETUAL WHITE MOSS R. M. (Laffay.)
PERSIAN R. *R. persica.*
PERSIAN MUSK R. *R. moschata nastarana.*
PERSIAN YELLOW. AB. (Willock 1837.) *R. foetida persiana*† Cy. *persica.* *Simplicifolia.* PERSIAN R. Pet, Red. RED PET.
PETIT CONSTANT. T.-Pol. (S. & N. 1899.)
PETIT LOUIS. HW. (Nonin 1912.)
Petite Louis.
PETITE DE HOLLAND. Cent.
PETITE JEANNE. HW. (Nonin 1912.)
PHARISÄER. HT. (Hinner 1903.)
Phrasier.
- ROSA**, Rose, continued
PHILADELPHIA. Mult. (Van F. 1904.)
Philadelphia Crimson Rambler;
Philadelphia Rambler.
PHYLLIS. D.Pol. (Merry. 1907.)
Baby Phylies; Pink Baby Rambler.
PIE X. HT. (S. & N. 1906.) *Pius X.*
PIERRE GUILLOT. HT. (Guil. fils 1879.)
Pierre Leperdrieux. SOUV. DE PIERRE LEPERDRIEUX.
PIERRE NOTTING. HP. (Portemer 1862.)
Pierre Notting, Souv. de. SOUV DE PIERRE NOTTING.
PILGRIM. HT. (Mont. 1920.)
Pillar of Gold. E. VEYRAT HERMANOS.
Pimpinellifolia. *R. spinosissima.*
pinetorum. PINEWOODS R.
PINEWOODS R. P. *pinetorum.*
Pink American Beauty. GEORGE ARENDS; MRS. CHARLES E. RUSSELL; QUEEN OF EDGELEY; RADIANCE.
Pink American Beauty, Cl. CHRISTINE WRIGHT; CL. PINK AMERICAN BEAUTY.
Pink Baby Dorothy. MAMAN LEVAVASSEUR.
Pink Baby Rambler. ÄNNCHEN MÜLLER; MAMAN LEVAVASSEUR; MRS. W. H. CUTBUSH; ORLEANS; PHYLIS.
PINK BEAUTY. HT. (J. Cook 1919.)
Pink Fairy R.; Sweetheart R.
PINK CÉCILE BRUNNER. H.Pol. (Western Rose Co. 1918.)
PINK CHEROKEE R. H.Laev. (Hockbridge 1909.)
Pink Cherokee R. *R. laevigata.*
Pink Cl. American Beauty. CHRISTINE WRIGHT.
Pink Cochet. MAMAN COCHET.
Pink Cochet, Cl. Cl. MAMAN COCHET.
PINK DAILY. BB.
Pink Fairy R. PINK BEAUTY.
PINK FRAU KARL DRUSCHKI. HP. (Calif. 1910.)
Pink Frau Karl Druschki. GEORGE ARENDS; HEINRICH MÜNCH.
Pink Gem. CECELIA.

ROSA, ROSE, continued

Pink Hermosa. HERMOSA.

PINK KEY. HT. (F. R. Pier. 1920.)

Pink Killarney. KILLARNEY.

Pink Killarney, Cl. CL. KILLARNEY.

Pink Killarney, Double. DOUBLE

PINK KILLARNEY.

Pink La France. LA FRANCE.

Pink Maman Cochet. MAMAN COCHET.

Pink Maman Cochet, Cl. CL. MAMAN COCHET.

Pink Moss R. OLD PINK MOSS R.

PINK MOYES R. Moyesi rosea.

Pink Ophelia. COLUMBIA; PINK OPHELIA; ROSE-PINK OPHELIA.

Pink Ophelia. COLUMBIA.

PINK OPHELIA. HT. (H. & S. 1916.)

PINK PEARL. HW. (Manda 1901.)

Pink Radiance. RADIANCE.

Pink Rambler. DOROTHY PERKINS; EUPHROSyne; GRAF ZEPPELIN.

Pink Roamer. HSb. (Manda 1898.)
Pink Rover.

PINK ROVER. HT. (W. Paul 1891.)

PINK RUGOSA R. R. rugosa rosea† Cy.

PINK SOUPERT. T.-Pol. (D. & C.'96.)

Pink Tausendschön. ROSERIE.

pisocarpa.

Pissarti. R. moschata nastarana.

Pius X. PIE X.

P. L. Daudet. MR. P. L. BAUDET.

POLYANTHA.

A group of dwarf roses, hybrids between R. chinensis, R. multiflora, and many horticultural varieties, to which the Latin name Rosa polyantha is often erroneously applied.

Polyantha grandiflora. BERNAIX R.

pomifera. R. villosa Ar.

POM POM. HW. (Ag. 1910.)

POMPON DE LYON. T.-Pol. (Dubr. 1912.)

Portland R. MME. CAROLINE TESTOUT.

POURPRE SANGUINE. Ben. (Evans 1810.) Crimson China; Sanguinea.

Prairie Queen. BEAUTY OF THE PrairIES.

PRAIRIE R. R. setigera.

PRATT R. R. pratti.

ROSA, ROSE, continued

pratti. PRATT R.

PREMIER. HT. (E. G. Hill 1918.)
Rose Premier.

PRÉSIDENT BOUCHÉ. Per. (Per.-D. 1916.)

President Carnot. SOUV. DU PRÉSIDENT CARNOT.

President Carnot, Yellow. MME. PERNET-DUCHER; YELLOW SOUV. DU PRÉSIDENT CARNOT.

President Cleveland. FRANCES WILARD.

PRÉSIDENT DUTAILLY. Prov. (Dubr. 1888.)

PRESIDENT ROOSEVELT. HT. (D. & C. 1907.)

President Smith; President Wm. R. Smith. WILLIAM R. SMITH.

PRESIDENT TAFT. HT. (McCullough 1908.) Campaign; President W. H. Taft; Taft R.; William H. Taft.

PRÉSIDENT VIGNET. HT. (Per.-D. 1911.)

PRESIDENT WILSON. HT. (Eas. 1918.)

PRICKLY R. R. acicularis.

PRIDE OF WALTHAM. HP. (W. Paul 1881.)

PRIDE OF WASHINGTON. Set. (Pierce 185-.)

Prima Donna. MME. PAUL EULER.

PRIMEROSE. HT. (S. & N. 1913.) Primrose.

PRIMROSE PIRRIE. HT. (Dobbie 1919.)

PRIMULA. T.-Pol. (S. & N. 1901.) Baby Primula.

PRINCE ARTHUR. HP. (B. R. Cant 1875.)

PRINCE CAMILLE DE ROHAN. HP. (E. Verd. 1861.) La Rosière; Prince Camile de Rohan; Prince C. de Rohan; Prince C. R. Rohan; The Black R.

PRINCE CHARMING. HT. (H. Dicks. 1916.)

PRINCE DE BULGARIE. HT. (Per.-D. 1902.) Prince of Bulgaria.

Prince de Bulgarie, Cl. CL. PRINCE DE BULGARIE.

- ROSA, ROSE, continued**
- PRINCE ENGELBERT CHARLES D'ARENBERG. HT. (S. & N. 1909.) *Arenberg; Prince C. de Arenburg; Prince Charles de Arenberg; Prince d'Arenberg; Prince de Arenberg; Prince E. C. d'Arenberg.*
- Prince of Bulgaria.* PRINCE DE BULGARIE.
- PRINCESS. Mult. (Walsh 1902.)
- PRINCESS BONNIE. T. (D. & C. 1897.)
- PRINCESS ENA. D.Pol. (H. B. May 1907.)
- PRINCESS MARY. HT. (Hicks 1915.) *Princess Mathilde.* WHITE BOUGÈRE.
- PRINCESSE DE VENOSA. T. (Dubr. 1895.) *Princess Venosa.*
- PRINCESSE ADELAIDE. M. (Laffay 1845.)
- PRINCESSE DE SAGAN. T. (Dubr. 1887.) *Princess Sagan.*
- PRINCIPAL A. H. PIRRIE. HT. (Ber. 1909.)
- PRISCILLA. HT. (P. Hend. 1910.) *Priscilla.* MONTGOMERY'S PRISCILLA; WHITE MAMAN COCHET.
- PROF. C. S. SARGENT. HW. (Hoopes 1903.)
- PROSPERITY. H.Mos. (Pem. 1919.)
- PROVENCE.
- A group of older varieties based on forms of *R. centifolia*.
- Provence R.* **R. centifolia.**
- Provence R., Red.* RED PROVENCE R.
- PSYCHE. Mult. (Paul 1899.)
- PURITY. HW. (Hoopes 1917.)
- PURPLE EAST. Mult. (Paul 1901.)
- PYRENEES R. **R. pendulina.**
- Queen.* THE QUEEN.
- Queen Alexandra R.* THE QUEEN ALEXANDRA R.
- QUEEN ALEXANDRA. Mult. (Veitch 1901.)
- See note under The Queen Alexandra R., p. 448.
- QUEEN BEATRICE. HT. (Bisset 1907.)
- QUEEN MAB. Ben. (W. Paul 1896.)
- QUEEN MARY. HT. (A. Dicks. 1913.)
- QUEEN OF BEDDERS. Bour. (Noble 1871.)
- Queen of Colors.* FARBENKÖNIGIN.
- ROSA, ROSE, continued**
- QUEEN OF EDGELY. HP. (Floral Exchange 1901.) *Pink American Beauty.*
- QUEEN OF FRAGRANCE. HT. (W. Paul 1915.)
- Queen of Portugal.* REINE DE PORTUGAL.
- QUEEN OF QUEENS. HP. (W. Paul 1884.)
- QUEEN OF SPAIN. HT. (Bide 1907.)
- QUEEN OF THE BELGIANS. HT. (Hicks 1916.)
- Queen of the Bourbons.* REINE DES ILE BOURBON.
- Queen of the Prairies.* BEAUTY OF THE PRAIRIES.
- QUEENS SCARLET. Ben. (Hallock & Thorpe 1880.) *Red Hermosa.*
- Queens Scarlet, Cl.* CL. QUEENS SCARLET.
- RADIANCE. HT. (J. Cook 1908.) *Pink American Beauty; Pink Radiance.*
- Radiance, Red.* RED RADIANCE.
- Radiance, Striped.* STRIPED RADIANCE.
- Ragged Robin. GLOIRE DES ROSERANES.
- RAINBOW. T. (Sievers 1891.)
- Rainbow, Cl.* CL. RAINBOW.
- Rainbow, Improved.* IMPROVED RAINBOW.
- Ramanas *R.* **R. rugosa.**
- Rambler, Crimson. CRIMSON RAMBLER.
- Rambler, Pink. DOROTHY PERKINS; EUPHROSYNE; GRAF ZEPPELIN.
- Rambler, White. THALIA.
- Rambler, Yellow. AGLAIA; GOLD-FINCH.
- RAMONA. H.Laev. (Dietrich & Turner 1913.) *Red Cherokee R.*
- RAYMOND. Per. (Per.-D. 1917.)
- RAYON D'OR. Per. (Per.-D. 1910.) *Golden Rays; Rayon de Or; Rays of Gold.*
- RECUERDO DE ANTONIO PELUFFO. T. (S. & N. 1910.)
- Red Baby Rambler.* JESSIE; MME. NORBERT LEVAVASSEUR.
- Red Cap.* RÖDHÄTTE,

ROSA, ROSE, continued

RED CHATENAY. HT.

Red Cherokee R. RAMONA.

Red Cochet; Red Maman Cochet.

BALDUIN; MME. SCIPION COCHET;
MRS. B. R. CANT.

RED COLUMBIA. HT. (J. H. Hill
1920.)

RED CONRAD FERDINAND MEYER.
H.Rug. (E. & B. 1907.)

RED CROSS. HT. (A. Dicks. 1916.)

Red Dorothy Perkins. EXCELSA.

Red Frau Karl Druschki. BARBA-
ROSSA; HIS MAJESTY.

Red Gloire de Dijon. REINE MARIE
HENRIETTE.

Red Hermosa. QUEEN OF SPAIN;
QUEENS SCARLET.

Red Kaiserin Augusta Victoria. MME.
JULES GROLEZ.

Red La France. DUCHESS OF ALBANY

RED-LETTER DAY. HT. (A. Dicks.
1914.)

Red Maman Cochet. BALDUIN; MME.
SCIPION COCHET; MRS. B. R.
CANT.

Red Moss R. CRIMSON GLOBE; HENRI
MARTIN.

Red Niphetos. LADY BATTERSEA.

Red Orleans R. MARÉCHAL FOCH.

Red Pet. LUCULLUS.

RED PROVENCE. Cent.

RED RADIANCE. HT. (A. N. Pier.
1916; Gude Bros. 1916.)

Red Riding Hood. RÖDHÄTTE.

RED ROVER. HP. (W. Paul 1864.)

RED RUGOSA R. *R. rugosa rubra† Cy*

Red Soupert. MA PETITE ANDRÉE.

RED STAR. HT. (Vers. 1918.)

RED TAUSENDSCÖHN. Mult.

REDLEAF R. *R. rubrifolia.*

REFULGENCE. H.Sb. (W. Paul 1908.)

REGINA. HW. (Walsh 1916.)

REGINA BADET. H.Rug. (Müller
1909.)

REINE CAROLA DE SAXE. HT. (Ga-
mon 1902.)

REINE DE PORTUGAL. T. (Guil. fils
1867.) *Queen of Portugal.*

REINE DES ILE BOURBON. Bour.
(Breton 1835.) *Bourbon Queen;*
Queen of the Bourbons.

ROSA, ROSE, continued

REINE MARGUERITE d'ITALIE. HT.
(S. & N. 1904.) *Marguerite d'*
Italie.

REINE MARIE HENRIETTE. Cl.T.
(Levet 1878.) *Cl. Reine Marie*
Henriette; Marie Henrietta; Marie
Henriette; Red Gloire de Dijon;
R. M. Henriette.

Reine Marie Henriette, Striped. MME.
DRIOUT.

REINE OLGA DE WURTEMBERG. Cl.
HT. (Nab. 1881.) *Olga de Wurtem-*
berg; R. O. Wurtemberg.

RELIEF. HT. (Vers. 1919.)

RENA ROBBINS. HT. (E. G. Hill
1911.) *Rene Robbins.*

RENÉE DANIELLE. HW. (P. Guil.
1914.)

RENÉE WILMART-URBAN. HT. (Per-
D. 1908.)

REV. ALAN CHEALES. HP. (Paul
1896.) *Alan Cheales.*

REV. D. R. WILLIAMSON. HT. (A.
Dicks. 1904.)

REV. F. PAGE-ROBERTS. HT. (B.
R. Cant 1921.)

REVE d'OR. Nois. (Ducher 1869.)
Cl. Reve d'Or; Cl. Safrano; Golden
Chain.

REYNOLDS HOLE. HP. (Paul 1874.)

RHEA REID. HT. (E. G. Hill 1908.)
Rhea Reid, Cl. Cl. RHEA REID.

RICHMOND. HT. (E. G. Hill 1905.)
Everblooming Jack R.

Richmond, Cl. Cl. RICHMOND.

R. M. Henriette. REINE MARIE HEN-
Riette.

ROBERT CRAIG. HW. (Hoopes 1903.)

ROBERT DUNCAN. HP. (A. Dicks.
1897.)

Robert E. Lee. GENERAL ROBERT E.
LEE.

ROBERT HELLER. T. (E. G. Hill 1911.)

ROBERT HUEY. HT. (A. Dicks. 1911.)
Not the same as Dr. Huey.

ROBERT SCOTT. HT. (Scott 1901.)

ROBIN HOOD. HT. (E. G. Hill 1912.)

Roby. RUBIN.

RÖDHÄTTE. D.Pol. (Poul. 1912.)
Red Cap; Red Riding Hood; Rod-
hutte.

- ROSA**, Rose, continued
Rodocanachi. SUZANNE-MARIE RODO-CANACHI.
ROGER LAMBELIN. HP. (Mme. Schw. 1890.) *Roger Ramblin*.
ROSALIE. D.Pol. *Baby Chatenay*; *Baby Rosalie*.
ROSALIND. HT. (F. R. Pier. 1918.)
ROSALIND ORR ENGLISH. HT. (E. G. Hill 1905.)
ROSA MUNDI. (Vibert 1875.) *R. gallica versicolor* Cy.
Rosarie; *Rosary*; *Rosiere*. **ROSERIE**.
ROSE À PARFUM DE L'HAY. H.Rug. (Grav. 1903.) *Parfumerie de l'Hay*.
ROSE APPLES. H.Rug. (Paul 1896.)
ROSE BRADWARDINE. H.Sb. (Penz. 1895.) *Bradwardine*.
ROSE D'EVIAN. T. (Ber. 1895.)
Rosemaine Gerevaux. **ROSOMANE GRAVEREAUX**.
ROSE MARIE. HT. (Dorn. 1918.) *Marie*.
ROSEMARY. HT. (E. G. Hill 1907.) *Rosemary*, Cl. **CL. ROSEMARY**.
ROSE-PINK OPHELIA. HT. (Breit. 1917.) *Pink Ophelia*.
Rose Premier. PREMIER.
ROSE QUEEN. HT. (E. G. Hill 1911.)
ROSERAIE DE L'HAY. H.Rug. (Coch. 1901.)
ROSERIE. Mult. (Witterstaetter 1917.) *Pink Tausendschön*; *Rosarie*; *Rosary*; *Rosiere*.
ROSITA MAURI. HT. (Ketten 1913.)
ROSOMANE GRAVEREAUX. HT. (S. & N. 1900.) *Rosemaine Gerevaux*.
ROTARIAN. HT. (Lemon 1921.)
ROWENA. HW. (W. Paul 1912.)
ROXBURGH R. *R. roxburghii*.
Roxburgh R., White. **WHITE ROXBURGH R.**
roxburghii. *Microphylla*. **ROXBURGH R.**
Roxburghi alba. **WHITE ROXBURGH R.**
roxburghii normalis. **SINGLE ROXBURGH R.**
R. O. Wurtemberg. **REINE OLGA DE WURTEMBERG**.
Rubifolia. *R. setigera tomentosa*.
- ROSA**, Rose, continued
ruginosa. *R. eglanteria* Ar; *Eglantine*; *English Sweetbrier*; *Illinoensis*. **SWEETBRIER**.
RUBIN. Mult. (Schmidt 1899.) **Roby**.
rubrifolia. *Ferruginea*. **REDLEAF R.**
RUBY QUEEN. HW. (Van F. 1899.)
rugosa. *Ferox*; *Ramanas R.*; *Russian R.* **RUGOSA R.**
Rugosa alba. **WHITE RUGOSA R.**
rugosa kamtschatica. **KAMCHATKA R.**
Rugosa rosea. **PINK RUGOSA R.**
Rugosa rubra. **RED RUGOSA R.**
Rugosa rubroplena. **DOUBLE RUGOSA R.**
RUGOSA MAGNIFICA. H.Rug. (Van F. 1905.)
Rugosa, *Dawson's Hybrid*. ARNOLD.
RUGOSA R. *R. rugosa*.
Rugosa R., *Double*. **DOUBLE RUGOSA R.**
Rugosa R., *Pink*. **PINK RUGOSA R.**
Rugosa R., *Red*. **RED RUGOSA R.**
Rugosa R., *White*. **WHITE RUGOSA R.**
RUSSELIANA. Set. (Russel 1900.) *Cottage R.*; *Russel's Cottage R.*; *Russell's Cottage R.*; *Scarlet Grevillea*.
Russell. MRS. CHARLES E. RUSSELL.
Russian R. *R. rugosa*.
RUTH VESTAL. Cl.T. (Vestal 1908.) *Cl. Bride*.
SAFRANO. T. (Beauregard 1839.) *Sofrano*.
Safrano, Cl. *REVE D'OR*.
S. A. JANSSEN. **GENERAL-SUPERIOR** ARNOLD JANSSEN.
SALAMANDER. HP. (W. Paul 1891.)
SALET. M. (Lach. 1854.)
SALLIE. HT. (B. R. Cant 1915.)
SANDER'S WHITE. HW. (Sander & Son 1912.)
Sanguinea. **POURPRE SANGUINE**.
SANTA ROSA. H.Ben.-T. (Bur. 1900.)
SARAH BERNHARDT. Cl.HT. (Dubr. 1907.)
SARGENT. HW. (Dawson 1912.)
SATISFACTION. Nois. (Calif. 1915.)
saturata. **CORAL R.**
SAXONIA. T. (Geissler 1901.)
Sayi. *R. acicularis bourgeauiana*. **Scarlet Grevillea**. RUSSELIANA.

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

ROSA, ROSE, continued

SCHILLER. Mult. (P. Lamb. 1913.)
 SCHNEEBALL. HW. (Weig. 1906.)
 SCHNEELICHT. H.Rug. (Gesch. 1896.)
 SCHNEEWITTCHEN. D.Pol. (P. Lamb. 1901.) *Snow White.*
SCOTCH R. R. spinosissima.
Scotch R., Bristly. BRISTLY SCOTCH R.
Scotch R., Semidouble. R. spinosissima.
SEABIRD. HT. (H. Dicks. 1913)
SEAGULL. HW. (Pritchard 1907.)
SEASHELL. HW. (Dawson 1916.)
SEMENOF R. Semenovi.
Semenovi. SEMENOF R.
Semidouble Scotch R. R. spinosissima.
SENATEUR MASCURAUD. HT. (Per.-D. 1909.)
SENATEUR VAISSÉ. HP. (Guil. père 1859.)
SENATOR MCNAUGHTON. T. (Eichling 1901.)
SEÑOR FELIPE. HT.
SEÑORITA CARMEN SERT. HT. (Per.-D. 1917.)
SEPTEMBER MORN. HT. (Dietrich & Turner 1915.)
SEPTEMBER MORN SPORT. HT. (Clarke 1919.)
SERGE BASSET. HT. (Per.-D. 1918.)
sertata. GARLAND R.
setigera. Michigan R. PRAIRIE R.
setigera tomentosa. *Rubifolia.*
SETINA. Cl.Ben. (Hend. 1879.) *Cetina; Cl. Hermosa.*
setipoda. NODFRUIT R.
Seven Sisters. GREVILLE.
SEVERINE. Per. (Per.-D. 1918.)
SHALIMAR. HW. (Burr. 1914.)
Shawyer, White. WHITE MRS. GEORGE SHAWYER.
SHEILA WILSON. Cl.HT. (Hall 1910.) *Sheilagh Wilson.*
SHEPHERD ORIOLE. Nois. (Shepherd 1905.)
SHOWER OF GOLD. HW. (Paul 1910.)
SHOWER OF PEARLS. H.Pol.
SICILE. Mult.
SILVER MOON. HW. (Van F. 1910.)
SILVER STAR. HW. (Un. 1920.)

ROSA, ROSE, continued

SILVER WEDDING. HT. (Albert F. Amling Co. 1921.)
Silvia. SYLVIA.
SIMPLICITY. HT. (H. Dicks. 1909.)
Simplicifolia. R. persica.
Single Maharajah. MAHARAJAH.
SINGLE ROXBURGH R. R. roxburghii *normalis.*
Sinica. R. laevigata.
SIR ROWLAND HILL. HP. (Mack 1888.) *Sir Roland Hill.*
SIR THOMAS LIPTON. H.Rug. (Van F. 1900.) *White Century.*
SNOWDRIFT. HW. (Smith 1914.)
Snowflake. MARIE LAMBERT.
Snow Queen. FRAU KARL DRUSCHKI.
Snow White. SCHNEEWITTCHEN.
SNOW WREATH. HW.
SODENIA. HW. (Weig. 1911.)
Sofrano. SAFRANO.
SOLEIL D'ANGERS. Per. (Détriché 1909.)
SOLEIL D'OR. Per. (Per.-D. 1900.) *Golden Sun; Sun of Gold.*
SOLFATARE. Nois. (Boyau 1843.) *Solfaterre.*
SOLITARY R. R. bella.
SOMBREUIL. T. (M.-R. 1850.)
SONOMA R. R. sonomensis.
sonomensis. SONOMA R.
Soupert, Pink. PINK SOUPERT.
Soupert, Red. MA PETITE ANDRÉE.
Soupert, White. CLOTILDE PFITZER.
Soupert, Yellow. MOSELLA.
SOULIE R. R. soulieana.
soulieana. SOULIE R.
SOURCE D'OR. HW. (Tur. 1913.)
SOUTH ORANGE PERFECTION. HW. (Manda 1899.)
SOUVENIR D'ANNE MARIE. HT. Ketten 1902.) *Anne Marie.*
SOUV. D'AUGUSTE MÉTRAL. T. (P. Guil. 1895.) *Souv. de Aug. Métral.*
SOUV. D'E. GUILLARD. HT. (Cham. 1912.) *E. Guillard; Yellow Jeannette Heller.*
1912.) Yellow Jeannette Heller.
SOUV. DE CATHERINE GUILLOT. T. (P. Guil. 1895.)

- ROSA**, Rose, continued
SOUVENIR DE CLAUDIUS DENOYEL. HT. (Cham. 1920.)
SOUV. DE CLAUDIUS PERNET. Per. (Per.-D. 1920.)
SOUV. DE CHARLES LAEMMEL. Per. (Gillot 1919.)
SOUV. DE FRANÇOIS GAULAIN. T. (Guil. fils 1889.)
SOUV. DE GEORGE BECKWITH. Per. (Per.-D. 1919.)
SOUV. DE GEORGES PERNET. Per. (Per.-D. 1921.)
SOUV. DE GUSTAVE PRAT. HT. (Per.-D. 1910.) *Gustave Prat.*
SOUV. DE H. A. VERSCHUREN. HT. (H. A. Verschuren & Sons 1923.)
SOUV. DE J. PASSINGE. HT. (Cham. 1912.)
SOUV. DE LOUIS PERRIER. HT. (Perdriolle 1910.)
SOUV. DE MARIA DE ZAYAS. HT. (S. & N. 1906.) *Marie de Zayas.*
SOUV. DE MARQUES LOUREIRO. HT. (Ketten 1912.) *Souw. de Marques Soureiro.*
SOUV. DE MME. E. MULNARD. HT. (Dubr. 1912.)
SOUV. DE MME. EUGÈNE VERDIER. HT. (Per.-D. 1894.) *Mme. Eugène Verdier.*
SOUV. DE PIERRE LEPERDRIEUX. H. Rug. (Coch. 1893.) *Pierre Leperdrieux.*
SOUV. DE PIERRE NOTTING. T. (S. & N. 1902.)
Souw. de Stella Gray. SOUV. OF STELLA GRAY.
Souw. de Wootton; Souw. de la Wootton.
SOUV. OF WOOTTON.
Souw. de Wootton, Cl. CL. SOUV. OF WOOTTON.
SOUV. DE L'AVIATEUR METIVIER. HW. (Tanne 1913.) *Aviateur Metivier.*
SOUV. DE L'AVIATEUR OLIVIER DE MONTALENT. HW. (Tanne 1913.) *Aviateur Olivier Montalent.*
SOUV. DE LA MALMAISON. Bour. (Béluze 1843.) *Malmaison; Souw. de Malmaison.*
- ROSA**, Rose, continued
Souvenir de la Malmaison, Cl. CL.
SOUV. DE LA MALMAISON.
SOUV. DE LOUIS PERRIER. HT. (Perdriolle 1910.) *Louis Perrier.*
SOUV. DU PRÉSIDENT CARNOT. HT. (Per.-D. 1894.) *Président Carnot;*
Souw. de Président Carnot; Souw. Pres. Carnot.
Souw. du Président Carnot, Cl. CL.
SOUV. DU PRÉSIDENT CARNOT.
Souw. du Président Carnot, Yellow.
MME. PERNET-DUCHER.
SOUV. D'UN AMI. T. (Bellot-Desfougère 1846.)
SOUV. OF HENRY GRAHAM. HT. (A. Dicks. 1915.)
SOUV. OF STELLA GRAY. T. (A. Dicks. 1907.) *Souw. de Stella Gray; Stella Gray.*
SOUV. OF WOOTTON. HT. (J. Cook 1888.) *Souw. de la Wootton; Souw. de Wootton; Souw. of Wootton.*
Souw. of Wootton, Cl. CL. SOUV. OF WOOTTON.
Souw. Pres. Carnot. SOUV. DU PRÉSIDENT CARNOT.
spinosisima. *Pimpinellifolia; Semi-double Scotch R.* SCOTCH R.
spinosisima altaica. *Altaica.* ALTAIR.
spinosisima hispida. *Burnet R.* BRISTLY SCOTCH R.
Spinosisima penicillata. PENCIL R.
spithamea.
STANWELL PERPETUAL. Spin. (Lee.)
STARLIGHT. Mult. (Paul 1909.)
Star of France. ETOILE DE FRANCE.
Star of Lyon. ETOILE DE LYON.
STAR OF PERSIA. H. Foetida. (Pem. 1919.)
STAR OF WALTHAM. HP. (W. Paul '75.)
STEILER RAMBLER. Mult. (Leend. 1915.) *Steil Rambler.*
STELLA. Mult. (S. & N. 1905.)
Stella Gray. SOUV. OF STELLA GRAY.
stellata. NEW MEXICAN R.
Striped La France. MME. ANGELIQUE VEYSSET.
Striped Malmaison. BERTHA CLAVEL STRIPED RADIANCE. HT. (Vestal '19.)
Striped Reine Marie Henriette. MME. DRIOUT.

ROSA, ROSE, continued

STRIPED TESTOUT. HT.

suffulta. *R. heliophila* Cy.

SULTAN OF ZANZIBAR. HP. (Paul 1876.)

SUMMER JOY. HW. (Walsh 1911.)

SUNBEAM. T. (Calif. 1908.)

SUNBURST. HT. (Per.-D. 1912.)

Sunburst, Cl. CL. SUNBURST.

SUNNY JERSEY. Per. (LeC. 1918.)

Sun of Gold. SOLEIL d'OR.

SUNRISE. T. (Piper 1899.)

SUNSET. T. (P. Hend. 1883.)

SUNSHINE. Mult. (J. & P. 1911.)

SUNSTAR. HT. (A. Dicks. 1921.)

SUPERBA. Set. (Feast 1843.)

SUZANNE BLANCHET. T. (Nab. 1885.)

SUZANNE TURBAT. D.Pol. (Tur. 1919.)

SUZANNE-MARIE RODOCANACHI. HP. (Lev. 1883.) Mme. Rodocanachi; *Rodocanachi*; *Suzanne de Rodocanachi*.

SWAMP R. R. palustris.

Sweet Anise R. ENFANT DE LYON.

SWEETBRIER. R. rubiginosa.

Sweetbrier, Yellow. HARISON'S YEL-
LOW.

SWEETHEART. HW. (Walsh 1899.)

Sweetheart. CÉCILE BRUNNER.

Sweetheart, Cl. CL. CÉCILE BRUNNER.

Sweetheart R. PINK BEAUTY.

SWEET LAVENDER. Mult. (Paul 1912.)

SWEETLEAF R. R. gratissima.

SWEET MARIE. HT. (Calif. 1915.)

SWEGINZOW R. R. sweginzowi.

sweginzowi. SWEGINZOW R.

SYLPH. T. (W. Paul 1895.)

SYLVIA. HT. (F. R. Pier. 1918.)
Silvia; *Yellow Ophelia*.

TACOMA. HT. (Chervenka 1921.)

Taft R. PRESIDENT TAFT.

TAUNUSBLÜMSCHEN. Mult. (Weig. 1905.) *Taunus Blümschen*.

TAUSENDSCÖHN. Mult. (Schmidt 1906.) *Thousand Beauties*.

Tausendschön, Baby. ECHO; LOUISE WALTER.

Tausendschön, Pink. ROSERIE.

Tausendschön, Red. RED TAUSEND-
SCHÖN.

ROSA, ROSE, continued

Tausendschön, White. WHITE TAUS-
SENDSCÖHN.

Tausendschön, White, Baby. WHITE
BABY TAUSENDSCÖHN.

Tausendschön, Yellow. GOLDFINCH.

T. B. HAYWOOD. HP. (Paul 1904.)
T. B. Hayward.

TEA R. R. odorata.

Tea R. Giant. GIANT TEA R.

TEA RAMBLER. Mult. (Paul 1904.)

TEMPLAR. HT. (Mont. 1924.)

TENNESSEE BELLE. Mult. (America.)

TERESA FANTINO. T. (Fugier 1910.)
Theresa Fautino.

Ternata. R. laevigata.

Testout, Cl. CL. MME. CAROLINE
TESTOUT.

Testout, Striped. STRIPED TESTOUT.

Testout, White. WHITE MME. CARO-
LINE TESTOUT.

T. F. CROZIER. HT. (H. Dicks.
1918.)

THALIA. Mult. (Schmid Bros. 1895.)
White Rambler.

The Beauty Cochet. HELEN GOOD.

The Black Rose. PRINCE CAMILLE DE
ROHAN.

The Bride. BRIDE.

The Farquhar. FARQUHAR.

THE GARLAND. H. MOS. (Wels.)

THE GENERAL. HT. (Pem. 1920.)

The Hughes. BRIDESMAID.

The Queen. LA REINE.

THE QUEEN. T. (D. & C. 1896.)
Queen.

THE QUEEN ALEXANDRA R. HT.
(McG. 1918.)

This unfortunate duplication is a notable example of the name confusion which the American Rose Society is endeavoring to prevent by cooperation with the great foreign rose organizations and by correspondence with originators. Both this rose and QUEEN ALEXANDRA (a Multiflora hybrid of 1900) are in commerce.

TERESA. HT. (A. Dicks. 1909.)

Theresa Fautino. TERESA FANTINO.

The Tulip Rose. MME. DE WATTE-
VILLE.

THE WALLFLOWER. Mult. (Paul 1901.)

- ROSA**, ROSE, continued
THISBE. H.Mos. (Pemb. 1918.)
THOMAS MILLS. HP. (E. Verd. 1873.)
THORA. HT. (Burton 1914.)
Thousand Beauties. TAUSENDSCHEIN.
THREADSTALK R. *R. filipes*.
TIM PAGE. Per. (Page 1920.)
TISSUE. HT. (McG. 1916.)
TIP-TOP. T.-Pol. (P. Lamb. 1909.)
Baby Doll.
TITANIA. Ben. (W. Paul 1915.) *Indian Summer*.
TITO HEKEKYAN. HT. (S. & N. 1912.)
TOM FIELD. HT. (Field Bros. 1906.)
TON WOOD. HP. (A. Dicks. 1896.)
TOTOTE GELOS. HT. (Per.-D. 1915.)
Totale Gelos.
TOWNSEND. Spin.
TRICOLORE DE FLANDRE. PROV. (Van Houtte 1846.)
TRIER. Mult. (P. Lamb. 1904.)
TRIOMPHE DE PERNET PÈRE. HT. (Pernet 1890.) *Pernet's Triumph; Triumph de Père*.
TRIOMPHE ORLEANAIS. D.Pol. (Peauger 1912.)
Triumph. HUGH DICKSON.
TRIUMPHANT. Set. (Pierce 1850.)
TROPHINE. HT. (Schoener 1919.)
TROUBADOUR. HW. (Walsh 1910.)
Tulip Rose, The. MME. DE WATTÉVILLE.
UHLAND. Mult. (P. Lamb.)
ULRICH BRUNNER. HP. (Levet 1881.) *Hardy American Beauty; Ulrich Brunner fils*.
 This was sent out as Ulrich Brunner fils but has been in the trade so long under the name given that it will not be changed.
ULSTER. HP. (A. Dicks. 1899.)
ULSTER GEM. HT. (H. Dicks. 1916.)
ULSTER VOLUNTEER. HT. (H. Dicks. 1918.)
UNA. H.Sb. (Paul 1898.)
UNA WALLACE. HT. (McG. 1920.)
UNCLE JOHN. T. (Thorpe 1904.)
UNERNUEDLICHE. Ben. (P. Lamb. 1904.)
- ROSA**, ROSE, continued
UNIVERSAL FAVORITE. HW. (Manda 1899.)
URANIA. HP. (Walsh 1906.)
Van Fleet R. DR. W. VAN FLEET.
VANITY. H.Mos. (Pem. 1920.)
VARIEGATED WICHURIAN R. HW. (C. & J. 1915.)
VAUGHAN'S WHITE BABY RAMBLER. D.Pol. (Vaughan 1908.)
VEILCHENBLAU. Mult. (Schmidt 1908.) *Blue Rambler; Blue R.; Violet-Blue*.
VELUWEZOOM. HT. (Von Pallandt 1909.) *Dutch Beauty*.
VENUS. M. (Welt. 1904.)
Venus. HT. (Bees 1921.)
VERNA MACKAY. HT. (A. Dicks. 1912.)
VICK'S CAPRICE. HP. (Vick 1889.)
VICTOR. HT. (E. G. Hill 1918.)
VICTOR HUGO. HP. (Schw. 1884.)
VICTOR VERDIER. HP. (Lach. 1859.)
Victory. HT. (McG. 1920.)
VICTORY. HW. (Un. 1918.)
Villosa. *R. pomifera*.
Violet-Blue. VEILCHENBLAU.
VIOLONCELLISTE ALBERT FOURÈS. HT. (Croib. 1920.)
Virginia R. Coxe. GRUSS AN TEPLITZ.
Virginia R. Coxe, Cl. CL. GRUSS AN TEPLITZ.
VIRGINIA R. *R. lucida*.
Virginia R., Double. DOUBLE VIRGINIA R.
Virginia R., White. WHITE VIRGINIA R.
Virginiana. *R. lucida*.
Virginiana alba Cy. WHITE VIRGINIA R.
Viridiflora. GREEN R.
VISCOUNT CARLOW. HT. (A. Dicks. 1910.)
VISCOUNTESS ENFIELD. Per. (Per.-D. 1910.)
VISCOUNTESS FOLKESTONE. HT. (Ben. 1886.) *Viscountess of Folkestone*.
Viscountess Folkestone, Cl. GAINSBOURGH.
VONDEL. Mult.

- ROSA, Rose, continued**
- VON LILIENCRON. Mult. (P. Lamb. 1916.)
- WABASH. T. (Clingman's Nurseries 1890.)
- WALTER SPEED. HT. (A. Dicks. 1909.)
- WALTHAM RAMBLER. Mult. (W. Paul 1903.)
- W. A. Richardson. WILLIAM ALLEN RICHARDSON.
- WARRIOR. HT. (W. Paul 1906.)
- WARTBURG. Mult. (Kiese 1910.)
- WATSON R. R. watsoniana.
- watsoniana. WATSON R.
- W. C. GAUNT. HT. (A. Dicks. 1916.)
- WEDDING BELLS. HW. (Walsh 1907.)
- Weigand's Crimson Rambler. NON PLUS ULTRA.
- W. E. LIPIATT. HT. (A. Dicks. 1907.)
- WEISSE MARÉCHAL NIEL. Nois. (Fr. Deegen, Jr. 1895.) White Maréchal Niel.
- WELLESLEY. HT. (Mont. 1904.)
- WESTFIELD STAR. HT. (Morse 1920.)
- WEST GROVE. HT. (D. & C. 1914.)
- White American Beauty. FRAU KARL DRUSCHKI.
- White American Beauty, Cl. CL. FRAU KARL DRUSCHKI.
- White Baby Rambler. JEANNE D'ARC; KATHARINA ZEIMET; ZELIA BOURGEOIS.
- White Baby Rambler, Double. KATHARINA ZEIMET.
- White Baby Rambler, Vaughan's. VAUGHAN'S WHITE BABY RAMBLER.
- WHITE BABY TAUSENDSCÖHN. D. Pol.
- White Banksian R. R. banksiae.
- WHITE BARONESS. HP. (Paul 1888.)
- White Baroness. MERVEILLE DE LYON.
- WHITE BATH. M. (Salter 1817.)
- WHITE BOUGÈRE. T. (Dunlop 1898.) Princess Mathilde.
- WHITE CÉCILE BRUNNER. H.-Pol. (Fauq. 1909.)
- White Cherokee R. R. laevigata.
- White Century. SIR THOMAS LIPTON.
- White Cochet. WHITE MAMAN COCHET.
- ROSA, Rose, continued**
- White Cochet, Cl. CL. WHITE MAMAN COCHET.
- WHITE DAILY. BB.
- WHITE DOROTHY. HW. (B. R. Cant 1908.) White Dorothy Perkins; White Perkins.
- WHITE-EYE R. R. corymbulosa.
- White Golden Gate. IVORY.
- White Hermosa. MARIE LAMBERT.
- White House R. GOLDEN GATE.
- WHITE KILLARNEY. HT. (Waban Rose Conservatories 1909.)
- White Killarney, Cl. CL. WHITE KILLARNEY.
- White Killarney, Double. DOUBLE WHITE KILLARNEY.
- White La France. AUGUSTINE GUINOSSEAU
- White Malmaison. KRONPRINZESSIN VIKTORIA.
- WHITE MAMAN COCHET. T. (J. Cook 1896.) Priscilla; White Cochet.
- White Maman Cochet, Cl. CL. WHITE MAMAN COCHET.
- White Maréchal Niel. WEISSE MARÉCHAL NIEL.
- White Memorial R. R. wichuraiana.
- White Microphylla. WHITE ROXBURGH R.
- WHITE MME. CAROLINE TESTOUT. HT. (Bide 1911.) White Testout.
- White Moss R. BLANCHE MOREAU; COMTESSE DE MURINAIS.
- White Moss R., Perpetual. PERPETUAL WHITE MOSS R.
- White Mrs. George Shawyer. WHITE SHAWYER.
- WHITE OPHELIA. HT. (Cleveland Cut-Flower Co. 1920.)
- White Perkins. WHITE DOROTHY.
- White Pet, Cl. CL. WHITE PET.
- White Rambler. THALIA.
- WHITE ROXBURGH R. Roxburghi alba; Microphylla alba.
- WHITE RUGOSA R. R. rugosa alba† Cy.
- WHITE SHAWYER. HT. (Tot. 1915.) White Mrs. George Shawyer.
- White Soupert. CLOTILDE PFITZER.
- WHITE STAR. HW. (Manda 1901.)

- ROSA, ROSE, continued**
- WHITE SUN. *R. heliophila alba*† Cy.
White Testout. WHITE MME. CAROLINE TESTOUT.
- WHITE VIRGINIA R. *R. virginiana alba* Cy; *Lucida alba*; *Lyoni alba*.
Hort. var. of *R. lucida*.
- White Wichurian R.; White Wichuriana. *R. wichuraiana*.
- White Wichuriana, Double. MRS. M. H. WALSH.
- WHITE-EYE R. *R. corymbulosa*.
- WICHMOSS. HW. (Bar. 1911.) Baby Moss.
- wichuraiana. Cemetery R.; Cl. Wichuriana; Creeping R.; Memorial R.; White Memorial R.; White Wichurian R.; White Wichuriana. WICHURIAN R.
- Wichuriana, Cl. *R. wichuraiana*.
- Wichuriana, White. *R. wichuraiana*.
- WICHURIAN R. *R. wichuraiana*.
- Wichurian R., Variegated. VARIEGATED WICHURIAN R.
- Wichurian R., White. *R. wichuraiana*.
- Wichurian R., White Double. MRS. M. H. WALSH.
- Wild R.; American Wild R.
Terms of local significance only, not applicable to any definite species.
- WILD BANKSIAN R. *R. banksiae normalis*.
- WILHELM KORDES. Per. (Kordes 1922.)
- WILLIAM ALLEN RICHARDSON. Nois. (Mme. Ducher 1878.) *W. A. Richardson*.
- WILLIAM ASKEW. HT. (P. Guil. 1910.)
- WILLIAM C. EGAN. HW. (Dawson 1900.)
- WILLIAM COOPER. HT. (H. Dicks. 1914.)
- WILLIAM F. DREER. Per. (H. & S. 1920.)
- William H. Taft. PRESIDENT TAFT.
- WILLIAM K. HARRIS. HW. (Hoopes 1903.)
- WILLIAM LOBB. M. (Laffay 1855.)
- WILLIAM NOTTING. HT. (S. & N. 1904.) Indiana.
- ROSA, ROSE, continued**
- WILLIAM R. SMITH. HT. (Smith 1908.) Blush Maman Cochet; Charles Dingee; Jeannette Heller; Maiden's Blush; President Smith; President Wm. R. Smith; W. R. Smith.
- WILLIAM S. CLARK. HT. (Clark 1907.)
- WILLIAM SAUNDERS. HT. (Byrnes 1918.)
- WILLIAM SHEAN. HT. (A. Dicks. 1906.)
- WILLIAM WRIGHT WALCOTT. HT. (McGorum 1921.)
- WILLIAMS EVERGREEN. Semp. (Williams 1850.)
- WILLMOTT R. *R. willmottiae*. willmottiae. WILLMOTT R.
- WILLOWMERE. Per. (Per.-D. 1913.) Willomere.
- WINNIE DAVIS. HT. (Nanz & Neuner 1900.)
- Winnie Davis, Cl. Cl. WINNIE DAVIS.
- WINONA. H.Ramb. (Walsh 1911.)
- WINTER GEM. T. (Childs 1898.)
- WOODS R. *R. woodsi*.
- woodsi. Woods R.
- woodsifendleri. *Fendleri*. FENDLER R. Wooton, Cl. Cl. SOUV. OF WOOTTON. W. R. Smith. WILLIAM R. SMITH.
- WYNDMOOR. HT. (Myers & Samtmann 1907.)
- xanthina. KOREAN R.
- XAVIER OLIBO. HP. (Lach. 1864.)
- Yellow American Beauty. LEMON QUEEN.
- Yellow Austrian. *R. foetida*.
- Yellow Baby Rambler. ETOILE DE MAI; EUGÉNIE LAMESCH.
- YELLOW BANKSIAN R. Double Yellow Banksian R.; Lady Banks R.; *R. banksiae lutea*† Cy; Yellow Banksia.
- Yellow Cécile Brunner. GEORGE ELGER; PERLE D'Or.
- Yellow Cécile Brunner, Cl. Cl. YELLOW CÉCILE BRUNNER.

ROSA, ROSE, continued

- Yellow Cochet; Yellow Maman Cochet.* ALEXANDER HILL GRAY; MME. HÉLÈNE CAMBIER; MME. DEREPA-S-MATRAT.
Yellow Frau Karl Druschki. LUD-WIG MÖLLER.
Yellow Hermosa. COQUETTE DE LYON.
Yellow Jeannette Heller. SOUV. D'E. GUILLARD.
Yellow Kaiserin; Yellow Killarney. MME. JENNY GILLEMET.
Yellow Kaiserin Augusta Victoria. NATALIE BÖTTNER; PERLE VON GODESBERG.
Yellow Killarney. MME. JENNY GIL-LEMOT.
Yellow La France. MME. PERNET-DUCHER.
Yellow Ophelia. SYLVIA.
Yellow President Carnot. YELLOW SOUV. DU PRÉSIDENT CARNOT.
Yellow Rambler. AGLAIA; GOLDFINCH.
Yellow Soupert. MOSELLA.
YELLOW SOUV. DU PRÉSIDENT CARNOT. HT. (Calif. 1910.) *Yellow Presi-dent Carnot.*
Yellow Sov. du Président Carnot. MME. PERNET-DUCHER.
Yellow Sweetbrier. HARISON'S YEL-LOW.
Yellow Tausendschön. GOLDFINCH.
YORK AND LANCASTER. Dam. (Mon-ardes 1551.)
 The name York and Lancaster is often misapplied to Rosa Mundi, hort. var. of *R. gallica*.
YVONNE. HW. (F. Cant 1922.)
YVONNE RABIER. D.Pol. (Tur. 1910.)
YVONNE VACHEROT. HT. (S. & N. 1905.) *Yvonne Vacherot.*
ZELIA BOURGEOIS. D.Pol. (Mme. Vilin 1906.) *White Baby Rambler.*
ZELIA PRADEL. Nois. (Pradel 1861.)
ZENOBIA. M. (W. Paul 1892.)
ZEPHIRINE DROUHIN. H.Bour. (Bizot 1868.) *Zepherine Drouhin; Zeph-erin Drouat.*

- ROSA-DE-MONTANA** *Antigonon leptopus*
ROSALIE THRIFT (*Statice armeria laucheanat Cy*)
ROSARYBEAN
Rhynchosia; R. phaseoloides
MEXICAN R. *R. precatoria*
ROSARY-PEA *Abrus precatorius*
ROSE ANEMONE, ROSE ASTILBE, etc.
 See ANEMONE, ASTILBE, etc.
ROSE-ACACIA *Robinia hispida*
SMOOTH R. (*R. h. macrophylla Cy*)
ROSEBAY RHODODENDRON
Rhododendron maximum
ROSEGAY ANTHURIUM (*Anthurium scherzerianum roseum Cy*)
ROSEGENTIAN *Sabatia*
MARSH R. *S. dodecandra*
NEW ENGLAND R. *S. kennedyana*
PRAIRIE R. *S. campestris*
ROSELEAF RASPBERRY, ROSELEAF SAGE, etc. See RASPBERRY, SAGE, etc.
ROSELLE *Hibiscus sabdariffa*
ROSEMALLOW *Hibiscus*
COMMON R. *H. moscheutos*
COTTON R. *H. mutabilis*
CRIMSON-EYE R. . . . *H. oculiroseus*
FLOWER-OF-AN-HOUR . . . *H. trionum*
GREAT R. *H. grandiflorus*
MOUNTAIN R. *H. elatus*
OKRA *H. esculentus*
ROSELLE *H. sabdariffa*
SCARLET ROSEMALLOW
H. coccineus
SHRUB-ALTHEA *H. syriacus*
SOLDIER R. *H. militaris*
ROSEMARY . . . *Rosmarinus officinalis*
BOG-ROSEMARY *Andromeda*
ROSEMARY BARBERRY, ROSEMARY BOX, etc. See BARBERRY, Box, etc.
ROSEMYRTLE *Rhodomyrtus*
DOWNY R. *R. tomentosa*
ROSE-OF-HEAVEN . . *Lychnis coelirosa*
PURPLE-EYE R. (*L. c. oculata Cy*)
Rose-of-Sharon
 In the United States this name is often misapplied to Shrub-althea, *Hibiscus syriacus*.
ROSEPINK CAMPION (*Lychnis viscaria splendens Cy*)
ROSE-RING GAILLARDIA
Gaillardia pulchella

| | | |
|---|--|--------|
| ROSEROOT STONECROP | <i>Sedum roseum</i> | |
| ROSETTE OXALIS | <i>Oxalis deppei</i> | Oxalis |
| ROSEWOOD | <i>Dalbergia</i> | |
| ROSINWEED | <i>Silphium</i> | |
| CUP R. | <i>S. perfoliatum</i> | |
| DOCK R. | <i>S. terebinthaceum</i> | |
| ROSMARINUS | ROSEMARY | |
| <i>officinalis</i> | <i>ROSEMARY</i> | |
| ROSTHORN SPIREA | <i>Spiraea rosthorni</i> | |
| ROSY ZANZIBAR WATERLILY, ROSY JASMINE, etc. | See WATERLILY, JASMINE, etc. | |
| ROTHSCHILD GLORYLILY | <i>Gloriosa rothschildiana</i> | |
| ROUGE-PLANT | <i>Rivina humilis</i> | |
| ROUGH BLUEGRASS, ROUGH GENTIAN, etc. See BLUEGRASS, GENTIAN, etc. | | |
| ROUGHLEAF DOGWOOD, ROUGHLEAF GOLDENROD, etc. See DOGWOOD, GOLDENROD, etc. | | |
| ROUNDBUD FUCHSIA | <i>Fuchsia magellanica globosa</i> | |
| ROUND-EARED WILLOW | <i>Salix aurita</i> | |
| ROUNDHEAD BUSHCLOVER | <i>Lespedeza capitata</i> | |
| ROUNDLEAF ASH, ROUNDLEAF BOX, etc. See Ash, Box, etc. | | |
| ROUNDLOBE HEPATICA | <i>Hepatica triloba</i> | |
| ROUNDTOP SAGE | <i>Salvia globosa</i> | |
| ROXBURGH ROSE | <i>Rosa roxburghii</i> | |
| ROYAL ANTHURIUM, ROYAL BELLFLOWER, etc. See Anthurium, BELLFLOWER, etc. | | |
| ROYSTONEA | ROYAL PALM | |
| <i>regia</i> (<i>Oreodoxa regia</i> Cy) ROYAL P. | | |
| RUBBERTREE | | |
| INDIA R. | <i>Ficus elastica</i> | |
| MEXICAN R. | <i>Castilla</i> | |
| PARA R. | <i>Hevea brasiliensis</i> | |
| RUBBERVINE | <i>Cryptostegia</i> | |
| MADAGASCAR R. | <i>C. madagascariensis</i> | |
| PALAY R. | <i>C. grandiflora</i> | |
| RUBELLUM LILY | <i>Lilium rubellum</i> | |
| RUBUS | BLACKBERRY, DEWBERRY, RASPBERRY | |
| For horticultural varieties of Rubus grown for their fruit see BLACKBERRY, | | |
| RUBUS , continued | | |
| DEWBERRY, and RASPBERRY, in American Pomological Society's List of Fruits, in Appendix. | | |
| allegeniensis | | |
| ALLEGHENY BLACKBERRY | | |
| <i>argutus</i> | HIGHBUSH B. | |
| <i>canadensis</i> | THORNLESS B. | |
| The name <i>R. canadensis</i> is often misapplied to <i>R. procumbens</i> . | | |
| <i>coreanus</i> | KOREAN RASPBERRY | |
| <i>craatgeifolius</i> | HAWTHORN R. | |
| <i>cuneifolius</i> | SAND BLACKBERRY | |
| <i>deliciosus</i> | BOULDER RASPBERRY | |
| <i>dumetorum</i> | BRUSH DEWBERRY | |
| <i>ellipticus</i> | YELLOW HIMALAYAN RASPBERRY | |
| <i>hispidus</i> | SWAMP DEWBERRY | |
| <i>idaeus</i> | EUROPEAN RASPBERRY | |
| <i>illecebrosus</i> | STRAWBERRY R. | |
| <i>laciniatus</i> | CUTLEAF BLACKBERRY | |
| <i>lasiostylus</i> | WOOLLY RASPBERRY | |
| <i>leucodermis</i> | WHITEBARK R. | |
| <i>linkianus</i> | LINK BLACKBERRY | |
| <i>neglectus</i> PURPLECANE RASPBERRY | | |
| <i>occidentalis</i> | COMMON BLACKCAP | |
| <i>odoratus</i> | FLOWERING RASPBERRY | |
| <i>palmatus</i> | BANK R. | |
| <i>parviflorus</i> | WHITEFLOWERING R. | |
| <i>pheonicolasius</i> | WINEBERRY | |
| <i>procumbens</i> NORTHERN DEWBERRY | | |
| <i>rosaeflorus</i> ROSELEAF RASPBERRY | | |
| The name <i>R. rosaeflorus</i> is sometimes misapplied to <i>R. illecebrosus</i> . | | |
| <i>strigosus</i> COMMON RED RASPBERRY | | |
| <i>thyrsanthus</i> | HIMALAYA-BERRY | |
| <i>thyrsoides</i> | | |
| <i>trivialis</i> | SOUTHERN DEWBERRY | |
| <i>ulmifolius</i> ELMLEAF BLACKBERRY | | |
| <i>ursinus</i> | <i>R. vitifolius</i> | |
| <i>villosum</i> | | |
| This name is often misapplied to <i>R. procumbens</i> and to <i>R. allegheniensis</i> . | | |
| <i>vitifolius</i> (<i>ursinus</i>) | | |
| CALIFORNIA DEWBERRY | | |
| RUBY HORSECHESTNUT, RUBY FLOWERING QUINCE, etc. See HORSECHESTNUT, QUINCE, etc. | | |
| RUDBECKIA | CONEFLOWER | |
| <i>amplexicaulis</i> | CLASPING C. | |
| <i>bicolor</i> | PINEWOODS C. | |
| See also hort. var., page 455. | | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

| | | | |
|---|---|---|---|
| RUDBECKIA, continued | | RUNNINGPINE | Lycopodium clavatum |
| <i>californica</i> . . . CALIFORNIA CONE- FLOWER | | RUSCUS | BUTCHERSBROOM |
| <i>fulgida</i> ORANGE C. | | <i>aculeatus</i> | BUTCHERSBROOM |
| <i>hirta</i> BLACK-EYED-SUSAN | | RUSH | Juncus |
| <i>laciniata</i> . . CUTLEAF CONEFLOWER | | COMMON R. | <i>J. effusus</i> |
| See also hort. var. list below. | | FLOWERING-RUSH | |
| <i>maxima</i> GREAT C. | | Butomus | umbellatus |
| <i>newmanni</i> R. speciosa | | SCOURING-RUSH | |
| <i>nitida</i> | | Equisetum | hyemale |
| See also hort. var. list below. | | RUSH IRIS | <i>Iris juncea</i> |
| <i>purpurea</i> . . Echinacea <i>purpurea</i> | | RUSSELIA | CORALBLOW |
| <i>speciosa</i> (<i>newmanni</i>) | | <i>juncea</i> | HONDURAS C. |
| SHOWY CONEFLOWER | | Hort. var. of <i>Russelia</i> : | |
| <i>subtomentosa</i> . . . SWEET C. | | HYBRID CORALBLOW (<i>R. elegantissima</i> Cy; <i>juncea</i> X <i>sarmentosa</i>). | |
| <i>superba</i> ERFURT C. | | RUSSELL BEEBALM, RUSSELL CIN- QUEFOIL, etc. See BEEBALM, | |
| Hort. var. of <i>R. bicolor</i> . | | CINQUEFOIL, etc. | |
| <i>triloba</i> . . . BROWN-EYED-SUSAN | | RUSSET AMARANTH, RUSSET HAW- THORN, etc. See AMARANTH, HAWTHORN, etc. | |
| Hort. var. of <i>Rudbeckia</i> : | | RUSSIAN ALMOND, RUSSIAN ELM, etc. See ALMOND, ELM, etc. | |
| AUTUMN GLORY. Hort. var. of <i>R.</i> <i>nitida</i> . | | RUSSIAN-OLIVE <i>Elaeagnus angustifolia</i> | |
| AUTUMN SUN. Hort. var. of <i>R.</i> <i>nitida</i> . | | RUSTY FIG, RUSTY GUM-MYRTLE, etc. See FIG, GUM-MYRTLE, etc. | |
| ERFURT CONEFLOWER (<i>R. bicolor</i> <i>superba</i> Cy) | | RUTA | RUE |
| GOLDENGLOW. Hort. var. of <i>R.</i> <i>laciniata</i> . | | <i>graveolens</i> | COMMON R. |
| RUE | Ruta | RUTABAGA | <i>Brassica campestris</i> |
| COMMON R. | <i>R. graveolens</i> | RUTARIAN HONEYSUCKLE (<i>Lonicera</i> <i>notha</i> Cy) | |
| GOATSRUE | <i>Galega</i> | RUTHENIAN CENTAUREA | <i>Centaurea ruthenica</i> |
| Rue Anemone | <i>Anemo-</i> <i>NELLA: Anemonella thalictroides</i> | RYE | <i>Secale</i> ; <i>S. cereale</i> |
| RUELLIA | <i>Ruellia</i> | WILD-RYE | <i>Elymus</i> |
| <i>amoena</i> (<i>Stephanophysum longifo- lium</i>) | . . . REDSPRAY <i>Ruellia</i> | RYEGRASS | |
| <i>pedunculata</i> | . . . STALKED R. | ITALIAN R. | <i>Lolium multiflorum</i> |
| RUGOSA ROSE | <i>Rosa rugosa</i> | PERENNIAL R. | <i>L. perenne</i> |
| RUMEX | DOCK, SORREL | SABAL | PALMETTO |
| <i>hymenosepalus</i> | . . CANAIGRE | <i>blackburniana</i> (<i>umbraculifera</i> ; <i>In-</i> <i>odes blackburniana</i> Ag) | |
| <i>patientia</i> | . . PATIENCE DOCK | BLACKBURN PALMETTO | |
| <i>scutatus</i> | . . FRENCH SORREL | <i>etonia</i> | SCRUB P. |
| RUNNER | | <i>exul</i> (<i>Inodes exul</i> Ag) | VICTORIA P. |
| BUTTERFLY R. Hort. var. of <i>Pha-</i> <i>seolus coccineus</i> . | | <i>glabra</i> (<i>S. minor</i> Ag; <i>adansonii</i>) | |
| SCARLET R. | <i>Phaseolus coccineus</i> | BLUESTEM P. | |
| WHITE R. Hort. var. of <i>P. coccineus</i> . | | palmetto (<i>Inodes palmetto</i> Ag) | |
| RUNNER IRIS | <i>Iris stolonifera</i> | | CAROLINA P. |
| RUNNING SHADBLOW, RUNNING STONECROP, etc. See SHADBLOW, STONECROP, etc. | | <i>texana</i> (<i>mexicana</i> ; <i>Inodes texana</i> Ag) | TEXAS PALMETTO |

Hort. var. of *Sabal*:

GHIESBRIGHT PALMETTO (*S. ghiesbreghtii*; *ghiesbrechtii*; *giesbrechtii*; *giesbrechtii*). Hort. var. of *S. palmetto*.

SABATIA (SABBATIA)

ROSEGENTIAN

campestris PRAIRIE R.
chloroides *S. dodecandra*
The name *S. chloroides* is often misapplied in the trade to *S. kennedyana*.

dodecandra (chloroides)

MARSH ROSEGENTIAN

kennedyana NEW ENGLAND R.
SACALINE . . *Polygonum sachalinense*

SACCHARUM

officinarum SUGARCANE

SACCOLABIUM

See ORCHID GENERA.

SACRED BO TREE, SACRED DATURA,
etc. See BO TREE, *Datura*, etc.

SACRED-LILY

CHINESE S.

Narcissus tazetta orientalis

SAFFLOWER . . *Carthamus tinctorius*

SAFFRON TOADFLAX (*Linaria bipartita alba*† Cy)

SAGE *Salvia*

AUTUMN S. *S. greggii*

AZURE S. *S. azurea*

BEE-SAGE . . *Audibertia grandiflora*

BEETLE-SAGE . . *Cuphea jorullensis*

BOG S. *Salvia uliginosa*

COMMON CLARY *S. sclarea*

GARDEN S. *S. officinalis*

GENTIAN S. *S. patens*

GREAT AZURE S.

S. azurea grandiflora

JERUSALEM-SAGE *Phlomis*

JOSEPH S. *Salvia horminum*

LILAC S. *S. verticillata*

MEADOW S. *S. pratensis*

MEALYCUP S. *S. farinacea*

MEXICAN S. *S. fulgens*

MEXICAN BUSH S. . . . *S. leucantha*

ORIENTAL S. *S. virgata*

ROSE S. (*Salvia pratensis rubicundat* Cy)

ROSELEAF S. *S. involucrata*

ROUNDTOP S. *S. globosa*

SCARLET S. *S. splendens*

SILVER S. *S. argentea*

SAGE, continued

SPANISH S. *Salvia bicolor*
TEXAS S. *S. coccinea*
THISTLE S. *S. carduacea*
TWOCOLOR S. (*Salvia coccinea bicolor*† Cy)

VERVAIN S. *S. verbenaca*

VIOLET S. *S. nemorosa*

WHITE AUTUMN S. (*Salvia greggii alba*† Cy)

SAGEBRUSH . . . *Artemisia tridentata*

LOW S. *A. arbuscula*

SAGEBRUSH MARIPOSA
Calochortus macrocarpus

SAGINA PEARLWORT
subulata PEARLWORT

SAGITTARIA ARROWHEAD
brevirostra SHORTBEAK A.

japonica *S. sagittifolia*

latifolia COMMON ARROWHEAD

longiloba LONGBARB A.

montevidensis GIANT A.

natans BEACH A.

rigida STIFF A.

sagittifolia (*japonica*; *sinensis*)
OLD-WORLD A.

See also hort. var. list below.

sinensis *S. sagittifolia*

subulata AWL-LEAF ARROWHEAD

Hort. var. of *Sagittaria*:

DOUBLE OLD-WORLD ARROWHEAD
(*S. sagittifolia florepleno* Cy; *japonica florepleno*)

SAGO CYCAS, SAGO FERN, etc. See
Cycas, FERN, etc.

SAINTPAULIA

ionantha AFRICAN-VIOLET

SAKHALIN FIR, SAKHALIN SPRUCE, etc.
See FIR, SPRUCE, etc.

SALAL *Gaultheria shallon*

SALAMON WEEPING WILLOW (*Salix salamoni*† Cy)

SALISBURIA GINKGO

SALIX WILLOW
acutifolia (*daphnoides acutifolia*)

SHARPLEAF W.
alba WHITE W.

The name *S. alba* is often misapplied to forms of *S. rubens*.

—*argentea* Ar *S. regalis*

—*caerulea* CrICKETBAT WILLOW

SALIX, continued

alba calva

PYRAMIDAL WHITE WILLOW
splendens Cy S. *regalis*
vitellina S. *vitellina*
ambigua† Ar PUZZLE WILLOW
 See hort. var. list, page 458.

americana pendula

WEEPING PURPLE OSIER
 Hort. var. of *S. purpurea*.

amygdalina (*triandra*)

ALMOND WILLOW
amygdaloidea . . . PEACHLEAF W.
appendiculata . . . S. *grandifolia*
argyrocarpa . . . LABRADOR WILLOW
aurea . . . RUSSIAN GOLDEN W.
 Hort. var. of *S. vitellina*.

aurita . . . ROUND-EARED W.
austriaca† Ar . . . AUSTRIAN W.
 See hort. var. list, page 458.

babylonica (*babylonica pendula*)
 BABYLON WEEPING W.
 See also hort. var. list, page 458.

balsamifera . . . S. *pyrifolia*
bebbiana (rostrata) . BEAK WILLOW
bicolor S. *phylicifolia*
blanda† Cy

WISCONSIN WEEPING WILLOW
 See hort. var. list, page 459.

britzensis . . . BRONZE GOLDEN W.
 Hort. var. of *S. vitellina*.

bulbosa . . . BLISTERED BRITTLE W.
 Hort. var. of *S. fragilis*.

caprea GOAT W.
 See also hort. var. list, page 458.

cinerea GRAY W.
—oleifolia (*cinerea angustifolia*)
 OLIVELEAF W.
 See also hort. var. list, page 458.

cordata HEARTLEAF W.
daphnoides DAPHNE W.
—acutifolia S. *acutifolia*
decumbens S. *repens*
discolor PUSSY WILLOW
dolorosa . WISCONSIN WEEPING W.
 See hort. var. list, page 459.

elaeagnos S. *incana*
elegantissima (*sieboldii*)

THURLOW WEEPING WILLOW

The name *S. elegantissima* is sometimes misapplied to other species.

erderingeri† Ar VIOLET GOAT WILLOW
 See hort. var. list, page 459.

SALIX, continued

ferruginea

forbyana RED WILLOW
 See hort. var. list, page 458.

fragilis BRITTLE W.

glabra

—flicifolia S. *gracilistyla*
tiliaeefolia S. *gracilistyla*
glaucocephala BLUELEAF WILLOW
gracilistyla LONGSTYLE W.
grandifolia (*appendiculata*)

BIGLEAF W.

—purpurea S. *neriifolia*
hastata HALBERD WILLOW
herbacea PYGMY W.
hexandra† Ar SIX-MAN W.
 See hort. var. list, page 458.

holosericea STIPULE W.
 See hort. var. list, page 458.

humilis PRAIRIE W.
incana (*elaeagnos*; *rosmarinifolia*)

ROSEMARY W.

interior Ag S. *longifolia*
irrorata BLUESTEM WILLOW
japonica JAPANESE WEEPING W.
laestadiana† Ar LAESTAD W.
 See hort. var. list, page 458.

latifolia† Ar BROADLEAF W.
 See hort. var. list, page 458.

laurifolia S. *pentandra*
longifolia (*S. interior* Ag)

LONGLEAF WILLOW

lucida SHINING W.
ludificans† Ar SPORT W.
 See hort. var. list, page 458.

matsudana HANKOW W.
monspeliensis

Form or synonym of *S. fragilis*.

myrsinifolia (*nigricans*)
myrsinites MYRTLE W.
myrtilloides WHORTLEBERRY W.
neriifolia (*grandifolia purpurea*)

OLEANDER W.

nigra BLACK W.
nigricans S. *myrsinifolia*
palustris MARSH WILLOW
 See hort. var. list, page 458.

pellita

pentandra (*laurifolia*) . LAUREL W.
petiolaris

The name *S. petiolaris* is often misapplied to *S. incana*.

SALIX, continued*petzoldii*

WISCONSIN WEEPING WILLOW

See hort. var. list, page 459.

phylicifolia (bicolor) . TEALEAF W.*piperi* PIPER W.*pontederana* S. *sordida**purpurea* PURPLE OSIER

See also hort. var. list on this page.

pyrifolia (balsamifera)

BALSAM WILLOW

*regalis (S. alba splendens Cy; S.**alba argentea Ar).* ROYAL WILLOW*repens (decumbens)* . CREEPING W.

See also hort. var. list on this page.

reuteri† Ar REUTER W.

See hort. var. list on this page.

rosmarinifolia S. *incana**rostrata* S. *bebbiana**rubens †Ar* . WHITE CRACK WILLOW

See hort. var. list, page 459.

rubra† Ar RED W.

See hort. var. list on this page.

salamoni† Cy

SALAMON WEEPING W.

See hort. var. list on this page.

*siebertii**sepulcralis* . SALAMON WEEPING W.

See hort. var. list on this page.

sericea SILKY W.*serissima* AUTUMN W.*sesquiteria† Ar* TRIPLE W.

See hort. var. list, page 459.

sieboldii S. *elegantissima**sieboldiana* SIEBOLD WILLOW*sitchensis* SATIN W.*sordida (pontederana)**stipularis† Ar* STIPULE W.

See hort. var. list on this page.

tetrapla† Ar TEA W.

See hort. var. list on this page.

triandra S. *amygdalina**tristis* DWARF PUSSY WILLOW*uva-ursi* BEARBERRY W.*viminalis* COMMON OSIER*viridis† Ar* EMERALD WILLOW

See hort. var. list on this page.

vitellina (alba vitellina) GOLDEN W.

See also hort. var. list on this page.

wimmeri REUTER W.

See hort. var. list on this page.

SALIX, continued*wimmeriana* PURPLE GOAT WILLOW

See hort. var. list below.

Hort. var. of *Salix*:

Other hybrids in Latin list preceding.

BLISTERED BRITTLE WILLOW (*fragilis bullata; bullata*)BROADLEAF W. (*S. latifolia† Ar; caprea × myrsinifolia*)BRONZE GOLDEN W. (*S. vitellina britzensis† Cy; britzensis*)CLASPING PURPLE OSIER (*purpurea amplexicaulis*)EMERALD WILLOW (*S. viridis† Ar; fragilis × alba*)KILMARNOCK W. (*S. caprea pendula† Cy*)LAESTAD W. (*S. laestadiana† Ar; cinerea × lapporum*)LAMBERT PURPLE OSIER (*purpurea lambertiana*)MARSH WILLOW (*S. rubens palustris Ar; fragilis × alba*)NIOBE WEEPING W. (*alba × fragilis*)PURPLE GOAT W. (*wimmeriana; caprea × purpurea*)PURPLE W. (*S. ambigua† Ar; aurita × repens*)RED W. (*S. rubra† Ar; forbyana; purpurea × viminalis*)REUTER W. (*S. reuteri† Ar; wimmeri; daphnooides × incana*)RINGLEAF WEEPING W. (*S. babylonica annularis† Cy*)RUSSIAN GOLDEN W. (*S. vitellina aurea† Cy; aurea; babylonica aurea*)SALAMON WEEPING W. (*S. salamoni† Cy; sepulcralis; babylonica salamoni; alba × babylonica*)SILKY PURPLE OSIER (*purpurea sericea; purpurea kersti*)SILVER CREEPING WILLOW (*S. repens argentea† Cy*)SPORT W. (*S. ludificans† Ar; aurita × phyllicifolia*)STIPULE W. (*S. stipularis† Ar; holosericea; cinerea × viminalis*)TEA W. (*S. tetrapla† Ar; myrsinifolia × phyllicifolia*)

SALIX (Hort. var.), continued

TRIPLE WILLOW (*S. sesquiteria*† Ar)
VIOLET GOAT W. (*S. erdingeri*† Ar;
caprea × *daphnoides*)

WEEPING GOLDEN W. (*S. vitellina*
pendula† Cy; *babylonica ramulis*
aureis)

WEEEPING PURPLE OSIER (*S. pur-*
purea pendula† Cy; *americana*
pendula)

WISCONSIN WEEEPING W. (*S. blanda*†
Cy; *dolorosa*; *babylonica dolorosa*;
petzoldii)

Other hybrids in Latin list preceding.

SALLY

BLOOMING S.

Epilobium angustifolium

SALMON BARBERRY, SALMON BEE-
BALM, etc. See BARBERRY,
BEEBALM, etc.

SALOA Ag **BLUMENBACHIA**

SALPICHROA

rhomboidea COCKS-EGGS

SALPIGLOSSIS **SALPIGLOSSIS**
sinuata (*grandiflora*) SCALLOPED S.

Hort. var. of *Salpiglossis*:

AZURE S. (*S. sinuata azurea*† Cy;
azurea)

Salsify VEGETABLE-
OYSTER: *Tragopogon porrifolius*

BLACK-SALSIFY

Scorzonera hispanica

SALT-BUSH Atriplex
SALT-TREE

Halimodendron halodendron

SALVIA SAGE

argentea SILVER S.

azurea AZURE S.

—*grandiflora* (*pitcheri*)

GREAT AZURE S.

bicolor SPANISH S.

In the trade the name *S. bicolor* is sometimes misapplied to Twocolor Sage, hort. var. of *S. coccinea*.

carduacea THISTLE SAGE

coccinea TEXAS S.

The name *S. coccinea* is sometimes misapplied in the trade to *S. splendens*.

See also hort. var. list on this page.

farinacea MEALYCUP SAGE

fulgens MEXICAN S.

SALVIA, continued

globosa ROUNDTOP SAGE

greggi AUTUMN S.

See also hort. var. list below.

horminum JOSEPH S.

involutrata ROSELEAF S.

leucantha MEXICAN BUSH S.

nemorosa VIOLET S.

officinalis GARDEN S.

patens GENTIAN S.

pitcheri *S. azurea grandiflora*

pratensis MEADOW SAGE

See also hort. var. list below.

rubicunda ROSE S.

Hort. var. of *S. pratensis*.

sclarea COMMON CLARY

spelmina *S. verbenaca*

splendens SCARLET SAGE

uliginosa BOG S.

verbenaca (*spelmina*; *verbenacea*)

VERVAIN S.

verticillata LILAC S.

virgata ORIENTAL S.

The name *S. virgata* is sometimes misapplied to *S. nemorosa*.

Hort. var. of **Salvia**:

ROSE SAGE (*S. pratensis rubicunda*†
Cy; *rubicunda*)

TWOCOLOR S. (*Salvia coccinea bi-*
color† Cy)

WHITE AUTUMN S. (*Salvia greggi*
alba† Cy)

SALVIA ROCKROSE . *Cistus salvifolius*

SALVINIA **SALVINIA**

auriculata *natans*

SAMBUCUS ELDER

acutiloba CUTLEAF AMERICAN E.

Hort. var. of *S. canadensis*.

arborescens . *S. pubens arborescens*

aurea

A name often misapplied by gardeners to Golden American Elder and Golden European Elder, both in the hort. var. list below.

caerulea (*glauca*)

BLUEBERRY ELDER

canadensis AMERICAN E.

See also hort. var. list on page 460.

glauca *S. caerulea*

SAMBUCUS, continued

- maxima* GREAT ELDER
Hort. var. of *S. canadensis*.
melanocarpa . . . BLACKBEAD E.
nigra EUROPEAN E.
See also hort. var. list below.
pubens SCARLET E.
—*arborescens* TREE E.
—*leucocarpa* ALBINO E.
racemosa EUROPEAN RED E.
—*sieboldiana* *S. sieboldiana*
See also hort. var. list below.
sieboldiana (*S. williamsi* Ag; *racemosa sieboldiana*) SIEBOLD ELDER
Hort. var. of **Sambucus**:
CUTLEAF AMERICAN ELDER (*S. canadensis acutiloba*† Cy; *acutiloba*; *S. canadensis laciniata* Ar)
CUTLEAF EUROPEAN E. (*S. nigra laciniata*† Cy)
CUTLEAF RED E. (*S. racemosa laciniata*† Cy)
GOLDEN AMERICAN E. (*S. canadensis aurea*† Cy)
GOLDEN EUROPEAN E. (*S. nigra aurea*† Cy)
GOLDENPLUME E. (*Sambucus racemosa plumoso-aurea*† Cy; *racemosa aurea*)
GREAT E. (*S. canadensis maxima*† Cy; *maxima*)
GREENBERRY E. (*S. canadensis chlorocarpa*† Cy)
PLUME E. (*Sambucus racemosa plumosa*† Cy)
TASSEL E. (*S. r. tenuifolia*† Cy)
VARIEGATED E. (*Sambucus nigra variegata*† Cy)
- SAMUELA** DATE YUCCA
The common name Yucca is applied also to species of the allied genera *Yucca* and *Hesperoyucca*.
- carnerosana* MEXICAN DATE YUCCA
faxoniana TEXAS DATE Y.
- SAN DIEGO MARIPOSA** *Calochortus weedi*
- SAND BLACKBERRY, SAND CACTUS,
etc. See BLACKBERRY, CACTUS,
etc.
- SANDANKWA VIBURNUM**
Viburnum suspensum

- SANDBOXTREE *Hura crepitans*
SANDER BOUGAINVILLEA, SANDER KENTIA, etc. See *Bougainvillea*, *Kentia*, etc.
SANDMYRTLE *Leiophyllum ALLEGHENY* S.
L. buxifolium prostratum
BOX S. *L. buxifolium*
SANDVERBENA *Abronia*
PINK S. *A. umbellata*
WOOLLY S. *A. villosa*
YELLOW S. *A. latifolia*
SANDWORT *Arenaria*
CORSICAN S. *A. balearica*
GREENLAND S. *A. groenlandica*
MOSS S. (*A. verna caespitosa*† Cy)
MOUNTAIN S. *A. montana*
SHOWY S. *A. grandiflora*
TUFTED S. *A. verna*
SANGUINARIA BLOODROOT
canadensis BLOODROOT
- SANGUISORBA** BURNET
The common name Burnet is applied also to the closely allied genus *Poterium*.
canadensis AMERICAN BURNET
minor SMALL B.
- SANSEVIERIA**
zeylanica BOWSTRING-HEMP
- SANSSOUCI SPIREA** (*Spiraea sanssouciana*† Cy)
- SANTA BARBARA GILIA** *Gilia abrotanifolia*
- SANTA CRUZ LILY**, SANTA CRUZ WATERLILY, etc. See LILY, WATERLILY, etc.
- SANTA MARIPOSA** *Calochortus plummerae*
- SANTOLINA** LAVENDER-COTTON
chamaecyparissus LAVENDER-COTTON
—*incana* HOARY L.
- SANVITALIA** SANVITALIA
procumbens COMMON S.
- SAPINDUS** SOAPBERRY
drummondii WESTERN S.
mukorossi CHINESE S.
saponaria SOUTHERN S.
- SAPIUM**
sebiferum (*Stillingia sebifera*)
CHINESE TALLOWTREE

| | | |
|--|------------------------------------|--|
| SAPODILLA | Achras sapota | SATIN CHECKERBLOOM, SATIN WILLOW, etc. See CHECKERBLOOM, WILLOW, etc. |
| SAPONARIA | SOAPWORT | SATINPOPPY . . Meconopsis wallichii |
| calabrica | CALABRIAN S. | SATSUMA MOCKORANGE, SATSUMA ORANGE, etc. See MOCKORANGE, ORANGE, etc. |
| ocymoides | ROCK S. | |
| officinalis | BOUNCING-BET | SATUREIA SAVORY |
| vaccaria | Cow SOAPWORT | alpina (<i>Calamintha alpina</i>) ALPINE S. |
| Hort. var. of <i>Saponaria</i> : | | hortensis SUMMER S. |
| DOUBLE BOUNCING-BET (<i>S. officinalis florepleno</i> Cy) | | montana WINTER S. |
| ROSY B. (<i>S. o. caucasica</i> † Cy) | | SATYR ORCHID . <i>Habenaria bracteata</i> |
| SAPOTE | Lucuma mammosa | SAUCER MAGNOLIA (<i>Magnolia soulangeana</i> † Cy) |
| WHITE-SAPOTE | <i>Casimiroa edulis</i> | SAUNDERS TORCHLILY (<i>Kniphofia uvaria saundersi</i> † Cy) |
| SAPPAN | <i>Caesalpinia sappan</i> | SAURURUS LIZARDTAIL |
| SAPSUCK-BUSH | Buckleya; <i>B. distichophylla</i> | cernuus COMMON L. |
| SAR IRIS | Iris saari | SAVANNAH ASTER . <i>Aster chapmani</i> |
| SARACA | SARACA | SAVIN <i>Juniperus sabina</i> |
| cauliflora | SCARLET S. | COLUMN S. (<i>J. s. fastigiata</i> † Cy) |
| indica | COMMON S. | CYPRESS S. (<i>J. s. cupressifolia</i> † Cy) |
| SARCANTHUS | williamsoni | — HOARFROST S. (<i>J. s. variegata</i> † Cy) |
| SARCOCHILUS | See ORCHID GENERA. | TAMARIX S. (<i>J. sabina tamarisci-folia</i> † Cy) |
| SARGENT BARBERRY, SARGENT COTTONWOOD, etc. See BARBERRY, COTTONWOOD, etc. | | SAVORY <i>Satureia</i> |
| SARRACENIA | PITCHERPLANT | ALPINE S. <i>S. alpina</i> |
| The common name Pitcherplant is applied also to the genera Darlingtonia, Heliamphora, and Nepenthes. | | SUMMER S. <i>S. hortensis</i> |
| catesbaei . CATESBY PITCHERPLANT | | WINTER S. <i>S. montana</i> |
| drummondii | DRUMMOND P. | SAW CABBAGE PALM, SAW PALMETTO, etc. See PALM, PALMETTO, etc. |
| See also hort. var. list below. | | SAWARA RETINOSPORA |
| flava | TRUMPET P. | <i>Chamaecyparis pisifera</i> |
| minor (<i>variolaris</i>) | HOODED P. | SAWFERN . . <i>Blechnum serrulatum</i> |
| psittacina | PARROT P. | SAWLEAF ZELKOVA . <i>Zelkova serrata</i> |
| purpurea | COMMON P. | SAWPETAL WATER-HYACINTH |
| rubra | SWEET P. | <i>Eichhornia azurea</i> |
| variolaris | <i>S. minor</i> | SAWTOOTH HOLLY, SAWTOOTH HORSE-CHESTNUT, etc. See HOLLY, HORSECHESTNUT, etc. |
| Hort. var. of <i>Sarracenia</i> : | | SAXIFRAGA SAXIFRAGE |
| PURPLE DRUMMOND PITCHERPLANT (<i>S. drummondii rubra</i> † Cy) | | aizoon <i>Aizoon S.</i> |
| SARSAPARILLA | WILD-SARSAPARILLA | burseriana <i>BURSER S.</i> |
| | Aralia nudicaulis | See also hort. var. list on page 462. |
| SASANQUA TEA | <i>Camellia sasanqua</i> | cordifolia (<i>Megasea cordifolia</i>) |
| SASKATOON | Amelanchier alnifolia | HEARTLEAF S. |
| DWARF S. | <i>A. a. pumila</i> | cotyledon <i>JUNGFRAU S.</i> |
| SASSAFRAS | SASSAFRAS | —pyramidalis |
| tzumu | CHINESE S. | SPECKLED PYRAMID S. |
| variifolium (<i>officinale</i>) | COMMON S. | crassifolia LEATHER S. |
| | | See also hort. var. list on page 462. |

SAXIFRAGA, continued

- ligulata** (*Megasca ligulata*; *M. ligulata*) RAJAH SAXIFRAGE
See also hort. var. list below.
- lingulata** TONGUE S.
michauxi MICHAUX S.
oppositifolia TWINLEAF S.
See also hort. var. list below.
- orbicularis** DWARF LEATHER S.
Hort. var. of *S. crassifolia*.
- peltata** UMBRELLA S.
pyramidalis
 S. cotyledon pyramidalis
- sarmentosa** STRAWBERRY SAXIFRAGE
- speciosa**
This name is often used erroneously for Crimson Rajah Saxifrage, Blush Saxifrage, and especially Redstem Saxifrage, all in the hort. var. list below.
- squarrosa** CREVICE SAXIFRAGE
- umbrosa** LONDON-PRIDE S.
vanhouttei VANHOUTTE S.
Hort. var. of *S. crassifolia*.
- virginiensis** (*Micranthes virginiensis*) VIRGINIA SAXIFRAGE
- Hort. var. of **Saxifraga**:
- BLUSH SAXIFRAGE (*S. oppositifolia speciosa*† Cy)
 - CRIMSON RAJAH S. (*S. ligulata speciosa*† Cy; *Megasea speciosa*)
 - DWARF LEATHER S. (*S. crassifolia orbicularis*† Cy; *orbicularis*)
 - REDSTEM S. (*Saxifraga burseriana speciosa*† Cy)
 - VANHOUTTE S. (*vanhouttei*) Hort. var. of *S. crassifolia*.
- SAXIFRAGE** *Saxifraga*
- AIZOON S. *S. aizoon*
- BLUSH S. (*Saxifraga oppositifolia speciosa*† Cy)
- BURSER S. *S. burseriana*
- CREVICE S. *S. squarrosa*
- CRIMSON RAJAH S. (*S. ligulata speciosa*† Cy)
- DWARF LEATHER S. (*S. crassifolia orbicularis*† Cy)
- HEARTLEAF S. *S. cordifolia*
- JUNGFRAU S. *S. cotyledon*
- LEATHER S. *S. crassifolia*
- LONDON-PRIDE S. *S. umbrosa*

SAXIFRAGE, continued

- MICHAUX S. *Saxifraga michauxii*
- RAJAH S. *S. ligulata*
- REDSTEM S. (*S. burseriana speciosa*† Cy)
- SPECKLED PYRAMID S.
 S. cotyledon pyramidalis
- STRAWBERRY S. *S. sarmentosa*
- TONGUE S. *S. lingulata*
- TWINLEAF S. *S. oppositifolia*
- UMBRELLA S. *S. peltata*
- VANHOUTTE S. Hort. var. of *S. crassifolia*.
- VIRGINIA S. *S. virginiensis*
- SAXIFRAGE CATCHFLY, SAXIFRAGE TUNICFLOWER, etc. See CATCHFLY, TUNICFLOWER, etc.
- SCABIOSA** SCABIOSA
- atropurpurea* SWEET S.
 - candidissima* WHITE SWEET S.
Hort. var. of *S. atropurpurea*.
 - caucasica* CAUCASIAN S.
 - japonica* JAPANESE S.
 - maxima* GREAT SWEET S.
Hort. var. of *S. atropurpurea*.
 - minor* DWARF SWEET S.
Hort. var. of *S. atropurpurea*.
 - ochroleuca* YELLOW S.
- Hort. var. of **Scabiosa**:
- DWARF SWEET SCABIOSA (*S. atropurpurea nana*† Cy; *minor*)
 - GIANT S. (*lutea gigantea*)
 - GREAT SWEET S. (*S. atropurpurea grandiflora*† Cy; *maxima*)
 - WHITE CAUCASIAN S. (*S. caucasica alba*† Cy)
 - WHITE SWEET S. (*S. atropurpurea candidissima*† Cy; *candidissima*)
- Scabious** SCABIOSA: Scabiosa
- SCALLOPED SALPIGLOSSIS
 Salpiglossis sinuata
- SCARAB CYPRESS (*Chamaecyparis lawsoniana alumi*† Cy)
- SCARBORO-LILY *Vallota purpurea*
- SCARLET BOUARDIA, SCARLET CLEMATIS, etc. See *Bouvardia*, *Clematis*, etc.
- SCARLET-BUGLER
 Pentstemon centranthifolius
- SCARLETBUSH *Hamelia patens*

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

SCARLETFUNNEL PENTSTEMON

*Pentstemon puniceus*SCARLETPLUME . *Euphorbia fulgens*

SCENTLESS FALSE-CAMOMILE, SCENT-
LESS MOCKORANGE, etc. See
FALSE-CAMOMILE, MOCKORANGE,
etc.

SCEPTER GOLDENROD . *Solidago erecta*SCHAFTA CATCHFLY . *Silene schafta*

SCHEIDECKER CRAB

Malus scheideckeri

SCHINUS PEPPERTREE

molle CALIFORNIA P.*terebinthifolius* . . . BRAZILIAN P.

SCHISMATOGLOSSIS Ag

COLOCASIA

SCHIZANTHUS BUTTERFLYFLOWER

grahami GRAHAM B.*grandiflorus* S. *pinnatus**papilionaceus* MARBLED BUTTERFLYFLOWERHort. var. of *S. pinnatus*.*pinnatus (grandiflorus)* WINGLEAF B.*retusus* ORANGE-ROSE B.*wisetonensis* WISETON B.Hort. var. of *Schizanthus*:MARBLED BUTTERFLYFLOWER (*S.**pinnatus papilionaceus*† Cy; *pa-**pilionaceus*)

SCHIZOCODON

soldanelloides FRINGEBELL

SCHIZOLOBIUM

excelsum (*S. parahybum* Ag)

SCHIZONOTUS

aitchisoni Ag *Sorbaria aitchisoni**discolor* *Holodiscus discolor**sorbifolius* Ag *Sorbaria sorbifolia**tomentosus* Ag *Sorbaria lindleyana*

SCHIZOPETALON

walkeri

SCHIZOPHRAGMA

*hydrangeoides*The name *Schizophragma hydrange-**oides* is often misapplied to *Hydrangea**petiolaris*.

JAPANESE HYDRANGEA-VINE

integerrifolium CHINESE H.

SCHIZOSTYLLIS CRIMSON-FLAG

coccinea BASUTO C.

SCHLUMBERGERA

gaertneri (*Epiphyllum gaertneri*)

EASTER CACTUS

russelliana (*E. russelliana*)

SCHNEIDER DEUTZIA, SCHNEIDER LI-

LAC, etc. See DEUTZIA, LILAC, etc.

SCHOLARTREE

CHINESE S. . . . *Sophora japonica*WEEPING S. (*S. j. pendula*† Cy)

SCHOMBURGHIA

SCHOMBURGKIA

SCHOMBURGKIA

See ORCHID GENERA.

SCHOTT REDCEDAR (*Juniperus virgin-**iana schottii*† Cy)

SCHRENK MOCKORANGE, SCHRENK

SPRUCE, etc. See MOCKORANGE,

SPRUCE, etc.

SCHWEDLER MAPLE (*Acer platanoides**schwedleri*† Cy)

SCIADOPITYS UMBRELLA-PINE

verticillata UMBRELLA-PINE

SCILLA SQUILL

bifolia TWINLEAF S.*hispanica (campanulata)* SPANISH S.*hyacinthoides* HYACINTH S.*maritima* *Urginea scilla**nonscripta (nutans)* COMMON BLUE SQUILL*peruviana* PERUVIAN S.*sibirica* SIBERIAN S.

SCINDAPSUS

pictus IVY-ARUMHort. var. of *Scindapsus*:SILVER IVY-ARUM (*S. pictus argy-**raeus*† Cy)

SCIRPUS BULRUSH

atrovirens GREEN B.*cernuus (Isolepis gracilis)* WEEPING B.*lacustris* GREAT B.*tabernaemontanus*Hort. var. of *Scirpus*:ZEBRA BULRUSH (*lacustris zebrinus*).Hort. var. of *S. tabernaemontan-**us*

SCOLOPENDRIUM . PHYLLITIS

SCOLYMUS

- hispanicus* . SPANISH OYSTERPLANT
 SCORPION IRIS *Iris alata*
 SCORPION-SENNA . *Coronilla emerus*
SCORZONERA . . . SERPENTROOT
hispanica . . . BLACK-SALSIFY
 SCOTCH BROOM, SCOTCH CROCUS, etc.
 See BROOM, CROCUS, etc.
 SCOURING-RUSH . *Equisetum hyemale*
 STOUT S. *E. robustum*
 SCREWPINE *Pandanus*
 COMMON S. *P. utilis*
 DWARF S. *P. pygmaeus*
 GRASSY S. *P. graminifolius*
 PACIFIC S. *P. pacificus*
 VEITCH S. *P. veitchii*
 SCREWPOD ACACIA . *Acacia pravissima*
 SCRUB OAK, SCRUB PALMETTO, etc.
 See OAK, PALMETTO, etc.
 SCURF-PEA *Psoralea*
SCUTELLARIA . . . SKULLCAP
alpina lupulina (*lupulina*)
 YELLOW ALPINE S.
baicalensis . . . BAIKAL S.
 Hort. var. of *Scutellaria*:
 AZURE SKULLCAP (*S. baicalensis*
coelestina† Cy; *coelestina*)
SCUTICARIA
 See ORCHID GENERA.

- SCYTHIAN LAMB . *Cibotium barometz*
 SEA CAMPION, SEA COREOPSIS, etc.
 See CAMPION, COREOPSIS, etc.
 SEA-BUCKTHORN . . . *Hippophae*
 COMMON S. *H. rhamnoides*
 SEACOAST SPEEDWELL
Veronica elliptica

SEAFORTHIA
elegans

The palm commonly cultivated in California under this name is *Loroma amethystina*. The true *Seaforthia elegans* is not known to be in cultivation in the United States.

- SEAGRAPE *Coccoloba uvifera*
 SEAHOLLY *Eryngium maritimum*
SEAKALE *Crambe*
 COMMON S. *C. maritima*
 SEAKALE NEMOPHILA (*Nemophila menziesii crambeoides*† Cy)
SEA-LAVENDER *Limonium*
 ALGERIAN S. *L. bonduelli*
 BIGLEAF S. *L. latifolium*

SEA-LAVENDER, continued

- LANCELEAF S. (*Limonium tataricum*
angustifolium† Cy)
 NOTCHLEAF S. *L. sinuatum*
 SUNGARIAN S. *L. eximium*
 SUWOROW S. *L. suworowii*
 TATARIAN S. *L. tataricum*
 TREE S. *L. arborescens*
 WHITE SUNGARIAN S. (*L. eximium*
album† Cy)
SEA-ONION *Urginea*; *U. scilla*
SEARLE HEATHER (*Calluna vulgaris*
searlei† Cy)
 SEASIDE ASTER, SEASIDE GOLDENROD,
 etc. See ASTER, GOLDENROD, etc.
 SEASHORE IRIS *Iris spuria*
 SEA-URCHIN HAKEA . *Hakea laurina*
SECALE RYE
cereale RYE
SECHIUM Cy CHAYOTA
 SEDGE
 FLAT-SEDGE *Cyperus*
 FRASER S. *Carex fraseri*
 MORROW S. *C. morrowi*
 PLANTAINLEAF S. *C. plantaginea*
 UMBRELLA-SEDGE
Cyperus alternifolius
SEDUM STONECROP
 acre GOLDMOSS
 See also hort. var. list on page 465.
 aizoon AIZOON STONECROP
 alboroseum BLUSH S.
 album WHITE S.
 The name *Sedum album* is often misapplied to White Goldmoss, Bronze Shortleaf Stonecrop, and White Showy Stonecrop, all in the hort. var. list on page 465.
anacampseros . . SHY STONECROP
atropurpureum
 A name often used erroneously for *S. maximum* haematodes and for Purple Showy Stonecrop, hort. var. of *S. spectabile*. The true *S. atropurpureum*, of botanists, is not in the trade.
brevifolium SHORTLEAF STONECROP
 See also hort. var. list on page 465.
caeruleum BLUE S.
carneum PINKSTEM S.
 Hort. var. of *S. sarmentosum*.
cruciatum *S. monregaleense*
dasyphyllum . . LEAFY STONECROP

SEDUM, continued

ewersi EWERS STONECROP
See also hort. var. list on this page.

glaucum

This name is often used erroneously for *S. reflexum albescens*, *S. dasypodium*, and *S. hispanicum*, and for Mealymat, hort. var. of *S. lydium*.

hispanicum . . . SPANISH STONECROP

hybridum . . . HYBRID S.
The name *S. hybridum* is sometimes misapplied to Autumn Stonecrop, hort. var. of *S. middendorffianum*.

japonicum . . . JAPANESE STONECROP

See also hort. var. list on this page.

kamtschaticum . . . ORANGE S.

lydium LYDIAN S.
See also hort. var. list on this page.

maximowiczi AMUR S.**maximum** GREAT S.

—haematoxides REDTIP S
middendorffianum

MIDDENDORFF S.

See also hort. var. list on this page.

monregalense (cruciatum)

MONREALE S.

oppositifolium . . . TWO-ROW S.**pallidum** PLUME S.

The name *S. pallidum* is often misapplied to *S. hispanicum*.

populifolium . . . POPLAR STONECROP**pulchellum** TEXAS S.

The name *S. pulchellum* is often misapplied to *S. sexangulare*.

reflexum . . . JENNY STONECROP**—albescens** . . . SILVER JENNY S.**rhodiola** S. roseum**roseum (rhodiola)**

ROSEROOT STONECROP

sarmentosum . . . STRINGY S.

See also hort. var. list on this page.

sempervivoides FALSE HOUSELEEK**sexangulare** . . . HEXAGON STONECROP**sieboldi** SIEBOLD S.**spectabile** SHOWY S.

See also hort. var. list on this page.

spurium S. stoloniferum**stahli** STAHL STONECROP**stoloniferum (spurium)** RUNNING S.

See also hort. var. list on this page.

telephiooides . . . WILD LIVEFOREVER**telephium** LIVEFOREVER**ternatum** . . . MOUNTAIN STONECROP

SEDUM, continued

turkestanicum VIOLET S.

Hort. var. of *S. ewersi*.

Hort. var. of *Sedum*:

AUTUMN STONECROP (*S. midden-dorffianum hybridum*† Cy)

BRONZE SHORTLEAF S. (*S. brevifolium album*† Cy)

DUSTY DON S. (*S. b. pottsi*† Cy)

MEALYMAT (*Sedum lydium glaucum*† Cy)

PINKSTEM S. (*S. sarmentosum carneum*† Cy; *carneum*)

PINKWAX S. (*S. japonicum macrophyllum*† Cy)

PURPLE SHOWY S. (*S. spectabile atropurpureum*† Cy)

SCARLET RUNNING S. (*S. stoloniferum coccineum*† Cy)

VIOLET S. (*S. ewersi turkestanicum*† Cy; *turkestanicum*)

WHITE GOLDMOSS (*Sedum acre album*† Cy)

WHITE SHOWY STONECROP (*S. spectabile album*† Cy)

SEEDBOX Ludwigia

WATER S. . . . L. mulertii

SEGO-LILY . . . Calochortus nuttallii

SEGREG HONEYSUCKLE (*Lonicera segregans*† Cy)

SELAGINELLA . . . SELAGINELLA

africana S. vogeli

amoena S. caulescens

apoda (*S. apus* Cy)

BASKET SELAGINELLA

brauni

caesia S. uncinata

caulescens (amoena)

cuspidata . . . TUFTED SELAGINELLA

denticulata

emmelmaniana

See also hort. var. list on page 466.

flabellata FAN S.

haematodes REDSTEM S.

kraussiana

lepidophylla . . . RESURRECTIONPLANT

martensi . . . MARTENS SELAGINELLA

rupestris ROCK S.

serpens

uncinata (caesia) BLUE S.

vogelii (africana)

willdenovi

Hort. var. of *Selaginella*:

YELLOW EMMEL SELAGINELLA (*S. emmeliana aurea*† Cy)

| | |
|--------------------|--------------------|
| SELAGINELLA | Selaginella |
| BASKET S. | S. apoda |
| BLUE S. | S. uncinata |
| EMMEL S. | S. emmeliana |
| FAN S. | S. flabellata |
| MARTENS S. | S. martensi |
| REDSTEM S. | S. haematodes |
| RESURRECTIONPLANT | S. lepidophylla |

ROCK S. *S. rupestris*

TUFTED S. *S. cuspidata*

YELLOW EMMEL S. (*S. emmeliana aurea*† Cy)

SELENICEREUS

boeckmanni (*Cereus iradians*)

donkelaari (*C. donkelaari*)

grandiflorus (*C. grandiflorus*)

QUEEN-OF-THE-NIGHT

hamatus (*C. hamatus*; *C. rostratus*)

macdonaldiae (*C. macdonaldiae*)

pteranthus (*C. nycticallus*)

spinulosus (*C. spinulosus*)

SELENIPEDIUM

See ORCHID GENERA.

SELFHEAL *Prunella*

GREAT S. *P. grandiflora*

WEBB S. *P. webbiana*

SELKIRK VIOLET . . . *Viola selkirkii*

SEMPERVIVUM . . . **HOUSELEEK**

acuminatum *S. glaucum*

arachnoideum SPIDERWEB HOUSELEEK

arenarium SAND H.

californicum

cornutum *S. hirtum*

fimbriatum FRINGED HOUSELEEK

glaucum (acuminatum) . . . FUZZY H.

globiferum GLOBE H.

hirtum (cornutum) . . . ITALIAN H.

mettenianum VIENNA H.

pyrenaicum PYRENEES H.

robustum *S. tectorum*

soboliferum HEN-AND-CHICKENS

These names are often misapplied to *S. globiferum*.

tectorum (robustum)

ROOF HOUSELEEK

Hort. var. of *Sempervivum*:

VIOLET HOUSELEEK (*S. tectorum violaceum*† Cy; *violaceum*)

SENECA-SNAKEROOT . . . *Polygala senega*

SENECIO GROUNDSEL

aureus GOLDEN G.

cineraria (*Cineraria maritima*)

SILVER CINERARIA

clivorum *Ligularia clivorum*

cruentus (*Cineraria grandiflora*; *C. stellata*) CINERARIA

The botanical status of the plants known as Cineraria is in dispute. All are cultivated derivatives of *Senecio cruentus* or have arisen by the hybridization of that species with related species of *Senecio*, as is supposed to have been the case with the so-called Cineraria hybrida of gardeners.

Many varieties of Cineraria are in cultivation but their names have not been standardized.

elegans PURPLE GROUNDSEL

kaempferi *Ligularia kaempferi*

mikanoides IVY GROUNDSEL

obovatus ROUNDLEAF G.

petasitis VELVET G.

pulcher URUGUAY G.

scandens CLIMBING G.

It is probable that some of the stock in the trade under the name *S. scandens* is *S. mikanoides*.

tanguticus CHINESE GROUNDSEL

wilsonianus *Ligularia wilsoniana*

SENEGAL DATE PALM

Phoenix reclinata

SENNA

BLADDER-SENNA *Colutea*

FLOWERY S. *Cassia corymbosa*

SCORPION-SENNA *Coronilla emerus*

SIAMESE SENNA *Cassia siamea*

SMOOTH S. *C. laevigata*

WILD S. *C. marilandica*

WOOLLY S. *C. tomentosa*

WORMWOOD S. *C. artemisioides*

SENNA-PEA *Swainsona*

GOATSRUE S. *S. galegifolia*

PINK S. (*S. g. rosea*† Cy)

SYDNEY S. *S. greyana*

VIOLET S. (*Swainsona galegifolia violacea*† Cy)

WINTER S. (*S. g. albiflora*† Cy)

BOLD-face = approved scientific names.

ITALIC = synonyms or unapproved names.

SEÑORITA WATERLILY

*Nymphaea elegans*SENSITIVE FERN . *Onclea sensibilis*SENSITIVEPLANT . *Mimosa pudica*SENTINEL CEDAR, SENTINEL SILVER
FIR, etc. See CEDAR, FIR, etc.SENTRY CYPRESS, SENTRY MAPLE,
etc. See CYPRESS, MAPLE, etc.SEPTEMBER ELM . . *Ulmus serotina*SEQUOIA . . SEQUOIA, REDWOOD
gigantea (*S. washingtoniana* Ag;
Wellingtonia gigantea)

GIANT SEQUOIA

sempervirens . . . REDWOOD

washingtoniana Ag . . . *S. gigantea*Hort. var. of *Sequoia*:BLUE GIANT SEQUOIA (*S. gigantea*
glauca† Cy; *S. washingtoniana*
glauca)BLUE REDWOOD (*S. sempervirens*
glauca† Cy)WEEPING GIANT SEQUOIA (*S. gigantea pendula*† Cy; *S. washingtoniana pendula*)SERBIAN SPRUCE . . *Picea omorika*SERENOA . . . SAW PALMETTO
arborescens Cy *Praerotis arborescens*
serrulata . . . SAW PALMETTO

SERICOTHECA Ag . HOLODISCUS

SERPENT CACTUS

*Nyctocereus serpentinus*SERPENTROOT . . . *Scorzonera*

SERRASTYLIS

See ORCHID GENERA.

SERVICE VIBURNUM . *Viburnum utile*

Serviceberry . SHADBLOW: Amelanchier

SERVICETREE . . *Sorbus domestica*SESAME . . . *Sesamum orientale*

SESAMUM

orientale (*indicum*) . . . SESAME

SESBANIA . . . SESBANIA

punicea (*Daubentonia punicea* Ag)

PURPLE SESBANIA

SESSILE BROOM . *Cytisus sessilifolius*

SETARIA . . CHAETOCHLOA

SEVENLEAF BUCKEYE

*Aesculus glabra buckleyi*SEVENLOBE MAPLE (*Acer palmatum**septemlobum*† Cy)SEVENSTARS . *Ariocarpus prismaticus*

SEVERINIA

*buxifolia*SEVILLE ORANGE . *Citrus aurantium*

SHADBLOW . . . Amelanchier

ALLEGEHENY S. *A. laevis*APPLE S. *A. grandiflora*BARTRAM S. *A. bartramiana*DOWNY S. *A. canadensis*

DWARF SASKATOON

A. alnifolia pumila

EUROPEAN SHADBLOW

*A. rotundifolia*GARDEN S. *A. ovalis*LOW S. *A. humilis*ROUNDLEAF S. *A. sanguinea*RUNNING S. *A. stolonifera*SASKATOON *A. alnifolia*SNOWY SHADBLOW . . . *A. amabilis*THICKET S. *A. oblongifolia*

Shadbush . SHADBLOW: Amelanchier

SHADE FESCUE . *Festuca heterophylla*SHAGBARK HICKORY . *Hicoria ovata*

SHAGGY FIG, SHAGGY HAWKWEED,

etc. See FIG, HAWKWEED, etc.

SHALLOT . . . *Allium ascalonicum*

SHALLOWCUP MONGOLIAN OAK

*Quercus mongolica grosseserrata*SHAMROCK. Hort. var. of *Trifolium**repens*.

SHARPLEAF WILLOW, SHARPLEAF WIN-

TERCREEPER, etc. See WILLOW,

WINTERCREEPER, etc.

SHARPLOBE HEPATICA

Hepatica acutiloba

SHASTA FIR

*Abies magnifica shastensis*SHAWIA Ag *OLEARIA*SHEEP FESCUE . . . *Festuca ovina*SHELL BEGONIA *Begonia conchaeolia*

SHELLBARK HICKORY

*Hicoria laciniosa*SHELLFLOWER . . . *Alpinia nutans*

SHELL-LEAF PENTSTEMON

Pentstemon grandiflorus

SHEPHERD DRACENA

Dracaena shepherdii

SHEPHERDIA . . . BUFFALOBERRY

The name of this genus under the

American Rules is Leparyrea.

- SHEPHERDIA**, continued
argentea (*Leparyrea argentea* Ag)
 SILVER BUFFALO-BERRY
canadensis (*L. canadensis* Ag)
 RUSSET B.
 Hort. var. of *Shepherdia*:
 YELLOW BUFFALO-BERRY (*canadensis xanthocarpa*)
- SHIELD NASTURTIUM**
Tropaeolum peltophorum
- SHINGLE OAK** . . *Quercus imbricaria*
- SHINING CLUBMOSS**, SHINING SUMAC,
 etc. See CLUBMOSS, SUMAC, etc.
- SHINLEAF** *Pyrola elliptica*
- SHINY BOUGAINVILLEA**
Bougainvillea fulgens
- SHIPKA CHERRY-LAUREL** (*Laurocerasus officinalis schipkaensis*)
- SHOOTINGSTAR** *Dodecatheon*
 CLEVELAND S. . . . *D. clevelandi*
 COMMON S. *D. media*
 HENDERSON S. . . . *D. hendersoni*
 JEFFREY S. *D. jeffreyi*
 SOUTHERN S. *D. radicatum*
- SHORE JUNIPER**, SHORE PINE, etc.
 See JUNIPER, PINE, etc.
- SHORTBEAK ARROWHEAD**
Sagittaria brevirostra
- SHORTCLUSTER BARBERRY**
Berberis brevianiculata
- SHORTIA**
californica . . *Actinolepis coronaria*
galacifolia *OCONEE-BELLS*
uniflora *NIPPON-BELLS*
- SHORTLEAF PINE**, SHORTLEAF STONE-CROP, etc. See PINE, STONECROP, etc.
- SHOWY BOTTLEBRUSH**, SHOWY CONE-FLOWER, etc. See BOTTLEBRUSH, CONEFLOWER, etc.
- SHREDDED SUMAC** (*Rhus typhina laciniata*† Cy)
- SHRUB**
 BANANA-SHRUB . . *Michelia fuscata*
 LYONSHRUB *Lyonothamnus*
 PEA-SHRUB *Caragana*
 SWEETSHRUB *Calycanthus*
 WATERSHRUB *Leea*
- SHRUB BUSHCLOVER**
Lespedeza bicolor
- SHRUB-ALTHEA** . . *Hibiscus syriacus*
- SHRUBBY CINQUEFOIL**, SHRUBBY GILIA, etc. See CINQUEFOIL, GILIA, etc.
- SHY STONECROP**
Sedum anacampseros
- SIAMESE SENNA** . . *Cassia siamea*
- SIBERIAN APRICOT**, SIBERIAN ARBOR-VITAE, etc. See APRICOT, ARBOR-VITAE, etc.
- SICANA**
odorifera CASABANANA
- SIDALCEA** PRAIRIEMALLOW
candida WHITE P.
malvaeflora CHECKERBLOOM
- Hort. var. of *Sidalcea*:
 PURPLE CHECKERBLOOM (*S. malvaeflora atropurpurea*† Cy)
 SATIN C. (*S. m. listeri*† Cy)
- SIDEBELLS PYROLA**. *Pyrola secunda*
- SIEBOLD ARBORVITAE**, SIEBOLD BARBERRY, etc. See ARBORVITAE, BARBERRY, etc.
- SIERRA LEONE WATERLILY**
Nymphaea lotus dentata
- SIERRA LILY**, SIERRA TROUTLILY, etc.
 See LILY, TROUTLILY, etc.
- SIGMATOSTALIX**
radicans
- SIKKIM CORIARIA**. *Coriaria terminalis*
- SILENE** CATCHFLY, CAMPION
 The common name Campion applies also to the allied genus *Lychnis*.
- acaulis MOSS CAMPION
alpestris ALPINE CATCHFLY
armeria SWEET-WILLIAM C.
asterias (*asteris*). BANAT CAMPION
 —*grandiflora* . . CRIMSON GLOBE C.
caroliniana *S. pennsylvanica*
laciniata MEXICAN CAMPION
maritima SEA C.
nivea SNOWY C.
orientalis ORIENTAL CATCHFLY
pendula DROOPING C.
pennsylvanica (*caroliniana*)
 PEATPINK
- saxifraga SAXIFRAGE CATCHFLY
schafta SCHAFTA C.
stellata STARRY CAMPION
virginica FIREPINK

| | | |
|---|-----------------------------------|---|
| SILK MOCKORANGE | | SILVERY SPLEENWORT |
| | <i>Philadelphus sericanthus</i> | <i>Athyrium thelypteroides</i> |
| SILK-OAK | Grevillea robusta | SIMON POPLAR <i>Populus simoni</i> |
| SILKTASSEL-BUSH | Garrya | SIMONS COTONEASTER |
| SILKTREE | Albizia julibrissin | Cotoneaster simonsi |
| SILKVINE | Periploca | <i>SINAPIS</i> BRASSICA |
| CHINESE S. | P. sepium | SINGHARA-NUT <i>Trapa bispinosa</i> |
| Grecian S. | P. graeca | SINGKWA TOWELGOURD |
| SILKWORM MULBERRY | | Luffa acutangula |
| | <i>Morus multicaulis</i> | SINGLE PINK HAWTHORN, SINGLE ROXBURGH ROSE, etc. See HAWTHORN, ROSE, etc. |
| SILKY DOGWOOD, SILKY WILLOW, etc. | | SINGLELEAF ASH, SINGLELEAF PINE, etc. See ASH, PINE, etc. |
| See DOGWOOD, WILLOW, etc. | | |
| SILKYLEAF BROOM | Genista pilosa | <i>SINNINGIA</i> GLOXINIA |
| SILPHIUM | Rosinweed | <i>speciosa</i> (<i>Gloxinia speciosa</i>) |
| laciniatum | Compassplant | COMMON G. |
| perfoliatum | Cup Rosinweed | Many varieties of Gloxinia are in cultivation, but they are not sufficiently well distinguished to permit the preparation of an authentic list at the present time. |
| terebinthaceum | Dock R. | |
| SILVER ACAENA, SILVER ALYSSUM, | | SISAL <i>Agave sisalana</i> |
| etc. See Acaena, Alyssum, etc. | | SISSOO <i>Dalbergia sissoo</i> |
| SILVERBELL | Halesia | <i>SISYMBRIUM</i> |
| GREAT S. | H. tetraptera | <i>aquaticum</i> |
| MOUNTAIN S. | H. monticola | <i>Radicula nasturtium-aquaticum</i> |
| TWO-WING S. | H. diptera | <i>nasturtium</i> |
| SILVERBERRY | Elaeagnus argentea | R. nasturtium-aquaticum |
| SILVERDUST PRIMROSE | | <i>nasturtium-aquaticum</i> Ag |
| | <i>Primula pulverulenta</i> | R. nasturtium-aquaticum |
| SILVEREDGE DOGWOOD, SILVEREDGE GOUTWEED, etc. See DOGWOOD, GOUTWEED, etc. | | <i>SISYRINCHIUM</i> . BLUE-EYED-GRASS |
| SILVERLEAF COTONEASTER, SILVER- LEAF HYDRANGEA, etc. See COTONEASTER, HYDRANGEA, etc. | | <i>angustifolium</i> (<i>bermudianum</i>) |
| SILVERLINE THISTLE | | COMMON B. |
| | <i>Cirsium diacantha</i> | bellum WESTERN B. |
| SILVERMARGIN DOGWOOD (<i>Cornus con-</i> | | SITKA COLUMBINE, SITKA SPRUCE, etc. |
| <i>troversa variegata</i> † Cy) | | See COLUMBINE, SPRUCE, etc. |
| SILVERNERVE FITTONIA | | <i>SITOLOBIUM</i> . DENNSTEDTIA |
| | <i>Fittonia argyroneura</i> | <i>SKIMMIA</i> SKIMMIA |
| SILVERPURPLE TRUMPET | | <i>japonica</i> JAPANESE S. |
| | <i>Bignonia argyreoviolascens</i> | <i>SKULLCAP</i> <i>Scutellaria</i> |
| SILVERSPOT BEGONIA | | AZURE S. (<i>Scutellaria baicalensis</i> <i>coelestina</i> † Cy) |
| | <i>Begonia albopicta</i> | BAIKAL S. <i>S. baicalensis</i> |
| SILVERSTAR ARAUCARIA (<i>Araucaria excelsa glauca</i> † Cy) | | YELLOW ALPINE S. |
| SILVERTIP HINOKI CYPRESS (<i>Chamaecyparis obtusa albospicata</i> † Cy) | | <i>S. alpina lupulina</i> |
| SILVERVEIN CREEPER | | SKUNK Currant. <i>Ribes glandulosum</i> |
| | <i>Ampelopsis henryana</i> | SKUNKCABBAGE |
| SILVERVINE | <i>Actinidia polygama</i> | <i>Symplocarpus foetidus</i> |
| SILVERWEED | <i>Potentilla anserina</i> | SKYBLUE ERYNGO, SKYBLUE LARK-SPUR, etc. See ERYNGO, LARK-SPUR, etc. |

| | | |
|---|--------------------------------|--|
| SKY-DROP ASTER | <i>Aster patens</i> | SNAKEROOT |
| SKYFLOWER | <i>Duranta</i> | BUTTON-SNAKEROOT |
| SLATY GUM | <i>Eucalyptus tereticornis</i> | <i>Eryngium aquaticum</i> |
| SLENDER BEGONIA, SLENDER CUP- FLOWER, etc. See BEGONIA, CUP- FLOWER, etc. | | SENECA-SNAKEROOT |
| SLIPPERY ELM | <i>Ulmus fulva</i> | <i>Polygala senega</i> |
| SMALL BURNET, SMALL CANE, etc. See BURNET, CANE, etc. | | VIRGINIA SNAKEROOT |
| SMALLS PENTSTEMON | | <i>Aristolochia serpentaria</i> |
| | <i>Pentstemon smallii</i> | SNAPDRAGON |
| SMILACINA | FALSE SOLOMONSEAL | <i>Antirrhinum</i> |
| <i>bifolia</i> | <i>Maianthemum bifolium</i> | CHAPARRAL S. |
| <i>racemosa</i> (<i>Vagnera racemosa</i>) | FALSE SOLOMONSEAL | <i>A. coulterianum</i> |
| <i>stellata</i> (<i>V. stellata</i>) | STARRY FALSE S. | COMMON S. |
| SMILAX | GREENBRIER | <i>A. majus</i> |
| <i>hispida</i> | BRISTLY G. | SNAPDRAGON PENTSTEMON |
| <i>laurifolia</i> | LAUREL G. | <i>Pentstemon antirrhinoides</i> |
| <i>walteri</i> | CORAL G. | SNAPWEED |
| SMILAX ASPARAGUS | <i>Asparagus asparagoides</i> | <i>Impatiens</i> |
| SMIRNOW RHODODENDRON | <i>Rhododendron smirnovi</i> | GARDEN BALSAM |
| SMITH HAWTHORN | <i>Crataegus smithii</i> | <i>I. balsamina</i> |
| SMOKETREE | | JAVA S. |
| AMERICAN S. | <i>Rhus cotinoides</i> | <i>I. platypetala</i> |
| COMMON S. | <i>R. cotinus</i> | PALE S. |
| PURPLE S. (<i>R. c. atropurpurea</i> †) | | <i>I. pallida</i> |
| SMOKY MARIPOSA | | SPOTTED S. |
| | <i>Calochortus leichtlinii</i> | <i>I. biflora</i> |
| SMOOTH ASTER, SMOOTH FLEABANE, etc. See ASTER, FLEABANE, etc. | | SULTAN S. |
| SMOOTHBARK COTTONWOOD | | <i>I. sultani</i> |
| | <i>Populus acuminata</i> | SNEEZEWEEED |
| SMOOTHLEAF ELM | <i>Ulmus foliacea</i> | <i>Helenium</i> |
| SNAIL BEAN, SNAIL MEDICK, etc. See BEAN, MEDICK, etc. | | BIGELOW S. |
| SNAILEED | <i>Cocculus</i> | <i>H. bigelovii</i> |
| CAROLINA S. | <i>C. carolinus</i> | BITTERWEED |
| JAPANESE S. | <i>C. trilobus</i> | <i>H. tenuifolium</i> |
| SNAKE MELON | | COMMON S. |
| | <i>Cucumis melo flexuosus</i> | <i>H. autumnale</i> |
| SNAKEBEARD | <i>Ophiopogon</i> | DWARF S. (<i>H. a. pumilum</i> † Cy) |
| JAPANESE S. | <i>O. japonicus</i> | GREAT S. (<i>H. a. superbum</i> † Cy) |
| SNAKEGOURD | <i>Trichosanthes anguina</i> | ORANGE S. |
| | | <i>H. hoopesii</i> |
| | | RED S. (<i>H. a. autumnale rubrum</i> † Cy) |
| | | A full list of horticultural varieties is given under <i>Helenium</i> . |
| SNEEZEWORT | | SNEEZEWORT |
| | | <i>Achillea ptarmica</i> |
| | | Horticultural varieties are listed under <i>Achillea</i> . |
| SNOW AZALEA, SNOW GOOSEBERRY, etc. See AZALEA, GOOSEBERRY, etc. | | SNOWBALL |
| | | CHINESE S. (<i>Viburnum macroceph- alum sterilis</i> † Cy) |
| | | COMMON S. (<i>V. opulus sterile</i> † Cy) |
| | | JAPANESE S. (<i>V. tomentosum pli- catum</i> †) |
| SNOWBALL CACTUS | | SNOWBALL CACTUS |
| | | <i>Pediocactus simpsoni</i> |
| SNOWBELL | | SNOWBELL |
| | | <i>Styrax</i> |
| AMERICAN S. | | <i>S. americana</i> |
| CHINESE S. | | <i>S. wilsoni</i> |
| FRAGRANT S. | | <i>S. obassia</i> |
| JAPANESE S. | | <i>S. japonica</i> |
| SNOWBERRY | | <i>Symporicarpus</i> |
| COMMON S. | | <i>S. racemosus</i> |
| CORALBERRY | | <i>S. vulgaris</i> |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

SNOWBERRY, continued

DWARF S.

- Symporicarpos pauciflorus
GARDEN S. *S. racemosus laevigatus*
MOUNTAIN S. *S. oreophilus*
PINK S. *S. microphyllus*
SPREADING S. *S. mollis*
WESTERN S. *S. occidentalis*

SNOWBUSH

- KHEDIVE S. (*Phyllanthus nivosus atropurpureus*† Cy)

- MOTTLED S. (*P. n. roseopictus*† Cy)

- STAR S. *P. nivosus*

SNOWCLOUD ASTILBE (*Astilbe japonica multiflora*† Cy)SNOWDROP *Galanthus*
COMMON S. *G. nivalis*SNOWDROP ANEMONE, SNOWDROP
CORALBELLS, etc. See ANEMONE,
CORALBELLS, etc.SNOWFLAKE *Leucojum*
SPRING S. *L. vernum*
SUMMER S. *L. aestivum*
WATER-SNOWFLAKE*Nymphoides indicum*SNOWFLAKE AGAPANTHUS, SNOW-
FLAKE BEGONIA, etc. See Aga-
panthus, BEGONIA, etc.SNOWGARLAND (*Spiraea multiflora*†
Cy)SNOWHILL HYDRANGEA (*Hydrangea arborescens grandiflora*† Cy)SNOW-IN-SUMMER
*Cerastium tomentosum*SNOW-ON-THE-MOUNTAIN
*Euphorbia marginata*SNOWPOPPY . . . *Eomecon chionantha*SNOW-WREATH *Neiviusia alabamensis*SNOWY BAUHINIA, SNOWY CAMPION,
etc. See Bauhinia, CAMPION, etc.SOAPBERRY *Sapindus*
CHINESE S. *S. mukorossi*SOUTHERN S. *S. saponaria*
WESTERN S. *S. drummondii*SOAPWEED YUCCA . . . *Yucca glauca*SOAPWORT *Saponaria*
BOUNCING-BET *S. officinalis*CALABRIAN S. *S. calabrica*Cow S. *S. vaccaria*ROCK S. *S. ocyoides*

SOBRALIA

See ORCHID GENERA.

SOCOTRA BEGONIA . *Begonia socotrana*SOFAR IRIS *Iris sofarana*SOFT ACANTHUS, SOFT THERMOPSIS,
etc. See Acanthus, Thermopsis,
etc.SOFTLEAF PASSIONFLOWER
*Passiflora mollissima*SOJA
max (*Glycine soja* Cy; *G. hispida*)
SOYBEANSOLANBERRY
*Solanum nigrum guineense*SOLANDRA CHALICE-VINE
guttata CHALICE-VINESOLANUM NIGHTSHADE
capsicastrum

FALSE JERUSALEM-CHERRY

See also hort. var. list below.

dulcamara . BITTER NIGHTSHADE
giganteum TREE N.
hendersoniHENDERSON JERUSALEM-CHERRY
integerrifolium ETHIOPIAN EGGPLANT
jasminoides JASMINE NIGHTSHADE

See also hort. var. list below.

melongena . COMMON EGGPLANT
*melvini*MELVIN JERUSALEM-CHERRY
Hort. var. of *S. capsicastrum*.muricatum PEPINO
nigrum BLACK NIGHTSHADE
—guineense SOLANBERRY
*pseudocapsicum*JERUSALEM-CHERRY
rantonetti PARAGUAY NIGHTSHADE
seaforthianum . . . BRAZILIAN N.
tuberosum POTATO
wallacei . CATALINA NIGHTSHADE
warscewiczi YELLOW N.
wendlandi COSTA RICAN N.
xanti PURPLE N.Hort. var. of *Solanum*:GREAT JASMINE NIGHTSHADE (*S.*
jasminoides grandiflorum† Cy)MELVIN JERUSALEM-CHERRY (*S.*
capsicastrum melvini† Cy; *mel-*
vini)

- SOLDIER PASSIONFLOWER, SOLDIER ROSEMALLOW, etc. See PASSIONFLOWER, ROSEMALLOW, etc.
- SOLIDAGO GOLDENROD**
- altissima TALL G.
 - bicolor WHITE G.
 - boottii BOOTT G.
 - caesia WREATH G.
 - canadensis CANADA G.
 - erecta SCEPTER G.
 - flexicaulis* Ag *S. latifolia*
 - glomerata CLUSTER GOLDENROD
 - latifolia (*S. flexicaulis* Ag) BROADLEAF G.
 - nemoralis OLDFIELD G.
 - odora (*S. suaveolens* Ag) FRAGRANT G.
 - pallida PALELEAF G.
 - patula ROUGHLEAF G.
 - pubens FURRY G.
 - rigida STIFF G.
 - rugosa WRINKLED G.
 - sempervirens SEASIDE G.
 - serotina NOVEMBER G.
 - gigantea GIANT G.
 - shortii
 - spectabilis NEVADA G.
 - suaveolens* Ag *S. odora*
 - uliginosa SWAMP GOLDENROD
 - virgaurea EUROPEAN G.
- Hort. var. of Solidago:
- DWARF EUROPEAN GOLDENROD (*virgaurea compacta*)
 - SOLITARY ROSE *Rosa bella*
 - SOLLYA BLUEBELL-CREEPER**
 - heterophylla AUSTRALIAN B.
 - SOLOMONSEAL Polygonatum**
 - EUROPEAN S. *P. multiflorum*
 - FALSE S. *Smilacina*; *S. racemosa*
 - GREAT S.
 - Polygonatum commutatum
 - SMALL S. *P. biflorum*
 - STARRY FALSE S. *Smilacina stellata*
 - SONOMA ROSE *Rosa sonomensis*
 - SONORA WATER CACTUS *Ferocactus covillei*
 - SOPHORA SOPHORA**
 - japonica CHINESE SCHOLARTREE
 - secundiflora (*Broussonetia secundiflora* Ag) MESCALBEAN
 - tetaptera FOURWING SOPHORA
- SOPHORA, continued**
- tetaptera microphylla LITTLELEAF SOPHORA
 - viciifolia VETCHLEAF S.
 - Hort. var. of *Sophora*:
 - WEEPING SCHOLARTREE (*S. japonica pendula*† Cy)
 - SOPHROCATTLAELIA**
 - See ORCHID GENERA.
 - SOPHROCATTLEYA**
 - See ORCHID GENERA.
 - SOPHROLAELIA**
 - See ORCHID GENERA.
 - SOPHRONITIS**
 - See ORCHID GENERA.
 - SORBARIA FALSE-SPIREA**
 - The name of this genus under the American Rules is *Schizonotus*.
 - aitchisoni (*Schizonotus aitchisoni* Ag; *Spiraea aitchisoni*) KASHMIR FALSE-SPIREA
 - arborea TREE-SPIREA
 - lindleyana (*Schizonotus tomentosus* Ag; *Spiraea lindleyana*) LINDLEY FALSE-SPIREA
 - sorbifolia (*Schizonotus sorbifolius* Ag; *Spiraea sorbifolia*) URAL FALSE-SPIREA
 - stellipila STARRY F.
 - SORBUS MOUNTAIN-ASH**
 - americana (*Pyrus americana*) AMERICAN M.
 - decora *S. decora*
 - aria WHITE BEAMTREE
 - See also hort. var. list on page 473.
 - aucuparia (*Pyrus aucuparia*) EUROPEAN MOUNTAIN-ASH
 - See also hort. var. list on page 473.
 - commixta JAPANESE M.
 - decora (*americana decora*) SHOWY M.
 - domestica (*Pyrus sorbus*) SERVICETREE
 - pohuashanensis
 - quercifolia (*S. hybrida* Cy-Ag; *Pyrus quercifolia*) OAKLEAF MOUNTAIN-ASH
 - sambucifolia
 - The name *S. sambucifolia* is commonly misapplied to *S. decora*.

Hort. var. of *Sorbus*:

- WEEPING MOUNTAIN-ASH (*S. aucuparia pendula*† Cy)
- YELLOW BEAMTREE (*S. aria lutescens*† Cy)
- SORGHO. Hort. var. of *Holcus sorghum*.
- SORGHUM* *HOLCUS*
- SORGHUM* *Holcus sorghum*
Horticultural varieties are listed under *Holcus*.
- SORREL* *Rumex*
See also *DOCK*.
- FRENCH S. *R. scutatus*
- WOODSORREL *Oxalis* species
- SORREL RHUBARB . *Rheum palmatum*
- SOTOL *Dasyliurion*
- BLUELEAF S. *D. glaucophyllum*
- BRUSHTIP S. *D. acrotriche*
- GRASSLEAF S. *D. graminifolium*
- SAWTOOTH S. *D. serratifolium*
- SQUARELEAF S. *D. longissimum*
- WHEELER S. *D. wheeleri*
- SOULARD CRAB *Malus soulardii*
- SOULIE ROSE *Rosa soulieana*
- SOUR CHERRY *Prunus cerasus*
- SOURSOP *Annona muricata*
- SOURWOOD . *Oxydendrum arboreum*
- SOUTH AMERICAN LUPINE, SOUTH
AMERICAN VANILLA, etc. See
LUPINE, VANILLA, etc.
- SOUTHERN BLACKHAW, SOUTHERN
CAKE, etc. See BLACKHAW,
CAKE, etc.
- SOUTHERNWOOD *Artemisia abrotanum*
- SOYBEAN *Soja max*
- SPAETH ARBORVITAE (*Thuja occidentalis* *spaehti*† Cy)
- SPANGLE HONEYSUCKLE
Lonicera gracilipes
- SPANISH BOX, SPANISH BROOM, etc.
See Box, BROOM, etc.
- SPANISH-BAYONET . *Yucca treculeana*
- SPANISH-DAGGER . *Yucca aloifolia*
- STRIPED S. (*Y. a. tricolor*† Cy)
- SPANISH-MOSS . *Tillandsia usneoides*
- SPARAXIS WANDFLOWER
grandiflora BIG W.
- SPARMANNIA Ag. *REHMANNIA*
- SPARTIUM WEAVERS-BROOM
juncinum WEAVERS-BROOM
scoparium *Cytisus scoparius*

SPATHOGLOTTIS

See ORCHID GENERA.

SPATHYEMA Ag

SYMPLOCARPUS

- SPATTERDOCK *Nuphar*; *N. advena*
- SPEARLILY *Doryanthes*
- COMMON S. *D. excelsa*
- Giant S. *D. palmeri*
- SPEARMINT *Mentha spicata*
- SPECIOSA LILY . *Lilium speciosum*
- Speckled ALDER, SPECKLED CLINTONIA, etc. See ALDER, *Clintonia*, etc.

SPECULARIA VENUS LOOKINGGLASS *speculum* (*Campanula speculum*)

VENUS LOOKINGGLASS

- SPEEDWELL *Veronica*
- ALLIONI S. *V. allioni*
- ALPINE S. *V. alpina*
- ANDERSON S. *V. andersoni*
- BASTARD S. *V. spuria*
- BEACH S. *V. longifolia*
- BUSH S. *V. traversi*
- CLUMP S. . *V. longifolia* subsessilis
- COMB S. *V. pectinata*
- CREEPING S. *V. repens*
- CULVERS-PHYSIC *V. virginica*
- FLESH S. *V. carneae*
- GENTIAN S. *V. gentianoides*
- HAREBELL S. *V. teucrium prostrata*
- HEATH S. Hort. var. of *V. spicata*
- HUNGARIAN S. *V. teucrium*
- IMPERIAL S. *V. imperialis*
- PINKSPIKE S. (*V. spicata rosea*† Cy)
- ROCK S. Hort. var. of *V. teucrium*
- Rosy S. (*V. longifolia rosea*† Cy)
- Rosy COMB S. (*Veronica pectinata*
rosea† Cy)
- SEACOAST S. *V. elliptica*
- SHOWY S. *V. speciosa*
- SPIKE S. *V. spicata*
- WHITESPIKE S. (*V. s. alba*† Cy)
- WOOLLY S. *V. incana*

SPERGULA

SPURRY

sativa FIELD S.

SPHAERALCEA . . . GLOBEMALLOW

The name of this genus under the American Rules is *Phymosia*.

cisplatina (*Malva miniatia*)

BRICK GLOBEMALLOW

| | | |
|---|---|--|
| SPHAEROSTIGMA OENOTHERA | | |
| SPHENOGYNE | URSINIA | |
| SPICEBUSH | Benzoin; <i>B. aestivale</i> | |
| JAPANESE S. | <i>B. obtusilobum</i> | |
| SPIDER AZALEA, SPIDER BRAKE, etc. | | |
| See AZALEA, BRAKE, etc. | | |
| SPIDERFLOWER | Cleome spinosa | |
| SPIDERLEAF MAPLE (<i>Acer palmatum</i> <i>ornatum</i> † Cy) | | |
| SPIDERLILY | Hymenocallis | |
| CARIBBEAN S. | <i>H. caribea</i> | |
| WESTERN S. | <i>H. occidentalis</i> | |
| SPIDER-ORCHID | Brassia | |
| LAWRENCE S. | <i>B. lawrenceana</i> | |
| SPOTTED S. | <i>B. maculata</i> | |
| SPIDERWEB HOUSELEEK | | |
| | Sempervivum arachnoideum | |
| SPIDERWORT | Tradescantia | |
| BRACTED S. | <i>T. bracteata</i> | |
| VIRGINIA S. | <i>T. virginiana</i> | |
| WANDERING-JEW | <i>T. fluminensis</i> | |
| WHITE S. (<i>T. virginiana alba</i> † Cy) | | |
| SPIGELIA | PINKROOT | |
| marilandica | PINKROOT | |
| SPIKE BROOM, SPIKE HAWTHORN, etc. | | |
| See BROOM, HAWTHORN, etc. | | |
| SPIKEGRASS | Desmazeria ; <i>D. sicula</i> | |
| SPIKEHEATH | | |
| | Bruckenthalia spiculifolia | |
| SPIKENARD | | |
| AMERICAN S. | <i>Aralia racemosa</i> | |
| SPIKENARD AMPLEOPSIS | | |
| | Ampelopsis megalophylla | |
| SPINACH | Spinacia | |
| COMMON S. | <i>S. oleracea</i> | |
| NEW ZEALAND S. | | |
| | Tetragonia expansa | |
| SPINACIA | | |
| oleracea | SPINACH | |
| SPINDLE PALM | | |
| | Hyophorbe verschaffeltii | |
| SPINE-DATE | Acanthophoenix | |
| RED S. | <i>A. rubra</i> | |
| SPINSTER IRIS | <i>Iris rosenbachiana</i> | |
| SPINY ACANTHUS, SPINY CLUB PALM, etc. See Acanthus, PALM, etc. | | |
| | SPIRAEA | SPIREA |
| | <i>aitchisoni</i> | <i>Sorbaria aitchisoni</i> |
| | <i>alba</i> (<i>paniculata</i>) | MEADOW SPIREA |
| | | An American species usually catalogued as <i>S. salicifolia</i> , which is Asiatic. |
| | <i>albiflora</i> (<i>japonica alba</i>) | |
| | <i>argentea</i> | S. canescens |
| | <i>arguta</i> † Cy | GARLAND SPIREA |
| | | See hort. var. list, page 476. |
| | <i>ariaefolia</i> | |
| | | Holodiscus discolor ariaefolius |
| | <i>aruncus</i> | Aruncus sylvester |
| | <i>astilboides</i> | Astilbe astilboides |
| | <i>bella</i> (<i>coccinea</i>) | HIMALAYAN SPIREA |
| | <i>bethlehemensis</i> | <i>S. latifolia</i> |
| | | See also hort. var. list, page 475. |
| | <i>billiardii</i> † Cy | BILLIARD S. |
| | | See hort. var. list, page 475. |
| | <i>blanda</i> † Cy | BUNNY S. |
| | | See hort. var. list, page 476. |
| | <i>blumei</i> | |
| | <i>bracteata</i> | S. nipponica |
| | <i>bumalda</i> † Cy | BUMALDA SPIREA |
| | | See hort. var. list, page 476. |
| | <i>californica</i> | BILLIARD S. |
| | | See hort. var. list, page 475. |
| | <i>callosa</i> | S. japonica |
| | — <i>rosea</i> | S. fortunei |
| | | See also hort. var. list, page 476. |
| | <i>canescens</i> (<i>argentea</i>) | HOARY SPIREA |
| | <i>cantoniensis</i> Cy-Ag | S. reevesiana |
| | <i>carpinifolia</i> | S. latifolia |
| | <i>chamaedryfolia</i> | GERMANDER SPIREA |
| | <i>ulmifolia</i> | ELMLEAF S. |
| | <i>chinensis</i> | CHINESE S. |
| | <i>coccinea</i> | S. bella |
| | <i>conspicua</i> † Cy | SHOWY SPIREA |
| | | See hort. var. list, page 476. |
| | <i>crenata</i> | SNOW S. |
| | <i>davidi</i> | Astilbe davidi |
| | <i>douglasii</i> | DOUGLAS SPIREA |
| | <i>eximia</i> | BILLIARD S. |
| | | See hort. var. list, page 475. |
| | <i>filipendula</i> | Filipendula hexapetala |
| | <i>fontenayi</i> † Cy | FONTENAY SPIREA |
| | | See also hort. var. list, page 476. |
| | <i>fortunei</i> (<i>Spiraea japonica fortunei</i> Cy-Ag; <i>callosa rosea</i>) | FORTUNE SPIREA |
| | — <i>semperflorens</i> | PERPETUAL S. |
| | | See hort. var. list, page 476. |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

SPIRAEA, continued

foxit Cy FOX SPIREA

See hort. var. list, page 476.

froebelii Ar FROEBEL S.

See hort. var. list, page 476.

gemmata MONGOLIAN S.

gigantea *Filipendula camtschatica*

henryi HENRY SPIREA

humboldti *Aruncus sylvester*

japonica (*callosa*) JAPANESE SPIREA

The name *Spiraea japonica* is often misapplied to *Astilbe japonica*.

—*fortunei* Cy-Ag *S. fortunei*

See also hort. var. list, page 476.

—*ovalifolia* (*callosa alba*)

WHITE JAPANESE SPIREA

kamtschatica

Filipendula camtschatica

kneiffii CUTLEAF GOATSBEARD

Hort. var. of *Aruncus sylvester*.

latifolia (*bethlehemensis*; *carpinifolia*) PINK MEADOW SPIREA

This is an American species, usually catalogued as *S. salicifolia*, which is Asiatic.

lenneana BILLIARD SPIREA

See hort. var. list, this page.

lindleyana *Sorbaria lindleyana*

lobata *Filipendula rubra*

macrophylla

BIGLEAF JAPANESE SPIREA

Hort. var. of *S. japonica*.

margaritae† Cy MARGARITA S.

See hort. var. list, page 476.

media ORIENTAL S.

menziesii MENZIES S.

miyabei MIYABE S.

multiflora† Cy SNOWGARLAND

See hort. var. list, page 476.

nipponica (*bracteata*) NIPPON SPIREA

—*rotundifolia* BIG NIPPON S.

notha† Cy NOTHA S.

See hort. var. list, page 476.

nudiflora APRIL S.

opulifolia *Physocarpus opulifolius*

palmata *Filipendula palmata*

paniculata *S. alba*

pikowiensis PIKOW SPIREA

prunifolia BRIDALWREATH

See also hort. var. list, page 476.

pyramidalis PYRAMID SPIREA

SPIRAEA, continued

reevesiana (*Spiraea cantoniensis*

Cy-Ag) REEVES SPIREA

See also hort. var. list, page 476.

revirescens† Cy EVERBLOOMING S.

See hort. var. list, page 476.

rosthorni ROSTHORN S.

rotundifolia

S. nipponica rotundifolia

salicifolia WILLOWLEAF SPIREA

This is an Asiatic species. Its Latin name is often misapplied to *S. alba* and *S. latifolia*.

sanssouciana† Cy

SANS SOUCI SPIREA

See hort. var. list, page 476.

schinabeckii† Cy ARCH S.

See hort. var. list below.

sempervirens† Cy PERPETUAL S.

See hort. var. list, page 476.

sorbifolia *Sorbaria sorbifolia*

superba† Cy STRIPED SPIREA

See hort. var. list, page 476.

syringiflora† Cy LILAC S.

See hort. var. list, page 476.

thunbergii THUNBERG S.

tomentosa

See also hort. var. list, page 476.

trilobata THREELOBE SPIREA

ulmaria *Filipendula ulmaria*

ulmifolia

S. chamaedryfolia ulmifolia

vanhouttei† Cy VANHOUTTE SPIREA

See hort. var. list, page 476.

veitchii VEITCH S.

venusta CARMINE MEADOWSWEET

Hort. var. of *Filipendula rubra*.

virginiana VIRGINIA SPIREA

wilsonii WILSON S.

Hort. var. of *Spiraea*:

ANTHONY WATERER SPIREA

Hort. var. related to Bumalda Spirea.

ARCH S. (*S. schinabeckii*† Cy; *cham-*

aedryfolia × *trilobata*)

BIGLEAF JAPANESE S. (*S. japonica*

macrophylla† Cy; *macrophylla*)

BILLIARD S. (*S. billiardii*† Cy; *dou-*

lasi × *salicifolia*; *eximia*; *len-*

neana; *bethlehemensis rubra*; *cali-*

fornica; *billardi*)

SPIRAEA (Hort. var.), continued

- BUMALDA SPIREA (*S. bumalda*† Cy;
japonica × *albiflora*)
BUNNY S. (*S. blanda*† Cy; *chinensis*
× *reevesiana*)
DOUBLE BRIDALWREATH (*S. pruni-*
folia plena† Cy)
DOUBLE REEVES SPIREA (*S. cantoni-*
ensis lanceata Cy; *S. reevesiana*
lanceata†)
EVERBLOOMING S. (*S. revirescens*†
Cy; *expansa* × *japonica*)
FONTENAY S. (*S. fontenaysi*† Cy;
canescens × *salicifolia*)
FOX S. (*S. foxi*† Cy; *corymbosa* ×
japonica)
FROEBEL S. (*S. froebeli*† Ar; *S. bu-*
malda froebeli Cy; *callosa froebeli*)
GARLAND S. (*S. arguta*† Cy)
LILAC S. (*S. syringiflora*† Cy; *albi-*
flora × *salicifolia*)
MARGARITA S. (*S. margarita*† Cy)
MIKADO S. (*S. japonica atrosan-*
guinea† Cy; *callosa atrosanguinea*)
NOTHA S. (*S. notha*† Cy; *corymbosa*
× *latifolia*)
PERPETUAL S. (*S. semperflorens*†
Cy; *fortunei semperflorens*)
PINK JAPANESE S. (*S. japonica*
ruberrima† Cy; *callosa ruberrima*;
callosa rubra)
SANSSOUCI S. (*S. sanssouciana*† Cy;
douglasi × *japonica*)
SHOWY S. (*S. conspicua*† Cy; *albi-*
flora × *alba*)
SNOWGARLAND (*S. multiflora*† Cy;
arguta multiflora; *crenata* × *hy-*
pericifolia)
STRIPED SPIREA (*S. superba*† Cy;
albiflora × *corymbosa*)
VANHOUTTE S. (*S. vanhouttei*† Cy;
reevesiana × *trilobata*)
WHITE BILLIARD S. (*billardi alba*)
WHITE FONTENAY S. (*S. fontenaysi*
alba† Cy)
WHITE HARDHACK (*S. tomentosa*
alba† Cy)
SPIRAL PLUM-YEW (*Cephalotaxus har-*
ringtonia fastigiata† Cy)
- SPIRANTHES** . . . LADIES-TRESSES
See ORCHID GENERA.

- SPIREA *Spiraea*
ANTHONY WATERER S.
Hort. var. related to Bumalda Spirea.
APRIL S. *S. nudiflora*
ARCH S. (*S. schinabeckii*† Cy)
BIG NIPPON S.
 S. nipponica rotundifolia
BIGLEAF JAPANESE S. (*S. japonica*
macrophylla† Cy)
BILLIARD S. (*S. billiardii*† Cy)
Blue S. . . BLUEBEARD: *Caryopteris*
BRIDALWREATH: *Spiraea prunifolia*
BUMALDA S. (*S. bumalda*† Cy)
BUNNY S. (*S. blanda*† Cy)
CHINESE S. *S. chinensis*
DOUBLE BRIDALWREATH (*S. pruni-*
folia plena† Cy)
DOUBLE REEVES S. (*S. reevesiana*
lanceata†)
DOUGLAS S. *S. douglasi*
ELMLEAF S.
 S. chamaedryfolia ulmifolia
EVERBLOOMING S. (*Spiraea revires-*
cens† Cy)
FALSE-SPIREA *Sorbaria*
FONTENAY SPIREA (*Spiraea fon-*
tenaysi† Cy)
FORTUNE S. *Spiraea fortunei*
FOX S. (*S. foxi*† Cy)
FROEBEL S. (*S. froebeli*† Ar)
GARLAND S. (*S. arguta*† Cy)
GERMANDER S. *S. chamaedryfolia*
HARDHACK *S. tomentosa*
HENRY S. *S. henryi*
IMALAYAN S. *S. bella*
HOARY S. *S. canescens*
JAPANESE S. *S. japonica*
LILAC S. (*S. syringiflora*† Cy)
MARGARITA S. (*S. margarita*† Cy)
MEADOW S. *S. alba*
MENZIES S. *S. menziesii*
MIKADO S. (*S. japonica atrosan-*
guinea† Cy)
MIYABE S. *S. miyabei*
MONGOLIAN S. *S. gemmata*
NIPPON S. *S. nipponica*
NOTHA S. (*S. notha*† Cy)
ORIENTAL S. *S. media*
PERPETUAL S. (*Spiraea semper-*
florens† Cy)
PIKOW S. *S. pikowiensis*

SPIREA, continued

- PINK JAPANESE S. (*Spiraea japonica ruberrima*† Cy)
 PINK MEADOW S. . *Spiraea latifolia*
 PYRAMID S. *S. pyramidata*
 REEVES S. *S. reevesiana*
 ROCKSPIREA . *Holodiscus discolor*
 ROSTHORN S. . *Spiraea rosthorni*
 SANSSOUCI S. (*S. sanssouciana*† Cy)
 SHOWY S. (*S. conspicua*† Cy)
 SNOW S. *S. crenata*
 SNOWGARLAND (*S. multiflora*† Cy)
 STRIPED SPIREA (*S. superba*† Cy)
 THREELOBE S. *S. trilobata*
 THUNBERG S. *S. thunbergii*
 TREE-SPIREA . *Sorbaria arborea*
 VANHOUTTE SPIREA (*Spiraea van-houttei*† Cy)
 VEITCH S. *Spiraea veitchii*
 VIRGINIA S. *S. virginiana*
 WHITE BILLIARD S. Hort. var. of
 Spiraea.
 WHITE FONTENAY S. (*S. fontenayi*
 alba† Cy)
 WHITE HARDHACK (*S. tomentosa*
 alba† Cy)
 WHITE JAPANESE S.
 S. japonica ovalifolia
 WILLOWLEAF S. *S. salicifolia*
 WILSON S. *S. wilsonii*
 SPIRY LAURUSTINUS (*Viburnum tinus*
 strictum† Cy)
 SPLEENWORT *Asplenium*
 BIRDSNEST FERN *A. nidus*
 EBONY S. *A. platyneuron*
 GORING S. *Athyrium goringianum*
 MAIDENHAIR S.
 Asplenium trichomanes
 MOTHER S. *A. bulbiferum*
 NARROWLEAF S.
 Athyrium pycnocarpon
 SILVERY S.
 Athyrium thelypteroides
 SPONDIAS
 cytherea (*dulcis*) . . . VI-APPLE
 mombin (*S. lutea* Cy; *axillaris*)
 YELLOW MOMBIN
 purpurea (*S. mombin* Cy)
 PURPLE M.
 SPOONLEAF YUCCA
 Yucca filamentosa concava
 SPORT WILLOW (*Salix ludoviciana*† Ar)

- SPOTTED ALSTROEMERIA, SPOTTED BE-
 GONIA, etc. See *Alstroemeria*,
 BEGONIA, etc.
 SPREADING ANEMONE, SPREADING
 COTONEASTER, etc. See *ANEM-*
 ONE, *COTONEASTER*, etc.
 SPREKELIA . . . ST. JAMESLILY
 formosissima (*Amaryllis formosis-*
 sima) . . . ST. JAMESLILY
 SPRENGER ASPARAGUS
 Asparagus sprengeri
 SPRING ADONIS, SPRING BITTERVETCH,
 etc. See *Adonis*, *BITTERVETCH*,
 etc.
 SPRINGBEAUTY *Claytonia*
 CAROLINA S. *C. caroliniana*
 VIRGINIA S. *C. virginica*
 SPRUCE *Picea*
 ALBERTA S.
 P. canadensis albertiana
 ALCOCK S. *P. alcockiana*
 ARROWHEAD NORWAY S. (*P. ex-*
 celsa conica† Cy)
 BARRY S. (*P. e. clanbrasiliana*† Cy)
 BIGCONE-SPRUCE
 Pseudotsuga macrocarpa
 BLACK S. *Picea mariana*
 Black Hill S. ALBERTA SPRUCE
 BLUE COLORADO S. (*P. pungens*
 glauca† Cy)
 BLUE ENGELMANN S. (*P. engel-*
 manni glauca† Cy)
 BURLY NORWAY S. Hort. var. of *P.*
 excelsa.
 COLORADO S. *P. pungens*
 CRANSTON NORWAY S. Hort. var.
 of *P. excelsa*.
 DOUMET S. (*Picea mariana dou-*
 meti† Cy)
 DWARF ALBERTA S. Hort. var. of
 P. canadensis.
 DWARF COLORADO S. (*P. pungens*
 compacta† Cy)
 DWARF PYRAMID S. Hort. var. of
 P. excelsa.
 ELLWANGER S. (*P. excelsa ellwan-*
 geriana† Cy)
 ENGELMANN S. . . *P. engelmanni*
 FINEDON S. (*P. excelsa finedon-*
 ensis† Cy)

SPRUCE, continued

- GLOBE NORWAY S. (*Picea excelsa compacta*† Cy)
 GOLDEN COLORADO S. (*P. pungens aurea*† Cy)
 GOLDEN NORWAY S. (*P. excelsa aurea*† Cy)
 GOLDEN WHITE S. Hort. var. of *P. canadensis*.
 GREGORY S. (*Picea excelsa gregoryana*† Cy)
 HIMALAYAN S. . . . *Picea smithiana*
 HONDO S. *P. jezoensis hondoensis*
 JAPANESE BUSH S. *P. maximowiczi*
 KNIGHT S. Hort. var. of *P. excelsa*
 KOSTER BLUE S. (*P. pungens kosteri*† Cy)
 MAXWELL S. (*Picea excelsa maxwellii*† Cy)
 MERK S. Hort. var. of *P. excelsa*
 NORWAY S. *P. excelsa*
 ORIENTAL S. *P. orientalis*
 PROSTRATE NORWAY S. (*P. excelsa procumbens*† Cy)
 PYGMY NORWAY S. (*P. excelsa pygmaea*† Cy)
 PYRAMIDAL BLACK S. (*P. mariana fastigiata*† Cy)
 PYRAMIDAL NORWAY S. (*P. excelsa pyramidalis*† Cy)
 RED S. *P. rubra*
 REMONT S. (*P. excelsa remontii*† Cy)
 SAKHALIN S. *P. glehni*
 SARGENT S. *P. sargentiana*
 SCHRENK S. *P. schrenkiana*
 SERBIAN S. *P. omorika*
 SIBERIAN S. *P. obovata*
 SILVER COLORADO S. (*P. pungens argentea*† Cy)
 SILVER NORWAY S. (*P. excelsa argenteospicata*† Cy)
 SILVER WHITE S. (*P. canadensis caerulea*† Cy)
 SITKA S. *P. sitchensis*
 SMITH NORWAY S. Hort. var. of *P. excelsa*.
 TIGERTAIL S. *P. polita*
 WEEPING BLUE S. Hort. var. of *P. pungens*.

SPRUCE, continued

- WEEPING NORWAY S. (*Picea excelsa pendula*† Cy)
 WHITE S. *Picea canadensis*
 YEDDO S. *P. jezoensis*
 YELLOWTIP ORIENTAL S. (*P. orientalis aureospicata*† Cy)
 SPURGE *Euphorbia*
 CUSHION S. *E. epithymoides*
 CYPRESS S. *E. cyparissias*
 FLOWERING S. *E. corollata*
 PAINTED S. *E. heterophylla*
 SCARLETPLUME *E. fulgens*
 SNOW-ON-THE-MOUNTAIN
 E. marginata
 SPURGE-OLIVE . *Cneorum*; *C. tricoccon*
 SPURRED BELLFLOWER, SPURRED
 NEMESIA, etc. See BELLFLOWER,
 Nemesia, etc.
 SPURRY *Spergula*
 FIELD S. *S. sativa*
 SPUR-VALERIAN
 Centranthus macrosiphon
 WHITE S. Hort. var. of *C. macro-*
 siphon.
 SQUARE BAMBOO
 Bambusa quadrangularis
 SQUARELEAF SOTOL
 Dasyliion longissimum
 SQUASH *Cucurbita*; *C. maxima*
 CUSHAW *C. moschata*
 GOURD *Cucurbita*; *C. ovifera*
 PUMPKIN *Cucurbita*; *C. pepo*
 SUMMER CROOKNECK S.
 C. pepo condensa
 SQUILL *Scilla*
 COMMON BLUE S. *S. nonscripta*
 HYACINTH S. *S. hyacinthoides*
 PERUVIAN S. *S. peruviana*
 SIBERIAN S. *S. sibirica*
 SPANISH S. *S. hispanica*
 TWINLEAF S. *S. bifolia*
 SQUIRREL-CORN . *Dicentra canadensis*
 SQUIRRELTAIL GRASS
 Hordeum jubatum
 SQUIRTING-CUCUMBER
 Ecballium elaterium
 ST. AUGUSTINE GRASS
 Stenotaphrum secundatum
 ST. BERNARDLILY . *Anthericum liliago*

BOLD-face=approved scientific names.

ITALIC=synonyms or unapproved names.

| | |
|---|------------------------|
| ST.BRUNOLILY | Paradisea liliastrum |
| GREAT S. (<i>P. l. major</i> † Cy) | |
| ST.JAMESLILY | Sprekelia formosissima |
| ST.JOHNS COONTIE | Zamia pumila |
| St.Johnsbread | |
| CAROB: Ceratonia siliqua | |
| ST.JOHNSWORT | Hypericum |
| ARNOLD S. (<i>H. arnoldianum</i> † Cy) | |
| BEDSTRAW S. | H. galioides |
| CLUSTER S. | H. glomeratum |
| CREEPING S. | H. adpressum |
| GOLDEN S. | H. aureum |
| GOLDFLOWER | H. moserianum |
| MOUNTAIN S. | H. bucklei |
| SHRUBBY S. | H. prolificum |
| SIBERIAN S. | H. elegans |
| ST. THOMAS TREE | |
| Bauhinia tomentosa | |
| STACHYS | BETONY |
| grandiflora (<i>Betonica grandiflora</i> ; <i>S. rosea grandiflora</i>) | BIG BETONY |
| lanata | WOOLLY B. |
| officinalis (<i>Betonica officinalis</i> ; <i>S. betonica</i>) | COMMON BETONY |
| sieboldii | CHOROGI |
| Hort. var. of <i>Stachys</i> : | |
| MAUVE BETONY (<i>S. grandiflora superba</i> † Cy; <i>S. betonica superba</i>) | |
| STAGGERBUSH | Pieris mariana |
| STAGHORN FERN, STAGHORN SUMAC, etc. See FERN, SUMAC, etc. | |
| STAHL STONECROP | Sedum stahli |
| STALKED RUELLIA | |
| Ruellia pedunculata | |
| STANDISH ARBORVITAE, STANDISH HONEYSUCKLE, etc. See ARBOR- VITAE, HONEYSUCKLE, etc. | |
| STANHOPEA | |
| See ORCHID GENERA. | |
| STAPHYLEA | BLADDERNUT |
| bolanderi | BOLANDER B. |
| bimalda | BUMALDA B. |
| colchica | COLCHIS B. |
| —coulombieri | FRENCH B. |
| emodi | HIMALAYAN B. |
| holocarpa | CHINESE B. |
| pinnata | EUROPEAN B. |
| trifolia | AMERICAN B. |
| STAR ACACIA, STAR ASTILBE, etc. See ACACIA, ASTILBE, etc. | |

| | |
|--|---|
| STAR-APPLE | |
| | <i>Chrysophyllum</i> ; <i>C. cainito</i> |
| STARFLOWER | |
| AMERICAN S. | <i>T. americana</i> |
| STARGLORY | |
| CRIMSON S. | <i>Quamoclit</i> |
| CYPRESSVINE | <i>Q. lobata</i> |
| IVY S. | <i>Q. pinnata</i> |
| SCARLET S. | <i>Q. coccinea hederifolia</i> |
| STAR-GOOSEBERRY | |
| <i>Phyllanthus acidus</i> | |
| STARGRASS | |
| | <i>Aletris</i> ; <i>A. farinosa</i> |
| STARJASMINE | |
| | <i>Trachelospermum</i> |
| STARLILY | |
| <i>Leucocrinum montanum</i> | |
| STAR-OF-BETHLEHEM | |
| <i>Ornithogalum arabicum</i> | |
| COMMON S. | <i>O. umbellatum</i> |
| NARBONNE S. | <i>O. narbonense</i> |
| PYRAMID S. | <i>O. n. pyramidale</i> |
| STARRY CAMPION, STARRY CERAS- TIUM, etc. See CAMPION, Cer- astiump, etc. | |
| STARS | |
| GOLDEN S. | <i>Bloomeria aurea</i> |
| STATICE | |
| | THRIFT |
| <i>arborescens</i> | <i>Limonium arborescens</i> |
| <i>armeria</i> (<i>Armeria maritima</i>) | |
| | COMMON THRIFT |
| See also hort. var. list below. | |
| bonduelli | <i>Limonium bonduelli</i> |
| eximia | <i>L. eximium</i> |
| gmelini | <i>L. gmelini</i> |
| incana | LANCELEAF SEA-LAVENDER |
| | Hort. var. of <i>Limonium tataricum</i> . |
| latifolia | <i>Limonium latifolium</i> |
| mauritanica | ALGERIAN THRIFT |
| montana (<i>Armeria alpina</i>) | |
| | MOUNTAIN T. |
| plantaginea | PLANTAIN T. |
| | See also hort. var. list below. |
| pseudoarmeria (<i>Armeria formosa</i>) | |
| | FALSE THRIFT |
| sinuata | <i>Limonium sinuatum</i> |
| suworowii | <i>L. suworowii</i> |
| tatarica | <i>L. tataricum</i> |
| Hort. var. of THRIFT, Statice: | |
| PEACHBLOW (<i>Statice armeria splen- dens</i> † Cy) | |
| ROSALIE (<i>S. a. laucheana</i> † Cy; <i>Ar- meria laucheana</i>) | |

- STATICE, THRIFT** (Hort. var.), continued
 WHITE (*Statice armeria alba*† Cy;
A. alba)
 WHITE PLANTAIN (*S. plantaginea leucantha*† Cy; *A. dianthoides*)
 STEEL BEGONIA, STEEL CYPRESS, etc.
 See BEGONIA, CYPRESS, etc.
- STEIRONEMA** . . . LOOSESTRIFE
ciliatum (*Lysimachia ciliata*) FRINGED L.
quadriflorum
- STELLARIA**
holostea (*Alsine holostea* Ag) EASTERBELLS
- STEMLESS ARCTOTIS**, STEMLESS GENTIAN, etc. See *Arctotis*, GENTIAN, etc.
- STENACTIS** . . . ERIGERON
- STENANTHIUM**
robustum . . . FEATHERFLEECE
- STENOGLOTTIS**
 See ORCHID GENERA.
- STENOLOBIUM** . . . TECOMA
- STENOTAPHRUM**
secundatum (*glabrum*) ST. AUGUSTINE GRASS
- STEPHANANDRA** . STEPHANANDRA
flexuosa (*S. incisa* Cy-Ag) CUTLEAF S.
tanakae . . . YEDDO S.
- STEPHANOPHYSUM** . RUELLIA
- STEPHANOTIS**
floribunda
- STERCULIA** . . . BOTTLETREE
acerifolia (*Brachychiton acerifolium* Ag) VICTORIAN BOTTLETREE
alata (*Pterygota alata* Ag)
diversifolia (*Brachychiton diversifolium* Ag; *B. populneum*) BLACK KURRAJONG
foetida . . . HAZEL BOTTLETREE
platanifolia (*Firmiana simplex* Ag) CHINESE PARASOLTREE
 Hort. var. of *Sterculia*:
 MOTTLED PARASOLTREE (*S. platanifolia variegata*† Cy)
- STEREOSPERMUM**
suaveolens
- STERNBERGIA**
lutea (*Amaryllis lutea*) FALL-DAFFODIL
- STEVEN GYPSOPHILA** Gypsophila steveni
- STEVENSONIA**
grandifolia (*grandiflora*; *Phoenicophorium boersigianum* Ag)
- STEVIA**
serrata . . . Piqueria serrata
- STEVIA** . . . Piqueria; *P. trinervia*
- STEWARTIA** (*STUARTIA*) STEWARTIA
malachodendron (*virginica*) VIRGINIA S.
pentagyna . . . MOUNTAIN S.
pseudocamellia . . . JAPANESE S.
 STIFF ARROWHEAD, STIFF GOLDENROD, etc. See ARROWHEAD, GOLDENROD, etc.
- STIGMAPHYLLON** . AMAZONVINE
ciliatum . . . FRINGED A.
- STILLINGIA**
sebifera . . . Sapium sebiferum
- STILLMAN COREOPSIS** Leptosyne stillmani
- STINGLILY** . . . Blumenbachia ORANGE S. . . . B. lateritia
- STIPA** . . . FEATHERGRASS
elegantissima . . . AUSTRALIAN F.
pennata . . . FEATHERGRASS
- STIPPLED TOADLILY** (*Tricyrtis macro-poda striata*† Cy)
- STIPULE WILLOW** (*Salix stipularis*† Ar)
- STIZOLOBIUM** . . . VELVETBEAN
deeriganum . . . DEERING V.
hassjoo . . . YOKOHAMA V.
niveum . . . CHINESE V.
pruriens (*Mucuna pruriens*) COWAGE
- STOCK** . . . Matthiola
 ANNUAL S. . . . *M. incana annua*
 COMMON S. . . . *M. incana*
 GRECIAN S. . . . *M. bicornis*
- STOKESIA** . . . STOKESIA
laevis (*cyanæa*) . . . STOKESIA
 Hort. var. of *Stokesia*:
 WHITE STOKESIA (*Stokesia laevis alba*† Cy)

STOLL MAPLE (*Acer platanoides stollii* Cy)

- STONECRESS *Aethionema*
 LEBANON S. *A. coridifolium*
 PERSIAN S. *A. grandiflorum*
- STONECROP *Sedum*
 AZOON S. *S. aizoon*
 AMUR S. *S. maximowiczii*
 AUTUMN S. (*S. middendorffianum*
hybridum† Cy) *S. caeruleum*
 BLUE S. *S. alboroseum*
 BLUSH S. *S. brevifolium album*† Cy)
 BRONZE SHORTLEAF S. (*S. brevifolium album*† Cy)
 DUSTY DON S. (*S. b. pottsii*† Cy)
 EWERS S. *S. ewersii*
 FALSE HOUSELEEK
S. sempervivoides
 GOLDMOSS *S. acre*
 GREAT S. *S. maximum*
 HEXAGON S. *S. sexangulare*
 HYBRID S. *S. hybridum*
 JAPANESE S. *S. japonicum*
 JENNY S. *S. reflexum*
 LEAFY S. *S. dasypodium*
 LIVEFOREVER *S. telephium*
 LYDIAN S. *S. lydium*
 MEALYMAT (*S. l. glaucum*† Cy)
 MIDDENDORFF S.
S. middendorffianum
 MONREALE S. *S. monregalense*
 MOUNTAIN S. *S. ternatum*
 ORANGE S. *S. kamtschaticum*
 PINKSTEM S. (*S. sarmentosum carneum*† Cy)
 PINKWAX S. (*S. japonicum macrophyllum*† Cy)
 PLUME S. *S. pallidum*
 POPLAR S. *S. populifolium*
 PURPLE SHOWY S. (*S. spectabile atropurpureum*† Cy)
 REDTIP S.
S. maximum haematodes
 ROSEROOT S. *S. roseum*
 RUNNING S. *S. stoloniferum*
 SCARLET RUNNING S. (*S. s. coccineum*† Cy)
 SHORTLEAF S. *S. brevifolium*
 SHOWY S. *S. spectabile*
 SHY S. *S. anacampseros*
 SIEBOLD S. *S. sieboldii*

STONECROP, continued

SILVER JENNY S.

- Sedum reflexum albescens*
 SPANISH S. *S. hispanicum*
 STAHL S. *S. stahlii*
 STRINGY S. *S. sarmentosum*
 TEXAS S. *S. pulchellum*
 TWO-ROW S. *S. oppositifolium*
 VIOLET S. (*Sedum ewersii turkestanicum*† Cy)
 WHITE GOLDMOSS (*Sedum acre album*† Cy)
 WHITE S. *S. album*
 WHITE SHOWY S. (*S. spectabile album*† Cy)
 WILD LIVEFOREVER . *S. telephoides*
 STONEMINT *Cunila mariana*
 STOUT BOTTLEBRUSH, STOUT ERYNGO,
 etc. See BOTTLEBRUSH, ERYNGO,
 etc.
- STRANGLER FIG
 FLORIDA STRANGLER F. *Ficus aurea*
 STRAPFERN . *Polypodium phyllitidis*
 STRATIOTES *WATERSOLDIER*
aloides *WATERSOLDIER*
 STRAW FOXGLOVE . . . *Digitalis lutea*
 STRAWBERRY *Fragaria*
 For horticultural varieties of Strawberry
 grown for their fruit see American
 Pomological Society's List of Fruits, in
 Appendix.
- ALPINE S. *Fragaria vesca*
 AMERICAN S. *F. v. americana*
 BARREN-STRAWBERRY
Waldsteinia fragarioides
 CALIFORNIA S. *Fragaria californica*
 CHILOE S. *F. chiloensis*
 MEXICAN S. *F. mexicana*
 MOCK-STRAWBERRY
Duchesnea; *D. indica*
 VIRGINIA S. . . *Fragaria virginiana*
 STRAWBERRY CLOVER, STRAWBERRY
 FERN, etc. See CLOVER, FERN,
 etc.
- Strawberrybush* BROOK EU-
 ONYMUS: *Euonymus americanus*
 STRAWBERRY-TREE . *Arbutus unedo*
 STRAWFLOWER
Helichrysum bracteatum

STRELITZIA

BIRD-OF-PARADISE-FLOWER
parvifolia (angustifolia) . LANCE B.
reginae BIRD-OF-PARADISE-FLOWER
STREPTOPUS . . . TWISTEDSTALK
roseus ROSY T.

STREPTOSOLEN

jamesoni (Browallia jamesoni)

STRINGY STONECROP

Sedum sarmentosum

STRINGYBARK

TASMANIAN S. *Eucalyptus piperita*
 VICTORIA S. . . . *E. macrorhyncha*
 YELLOW S. *E. muelleriana*
STRIPED BRAKE, STRIPED MAPLE,
 etc. See BRAKE, MAPLE, etc.

STROBILANTHES

CONEHEAD
anisophyllus ZIGZAG C.
dyerianus BURMA C.
isophyllus BEDDING C.

STROMBOCACTUS

turbiniformis (*Echinocactus turbiniformis* Cy)

STRYPHNOidendron

guianense

STUART COLUMBINE *Aquilegia stuartii***STUARTIA** **STEWARTIA****STYLOMA**

pacifica Ag . . *Pritchardia pacifica*

STYLOPHORUM

diphyllum . . . CELANDINE-POPPY

STYRAX SNOWBELL
americana AMERICAN S.
japonica JAPANESE S.
obassia FRAGRANT S.
wilsoni CHINESE S.
SUAKWA TOWELGOURD

Luffa cylindrica

SUDAN GRASS

Holcus sorghum sudanensis

SUGAR GUM, SUGAR MAPLE, etc. See
 GUM, MAPLE, etc.**SUGAR-APPLE** . . *Annona squamosa***SUGARBERRY** . *Celtis mississippiensis***SUGARCANE** . *Saccharum officinarum***SUGAR-ROOT** . . . *Craniolaria annua***SULPHUR TORCHLILY**

Kniphofia sulphurea

SULTAN

SWEET-SULTAN . *Centaurea* species

SULTAN SNAPWEED *Impatiens sultani*

SUMAC *Rhus*

CUTLEAF S. (*Rhus glabra laciniata* Cy)

FRAGRANT S. *R. canadensis*

JAVA S. *R. javanica*

LACQUER-TREE *R. verniciflua*

LEMONADE S. *R. trilobata*

MICHAUX POISON S. . . *R. michauxii*

SHINING S. *R. copallina*

SHREDDED S. (*Rhus typhina laciniata* Cy)

SMOKETREE *Rhus* species

SMOOTH SUMAC *R. glabra*

STAGHORN S. *R. typhina*

YELLOW S. . . *R. glabra cismontana*

SUMATRA CRINUM . *Crinum amabile*

SUMMER ADONIS, SUMMER GRAPE,
 etc. See Adonis, GRAPE, etc.

SUMMER-CYPRESS *Kochia*

BELVEDERE *K. scoparia*

COMMON S. *K. trichophylla*

SUMMER-FIR (*Artemisia sacrorum viridis* Cy)

SUMMER-HYACINTH *Galtonia candicans*

SUMMERSWEET *Clethra alnifolia*

SUNBURST *Actinolepis*

CORONET S. *A. coronaria*

SUNDEW *Drosera*

NARROWLEAF S. *D. longifolia*

ROUNDLEAF S. *D. rotundifolia*

THREADLEAF S. *D. filiformis*

SUN-DIAL LUPINE . *Lupinus perennis*

SUNDROPS *Oenothera*
 See also EVENING-PRIMROSE.

BLUELEAF S. *O. glauca*

BUSH S. (*O. fruticosa major* Cy)

COMMON S. *O. fruticosa*

DANDELION S. *O. acaulis*

FRASER S. *O. glauca fraseri*

OZARK S. *O. missouriensis*

PILGRIM S. *O. piligrimi*

ROSE S. *O. rosea*

TWISTED S. *O. distorta*

YOUNGS S. (*O. fruticosa youngi* Cy)

- SUNFLOWER *Helianthus*
 ASHY S. *H. mollis*
 BIGLEAF WOODLAND S.
 H. strumosus macrophyllus
 CALIFORNIA S. . . *H. californicus*
 COMMON S. *H. annuus*
 CUCUMBER S. *H. debilis*
 DARKEYE S. *H. atrorubens*
 DITCH-SUNFLOWER
 Bidens trichosperma
 DOUBLE DWARF S. Hort. var. of
 Helianthus annuus.
 DOUBLE THINLEAF S. Hort. var. of
 H. decapetalus.
 DOUBLERAY S. (*H. annuus californicus*† Cy)
 GIANT S. *H. giganteus*
 GIANT THINLEAF S. (*H. decapetalus maximus*† Cy)
 GLOBE S. Hort. var. of *H. annuus*
 GOLDEN THINLEAF S. (*H. decapetalus multiflorus*† Cy)
 JERUSALEM-ARTICHOKE
 H. tuberosus
 MAXIMILIAN S. . *H. maximilianus*
 PRAIRIE S. *H. scaberrimus*
 SAWTOOTH S. . *H. grosse-serratus*
 SHOWY S. *H. laetiflorus*
 SILVERLEAF S. . . *H. argophyllum*
 SOLEIL D'OR S. Hort. var. of *H. decapetalus*.
 SWAMP S. *H. angustifolius*
 THINLEAF S. *H. decapetalus*
 WOODLAND S. *H. strumosus*
 SUNFLOWER HELIOPSIS, SUNFLOWER
 INULA, etc. See *Heliopsis*, *Inula*,
 etc.
 SUNGARIAN SEA-LAVENDER
 Limonium eximium
 SUNRISE MAPLE (*Acer palmatum aureum*† Cy)
 SUNROSE *Helianthemum*
 ALPINE S. *H. alpestre*
 COMMON S. *H. chamaecistus*
 FICKLE S. (*H. c. mutabile*† Cy)
 MOROCCO S.
 H. halimifolium multiflorum
 ROSEMARY S. (*H. chamaecistus tomentosum*† Cy)
- SUNSET GOATSRUE, SUNSET HIBISCUS,
 etc. See *GOATSRUE*, *HIBISCUS*,
 etc.
 SUNSHINE GLORYBOWER (*Clerodendron thomsonae delectum*† Cy)
 SUPPLEJACK *Berchemia*
 ALABAMA S. *B. scandens*
 JAPANESE S. *B. racemosa*
 SURINAM-CHERRY . *Eugenia uniflora*
- SUTHERLANDIA
 frutescens
 SUWOROW SEA-LAVENDER
 Limonium suworowi
- SWAINSONA SENNA-PEA
 galegifolia GOATSRUE S.
 greyana (grandiflora) . SYDNEY S.
 Hort. var. of *Swainsona*:
 PINK SENNA-PEA (*S. galegifolia rosea*† Cy)
 VIOLET S. (*S. g. violacea*† Cy)
 WINTER S. (*S. g. albiflora*† Cy)
- SWAMP ASTER, SWAMP AZALEA, etc.
 See ASTER, AZALEA, etc.
- SWAMP CANDEL . *Lysimachia terrestris*
 SWAMP-PINK *Helonias bullata*
 SWAN-ORCHID *Cynchnochес*
 COMMON S. *C. chlorochilon*
 EGERTON S. *C. egertonianum*
- SWAN-RIVER-DAISY
 Brachycome iberidifolia
- SWEDISH JUNIPER
 Juniperus communis suecica
- SWEET ACACIA, SWEET ALYSSUM, etc.
 See ACACIA, Alyssum, etc.
- Sweet Pepperbush
 SUMMERSWEET: *Clethra alnifolia*
- SWEETBAY *Magnolia glauca*
 SWEETBELLS *Leucothoe racemosa*
 SWEETBERRY HONEYSUCKLE
 Lonicera caerulea
- SWEETBRIER *Rosa rubiginosa*
- SWEET-CALABASH
 Passiflora quadrangularis
- SWEETCLOVER *Melilotus*
 WHITE S. *M. alba*
- SWEETFERN . *Comptonia asplenifolia*
- SWEETFLAG *Acorus; A. calamus*
 JAPANESE S. *A. gramineus*

SWEETFLAG, continued

- WHITESTRIPE S. (*Acorus gramininus variegatus* Cy)
 YELLOWSTRIPE S. (*A. calamus variegatus* Cy)
- SWEETGALE *Myrica gale*
- SWEETGUM Liquidambar; *L. styraciflua*
 FORMOSA S. *L. formosana*
 SWEETLEAF *Symplocos*
 ASIATIC S. *S. paniculata*
 COMMON S. *S. tinctoria*
- SWEETLEAF ROSE . . *Rosa gratissima*
- SWEETPOTATO . . . *Ipomoea batatas*
- SWEETSHRUB *Calycanthus*
 BROADLEAF S. . . . *C. floridus ovatus*
 CALIFORNIA S. . . . *C. occidentalis*
 COMMON S. *C. floridus*
 PALE S. *C. fertilis glaucus*
 SMOOTH S. *C. fertilis*
- SWEETSPIRE *Itea; I. virginica*
- SWEET-SULTAN Centaurea moschata
 ROYAL S. *C. imperialis*
- SWEET-WILLIAM *Dianthus barbatus*
 SWEET-WILLIAM CATCHFLY, SWEET-WILLIAM PHLOX, etc. See CATCHFLY, PHLOX, etc.
- SWEGINZOW ROSE . *Rosa sweginzowii*
- SWIETENIA MAHOGANY
mahogani WEST INDIAN M.
- SWISS FORGET-ME-NOT, SWISS MOUNTAIN PINE, etc. See FORGET-ME-NOT, PINE, etc.
- SWORD BRAKE, SWORD TORCHLILY, etc. See BRAKE, TORCHLILY, etc.
- SWORDFERN *Nephrolepis*
 BASKETFERN *N. pectinata*
 BOSTON FERN
N. exaltata bostoniensis
 COMMON S. *N. exaltata*
- SWORDLEAF INULA . *Inula ensifolia*
- SYCAMORE MAPLE *Acer pseudoplatanus*
- SYDNEY SENNA-PEA, SYDNEY WATTLE, etc. See SENNA-PEA, WATTLE, etc.
- SYMPHORICARPOS . SNOWBERRY

SYMPHORICARPOS, continued

- acutus* Cy *S. mollis*
—microphyllus *S. microphyllus*
albus Cy-Ag *S. racemosus*
—pauciflorus Cy . . . *S. pauciflorus*
- microphyllus* (*acutus microphyllus*; *montanus*) . . . PINK SNOWBERRY
mollis (*S. acutus* Cy) SPREADING S.
montanus *S. microphyllus*
occidentalis WESTERN SNOWBERRY
orbiculatus Cy-Ag . . . *S. vulgaris*
oreophilus MOUNTAIN SNOWBERRY
pauciflorus (*S. albus pauciflorus* Cy) DWARF SNOWBERRY
racemosus (*S. albus* Cy-Ag) COMMON S.

The name *S. racemosus* is often misapplied to *S. racemosus laevigatus*.

- laevigatus* (*S. albus laevigatus* Cy-Ag) GARDEN SNOWBERRY
vulgaris (*S. orbiculatus* Cy-Ag) CORALBERRY

Hort. var. of *Symphoricarpos*:

- VARIEGATED CORALBERRY (*S. vulgaris variegatus*; *S. orbiculatus variegatus* Cy-Ar)

- SYMPHYTUM COMFREY
asperum (*asperrimum*) PRICKLY C.
officinale COMMON C.

- SYMPLOCARPUS . SKUNKCABBAGE
foetidus (*Spathyema foetida* Ag) SKUNKCABBAGE

- SYMPLOCOS SWEETLEAF
paniculata (*craatægoïdes*) ASIATIC S.
tinctoria COMMON S.

- SYNDESMON Ag ANEMONELLA
 SYRIAN ASH, SYRIAN JUNIPER, etc.
 See ASH, JUNIPER, etc.

- SYRIAN-PRIVET *Fontanesia phillyreoides*

- SYRINGA LILAC
affinis EARLY L.
—giraldii PURPLE EARLY L.
alba COMMON WHITE L.
 Hort. var. of *S. vulgaris*.

- amurensis* (*ligustrina; sibirica*) MANCHURIAN L.

- pekinensis* *S. pekinensis*
caerulea COMMON BLUE LILAC
 Hort. var. of *S. vulgaris*.

- chinensis* (*rothomagensis*) CHINESE L.
 See also hort. var. list, page 485.

dilatata

SYRINGA, continued

- emodi* (*villosa emodi*) HIMALAYAN LILAC
formosissima —
—hirsuta
henryi† Cy . . . HENRY HYBRID L.
 See hort. var. list, page 486.
hyacinthiflora† Cy . . . HYACINTH L.
 See hort. var. list, page 486.
japonica . . . JAPANESE TREE L.
josikaea . . . HUNGARIAN L.
 See also hort. var. list, page 487.
julianae . . . JULIANA L.
koehneana . . . SCHNEIDER L.
komarovii . . . KOMAROF L.
—sargentiana . . . SARGENT L.
ligustrina . . . *S. amurensis*
meyeri . . . MEYER LILAC
microphylla . . . LITTLELEAF L.
oblata . . . BROADLEAF L.
palibiniana
pekinensis (*amurensis pekinensis*) PEKING LILAC
 See also hort. var. list, page 488.
persica . . . PERSIAN L.
 See also hort. var. list, page 488.
pinnatifolia . . . PINNATE L.
pubescens . . . HAIRY L.
reflexa . . . NODDING L.
rothomagensis . . . *S. chinensis*
sargentiana . . . *S. komarovii sargentiana*
sibirica . . . *S. amurensis*
sweginzowii . . . CHENGTU LILAC
 See also hort. var. list, page 488.
tomentella . . . FELTY L.
velutina . . . The name *S. velutina* is often misapplied
 to *S. koehneana*.
villosa . . . LATE L.
—emodi . . . *S. emodi*
vulgaris . . . COMMON LILAC
 See also hort. var. list opposite.
wilsoni . . . WILSON L.
wolfi . . . WOLF L.
yunnanensis . . . YUNNAN L.
 Hort. var. of LILAC, *Syringa*:
 This special list is based on a list of
 garden varieties of *Syringa vulgaris* fur-
 nished by Mr. Alfred Rehder of the
 Arnold Arboretum.
- ABEL CARRIÈRE
 ADELAIDE DUNBAR

SYRINGA, LILAC (Hort. var.), continued

- Alba*. COMMON WHITE.
Alba grandiflora. GREAT WHITE.
Alba major. LARGE WHITE.
 ALBERT THE GOOD
 ALEXANDER HUMBOLDT
 ALINE MOCQUERIS
 ALPHONSE LAVALLÉE
 AMBROISE VERSCHAFFELT
 AMETHYST
 AMOENA
Andenken an Ludwig Spaeth. LUD-
 WIG SPAETH.
 ARTHUR WILLIAM PAUL
Azorea plena. DOUBLE AZURE.
 BANQUISE
 BELLE DE NANCY
 BÉRANGER
 BICOLOR
 BLEUÂTRE
 BOUSSINGAULT
Caerulea superba. ROYAL BLUE.
 CAMILLE DE ROHAN
 CAROLI
 CAVOUR
 CHARLEMAGNE
 CHARLEMBOURG
 CHARLES BALLET
 CHARLES JOLY
 CHARLES SARGENT
 CHARLES THE TENTH
 CHRISTOPHER COLUMBUS. *Chris-
 tophe Colomb*.
 CLARA COCHET
 CLAUDE BERNARD
 COLBERT
 COLMAR. *Colmariensis*.
 COMMON BLUE. *S. vulgaris caerulea* Cy; *caerulea*.
 COMMON RED. *Syringa vulgaris*
rubra† Cy.
 COMMON VIOLET. *S. vulgaris vio-
 lacea*† Cy.
 COMMON WHITE. *S. vulgaris alba*†
 Cy; *alba*.
 COMTE DE KERCHOVE
 COMTE HORACE DE CHOISEUL
 COMTESSE HORACE DE CHOISEUL
 CONDORCET
 CONGO
 CRAMPEL
 CROIX DE BRAHY

SYRINGA, LILAC (Hort. var.), continued
 DAME BLANCHE
 DANTON
De Humboldt. HUMBOLDT.
 DE JUSSIEU
 DE MIRABEL
 DE SAUSSURE
 DESCARTES
 DESFONTAINES
 DEUIL D'EMILE GALLÉ
 DIDEROT
 DOUBLE AZURE. *Azorea plena.*
 DOUBLE HYACINTH. *S. hyacinthiflora plena† Cy.*
 DOUBLE LEMOINE. *Lemoinei flore-pleno.*
 DOUBLE RUBELLA. *Rubella flore-pleno.*
 DOYEN KETELEER
 DR. LINDLEY
 DR. LYALS
 DR. MAILLOT
 DR. MASTERS
 DR. NOBBE.
 DR. TROYANOWSKY
 DR. VON REGEL
 DUC DE MASSA
 ECKENHOLM
 EDITH CAVELL
 EDMOND ABOU
 EDMOND BOISSIER
 EDOUARD ANDRÉ
 ELLEN WILLMOTT. *Miss Ellen Willmott.*
 EMIL LIEBIG
 EMILE GENTIL
 EMILE LEMOINE
 ERZHERZOG JOHANN
 ÉTOILE DE MAI
 EXTRA WHITE
 FARRION. *Farrionensis.*
 FEATHERED PERSIAN. *S. persica laciniata† Cy.*
 FRANCISQUE MOREL
 FRAU BERTHA DAMMANN
 FUERST LIECHTENSTEIN
 GAUDICHAUD
 GÉANT DES BATAILLES
 GEHEIMRAT HEYDER
 GEHEIMRAT SINGELMANN

SYRINGA, LILAC (Hort. var.), continued
 GEORGES BELLAIR
 GIANT. *Gigantea.*
 GILBERT
 GLOIRE DE LA ROCHELLE
 GLOIRE DE LORRAINE
 GLOIRE DE MOULINS
 GOLIATH
 GRAND-DUC CONSTANTIN
 GREAT WHITE. *Alba grandiflora.*
 GUIZOT
 HENRY HYBRID. *S. henryi† Cy.*
 HORTULANUS WITTE
 HUMBOLDT. *De Humboldt.*
 HYACINTH. *S. hyacinthiflora† Cy.*
 H. ZABEL
 JACQUES CALLOT
 JEAN BART
 JEAN MACÉ
 JEANNE D'ARC
 JULES FERRY
 JULIEN GIRARDIN
 JULES SIMON
 JUSTI
 LA MAUVE
 LA TOUR D'AUVERGNE
 LAMARCK
 LAMARTINE
 LANGUIS
 LAPLACE
 LARGE WHITE. *Alba major.*
 LE GAULOIS
 LE PRINTEMPS
Lemoinei florepleno. DOUBLE LEMOINE.
Le Progrès. PROGRESS.
 LÉON GAMBETTA
 LÉON SIMON
 LILAROSA
 LINNÉ
L'Oncle Tom. UNCLE TOM.
 LONGCLUSTER. *Macrostachya.*
 LOUIS HENRY
 LOUIS VAN HOUTTE
 LOUVAIN. *Lovaniensis.*
 LUCIE BALLET
 LUDWIG SPAETH. *Andenken an Ludwig Spaeth.*
 LUTÈCE
Macrostachya. LONGCLUSTER.

SYRINGA, LILAC (Hort. var.), continued

MAGELLAN
MAJOR
MARC MICHELI
MARCEAU
MARÉCHAL DE BASSOMPIERRE
MARÉCHAL LANNES
MARIE LEGRAYE
Marliensis pallida. PALE MARLY.
MARLY. *S. vulgaris marlyensis*† Cy.
Marlyensis florealba. WHITE MARLY.
MATHIEU DE DOMBASLE
MAURICE DE VILMORIN
MAXIME CORNU
MAXIMOWICZ
MÉLIDE LAURENT
MICHEL BUCHNER
MILTON
MIRABEAU
MIREILLE
Miss Ellen Willmott. ELLEN WILL-
MOTT.
MILLE. LÉPAGE
MME. A. DUPRAT
MME. ABEL CHATENAY
MME. BRIOT
MME. CASIMIR PÉRIER
MME. F. MOREL
MME. FLORENT STEPMAN
MME. JULES FINGER
MME. KREUTER
MME. LEMOINE
MME. LÉON SIMON
MME. MOSER
MME. VIGER
MONT BLANC
MONTGOLFIER
MONUMENT CARNOT
M. VAN AERSCHOT
NANA
NAUDIN
NEGRO
NIGRICANS
NOISETTE. *Noisettiana*.
OBELISK. *Obélisque*.
PALE CHINESE. *S. chinensis me-
tensis*† Cy.
PALE HUNGARIAN. *S. josikaea pal-
lida*† Cy.
PALE MARLY. *Marliensis pallida*.

SYRINGA, LILAC (Hort. var.), continued

PASCAL
PASTEUR
PAUL HARIOT
PAUL THIRION
PERLE DE STUTTGART
PHILÉMON
PIERRE JOIGNEUX
PLANCHON
PRESIDENT CARNOT
PRESIDENT FALLIÈRES
PRESIDENT GREVY
PRESIDENT HARJES
PRESIDENT LINCOLN
PRESIDENT LOUBET
PRESIDENT MASSART
PRESIDENT POINCARE
PRESIDENT VIGER
PRINCE DE BEAUVAU
PRINCE IMPERIAL
PRINCE OF WALES
PRINCESS ALEXANDRA
PRINCESS CLEMENTINE
PRINCESSE MARIE
PRINZ NOTGER
PROFESSOR E. STOCKHARDT
PROFESSOR SARGENT
PROGRESS. *Le Progrès*.
PURPLE CHINESE. *S. chinensis
saugeana*† Cy.
PYRAMIDAL. *Pyramidalis*.
RABELAIS
RÉAUMUR
RED CHINESE. *Chinensis rubra*.
RED GUIDE. *Rubra insignis*.
RED HUNGARIAN. *Syringa josikaea
rubra*† Cy.
RED MARLY. *Rouge de Marly*;
Rubra de Marly.
RED PERSIAN. *S. persica rubra*† Cy.
RED ROSE. *S. henryi eximia*† Cy.
REINE MARGUERITE
RENÉ JARRY-DESLOGES
RENONCULE
RONSARD
ROSE GRAND. *Rosea grandiflora*.
ROUEN
Rouge de Marly. RED MARLY.
ROUGE DE TRIANON
ROYAL BLUE. *Caerulea superba*.

SYRINGA, LILAC (Hort. var.), continued

- Rubella florepleno*. DOUBLE RUBELLA.
- Rubra de Marly*. RED MARLY.
- Rubra insignis*. RED GUIDE.
- SATURNALE
- SCHERMERHORN
- SCHNEELAWINE
- SCIPION COCHET
- SENATEUR VOLLAND
- Souvenir de L. Thibaut*. THIBAUT.
- SPECIOSA
- SPECTABILIS
- Sweginzowi superba*. TURNER.
- TAGLIONI
- THIBAUT. *Souvenir de L. Thibaut*
- THONBERG
- TIMBUCTOO. *Tombouctou*.
- TOURNEFORT
- TOUSSAINT-LOUVERTURE
- TRIOMPHE D'ORLÉANS
- TURENNE
- TURNER. *Sweginzowi superba*.
- UNCLE TOM. *L'Once Tom*.
- VALLETTE. *Vallettiana*.
- VAUBAN
- VERGISSMEINNICHT
- VERSAILLES. *Versaillensis*.
- VERSCHAFFELT
- VESTALE
- VÉSUVE
- VILLE DE LIMOGES
- VILLE DE TROYES
- VIOLETTA
- VIRGIN. *Virginalis*.
- VIRGINITÉ
- VIVIAND-MOREL
- VOLCAN
- WALDECK-ROUSSEAU
- WEEPING PEKING. *S. pekinensis pendula† Cy.*
- WHITE CHINESE. *Syringa chinensis alba† Cy.*
- WHITE MARLY. *Marlyensis flore-alba*.
- WHITE PERSIAN. *Syringa persica alba† Cy.*
- WILLIAM ROBINSON
- WITTE. *Hortulanus Witte*.
- SYRUP PALM . . . *Jubaea spectabilis*

SYZYGIUM

- cumini (jambolanum; Eugenia jambolana Cy)* . . . JAMBOLAN-PLUM
- operculatum (Eugenia operculata) smithii*

SZECHWAN DEUTZIA, SZECHWAN POP-LAR, etc. See DEUTZIA, POPLAR,

TABERNAEMONTANA

- coronaria* . . . CRAPE-JASMINE
- grandiflora* . . . CARTHAGE C.

Hort. var. of *Tabernaemontana*:

- DOUBLE CRAPE-JASMINE (*T. coronaria florepleno Cy*)

TABLE MOUNTAIN PINE

- Pinus pungens*

TABLETOP ELM (*Ulmus glabra pendula† Cy*)

TABORA WATERLILY

- Nymphaea ovalifolia*

TACSONIA . . . PASSIFLORA

TAGETES . . . MARIGOLD
erecta

(*African Marigold*) AZTEC M.

- lucida* SWEET M.

- patula* FRENCH M.

- signata* STRIPED M.

Hort. var. of *Tagetes*:

- DWARF MARIGOLD (*T. signata pumila† Cy*)

TAHITI ORANGE . . . Citrus taitensis

TAILGRAPE Artabotrys
FRAGRANT T. . . A. odoratissima

TAINIA

- viridifusca*

TAIWAN CHERRY

- Prunus campanulata*

TAKANE CHERRY. *Prunus nipponica*

TALL BELLFLOWER, TALL BUTTER-CUP, etc. See BELLFLOWER, BUTTERCUP, etc.

TALLOWTREE

- CHINESE T. . . *Sapium sebiferum*

TAMARIND *Tamarindus indica*

TAMARINDUS TAMARIND
indica TAMARIND

TAMARIX TAMARIX
aestivalis . . . *Tamarix pentandra africana* . . . AFRICAN TAMARIX

The name *T. africana* is often misapplied to *T. gallica* and *T. parviflora*.

TAMARIX, continued

- algerica* *Tamarix parviflora*
amurensis *AMUR TAMARIX*
 Hort. var. of *T. pentandra*.
articulata *CHINESE T.*
chinensis *CHINESE T.*
gallica *FRENCH T.*
—indica *INDIA T.*
 See also hort. var. list below.
germanica *Myricaria germanica*
hispida *KASHGAR TAMARIX*
—aestivalis *Tamarix pentandra*
indica *T. gallica indica*
japonica *T. juniperina*
juniperina (*japonica*; *plumosa*)
 JUNIPER TAMARIX
odessana *ODESSA T.*
parviflora (*algerica*)
pentandra (*aestivalis*; *hispida aestivalis*) FIVESTAMEN TAMARIX
plumosa *T. juniperina*
tetrandra FOURSTAMEN TAMARIX
 Hort. var. of *Tamarix*:
 AMUR TAMARIX (*amurensis*). Hort.
 var. of *T. pentandra*.
 SLENDER T. (*T. gallica elegans*† Cy)
TAMARIX *Tamarix*
 See also hort. var. list above.
AFRICAN T. *T. africana*
CHINESE T. *T. chinensis*
FALSE-TAMARIX *Myricaria*
FIVESTAMEN T. *T. pentandra*
FOURSTAMEN T. *T. tetrandra*
FRENCH T. *T. gallica*
INDIA T. *T. g. indica*
JUNIPER T. *T. juniperina*
KASHGAR T. *T. hispida*
ODESSA T. *T. odessana*
TAMARIX SAVIN (*Juniperus sabina*
 tamariscifolia† Cy)

- TANACETUM** *TANSY*
 balsamita
 Chrysanthemum balsamita
 huronense HURON TANSY
 vulgare COMMON T.
TANGELO (*Citrus nobilis* × *C. grandis*)
 For horticultural varieties see American
 Pomological Society's List of Fruits, in
 Appendix.

- Tangerine*
 See *Citrus nobilis deliciosa* and also
 ORANGE in American Pomological So-
 ciety's List of Fruits, in Appendix.

- TANGUTIAN RHUBARB** (*Rheum pal-*
 matum tanguticum† Cy)
TANSY *Tanacetum*
 COMMON T. *T. vulgare*
 HURON T. *T. huronense*
TANSY PHACELIA
 Phacelia tanacetifolia
Tara Vine BOW-
 ER ACTINIDIA: *Actinidia arguta*
TARATA *Pittosporum eugeniooides*
TARAXACUM *DANDELION*
 officinale (*Leontodon taraxacum* Ag)
 DANDELION
TARO *Colocasia esculenta*
 GIANT T. *Alocasia indica*
 HAWAIIAN GIANT T.
 A. *macrorrhiza*
 MOTTLED T. Hort. var. of *A. mac-*
 rorrhiza.
TARRAGON *Artemisia dracunculus*
TARTAN ELM, *TARTAN ELDER*, etc.
 See ELM, ELDER, etc.
Tatarian TATARIAN
TASMANIAN STRINGYBARK
 Eucalyptus piperita
TASSEL AMARANTH, *TASSEL ELDER*,
 etc. See AMARANTH, ELDER, etc.
TASSELFLOWER *Emilia flammea*
TATARIAN ASTER, *TATARIAN DOG-*
 WOOD, etc. See ASTER, DOG-
 WOOD, etc.
TAURIAN IRIS *Iris persica tauri*
TAURUS CERASTIUM, *TAURUS COT-*
 TONTHISTLE, etc. See Cerastium,
 COTTONTHISTLE, etc.
TAWHIWHA *Pittosporum tenuifolium*
TAWNY DAYLILY *Hemerocallis fulva*
- TAXODIUM** BALDCYPRESS
 ascendens (*T. distichum imbrica-*
 rium Cy) POND CYPRESS
 distichum COMMON BALDCYPRESS
 mucronatum MONTEZUMA B.
 Hort. var. of *Taxodium*:
 WEEPING POND CYPRESS (*T. dis-*
 ticum pendulinum Cy; *Glypto-*
 strobis sinensis). Hort. var. of
 T. ascendens.
- TAXUS** YEW
 baccata ENGLISH Y.

TAXUS, continued**brevifolia**

This should not be confused with Dwarf Japanese Yew, which has sometimes been called, erroneously, *T. cuspidata brevifolia*. See hort. var. list below.

canadensis (minor)

CANADA YEW *Taxus cuspidata chinensis*

cuspidata (cuspidata baccata)

JAPANESE YEW**—chinensis (T. chinensis Ar)****CHINESE Y.****elegantissima****VARIEGATED ENGLISH Y.**

Hort. var. of *T. baccata*.

hibernica**IRISH Y.**

Hort. var. of *T. baccata*.

media hicksii† Ar**HICKS Y.**

See hort. var. list below.

minor**T. canadensis****procumbens****PROSTRATE ENGLISH YEW**

Hort. var. of *T. baccata*.

repanda**SPREADING ENGLISH Y.**

Hort. var. of *T. baccata*.

repandens

Same as the preceding.

tardiva**SHORTLEAF ENGLISH Y.**

Hort. var. of *T. baccata*.

Hort. var. of *Taxus*:**BROOM YEW***(T. baccata erecta† Cy)***CHESHUNT Y.***(baccata cheshuntensis)***DOVASTON Y.***(*Taxus baccata dovastonii† Cy*)***DWARF JAPANESE Y.***(*T. cuspidata nana† Cy; cuspidata brevifolia*)***GOLDEN ENGLISH Y.***(*T. baccata aurea† Cy; T. b. variegata Ar*)***GOLDEN IRISH Y.***(*baccata fastigiata aurea*)***GOLDTIP JAPANESE Y.***(*T. cuspidata aurescens† Ar; tardiva aurea*)***HICKS Y.***(*T. media hicksii† Ar; cuspidata hicksii; baccata × cuspidata*)***IRISH Y.***(*T. baccata fastigiata† Cy; hibernica*)***JACKSON Y.***(*T. b. jacksonii† Cy*)***PROSTRATE ENGLISH Y.***(*T. b. procumbens† Cy; procumbens*)***TAXUS (Hort. var.), continued****SHORTLEAF ENGLISH YEW***(*Taxus baccata adpressa† Cy; tardiva*)***SPREADING ENGLISH Y.***(*T. b. repandens† Cy; repanda; repandens*)***VARIEGATED ENGLISH Y.***(*T. b. argentea† Cy; baccata elegantissima; elegantissima*)***VARIEGATED IRISH Y.***(*baccata fastigiata variegata*)***WASHINGTON Y.***(*T. b. washingtonii† Cy*)***YELLOW DOVASTON Y.***(*baccata dovastoni aureovariegata*)***YELLOWBERRY Y.***(*T. b. luteobaccata† Cy*)***TEA****Thea; *T. sinensis*****BOHEA T.*****T. s. bohea*****CRYSTAL-TEA*****Ledum palustre*****JERSEY-TEA Ceanothus americanus****LABRADOR-TEA*****Ledum Oswego-tea*****Oswego****EEBALM: Monarda didyma****SASANQUA T.*****Camellia sasanqua*****TEA CRAB, TEA ROSE, etc. See CRAB,**

ROSE, etc.

TEALEAF WILLOW***Salix phylicifolia*****TEAS CATALPA (*Catalpa hybrida† Cy*)****TEASEL*****Dipsacus*****FULLERS T.*****D. fullonum*****TEASELGOURD*****Cucumis dipsaceus*****TEA-TREE****AUSTRALIAN T.*****Leptospermum laevigatum*****TECOMA*****Trumpetbush******australis******Pandorea australis******capensis******Tecomaria capensis******capreolata******Bignonia capreolata******grandiflora******B. grandiflora******jasminoides******Pandorea jasminoides******mackeni******Pandorea ricasoliana******mollis (*Stenolobium velutinum*)******Velvet Trumpetbush******radicans******Bignonia radicans******ricasoliana******Pandorea ricasoliana******smithi******Australian Trumpetbush******stans (*sambucifolia*; *Stenolobium stans*)******Florida Trumpetbush******—angustata******Hardy Florida T.***

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

| | |
|--|---|
| TECOMARIA | TECOMARIA |
| <i>capensis</i> (<i>Tecoma capensis</i>) | CAPE-HONEYSUCKLE |
| TEFF | Eragrostis abyssinica |
| TELANTHERA (<i>ALTERNA N-</i> | <i>ALTERNANTHERA</i> |
| <i>thera</i> Ag.) | <i>amoena</i> |
| | <i>bettzickiana</i> GARDEN A. |
| | <i>versicolor</i> (<i>Alternanthera versicolor</i> Ag.) . COPPER ALTERNANTHERA |
| Hort. var. of <i>Telanthera</i> : | |
| PINK ALTERNANTHERA (<i>amoena rosea</i> ; <i>Alternanthera rosea</i>) | |
| TELEGRAPH-PLANT | <i>Desmodium gyrans</i> |
| TELEKIA | BUPHTHALMUM |
| TEMPLETONIA | |
| <i>retusa</i> . . MELBOURNE CORALBUSH | |
| TENNESSEE PRAIRIECLOVER | |
| | <i>Petalostemum decumbens</i> |
| TENNESSEE-INDIGO | |
| | <i>Amorpha tennesseensis</i> |
| TENOKE CANDYTUFT <i>Iberis tenoreana</i> | |
| TEOSINTE . <i>Euchlaena</i> ; <i>E. mexicana</i> | |
| TEQUILA AGAVE . . <i>Agave tequilana</i> | |
| TERMINALIA | |
| <i>catappa</i> INDIA-ALMOND | |
| TETRAGONIA | NEW ZEALAND SPINACH |
| | <i>expansa</i> NEW ZEALAND S. |
| TETRAMICRA | |
| <i>bicolor</i> <i>Leptotes bicolor</i> | |
| TETRAPANAX | |
| <i>papyrifera</i> (<i>Aralia papyrifera</i> ; <i>Fatsia papyrifera</i>) | RICEPAPER-PLANT |
| TEUCRIUM | GERMANDER |
| <i>canadense</i> AMERICAN G. | |
| <i>chamaedrys</i> CHAMAEDRYS G. | |
| <i>fruticans</i> TREE G. | |
| TEXAS ASH, TEXAS BUCKEYE, etc. | |
| See ASH, BUCKEYE, etc. | |
| TEXASPLUME . . <i>Gilia coronopifolia</i> | |
| THALIA | THALIA |
| <i>dealbata</i> POWDERED T. | |
| THALICTRUM | . . MEADOWRUE |
| <i>adiantifolium</i> . . MAIDENHAIR M. | |
| Hort. var. of <i>T. minus</i> . | |

| | |
|--|---|
| THALICTRUM , continued | |
| <i>anemonoides</i> | <i>Anemonella thalictroides</i> |
| <i>aquilegifolium</i> (<i>rubellum</i>) | COLUMBINE MEADOWRUE |
| | See also hort. var. list below. |
| <i>cornuti</i> | This name is often misapplied to <i>T. aquilegifolium</i> and <i>T. polygamum</i> . |
| <i>dasyacarpum</i> PURPLE MEADOWRUE | |
| <i>dioicum</i> EARLY M. | |
| <i>dipterocarpum</i> YUNNAN M. | |
| <i>glaucum</i> DUSTY M. | |
| <i>minus</i> LOW M. | |
| | See also hort. var. list below. |
| <i>paniculatum</i> YELLOW M. | |
| <i>polygamum</i> TALL M. | |
| <i>rubellum</i> <i>T. aquilegifolium</i> | |
| <i>sulfureum</i> † Cy | HYBRID MEADOWRUE |
| | See hort. var. list below. |
| Hort. var. of <i>Thalictrum</i> : | |
| | HYBRID MEADOWRUE (<i>T. sulfur-eum</i> † Cy) |
| | MAIDENHAIR M. (<i>T. minus adiantifolium</i> † Cy; <i>adiantifolium</i>) |
| | PURPLE COLUMBINE M. (<i>aquilegifolium purpureum</i>) |
| | WHITE COLUMBINE M. (<i>aquilegifolium album</i>) |
| THATCH PALM | <i>Thrinax</i> |
| THEA | |
| <i>sinensis</i> (<i>Camellia thea</i>) . . . TEA | |
| —bohea BOHEA T. | |
| THELESPERMA | |
| <i>hybridum</i> (<i>Cosmidium burridgeanum</i>) | |
| THELLUSSON PORTULACA (<i>Portulaca grandiflora thellussonii</i> † Cy) | |
| THELOCACTUS | |
| <i>bicolor</i> (<i>Echinocactus bicolor</i> Cy) | |
| <i>heterochromus</i> (<i>E. heterochromus</i>) | |
| <i>hexaedrophorus</i> (<i>Echinocactus hexaedrophorus</i> Cy) | |
| <i>leucacanthus</i> (<i>E. leucacanthus</i> Cy) | |
| <i>lophothele</i> (<i>E. lophothele</i> ; <i>E. lopothele</i> Cy) | |
| THEOBROMA | |
| <i>cacao</i> (<i>Chocolate-tree</i>) CACAO | |

| | | | |
|---|----------------------------------|--|---|
| THERMOPSIS | THERMOPSIS | | THREADFLOWER GILIA |
| caroliniana | CAROLINA T. | | Gilia micrantha |
| fabacea | BEAN T. | | THREADLEAF ARAlia, THREADLEAF |
| mollis | SOFT T. | | ARBORVITAE, etc. See ARALIA, |
| THESPESIA | | | ARBORVITAE, etc. |
| populnea | PORTIATREE | | THREADSTALK ROSE . . Rosa filipes |
| THEVETIA | | | THREECOLOR CAPE-COWSLIP |
| neriifolia (<i>Cerbera thevetia</i> Ag.) | | | Lachenalia tricolor |
| | YELLOW-OLEANDER | | THREEFLOWER HAWTHORN |
| THICKET CREEPER, THICKET HAW- | | | Crataegus triflora |
| THORN, etc. See CREEPER, HAW- | | | THREELEAF AKEBIA, THREELEAF |
| THORN, etc. | | | FUCHSIA, etc. See Akebia, |
| THIMBLE LILY | Lilium bolanderi | | Fuchsia, etc. |
| THINLEAF SUNFLOWER | | | THREELOBE ELM, THREELOBE SPIREA, |
| | Helianthus decapetalus | | etc. See ELM, SPIREA, etc. |
| THISTLE | Cirsium | | THREESPINE BARBERRY |
| BLESSED T. . . . | Cnicus benedictus | | Berberis triacanthophora |
| COTTONTHISTLE | Onopordon | | THRIFT Statice |
| GLOBETHISTLE | Echinops | | ALGERIAN T. . . . S. mauritanica |
| SILVERLINE T. . . . | Cirsium diacantha | | COMMON T. . . . S. armeria |
| THISTLE SAGE | Salvia carduacea | | FALSE T. . . . S. pseudoarmeria |
| THOMPSON ABUTILON, THOMPSON | | | MOUNTAIN T. . . . S. montana |
| MAGNOLIA, etc. See Abutilon, | | | PEACHBLOW T. (<i>S. armeria splen-</i> |
| MAGNOLIA, etc. | | | <i>dens</i> † Cy) |
| THOMSON ASTER, THOMSON CREEPER, | | | PLANTAIN T. . . . S. plantaginea |
| etc. See ASTER, CREEPER, etc. | | | PRICKLY-THRIFT . . Acantholimon |
| THORBURN PORTULACA (<i>Portulaca</i> | | | ROSALIE T. (<i>Statice armeria lauch-</i> |
| <i>grandiflora thorburnii</i> † Cy) | | | <i>eana</i> † Cy) |
| THORN | | | WHITE T. (<i>S. a. alba</i> † Cy) |
| BLACKTHORN | Prunus spinosa | | WHITE PLANTAIN T. (<i>S. plantaginea</i> |
| CHRIST-THORN | | | <i>leucantha</i> † Cy) |
| | Paliurus spina-christi | | THRINAX THATCH PALM |
| COCKSPUR T. . . . | Crataegus crusgalli | | <i>argentea</i> . . . Coccothrinax argentea |
| FIRETHORN | | | <i>elegans</i> . . . C. radiata |
| KANGAROO T. . . . | Pyracantha | | <i>floridana</i> . . . FLORIDA THATCH PALM |
| LILYTHORN | Acacia armata | | <i>keyensis</i> . . . KEY THATCH P. |
| MYSORE T. . . . | Catesbeaea | | <i>microcarpa</i> . . . BRITTLE THATCH P. |
| THORN HONEYSUCKLE | Caesalpinia sepiaria | | <i>morrisi</i> . . . MORRIS THATCH P. |
| | Lonicera spinosa | | <i>parviflora</i> . . . JAMAICA THATCH P. |
| THORNLESS BLACKBERRY, THORNLESS | | | THROATWORT Trachelium |
| HONEYLOCUST, etc. See BLACK- | | | COMMON T. . . . T. caeruleum |
| BERRY, HONEYLOCUST, etc. | | | THUJA ARBORVITAE |
| THORNY ELAEAGNUS | | | <i>dolabrata</i> . . . Thujopsis dolabrata |
| | Elaeagnus pungens | | <i>ellwangeriana</i> |
| THOROUGHWORT | | | TOM THUMB ARBORVITAE |
| LATE T. . . . | Eupatorium serotinum | | Hort. var. of <i>Thuja occidentalis</i> . |
| MELISSA T. | | | <i>ericoides</i> . . . HEATH RETINOSPORA |
| | <i>E. aromaticum melissoides</i> | | Hort. var. of <i>T. occidentalis</i> . |
| MISTFLOWER | <i>E. coelestinum</i> | | <i>gigantea</i> Thuja plicata |
| SNOW T. . . . | <i>E. urticaefolium</i> | | <i>japonica</i> Ag <i>T. standishii</i> |
| | | | <i>koraiensis</i> . . . KOREAN ARBORVITAE |

THUJA, continued

- lobbi* *Thuja plicata*
occidentalis AMERICAN ARBORVITAE
orientalis (*Biota orientalis*)
 ORIENTAL A.
plicata (*gigantea*; *lobbi*) . GIANT A.
standishi (*T. japonica* Ag; *Thujopsis standishi*)
 STANDISH ARBORVITAE
Hort. var. of *Thuja*:
 AMERICAN GLOBE ARBORVITAE (*T. occidentalis globosa*† Cy)
 AMERICAN GREEN A. (*occidentalis viridis*)
 AMERICAN PYRAMIDAL A. (*occidentalis pyramidalis*)
 AMERICAN WEEPING A. (*T. occidentalis pendula*† Cy)
 BERCKMANS GOLDEN A. (*T. orientalis aurea nana* Cy)
 COLUMBIA A. (*T. occidentalis columbiana*† Cy)
 CRESTED A. (*T. oc. cristata*† Cy)
 DIANA A. (*Thuja orientalis gracilis*† Cy)
 DOUGLAS PYRAMIDAL A. (*T. occidentalis douglasii pyramidalis* Cy)
 DUTCH GLOBE A. (*occidentalis spihlmanni*)
 EVERGOLDEN A. (*T. orientalis semperaureaescens*† Cy)
 FERNLEAF A. (*occidentalis filicoides*)
 GEORGE PEABODY A. (*T. occidentalis lutea*† Cy)
 GOLDEN ORIENTAL A. (*T. orientalis aurea*† Cy; *Biota aurea*)
 GOLDSPIRE A. (*T. or. aurea conspicua* Cy)
 GOLDSLOT A. (*T. occidentalis aureo-variegata*† Cy)
 GOLDTWIG A. (*T. orientalis aureo-variegata*† Cy)
 GREEN GLOBE A. (*T. occidentalis pumila*† Cy)
 HALFHIGH A. (*T. oc. intermedia*† Cy)
 HEATH RETINOSPORA (*T. oc. ericoides*† Cy; *Retinospora ericoides* Hort; *R. dubia*)
 HOVEY ARBORVITAE (*T. occidentalis hoveyi*† Cy)
 LITTLE GEM A. Hort. var. of *T. occidentalis*.

THUJA (Hort. var.), continued

- LITTLE GLOBE ARBORVITAE (*T. occidentalis nana*† Cy)
 MOSS A. (*T. oc. plicata*† Cy)
 ORIENTAL PYRAMIDAL A. (*T. orientalis pyramidalis*† Cy; *orientalis stricta*; *Biota pyramidalis*)
 PARSONS A. (*T. occidentalis compacta*† Cy)
 POMPADOUR A. (*T. orientalis filiformis stricta* Cy)
 PYGMY A. (*T. occidentalis pygmaea*† Cy)
 QUEEN VICTORIA A. (*T. oc. alba*† Cy)
 REID A. (*T. oc. reidi*† Cy)
 RIVERS A. (*occidentalis riversi*)
 ROSENTHAL A. (*occidentalis rosenthalii*)
 SIEBOLD A. (*T. orientalis sieboldii*† Cy; *orientalis compacta*; *Biota aurea*)
 SILVER ORIENTAL A. (*orientalis argentea*)
 SPAETH A. (*Thuja occidentalis spaethii*† Cy)
 THREADLEAF A. (*T. occidentalis filiformis*† Cy)
 TOM THUMB A. (*T. oc. ellwangeriana*† Cy; *Retinospora ellwangeriana*)
 VARIEGATED ORIENTAL A. (*orientalis variegata*)
 VERVAENE A. (*T. occidentalis vervaeneana*† Cy)
 WARE A. (*T. oc. wareana*† Cy)
 WEEPING ORIENTAL A. (*T. orientalis pendula*† Cy; *filiformis*)
 WOODWARD A. (*T. occidentalis woodwardii*† Cy)
 YELLOW COLUMN A. (*T. orientalis elegantissima*† Cy)
THUJOPSIS . . FALSE-ARBORVITAE borealis
 Chamaecyparis nootkatensis
 dolabrata (*T. dolabrata* Cy; *Thuja dolabrata*) . . FALSE-ARBORVITAE standishi *Thuja standishi*
Hort. var. of *Thujopsis*:
 WHITETIP FALSE-ARBORVITAE (*T. dolabrata variegata*† Cy)
 THUNBERG SPIREA *Spiraea thunbergii*

| | |
|--------------------------------------|---------------|
| THUNBERGIA | CLOCKVINE |
| alata | BLACK-EYED C. |
| coccinea | SCARLET C. |
| fragrans | SWEET C. |
| grandiflora | BENGAL C. |
| laurifolia (<i>harrisii</i>) . . . | LAUREL C. |

THUNNIA

See ORCHID GENERA.

| |
|----------------------------|
| THURLOW WEEPING WILLOW |
| <i>Salix elegantissima</i> |

THURSTON BEGONIA

Begonia thurstoni

| | |
|--|--------------------|
| THYME | Thymus |
| COMMON T. | <i>T. vulgaris</i> |
| CRIMSON T. (<i>Thymus serpyllum coccineus</i> † Cy) | |

FIREFLY T. (*T. s. splendens*† Cy)LEMON T. (*T. s. vulgaris*† Cy)MOTHER-OF-THYME . *T. serpyllum*SILVER T. (*Thymus serpyllum argenteus*† Cy)WHITESPOT T. (*T. serpyllum variegatus*† Cy)WOOLLY T. (*T. s. lanuginosus*† Cy)

| |
|---|
| THYME ROCKSPRAY |
| <i>Cotoneaster microphylla thymifolia</i> |

| | |
|--------------------|-----------------|
| THYMUS | THYME |
| serpyllum . . . | MOTHER-OF-THYME |
| vulgaris | COMMON THYME |

Hort. var. of Thymus:

CRIMSON THYME (*T. serpyllum coccineus*† Cy)FIREFLY T. (*T. s. splendens*† Cy)LEMON T. (*T. s. vulgaris*† Cy)SILVER T. (*T. s. argenteus*† Cy)WHITESPOT T. (*T. serpyllum variegatus*† Cy)WOOLLY T. (*T. s. lanuginosus*† Cy)

| |
|-------------------|
| THYRSACANTHUS |
| <i>ODONTONEMA</i> |

| | |
|----------------------|--------------|
| TIARELLA | FOAMFLOWER |
| cordifolia | ALLEGHENY F. |

Hort. var. of Tiarella:

PURPLE FOAMFLOWER (*T. cordifolia purpurea*† Cy)SALMON F. (*purpurea major*) Hort. var. of *T. cordifolia*.

| |
|---|
| TIBETAN CRAB, TIBETAN HONEY-SUCKLE, etc. See CRAB, HONEY-SUCKLE, etc. |
|---|

| | |
|---|---------------------|
| TIBOUCHINA | GLORYBUSH |
| semidecandra (<i>Lasianдра macrantha</i>) . . | BRAZILIAN GLORYBUSH |

| | |
|----------------------|---------------------|
| TICKCLOVER | Desmodium |
| HOARY T. | <i>D. canescens</i> |

| | |
|---------------------------|------------------|
| TELEGRAPH-PLANT | <i>D. gyrans</i> |
|---------------------------|------------------|

| | |
|--------------------|----------------------|
| TIDYTIPS | <i>Layia elegans</i> |
|--------------------|----------------------|

| | |
|----------------------|------------------------|
| TIGER LILY | <i>Lilium tigrinum</i> |
|----------------------|------------------------|

| | |
|--|-----------------|
| TIGERFLOWER | <i>Tigridia</i> |
| BIG SHELL T. (<i>T. pavonia grandiflora</i> † Cy) | |

| | |
|--|--|
| CANARY T. (<i>T. p. canariensis</i> † Cy) | |
|--|--|

| | |
|-------------------|-------------------|
| COMMON T. | <i>T. pavonia</i> |
|-------------------|-------------------|

| | |
|--|--|
| PURE GOLD T. Hort. var. of <i>T. pavonia</i> | |
|--|--|

| | |
|---|--|
| SPOTLESS T. Hort. var. of <i>T. pavonia</i> | |
|---|--|

| | |
|--|--|
| SPOTTED LILAC T. (<i>T. pavonia lilacea</i> † Cy) | |
|--|--|

| | |
|---|--|
| YELLOW ROSE T. (<i>T. p. rosea</i> † Cy) | |
|---|--|

| | |
|--|--|
| YELLOW SHELL T. (<i>T. p. conchiflora</i> † Cy) | |
|--|--|

| | |
|----------------------------|---------------------|
| TIGERTAIL SPRUCE | <i>Picea polita</i> |
|----------------------------|---------------------|

| | |
|--------------------|-------------|
| TIGRIDIA | TIGERFLOWER |
| pavonia | COMMON T. |

Hort. var. of *Tigridia*:

| | |
|--|--|
| BIG SHELL TIGERFLOWER (<i>T. pavonia grandiflora</i> † Cy; <i>grandiflora</i>) | |
|--|--|

| | |
|---|--|
| CANARY T. (<i>T. p. canariensis</i> † Cy; <i>canariensis</i>) | |
|---|--|

| | |
|--|--|
| PURE GOLD T. (<i>T. p. lutea immaculata</i> Cy) | |
|--|--|

| | |
|---|--|
| SPOTLESS T. (<i>T. pavonia alba immaculata</i> Cy) | |
|---|--|

| | |
|--|--|
| SPOTTED LILAC T. (<i>T. p. lilacea</i> † Cy; <i>lilacea</i>) | |
|--|--|

| | |
|--|--|
| YELLOW ROSE T. (<i>T. p. rosea</i> † Cy; <i>rosea</i>) | |
|--|--|

| | |
|---|--|
| YELLOW SHELL T. (<i>T. p. conchiflora</i> † Cy; <i>conchiflora</i>) | |
|---|--|

| | |
|-----------------|--------|
| TILIA | LINDEN |
| alba | |

This is a confused name, applied erroneously to several kinds of *Tilia* having leaves white on the lower side.

| | |
|--------------------|---|
| —pendula | <i>T. petiolaris americana</i> (<i>T. glabra</i> Ar) |
|--------------------|---|

| | |
|-----------------|--|
| AMERICAN LINDEN | |
|-----------------|--|

See also hort. var. list on page 495.

| | |
|--------------------|---------------------|
| argentea | <i>T. tomentosa</i> |
|--------------------|---------------------|

TILIA, continued

asplenifolia

CUTLEAF EUROPEAN LINDEN

Hort. var. of *T. platyphyllos*.*cordata (ulmifolia)*

LITTLELEAF EUROPEAN L.

—cordifolia

HEARTLEAF EUROPEAN L.

dasystyla *T. euchlora**euchlora (dasystyla)*

CRIMEAN LINDEN

europaea Ag *T. vulgaris*The name *T. europaea* is often missapplied to *T. platyphyllos* and *T. cordata*.*flavescens (floribunda)*

YELLOW LINDEN

floribunda *T. flavescens**glabra* Ar *T. americana**grandifolia* *T. platyphyllos**heterophylla* BEETREE LINDEN*hybrida* *T. vulgaris**intermedia* *T. vulgaris**japonica* JAPANESE LINDEN*macrophylla* BIGLEAF AMERICAN L.Hort. var. of *T. americana*.*mississippiensis*

Same as the preceding.

mongolica MONGOLIAN L.*neglecta* GRAY L.*petiolaris (alba pendula; petiolaris pendula)* WEEPING LINDEN*platyphyllos (grandifolia)*

BIGLEAF EUROPEAN L.

See also hort. var. list below.

spectabilis (tomentosa spectabilis)

SHOWY L.

See also hort. var. list below.

tomentosa (argentea) . . SILVER L.*—spectabilis* *T. spectabilis**ulmifolia* *T. cordata**vulgaris (T. europaea Ag; hybrida;**intermedia)* . . COMMON LINDENHort. var. of *Tilia*:BIGLEAF AMERICAN LINDEN (*T.**americana macrophylla*† Cy; *macrophylla*; *mississippiensis*)CUTLEAF EUROPEAN L. (*T. platyphyllos laciniata*† Cy; *asplenifolia*)GOLDTWIG L. (*T. p. aurea*† Cy)

TILIA (Hort. var.), continued

PYRAMIDAL EUROPEAN LINDEN (*T. platyphyllos pyramidalis*† Cy)REDTWIG L. (*T. p. corallina*† Cy)RIKSDORF L. (*T. spectabilis moltkei*† Cy)VINELEAF EUROPEAN L. (*T. platyphyllos vitifolia*† Cy)TILLANDSIA TILLANDSIA usneoides (*Dendropogon usneoides*)

SPANISH-MOSS

TIMOTHY . . . Phleum; *P. pratense*

TIPIANA TIPU-TREE

speciosa (T. tipu Ag; *Machaerium tipu*) TIPU-TREETIPO-TREE . . . Tipuana; *T. speciosa*TITOKI Alectryon; *A. excelsum*

TOAD TRILLIUM . . . Trillium sessile

TOADFLAX Linaria

CLOVEN-LIP T. . . . *L. bipartita**COMMON T.* *L. vulgaris**DALMATIAN T.* *L. dalmatica**KENILWORTH-IVY* . . . *L. cymbalaria**LIVERLEAF T.* . . . *L. hepaticaefolia**MACEDONIAN T.* . . . *L. macedonica**MOROCCO T.* *L. moroccana**PURPLENET T.* *L. reticulata**SAFFRON T.* (*L. bipartita alba*† Cy)

TOADDILLY Tricyrtis

HAIRY T. *T. hirta**SPCKLED T.* *T. macropoda**STIPPLED T.* (*T. m. striata*† Cy)

TOBACCO Nicotiana

AZTEC T. *N. rustica**COMMON T.* *N. tabacum**Giant T.* *N. tomentosa**INDIAN-TOBACCO* . . *Lobelia inflata**JASMINE T.* (*Nicotiana alata grandiflora*† Cy)*RED T.* (*Nicotiana tabacum macrophylla*† Cy)*SANDER T.* (*N. sanderae*† Cy)*TREE T.* *N. glauca**WINGED T.* *N. alata*

TOBIRA Pittosporum tobira

WHITE-SOT T. (*P. tobira variegatum*† Cy)

TODDALIA lanceolata . . . WHITE-IRONWOOD

- TODDY PALM *Caryota urens*
- TOLUIFERA**
pereirae (*Myroxylon pereirae* Cy)
 BALSAM-OF-PERU
- TOM THUMB ARBORVITAE, TOM THUMB NASTURTIUM, etc. See ARBORVITAE, NASTURTIUM, etc.
- TOMATILLO** *Physalis ixocarpa*
- TOMATO**
Lycopersicum; *L. esculentum*
 Currant T. . . . *L. pimpinellifolium*
 TREE-TOMATO
Cyphomandra betacea
- TONGUE SAXIFRAGE**
Saxifraga lingulata
- TOOART** *Eucalyptus gomphocephala*
- TOONA** Ag **CEDRELA**
- TOOTHED WOODFERN**
Dryopteris spinulosa
- TOOTHWORT** *Dentaria*
 CALIFORNIA T. . . . *D. californica*
 CASCADE T. *D. macrocarpa*
 CRINKLEROOT *D. diphylla*
 CUT T. *D. laciniata*
 OREGON T. *D. tenella*
- TOP BELLFLOWER, TOP PRIMROSE,
 etc. See BELLFLOWER, PRIMROSE, etc.
- TORCH AZALEA**, TORCH RHODODENDRON, etc. See AZALEA, RHODODENDRON, etc.
- TORCHILLY** *Kniphofia*
 BONFIRE T. (*K. uvaria grandiflora* Cy)
 COMMON T. *K. uvaria*
 CORAL T. *K. corallina*
 DAYGLOW T. (*K. uvaria grandiflora* Cy)
- EARLY T. *K. rufa*
 GIANT T. *K. uvaria nobilis*
 MACOWAN T. *K. macowanii*
 SAUNDERS T. (*Kniphofia uvaria saundersii* Cy)
- SULPHUR T. *K. sulphurea*
 SWORD T. *K. foliosa*
 TRICOLOR T. *K. tricolor*
 TUCK T. *K. tuckii*
- TORENIA** **TORENIA**
flava (*bailloni*) YELLOW T.
fournieri BLUE T.
- TORINGO CRAB** *Malus sieboldii*
- TORREY PENTSTEMON**, TORREY PINE,
 etc. See PENTSTEMON, PINE, etc.
- TORREYA** **TORREYA**
californica (*Tumion californicum* Ag) CALIFORNIA-NUTMEG
nucifera (*Tumion nuciferum* Ag) JAPANESE TORREYA
taxifolia (*Tumion taxifolium* Ag) FLORIDA T.
- Touch-me-not** **SNAPWEED**: *Impatiens*
- TOWELGOULD** *Luffa*
 SINGKWA T. *L. acutangula*
 SUAKWA T. *L. cylindrica*
- TOXYLON** Ag **MACLURA**
- TRACHELIUM** **THROATWORT**
caeruleum COMMON T.
- TRACHELOSPERMUM** **STARJASMINE**
jasminoides (*Rhynchospermum jasminoides*) CONFEDERATE-JASMINE
 Hort. var. of *Trachelospermum*:
 VARIEGATED CONFEDERATE-JASMINE (*Trachelospermum jasminoides variegatum*† Cy)
- TRACHYCARPUS**
excelsa (*Chamaerops excelsa*) **WINDMILL PALM**
- fortunei* (*C. fortunei*) FORTUNE P.
martiana (*C. nepalensis*) MARTIUS P.
- TRACHYMENE** **LACEFLOWER**
caerulea (*Didiscus caerulea*) BLUE L.
- TRADESCANTIA** **SPIDERWORT**
bracteata BRACTED S.
fluminensis (*repens*) **WANDERING-JEW**
montana *T. virginiana*
multicolor FOURCOLOR ZEBRINA
 Hort. var. of *Zebrina pendula*.
repens *T. fluminensis*
virginiana (*montana*) VIRGINIA SPIDERWORT
zebrina *Zebrina pendula*
- Hort. var. of *Tradescantia*:
 WHITE SPIDERWORT (*T. virginiana alba*† Cy)
- TRAGOPOGON**
porrifolius VEGETABLE-OYSTER

TRAILING FUCHSIA, TRAILING MAIDENHAIR, etc. See *Fuchsia*, MAIDENHAIR, etc.

TRAILING-ARBU^TUS *Epigaea; E. repens*

TRAPA WATERCHESTNUT
 bispinosa SINGHARA-NUT
 natans WATERCHESTNUT

TRAPP AVOCADO . . . *Persea leiogyna*

TRAUTVETTERIA
 carolinensis (palmata)

TRAVELERS-JOY . . . *Clematis vitalba*

TREE
 ANATTO-TREE *Bixa orellana*
 ANISETREE *Illicium*
 ARAR-TREE *Callitris quadrivalvis*
 BEADTREE *Adenanthera*
 BEAMTREE *Sorbus* species
 BOTTLETREE *Sterculia*
 CAJEPUT-TREE

Melaleuca leucadendron

CALABA-TREE *Calophyllum calaba*

CALABASH-TREE
 Crescentia; C. cujete

CAMPHOR-TREE
 Cinnamomum camphora

CANDLENUT-TREE
 Aleurites moluccana

CANDLETREE *Parmentiera cerifera*

CASSIABARK-TREE
 Cinnamomum cassia

CASSIAFLOWER-TREE . . . *C. lourieri*

CHASTE-TREE *Vitex*
Chocolate-tree

 CACAO: *Theobroma cacao*

CLOVETREE *Eugenia aromatica*

COCAINE-TREE *Erythroxylon coca*

COFFEETREE *Gymnocladus* species

CORALTREE
 Erythrina: E. corallodendron

CUCUMBERTREE
 Magnolia acuminata

DAISYTREE *Olearia*

DOVETREE *Davidia*

DRAGONTREE *Dracaena draco*

EPAULETEE-TREE *Pterostyrax*

FLOSS-SILK-TREE *Chorisia speciosa*

FRINGETREE *Chionanthus*

GEIGER-TREE *Cordia sebestena*

GOLDENRAIN-TREE
 Koelreuteria; K. paniculata

TREE, continued

HOPTREE *Ptelea*

HORSERADISH-TREE
 Moringa; M. oleifera

HORSETAIL-TREE
 Casuarina equisetifolia

IRONTREE *Metrosideros*

JUDAS-TREE *Cercis siliquastrum*

KATSURA-TREE
 Cercidiphyllum japonicum

LACQUER-TREE *Rhus verniciflua*

MAIDENHAIR-TREE *Ginkgo biloba*

NECKLACETREE
 Ormosia monosperma

PAPERTREE *Edgeworthia*

PARASOLTREE *Sterculia* species

PEA-TREE *Caragana* species

PEPPERTREE *Schinus*

* PLANETREE *Platanus*

PORTIATREE *Thespesia populnea*

RAISINTREE *Hovenia dulcis*

RUBBERTREE *Castilla; Ficus* species; *Hevea* species

SACRED BO T. *Ficus religiosa*

SALT-TREE
 Halimodendron halodendron

SANDBOXTREE *Hura crepitans*

SCHOLARTREE *Sophora japonica*

SERVICETREE *Sorbus domestica*

SILKTREE *Albizzia julibrissin*

SMOKETREE *Rhus* species

STRAWBERRY-TREE *Arbutus unedo*

ST. THOMAS T. *Bauhinia tomentosa*

TALLOWTREE *Sapium* species

TEA-TREE *Leptospermum* species

TIPO-TREE *Tipuana; T. speciosa*

TULIPTREE
 Liriodendron; L. tulipifera

TUNG-OIL TREE *Aleurites fordii*

UMBRELLA-TREE *Melia* species

WAYFARING-TREE
 Viburnum lantana

YATE-TREE *Eucalyptus cornuta*

TREE ALFALFA, TREE DAHLIA, etc.
 See ALFALFA, DAHLIA, etc.

TREEBINE
 Begonia T. *Cissus discolor*

QUEENSLAND T. *C. oblonga*

STRIPED T. *C. striata*

WINGED T. *C. quadrangularis*

TREEFERN *Alsophila; Cyathea*

AUSTRALIAN T. *A. australis*

| | | | |
|--|--------------------------------|---|---------------------------------|
| TREEMALLOW | Lavatera | TRICYRTIS | TOADLILY |
| CALIFORNIA T. | L. assurgentiflora | hirta (<i>Compsoa hirta</i> Ag.) | HAIRY T. |
| HERB T. | L. trimestris | macropoda (<i>C. macropoda</i> Ag) | SPECKLED T. |
| SHOWY HERB T. (<i>L. trimestris splendens</i> † Cy) | | | |
| VELVET T. | L. arborea | Stippled Toadlily (<i>T. macropoda striata</i> † Cy) | |
| WHITE HERB T. (<i>Lavatera trimestris alba</i> † Cy) | | | |
| Tree-of-heaven | | | |
| AILANTHUS: <i>Ailanthus glandulosa</i> | | | |
| TREEPOPPY | Dendromecon; <i>D. rigidum</i> | TRIDENT MAPLE | Acer buergerianum |
| TREE-SPIREA | Sorbaria arborea | TRIENTALIS | STARFLOWER |
| TREE-TOMATO | <i>Cyphomandra betacea</i> | americana (<i>T. borealis</i> Ag) | AMERICAN S. |
| TREFOIL | | | |
| BIRDSFOOT T. | <i>Lotus corniculatus</i> | TRIFOLIUM | CLOVER |
| CORAL GEM T. | <i>L. bertholetii</i> | hybridum | ALSIKE C. |
| TREFOIL COREOPSIS | <i>Coreopsis major</i> | incarnatum | CRIMSON C. |
| TRIANGLE STAGHORN FERN | <i>Alcicornium stemaria</i> | medium | MAMMOTH C. |
| | | minus | SHAMROCK |
| | | Hort. var. of <i>T. repens</i> . | |
| TRICALYSIS | | pratense | RED CLOVER |
| <i>kraussiana</i> (<i>T. floribunda</i> Ag; <i>Kraussia floribunda</i>) | | repens | WHITE C. |
| TRICHILIA | | resupinatum (<i>suaveolens</i>) | |
| <i>spondioides</i> | WHITE BITTERWOOD | | STRAWBERRY C. |
| TRICHOCEREUS | | | |
| <i>candicans</i> (<i>Cereus candicans</i> Cy) | | Hort. var. of <i>Trifolium</i> : | |
| <i>lamprochlorus</i> (<i>Cereus lamprochlo-</i> <i>rus</i> Cy) | | SHAMROCK (<i>T. minus</i>). Hort. var. | |
| <i>macrogonus</i> (<i>C. macrogonus</i> Cy) | | of <i>T. repens</i> . | |
| <i>spachianus</i> (<i>C. spachianus</i> Cy) | | TRIGONIDIUM | |
| <i>thelegonus</i> (<i>C. thelegonus</i>) | | See ORCHID GENERA. | |
| TRICHOLAENA | | TRILISA | |
| <i>rosea</i> | NATAL GRASS | <i>odoratissima</i> | CAROLINA-VANILLA |
| TRICHOPILIA | | TRILLIUM | TRILLIUM |
| See ORCHID GENERA. | | <i>cernuum</i> | NODDING T. |
| TRICHOSANTHES | | <i>erectum</i> | PURPLE T. |
| <i>anguina</i> (<i>colubrina</i>) | SNAKEGOULD | | See also hort. var. list below. |
| TRICHOSMA | ERIA | <i>erythrocarpum</i> | <i>T. undulatum</i> |
| See ORCHID GENERA. | | <i>grandiflorum</i> | SNOW TRILLIUM |
| TRICHOSTEMA | BLUECURLS | <i>nivale</i> | DWARF T. |
| <i>dichotomum</i> | BLUECURLS | <i>ovatum</i> | PACIFIC T. |
| <i>lanatum</i> | ROMERO | <i>petiolatum</i> | IDAHO T. |
| TRICOLOR MORNING-GLORY, TRICOLOR PRIVET, etc. See MORNING- GLORY, PRIVET, etc. | | <i>recurvatum</i> | RAIRIE T. |
| | | <i>sessile</i> | TOAD T. |
| | | <i>—californicum</i> | CALIFORNIA T. |
| | | <i>stylosum</i> | ROSE T. |
| | | <i>undulatum</i> (<i>erythrocarpum</i>) | PAINTED T. |
| | | | |
| | | Hort. var. of <i>Trillium</i> : | |
| | | WAX TRILLIUM (<i>Trillium erectum album</i> † Cy) | |
| | | TRILLIUM | Trillium |
| | | CALIFORNIA T. | |
| | | <i>T. sessile californicum</i> | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

TRILLIUM, continued

| | |
|--|-----------------|
| DWARF T. | Trillium nivale |
| IDAHO T. | T. petiolatum |
| NODDING T. | T. cernuum |
| PACIFIC T. | T. ovatum |
| PAINTED T. | T. undulatum |
| PRAIRIE T. | T. recurvatum |
| PURPLE T. | T. erectum |
| ROSE T. | T. stylosum |
| SNOW T. | T. grandiflorum |
| TOAD T. | T. sessile |
| WAX T. (<i>T. erectum album</i> † Cy) | |

| | |
|-------------|--------------|
| TRIOSTEUM | HORSEGENTIAN |
| perfoliatum | COMMON H. |

| | |
|-------------------|-------------------|
| TRIPHASIA | |
| <i>monophylla</i> | Atalantia trimera |

| | |
|--|--|
| TRIPLARIS | |
| <i>americana</i> | |
| TRIPLE WILLOW (<i>Salix sesquiteria</i> † Ar) | |

| | |
|---------------|--|
| TRIPTYERYGIUM | |
| <i>regeli</i> | |

| | |
|-----------------|--------------|
| TRISTANIA | |
| <i>conferta</i> | BRISBANE-BOX |

| | |
|---|-------|
| TRITICUM | |
| <i>aestivum</i> (<i>sativum; vulgare</i>) | WHEAT |

| | |
|---------|-----------|
| TRITOMA | KNIPHOFIA |
|---------|-----------|

| | |
|-------------------|--------------------------------|
| TRITONIA | (<i>Montbretia</i>) TRITONIA |
| <i>aurantiaca</i> | ORANGE T. |

| | |
|----------------------------|--|
| See hort. var. list below. | |
|----------------------------|--|

| | |
|----------------------------|------------|
| crocata | SAFFRON T. |
| <i>crocosmaeflora</i> † Cy | CROCOS T. |

| | |
|----------------------------|--|
| See hort. var. list below. | |
|----------------------------|--|

| | |
|--------------|----------|
| pottsi | POTTS T. |
| <i>rosea</i> | CAPE T. |

| | |
|---|--|
| Hort. var. of Tritonia: | |
| <i>CROCOS</i> (<i>Tritonia crocosmaeflora</i> † Cy; <i>Crocosma aurea</i> × <i>Tritonia pottsi</i>) | |

| | |
|------------------|--|
| ETOILE DE FEU | |
| <i>FIRE KING</i> | |

| | |
|-----------------|--|
| GEORGE DAVISON | |
| <i>GERMANIA</i> | |

| | |
|-----------------|--|
| GOLDEN WEST | |
| <i>HEREWARD</i> | |

| | |
|-----------------|--|
| LADY HAMILTON | |
| <i>MARTAGON</i> | |

TRITONIA (Hort. var.), continued

| | |
|--------|---------------------------------------|
| ORANGE | (<i>Montbretia aurantiaca</i> ; |
| | <i>M. crocosmaeflora aurantiaca</i>) |

| | |
|-------------------|--|
| PROMETHEUS | |
| <i>RAYON D'OR</i> | |

| | |
|---------------------|--|
| REINGOLD | |
| <i>TRANSCENDENT</i> | |

| | |
|---------|--|
| TRIUMPH | COPPERLEAF (<i>Acalypha wilkesiana triumphans</i> † Cy) |
|---------|--|

| | |
|-------------|--------------|
| TROJAN IRIS | Iris trojana |
|-------------|--------------|

| | |
|-------------------|--------------|
| TROLLIUS | GLOBEFLOWER |
| <i>asiaticus</i> | SIBERIAN G. |
| <i>caucasicus</i> | CAUCASIAN G. |
| <i>chinensis</i> | CHINESE G. |
| <i>europaeus</i> | COMMON G. |

See also hort. var. list below.

| | |
|----------------------|-------------|
| <i>japonicus</i> | JAPANESE G. |
| <i>ledebouri</i> | LEDEBOUR G. |
| <i>pumilus</i> | DWARF G. |
| — <i>yunnanensis</i> | YUNNAN G. |

Hort. var. of *Trollius*:

| | |
|---|--|
| GOLDENBALL (<i>T. europaeus loddigesii</i> † Cy) | |
|---|--|

| | |
|---|-----------------------|
| TROPAEOLUM | NASTURTIUM |
| <i>canariense</i> | <i>T. peregrinum</i> |
| <i>lobbianum</i> | <i>T. peltophorum</i> |
| <i>majus</i> | COMMON NASTURTIUM |
| <i>minus</i> | BUSH N. |
| <i>peltophorum</i> (<i>lobbianum</i>) | SHIELD N. |
| <i>pentaphyllum</i> | FIVEFINGER N. |
| <i>peregrinum</i> (<i>canariense</i>) | CANARY N. |
| <i>speciosum</i> | VERMILION N. |
| <i>tricolor</i> | CORNUCOPIA N. |

Hort. var. of *Nasturtium*, *Tropaeolum*:

About a hundred names of horticultural varieties of *Tropaeolum* appear in American catalogues but they have not been sufficiently standardized to make possible the publication of an authentic list at the present time.

| | |
|---------------|------------------------|
| TROUTLILY | Erythronium |
| CALIFORNIA T. | <i>E. californicum</i> |
| COMMON T. | <i>E. americanum</i> |
| GLACIERLILY | <i>E. grandiflorum</i> |
| HENDERSON T. | <i>E. hendersoni</i> |
| LEMON T. | <i>E. citrinum</i> |
| MAHOGANY T. | <i>E. revolutum</i> |
| SIERRA T. | <i>E. purpurascens</i> |
| WHITE T. | <i>E. albidum</i> |

TRUE FORGET-ME-NOT, TRUE INDIGO, etc. See FORGET-ME-NOT, INDIGO, etc.

TRUE DWARF BOX (*Buxus sempervirens suffruticosa*† Cy)

TRUE TREE BOX (*B. sempervirens arborescens*† Cy)

TRUMPET
ANGEL-TRUMPET

Datura suaveolens

BLOODRED T. *Bignonia buccinatoria*

CATCLAW T. *B. unguis-cati*

FLAMING T. *B. venusta*

GOLDEN T. *B. chamberlaynei*

HUMMINGBIRD-TRUMPET

Zauschneria californica

PAINTED T. *Bignonia speciosa*

SILVERPURPLE T.

B. argyreoviolascens

TRUMPET ACHIMENES, TRUMPET AUBRIETIA, etc. See *Achimenes*, *Aubrieta*, etc.

TRUMPETBUSH *Tecoma*

AUSTRALIAN T. *T. smithii*

FLORIDA T. *T. stans*

HARDY FLORIDA T. *T. s. angustata*

VELVET T. *T. mollis*

TRUMPETCREEPER

Bignonia; *B. radicans*

CHINESE T. *B. grandiflora*

CROSSVINE *B. capreolata*

HYBRID T. (*B. hybrida*† Cy)

TRUMPETFLOWER

EAST INDIAN T. *Oroxylum indicum*

TSUGA HEMLOCK
canadensis (*Abies canadensis*)

CANADA H.

caroliniana CAROLINA H.

chinensis CHINESE H.

diversifolia JAPANESE H.

fretzii FRETZ DOUGLAS FIR

Hort. var. of *Pseudotsuga douglasii*.

heterophylla WESTERN HEMLOCK

hookeriana *T. mertensiana*

mertensiana (*hookeriana*)

MOUNTAIN HEMLOCK

The name *T. mertensiana* is often misapplied to *T. heterophylla*.

sieboldii SIEBOLD HEMLOCK

yunnanensis YUNNAN H.

Hort. var. of *Tsuga*:

DWARF CANADA HEMLOCK (*T. canadensis compacta*† Cy)

SARGENT WEEPING H. (*T. c. pendula*† Cy; *sargentii*)

SLENDER CANADA H. (*T. canadensis gracilis*† Cy)

WHITETIP H. (*T. c. albospica*† Cy)

TSUSIMA HOLLYFERN

Polystichum tsussimense

TUBE CLEMATIS, TUBE GILIA, etc.
See CLEMATIS, GILIA, etc.

TUBER BEGONIA, TUBER FLEECE-VINE, etc. See BEGONIA, FLEECE-VINE, etc.

TUCK TORCHLILY *Kniphofia tucki*

TUFTED BUTTERCUP, TUFTED GILIA, etc. See BUTTERCUP, GILIA, etc.

TUFTROOT *Dieffenbachia*

TULIP *Tulipa*

For horticultural varieties of Tulip see *Tulipa*.

COMMON T. *T. gesneriana*

COTTON T. *T. oculus-solis*

DUC VAN THOL T. *T. suaveolens*

GLOBE-TULIP *Calochortus* species

TULIP ORCHID, TULIP POPPY, etc.
See ORCHID, POPPY, etc.

TULIPA TULIP

acuminata

australis

batalinii

biebersteiniana

biflora

—*turkestanica* Cy *T. turkestanica*

billietiana

carinata

clusiana

dasyystemon

didieri

—*mauriana*

—*planifolia*

eichleri

fosteriana

galatica

gesneriana COMMON TULIP

greigi

hageri

ingens

kaufmanniana

kolpakowskiana

linifolia

TULIPA, continued

| | |
|--------------------|--|
| lownei | |
| maculata | |
| marjoletti | |
| montana | |
| oculus-solis . . . | COTTON TULIP |
| orphanidea | |
| ostrowskiana | |
| polychroma | |
| praecox | |
| praestans | |
| primulina | |
| pulchella | |
| saxatilis | |
| sprengeri | |
| stellata | |
| suaveolens . . . | DUC VAN THOL T. |
| sylvestris . . . | FLORENTINE T. |
| triphylla | |
| tubergeniana | |
| turkestanica | (<i>Tulipa biflora turkestanica</i> Cy) |
| willmottae | |

Hort. var. of TULIP, *Tulipa*:

In order that all the Tulip names in this catalogue may be found in one alphabetical sequence, the common names and the Latin names of the wild species and subspecies have been repeated, in their proper alphabetical position, in this list of horticultural varieties.

This list of horticultural varieties of Tulip was prepared with great care from many sources by Mr. O. M. Freeman, Bureau of Plant Industry, Department of Agriculture, Washington, D. C., to whom the American Joint Committee wishes to acknowledge its indebtedness.

This is probably the first attempt in America to make available for general horticultural use a carefully compiled authentic grouping, with verified names, of this important bulb.

The Tulip presents a striking example of the utter abandon with which horticulturists have used the same name again and again for different varieties in the same genus; the feeble excuse for such pernicious practice being that usually the duplicated names are given to varieties in *different groups* of the genus.

This piracy of names has made the work of the American Joint Committee very difficult in many genera having long lists of horticultural varieties with guilty duplications, such as Iris, Gladiolus, etc., nor have we always found the societies and individuals most interested in these special genera wholly sympathetic in the effort to "clean

TULIPA, TULIP, continued

house" and assign one common name to a *single* horticultural variety in a genus, which is the fundamental principle on which this publication is based.

In the case of Tulip, however, the difficulties of straightening out the tangle and determining which particular varieties were entitled to the duplicated names in question were insurmountable with available data, and so the choice was presented of leaving out the Tulip list altogether—thus refusing to meet the issue at all in this particular genus—or of publishing the list with a statement of the situation and with the duplicated names specially indicated, so that later proper means might be found to cancel such duplications and assign each name in question to a single variety.

The Committee has preferred to accept the second alternative, and the *unapproved duplications* are shown in italics preceded by an asterisk (*).

Therefore, in presenting the Tulip list in this special manner, which so strikingly demonstrates the folly of plant-name duplication, it is hoped to accomplish a real service and bring this malpractice in plant-naming into thorough disrepute in the American horticultural world.

AMERICAN JOINT COMMITTEE ON
HORTICULTURAL NOMENCLATURE
HARLAN P. KELSEY, *Secretary*

ABBREVIATIONS AND EXPLANATIONS OF
THE CHIEF DISTINCT HORTICULTURAL
GROUPS OF TULIP

| | |
|------|---|
| Biz. | Bizarre. Brown, red, or purple markings on yellow ground. |
| Bre. | Breeder. Self-colored flowers except as regards the base. |
| By. | Bybloemen. Rose or cerise markings on white ground or violet or purple markings on white ground. |
| Cot. | Cottage. All Tulips which do not fall within the other classes. |
| DE. | Double Early. Derived from the Single Early group. |
| DL. | Double Late. Derived from the May-flowering Tulips. |
| Dar. | Darwin. Lower portion of the flower usually rectangular in outline; segments of good substance; stems strong and tall; color shades of purple-red to white, never yellow or brown; base black, blue or white, or any combination of these colors. |
| Par. | Parrot. Tulips with laciniate segments. |
| Rem. | Rembrandt. Broken Darwins. |
| SE. | Single Early. In full bloom before May 1. |

TULIPA, TULIP, continued
**Aardglobe.* By.
**Aardglobe.* Cot.
ABABA. Biz.
ABD-EL-KADIR. Bre.
ABSALOM. Biz.
ACHERON. Bre.
acuminata. *Cornuta; Stenopetala.*
Ada. ALBION.
ADELAINA. SE.
ADELINA PATTI. Bre.
ADELE SANDROCK. Dar.
ADMIRAL FLORIDA. SE.
ADMIRAL OF CONSTANTINOPLE. Par.
ADMIRAL REYNIERS. SE.
ADMIRAL TOGO. Dar. *Ruby Queen.*
**Admiral Van Kingsbergen.* By.
**Admiral Van Kingsbergen.* Cot.
**Admiral Van Kingsbergen.* DL.
ADMIRATION. SE.
ADOLPHE VAN DER HEDE. Dar.
**Adonis.* Bre.
**Adonis.* Cot.
Aesculape. PROFESSOR BALFOUR.
AESCLAPIUS. Bre.
AFTERGLOW. Dar. *Katherine Haver-*
meyer.
AGNES. DE.
AGNETA. Dar.
ALADDIN. Rem.
ALASKA. Cot.
ALBA MAXIMA. DE.
ALBA REGALIS. SE.
ALBADA. Biz.
Albano. MURILLO.
ALBATROSS. Cot. *Albatros.*
ALBERT GUYP. SE.
Albert Kellogg. EARLY DAWN.
ALBINO. Cot.
ALBION. Bre.
Albion. WHITE HAWK.
ALCIDA. Bre.
ALCMENE. Cot.
ALEX BLEU. Dar.
Alice. PRINCE ALBERT.
ALIDA MARIA. SE.
ALLARD PIERSON. Dar.
Alphonse Daudet. SHAKESPEARE.
AMAZON. Bre.
AMBASSADEUR DE HOLLANDE. By.

TULIPA, TULIP, continued
AMBER. Cot.
AMBER CROWN. Cot.
AMBROSIA. Cot.
AMERICA. DE.
American Lac. LE REVE.
AMPHION. By.
ANDREA DORIA. Dar.
ANDROMACHE. Dar. *Andromaque.*
ANGELA. Dar.
ANNA ROOZE. DE.
ANNE MARY. Rem.
ANNIE. DE.
Annie. PARISIAN YELLOW.
ANNIE McGREGOR. Bre.
ANTON MAUVE. Dar.
ANTONY ROOSSEN. Dar.
APHRODITE. Dar.
**Apollo.* Rem.
**Apollo.* SE.
APPRENTICE. Dar.
APRICOT. Bre. *Perfection.*
ARABELLA. DE. *Rosalie.*
ARCHERON. Bre.
Arentine Arendsen. MAY QUEEN.
ARGO. Cot.
**Ariadne.* Dar.
**Ariadne.* SE.
ARIZONA. Dar.
Arms of Leiden. WAPEN VAN LEIDEN.
ARTEMIS. Cot.
ARTUS. SE. *Garibaldi.*
ASA GRAY. Dar.
ASCANIO. Dar.
ASPASIA. Bre.
ATHALIA. By.
ATTRACTION. Bre.
AUBER. Dar.
AUGUSTA. SE. *Rose Gris-de-lin Superbe.*
**Aurora.* Cot.
**Aurora.* SE.
AURORE. DE.
australis. *Celsiana.*
AUSTRIA. Dar.
AVIS KENNICOTT. Cot.
AZALEA. DE.
**Bacchus.* Bre.
**Bacchus.* SE.
**Bacchus.* By.

TULIPA, TULIP, continued

Backhuizen. MRS. ELWES.
 BARON VON GOLDSTEIN. Dar.
 BARONNE DE LA TONNAYE. Dar.
 BARTIGON. Dar.
batalini
 BEACONSFIELD. Rem.
 BEATRICE. Dar.
 BEATRIX. Rem.
Beauty. MARK TWAIN.
Beauty. EDMEE.
 BEAUTY OF BATH. Cot.
 BEAUTY OF LONDON. SE.
 BEETHOVEN. Dar.
Belle Alliance. OVERWINNAAR.
Belle Alliance. WATERLOO.
 BELLE BRUNETTE. Bre.
 BELLE FORME. By.
 BELLE HELENE. By.
 BELLE JARDINIERE. Dar.
 BELLE LISETTE. Cot.
 BELLE MONDE. Biz.
 BIANCA. Cot.
 BERTHOLD SCHWARTZ. Dar.
 BEYERINCK. Dar.
biebersteiniana
biflora
 BIPLORA MAJOR
Bi flora turkestanica. T. turkestanica.
billietiana
Billietiana Cloth of Gold. CLOTH OF GOLD.
Billietiana Sunset. SUNSET.
 BISHOPS MITRE. Cot.
 BIZARD PRONKERT. SE.
 BIZARD VERDIKT. SE.
 BLACK BOY. Biz.
 BLACK CHIEF. Bre. *Noir Veritable.*
 BLACK DIAMOND. Bre.
 BLACK KNIGHT. Dar.
 BLANC BORDE. DL.
 BLANC BORDE POURPRE. DL.
 BLANC DE LAIT. By.
 BLANCHE DELICATE. SE.
 BLANCHE HATIVE. DE.
 BLEU AIMABLE. Dar.
**Bleu Celeste.* DE.
**Bleu Celeste.* Dar.
**Bleu Celeste.* *Blue Flag.
**Blue Flag.* Bre.

TULIPA, TULIP, continued

**Blue Flag.* DL. Bleu Celeste.
 BLUEBIRD. Dar.
 BLUSHING BRIDE. Dar.
Blushing Bride. ISABELLA.
Blushing Bride. MME. FRYLINCK.
 BLYHOF. Cot.
 BOADICEA. Cot.
 BOERHAAVE. Bre.
 BOHEMIENNE. Biz.
 BOLIVAR. Biz.
 BOONAPARTE. Biz.
 BOUGAINVILLE. Rem.
 BOULE DE NEIGE. DE.
 BOUQUET. Bre.
 BOUQUET RIGAUD. By.
 BOUTON D'OR. Cot. *Golden Beauty;*
Ida.
 BRIDE OF HAARLEM. SE.
**Bride of Haarlem Golden.* SE.
**Bride of Haarlem Silver.* SE.
 Bridesmaid. MAID OF HOLLAND.
 BRILLIANCE. By.
 BRILLIANT STAR. SE.
Brimstone. SAFRANO.
Brimstone Beauty. SAFRANO.
 BRONZE KING. Bre.
 BRONZE QUEEN. Bre. *Clio; Sensation; The Biscuit.*
Browniana. T. patens.
 BRUID MARIE. By.
 BRUNHILDE. SE. *L'Unique.*
 BRUTUS. SE.
 BUENAVENTURA. Cot.
 BURGEMEESTER SANDBERG. Dar.
 BUSKEN HUET. Dar.
 BUSSY RABUTIN. Dar.
 BUTTERCUP. SE.
**Butterfly.* Bre.
**Butterfly.* Rem.
 CAIJMAN. SE.
 CABANEL. Dar.
 CAESAR. Bre. *Clown.*
Cafe Brun. COULEUR CAFE.
 CAFE POURPRE. Par.
 CALEDONIA. Cot.
 CALLIOPE. Dar.
**Calypso.* Dar.
**Calypso.* SE.
 CANARY BIRD. SE.

TULIPA, TULIP, continued
 CANOSSA. Dar.
 CAPTAIN OF THE VIOLETS. SE.
 CAPTIVATION. By.
 CARACALLA. Rem.
 *Cardinal Manning. Bre. *Goliath*;
Kingscourt.
 *Cardinal Manning. DE.
 CARDINAL RAMPOLLA. SE.
 CARDINALS HAT. SE.
carinata
Carinata. Biz.
 CARINATA RUBRA. Cot.
 CARINATA VIOlacea. Cot.
 CARL BECKER. Dar.
Carlisle. SIR THOMAS LIPTON.
 CARMEN. Dar.
 CARMEN SYLVA. DL.
 CARMINEA. Dar. *Mme. Bosboom Toussaint*.
 CARNATION. Cot.
 CARNATION SCARLET. Cot.
 CARNEGIE. SE.
Carnegie. L'UNION.
 CAROLUS DURAN. Rem.
 CARRARA. Cot.
 *Catafalque. Biz.
 *Catafalque. Bre.
 CATO. By.
 CELIA. Cot.
Celsiana. **T. australis**.
 *Centenaire. Dar.
 *Centenaire. Rem.
 CERES. Bre.
 CERISE GRIS-DE-LIN. SE.
 CHAMELEON. Cot.
 CHANT DE CYGNE. Dar.
 CHARLES DICKENS. Bre.
 CHARLES H. MOROT. Dar.
 CHERBOURG. Bre.
 CHERRY RIPE. DE.
 CHESTER JAY HUNT. Bre.
Chestnut. LA NEGRETTE.
Chrysanthia Kew. **T. stellata**.
 CHRYSOLORA. SE.
 CINCINNATUS. By.
 CIRCE. Dar.
 CITY OF HAARLEM. Dar.
 CLAERMOND GOUD. SE.
 CLARA BUTT. Dar.
 CLAUDE GILLOT. Dar.
 CLEOPATRA. Biz.

TULIPA, TULIP, continued
Clio. BRONZE QUEEN.
 CLOTH OF GOLD. Cot. *Billietiana*
Cloth of Gold.
 CLOTHILDA. DE.
 Clown. CAESAR.
clusiana
 COCHINEAL. DE.
 COLBERT. Biz.
 COLONEL ASTOR. Bre.
Columbus. GALA BEAUTY.
 COMMANDANT. SE.
 COMMON T. **T. gesneriana**.
 COMPETITOR. SE.
 COMTE DE FRESSON. Dar.
 *Comte de Vergennes. By.
 *Comte de Vergennes. SE.
 CON AMORE. SE.
 *Constance. Dar.
 *Constance. Rem.
 COPERNICUS. Bre.
Coquette d'Orange. ORANGE Co-
QUETTE.
 CORDELIA. Dar.
 CORIDION. Bro.
 CORNELIA. By.
Cornuta. **T. acuminata**.
 CORONATION SCARLET. Cot. *Henry Hudson*.
 CORYDON. Dar.
 COSETTE. Rem.
 COTOMANCHE. Biz.
 COTTAGE BOY. SE. *Village Boy*.
 COTTAGE MAID. SE. *La Precieuse*.
 COTTAGER. Cot.
 COTTON T. **T. oculus-solis**.
 COULEUR CAFE. Par. *Cafe Brun*.
 COULEUR CARDINAL. SE.
 COULEUR CRAMOISIE. SE.
 COUNT OF LEICESTER. DL.
 COURBET. Dar.
 COURONNE DE ROSES. DE. *Crown of Roses*.
 COURONNE d'OR. DE. *Crown of Gold*.
 COURONNE LUTEA. Cot.
 COURONNE ROYAL. DE.
 COURONNE TARDINE. Cot.
 *Cramoisi Brillant. Par.
 *Cramoisi Brillant. SE. *Sparkler*.
 CRAMOISI DONAT. By.
Cramoisi Pourpre. STANLEY.

TULIPA, TULIP, continued

CRAMOISI ROYAL. SE.
Cramoisi Superbe. ROZEKROON.
 CREPUSCULE. Dar.
 CRESTED CROWN. Cot.
 CRIMSON BEAUTY. Rem.
Crimson King. ROI CRAMOISI.
Crimson Pompadour. POMPADOUR.
 CRIMSON QUEEN. SE.
Crown of Gold. COURRONNE D'OR.
Crown of Roses. COURRONNE DE
 ROSES.
 CULLINAN. SE.
 CUYP. SE. *Slingerland.*
 CYCLOPS. Cot.
Cyclops. GOLDFINDER.
 CYGNET. Cot.
 DAINTY MAID. Cot.
 DAL ONGARO. Dar.
 DAME ELEGANTE. Cot.
dasystemon
Daubigny. *Washington.
 DAYBREAK. Cot.
 DE KEIZER. SE.
 DE SACY. DAR.
 DE VIEGER. SE.
 DE WET. SE. *Fireglow.*
 DEAN SWIFT. By.
 DELOBETTE. Rem.
 DESCARTES. Dar.
 DIADEM. SE. *Diademe.*
 DIAMOND. Cot.
 **Diana.* By.
 **Diana.* Dar.
 **Diana.* Rem.
 **Diana.* SE.
 didieri
didieri mauriana. *Mauriana.*
didieri planifolia. *Planifolia.*
Didieri alba. NIPHETOS.
 DIDIERI LUTESCENS
 DIDO. Cot.
Distinction. UNION JACK.
Dolores. LA TRISTESSE.
 DOM PEDRO. Bre.
 DON CARLOS. DE.
 DONDERS. Dar.
 DONNA MARIA. SE.
 DORIS. Cot.
 DOROTHY. Dar.
 DR. HARDY. Biz.
Drapeau Rouge. *Monument.

TULIPA, TULIP, continued

Dreadnought. VELVET KING.
 DREAM. *Reve de Jeunesse.* Dar.
 DRYAD. Bre.
 D. T. FISH. MRS. POTTER PALMER.
 DUC DE BERLIN. SE.
 DUC VAN THOL T. T. suaveolens.
 **Duc Van Thol Crimson.* SE.
 **Duc Van Thol Cochineal.* SE.
 **Duc Van Thol Maxima.* SE.
 **Duc Van Thol Orange.* SE.
 **Duc Van Thol Red.* DE.
 **Duc Van Thol Red and Yellow.* SE.
 **Duc Van Thol Rose.* DE.
Duc Van Thol Scarlet. SCARLET
 KING.
 **Duc Van Thol White Maxima.* SE.
 **Duc Van Thol Yellow.* DE.
 The repetition of the name *Duc Van Thol* is perhaps the most striking example to be found in Tulip of needless duplication. The fact that *Duc Van Thol Scarlet* was changed to *Scarlet King* shows the ease with which all the duplications could have been avoided.
 DUCHESS OF HOHENBERG. Dar.
Duchess of Westminster. YOLANDE.
 DUCHESSE DE PARME. SE.
 DUKE OF EDINBURGH. Bre.
 DUKE OF HOLLAND. By.
 DUKE OF MONTROSE. Biz.
 DUKE OF PORTLAND. Dar.
 DUKE OF YORK. DE.
 DULCINEA. Cot.
 DUSART. SE.
 EARLY DAWN. Dar. *Albert Kellogg.*
 EARTH GLOBE. By.
 ECLIPSE. Dar.
 EDMEE. Dar. *Beauty.*
 EDOUARD ANDRE. Dar.
 eichleri
 EL TOREADOR. DE.
 ELDORADO. Cot.
 ELECTEUR DE COLOGNE. Biz.
 **Electra.* Dar.
 **Electra.* DE.
 ELEGANS. Cot.
 ELEGANS ALBA. Cot.
Elegans lutea maxima. GOLDEN
 SPIRE.
Elegans lutea pallida. LEGHORN
 BONNET.
 ELEGANS RUBRA. Cot.

TULIPA, TULIP, continued
ELEGANS VARIEGATA. Cot.
ÉLEONORA. SE. *Lac Eleonora*.
ELEPHANT. Dar.
ELIZABETH PEGG. Bre.
ELLEN WILLMOTT. Cot. *Miss Willmott*.
EMANUEL SWEERTZ. Dar.
EMERALD GEM. Cot.
EMMELINE. DE.
EMPEREUR DE MAROC. Biz.
EMPEROR. Biz.
ENCHANTRESS. SE.
EPAMINONDAS. SE.
ERGUSTE. Dar.
EROS. Rem.
ESATO. Dar.
ESOPUS. Rem.
ETHEL ROOSEVELT. Dar.
ETNA. DE.
ÉTOILE BRILLIANT. SE.
EUGENE DELACROIX. Dar.
EURASIAN. Cot.
EUROPE. Dar.
EUTERPE. Dar.
EXCELSIOR. Biz.
EXTREMITE D'OR. DE.
FABIOLA. SE. *Grand Duc de Russie*;
Jacht van Rotterdam.
Fairy. PANORAMA.
FAIRY QUEEN. Cot.
Fancy. KROESCHEL.
FANNY. Dar.
***Fantasy**. Par.
***Fantasy**. Rem.
***Farncombe Sanders**. Dar.
***Farncombe Sanders**. Rem.
Fashion. Mrs. POTTER PALMER.
FAUST. Dar.
Favorite. ROI DE SIAM.
FELICITAS. Bre.
FEU ARDENT. Bre.
FEU BRILLANT. Dar.
FEU D'ARTIFICE. Dar.
Fille Cherie. MAUVE CLAIR.
Fire Dome. WUURBAAK.
***Fire King**. DE.
***Fire King**. Dar.
FIREFLAME. SE.
FIREFLY. Cot.

TULIPA, TULIP, continued
FIREGLOW. Dar.
Fireglow. DE WET.
FLAMBEAU. Dar. *Torchlight*.
FLAMBOYANTE. By.
FLAME. Cot.
***Flamingo**. Dar.
***Flamingo**. SE. *Rose Hawk*.
FLAVA. Cot.
***Fleur de Marie**. Rem.
***Fleur de Marie**. Dar.
Florentina. T. *sylvestris*.
FLORENTINE T. T. *sylvestris*.
Floras Ornament. SIERAAD VAN
FLORA.
Fluweelen Mantel. VELVET GEM.
fosteriana
FRA ANGELICO. Dar.
FRANCOIS COPPEE. Bre.
FRANS HALS. Dar.
Fransche Kroon. GALA BEAUTY.
FRAULEIN AMBERG. Dar.
FRED MOORE. SE.
FULGENS. Cot.
Fulgens maxima lutea. MRS. MOON.
G. DE CORDONS. Dar.
GALA BEAUTY. Cot. *Columbus*;
Fransche Kroon.
***Galathea**. Dar.
***Galathea**. Rem.
galatica
GARIBALDI. Bre.
Garibaldi. ARTUS.
GEEFS. Dar.
HELLERT. Biz.
GENERAL KOHLER. Dar.
GENERAL NEY. Bre.
GEORGE HAYWARD. Biz.
GEORGE MAW. Dar.
GERARDA. Bre.
gesneriana. COMMON T.
Gesneriana albomarginata. SWEET
 NANCY.
Gesneriana alba oculata. ROSALIND.
Gesneriana aurantiaca. GLOBE OF
 FIRE.
Gesneriana aurantiaca maculata.
 ORANGE GLOBE.
Gesneriana ixiooides. IXIOIDES.
GESNERIANA LUTEA. Cot.

TULIPA, TULIP, continued

Gesneriana lutea pallida. MRS.
KEIGHTLEY.
Gesneriana macrospeila. MACRO-
SPEILA.
Gesneriana major. GESNERIANA
SPATHULATA.
GESNERIANA ROSEA. Cot.
GESNERIANA SPATHULATA. Cot.
Gesneriana major.
GIANT. Dar.
GIOVANNI. Dar.
GIPSY QUEEN. Dar.
GLADSTONE. DE.
GLARE OF THE GARDEN. Cot.
Maculata globosa grandiflora.
GLOBE DE RIGAUT. SE.
GLOBE OF FIRE. Cot. *Gesneriana*
aurantiaca.
GLOBE TERRESTRE. By.
GLORIA. Bre.
GLORIA MUNDI. Biz.
GLORIA NIGRORUM. By. *La Victor-
ieuse.*
GLORIA SOLIS. DE.
Gloriosa. PERFECTA.
GLORY. Dar.
*Glory of Holland. By.
*Glory of Holland. SE.
GLORY OF WALWORTH. Dar.
GLOW. Dar.
GODET PARFAIT. Bre.
GOLD CUP. Cot.
GOLD DUST. Cot.
Golden Beauty. BOUTON D'OR.
Golden Bronze. TOISON D'OR.
GOLDEN CROWN. Cot. *Yellow Crown.*
GOLDEN EAGLE. Cot.
GOLDEN ELLEN. SE.
GOLDEN GLORY. SE.
GOLDEN GOBLET. Cot.
GOLDEN HORN. SE.
GOLDEN KING. DE.
Golden King. TRAFALGAR.
GOLDEN LION. SE. *Golden Lion of*
Hillegom.
Golden Lion of Hillegom. GOLDEN
LION.
GOLDEN PEONY. DL. *Paeonie Gold.*
Golden Prince. YELLOW PRINCE.

TULIPA, TULIP, continued

GOLDEN QUEEN. SE.
GOLDEN SPIRE. Cot. *Elegans lutea*
maxima.
*Goldfinch. Bre.
*Goldfinch. SE.
GOLDFINDER. Bre. *Cyclops.*
GOLDFLAKE. Cot.
GOLDMINE. Cot.
Goliath. *Cardinal Manning.
GOUDVINK. Bre.
GRACE DARLING. SE.
GRAND CONQUERANT. Bre.
GRAND DUC KEIZEREKROON. SE.
Grand Duc de Russie. FABIOLA.
*Grand Maitre. Bre.
*Grand Maitre. DE.
*Grand Maitre. Dar.
GRAND MAITRE DE MALTA. SE.
GRAND MONARQUE. Bre.
GRAND VAINQUEUR. DE.
Great Samson. SAMSON.
GREAT SIMPSON. Bre.
greigi
GREIGI AUREA
GRENADE. Cot.
GRETCHEN. Rem.
Gretchen. MARGARET.
GREUZE. Dar.
*Gris-de-lin. DE.
*Gris-de-lin Pale. Bre.
GROOTE SAMSON. Biz.
GRYPHUS. Dar.
GUDIN. Dar.
GUSTAVE DORE. Dar.
H. J. ELWES. Dar.
hageri
HALLEY. By.
Hamlet. SOBRINA.
HAMMAR HALES. Cot.
HARLEQUIN. DE.
HARRY VEITCH. Dar. *Sir Harry*
Veitch.
HATFIELD PINK. Cot.
HAVANNA. Bre.
HEBE. Rem.
HECLA. Dar.
HECTOR. SE.
HELIANTHUS. DE.
HELOISE. Bre.

TULIPA, TULIP, continued
 HENNER. Dar.
 HENRI VILMORIN. Dar.
Henry Hudson. CORONATION SCARLET.
 HENRY WITTE. DE.
 HERALD. Dar.
 HEBE. Rem.
Hermann Schlegel. PRIMROSE QUEEN.
 HERODIADE. Dar.
 HERZOGIN VON HOHENBERG. Dar.
 HIPPOLYTA. Dar.
 HITCHCOCK. Dar. *Royal Crimson*.
 HOBBEMA. Cot.
Hobbema. LE REVE.
 HOMER. Dar.
 IBIS. SE.
Ida. BOUTON D'OR.
Iduna. JULIENNE.
 IDYLL. Cot.
 ILLUMINATOR. Cot.
 IMPERATOR RUBRORUM. DE.
Indian Chief. *Meyerbeer.
 ingens
 INGLESCOMBE PINK. Cot. *Salmon Queen*.
 INGLESCOMBE SCARLET. Cot.
 INGLESCOMBE YELLOW. Cot.
 INNOCENCE. Cot.
 INNOVATION. Cot.
 *Insulinde. Biz.
 *Insulinde. By.
 INTERNATIONAL. Dar.
 ISABELLA. Cot. *Blushing Bride*;
Shandon Bells.
 ISABELLINA. DL.
 ISIS. Dar.
 IXOIDES. Cot. *Gesneriana ixoides*.
Jacht van Rotterdam. FABIOLA.
 JACOB MARIS. Dar.
 JACOBA VAN BEIEREN. SE.
 JAFFA. Biz.
 JAMES WATT. Bre.
 JAMES WILD. Bre.
 JANETTE. SE.
 JAUNE APLATIE. SE.
 JAUNE D'OEUFS. Bre. *Sunrise*.
 JAUNE SUPREME. SE.
 JAVA CAFE. DL.
 JE MAINTIENDRAI. Dar. *Sentinel*.
 JEANNETTE. SE.
Jeffries. THORBECKE.

TULIPA, TULIP, continued
 JENNY. SE.
 J. G. BAKER. Dar. *Mr. J. G. Baker*.
John Bright. VAN BERGHEN.
 JOHN FRASER. Dar.
 JOHN RUSKIN. Cot.
 JONKHEER SCHORER. Dar.
 JOOST VAN DEN VONDEL. SE.
Joost Van den Vondel White. LADY BOREEL.
 JORDAENS. SE.
 JOSEPH CHAMBERLAIN. Dar.
Joseph Israels. THE SULTAN.
 J. REYNALT. Dar.
 JUBILEE. Dar.
 JULES FAVRE. Bre.
 JULES JANIN. SE.
Julie Virnot. PRINCESS ELIZABETH.
 JULIENNE. Rem. *Iduna*.
 *Jupiter. Biz.
 *Jupiter. Bre.
 *Jupiter. Cot.
 KALEIDOSCOPE. Cot.
 KATE GREENAWAY. Dar.
Katherine Havemeyer. AFTERGLOW.
 kaufmanniana
 KEIZERSKROON. SE.
 KENTUCKY. Dar.
 KEPLER. Dar.
 KING ARTHUR. By. *Roi de Prusse*.
 KING GEORGE. Dar.
 KING HAROLD. Dar. *Tiberius Winkler*.
 KING OF THE SCARLETS. SE.
 KING OF THE WHITES. SE.
 KING OF THE YELLOWS. SE.
 KINGFISHER. Cot.
Kingscourt. *Cardinal Manning.
 KLOPSTOCK. Bre.
 KOHINOOR. SE.
 kolpakowskiana
 KOLPAKOWSKIANA SPLENDENS
Koningskroon. Cot. ROYAL CROWN
 KROESCHEL. Biz. *Fancy*.
 LA BELLE JARDINIERE. Dar.
 LA CANDEUR. DE.
La Candeur. WHITE QUEEN.
La Candeur. PARISIAN WHITE.
La Circassienne. TRAFALGAR.
 *La Citadelle. Biz.
 *La Citadelle. DE.
 *La Coquette. DE.

TULIPA, TULIP, continued

**La Coquette.* Rem.
LA DOUCEUR. Bre.
LA FIANCÉE. Dar.
*i*La Grandesse.* Biz.
*i*La Grandesse.* DE.
LA GRANDEUR. SE.
LA GUIRLANDE. By.
LA HARPE. Bre.
LA JOYEUSE. Bre.
LA LATIERE. SE.
LA MERVEILLE. Cot.
LA NIGRESSE. DE.
*i*La Negrette.* Bre. *Chestnut La Nuit.*
*i*La Negrette.* Cot.
La Nuit. *LA NEGRETTE.*
LA PANACHEE. Cot. *La Ravissante Marie de Medicis.*
LA PARFAITE. Bre.
LA PARISIENNE. Cot.
La Precieuse. COTTAGE MAID.
LA PRECIEUSE. Biz.
La Ravissante. *LA PANACHEE.*
LA REINE. SE. *Queen Victoria.*
LA REINE MAXIMA. SE.
LA REMARQUABLE. SE.
LA RIANTE. SE.
LA ROSETTE. Cot.
LA SINGULIERE. Bre. *Lord Curzon*
LA TENDRESSE. By.
LA TRISTESSE. Dar. *Dolores.*
LA TRIUMPHANTE. SE.
LA TULIPE NOIRE. Dar.
LA TURQUOISE. Bre.
LA VICTOIRE. Bre.
La Victorieuise. GLORIA NIGRORUM.
LABURNUM. Biz.
LAC BAKHUYZEN. SE.
Lac Eleonora. ELEONORA.
LAC SANS PAREILLE. By.
LAC VAN HAARLEM. DE.
LAC VAN RHIJN. SE.
LADY BOREEL. SE. *Joost Van den Vondel White.*
LADY DERBY. SE.
LADY GODIVA. DE.
LADY GRANDISON. DE.
LADY GROSVENOR. Bre.
LADY PALMERSTON. DE.
LADY ROBERTS. Cot.
LADY STANLEY. By.

TULIPA, TULIP, continued

LAFAYETTE. Dar.
LANDELLE. Dar.
LANTERN. Dar. *Le Petit Blondin; Nizza.*
LAURENTIA. Dar.
L'AURORA. DE.
LE BLASON. DE.
Le Cerisier. ROSE LA REINE.
LE DUEL. Biz.
LE MATADOR. DE.
LE MATELAS. SE.
LE MIROIR. Bre.
LE MOGUL. Bre.
Le Negre. NEGRO.
Le Petit Blondin. LANTERN.
LE PRINTEMPS. Rem.
LE REVE. SE. *American Lac; Hobbema; Sarah Bernhardt.*
LEDA. Cot.
LEGHORN BONNET. Cot. *Elegans lutea pallida.*
LENOTRE. Dar.
*i*Leonardo da Vinci.* Dar.
*i*Leonardo da Vinci.* DE.
Leonardo da Vinci. MISS HALLEN.
LEOPOLD II. SE.
LEOPOLD DE ROTHSCHILD. Dar.
LES ETATS BELGES. By.
L'ESPÉRANCE. SE.
L'IMMACULEE. SE.
L'IMPORTANTE. Bre.
Lina. LADY PALMERSTON.
L'INCOMPARABLE. Cot.
L'INGENUE. Dar.
linifolia
Lina Schneider. PHYLLIS.
*i*L'Innocence.* Cot.
*i*L'Innocence.* DE.
L'INTERESSANTE. SE.
LIoba. Dar.
LION D'ORANGE. Cot.
LIVINGSTONE. Dar.
LONGFELLOW. Dar.
LORD BEACONSFIELD. DE.
LORD BYRON. Bre.
LORD COCHRANE. Bre.
Lord Curzon. *LA SINGULIERE.*
Lord Derby. MONT BLANC.
LORD ROSEBERY. DE.
LORD STANLEY. Bre.
LORD SUFFOLK. Bre.

TULIPA, TULIP, continued

LORD WELLINGTON. DL.
 LOUIS XIV. Bre.
**Louis XVI.* Biz.
**Louis XVI.* Bre.
 LOUIS CUSIN. Dar.
 LOUIS LENGLART. Dar.
 LOUIS MIMMEREL. Dar.
 LOUIS PASTEUR. SE.
**Louise de la Valliere.* Cot.
**Louise de la Valliere.* Dar.
 LOURENZELLY. SE.
 LOVELINESS. Dar.
lownei
 LUCIFER. Bre.
**Lucretia.* Cot.
**Lucretia.* DE.
 LUMINOSA. DE.
 LUNA. Cot.
 L'UNION. Biz. *Carnegie.*
L'Unique. BRUNHILDE.
 LUTEA. Par.
 LUTEA MAJOR. Par.
 MA COUSINE. DL.
 MABEL. Bre.
 MACKENZIE. Bre.
 MACROSPEILA. Cot. *Gesneriana*
macrospila.
maculata
Maculata globosa grandiflora. GLARE
 OF THE GARDEN.
 MADRAZZA. Dar.
 MADRAS. Bre.
 MAES. SE.
 MAHARAJAH. Dar.
Mahony. KING HAROLD.
 MAID OF HOLLAND. Cot. *Bridesmaid.*
 MAIDENS BLUSH. Dar. *Major*
Mason.
Maidens Blush. PICOTEE.
 MAITRE PARTOUT. Bre.
Major Mason. MAIDENS BLUSH.
 MANEAU. Dar.
 MARCELLA. Dar.
Marcellus Emants. QUEEN OF THE
 ROSES.
 MARCO SPADO. Rem.
 MARCONI. Dar.
 MARECHAL VICTOR. Bre.
 MARGARET. Dar. *Gretchen.*

TULIPA, TULIP, continued

Marginata. **Orange Perfection.*
Margot. **Mrs. Cleveland.*
Marie de Medicis. LA PANACHEE.
 MARIE LOUISE. Bre.
marjoletti
 MARKSMAN. Cot.
Markgraaf. MARKGRAAF VAN BADEN.
 MARKGRAAF VAN BADEN. Par.
Markgraaf.
 MARNIX VAN ST. ALDEGONDE. Dar.
 MARQUISE DE POMBAL. Biz.
 MARIAGE DE MA FILLE. DL.
 MARK TWAIN. Dar. *Beauty.*
 MARS. Cot.
 MARTINO CAPELLO. Dar.
 MARVEL. Cot.
 MARY HOLLIS. Bre.
 MASSACHUSETTS. Dar.
 MASSENET. Dar. *The Dove.*
 MATTIA. Dar.
Mauriana. *T. didieri mauriana.*
 MAUVE CLAIR. Dar. *Fille Cherie.*
 MAUVE QUEEN. Cot.
 MAX HAVELAAR. SE.
 MAY BLOSSOM. By.
 MAY PINK. Dar.
 MAY QUEEN. Dar. *Arentine Arend-*
sen.
 MCKINLEY. SE.
McMahon. TURENNE.
**Medea.* Bre.
**Medea.* Rem.
 MEDUSA. Dar.
 MELICETTE. Dar.
 MENTOR. Cot.
 MERRY MAID. Cot.
 METEOR. Dar.
**Meyerbeer.* Bre. *Indian Chief.*
**Meyerbeer.* Rem.
 MICHAEL ANGELO. Dar.
 MICHELIN. Dar. *Pink Pearl.*
**Mignon.* Dar.
**Mignon.* Rem.
 MILLET. Dar.
 MINE D'OR. Biz.
Minister Tak van Poortvliet. VAN
 POORTVLIET.
 MINISTER THORBECK. Dar.
 MINNIE HAUCK. DE.

TULIPA, TULIP, continued

MIRANDOLINE. Bre.
 MISS DORIS DIGGLE. Cot.
 MISS HALLEN. SE. *Leonardo da Vinci.*
 MISS JEKYLL. Cot.
 MISS NIGHTINGALE. SE.
 MISS WILLMOTT. DE.
Miss Willmott. ELLEN WILLMOTT.
 MME. BARROIS. Dar.
 MME. BONAPARTE. DL.
Mme. Bosboom Toussaint. CAR-MINEA.
 MME. DE STAEL. Bre.
 **Mme. Krelage.* Dar.
 **Mme. Krelage.* Rem.
 MME. FRYLINCK. SE. *Blushing Bride.*
 **Mme. Lethiery.* Bre.
 **Mme. Lethiery.* Dar.
 MME. RAVEN. Dar.
 MME. REMINA. By.
 MME. RILZE. By.
 MME. VIRNOT. Dar.
 MOLIERE. SE. *Nestor.*
 **Mon Tresor.* Bre.
 **Mon Tresor.* SE.
 MONS. DE FEASH. Biz. *Romeo.*
 MONS. SHERMETTE. Cot.
 MONSTRE ROUGE MAJOR. Par.
 MONT BLANC. SE. *Lord Derby.*
 MONT VESUVE. Bre.
 montana
Montana. Dar.
 MONTEFIORE. Biz.
 **Monument.* Cot.
 **Monument.* SE. *Drapeau Rouge; The Monument.*
Monument. PANORAMA.
 MOODY. Bre.
Moonbeam. **Yellow Queen.*
 MOONLIGHT. Cot.
 MORALIS. Dar.
 MOUCHERON. SE.
 MR. BURGER. SE.
 MR. FARNCOMBE SANDERS. Dar.
Mr. J. G. Baker. J. G. BAKER.
Mr. Stanley. STANLEY.
Mr. Van der Hoef. REVE d'OR.
Mr. Van Tubergen. VAN TUBERGEN.
 MRS. BARTON. Bre.

TULIPA, TULIP, continued

MRS. BEECHER STOWE. Bre.
 **Mrs. Cleveland.* Dar.
 **Mrs. Cleveland.* SE. Margot.
 MRS. ELWES. SE. *Backhuizen.*
 MRS. FRANCIS KING. Cot.
 MRS. JAMES ROBERTSON. Cot.
 MRS. KEIGHTLEY. Cot. *Gesneriana lutea pallida.*
 MRS. KERRELL. Cot.
Mrs. Krelage. MME. KRELAGE.
 MRS. LANGTRY. SE.
 MRS. MOON. Cot. *Fulgens maxima lutea.*
 MRS. POTTER PALMER. Dar. *Fashion; D. T. Fish.*
 MRS. STANLEY. Dar.
 MURILLO. DE. *Albano.*
 MYSTERY. Dar.
 MYSTERY OF INDIA. DE.
Narbonensis alba. SWEET NANCY.
 NAUTICUS. Dar. *Sir Edward Grey.*
 NECTAR. Cot.
 NEGRO. Dar.
 NELLY. SE.
 NEPTUNE. Bre.
Nestor. MOLIERE.
 **Newton.* By.
 **Newton.* Bre.
 NIGHT. Dar.
 NINON. Rem.
Niphetos. Cot. *Didieri alba.*
Nizza. LANTERN.
Noir Veritable. BLACK CHIEF.
 NONPAREIL. By.
Nora Ware. Dar.
 NORHAM BEAUTY. Cot.
 NORMA. DE.
 NORTH DAKOTA. Dar.
 OBELISQUE. SE.
oculus-solis. COTTON T.
 OLD GOLD. Cot.
 OLD TIMES. Bre.
 OLGA. Dar.
 OLIPHANT. Dar.
 OPAL. Bre.
OPAL QUEEN. Bre.
OPHIR d'OR. SE.
 ORANGE BEAUTY. Cot. *Prince of Orange.*

- | | |
|---|--|
| TULIPA, TULIP, continued | TULIPA, TULIP, continued |
| ORANGE COQUETTE. Cot. <i>Coquette d'Orange.</i> | PETER BARR. Dar. |
| ORANGE GLOBE. Cot. <i>Gesneriana aurantiaca maculata.</i> | PETRUS HONDIUS. Dar. |
| ORANGE KING. Cot. | Philanthrope. SANG DE BOEUF. |
| ORANGE NASSAU. DE. | PHILIPPE DE COMINES. Dar. |
| * <i>Orange Perfection.</i> Bre. | PHOEBUS. Bre. |
| * <i>Orange Perfection.</i> Dar. | PHRYNE. Cot. |
| ORANGE QUEEN. Cot. | PHYLLIS. Dar. <i>Lina Schneider.</i> |
| OREGON. Dar. | PICOTEE. Cot. <i>Maidens Blush.</i> |
| ORIANA. Cot. | PIENEMAN. Dar. |
| ORIENT. Cot. | PIERETTE. Rem. |
| ORION. Dar. | PINK BEAUTY. SE. |
| <i>orphanidea</i> | PINK ELEGANS. SE. |
| <i>ostrowskiana</i> | PINK PEARL. Bre. |
| * <i>Othello.</i> Biz. | <i>Pink Pearl.</i> MICHELIN. |
| * <i>Othello.</i> Dar. | PINK PERFECTION. SE. |
| OUIDA. Dar. | PIONEER. SE. |
| OVERWINNAAR. DL. <i>Belle Alliance.</i> | <i>Planifolia.</i> <i>T. didieri planifolia.</i> |
| OVIDIUS. Biz. | PLUTARCH. Bre. |
| <i>Paeonia Gold.</i> GOLDEN PEONY. | PLUTO. Cot. |
| <i>Paconie Red.</i> RED PEONY. | POLYPHEMUS. Biz. |
| PAINTED LADY. Dar. | <i>polychroma</i> |
| PALADIN. Bre. | POMONA. Dar. |
| <i>Pales.</i> SAES. | POMPADOUR. Cot. <i>Crimson Pompadour; The Coon.</i> |
| PALISSA. Dar. | PONCEAU SANS PAREIL. By. |
| PANAMA. SE. | PONCEAU TRANSPARENT. By. |
| PANORAMA. Bre. <i>Fairy; Monument</i> | POTGEITER. Dar. |
| PARIS. Dar. | <i>Pottebakker Scarlet.</i> VERBOOM. |
| PARISIAN WHITE. Cot. | POTTEBAKKER WHITE. SE. |
| PARISIAN YELLOW. Cot. <i>Annie;</i> <i>Vanguard.</i> | <i>Pottebakker Yellow.</i> ROYAL SOVEREIGN. |
| PARMESIANO. DE. <i>Rose Aimable.</i> | POTTER. SE. |
| PARTHENOPE. Dar. | POURPRE D'AFRIQUE. Bre. |
| PASSE MARATHON. Biz. | <i>praecox</i> |
| <i>patens.</i> <i>Browniana; Persica.</i> | <i>praestans.</i> <i>Suaveolens sylvestris.</i> |
| PAUL BAUDRY. Dar. | PRECIOSA. Par. |
| PAUL EUDEL. Dar. | PREMIER GLADSTONE. DE. |
| PAUL MOREELSE. SE. | PRESIDENT CLEVELAND. SE. |
| PAULINE. Dar. | * <i>President Lincoln.</i> Bre. |
| PEACHBLOSSOM. DE. | * <i>President Lincoln.</i> SE. <i>Queen of the Violets.</i> |
| PEARL. Cot. | PRESIDENT PERRIER. Dar. |
| PELICAN. SE. | * <i>President Taft.</i> Dar. |
| PELLEAS. Rem. | * <i>President Taft.</i> SE. |
| PENSEE AMERE. Dar. | * <i>Pride of Haarlem.</i> Dar. |
| PENSEE ROSE. DL. | * <i>Pride of Haarlem.</i> Rem. |
| PERFECTA. Par. <i>Gloriosa.</i> | PRIDE OF INGLEScombe. Cot. |
| <i>Perfection.</i> APRICOT. | Primrose. PRIMROSE GEM. |
| PERLE ROYALE. Cot. <i>Fashion.</i> | PRIMROSE BEAUTY. Cot. |
| PERLE SCHAEP. By. | <i>Primrose Dame.</i> PRIMROSE QUEEN. |
| <i>Persica. T. patens.</i> | PRIMROSE GEM. Cot. <i>Yellow Gem.</i> |

TULIPA, TULIP, continued

PRIMROSE QUEEN. SE. *Herman Schlegel; Primrose Dame.*
primulina
 PRINCE ALBERT. Bre. *Alice.*
 PRINCE DE GALITZIN. DL.
 PRINCE DE LIGNY. SE.
 PRINCE HENRY. By.
 *Prince Mauritz. Biz.
 *Prince Mauritz. Dar.
 PRINCE OF AUSTRIA. SE.
 PRINCE OF ORANGE. DE.
Prince of Orange. ORANGE BEAUTY.
 PRINCE OF NETHERLANDS. Dar.
 *Prince of Wales. Biz.
 *Prince of Wales. Bre.
 *Prince of Wales. DE.
 *Prince of Wales. Dar.
 PRINCESS ALICE. Dar.
 PRINCESS AMALIA. Dar.
 PRINCESS BEATRICE. DE.
 PRINCESS ELIZABETH. Dar. *Julie Virnot.*
 PRINCESS HELENE. SE.
 *Princess Juliana. Dar. *Sweetheart.*
 *Princess Juliana. SE.
 PRINCESS MARIANNE. SE.
 PRINCESS MARY. Dar.
 PRINCESS OF WALES. DE.
 PRINCESS STEPHANIE. By.
 PRINCESS WILHELMINA. SE. *Queen Wilhelmina.*
 PROCLES. Rem.
 PROFESSOR BALFOUR. Dar. *Aesculape.*
 PROFESSOR DONDERS. Dar.
 PROFESSOR FRANCIS DARWIN. Dar
 PROFESSOR M. FOSTER. Dar.
 PROFESSOR RAUWENHOF. Dar.
 PROFESSOR SCHOTEL. Bre.
 PROFESSOR SURINGAR. Dar.
 PROFESSOR WITTMACK. Dar.
 PROGRESSION. SE.
 PROSERPINA. SE. *Proserpine.*
 PROSPERITY. SE. *Reine des Reines.*
 PSYCHE. Dar.
pulchella
 PURITY. Rem.
Purity. TRAFALGAR.
 *Purple Crown. SE.
 *Purple Crown. DE.
 *Purple Crown. DL.

TULIPA, TULIP, continued

Purple King. VIOLA.
 *Purple Perfection. Bre.
 *Purple Perfection. Dar.
 PYGMALION. Dar.
 PYRAMIDE JAUNE. Biz.
 QUAIKNESS. Cot.
 QUASIMODO. Rem.
 *Queen Alexandra. Bre.
 *Queen Alexandra. Cot.
 *Queen Alexandra. SE.
 QUEEN EMMA. DE.
 QUEEN FLORA. SE.
 QUEEN MARY. Dar.
 QUEEN OF BRILLIANTS. Dar.
Queen of Pinks. PRINCESS WILHELMINA.
 *Queen of the Netherlands. DE.
 *Queen of the Netherlands. SE.
 QUEEN OF THE PINKS. DE.
 QUEEN OF THE ROSES. Dar. *Marcellus Emanls.*
Queen of the Violets. *President Lincoln.
Queen of the Whites. SE.
Queen of Violets. NONPAREIL.
 *Queen Victoria. Bre.
 *Queen Victoria. DE.
Queen Victoria. LA REINE.
 QUEEN WILHELMINA. Dar. *Reine Wilhelmine.*
Queen Wilhelmina. PRINCESS WILHELMINA.
 RACHEL RUISCH. SE.
 *Raphael. DE.
 *Raphael. Dar.
 RED KING. Dar.
 RED PEONY. DL. *Paeonie Red.*
 RED PRINCE. Rem.
 REINE DE CONGO. Biz.
 REINE DE HOLLANDE. By.
 REINE d'HONGRIE. By.
Reine des Reines. PROSPERITY.
 REINE NATHALIE. By.
Reine Wilhelmine. QUEEN WILHELMINA.
 REMBRANDT. SE.
 REMEMBRANCE. Dar.
 RETROFLEXA. Cot.
 RETROFLEXA SUPERBA. Cot.
 REV. H. EW BANK. Dar.
 REV. H. H. d'OMBRAIN. Dar.

TULIPA, TULIP, continued

REV. HARPUR CREWE. Dar.
 REV. WOLLEY-DOD. Dar.
 REVE d'OR. DE. *Mr. Van der Hoef; Yellow Murillo.*
Reve de Jeunesse. DREAM.
 REX RUBRORUM. DE.
 RIPPERDA. Dar.
 RISING SUN. SE.
 ROCOCO. Cot.
 ROI CRAMOISI. SE. *Crimson King.*
Roi de Prusse. KING ARTHUR.
 ROI DE SIAM. Bre. *Favorite.*
 ROI DES CERISES. By.
 ROI D'ISLANDE. Dar.
 ROI PEPIN. SE.
 ROI SOLEIL. Bre.
 ROMEO. Rem.
Romeo. MONS. DE FAESCH.
 RONALD GUNN. Dar.
 ROOS VAN DEKEMA. SE.
**Rosa Bella.* Cot.
**Rosa Bella.* Dar.
Rosalie. ARABELLA.
 ROSALIND. Cot. *Gesneriana alba oculata.*
 ROSAMUNDI HUYKMAN. SE.
Rose Aimable. PARMESIANO.
 ROSE APLATIE. SE.
 ROSE BEAUTY. Cot.
 ROSE BLANCHE. DE.
 ROSE CROWN. DE.
 ROSE d'AMOUR. DE.
 ROSE DE HOLLANDE. SE.
 ROSE DE LA MONTAGNE. DE.
 ROSE DE PRINTEMPS. DL.
 ROSE DE PROVENCE. SE.
 ROSE DES DAMES. Bre.
 ROSE GRIS-DE-LIN. SE.
Rose Gris-de-lin Superbe. AUGUSTA
Rose Hawk. **Flamingo.*
 ROSE LA REINE. SE. *Le Cerisier.*
 ROSE LUISANTE. SE.
 ROSE MIGNON. Cot.
 ROSE POMPON. DL.
 ROSE PRECOCE. SE.
 ROSE RIANTE. By.
Rose Superbe. STANLEY.
 ROSE TENDRE. SE.
 ROSEA PERFECTA. DE.

TULIPA, TULIP, continued

ROSETTE. By.
 ROSINE. DE.
 ROSY GEM. Rem.
Rouge Ebloissante. UNION JACK.
 ROXANE. Dar.
Royal Crimson. HITCHCOCK.
 ROYAL CROWN. Cot. *Koningskroon.*
 ROYAL SOVEREIGN. SE. *Pottebakker Yellow.*
 ROYAL STANDARD. SE. *Standaard Goud.*
 ROYAL WHITE. Cot.
 ROZEKROON. DE. *Cramoisi Superbe.*
 ROZENBURG. DE.
 RUBAN GRIS-DE-LIN. By. *Tableau de Rubens.*
 RUBRA MAJOR. Par.
 RUBRA MAXIMA. DE.
 RUBRA MONSTROSA MAJOR. Par.
 RUBY. Bre.
Ruby Queen. ADMIRAL TOGO.
 SAES. Par. *Pales.*
 SAFRANO. DE. *Brimstone Beauty; Brimstone; Tea Rose.*
 SALMON KING. Dar.
Salmon Queen. INGLESCOMBE PINK.
 SALMONEA. Dar.
 SALMONETTE. DE.
 SALAMANDER. Dar.
 SALOME. Rem.
 SALOMON. Bre.
 SALVANY. Dar.
 SALVATOR ROSA. DE.
 SAMSON. Bre. *Great Samson.*
SANG de BOEUF. Biz. *Philanthrope.*
 SANS SOUCI. Rem.
 SANSPAREIL. Bre.
 SAPPHO. Bre.
Sarah Bernhardt. LE REVE.
 SAUMAISE. Dar.
saxatilis
**Scarlet Beauty.* Dar.
**Scarlet Beauty.* SE.
**Scarlet Emperor.* Cot.
**Scarlet Emperor.* SE.
 SCARLET HAWK. SE.
 SCARLET KING. DE. *Duc Van Thol Scarlet.*
 SCARLET MAMMOTH. Cot.

TULIPA, TULIP, continued

SCARLET PERFECTION. Dar.
SCHOONOORD. DE.
SCOTIA. Cot.
SCYLLA. Dar.
SEMELE. Rem.
SENSATION. Par. *Violacea lutea*.
Sensation. BRONZE QUEEN.
Sentinel. JE MAINTIENDRAI.
SERPENTINE. Bre.
Shakespeare. ALPHONSE DAUDET.
Shandon Bells. ISABELLA.
SIERAAD VAN FLORA. Dar. *Floras
Ornament*.
SILVER CROWN. Cot.
SILVER QUEEN. Cot.
Sir Edward Grey. NAUTICUS.
SIR HARRY. Cot.
Sir Harry Veitch. Dar. HARRY
VEITCH.
SIR JOSEPH HOOKER. Dar.
SIR THOMAS HANBURY. Dar.
SIR THOMAS LIPTON. SE. CARLISLE.
SIR TREVOR LAWRENCE. Dar.
*Sirene. Cot.
*Sirene. Rem.
Slingerland. CUPP.
Snowdon. PARISIAN WHITE.
Snowdrift. *Washington.
SNOW-WHITE. DE.
SOBRINA. Bre. Hamlet.
SOCRATES. Bre.
SOLFATARE. Cot.
SOLFATERRE. SE.
SOPHROSYNE. Dar.
SPAENDONCK. SE.
Sparkler. *Cramoisi Brillant.
SPECIOSA. Par.
sprengeri
SPRING BEAUTY. Dar.
ST. JAMES. Bre.
ST. SIMON. Dar.
STANDARD GOLD. SE.
Standaard Goud. ROYAL STANDARD.
STANLEY. SE. *Cramoisi Pourpre*;
Mr. Stanley.
stellata. Chrysantha Kew.
Stenopetala. T. acuminata.
STRANGULATA PRIMULINA

TULIPA, TULIP, continued

STRIPED BEAUTY. Cot. Summer
Beauty.
suaveolens. DUC VAN THOL T.
Suaveolens sylvestris. T. praestantis.
SUBLIME DE VISCOUNT. Biz.
SULFERINA. Cot.
SULLY. Bre.
Sulphur Murillo. SAFRANO.
SULPHUR QUEEN. Cot.
Summer Beauty. STRIPED BEAUTY.
SUNBEAM. Cot.
SUNLIGHT. Cot.
Sunrise. JAUNE D'OEUF.
SUNSET. Cot. Billietiana Sunset.
*Superba. Biz.
*Superba. Bre.
SUPERINTENDENT. SE.
SURPASSE LION. Biz.
SUZANNA. Rem.
*Suzon. Dar.
*Suzon. Rem.
SWEET LAVENDER. Dar. William
Copland.
SWEET NANCY. Cot. *Gesneriana
albomarginata*; *Narbonensis alba*.
SWEETHEART. DE.
Sweetheart. *Princess Juliana.
SYBILLA MERIAM. Dar.
sylvestris. FLORENTINE T.
SYLVESTRIS MAJOR. Bot.
SYLVIA. Dar.
Tableau de Rubens. RUBAN GRIS-
DE-LIN.
TALMA. Bre.
Tak Van Poortvliet. VAN POORTVLIET.
Tea Rose. SAFRANO.
*Terracotta. Bre.
*Terracotta. Dar.
TEXAS. Dar.
THACKERAY. Dar.
THALIA. DE.
The Biscuit. BRONZE QUEEN.
THE BRIDE. Cot.
THE BISHOP. Dar.
The Coon. POMPADOUR.
The Dove. MASSENET.
THE FAWN. Cot.
THE INTERNATIONAL. Dar.
THE LIZARD. Cot.

TULIPA, TULIP, continued
The Monument. **Monument.*
 THE PEARL. SE.
 THE SHAH. Dar.
 THE SULTAN. Dar. *Joseph Israels.*
 THEMIS. Cot.
 THEODORE JORISSEN. Dar.
 THERESE SCHWARTZE. Dar.
 THETIS. Rem.
 THOMAS MOORE. SE.
 THORBECKE. Dar. *Jeffries.*
Tiberius Winkler. KING HAROLD.
 TITIAN. DE.
 TITANIA. Rem.
 TOISON D'OR. Cot. *Golden Bronze.*
 TORCH. Dar.
Torchlight. FLAMBEAU.
 TOREADOR. DE.
 TOURNESOL RED AND YELLOW. DE
 TOURNESOL YELLOW. DE.
 TRAFALGAR. Biz. *Golden King; La Circassienne; Purity.*
triphylla
 TRITON. Cot.
 TRIUMPHATOR. DE.
tubergeniana
 TURBAN VIOLET. DE. *Violet Fonce.*
 TURENNE. Bre. *McMahon.*
turkestanica. *Biflora turkestanica.*
 TWILIGHT. Cot.
 UNDINE. Rem.
 UNION JACK. Cot. *Rouge Eblouisante; Distinction.*
 UNIQUE. SE.
* *Urania.* Dar.
* *Urania.* Rem.
 VALENTIN. Dar.
 VALENTINE DE MILAN. Rem.
 VALERE. Dar.
 VAN BERGHEN. SE. *John Bright.*
 VAN BIEREN. Bre.
 VAN DER NEER. SE.
 VAN GOOYEN. SE.
 VAN JEHRING. Dar.
 VAN POORTVLIET. Dar. *Minister Tak Van Poortvliet; Tak Van Poortvliet.*
 VAN SCHILLER. Biz.
 VAN SPEYCK. Dar.
 VAN TUBERGEN. DE. *Mr. Van Tubergen.*
Vanguard. PARISIAN YELLOW

TULIPA, TULIP, continued
 VANITY. Dar.
 VELASQUEZ. DE.
 VELDHEER. By.
Velvet Gem. VELVET KING.
 VELVET GEM. DE. *Fluweelen Mantel*
 VELVET KING. Bre. *Dreadnought;*
Velvet Gem.
* *Venus.* By.
* *Venus.* Dar.
 VERBOOM. SE. *Pottebakker Scarlet*
* *Vermillon Brillant.* DE.
* *Vermillon Brillant.* SE.
 VERSAILLES. Dar.
 VERTUMNUS. Bre.
* *Vesta.* Cot.
* *Vesta.* Rem.
 VESUVIUS. SE.
 VICTOIRE D'OLIVIERA. Dar.
 VICTOR HUGO. Rem.
 VIKING. Dar.
Village Boy. COTTAGE BOY.
 VILLAGE MAID. Dar.
 VIOLA. Dar.
Violacea lutea. SENSATION.
 VIOLATA. Bre.
Violet Fonce. TURBAN VIOLET.
 VOILET QUEEN. Bre.
* *Virgilius.* Bre.
* *Virgilius.* DE.
 VIRGINALIS. Cot.
* *Virginia.* DE.
* *Virginia.* Dar.
 VIRIDIFLORA. Cot.
 VIRIDIFLORA PRAECOX. Cot.
 VIRGINALIS. Cot.
 VITELLINA. Cot.
 VONDEL. By.
 VULCAN. Bre.
 VUURBAAK. DE.
 WALLY MOSS. Dar.
 WALTER T. WARE. Cot.
 WAPEN VAN LEIDEN. SE.
* *Washington.* DL.
* *Washington.* Dar. *Daubigny.*
* *Washington.* SE. *Snowdrift.*
 WATERLILY. Cot.
 WATERLOO. SE. *Belle Alliance.*
 W. A. VIRULY-VERBRUGGE. Dar
* *Wedding Veil.* Dar.
* *Wedding Veil.* Rem.
 W. E. GLADSTONE. SE.

| | |
|---|--|
| TULIPA, TULIP, continued | |
| WHISTLER. Dar. | TUNG-OIL TREE Aleurites fordii |
| WHITE BEAUTY. SE. | TUNICA TUNICFLOWER |
| White Crown. ELEGANS ALBA. | saxifraga (<i>Petrorhagia saxifraga</i> Ag) |
| White Falcon. WHITE HAWK. | SAXIFRAGE TUNICFLOWER |
| WHITE HAWK. SE. Albion; White Falcon. | TUNICFLOWER Tunica |
| WHITE LUISANTE. SE. | SAXIFRAGE T. . . . T. saxifraga |
| WHITE PEONY. DE. | TUPELO Nyssa; N. sylvatica |
| WHITE QUEEN. Dar. <i>La Candeur</i> . | BIG T. N. aquatica |
| WHITE SWAN. SE. | TURF BLISTERCRESS |
| WILBERFORCE. Bre. | Erysimum ochroleucum |
| WILLEM DE ZWYGER. Bre. | TURFING DAISY |
| WILLIAM III. DE. | Chrysanthemum tchihatchewi |
| William Copland. SWEET LAVENDER. | TURKESTAN ASH, TURKESTAN BAR- |
| WILLIAM GOLDRING. Dar. | BERRY, etc. See ASH, BAR- |
| WILLIAM PIT. Dar. | BERRY, etc. |
| willmottae | TURKEYSBEARD |
| WODAN. By. | Xerophyllum; X. asphodeloides |
| WOUVERMAN. SE. | TURKSCAP Cactus |
| XERXES. By. | COMMON T. C. melocactus |
| Yellow Crown. GOLDEN CROWN | TURNIP Brassica rapa |
| YELLOW DARWIN. Dar. | <i>Indian-turnip</i> JACK-IN- |
| YELLOW GEM. Cot. Primrose Gem | THE-PULPIT: Arisaema triphyllum |
| Yellow Murillo. REVE D'OR. | TURNIP-CHERVIL |
| *Yellow Perfection. Bre. | Chaerophyllum bulbosum |
| *Yellow Perfection. DE. | TURTLEHEAD Chelone |
| YELLOW PICOTEE. Cot. | PINK T. C. lyoni |
| YELLOW PRINCE. SE. | ROSE T. C. obliqua |
| *Yellow Queen. Cot. | WHITE T. C. glabra |
| *Yellow Queen. SE. Moonbeam | TUSSILAGO COLTSFOOT |
| YELLOW ROSE. DL. | farfara COMMON C. |
| YOLANDE. Dar. <i>Duchess of West-</i> | TWAYBLADE Liparis |
| <i>minster</i> . | LILY T. L. liliifolia |
| YORK AND LANCASTER. Cot | LOESEL T. L. loeseli |
| ZANZIBAR. Dar. | TWINBLOOM |
| ZEBRA. Biz. | MEXICAN T. Bravaea geminiflora |
| ZEBRINA. Cot. | TWINFLOWER Linnaea |
| ZENOBIA. Rem. | AMERICAN T. L. borealis americana |
| ZEPHYR. Dar. | TWINFLOWER DOLICHOS |
| ZILVERVLIES. Cot. | Dolichos biflorus |
| ZOMMERSCHOON. Cot. | TWINLEAF Jeffersonia; J. diphylla |
| ZULEIKA. Rem. | TWINLEAF SAXIFRAGE, TWINLEAF |
| ZULU. Dar. | SQUILL, etc. See SAXIFRAGE, |
| ZWANENBURG. Dar | SQUILL, etc. |
| TULIPTREE | TWINPOD NINEBARK |
| Liriodendron; L. tulipifera | Physocarpus bracteatus |
| PYRAMID T. (L. t. pyramidale† Cy) | TWINSPUR Diascia |
| YELLOWEDGE T. (L. t. aureomarginatum† Cy) | ROSE T. D. barberae |
| TUMION Ag TORREYA | TWIST-ARUM |
| | Helicodiceros muscivorus |
| | TWISTED HEATH, TWISTED SUNDROPS, |
| | etc See HEATH, SUNDROPS, etc. |

| | |
|---|-----------------------------|
| TWISTEDSTALK | <i>Streptopus</i> |
| ROSY T. | <i>S. roseus</i> |
| TWCOLOR SAGE (<i>Salvia coccinea</i> <i>bicolor</i> Cy) | |
| TWO-ROW STONECROP | <i>Sedum oppositifolium</i> |
| TWO-WING SILVERBELL | <i>Halesia diptera</i> |
| TYPHA | <i>CATTAIL</i> |
| <i>angustifolia</i> | NARROWLEAF C. |
| <i>latifolia</i> | COMMON C. |
| TYROLEAN IRIS | <i>Iris cengialti</i> |
| UDO | <i>Aralia cordata</i> |
| ULEX | GORSE |
| <i>europaeus</i> | COMMON G. |
| <i>nanus</i> | DWARF G. |
| ULMARIA | FILIPENDULA |
| ULMUS | ELM |
| <i>alata</i> | WINGED E. |
| <i>americana</i> | AMERICAN E. |
| <i>campestris</i> (<i>procera</i> ; <i>surculosa</i>) | ENGLISH E. |
| <i>foliacea</i> (<i>nitens</i>) . | SMOOTHLEAF ELM |
| <i>fulva</i> | SLIPPERY E. |
| <i>glabra</i> (<i>montana</i> ; <i>scabra</i>) | SCOTCH E. |
| <i>hollandica</i> | HOLLAND E. |
| <i>laciiniata</i> | MANCHURIAN E. |
| <i>laevis</i> (<i>pedunculata</i>) . | RUSSIAN E. |
| <i>minor</i> (<i>sativa</i>) | LOCK E. |
| <i>montana</i> | U. <i>glabra</i> |
| <i>nitens</i> | U. <i>foliacea</i> |
| <i>parvifolia</i> | CHINESE ELM |
| <i>pedunculata</i> | U. <i>laevis</i> |
| <i>procera</i> | U. <i>campestris</i> |
| <i>pumila</i> | DWARF ASIATIC ELM |
| <i>racemosa</i> (<i>U. thomasi</i> Ag) | ROCK E. |
| <i>sativa</i> | U. <i>minor</i> |
| <i>scabra</i> | U. <i>glabra</i> |
| <i>serotina</i> | SEPTEMBER ELM |
| <i>suberosa</i> | |

This name has been used, erroneously, for U. *campestris* and for Corkbark Elm, hort. var. of U. *foliacea*.

ULMUS, continued

| | |
|---|----------------------|
| <i>surculosa</i> | U. <i>campestris</i> |
| <i>thomasi</i> Ag | U. <i>racemosa</i> |
| Hort. var. of <i>Ulmus</i> : | |
| BELGIAN ELM (<i>U. hollandica belgica</i> † Cy; <i>latifolia</i> ; <i>campestris latifolia</i>) | |
| BLANDFORD E. (<i>U. h. superba</i> † Cy; <i>glabra superba</i>) | |
| BUSH E. (<i>U. glabra nana</i> † Cy) | |
| CAMPERDOWN E. (<i>U. g. camperdowni</i> † Cy; <i>camperdowni</i> ; <i>montana pendula</i>) | |
| CORKBARK E. (<i>U. foliacea suberosa</i> † Cy; <i>campestris suberosa</i>) | |
| CORNISH E. (<i>U. f. stricta</i> † Cy; <i>campestris cornubiensis</i> ; <i>campestris stricta</i>) | |
| DAMPIER GOLDEN E. (<i>U. f. dampieri</i> † Cy; <i>campestris dampieri</i> ; <i>glabra dampieri</i>) | |
| DOWNTON E. (<i>U. hollandica pendula</i> † Cy) | |
| DUMONT E. (<i>U. h. dumonti</i> † Cy) | |
| DUTCH E. (<i>U. h. major</i> † Cy; <i>campestris major</i> ; <i>major</i>) | |
| EXETER E. (<i>U. glabra fastigiata</i> † Cy; <i>plumosa</i> ; <i>plumosa pyramidalis</i>) | |
| FERNLEAF E. (<i>U. g. crispata</i> Cy) | |
| GLOBE E. (<i>U. foliacea umbraculifera</i> † Cy; <i>campestris umbraculifera</i> ; <i>umbraculifera</i>) | |
| GOLDEN AMERICAN E. (<i>U. americana aurea</i> † Cy) | |
| GOLDENWILLOW E. (<i>viminalis aurea</i> ; <i>procera viminalis aurea</i>) Hort. var. of U. <i>campestris</i> . | |
| HUNTINGDON E. (<i>U. hollandica vegeta</i> † Cy; <i>campestris vegeta</i> ; <i>huntingdoni</i> ; <i>vegeta</i>) | |
| ITALIAN E. (<i>U. foliacea italica</i> † Cy) | |
| KLEMMER E. (<i>campestris clemmeri</i> ; <i>clemerti</i> ; <i>klemeri</i>) Hort. var. of U. <i>hollandica</i> . | |
| MONUMENT E. (<i>U. foliacea monumentalis</i> † Cy; <i>campestris monumentalis</i>) | |

BOLD-face=approved scientific names. *ITALIC*=synonyms or unapproved names.

ULMUS (Hort. var.), continued

- PURPLELEAF ENGLISH ELM (*Ulmus campestris purpurea*† Cy; *glabra purpurea*; *purpurea*)
 PURPLELEAF SCOTCH E. (*U. glabra atropurpurea*† Cy)
 REDTWIG E. (*U. g. rubra*† Cy)
 TABLETOP E. (*U. g. pendula*† Cy; *montana horizontalis*)
 TARTAN E. (*Ulmus foliacea variegata*† Cy)
 THREELOBE E. (*U. glabra grandidentata*† Cy)
 VANHOUTTE E. (*U. campestris vanhouttei*† Cy)
 VARIEGATED ENGLISH E. (*U. c. variegata*† Cy)
 WEEPING AMERICAN E. (*U. americana pendula*† Cy)
 WEEPING SMOOTHLEAF E. (*U. foliacea pendula*† Cy)
 WENTWORTH WEEPING E. (*U. campestris wentworthii*† Cy; *campestris pendula*; *wentworthii*)
 WHEATLEY E. (*U. foliacea wheatleyi*† Cy; *campestris wheatleyi*)
 WILLOW E. (*U. campestris viminalis*† Cy)
 WREDE E. (*U. foliacea wredei*† Cy; *glabra wredei*)

UMBELLULARIA

CALIFORNIA-LAUREL
californica . . CALIFORNIA-LAUREL

UMBILICUS . . . COTYLEDON

UMBRELLA HORSECHESTNUT, UMBRELLA LOCUST, etc. See HORSECHESTNUT, LOCUST, etc.

UMBRELLALEAF

Diphyllea; *D. cymosa*

UMBRELLA-PINE

Sciadopitys verticillata

UMBRELLA-SEDGE

Cyperus alternifolius

SLENDER U. (*C. a. gracilis*† Cy)

STRIPED U. (*C. a. variegatus*† Cy)

UMBRELLA-TREE

TEXAS U.

Melia azedarach umbraculiformis

- UNICORNPLANT Martynia
 COMMON U. . . . M. louisiana
 SWEET U. . . . M. fragrans
 YELLOW U. . . . M. lutea

UNIFOLIUM Ag**MAIANTHEMUM**

- UNIOLA Uniola
latifolia BROADLEAF U.
 UPLAND CRANESBILL, UPLAND COTTON, etc. See CRANESBILL, COTTON, etc.

URAL FALSE-SPIREA

Sorbaria sorbifolia

URBINEA

agavooides (*Cotyledon agavooides*; *Echeveria agavooides*) CARPET URBINEA

- URGINEA SEA-ONION
scilla (*U. maritima* Ag; *Scilla maritima*) SEA-ONION

- URSINIA URSINIA
pulchra (*Sphenogynne speciosa*) ORANGE U.

URUGUAY GROUNDSEL

Senecio pulcher

- USSURIAN PEAR . . *Pyrus ussuriensis*
 UTAH HONEYSUCKLE

Lonicera utahensis

- UTRICULARIA BLADDERWORT
vulgaris COMMON B.

UVA GRASS . *Gynerium saccharoides*

- UVULARIA MERRYBELLS
grandiflora BIG M.
perfoliata WOOD M.
sessilifolia (*Oakesia sessilifolia* Cy) LITTLE MERRYBELLS

VACCINIUM BLUEBERRY

For horticultural varieties of Blueberry see the American Pomological Society's List of Fruits, in Appendix.

- angustifolium* Ag *V. pennsylvanicum*
canadense . . CANADA BLUEBERRY
corymbosum Highbush B.
erythrocarpum DINGLEBERRY
macrocarpon (*Oxycoccus macrocarpus*) CRANBERRY
membranaceum BIG WHORTLEBERRY
myrtillus EUROPEAN W.

VACCINIUM, continued

| | |
|--|---|
| ovatum | BOX BLUEBERRY |
| oxycoccus (<i>Oxycoccus palustris</i> Ag) | SMALL CRANBERRY |
| pallidum | BLUERIDGE BLUEBERRY |
| parvifolium | RED WHORTLEBERRY |
| pennsylvanicum (<i>V. angustifolium</i> Ag) | LOWBUSH BLUEBERRY |
| reticulatum | OHELO |
| stamineum (<i>Polycodium stamin-</i> <i>eum</i> Ag) | DEERBERRY |
| vacillans | DRYLAND BLUEBERRY |
| virgatum | RABBITYEYE B. |
| vitisidaea | COWBERRY |
| —minor | MOUNTAIN CRANBERRY |
| VAGNERA | SMILACINA |
| VALERIAN | Valeriana |
| COMMON V. | <i>V. officinalis</i> |
| GREEK-VALERIAN | |
| | <i>Polemonium caeruleum</i> |
| MARSH V. | <i>Valeriana uliginosa</i> |
| MOUNTAIN V. | <i>V. montana</i> |
| Red V. (<i>V. officinalis rubra</i> † Cy) | |
| SPUR-VALERIAN | |
| | <i>Centranthus macrosiphon</i> |
| WHITE VALERIAN (<i>Valeriana offici-</i> <i>nalis alba</i> † Cy) | |
| VALERIANA | VALERIAN |
| alba | |
| | This name has been used, erroneously, for White Jupitersbeard, hort. var. of <i>Centranthus ruber</i> , and for White Valerian, hort. var. of <i>Valeriana</i> <i>officinalis</i> . |
| coccinea | <i>Centranthus ruber</i> |
| montana | MOUNTAIN VALERIAN |
| officinalis | COMMON V. |
| rubra | <i>Centranthus ruber</i> |
| uliginosa | MARSH VALERIAN |
| Hort. var. of <i>Valeriana</i> : | |
| RED VALERIAN (<i>Valeriana offici-</i> <i>nalis rubra</i> † Cy) | |
| WHITE V. (<i>V. o. alba</i> † Cy) | |
| VALERIANELLA | |
| olitoria | CORNSALAD |
| VALLARIS | VALLARIS |
| heynei | BURMA V. |
| VALLEY GRAPE | <i>Vitis girdiana</i> |
| VALLEY-MAHOGANY | |
| | <i>Cercocarpus parvifolius</i> |
| VALLISNERIA | |
| spiralis | WILDCELERY |

VALLOTA

purpurea SCARBORO-LILY

VANDA

See ORCHID GENERA.

VANHOUTTE BELLFLOWER, VAN-
HOUTTE ELM, etc. See BELL-
FLOWER, ELM, etc.

VANILLA

See ORCHID GENERA.

VANILLA *Vanilla*
CAROLINA-VANILLA

Trilisa odoratissima

* MEXICAN V. *Vanilla planifolia*

SOUTH AMERICAN V. . . . *V. aromatica*

VARIABLE OAK. *Quercus heterophylla*

VARIEGATED BOUGAINVILLEA, VARIE-
GATED CORALBERRY, etc. See
Bougainvillea, CORALBERRY, etc.

VAUANTHES Ag

GRAMMANTHES

VEGETABLE-OYSTER

Tragopogon porrifolius

VEINY BUCKTHORN, VEINY SYCA-
MORE MAPLE, etc. See BUCK-
THORN, MAPLE, etc.

VEITCH ARALIA, VEITCH BUTTERFLY-
BUSH, etc. See ARALIA, BUTTER-
FLYBUSH, etc.

VELVET CACTUS, VELVET CENTAUREA,
etc. See CACTUS, Centaurea, etc.

VELVETBEAN *Stizolobium*

CHINESE V. *S. niveum*

COWAGE *S. pruriens*

DEERING V. *S. deeringianum*

YOKOHAMA V. *S. hassjoo*

VENUS FLYTRAP, VENUS LOOKING-
GLASS, etc. See FLYTRAP, LOOK-
INGGLASS, etc.

VENUSBUTTON *Omphalodes verna*

WHITE V. (*O. v. alba*† Cy)

VERATRUM FALSE-HELLEBORE
viride AMERICAN F.

VERBASCUM MULLEIN
longifolium pannosum (*pannosum*)

GOLDEN GATE MULLEIN

nigrum BLACK M.

olympicum OLYMPIC M.

phoeniceum PURPLE M.

VERBENA VERBENA

aubletia *V. canadensis*

VERBENA, continued

- bipinnatifida* . . . DAKOTA VERBENA
canadensis (*aubletia*) . . . ROSE V.
citriodora . . . Lippia citriodora
erinooides . . . MOSS VERVAIN
hastata . . . BLUE VERVAIN
hybrida

A name loosely and erroneously used by gardeners for the Garden Verbena, a group of hybrids derived from several species.

montana

A name often used erroneously for *V. bipinnatifida* and *V. canadensis*.

teucrioides . . . FRAGRANT VERBENA
venosa TUBER V.

Hort. var. of Verbena:

Many horticultural varieties of Garden Verbena are in cultivation but their names have not yet been standardized.

- VERBENA *Verbena*
 DAKOTA V. *V. bipinnatifida*
 FRAGRANT V. *V. teucrioides*
 GARDEN V. Hort. var. of *Verbena*
 LEMON-VERBENA *Lippia citriodora*
 ROSE V. *Verbena canadensis*
 SANDVERBENA *Abronia*
 TUBER V. *Verbena venosa*
 Vervain *Verbena* species

VERMILION NASTURTIUM

Tropaeolum speciosum

- VERNA BARBERRY . . . *Berberis vernae*
 VERNAL WITCH-HAZEL, VERNAL IRIS,
 etc. See WITCH-HAZEL, IRIS, etc.

- VERNONIA IRONWEED
altissima TALL I.
arkansana *V. crinita*
baldwini BALDWIN IRONWEED
crinita (*arkansana*) BUR I.
fasciculata WESTERN I.
noveboracensis COMMON I.

- VERONICA SPEEDWELL
allioni ALLIONI S.
alpina ALPINE S.
amethystina *V. spuria*
andersoni ANDERSON SPEEDWELL
carna FLESH S.
decausata *V. elliptica*
elliptica SEACOAST SPEEDWELL
gentianoides GENTIAN S.
imperialis IMPERIAL S.
incana WOOLLY S.

VERONICA, continued

- longifolia* (*V. maritima* Ag)
 BEACH SPEEDWELL
 —*subsessilis* CLUMP S.
 See also hort. var. list below.

- maritima* Ag *V. longifolia*
pectinata COMB SPEEDWELL
 See also hort. var. list below.

- prostrata* *V. teucrium* *prostrata*
repens CREEPING SPEEDWELL
rosea

This name is sometimes used, erroneously, for Pinkspike, Rosy, and Rosy Comb Speedwell, all in the hort. var. list below.

- rupestris* ROCK SPEEDWELL
 Hort. var. of *V. teucrium*.

- speciosa* SHOWY S.
spicata SPIKE S.
 See also hort. var. list below.

- spuria* (*amethystina*) . . . BASTARD S.
subsessilis . . . *V. longifolia* *subsessilis*
teucrium . . . HUNGARIAN SPEEDWELL
 —*prostrata* HAREBELL S.
 See also hort. var. list below.

- traversi* BUSH S.
virginica CULVERS-PHYSIC

Hort. var. of Veronica:

- HEATH SPEEDWELL (*spicata erica*)
 PINKSPIKE SPEEDWELL (*Veronica spicata rosea*† Cy)

- ROCK S. (*rupestris*) Hort. var. of
V. teucrium.

- Rosy S. (*V. longifolia rosea*† Cy)
 Rosy Comb S. (*Veronica pectinata rosea*† Cy)

- WHITESPIKE S. (*Veronica spicata alba*† Cy)

VERSAILLES CHERRY-LAUREL (*Laurocerasus officinalis versallensis*†)VERSCHAFFELTIA
 splendida

- VERVAENE ARBORVITAE, VERVAENE
 COLUMbine, etc. See ARBORVITAE, COLUMbine, etc.

- VERVAIN
 BLUE V. *Verbena hastata*
 Moss V. *V. erinooides*
 Vervain SAGE . . . *Salvia verbenaca*
 VESPER IRIS *Iris dichotoma*
 VESTA MARIPOSA *Calochortus luteus vestae*

| | |
|-------------------|----------------------|
| VETCH | Vicia |
| BITTERVETCH . . . | Lathyrus species |
| BROADBEAN | Vicia faba |
| COMMON V. | V. sativa |
| COW V. | V. cracca |
| CROWNVETCH . . . | Coronilla varia |
| GERARD V. | Vicia cracca gerardi |
| HAIRY V. | V. villosa |
| MILKVETCH | Astragalus |
| OROBUS V. | Vicia oroboides |
| VETCHLEAF SOPHORA | Sophora viciifolia |

| | |
|--------------------|-------------------|
| VI-APPLE | Spondias cytherea |
|--------------------|-------------------|

| | |
|-----------------------------------|---------------------|
| VIBURNUM | VIBURNUM |
| acerifolium | MAPLELEAF V. |
| affine Ag-Ar . . . | V. pubescens affine |
| —hypomalacum Ag-Ar | V. pubescens |
| alnifolium (<i>lantanoides</i>) | HOBBLEBUSH |
| americanum (<i>oxyccocos</i>) | |

AMERICAN CRANBERRYBUSH

| | |
|-----------------------------------|-----------------|
| bitchuiense . . . | YEDDO VIBURNUM |
| bracteatum | BRACTED V. |
| buddleifolium . . . | WOOLLY V. |
| burejaeticum . . . | MANCHURIAN V. |
| carlesi | FRAGRANT V. |
| cassinoides | WITHE-ROD |
| dentatum | ARROWWOOD |
| dilatatum | LINDEN VIBURNUM |
| ellipticum | OREGON V. |
| erosum | BEECH V. |
| furcatum | FORKED V. |
| hupehense | HUPEH V. |
| japonicum (<i>macrophyllum</i>) | JAPANESE V. |

| | |
|---------------------------------------|----------------|
| lantana | WAYFARING-TREE |
| See also hort. var. list on page 523. | |

| | |
|------------------------------|---------------|
| <i>lantanoides</i> | V. alnifolium |
| <i>lentago</i> | NANNYBERRY |
| <i>macrocephalum</i> | |

CHINESE VIBURNUM

See also hort. var. list, page 523.

| | |
|---|-------------------|
| <i>macrophyllum</i> | V. japonicum |
| <i>molle</i> | KENTUCKY VIBURNUM |
| The name V. molle is often misapplied to V. venosum and V. venosum canbyi. | |
| <i>nudum</i> | SMOOTH WITHE-ROD |
| — <i>nitidum</i> (<i>V. nudum angustifolium</i> Ag.) | SHINING WITHE-ROD |
| <i>odoratissimum</i> | SWEET VIBURNUM |

BOLD-face=approved scientific names.

VIBURNUM, continued

| | |
|-------------------------------------|------------------------|
| <i>opulus</i> | EUROPEAN CRANBERRYBUSH |
| See also hort. var. list, page 523. | |

| | |
|----------------------------|-------------------|
| <i>ovatifolium</i> | EGGLEAF VIBURNUM |
| <i>oxyccocos</i> | V. americanum |
| <i>plicatum</i> | JAPANESE SNOWBALL |

Hort. var. of V. tomentosum.

| | |
|---|----------------|
| <i>prunifolium</i> (<i>pyrifolium</i>) | BLACKHAW |
| <i>pubescens</i> (<i>V. affine hypomalacum</i> | |
| Ag-Ar) | DOWNY VIBURNUM |
| — <i>affine</i> (<i>V. affine</i> Ag-Ar) | MISSOURI V. |

| | |
|--|------------|
| <i>pubescens</i> Ag-Ar | V. venosum |
| The type of V. pubescens has been found to be the plant usually known as V. venosum, and the name is now used by many botanists for that species. | |

| | |
|-----------------------------|----------------------|
| <i>pyrifolium</i> | V. prunifolium |
| <i>rhtidophyllum</i> | LEATHERLEAF VIBURNUM |

| | |
|----------------------------|-------------------|
| <i>rufidulum</i> | SOUTHERN BLACKHAW |
| <i>rugosum</i> | |

| | |
|------------------------------|--|
| WRINKLELEAF WAYFARING-TREE | |
| Hort. var. of V. tomentosum. | |

| | |
|--|------------------|
| <i>sandankwa</i> | V. suspensum |
| <i>sargentii</i> SARGENT CRANBERRYBUSH | |
| <i>sieboldii</i> | SIEBOLD VIBURNUM |

sterile This name is often applied, erroneously, to Chinese Snowball and to Common Snowball, both in the hort. var. list, page 523.

| | |
|---------------------------------------|--------------------|
| <i>suspensum</i> (<i>sandankwa</i>) | SANDANKWA VIBURNUM |
| <i>theiferum</i> | TEA V. |
| <i>tinus</i> | LAURUSTINUS |

See also hort. var. list, page 523.

| | |
|------------------------------|---------------------|
| <i>tomentosum</i> | DOUBLEFILE VIBURNUM |
| — <i>lanceatum</i> | LANCE V. |
| — <i>parvifolium</i> | |

| | |
|-------------------------------------|--|
| LITTLELEAF JAPANESE V. | |
| See also hort. var. list, page 523. | |

| | |
|---|------------|
| <i>utile</i> | SERVICE V. |
| <i>veitchi</i> | VEITCH V. |
| <i>venosum</i> (<i>V. pubescens</i> Ag-Ar, not | |

V. pubescens of this catalogue)

| | |
|--|----------------|
| VEINY VIBURNUM | |
| — <i>canbyi</i> (<i>V. pubescens canbyi</i> Ag) | CANBY VIBURNUM |

wrighti WRIGHT V.

ITALIC=synonyms or unapproved names.

Hort. var. of Viburnum:

- CHINESE SNOWBALL (*V. macrocephalum sterile† Cy*)
 COMMON S. (*V. opulus sterile† Cy*)
 DWARF CRANBERRYBUSH (*V. opulus nanum† Cy*)
 FUZZY LAURUSTINUS (*V. tinus hirtum† Cy*)
 JAPANESE SNOWBALL (*V. tomentosum plicatum†; V. t. plenum Cy; plicatum*)
 ROUNDLEAF JAPANESE VIBURNUM (*V. t. rotundifolium† Cy*)
 SHINING LAURUSTINUS (*V. tinus lucidum† Cy*)
 SPIRY L. (*V. t. strictum† Cy*)
 VARIEGATED L. (*V. tinus variegatum† Cy*)
 WRINKLELEAF WAYFARING-TREE (*V. lantana rugosum† Cy*)
 YELLOWFRUIT CRANBERRYBUSH (*V. opulus xanthocarpum† Cy*)
- VIBURNUM Viburnum**
AMERICAN CRANBERRYBUSH
V. americanum
 ARROWWOOD *V. dentatum*
 BEECH V. *V. erosum*
 BLACKHAW *V. prunifolium*
 BRACTED V. *V. bracteatum*
 CANBY V. *V. venosum canbyi*
 CHINESE SNOWBALL (*V. macrocephalum sterile† Cy*)
 CHINESE V. . . *V. macrocephalum*
 COMMON SNOWBALL (*V. opulus sterile† Cy*)
 DOUBLEFILE V. . . *V. tomentosum*
 DOWNY V. *V. pubescens*
 DWARF CRANBERRYBUSH (*V. opulus nanum† Cy*)
 EGGLEAF V. *V. ovatifolium*
 EUROPEAN CRANBERRYBUSH
V. opulus
 FORKED V. *V. furcatum*
 FRAGRANT V. *V. carlesii*
 HOBBLEBUSH *V. alnifolium*
 HUPEH V. *V. hupehense*
 JAPANESE V. *V. japonicum*
 JAPANESE SNOWBALL (*V. tomentosum plicatum†*)

VIBURNUM, continued

- KENTUCKY V. *Viburnum molle*
 LANCE V. *V. tomentosum lanceatum*
 LAURUSTINUS *V. tinus*
 LEATHERLEAF V. *V. rhytidophyllum*
 LINDEN V. *V. dilatatum*
 LITTLELEAF JAPANESE V.
V. tomentosum parvifolium
 MANCHURIAN V. *V. burejaeticum*
 MAPLELEAF V. *V. acerifolium*
 MISSOURI V. *V. pubescens affine*
 NANNYBERRY *V. lentago*
 OREGON V. *V. ellipticum*
 ROUNDLEAF JAPANESE V. (*V. tomentosum rotundifolium† Cy*)
 SANDANKWA V. *V. suspensum*
 SARGENT CRANBERRYBUSH
V. sargentii
 SERVICE V. *V. utile*
 SHINING WITHE-ROD
V. nudum nitidum
 SIEBOLD V. *V. sieboldii*
 SMOOTH WITHE-ROD *V. nudum*
 SOUTHERN BLACKHAW *V. rufidulum*
 SWEET V. *V. odoratissimum*
 TEA V. *V. theiferum*
 VEINY V. *V. venosum*
 VEITCH V. *V. veitchii*
 WAYFARING-TREE *V. lantana*
 WITHE-ROD *V. cassinooides*
 WOOLLY V. *V. buddleifolium*
 WRIGHT V. *V. wrightii*
 WRINKLELEAF WAYFARING-TREE
(*V. lantana rugosum† Cy*)
 YEDDO V. *V. bitchuiense*
 YELLOWFRUIT CRANBERRYBUSH (*V. opulus xanthocarpum† Cy*)
- VICIA VETCH**
cracca COW V.
gerardi GERARD V.
faba BROADBEAN
gerardi *V. cracca gerardi*
oroboides (*Orobus lathyroides*)
OROBUS VETCH
sativa COMMON V.
villosa HAIRY V.
- VICTORIA**
cruziana (trickeri)
SANTA CRUZ WATERLILY
regia ROYAL W.

VICTORIA BRAKE, VICTORIA FORGET-ME-NOT, etc. See BRAKE, FORGET-ME-NOT, etc.

VICTORIAN BOTTLETREE

Sterculia acerifolia

VIENNA HOUSELEEK

Sempervivum mettenianum

VIGNA COWPEA
catjang CATJANG-PEA
sesquipedalis (*Dolichos sesquipedalis*) ASPARAGUS-BEAN

sinensis COMMON COWPEA

VILMORIN DEUTZIA

Deutzia vilmoriniae

VINCA PERIWINKLE
herbacea HERBACEOUS P.
major BIGLEAF P.
minor COMMON P.
rosea (*Lochnera rosea* Ar.) MADAGASCAR P.

Hort. var. of *Vinca*:

BUTTERFLY PERIWINKLE (*V. minor variegata*† Cy)

DOUBLE COMMON P. (*V. m. flore-pleno* Cy)

GENTIAN P. (*V. m. caerulea*† Cy)

GOLDEN P. (*V. m. aurea*† Cy; *aurea*)

MOTTLED P. (*Vinca major variegata*† Cy)

PURPLE P. (*minor purpurea*; *purpurea*)

SILVERLEAF P. (*V. minor argentea variegata* Cy; *argentea*)

WHITE COMMON P. (*V. minor alba*† Cy; *alba*)

WHITESPOT P. (*V. major elegansissima*† Cy; *elegantissima*)

VINCETOXICUM

acuminatum

Cynanchum acuminatifolium japonicum . . . *C. acuminatifolium*

VINE

AMAZONVINE . . . *Stigmaphyllon*
BALLOONVINE

Cardiospermum halicacabum
BELLVINE . . *Rhodochiton* species

BUCKWHEAT-VINE

Brunnichia cirrhosa

CHALICE-VINE *Solandra*; *S. guttata*

CINNAMON-VINE *Dioscorea batatas*

CLOCKVINE *Thunbergia*

VINE, continued

CROSSVINE . . . *Bignonia capreolata*
CYPRESSVINE . . *Quamoclit pinnata*

FLEECEVINE . . *Polygonum* species

GLORYVINE *Vitis coignetiae*

HYDRANGEA-VINE

Schizophragma species

Lemonvine

BLADEAPPLE: *Pereskia aculeata*

MADEIRA-VINE

Boussingaultia baselloides

MATRIMONY-VINE . *Lycium* species

MONKSHOOD-VINE

Ampelopsis aconitifolia

Passionvine

PASSIONFLOWER: *Passiflora*

PEPPERVINE . *Ampelopsis arborea*

RUBBERVINE *Cryptostegia*

SILKVINE *Periploca*

SILVERVINE . . . *Actinidia polygama*

Tara Vine

BOWER ACTINIDIA: *A. arguta*

WIREVINE

Muehlenbeckia complexa

VINE MAPLE . . . *Acer circinatum*

VINELEAF LINDEN (*Tilia platyphyllos vitifolia*† Cy)

VIOLA VIOLET
admirabilis

VARIEGATED TUFTED PANSY

Hort. var. of *V. cornuta*.

blanda . . . SWEET WHITE VIOLET

californica *V. odorata*

canadensis . . . CANADA VIOLET
canina

This name is sometimes misapplied to *V. conspersa*. The true *V. canina* is a European species, not native in North America.

conspersa

cornuta TUFTED PANSY

See also hort. var. list, page 525.

cucullata . . . BLUE MARSH VIOLET

delphinifolia *V. pedatifida*

lanceolata . . . LANCELEAF VIOLET

lutea . . . EUROPEAN YELLOW V.

odorata (*californica*) . . . SWEET V.

palmata PALM V.

papilio BUTTERFLY TUFTED PANSY

Hort. var. of *V. cornuta*.

papilionacea . . BUTTERFLY VIOLET

pedata (*pedata bicolor*) BIRDSFOOT V.

VIOLA, continued

pedata lineariloba

LILAC BIRDSFOOT VIOLET

See also hort. var. list below.

pedatifida (delphinifolia)

LARKSPUR V.

pedunculata YELLOW PANSY V.*priceana* PRICE V.*pubescens* DOWNY YELLOW V.*rotundifolia* ROUNDLEAF V.*sagittata* ARROWLEAF V.*selkirki* SELKIRK V.*septentrionalis* NORTHERN BLUE V.*striata* CREAM V.*tricolor* COMMON PANSY

This is supposed to be the parent of the modern group of Violas known as Pansy.

walteri WALTER VIOLETHort. var. of *Viola* (other than *V. cornuta*):WHITE BIRDSFOOT VIOLET (*V. pedata alba*† Cy)Hort. var. of TUFTED PANSY, *V. cornuta*:

ADMIRATION

BLUE PERFECTION

BUTTERFLY (*V. c. papilio*† Cy; *papilio*)

G. WERMIG

PURPLE (*V. c. purpurea*† Cy)

PURPLE QUEEN

VARIEGATED (*V. c. admirabilis*† Cy; *admirabilis*)WHITE (*V. c. alba*† Cy)

WHITE PERFECTION

YELLOW GOLD (*cornuta lutea*)VIOLET *Viola*

AFRICAN-VIOLET

*Saintpaulia ionantha*ARROWLEAF V. *Viola sagittata*BIRDSFOOT V. *V. pedata*BLUE MARSH V. *V. cucullata*BUTTERFLY V. *V. papilionacea*CANADA V. *V. canadensis*COMMON PANSY *V. tricolor*CREAM V. *V. striata*DOWNY YELLOW V. *V. pubescens*EUROPEAN YELLOW V. *V. lutea*LANCLEAF V. *V. lanceolata*LARKSPUR V. *V. pedatifida*LILAC BIRDSFOOT V. *V. pedata lineariloba*

VIOLET, continued

NORTHERN BLUE V.

*Viola septentrionalis**PALM V.* *V. palmata**Pansy V.* BIRDSFOOT VIOLET*PRICE V.* *Viola priceana**ROUNDLEAF V.* *V. rotundifolia**SELKIRK V.* *V. selkirki**SWEET V.* *V. odorata**SWEET WHITE V.* *V. blanda**TUFTED PANSY* *V. cornuta**WALTER V.* *V. walteri**WHITE BIRDSFOOT V.* (*V. pedata alba*† Cy)YELLOW PANSY V. *V. pedunculata*VIOLET BOLTONIA, VIOLET BAMBOO,
etc. See *Boltonia*, BAMBOO, etc.VIOLETBUSH *Iochroma*ORANGE V. *I. fuchsoides*PURPLE V. *I. lanceolatum*

VIRGINIA

lutea *Cladrastis lutea*

VIRGINIA ARROW-ARUM, VIRGINIA

BLUEBELLS, etc. See ARROW-
ARUM, BLUEBELLS, etc.VIRGINS-BOWER *Clematis virginiana*WESTERN V. *C. ligusticifolia*

VISCARIA LYCHNIS

VISCUM

album EUROPEAN MISTLETOE

VITEX CHASTE-TREE

agnus-castus LILAC C.*negundo* NEGUNDO C.—*incisa* CUTLEAF C.

Hort. var. of Vitex:

WHITE CHASTE-TREE (*V. agnus-castus alba*† Cy)

VITIS

GRAPE

For horticultural varieties of Grape
grown for their fruit see American
Pomological Society's List of Fruits, in
Appendix.*aconitifolia* . . . *Ampelopsis aconitifolia**aestivalis* SUMMER GRAPE—*bourquiniana* . . . *BOURQUIN* G.*amurensis* AMUR G.*arizonica* CANYON G.*berlandieri* WINTER G.*bicolor* (*V. lecontiana* Ag.)

BLUELEAF G.

VITIS, continued

*bourquiniana**V. aestivalis**brevipedunculata*

Am-

*pelopsis heterophylla amurensis**californica* . . . CALIFORNIA GRAPE*candicans* . . . MUSTANG G.*capensis* . . . *Cissus capensis**champini* . . . CHAMPIN GRAPE*cineræa* . . . SWEET WINTER G.*coignetiae* . . . GLORYVINE*cordata* . . . *Ampelopsis cordata**cordifolia* . . . FROST GRAPE*davidi* . . . BRIER G.*discolor* . . . *Cissus discolor**doaniana* . . . DOAN GRAPE*girdiana* . . . VALLEY G.*henryana* . . . *Ampelopsis henryana**heterophylla* . . . *A. heterophylla**humulifolia* . . . *A. humulifolia**hypoglauca* . . . *A. hypoglauca**labrusca* . . . FOX GRAPE*lecontiana* Ag . . . *V. bicolor**linsecomi* . . . PINEWOODS GRAPE*longi* . . . LONGS G.*megalophylla* . . . *Ampelopsis megalophylla**monticola* SWEET MOUNTAIN GRAPE*oblonga* . . . *Cissus oblonga**pagnucci* . . . PAGNUCCI GRAPE*quadrangularis* . . . *Cissus quadrangularis**rhombifolia* . . . *C. rhombifolia**riparia* . . . *V. vulpina**rotundifolia* . . . MUSCADCINE GRAPE*rubra* . . . CAT G.*rupestris* . . . SAND G.*striata* . . . *Cissus striata**thomsonii* . . . *Ampelopsis thomsonii**vinifera* . . . EUROPEAN GRAPE*vulpina (riparia)* . . . RIVERBANK G.

VITTADINIA

triloba . . . *Erigeron mucronatus*

VOLUTARELLA

muricata (*Amberboa muricata* Ag.)

SPINY AMBERBOA

VOUACAPOUA Ag . . . ANDIRA

WAHLENBERGIA . . . ROCKBELL

The name of this genus under the American Rules is Cervicina.

gracilis (*vincaeflora*)

GENTIAN ROCKBELL

grandiflora *Platycodon grandiflorum*WAHOO (*Waahoo*)*Euonymus atropurpureus*

Wakerobin . . . TRILLIUM; Trillium

WALDSTEINIA

fragarioides . BARREN-STRAWBERRY

WALKING FERN, WALKING MAIDEN-

HAIR, etc. See FERN, MAIDEN-

HAIR, etc.

WALKINGSTICK

DEVILS-WALKINGSTICK

Aralia spinosa

WALKINGSTICK CACTUS

Opuntia imbricata

WALL CREEPER . . . Am-

*pelopsis quinquefolia murorum*WALLCRESS . . . *Arabis albida*DOUBLE W. Hort. var. of *A. albida*WALLFLOWER . . . *Cheiranthus*COMMON W. . . . *C. cheiri*MOROCCO W. . . . *C. semperflorens*WALLICH LILY . *Lilium wallichianum*WALNUT *Juglans*BLACK W. *J. nigra*BUSH W. (*J. regia fertilis* Cy)BUTTERNUT *J. cinerea*CALIFORNIA BLACK W. *J. californica*CHINESE W. . . . *J. cathayensis*

English W. . . . PERSIAN WALNUT

FERNLEAF W. (*Juglans regia lacinata* Cy)FLAT W. *J. sieboldiana cordiformis*HINDS W. *J. hindsii*JAPANESE W. . . . *J. sieboldiana*PERSIAN W. *J. regia*TEXAS W. *J. rupestris*WEEPING W. (*Juglans regia pendula* Cy)

For horticultural varieties of Butternut and Walnut grown for their nuts see American Pomological Society's List of Fruits and Nuts, in Appendix.

WALTER VIOLET . . . *Viola walteri*

WAND LYTHRUM, WAND BELLFLOWER

etc. See Lythrum, BELLFLOWER,

etc.

WANDERING-JEW

Tradescantia fluminensis

WANDERING-JEW ZEBRINA

*Zebrina pendula*WANDFLOWER *Sparaxis*
BIG W. *S. grandiflora*WARE ARBORVITAE (*Thuja occidentalis wareana*† Cy)WARMINSTER BROOM *Cytisus praecox*

WARNERIA Ag . . . GARDENIA

WARSCEWICZELLA

See ORCHID GENERA.

WARTY BARBERRY

Berberis verruculosa

WASHINGTON HAWTHORN, WASHINGTON LILY, etc. See HAWTHORN, LILY, etc.

WASHINGTONIA (NEOWASHINGTONIA) WASHINGTON PALM

filifera (*Brahea filifera*; *B. filamentosa*) CALIFORNIA WASHINGTON P.*robusta* (*W. gracilis* Cy; *W. sonorae* Cy) MEXICAN WASHINGTON P.

WATER BIRCH, WATER BUTTERCUP, etc. See BIRCH, BUTTERCUP, etc.

WATERCHESTNUT . *Trapa*; *T. natans*

WATERCRESS

Radicula nasturtium-aquaticum

WATERER DEUTZIA, WATERER LABURNUM, etc. See DEUTZIA, Laburnum, etc.

WATERFERN *Ceratopteris*WATERHEMLOCK *Cicuta*
SPOTTED W. *C. maculata*WATER-HYACINTH *Eichornia*
COMMON W. *E. crassipes*ROSY W. (*E. c. major*† Cy)SAWPETAL W. *E. azurea*WATERLEMON . . . *Passiflora laurifolia*WATERLETTUCE . . . *Pistia stratiotes*WATERLILY *Nymphaea*AMERICAN W. *N. odorata*AUSTRALIAN W. *N. gigantea*BLUE EGYPTIAN LOTUS *N. caerulea*CAPE W. *N. capensis*CAPE COD W. *N. odorata rosea*EUROPEAN WHITE W. *N. alba*FROG W. *N. flavovirens*HOPATCONG W. (*N. tuberosa maxima*† Cy)

WATERLILY, continued

LARGE EUROPEAN W. (*Nymphaea alba candidissima*† Cy)MAGNOLIA W. . . *Nymphaea tuberosa*
PALE ZANZIBAR W. (*N. capensis zanzibariensis azurea* Cy)PYGMY W. *N. tetragona*RED INDIA W. *N. rubra*
ROSY ZANZIBAR W. (*N. capensis zanzibariensis roscea* Cy)ROYAL W. *Victoria regia*SANTA CRUZ W. *V. cruziana*SEÑORITA W. . . *Nymphaea elegans*SIERRA LEONE W. *N. lotus dentata*SMALL AMERICAN W. (*N. odorata minor*† Cy)TABORA W. *N. ovalifolia*WHITE EGYPTIAN LOTUS . *N. lotus*WHITE MEXICAN W. . . *N. gracilis*YELLOW MEXICAN W. *N. mexicana*YELLOW PYGMY W. (*N. tetragona helvola*† Cy)ZANZIBAR W. *N. capensis zanzibariensis*See also hort. var. list under *Nymphaea*.WATERLOCUST . . . *Gleditsia aquatica*WATERMELON . . . *Citrullus vulgaris*

WATERPLANTAIN

Alisma; *A. plantago-aquatica*

WATERPOPPY

Hydrocleis; *H. nymphoides*WATERSHIELD . . . *Brasenia schreberi*WATERSHRUB *Leea*ELDERLEAF W. *L. sambucina*

WATER-SNOWFLAKE

*Nymphaoides indicum*WATERSOLDIER . . . *Stratiotes aloides*WATERWEED . *Elodea*; *E. canadensis*GIANT W. (*Elodea canadensis gigantea*† Cy)WATERWILLOW . *Decodon verticillatus*

WATSON MAGNOLIA, WATSON ROSE, etc. See MAGNOLIA, ROSE, etc.

WATSONIA BUGLELILY

The name of this genus under the American Rules is Meriana.

iridifolia . . . IRISLEAF BUGLELILY

Hort. var. of Watsonia:

WHITE BUGLELILY (*W. iridifolia obrienii*† Cy; *ardernei*)

WATTLE

BLACK W. *Acacia decurrens mollis*
COOTAMUNDRA W. . . . *A. baileyana*
GOLDEN W. *A. pycnantha*
GOSSAMER W.

A. longifolia floribunda

GREEN W. *A. decurrens*
HAIRY W. *A. pubescens*
PRICKLY W. *A. juniperina*
SILVER W. . . . *A. decurrens dealbata*

SYDNEY W. *A. longifolia*

WAUKEGAN JUNIPER (*Juniperus horizontalis douglasii* Cy)

WAVE ASTER *Aster undulatus*

WAVYLEAF PLANTAINLILY (*Hosta lancifolia undulata* Cy)

WAX Currant *Ribes cereum*

WAXGOURD *Benincasa hispida*

WAXMALLOW

Malvaviscus; M. arboreus

WAXMYRTLE *Myrica*

SOUTHERN W. *M. cerifera*

WAXPLANT *Hoya*

COMMON W. *H. carnosa*

Waxwork AMERICAN

BITTERSWEET: *Celastrus scandens*

WAYFARING-TREE *Viburnum lantana*

WRINKLELEAF W. (*V. lantana rugosum* Cy)

WEAKLEAF YUCCA . . . *Yucca flaccida*

WEAVERS-BROOM . . *Spartium junceum*

WEBB SELFHEAL *Prunella webbiana*

WEDDELL PALM . . *Cocos weddelliana*

WEDDINGFLOWER

CAPE-WEDDINGFLOWER

Dombeya natalensis

WEED

BINDWEED . . . *Convolvulus* species

BITTERWEED *Helenium tenuifolium*

BUGLEWEED *Lycopus*

BUTTERFLYWEED *Asclepias tuberosa*

CAPE-PONDWEED

Aponogeton distachyus

COTTONWEED . . *Diotis candidissima*

GOUTWEED *Aegopodium podagraria*

HAWKWEED *Hieracium*

IRONWEED *Vernonia*

JOE-PYE-WEED

Eupatorium purpureum

KNAPWEED *Centaurea nigra*

MILKWEED *Asclepias*

PICKERELWEED *Pontederia cordata*

WEED, continued

Pokeweed . . POKEBERRY: *Phytolacca*

ROSINWEED *Silphium*

SILVERWEED *Potentilla anserina*

SNAPWEED *Impatiens*

SNEEZEWEEED *Helenium*

WATERWEED *Elodea; E. canadensis*

WILLOW-WEED *Epilobium*

WEEPING ASPEN, WEEPING BEECH,
etc. See ASPEN, BEECH, etc.

WEIGELA (*DIERVILLA* Cy-Ag)

WEIGELA

All species of Weigela are classed under *Diervilla* by the Cyclopedias and other botanical authorities. Except as stated below, the species names are the same under either genus.

amabilis (*Diervilla florida* Cy-Ag)

ROSE WEIGELA

coreaeensis KOREAN W.

floribunda CRIMSON W.

hybrida

See horticultural varieties of Weigela,
below.

japonica JAPANESE WEIGELA

lutea *Diervilla sessilifolia*

praecox EARLY WEIGELA

rosea (*D. florida* Cy-Ag; *W. florida*)

PINK WEIGELA

sessilifolia . . . *Diervilla sessilifolia*

Hort. var. of Weigela:

ABEL CARRIÈRE

AVALANCHE

CONGO

CONQUETE

DAME BLANCHE

DESBOIS (*hybrida desboisi*)

DWARF VARIEGATED (*hybrida nana variegata*)

EVA RATHKE

GARDEN JAPANESE (*D. japonica hortensis* Cy)

GOLDEN (*looymansii aurea*)

GREENWAY (*hybrida groenewegeni*)

HENDERSON (*hybrida hendersoni*)

KOSTER (*hybrida kosteriana*)

KOSTER VARIEGATED (*kosteriana variegata*)

LARGE KOREAN (*coreaeensis arborea*)

LAVALLE (*hybrida lavallei*)

MME. LEMOINE

OTHELLO

RED (*hybrida incarnata*)

WEIGELA (Hort. var.), continued

- SILVEREDGE (*sieboldi argenteomarginata*)
- SNOW (*hybrida candida*)
- STELTZNER (*hybrida steltzneri*)
- VANHOUTTE (*hybrida vanhouttei*)
- VENUS (*venusta*; *D. florida venusta* Cy.). Hort. var. of *W. amabilis*
- VERSCHAFFELET (*hybrida verschaffeltii*)
- WHITE JAPANESE (*nivea*; *D. japonica alba* Cy)
- YELLOWEDGE (*luteomarginata*)
- WEIGELIA WEIGELA
- WELLINGTONIA SEQUOIA
- WELSH ONION . . . Allium fistulosum
- WELSHPOPPY . Meconopsis cambrica
- DOUBLE W. Hort. var. of *M. cambrica*.
- WENDLAND PALM Hydriastele wendlandiana
- WENTWORTH WEEPING ELM (*Ulmus campestris wentworthii*† Cy)
- WEST CHESTER HAWTHORN Crataegus fructuosa
- WEST INDIAN GHERKIN, WEST INDIAN MAHOGANY, etc. See GHERKIN, MAHOGANY, etc.
- WESTERN AZALEA, WESTERN CATALPA, etc. See AZALEA, Catalpa, etc.
- WHEAT Triticum aestivum
- BUCKWHEAT Fagopyrum
- WHEATLEY ELM (*Ulmus foliacea wheatleyi*† Cy)
- WHEEL LILY . Lilium medeoloides
- WHEELERSOTOL Dasylirion wheeleri
- WHITE ACONITE, WHITE ASH, etc. See ACONITE, ASH, etc.
- WHITEBARK BUCKEYE, WHITEBARK PINE, etc. See BUCKEYE, PINE, etc.
- WHITEBUD (*Cercis canadensis alba*† Cy)
- WHITECEDAR Chamaecyparis thyoides
- VARIEGATED W. (*C. t. variegata*† Cy)
- WHITECUP Nierembergia rivularis
- WHITECUP ANTHURIUM (*Anthurium scherzerianum album*† Cy)
- WHITE-EDGE IRIS, WHITE-EDGE MORNING-GLORY, etc. See IRIS, MORNING-GLORY, etc.
- WHITE-EYE LOBELIA, WHITE-EYE ROSE, etc. See LOBELIA, ROSE, etc.
- WHITE-IRONWOOD *Toddalia lanceolata*

WHITELEAF BUCKTHORN, WHITELEAF EVERLASTING, etc. See BUCKTHORN, EVERLASTING, etc.

WHITEMAT CERASTIUM (*Cerastium arvense compactum*† Cy)

WHITE-SAPOTE . . Casimiroa edulis
For cultivated varieties see WHITE-SAPOTE, in American Pomological Society's List of Fruits, in Appendix.

WHITESPIKE SPEEDWELL (*Veronica spicata alba*† Cy)

WHITESPOT PERIWINKLE, WHITESPOT THYME, etc. See PERIWINKLE, THYME, etc.

WHITESTRIPE SWEETFLAG (*Acorus gramineus variegatus*† Cy)

WHITETIP FALSE-ARBORVITAE, WHITETIP HEMLOCK, etc. See FALSE-ARBORVITAE, HEMLOCK, etc.

WHITEVEIN WINTERCREEPER (*Euonymus radicans reticulatus*†)

WHITLAVIA PHACELIA Draba

WHITLOWGRASS Arctic W. D. *fladnizensis*

PURPLE W. . . . D. *violacea*
ROCKBEAUTY D. *pyrenaica*

WHITNEY GODETIA Godetia grandiflora

WHORTLEBERRY BIG W. *Vaccinium membranaceum*

EUROPEAN W. . . . V. *myrtillus*
RED W. . . . V. *parvifolium*

WHORTLEBERRY WILLOW *Salix mytilloides*

WICHURIAN ROSE *Rosa wichuraiana*

WIER MAPLE (*Acer saccharinum wieri* Cy)

WIGANDIA caracasana
—macrophylla
imperialis
macrophylla W. *caracasana macrophylla*
vigieri

WILCOXIA poselgeri (*Cereus tuberosus*)

WILD CALLA, WILD GERANIUM, etc.
See CALLA, GERANIUM, etc.

WILDBERGAMOT Monarda fistulosa

Hairy W. . . . M. *mollis*
PURPLE W. . . . M. *fistulosa media*

WHITE W. Hort. var. of *M. fistulosa*

| | |
|--|------------------------------|
| WILDCELERY | Vallisneria spiralis |
| WILDGINGER | Asarum |
| ARUM W. | A. arifolium |
| CANADA W. | A. canadense |
| CURLY W. | A. reflexum |
| HEARTLEAF W. | A. virginicum |
| MOTTLED W. | A. shuttleworthii |
| WILDGOOSE PLUM | Prunus munsoniana |
| WILD-INDIGO | Baptisia |
| BLUE W. | B. australis |
| CREAM W. | B. bracteata |
| WHITE W. | B. leucantha |
| YELLOW W. | B. tinctoria |
| WILDRICE | Zizania |
| COMMON W. | Z. palustris |
| NORTHERN W. | Z. aquatica |
| WILD-RYE | Elymus |
| SIBERIAN W. | E. giganteus |
| WILDTHYME AZALEA | <i>Azalea serpyllifolia</i> |
| WILLMOTT ROSE, WILLMOTT WINTER-HAZEL, etc. | See ROSE, WINTER-HAZEL, etc. |
| WILLOW | Salix |
| ALMOND W. | S. amygdalina |
| AUSTRIAN W. (S. austriaca† Ar) | |
| AUTUMN W. | S. serissima |
| BABYLON WEEPING W. | S. babylonica |
| BALSAM W. | S. pyrifolia |
| BEAK W. | S. bebbiana |
| BEARBERRY W. | S. uva-ursi |
| BIGLEAF W. | S. grandifolia |
| BLACK W. | S. nigra |
| BLISTERED BRITTLE W. | Hort. var. of S. fragilis. |
| BLUELEAF W. | S. glaucocephala |
| BLUESTEM W. | S. irrorata |
| BRITTLE W. | S. fragilis |
| BROADLEAF W. (S. latifolia† Ar) | |
| BRONZE GOLDEN W. (S. vitellina britzensis† Cy) | |
| CLASPING PURPLE OSIER. | Hort. var. of S. purpurea. |
| COMMON OSIER | Salix viminalis |
| CREEPING W. | S. repens |
| CRICKETBAT W. | S. alba caerulea |
| DAPHNE W. | S. daphnoidea |
| DESERTWILLOW | Chilopsis |
| DWARF PUSSY W. | Salix tristis |
| EMERALD W. (S. viridis† Ar) | |

WILLOW, continued

| | |
|--|-------------------------------|
| GOAT W. | Salix caprea |
| GOLDEN W. | S. vitellina |
| GRAY W. | S. cinerea |
| HALBERD W. | S. hastata |
| HANKOW W. | S. matsudana |
| HEARTLEAF W. | S. cordata |
| JAPANESE WEEPING W. | S. japonica |
| KILMARNOCK W. (S. caprea pendula† Cy) | |
| LABRADOR W. | S. argyrocarpa |
| LAESTAD W. (S. laestadiana† Ar) | |
| LAMBERT PURPLE OSIER. | Hort. var. of S. purpurea. |
| LAUREL W. | S. pentandra |
| LONGLEAF W. | S. longifolia |
| LONGSTYLE W. | S. gracilistyla |
| MARSH W. | Hort. var. of Salix. |
| MYRTLE W. | S. myrsinoides |
| NIobe WEEPING W. | Hort. var. of Salix. |
| OLEANDER W. | S. nerifolia |
| OLIVELEAF W. | S. oleifolia |
| PEACHLEAF W. | S. amygdaloidea |
| PIPER W. | S. piperi |
| PRAIRIE W. | S. humilis |
| PRIMROSE-WILLOW | Jussiaea |
| PURPLE GOAT W. | Hort. var. of Salix. |
| PURPLE OSIER | Salix purpurea |
| PUSSY W. | S. discolor |
| PUZZLE W. (S. ambigua† Ar) | |
| PYGMY W. | S. herbacea |
| PYRAMIDAL WHITE W. | S. alba calva |
| RED W. (S. rubra† Ar) | |
| REUTER W. (S. reuteri† Ar) | |
| RINGLEAF WEEPING W. | (S. babylonica annularis† Cy) |
| ROSEMARY W. | S. incana |
| ROUND-EARED W. | S. aurita |
| ROYAL W. | S. regalis |
| RUSSIAN GOLDEN W. (S. vitellina aurea† Cy) | |
| SALAMON WEEPING W. | (S. salicifolia monit Cy) |
| SATIN W. | S. sitchensis |
| SHARPLEAF W. | S. acutifolia |
| SHINING W. | S. lucida |
| SIEBOLD W. | S. sieboldiana |

BOLD-face=approved scientific names. ITalic=synonyms or unapproved names.

WILLOW, continued

- SILKY W *Salix sericea*
- SILKY PURPLE OSIER. Hort. var. of *S. purpurea*.
- SILVER CREEPING W. (*S. repens argentea† Cy*)
- SPORT W. (*S. ludificans† Ar*)
- STIPULE W. (*S. stipularis† Ar*)
- TEA W. (*S. tetrapla† Ar*)
- TEALEAF W. *S. phyllicifolia*
- THURLOW WEEPING W.
 S. elegantissima
- TRIPLE W. (*S. sesquiteria† Ar*)
- VIOLET GOAT W. (*S. erdingeri† Ar*)
- WATERWILLOW
 Decodon verticillatus
- WEEPING GOLDEN W. (*Salix vitellina pendula† Cy*)
- WEEPING PURPLE OSIER (*S. purpurea pendula† Cy*)
- WHITE CRACK W. (*S. rubens† Ar*)
- WHITE W. *S. alba*
- WHORTLEBERRY W. S. *myrtilloides*
- WISCONSIN WEEPING W. (*Salix blanda† Cy*)
- WILLOW ACACIA, WILLOW AMSONIA,
etc. See ACACIA, Amsonia, etc.
- WILLOWLEAF COTONEASTER, WILLOW-
LEAF INULA, etc. See COTON-
EASTER, Inula, etc.
- WILLOW-WEED *Epilobium*
- HAIRY W. *E. hirsutum*
- WILMORE HEATH (*Erica wilmorei† Cy*)
- WILSON BARBERRY, WILSON BRAKE,
etc. See BARBERRY, BRAKE, etc.
- WINDMILL ORCHID, WINDMILL PALM,
etc. See ORCHID, PALM, etc.
- WINE GOOSEBERRY . . *Ribes inerme*
- WINEBERRY . *Rubus phoenicolasius*
- WINELEAF CINQUEFOIL
 Potentilla tridentata
- WINGED ELM, WINGED EUONYMUS,
etc. See ELM, Euonymus, etc.
- WINGLEAF BUTTERFLYFLOWER
 Schizanthus pinnatus
- WINGNUT *Pterocarya*
- CAUCASIAN W. . . . *P. fraxinifolia*
- CHINESE W. *P. stenoptera*
- JAPANESE W. *P. rhoifolia*
- REHDER W. (*W. rehderiana† Cy*)

- WINTER CLEMATIS, WINTER DAPHNE,
etc. See CLEMATIS, DAPHNE, etc.
- WINTER-ACONITE
 Eranthis; E. hyemalis
- DWARF W. *E. sibirica*
- WINTERBERRY
 COMMON W. *Ilex verticillata*
- MOUNTAIN W. *I. monticola*
- SMOOTH W. *I. laevigata*
- YELLOW W. (*I. l. herveyi† Cy*)
- WINTERBERRY EUONYMUS, WINTER-
BERRY CURRANT, etc. See
Euonymus, Currant, etc.
- WINTERCREEPER *Euonymus radicans*
- BABY W. Hort. var. of *E. radicans*
- BIGLEAF W. *E. r. vegetus*
- GLOSSY W. (*E. r. carrierei†*)
- SHARPLEAF W. *E. r. acutus*
- SILVEREDGE W. (*E. r. argenteomarginatus†*)
- WHITEVEIN W. (*E. r. reticulatus†*)
- WINTERCRESS *Barbarea*
- BITTER W. *B. vulgaris*
- EARLY W. *B. praecox*
- WINTERGREEN
 Gaultheria procumbens
- WINTERGREEN BARBERRY
 Berberis julianae
- WINTERHAZEL *Corylopsis*
- BUTTERCUP W. *C. pauciflora*
- GOTO W. *C. gotoana*
- SPIKE W. *C. spicata*
- VEITCH W. *C. veitchiana*
- WILLMOTT W. *C. willmottiae*
- WINTERSWEET . *Meratia; M. praecox*
- WINTERWISTERIA
 Millettia megasperma
- WIRESTEM FERN ASPARAGUS (*Asparagus plumosus tenuissimus† Cy*)
- WIREVINE . *Muehlenbeckia complexa*
- WISCONSIN WEEPING WILLOW (*Salix blanda† Cy*)
- WISETON BUTTERFLYFLOWER (*Schizanthus wisetonensis† Cy*)
- WISTERIA (WISTARIA) . WISTERIA
The name of this genus under the Ameri-
can Rules is Kraunhia.
- brachybotrys* *W. floribunda*
- alba* *W. venusta*
- chinensis* *W. sinensis*

WISTERIA, continued

- floribunda** (*brachybotrys*; *K. floribunda* Ag). JAPANESE WISTERIA
—macrobotrys Cy . . . *W. multijuga*
frutescens (*speciosa*; *K. frutescens* Ag) . . . AMERICAN WISTERIA
macrostachys (*K. macrostachys* Ag)
KENTUCKY WISTERIA
multijuga (*W. floribunda macrobotrys* Cy) LONGCLUSTER WISTERIA
sinensis (*chinensis*; *K. sinensis* Ag)
CHINESE WISTERIA
 The name *W. sinensis* is often misapplied to *W. floribunda*.
speciosa *W. frutescens*
venusta (*brachybotrys alba*)
SILKY WISTERIA

Hort. var. of Wisteria:

- ROSY WEEPING WISTERIA** (*W. multijuga rosea*†; *Wisteria floribunda rosea* Cy)
VARIEGATED JAPANESE W. (*W. floribunda variegata*† Cy)
VIOLET JAPANESE W. (*W. f. violacea*oplenia† Cy)
WHITE AMERICAN W. (*W. frutescens alba*† Cy)
WHITE CHINESE W. (*W. sinensis alba*† Cy)
WHITE WEEEPING W. (*W. multijuga alba*†; *W. floribunda alba* Cy)
YELLOW-EYE W. (*W. frutescens magnifica*† Cy; *magnifica*)

WISTERIA *Wisteria*
 See also hort. var. list above.

- AMERICAN W.** . . . *W. frutescens*
CHINESE W. *W. sinensis*
JAPANESE W. *W. floribunda*
KENTUCKY W. . . . *W. macrostachys*
LONGCLUSTER W. . . . *W. multijuga*
SILKY W. *W. venusta*

WINTERWISTERIA
Millettia megasperma

- WISTERIA BUTTERFLYBUSH**
Buddleia intermedia
- WITCH-HAZEL** *Hamamelis*
CHINESE W. *H. mollis*
COMMON W. *H. virginiana*
JAPANESE W. *H. japonica*
LEMON JAPANESE W. (*H. japonica zuccariniana*† Cy)

WITCH-HAZEL, continued

- PURPLE JAPANESE W.** (*Hamamelis japonica arborea*† Cy)
VERNAL W. *H. vernalis*
WITHE-ROD *Viburnum cassinoides*
SHINING W. *V. nudum nitidum*
SMOOTH W. *V. nudum*
WOADWAXEN *Genista tinctoria*
TALL W. *G. t. virgata*
WOLF HONEYSUCKLE, WOLF LILAC,
 etc. See HONEYSUCKLE, LILAC,
 etc.
WOLFBANE *Aconitum lycoctonum*
WONDER BELLFLOWER
Campanula mirabilis
WOOD BLUEGRASS, WOOD HAWTHORN,
 etc. See BLUEGRASS, HAWTHORN,
 etc.
WOODBETONY *Pedicularis*
EARLY W. *P. canadensis*
EUROPEAN W. *P. palustris*
SWAMP W. *P. lanceolata*
WOODBINE *Lonicera periclymenum*
AUTUMN W. (*L. p. serotina*† Cy)
DUTCH W. (*L. p. belgica*† Cy)
GOLDEN W. (*L. p. aurea*† Cy)
WOODFERN *Dryopteris*
BOOTT W. *D. boottii*
CLINTON W. *D. clintoniana*
COMMON W. *D. intermedia*
CRESTED W. *D. cristata*
DOWNY W. *D. dentata*
GLOSSY W. *D. viridescens*
GOLDIE FERN *D. goldiana*
LEATHER W. *D. marginalis*
MALE FERN *D. filixmas*
MARSHFERN *D. thelypteris*
MOUNTAIN W. *D. dilatata*
NARROW BEECHFERN *D. phegopteris*
NEW YORK FERN *D. noveboracensis*
OAKFERN *D. linnaeana*
SHAGGY W. *D. hirtipes*
TOOTHED W. *D. spinulosa*
WINGED W. *D. hexagonoptera*
WOOD-GOSSIP *Caesalpinia nuga*
WOODLAND FORGET-ME-NOT, WOOD-
LAND SUNFLOWER, etc. See FOR-
 GET-ME-NOT, SUNFLOWER, etc.
WOODRUFF *Asperula*
MISTY W. *A. hexaphylla*
ORIENTAL W. *A. orientalis*
SWEET W. *A. odorata*

| | | |
|--|--|---|
| WOODS ROSE | Rosa woodsii | WRINKLED BAMBOO, WRINKLED GOLD-ENROD, etc. See BAMBOO, GOLD-ENROD, etc. |
| WOODSIA | WOODSIA | WRINKLELEAF WAYFARING-TREE (<i>Vi-burnum lantana rugosum</i> † Cy) |
| <i>ilvensis</i> | RUSTY W. | |
| <i>obtusa</i> | COMMON W. | |
| <i>scopulina</i> | ROCKY MOUNTAIN W. | |
| WOODSORREL | | XANTHISMA |
| COMMON W. | Oxalis acetosella | <i>texanum</i> (<i>Centauridium drummondii</i>) |
| VIOLET W. | O. violacea | |
| WOODWARD ARBORVITAE (<i>Thuja occiden-talis woodwardii</i> Cy) | | XANTHOCERAS |
| WOODWARDIA | CHAINFERN | <i>sorbifolia</i> |
| <i>areolata</i> (<i>angustifolia</i> ; <i>Lorinseria areolata</i>) | CHAINFERN | XANTHORRHIZA |
| <i>chamissoi</i> | GIGANT C. | <i>ZANTHORHIZA</i> |
| <i>radicans</i> | EUROPEAN C. | |
| <i>virginica</i> (<i>Anchistea virginica</i>) | VIRGINIA C. | |
| <i>Woolflower</i> | FEATHER COCKSCOMB: <i>Celosia argentea</i> | XANTHOSOMA MALANGA |
| WOOLLY BETONY, WOOLLY BUCKEYE, etc. See BETONY, BUCKEYE, etc. | | <i>bataviense</i> DUTCH M. |
| WOOLLYBUTT | <i>Eucalyptus longifolia</i> | <i>lindeni</i> (<i>Phyllotaenium lindenii</i>) LINDEN M. |
| WORMWOOD | Artemisia | <i>maculatum</i> SPOTTED M. |
| BEACH W. | <i>A. stelleriana</i> | <i>marshalli</i> MARSHALL M. |
| COMMON W. | <i>A. absinthium</i> | <i>sagittifolium</i> YAUTIA |
| CUDWEED W. | <i>A. purshiana</i> | <i>violaceum</i> PRIMROSE MALANGA |
| FRINGED W. | <i>A. frigida</i> | XANTHOXALIS OXALIS |
| LOW SAGEBRUSH | <i>A. arbuscula</i> | XANTHOXYLUM ZANTHOXYLUM |
| MUGWORT | <i>A. vulgaris</i> | |
| ORIENTAL W. | <i>A. scoparia</i> | XERANTHEMUM |
| PIEDMONT W. | <i>A. montana</i> | <i>annuum</i> COMMON IMMORTELLE |
| ROMAN W. | <i>A. pontica</i> | XEROPHYLLUM TURKEYSBEARD |
| RUSSIAN W. | <i>A. sacrorum</i> | <i>aphodeloides</i> TURKEYSBEARD |
| SAGEBRUSH | <i>A. tridentata</i> | <i>tenax</i> BEARGRASS |
| SAWTOOTH W. | <i>A. serrata</i> | XOLISMA Ag LYONIA |
| SOUTHERNWOOD | <i>A. abrotanum</i> | XYLOBIUM |
| SWEET W. | <i>A. annua</i> | See ORCHID GENERA. |
| TARRAGON | <i>A. dracunculus</i> | |
| WORMWOOD SENNA | <i>Cassia artemisioides</i> | YAM <i>Dioscorea</i> |
| WREATH | | AIRPOTATO <i>D. bulbifera</i> |
| BRIDALWREATH | <i>Spiraea prunifolia</i> | CINNAMON-VINE <i>D. batatas</i> |
| SNOW-WREATH | | COCKSCOMB-YAM <i>Rajania pleioneura</i> |
| <i>Neviusia alabamensis</i> | | COMMON Y. <i>Dioscorea sativa</i> |
| WREATH ASTER, WREATH GOLDENROD, etc. See ASTER, GOLDENROD, etc. | | WINGED Y. <i>D. alata</i> |
| WREDE ELM (<i>Ulmus foliacea wredei</i> Cy) | | YAMA CHERRY |
| WRIGHT VIBURNUM <i>Viburnum wrightii</i> | | <i>Prunus serrulata sachalinensis</i> |

YARROW, continued

PINK YARROW (*Achillea millefolium rosea*† Cy)RED Y. (*A. m. rubra*† Cy)SIBERIAN Y. . . . *Achillea sibirica*SNEEZEWORT *A. ptarmica*SWEET Y. *A. ageratum*WOOLLY Y. *A. tomentosa*YARROW GILIA . . *Gilia achilleae*YATE-TREE . . . *Eucalyptus cornuta*YAUPON *Ilex vomitoria*YAUTIA *Xanthosoma sagittifolium*

YEDDO EUONYMUS, YEDDO SPRUCE, etc.

See *Euonymus*, SPRUCE, etc.

YEDDO-HAWTHORN

*Raphiolepis umbellata*ROUNDLEAF Y. (*R. u. ovata*† Cy)

YELLOW BEAMTREE, YELLOW BED-

STRAW, etc. See BEAMTREE, BED-

STRAW, etc.

YELLOWBAND IRIS . . *Iris ochroleuca*YELLOWBEARD IRIS . . *Iris boissieri*

YELLOWBELLS

. . *Emmenanthe*; *E. penduliflora*

YELLOWBERRY CURRANT, YELLOW-

BERRY PRIVET, etc. See Currant,

PRIVET, etc.

YELLOWEDGE ALGERIAN IVY, YEL-

LOWEDGE DAPHNE, etc. See Ivy,

DAPHNE, etc.

YELLOWEYE BUTTERCUP, YELLOW-

EYE WISTERIA, etc. See BUTTER-

CUP, WISTERIA, etc.

YELLOWFLAG IRIS . . *Iris pseudacorus*YELLOWFLAX . . *Reinwardtia trigyna*YELLOWFRUIT CRANBERRYBUSH (*Vi-*
burnumopulus xanthocarpum† Cy)

YELLOWHEAD ALYSSUM

*Alyssum rostratum*YELLOWLEAF EUROPEAN PRIVET (*Li-*
gustrum vulgare aureum† Cy)YELLOWNET JAPANESE HONEYSUCKLE
(*Lonicera japonica aureoreticu-*
lata† Cy)

YELLOW-OLEANDER

*Thevetia nerifolia*YELLOWROOT . . *Zanthorrhiza apiifolia*YELLOWSPOT HORSECHESTNUT (*Aescu-*
lus hippocastanum variegata† Cy)YELLOWSTRIPE SWEETFLAG (*Acorus calamus variegatus*† Cy)YELLOWTIP ORIENTAL SPRUCE (*Picea orientalis aureospicata*† Cy)YELLOWVEIN HYDRANGEA
*Hydrangea xanthoneura*YELLOW-WOOD . . *Cladrastis*; *C. lutea*CHINESE Y. *C. sinensis*YEMEN IRIS *Iris albicans*YEW *Taxus*BROOM Y. (*T. baccata erecta*† Cy)CANADA Y. *T. canadensis*CHESHUNT Y. Hort. var. of *T. baccata*.CHINESE Y. *T. cuspidata chinensis*DOVASTON Y. (*Taxus baccata dobastoni*† Cy)DWARF JAPANESE Y. (*T. cuspidata nana*† Cy)ENGLISH Y. *T. baccata*GOLDEN ENGLISH Y. (*T. baccata aurea*† Cy)GOLDEN IRISH Y. Hort. var. of *T. baccata*.GOLDTIP JAPANESE Y. (*T. cuspidata aurescens*† Ar)HICKS Y. (*T. media hicksii*† Ar)IRISH Y. (*T. baccata fastigiata*† Cy)JACKSON Y. (*T. b. jacksonii*† Cy)JAPANESE Y. *T. cuspidata*PACIFIC Y. *T. brevifolia*PLUM-YEW *Cephalotaxus*PROSTRATE ENGLISH Y. (*Taxus baccata procumbens*† Cy)SHORTLEAF ENGLISH Y. (*T. b. adpressa*† Cy)SPREADING ENGLISH Y. (*T. b. repandens*† Cy)VARIEGATED ENGLISH Y. (*T. b. argentea*† Cy)VARIEGATED IRISH Y. Hort. var. of *T. baccata*.WASHINGTON Y. (*T. b. washingtonii*† Cy)YELLOW DOVASTON Y. Hort. var. of *T. baccata*.YELLOWBERRY Y. (*T. b. luteobaccata*† Cy)

YEW PODOCARPUS

Podocarpus macrophylla

YLANG-YLANG

Canangium; *C. odoratum*
YODOGAWA AZALEA . *Azalea yodogawa*
YOKOHAMA VELVETBEAN

Stizolobium hassjoo
YOSHINO CHERRY . *Prunus yedoensis*
YOUNGS CYPRESS, YOUNGS SUNDROPS,
etc. See CYPRESS, SUNDROPS, etc.

YUCCA *YUCCA*
The common name *Yucca* applies also
to species of the allied genera *Hesperoyucca*
yucca and *Samuela*.

aloifolia SPANISH-DAGGER
See also hort. var. list below.

angustifolia *Y. glauca*
arborescens JOSHUA YUCCA
baccata BANANA Y.
concava *Y. filamentosa concava*
filamentosa COMMON YUCCA
—*concava* SPOONLEAF Y.
See also hort. var. list below.

flaccida WEAKLEAF Y.
See also hort. var. list below.

glauca (*angustifolia*) SOAPWEED Y.
gloriosa (*patens*) . MOUNDLILY Y.
—*recurvifolia* . . . *Y. recurvifolia*
lineata . STRIPED WEAKLEAF YUCCA
Hort. var. of *Y. flaccida*.

patens *Y. gloriosa*
recurvifolia (*gloriosa recurvifolia*)
CURVELEAF YUCCA

treculeana . . . SPANISH-BAYONET
whipplei . *Hesperoyucca whipplei*
Hort. var. of *Yucca*:

STRIPED SPANISH-DAGGER (*Y. aloifolia tricolor*† Cy)

STRIPED WEAKLEAF Y. (*Y. flaccida lineata*† Cy; *lineata*)

VARIEGATED COMMON Y. (*Y. filamentosa variegata*† Cy)

YUCCA *Yucca*

BANANA Y. *Y. baccata*
CHAPARRAL Y.

Hesperoyucca whipplei
COMMON Y. . . *Yucca filamentosa*

CURVELEAF Y. . . *Y. recurvifolia*
DATE Y. *Samuela*

JOSHUA Y. . . *Yucca arborescens*

MEXICAN DATE Y.

Samuela carnerosana

YUCCA, continued

MOUNDLILY Y. . . . *Yucca gloriosa*
SOAPWEED Y. *Y. glauca*
SPANISH-BAYONET . . *Y. treculeana*
SPANISH-DAGGER . . . *Y. aloifolia*
SPOONLEAF Y.

Y. filamentosa concava
STRIPED SPANISH-DAGGER (*Y. aloifolia tricolor*† Cy)

STRIPED WEAKLEAF Y. (*Y. flaccida lineata*† Cy)

TEXAS DATE Y. *Samuela faxoniana*

VARIEGATED COMMON Y. (*Yucca filamentosa variegata*† Cy)

WEAKLEAF Y. . . . *Yucca flaccida*

YULAN *Magnolia conspicua*

YUNNAN GLOBEFLOWER, YUNNAN
HEMLOCK, etc. See GLOBE-
FLOWER, HEMLOCK, etc.

ZALUZIANSKYA

capensis (*Nycterenia capensis*)
NIGHTPHLOX
selaginoides (*N. selaginoides*)

ZAMIA
floridana COONTIE

pumila ST. JOHNS C.

ZANTEDESCHIA CALLA

aethiopica (*Calla aethiopica*; *Richardia aethiopica*; *R. africana*)
COMMON CALLA

albomaculata (*R. albomaculata*)
SPOTTED C.

elliottiana (*Calla elliottiana*; *R. elliottiana*) . . . GOLDEN CALLA

ZANTHORHIZA YELLOWROOT
apiifolia (*Xanthorhiza apiifolia*)
YELLOWROOT

ZANTHOXYLUM (*XANTHOXYLUM*) . . . PRICKLY-ASH

americanum COMMON P.
clava-herculis . . . HERCULES-CLUB

piperitum . JAPANESE PRICKLY-ASH

ZANZIBAR COFFEE, ZANZIBAR WATER-
LILY, etc. See COFFEE, WATER-
LILY, etc.

ZAUSCHNERIA

californica HUMMINGBIRD-TRUMPET

| | | | |
|--|-----------------------------------|--|---|
| ZEA | | ZINGIBER | GINGER |
| mays | MAIZE, INDIAN CORN | officinale | COMMON G. |
| Ornamental hort. var. of <i>Zea</i> : | | | |
| STRIPED MAIZE (<i>Zea mays japonica</i> † Cy) | | ZINNIA | ZINNIA |
| ZEBRA BULRUSH, ZEBRA GRASS, etc. | | elegans | COMMON Z. |
| See BULRUSH, GRASS, etc. | | haageana | ORANGE Z. |
| ZEBRINA | | | Many horticultural varieties of Zinnia are in cultivation but their names are not yet standardized. |
| pendula (<i>Tradescantia zebra</i>) | | ZINNIA HELIOPSIS (<i>Heliopsis scabra zinniaeflora</i> † Cy) | |
| WANDERING-JEW ZEBRINA | | ZIZANIA | WILD RICE |
| Hort. var. of Zebrina: | | aquatica | NORTHERN W. |
| FOURCOLOR ZEBRINA (<i>Z. pendula quadricolor</i> † Cy; <i>Tradescantia multicolor</i>) | | palustris | COMMON W. |
| ZELKOVA | ZELKOVA | ZIZYPHUS | JUJUBE |
| davidii (<i>Hemipilea davidii</i>) DAVID Z. | | jujuba (<i>Z. sativa</i> Cy, p. 3547; <i>Z. jujuba</i> Cy, p. 3548; <i>Z. vulgaris</i> ; <i>Z. zizyphus</i>) | |
| serrata (<i>acuminata</i>) | SAWLEAF Z. | (Chinese Date) COMMON JUJUBE | |
| ulmoides (<i>crenata</i>) | ELM Z. | The name Zizyphus jujuba was given to the Common Jujube by Miller in the Gardeners' Dictionary in 1768. | |
| ZENOBIA | ZENOBIA | mauritiana (<i>Z. jujuba</i> Cy, p. 3547) | |
| pulverulenta (<i>Andromeda speciosa</i>) | DUSTY ZENOBIA | (Bor Pom) INDIA JUJUBE | |
| —nuda | GREEN Z. | mistol | ARGENTINE J. |
| ZEPHYRANTHES | ZEPHYRLILY | ZOYSIA | OSTERDAMIA |
| The name of this genus under the American Rules is Atamosco. | | ZULU FIG | <i>Ficus utilis</i> |
| alba | WHITE ZEPHYRLILY | ZUMI CRAB | <i>Malus zumi</i> |
| atamasco (<i>Amaryllis atamasco</i> ; <i>Atamasco atamasco</i>) ATAMASCO-LILY | | ZYGADENUS | |
| candida | AUTUMN ZEPHYRLILY | leimanthoides | |
| rosea (<i>Atamasco rosea</i>) | PINK Z. | muscaetoxicus (<i>Chrosperma muscaetoxicum</i> Ag; <i>Amianthium muscaetoxicum</i>) | CROWPOISON |
| ZEPHYRLILY | Zephyranthes | ZYGOCACTUS | CRAB CACTUS |
| ATAMASCO-LILY | <i>Z. atamasco</i> | truncatus (<i>Epiphyllum truncatum</i>) | CHRISTMAS CACTUS |
| AUTUMN Z. | <i>Z. candida</i> | | |
| PINK Z. | <i>Z. rosea</i> | | |
| WHITE Z. | <i>Z. alba</i> | | |
| ZIGZAG CONEHEAD | | ZYGOPETALUM | |
| | <i>Strobilanthes anisophyllus</i> | See ORCHID GENERA. | |

APPENDIX

FRUIT NAMES IN AMERICA

The American Joint Committee wishes gratefully to acknowledge the work of the Committee on Nomenclature of the American Pomological Society in revising and bringing up to date the names of fruits for publication in Standardized Plant Names.

We especially appreciate that the American Pomological Society has been willing to concede many things in the way of arrangement, elimination of duplicate names, and other matters to conform to the rules of the American Joint Committee so that the Fruit List is in accord with the usage of the other lists.

This hearty coöperation has made it possible to present to American fruit-growers and nurserymen the most up-to-date, scientific list of fruits that has yet been published.

The following plants cultivated for their fruit have not been included in the American Pomological Society's list because named varieties have not yet been introduced into the American horticultural trade:

Barberry, Berberis; Carissa (*Natal-plum*), Carissa grandiflora; Cherry Elaeagnus (*Goumi*; *Gumi*), Elaeagnus longipes; Buffaloberry, Shepherdia; Elderberry, fruit of American Elder, *Sambucus canadensis*; Papaw, *Asimina triloba*.

Questions relating to this Fruit Name List should be addressed to Mr. H. P. Gould, Bureau of Plant Industry, Washington, D. C.

Salem, Massachusetts

AMERICAN JOINT COMMITTEE ON
HORTICULTURAL NOMENCLATURE
HARLAN P. KELSEY, *Secretary*

STATEMENT OF AMERICAN POMOLOGICAL SOCIETY COMMITTEE ON FRUIT VARIETY NOMENCLATURE

NAMES OF THE MORE IMPORTANT AND WIDELY GROWN VARIETIES OF FRUITS AND NUTS

The following lists of fruit variety names have been compiled by the Committee on Nomenclature of the American Pomological Society. While not complete with respect to all varieties to be found in the trade, the aim has been to include in the lists the widely and extensively grown sorts, those extensively grown only in rather restricted regions, and also many of the varieties that are of local importance for home use, or which give promise of commercial value.

The primary object of nomenclature revision and regulation is to secure simple, appropriate, and stable names that will eliminate or prevent confusion, in the largest degree possible, as to varietal identity.

The differences which occur between the names as given in the following lists, and those which have previously been accepted for the same varieties by the American Pomological Society, are brought about through a more complete knowledge of the literature and the development of the fact that danger of confusion as to identity existed in retaining the nomenclature which had seemed justified on the basis of the information available when the earlier forms of names published by the American Pomological Society were approved. In certain instances changes have been made, or names previously used as synonyms appear as approved names, because of the fact that the forms here given are thoroughly established through long usage in the best pomological literature. A considerable number of changes of this character will be noted in the pear variety names. These changes have been made in line with the foregoing statements.

H. P. GOULD
U. P. HEDRICK
W. H. CHANDLER

*Committee on Fruit Variety Nomenclature
American Pomological Society*

| | |
|---------------|----------------------------|
| ALMOND. | <i>Amygdalus communis.</i> |
| BIDWELL. | LANGUEDOC. |
| CALIFORNIA. | LEWELLING. |
| DRAKE. | NE PLUS ULTRA. |
| GOLDEN STATE. | NONPAREIL. |
| I. X. L. | PEERLESS. |
| JORDAN. | PRINCESS. |
| KING. | TEXAS. |

APPLE. *Malus sylvestris*, continued.

| | |
|-------------------------------------|---------------------------------------|
| For Crab Apple varieties, see CRAB. | |
| AKIN. | CHICAGO. |
| Albemarle Pip-pin. | CLAYTON. |
| YELLOW NEWTOWN. | COLLINS. <i>Cham-pion.</i> |
| ALEXANDER. | COLTON. |
| ANISIM. | CORNELL. <i>Cor-nell Fancy.</i> |
| ARKANSAS. Mam-moth Black Twig. | CRIMSON BEAUTY. |
| ARKANSAS BLACK. | Delaware Red Winter. |
| AUTUMN STRAW-BERRY. | LAW-VER. |
| BAILEY SWEET. | DELICIOUS. |
| BALDWIN. | DICKINSON. |
| Banana. WINTER BANANA. | DOMINE. |
| BANKS. | Duchess, <i>Duchess of Oldenburg.</i> |
| BAXTER. | OLDENBURG. |
| BEACH. | DUDLEY. <i>Dud-ley Winter.</i> |
| BELMONT. | DYER. |
| BEN DAVIS. | EARLY COOPER. |
| BEONONI. | EARLY HARVEST. |
| BENTLEY. Bent-ley Sweet. | EARLY JOE. |
| BETHEL. | EARLY MELON. |
| BETIGHEIMER. | EARLY PENNOCK. |
| BISMARCK. | EARLY RIPE. |
| BLACK ANNETTE. | EARLY STRAW-BERRY. |
| BLACK BEN. | EASTMAN. |
| BLACK GILLI-FLOWER. | ENGLISH RUSSET ENSEE. |
| BLEDSOE. | ESOPUS SPITZEN-BURG. |
| BLЕНHEIM. | EVELYN. |
| BLUE PEARMAIN. | FALLAWATER. |
| BOIKEN. | FALL CHEESE. |
| BONUM. | FALL PIPPIN. |
| BOROVINKA. | FALL WINE. |
| BOSKOOP. | FALL WINESAP. |
| BRILLIANT. | FAMEUSE. <i>Snow.</i> |
| BUCKINGHAM. | FANNY. |
| BULLOCK. | FLORY. |
| CANADA BALD-WIN. | FLUSHING SPIT-ZENBURG. |
| CAPITOLA. | Fourth of July. |
| Champion. COL-LINS. | JULY. |
| CHARLAMOFF. | FULTON. |
| CHENANGO. | GANO. |

APPLE. *Malus sylvestris*, continued.

| | |
|---------------------------|---|
| GARDEN ROYAL. | LAWVER. <i>De-la-ware Red Win-ter.</i> |
| Geneton. | RALLS. |
| GIDEON. | LEHIGH GREEN-ING. |
| GILBERT. | LIMBERTWIG. |
| GILPIN. | Livland <i>Rasp-berry.</i> LOW-LAND RASP-BERRY. |
| GLORIA MUNDI. | LOWFIELD. |
| GOLDEN DELI-CIOUS. | LOWELL. |
| GOLDEN RUSSET (N. Y.). | LOWLAND RASP-BERRY. <i>Livland Raspberry.</i> |
| GOLDEN SWEET. | GRAVENSTEIN. |
| GRAVENSTEIN. | Green <i>Newtown.</i> |
| Green <i>Newtown.</i> | YELLOW NEW-TOWN. |
| GRIMES GOLDEN. | LOWRY. |
| HACKWORTH. | MCAFEE. |
| HAWLEY. | McINTOSH. |
| HELM. | MAGOG. |
| HENRY CLAY. | MAIDEN BLUSH. |
| HIBERNAL. | MAINDRA. |
| HILAIRE. | Mammooth Black Twig. ARKAN-SAS. |
| HOADLEY. | MANN. |
| HOLLAND | MILAM. |
| WINTER. | MILDEN. |
| HOOVER. | MILWAUKEE. |
| HORSE. | MINKLER. |
| HUBBARDSTON. | MISSOURI |
| HUNTSMAN. | PIPPIN. |
| HURLBUT. | MONMOUTH. |
| HYDE KING. | MOTHER. |
| INDIANA FAVOR-ITE. | MUNSON. <i>Mun-son Sweet.</i> |
| INGRAM. | NERO. |
| IOWA BEAUTY. | NEWTOWN SPITZ-ENBURG. |
| IOWA BLUSH. | NICKAJACK. |
| ISHAM. | Nodhead. JEW-Ett RED. |
| JACOBS SWEET. | NORTHERN SPY. |
| JEFFERIS. | NORTHWESTERN GREENING. |
| JERSEY SWEET. | OAKLAND. |
| JEWELL. Jewell Winter. | OHIO NONPA-REIL. |
| JEWETT RED. Nodhead. | OKABENA. |
| JONATHAN. | OLDENBURG. |
| JULY. Fourth of July. | Duchess; <i>Duch-ess of Olden-burg.</i> |
| KESWICK. Kes-wick Codlin. | LADY. |
| KING DAVID. | LADY SWEET. |
| KINNARD. Kin-nard Choice. | LANKFORD. |
| LADY. | LANSINGBURG. |
| LADY SWEET. | LATE STRAW-BERRY. |
| LANKFORD. | OLIVER RED. |
| LANSINGBURG. | ONTARIO. |
| LATE STRAW-BERRY. | OPALESCENT. |
| OSWEGO, | ORTLEY. |
| PALOUSE. | PALOUSE. |

APPLE. *Malus sylvestris*, continued.

PARAGON.
PARRY WHITE.
PATTEN. *Patten Greening*.
PAYNE. *Payne Keeper*.
PEACH OF MONTREAL. *Peach*.
PECK PLEASANT.
PEERLESS.
PENNOCK.
PERRY RUSSET.
PETER.
PEWAKEE.
PLUMB CIDER.
POMME GRISE.
PORTER.
Pound Sweet.
PUMPKIN.
SWEET.
Pride of Texas.
TEXAS.
PRIMATE.
PRYOR.
PUMPKIN SWEET.
Pound Sweet.
RALLS. *Rawles Genet; Geneton*.
RAMBO.
RAMSDELL
SWEET.
Rawles Genet.
RALLS.
RED ASTRACHAN.
RED CANADA.
Steele Red.
RED JUNE.
RHODE ISLAND
GREENING.
RIBSTON.
RICHARD GRAFT.
ROLFE.
ROMAN STEM.
ROME BEAUTY.
ROXBURY RUSSET.
ROYAL LIMBER-
TWIG.
ST. LAWRENCE.
SALOME.
SAN JACINTO.
SANDY GLASS.
SCARLET PIPPIN.
SCOTT WINTER.
SHACKLEFORD.
SHARP.
SHERIFF.
SHIAWASSEE.

SHOCKLEY.
SMITH CIDER.
SMOKEHOUSE.
Snow. FAMEUSE.
SOPS OF WINE.
STARK.
STARR.
STAYMAN WINE-
SAP.
Steele Red. RED CANADA.
STREAKED PIPPIN.
SUMMER
HAGLOE.
SUMMER PEAR-
MAIN.
SUMMER QUEEN.
SUMMER RAMBO.
SUMMER ROSE.
SUTTON.
SWAAR.
SWAZIE.
SWEET BOUGH.
SWEET WINESAP.
TERRY.
TETOFSKI.
TEXAS. Pride of Texas.
TEXAS RED.
THALER.
TITOVKA.
TITUS.
TOLMAN SWEET.
TOPKINS KING.
TURLEY.
TWENTY OUNCE.
UNIVERSITY.
UTTER.
VANDEVERE.
VANDERPOOL.
VANHOY.
VICTORIA
SWEET.
VIRGINIA
BEAUTY.
WAGENER.
WALBRIDGE.
WASHINGTON
ROYAL.
WASHINGTON
STRAWBERRY.
WEALTHY.
WESTFIELD.
*Westfield Seek-
no-further*.
WHITE PIPPIN.

APPLE. *Malus sylvestris*, continued.

WHITE PEAR-
MAIN. *White Winter Pear-*
main.
WILLIAMS. *Wil-
liams Favorite; Williams Early Red*.
WILLOWTWIG.
WINDSOR.
WINE.
WINESAP.
WINTER BA-
NANA. *Banana*.
WINTER PARA-
DISE.

WINTERSTEIN.
WISMER.
WOLF RIVER.
YATES.
YELLOW BELL-
FLOWER.
YELLOW NEW-
TOWN. *Albe-
marle Pippin; Green Newtoun*.
YELLOW TRANS-
PARENT.
YORK IMPERIAL.
For Crab Apple
varieties, see
CRAB.

APRICOT. *Prunus* species.

ACME.
ALBERGE.
ALEXANDER.
ALEXIS.
BARRY.
BLENHEIM.
BREDA.
BUDD.
CATHERINE.
CLUSTER.
EARLY GOLDEN.
EARLY MOOR-
PARK.

GIBB.
HARRIS.
HEMSKIRKE.
LUIZET.
MOORPARK.
NEWCASTLE.
PEACH.
ROYAL.
ROUTIER.
ST. AMBROISE.
SUPERB.
TILTON.

AVOCADO. *Persea* species.

BARKER.
DICKINSON.
EAGLE ROCK.
FUERTE.
GOTTFRIED.
LINDA.
LULA.
LYON.
McDONALD.
NIMLIOH.
NORTHROP.
PERFECTO.

POLLOCK.
PUEBLA.
QUEEN.
ROLFS.
SHARPLESS.
SOLANO.
SPINKS.
TAFT.
TAYLOR.
TRAPP.
WALDIN.

BANANA. *Musa sapientum*.

CAVENDISH.
HART.

MARTINIQUE.
ORINOCO.

BLACKBERRY. *Rubus* species

AGAWAM.
ANCIENT.
BRITON.
Black Diamond.
EVERGREEN.
FLOWERS.

Crandall. TEXAS
EARLY.
DALLAS.
DORCHESTER.
EARLY HARVEST.
ELDORADO.

BLACKBERRY. *Rubus* species, continued.

| | |
|-----------------------|------------------|
| ERIE. | MCDONALD. |
| EVERGREEN. | MAMMOTH. |
| <i>Black Diamond.</i> | MERSEREAU. |
| HAUPT. | RATHBUN. |
| HIMALAYA. | SNYDER. |
| ICEBERG. | SORSBY. |
| JORDAN. | STONE. |
| KING. | TAYLOR. |
| KITTATINNY. | TEXAS EARLY. |
| LAWTON. | <i>Crandall;</i> |
| LOGAN. | <i>Macatawa.</i> |
| <i>Macatawa.</i> | WARD. |
| <i>TEXAS EARLY.</i> | WILSON. |

BLUEBERRY. *Vaccinium* species.

| | |
|------------------------------|-----------------------|
| ADAMS. | KATHARINE. |
| CABOT. <i>Coville hybrid</i> | <i>Coville hybrid</i> |
| 834A. | 830C. |
| DUNFEE. | PIONEER. |
| GREENFIELD. | <i>Coville hybrid</i> |
| <i>Coville hybrid</i> | 620A. |
| 823A. | RALPH. |
| GROVER. | RUBEL. |
| HARDING. | SAM. |

BUTTERNUT. *Juglans cinerea*.

| | |
|--------|---------|
| AIKEN. | DEMING. |
|--------|---------|

CAROB. *Ceratonia siliqua*.

| | |
|---------|------------|
| BOLSER. | EXCELSIOR. |
|---------|------------|

CHERIMOYA. *Annona cherimola*.

| | |
|--------|------------|
| BOOTH. | DELICIOSA. |
|--------|------------|

CHERRY. *Prunus* species.

| | |
|---------------------------------|----------------|
| S., sour; Sw., sweet; D., Duke. | |
| ABUNDANCE. Sw. | DOWNER. Sw. |
| ADVANCE. Sw. | DYEHOUSE. S. |
| BALDWIN. S. | EAGLE. Sw. |
| <i>Belle Magnifique.</i> | EARLY PURPLE. |
| MAGNIFIQUE. | Sw. |
| BESSARABIAN. S. | EARLY RICH- |
| BING. Sw. | MOND. S. |
| BLACK TARTA- | ELKHORN. Sw. |
| RIAN. Sw. | ELTON. Sw. |
| BRUSSELER. | EMPEROR EUGE- |
| BRAUNE. S. | NIE. D. |
| BUNTE AMA- | ENGLISH MO- |
| RELLE. S. | RELLO. S. |
| BURBANK. Sw. | GOV. WOOD. Sw. |
| CENTENNIAL. Sw. | Wood. |
| CHAPMAN. Sw. | IDA. Sw. |
| COE. Sw. <i>Coe's</i> | KIRTLAND. Sw. |
| <i>Transparent.</i> | KNIGHT EARLY |
| DIKEMAN. Sw. | BLACK. Sw. |
| DOUBLE NATTE. | LAMBERT. Sw. |
| S. | |

CHERRY. *Prunus* species, continued.

| | |
|---------------------|-----------------------|
| LARGE MONTMO- | REINE HOR- |
| RENCY. S. | TENSE. D. |
| LATE DUKE. D. | REPUBLICAN. |
| LOUIS PHILIPPE. | SW. |
| D. <i>Philippe.</i> | ROCKPORT. SW. |
| LUTOVKA. S. | <i>Royal Ann.</i> NA- |
| MAGNIFIQUE. D. | POLEON. |
| <i>Belle Magni-</i> | |
| <i>fique.</i> | |
| MAY DUKE. D. | SCHMIDT. SW. |
| MONTMORENCY. | SPANISH. SW. |
| S. | WINDSOR. SW. |
| NAPOLEON. SW. | WOOD. GOV. |
| <i>Royal Ann.</i> | WOOD. |
| OLIVET. D. | WRAGG. S. |
| OSTHEIM. S. | YELLOW SPAN- |
| <i>Philippe.</i> | ISH. SW. <i>Span-</i> |
| LOUIS | <i>ish.</i> |
| PHILIPPE. | |
| ROYAL DUKE. D. | |

CHESTNUT. *Castanea* species.

Jap., Japanese chestnut; Jap.-N., Japanese-native hybrid; EN., European-native hybrid; CN., Chinquapin-native-chestnut hybrid.

| | |
|----------------|----------------|
| BOONE. Jap.-N. | PARAGON. EN. |
| FULLER. EN. | RIDGELEY. EN. |
| McFARLAND. | MIRACLE. Jap? |
| Jap. | ROCHESTER. EN. |
| NUMBO. EN. | RUSH. CN. |

CITRANGE. *Citrus trifoliata* × C. sinensis.

| | |
|-------------|----------|
| COLMAN. | RUSK. |
| CUNNINGHAM. | SAVAGE. |
| MORTON. | WILLITS. |

CRAB. *Malus* species.

| | |
|------------|-----------------------|
| BRIER. | MONTREAL |
| CHERRY. | BEAUTY. |
| CORAL. | ORANGE. |
| CURRENT. | PAUL IMPERIAL. |
| DARTT. | RED SIBERIAN. |
| EXCELSIOR. | SEPTEMBER. |
| FLORENCE. | TRANSCENDENT. |
| GENERAL | VAN WYCK. |
| GRANT. | VIRGINIA. |
| GIBB. | WHITNEY. <i>Whit-</i> |
| HYSLOP. | <i>ney No. 20.</i> |
| LYMAN. | YELLOW SIBER- |
| MARTHA. | IAN. |
| MINNESOTA. | |

CRANBERRY. *Vaccinium macrocarpon*.

| | |
|--------------|-----------|
| BENNETT. | McFARLIN. |
| CENTENNIAL. | MATTHEWS. |
| CHAMPION. | PROLIFIC. |
| EARLY BLACK. | SEARL. |
| HOWES. | |

Currant. *Ribes* species.

| | |
|-------------------------------------|---------------------|
| Red, red; Bl., black; Wh., white. | |
| BLACK NAPLES. Bl. <i>Naples.</i> | NORTH STAR. Red. |
| BOSKOOP GIANT. Bl. | PERFECTION. Red. |
| CHAMPION. Bl. | POMONA. Red. |
| CHERRY. Red. | PRINCE ALBERT. |
| CRANDALL. Bl. | RED CROSS. Red. |
| DIPLOMA. Red. | RED DUTCH. |
| EVERYBODY. Red. | Red. |
| FAY. Red. | RIVERS. Red. |
| FILLER. Red. | VERSAILLES. Red. |
| FRANCO- GERMAN. Red. | VICTORIA. Red. |
| GIANT RED. Red. | WHITE DUTCH. Wh. |
| LEE. Bl. | WHITE GRAPE. |
| LONDON MARKET. Red. | WHITE IMPERIAL. Wh. |
| Naples. BLACK NAPLES. | WILDER. Red. |

DATE. *Phoenix dactylifera*.

| | |
|-------------------------------|---|
| DEGLET NOOR. | MAKTOOM. |
| HALAWY. <i>Halawi.</i> | Maktum. |
| HAYANY. | RHARS. |
| HORRA. | SAIDIY. <i>Sewi;</i> <i>Siwah; Wahi.</i> |
| ITEEMA. | TAZIZAOT. |
| KHADRAWY. <i>Khadrawi.</i> | THOORY. |
| | ZEHEDY. <i>Zehedi.</i> |

DEWBERRY. *Rubus* species.

| | |
|---------------|------------------|
| Austin Mayes. | Austin Mayes. |
| MAYES. | <i>Mayes.</i> |
| GARDENA. | PREMO. |
| LUCRETIA. | |

FEIJOA. *Feijoa sellowiana*.CHOICE. *Choiceana*.FIG. *Ficus carica*.

All but one of the varieties are of Old World origin. Rush is of native American derivation.

| | |
|----------------------------------|---|
| ADRIATIC. | LOB INGIR. |
| BLACK ISCHIA. | Dried product marketed under trade name |
| BROWN TURKEY. | "Calimyrna." |
| BRUNSWICK. | |
| CELESTE. <i>Celestial.</i> | MAGNOLIA. |
| DOREE. | MISSION. |
| ENDRICH. | RAMSEY. |
| ISCHIA. <i>White Ischia.</i> | SAN PEDRO BLACK. |
| KADOTA. | STANFORD. <i>White Ischia.</i> |
| May be Endrich. | ISCHIA. |
| LEMON. | WHITE GENOA. |
| LEON. | |

FILBERT. *Corylus* species.

| | |
|------------------------------------|---|
| BARCELONA. | HALLER. <i>Hal-</i> <i>lersche Riesen.</i> |
| BARCELONA B. | IMPERIAL. <i>Imperiale de Trebisondre.</i> |
| BOLWYLLER. | ITALIAN. <i>Italian</i> <i>Red.</i> |
| BRIXNUT. | KRUZE. |
| CHAPERONE. | MACROCARPA. |
| CLACKAMAS. | NOTTINGHAM. |
| CLUSTER. | RUDY. |
| COWELL. | RUSH. |
| DAVIANA. | WHITE AVELINE. |
| DU CHILLY. | |
| GLOBE. <i>Large Globe Nut.</i> | |

GOOSEBERRY. *Ribes* species.

Am., American variety; Eng., English variety.

| | |
|---------------------|-------------------------------------|
| CARRIE. Am. | Josselyn. RED |
| CHAMPION. Am. | JACKET. |
| CHAUTAUQUA. Eng. | KEEPSAKE. Eng. |
| CROWN BOB. Eng. | OREGON. Am. |
| DOWNING. Am. | PEARL. Am. |
| HOUGHTON. Am. | POORMAN. Am. |
| INDUSTRY. Eng. | RED JACKET. Am. <i>Josselyn.</i> |
| | SMITH. Am. |

GRAPE. *Vitis* species.

Vin., Vinifera variety; Mus., Muscadine variety.

Varieties without designation are grouped as native bunch grapes.

| | |
|-------------------------|---|
| AGAWAM. | BLACK PRINCE. |
| ALEXANDRIA. | Vin. |
| | BRIGHTON. |
| ALICANTE BOUS- CHET. | BRILLIANT. |
| ALPHA. | BURGER. Vin. |
| AMBER QUEEN. | CACO. |
| AMERICA. | CAMPBELL |
| AMINIA. | EARLY. |
| ARAMON. Vin. | CANADA. |
| AUGUST GIANT. | CAPTAIN. |
| BACCHUS. | CARIGNANE. Vin. |
| BAILEY. | CARMAN. |
| BANNER. | CASTIZA. <i>Mara-</i> <i>ville de Malaga</i> |
| BARRY. | Vin. |
| BEACON. | CATAWBA. |
| BELL. | CHAMPION. |
| BERCKMANS. | CHARBONO. Vin. |
| BETA. | CHASSELAS |
| BLACK HAMBURG | DORE. Vin. |
| Vin. | CHASSELAS DE |
| Black Monukka. | FONTAINE- |
| WHITE GENOA. | BLEAU. Vin. |

GRAPE. *Vitis* species, continued.

| | |
|-------------------|--------------------------|
| CHASSELAS. | HEADLIGHT. |
| ROSE. Vin. | HERBEMONT. |
| CLEVENER. | HERBERT. |
| CLINTON. | HERCULES. |
| CLOETA. | HERNITO. |
| COLERAIN. | HICKS. |
| CONCORD. | HUBBARD. |
| CORNICHON. Vin. | HUNISA. Vin. |
| COTTAGE. | IONA. |
| CROTON. | ISABELLA. |
| CYNTHIANA. | IVES. |
| DATTIER. Vin. | JAMES. Mus. |
| DELAWARE. | JANESVILLE. |
| DIAMOND. | JEFFERSON. |
| DIANA. | JEWEL. |
| DOWNING. | JURA MUSCAT. |
| DRACUT AMBER. | Vin. |
| DUTCHESS. | KING. |
| EARLY DAISY. | KRAUSE. |
| EARLY VICTOR. | LADANO. |
| EATON. | LADY. |
| ECLIPSE. | LAST ROSE. |
| EDEN. Mus. | LENOIR. |
| EDNA. | LIGNAN BLANC. |
| ELLEN SCOTT. | Vin. |
| ELVICAND. | LINDLEY. |
| ELVIRA. | LISTAN. Vin. |
| EMPEROR. Vin. | <i>Golden Chas-</i> |
| EMPIRE STATE. | <i>selas.</i> |
| ERICKSON. | LUCILE. |
| EUMELAN. | LUKFATA. |
| EXTRA. | LUTIE. |
| FEHER SZAGOS. | McPIKE. |
| Vin. | MALAGA. Vin. |
| FERN MUNSON. | <i>Maraville de Mal-</i> |
| FLAME TOKAY. | <i>aga.</i> CASTIZA. |
| Vin. | MARGUERITE. |
| FLOWERS. Mus. | MARTHA. |
| GAERTNER. | MASSASOIT. |
| GOETHE. | MATARO. Vin. |
| GOLD COIN. | MEMORY. Mus. |
| GOLDEN CHAMPION. | MERICADEL. |
| Vin. | MERRIMAC. |
| Golden Chasselas. | MILLS. |
| LISTAN. | MISH. Mus. |
| GOLDEN HAMBURG. | MISSION. Vin. |
| Vin. | MISSOURI RIESLING. |
| GRADISKA. Vin. | MONUKKA. <i>Black</i> |
| GREEN HUNGARIAN. | <i>Monukka.</i> Vin. |
| Vin. | MOORE EARLY. |
| GREIN GOLDEN. | MOYER. |
| GRENACHE. Vin. | MUENCH. |
| GROS COLMAN. | MUSCAT HAMBURG. Vin. |
| Vin. | MUSCAT ROSE. |
| GROS GUILLAUME. | Vin. |
| Vin. | |
| HARTFORD. | |
| HAYES. | |

GRAPE. *Vitis* species, continued.

| | |
|------------------------|----------------------------------|
| NIAGARA. | SAUVIGNON. |
| NITODEL. | VERT. Vin. |
| NOAH. | SCUPPERNONG. |
| NORTON. | MUS. |
| OHANEZ. Vin. | SERINE. Vin. |
| OLIVETTE | SULTANA. Vin. |
| BLANCHE. Vin. | SULTANINA. Vin. |
| OLIVETTE DE VENDEMAIN. | <i>Thompson</i> |
| Vin. | <i>Seedless.</i> |
| PANARITI. Vin. | SULTANINA ROSEA. Vin. |
| PERKINS. | THOMAS. Mus. |
| PETIT SYRAH. | <i>Thompson Seedless.</i> SULTA- |
| Vin. | NINA. |
| PIERCE. | ULSTER. |
| PIZZUTELLA. | VERGENNES. |
| Vin. | WHITE TOKAY. |
| POCKLINGTON. | Vin. |
| REGAL. | WILDER. |
| ROMMEL. | WINCHELL. |
| RONALDO. | WOODRUFF RED. |
| ROSE OF PERU. | WORDEN. |
| Vin. | WYOMING. |
| R. W. MUNSON. | XLNTA. |
| SALEM. | ZINFANDEL. Vin |

GRAPEFRUIT. *Citrus grandis.*

| | |
|------------|------------------------|
| DAVIS. | MCCARTY. |
| DUNCAN. | PERNAMBUCO. |
| EXCELSIOR. | <i>Silver Cluster.</i> |
| FOSTER. | HALL. |
| HALL. | <i>Silver Cluster.</i> |
| MARSH. | TRIUMPH. |
| Marsh | WALTERS. |
| Seedless. | |

GUAVA. *Psidium* species.

| | |
|----------|-------------|
| CATTLEY. | LEMON. |
| CHINESE. | STRAWBERRY. |

HICKORY. *Hicoria* species.

| | |
|---------------------------------|----------------|
| SB., Shagbark-bitternut hybrid; | LANEY. SB. |
| SS., Shagbark-shellbark hybrid. | FAIRBANKS. SB. |
| | MANAHAN. |
| | HALES. |
| | SIERS. |
| | KENTUCKY. |
| | VEST. |
| | KIRTLAND. |
| | WEIKER. SS. |

KUMQUAT. *Fortunella* species.

| | |
|---------|--------|
| MARUMI. | MEIWA. |
| NAGAMI. | |

LEMON. *Citrus limonia.*

| | |
|---------|--------------|
| EUREKA. | PONDEROSA. |
| LISBON. | VILLAFRANCA. |

LIMEQUAT. *Citrus aurantifolia × Fortunella japonica.*

EUSTIS.

LOQUAT. *Eriobotrya japonica.*

ADVANCE. PREMIER.
CHAMPAGNE. VICTOR.
EARLY RED.

MANGO. *Mangifera indica.*

AMINI. MULGOBA.
BENNETT. PAHERI.
CAMBODIANA. SAIGON.
CARABAO. SANDERSHA.
HADEN. SINGAPUR.
ITAMARACA. TOTAFARI.
LANGRA BEN-
ARSI.

MEDLAR. *Mespilus germanica.*

LARGE DUTCH. NOTTINGHAM.

MULBERRY. *Morus* species.

BLACK ENGLISH. NEW AMERICAN.
DOWNING. STUBBS.
HICKS. TOWNSEND.
MERRITT. TRAVIS.

NECTARINE. *Amygdalus persica nec-
tarina.*

ADVANCE. HARDWICKE.
BOSTON. HUMBOLDT.
CARDINAL. LORD NAPIER.
DOWNTON. NEWTON.
EARLY NEW-
INGTON. PITMASTON OR-
ANGE.
EARLY RIVERS. RED ROMAN.
EARLY VIOLET. STANWICK.
ELRUGE. VICTORIA.

OLIVE. *Olea europaea.*

ASCOLANO. PENDULINA.
COLUMELLA. REDDING.
MANZANILLO. RUBRA.
MISSION. SEVILLANO.
NEVADILLO. UVARIA.
OBLONGA.

ORANGE. *Citrus* species.

Mand., Mandarin, or "kid glove" type,
including the so-called Tangerine va-
rieties; Sat., Satsuma type.

DANCY. Mand. GOLDEN RING.
DRAKE STAR. HOMOSASSA.
Star Calyx. IKEDA. Sat.
ENTERPRISE. JAFFA.
Enterprise JOPPA.
Seedless. KING. Mand.

ORANGE. *Citrus* species, continued.

LUE. *Lue Gim
Gong.*
MAJORCA.
MEDITERRANEAN
SWEET.
NAVELENCIA.
OWARI. Sat.
PARSON BROWN.
Parson.
PINEAPPLE.

RUBY.
ST. MICHAEL.
Star Calyx.
DRAKE STAR.
SURPRISE.
TEMPLE.
THOMSON.
VALENCIA.
WASHINGTON
NAVEL.

PEACH. *Amygdalus persica.*

ADMIRAL DEWEY. *Dewey.* ADMIRAL
DEWEY.
ALBRIGHT CLING.
ALEXANDER.
ALTON.
AMSDEN.
ANGEL.
ANITA.
ARP.
AUGBERT.
AUSTRALIAN
SAUCER.
BAILEY.
BANNER.
BARBARA.
BARNARD.
BEERS SMOCK.
BELLE. *Belle of
Georgia.*
BEQUETTE FREE.
BERENICE.
BIDWELL EARLY.
BIDWELL LATE.
BILYEU.
BLOOD CLING.
BOKHARA.
BRIGDON.
BRIGGS.
BRONSON.
CABLER. *Cobler.*
CANADA.
CAPTAIN EDE.
Ede.
CARMAN.
CHAIRS.
CHAMPION.
CHILI. *Hill Chili.*
CHINESE CLING.
CHRISTABEL.
CLIMAX.
Cobler. CABLER.
COLON.
CONNED.
CROSBY.
CROTHERS.
DECKER.

Dewey. ADMIRAL
DEWEY.
EARLY CRAW-
FORD.
EARLY ELBERTA.
(Goldfinch.)
EARLY ELBERTA.
(Stark.)
Early Hale.
HALE EARLY.
EARLY WHEEL-
ER. *Red Bird.*
Ede. CAPTAIN
EDE.
EDGEMONT.
ELBERTA.
Engle
Mammoth.
FAMILY FAVOR-
ITE.
FITZGERALD.
FLORIDA GEM.
FOSTER.
FOX.
FRANCES.
FRANK.
GEARY.
GENERAL LEE.
GEORGE LATE.
GLOBE.
GOLD DROP.
GOVERNOR
HOGG.
GRADY.
GREENSBORO.
HALE EARLY.
Early Hale.
HAUSS.
HEATH CLING.
White Heath.
HEATH FREE.
Henrietta. LEVY.
HILEY. *Hiley*
Belle.
Hill Chili. CHILI.
HOBSON.

| | |
|--------------------------|---------------------------------------|
| PEACH. | <i>Amygdalus persica</i> , continued. |
| HONEY. | ORANGE CLING. |
| HOOSIER. | PALLAS. |
| HYNES. | PEENTO. |
| ILLINOIS. | PHILLIPS CLING. |
| IMPERIAL. | RAY. |
| IRON MOUNTAIN. | Red Bird. EARLY |
| JAPAN DWARF. | WHEELER. |
| JEWEL. | REEVES. |
| J. H. HALE. | ROCHESTER. |
| JOHNSON. | RUNYON CLING. |
| KALAMAZOO. | SALWEY. |
| KATIE. | SELLERS CLING. |
| KRUMMEL. | SHERMAN. |
| LA GRANGE. | SLAPPEY. |
| LATE CRAWFORD | SMOCK. |
| LATE ELBERTA. | SNEED. |
| LATE STUMP. | SOUTH HAVEN. |
| LEMON CLING. | STRAWBERRY. |
| LEMON FREE. | STEVENS. |
| LEVY. <i>Henrietta</i> . | STUMP. |
| LEWIS. | TENNA. |
| LIZZIE. | TEXAS. <i>Texas</i> |
| LOLA. | King. |
| LOVELL. | THURBER. |
| MC COLLISTER. | TOUGHINA. |
| Mc DEVITT | TRIANA. |
| CLING. | TRIUMPH. |
| Mc KEVITT | TROTH. |
| CLING. | TUSKENA. <i>Tus-</i> |
| MAMIE ROSS. | <i>can</i> . |
| MATHEWS. | VAN BUREN |
| MAYFLOWER. | DWARF. |
| MILLARD. | VICTOR. |
| MORRIS WHITE. | WADDELL. |
| MOUNTAIN | WAGER. |
| ROSE. | WALDO. |
| MUIR. | WALKER. |
| MUNSON FREE. | WALTON. |
| NECTAR. | WARD LATE. |
| NEW PROLIFIC. | WHEATLAND. |
| NIAGARA. | White Heath. |
| NICHOLS. | HEATH CLING. |
| OLDMIXON | WONDERFUL. |
| CLING. | YELLOW ST. |
| OLDMIXON FREE. | JOHN. |
| ONDERDONK. | YELLOW SWAN. |
| OPULENT. | |
| PEAR. | <i>Pyrus species</i> |
| Angouleme. | BESSEMIANKA. |
| DUCHESSE | BEURRE BOSC. |
| d'ANGOULEME. | <i>Bosc</i> . |
| ANJOU. | BEURRE CLAIR- |
| ANSAULT. | GEAU. <i>Clair-</i> |
| BARSECK. | <i>geau</i> . |
| BARTLETT. | BEURRE DIEL. |
| BELLE LUCRA- | BEURRE GIF- |
| TIVE. <i>Lucra-</i> | FARD. |
| <i>tive</i> . | <i>Giffard</i> . |

| | |
|-------------------------------|-----------------------------------|
| PEAR. | <i>Pyrus species</i> , continued. |
| BEURRE HARDY. | LE CONTE. |
| <i>Hardy</i> . | LINCOLN. |
| BEURRE SUPER- | LINCOLN CORE- |
| FIN. <i>Superfin</i> . | LESS. |
| BLOODGOOD. | LOUISE BONNE |
| BORDEAUX. | DE JERSEY. |
| <i>Bosc</i> . | <i>Lucrative</i> . BELLE |
| BEURRE | LUCRATIVE. |
| BOSC. | MADELEINE. |
| BRANDYWINE. | MAGNOLIA. |
| BUFFUM. | MARGUERITE. |
| <i>Clairgeau</i> . | MARIE LOUISE. |
| BEURRE | MOUNT VERNON. |
| CLAIRGEAU. | ONONDAGA. |
| CLAPP FAVORITE. | ONTARIO. |
| COLUMBIA. | OSBAND. |
| COMICE. | P. BARRY. |
| DANA HOVEY. | PASSE COLMAR. |
| DORSET. | PITMASTON. |
| <i>Drouard</i> . | POUND. |
| PRESI- | PRESIDENT |
| DENT DROU- | DROUARD. |
| ARD. | <i>Drouard</i> . |
| DUCHESSE D'AN- | REEDER. |
| GOULEME. <i>An-</i> | RIEHL BEST. |
| <i>gouleme</i> ; <i>Duch-</i> | ROOSEVELT. |
| <i>ess</i> . | ROSSNEY. |
| Duchess. | RUTTER. |
| DUCHESSE D'AN- | SECKEL. |
| GOULEME. | SHELDON. |
| EARLY HARVEST. | SOUVENIR DU |
| EASTER BEURRE. | CONGRES. |
| ELIZABETH. | SOUVENIR |
| FAME. | d'ESPEREN. |
| FLEMISH BEAUTY. | SUMMER DOY- |
| FORELLE. | ENNE. |
| FOX. | Superfin. BEURRE |
| FREDERICK | SUPERFIN. |
| CLAPP. | TYSON. |
| GARBER. | URBANISTE. |
| Giffard. | VERMONT |
| BEURRE | BEAUTY. |
| GIFFARD. | VICAR OF |
| Glou Morceau. | WINKFIELD. |
| Hardy. | WHITE DOY- |
| BEURRE | ENNE. |
| HARDY. | WILDER EARLY. |
| HOWELL. | WINTER BART- |
| IDAHO. | LETT. |
| JOSEPHINE DE | WINTER NELIS. |
| MALINES. | WORDEN SECKEL |
| KIEFFER. | |
| KOONCE. | |
| LAWRENCE. | |
| LAWSON. | |
| PECAN. | <i>Hicoria pecan</i> . |
| ALLEY. | BURKETT. |
| BIDWELL. | BURLINGTON. |
| BOLTON. | BUSSERON. |
| BRADLEY. | BUTTERICK. |
| BROOKS. | CURTIS. |

PECAN. *Hicoria pecan*, continued.

| | |
|-------------|-------------|
| DELMAS. | PRESIDENT. |
| FROTSCHER. | RANDALL. |
| GREENRIVER. | REUSS. |
| HALBERT. | RUSSELL. |
| INDIANA. | SAN SABA. |
| KINCAID. | SCHLEY. |
| LUCADO. | SOVEREIGN. |
| McINTOSH. | STUART. |
| MAJOR. | SUCCESS. |
| MANTURA. | TECHE. |
| MONEymAKER. | VAN DEMAN. |
| MOORE. | WARRICK. |
| NIBLACK. | WAUKEENAH. |
| NORTON. | WILLIAMSON. |
| PABST. | YOUNG. |
| POSEY. | |

PERSIMMON. *Diospyros* species

| | |
|--------------------------------|-----------------|
| Jap., Japanese; Am., American. | |
| COSTATA. Jap. | KAWAKAMI. |
| DELMAS. Am. | Jap.-Am. |
| EARLY GOLDEN. Am. | LONESTAR. Jap. |
| EUREKA. Jap. | MILLER. Am. |
| FORD. Am. | OKAME. Jap. |
| FUYU. Jap. | ORMOND. Jap. |
| Fuyugaki. | RUBY. Am. |
| GAILEY. Jap. | TABER 23. Jap. |
| GOLDEN GEM. Am. | TABER 129. Jap. |
| GOSHO. Jap. | TAMOPAN. Jap. |
| HACHIYA. Jap. | TANENASHI. Jap. |
| HICKS. Am. | TRIUMPH. Jap. |
| HYAKUME. Jap. | TSURU. Jap. |
| JOSEPHINE. Am. | YEDOICHI. Jap. |
| | YEMON. Jap. |
| | ZENJI. Jap. |

PINEAPPLE. *Ananas sativus*.

| | |
|-------------------------|------------------------|
| ABACHI. <i>Abakka</i> . | SPANISH. <i>Rei</i> |
| CAYENNE. | <i>Smooth Spanish.</i> |

Cayenne.

PLUM. *Prunus* species.

Eu., European type; Jap., Japanese type; Am., American type; Jap.-A., hybrid between American and Japanese types; HH., hybrid between American forms of *Prunus* or others developed especially to gain extreme hardiness; MH., hybrids of mixed parentage; Pr., Prune.

| | |
|--------------------------|----------------------|
| ABUNDANCE. | ARCHDUKE. Eu. |
| Jap. | ARCTIC. Eu. |
| AGEN. French, | <i>Moore Arctic.</i> |
| <i>Petite</i> . Eu., Pr. | BARTLETT. |
| AMERICA. | Jap.-A. |
| Jap.-A. | BAVAY. Eu. |
| APPLE. Jap.-A. | BEAUTY. MH. |

PLUM. *Prunus* species, continued.

| | |
|----------------------------------|---|
| BRADSHAW. Eu. | JEFFERSON. Eu. |
| BRITTLEWOOD. | KELSEY. Jap. |
| Am. | LINCOLN. Eu. |
| BURBANK. Jap. | LOMBARD. Eu. |
| CHABOT. Jap. | MAYNARD. Jap. |
| CHALCO. Jap. | MIDDLEBURG. |
| CHENEY. Am. | Eu. |
| CHERESOTO. HH. | MINER. Am. |
| CLIMAX. Jap.-A. | MIRABELLE. Eu. |
| CLYMAN. Eu. | MONARCH. Eu. |
| <i>Coe Golden Drop.</i> | <i>Moore Arctic.</i> |
| GOLDEN DROP. | ARCTIC. |
| COMPASS. HH. | OCTOBER. Jap. |
| DESOTO. Am. | OGON. Jap. |
| DIAMOND. Eu. | OMAHA. Jap.-A. |
| DOWNING. | OPATA. HH. |
| DUANE. <i>Duane Purple</i> . Eu. | PACIFIC. Eu. |
| EMERALD. | PEACH. Eu. |
| Jap.-A. | PEARL. Eu. |
| EXCELSIOR. | PETERS. Eu. |
| Jap.-A. | <i>Petit Agen.</i> |
| Fellenberg. ITALIAN PRUNE. | POND. Eu. |
| FIELD. Eu. | POTTAWATTAMIE. Am. |
| FIRST. MH. | PRESIDENT. Jap.-A. |
| FOREST GARDEN. | <i>Pride. Shipper.</i> |
| Am. | QUACKENBOSS. Eu. |
| FORMOSA. MH. | RED JUNE. Jap. |
| French. AGEN. | REINE CLAUDE. Eu. |
| FRENCH. | <i>Robe de Sergeant.</i> |
| | SERGEANT. |
| Damson group. | ROLLINGSTONE. Am. |
| GAVIOTA. Jap.-A. | SANSOTO. HH. |
| GERMAN PRUNE. | SANTA ROSA. Jap. |
| Eu., Pr. | SAPA. HH. |
| GOLDEN. Jap.-A. | SATSUMA. Jap. |
| GOLDEN DROP. | SERGEANT. Eu., Pr. <i>Robe de Sergeant.</i> |
| Eu. <i>Coe</i> . | SHIPPER. Eu. |
| GONZALES. | <i>Pride.</i> |
| Jap.-A. | SHIRO. Jap. |
| GRAND DUKE. | SHROPSHIRE. Eu. |
| Eu. | Damson group. |
| GUEII. Eu. | SIMON. Jap. |
| HAMMER. Am. | SIX WEEKS. Jap.-A. |
| HAND. Eu. | SMITH ORLEANS. Eu. |
| HANSKA. HH. | STANDARD. Eu., Pr. |
| HAWKEYE. Am. | STODDARD. Am. |
| HUDSON. Eu. | SUGAR. Eu., Pr. |
| HULINGS. Eu. | |
| HUNGARIAN. | |
| Eu., Pr. | |
| IMPERIAL EPI- | |
| NEUSE. Eu., Pr. | |
| IMPERIAL GAGE. | |
| Eu. | |
| ITALIAN PRUNE. | |
| Eu., Pr. <i>Fel-</i> | |
| <i>lenberg.</i> | |

PLUM. *Prunus* species, continued.

| | | | |
|-------------|-------------|-------------|------|
| SURPRISE. | Am. | WEAVER. | Am. |
| TENNANT. | Eu. | WHITAKER. | Am. |
| TERRY. | Am. | WICKSON. | Jap. |
| TRAGEDY. | Eu., Pr. | WILD GOOSE. | |
| VORONESH. | Eu. | WINNSBORO. | Am. |
| WACHAMPA. | HH. | WOLF. | Am. |
| WANETA. | HH. | WOOD. | Am. |
| WASHINGTON. | Eu. | WYANT. | Am. |
| WAYLAND. | Am. | YELLOW EGG. | Eu. |

POMEGRANATE. *Punica granatum*.

| | |
|-------------|------------|
| PAPERHELL. | SWEET. |
| PURPLESEED. | WONDERFUL. |

QUINCE. *Cydonia oblonga*.

| | |
|-----------|------------|
| ANGERS. | MISSOURI. |
| BOURGEAT. | ORANGE. |
| CHAMPION. | PINEAPPLE. |
| FULLER. | REA. |
| MEECH. | VAN DEMAN |

RASPBERRY. *Rubus* species.

| | |
|-----------------------------|-----------|
| Red; red; Pur.; purple; Bl. | Black. |
| ANTWERP. | Red. |
| BLACK PEARL. | MARLBORO. |
| Bl. Pearl. | RED. |
| BRILLIANT. | RED. |
| CARDINAL. | PUR. |
| CAROLINE. | RED. |
| Yellow fruit. | |
| COLUMBIAN. | PUR. |
| CUMBERLAND. | BL. |
| CUTHBERT. | RED. |
| EATON. | RED. |
| EMPIRE. | RED. |
| ERSKINE. | RED. |
| GOLDEN QUEEN. | RED. |
| Yellow fruit. | |
| GREGG. | BL. |
| HAYMAKER. | PUR. |
| HERBERT. | RED. |
| HILBORN. | BL. |
| HONEY SWEET. | BL. |
| HOOSIER. | BL. |
| JUNE. | RED. |
| KANSAS. | BL. |
| KING. | RED. |
| LA FRANCE. | RED. |

STRAWBERRY. *Fragaria* species.

| | |
|---------------|---------------|
| ABINGTON. | LUPTON. |
| AMANDA. | MCALPINE. |
| AMERICUS. | MAGOON. |
| ARIZONA. | MARSHALL. |
| AROMA. | MASCOT. |
| BEDER WOOD. | MICHEL EARLY |
| Belt. | MINUTEMAN. |
| BELT. | MISSIONARY. |
| BRANDYWINE. | MYER. |
| BUBACH. | NEW YORK. |
| CAMPBELL. | NICK OHMER. |
| CHESAPEAKE. | OREGON. |
| CHIPMAN. | OZARK. |
| CLARK. | PAN-AMERICAN. |
| COLUMBIA. | PARSONS. |
| CRESCENT. | PEERLESS. |
| DOLLAR. | POCOMOKE. |
| DULUTH. | PROGRESSIVE. |
| DUNLAP. | PROLIFIC. |
| EARLY HA- | RICE. |
| THAWAY. | KITTIE |
| ECHO. | RICE. |
| EXCELSIOR. | ROUGH RIDER. |
| FORD. | SAMPLE. |
| GANDY. | SHARPLESS. |
| GLEN MARY. | SHROPSHIRE. |
| GOLD DOLLAR. | SUCCESS. |
| GOOD LUCK. | SUPERB. |
| HAVERLAND. | SUPERIOR. |
| HOWARD 17. | TENNESSEE. |
| JESSIE. | THOMPSON. |
| JOE. | WARFIELD. |
| JUCUNDIA. | WILLIAM BELT. |
| KITTIE RICE. | WILLIAMS. |
| Rice. | WILSON. |
| KLONDIKE. | WOOLVERTON. |
| LATE STEVENS. | |

TANGELO. *Citrus nobilis* \times *C. grandis*

| | |
|-----------|-----------|
| SAMPSON. | WILLIAMS. |
| THORNTON. | |

WALNUT. *Juglans* species.

| | |
|---------------------------------------|--------------|
| Per., Persian (<i>English</i>); Bl. | Black; Jap., |
| Japanese. | |
| CHABERTE. | Per. |
| CONCORD. | Per. |
| EHRHARDT. | Per. |
| EUREKA. | Per. |
| FRANQUETTE. | Per. |
| LANCASTER. | Jap. |
| MAYETTE. | Per. |

WHITE-SAPOTE. *Casimiroa edulis*.

| |
|----------|
| CHAPMAN. |
|----------|

AMERICAN JOINT COMMITTEE ON HORTICULTURAL NOMENCLATURE, REPRESENTING

AMERICAN ASSOCIATION OF NURSERYMEN

HARLAN P. KELSEY, *Chairman*, Salem, Mass.

J. HORACE McFARLAND, Harrisburg, Pa.

FREDERICK V. COVILLE (Advisory), U. S. Botanist, Washington, D. C.

ORNAMENTAL GROWERS ASSOCIATION

F. L. ATKINS, *Chairman*, Rutherford, N. J.

C. J. MALOY, Rochester, N. Y.

THOMAS B. MEEHAN, Dresher, Pa.

AMERICAN INSTITUTE OF PARK EXECUTIVES

HERMAN W. MERKEL, *Chairman*, Forester, Zoological Park, New York City, N. Y.

JOHN DUNBAR, Assistant Superintendent of Parks, 208 Municipal Building, Rochester, N. Y.

THEODORE WIRTH, Superintendent of Parks, City Hall, Minneapolis, Minn.

AMERICAN SOCIETY OF LANDSCAPE ARCHITECTS

FREDERICK LAW OLMS TED, *Chairman*, Brookline, Mass.

SID J. HARE, 604 Gumbel Building, Kansas City, Mo.

PERCIVAL GALLAGHER, Care of Olmsted Brothers, Brookline, Mass.

AMERICAN PHARMACEUTICAL ASSOCIATION

DR. HEBER W. YOUNGKEN, *Chairman*, 145 N. 10th Street, Philadelphia, Pa.

PROF. E. N. GATHERCOAL, 701 S. Wood Street, Chicago, Ills.

DR. F. E. STEWART, 11 W. Phil-Elena Street, Germantown, Philadelphia, Pa.

SOCIETY OF AMERICAN FLORISTS AND ORNAMENTAL HORTICULTURISTS

J. HORACE McFARLAND, *Chairman*, Harrisburg, Pa.

PROF. A. C. HOTTES, Ohio State University, Columbus, Ohio.

ROBERT PYLE, West Grove, Pa.

IMPORTANT NOTICE

AS FAR as practicable, the American Joint Committee has selected and adopted what seemed the best common name for each plant. Hundreds of new common names were supplied for plants that had no common names, or common names wholly unsuitable or more properly belonging to other plants.

In hundreds of other cases, particularly plants new or little known, common names are necessarily missing, for usually a really good and appropriate name suggests itself only on intimate acquaintance with the plant itself.

The users of Standardized Plant Names will confer a great favor by offering constructive criticisms on common names already adopted, and by suggesting new names where names are now missing, so that future editions of this work may be made more complete and more valuable. Address

HARLAN P. KELSEY
Secretary American Joint Committee
SALEM, MASSACHUSETTS

