

Passion for Cacti
Leidenschaft für Kakteen

Samen / seeds

11 - 2021



UHLIG
KAKTEEN



Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Ariocarpus

U 5722 agavioides # (Neogomesia)	1,60		9,00	60,00
U 6035 bravoanus v. hintonii # [syn. fissuratus v. hintonii]	1,40			
U 4968 fissuratus #	2,00		12,00	
U 8537 furfuraceus # S Roberto, S.Luis potosi, Mx [retusus]	2,30		14,00	
U 7441 retusus v. pectinatus #	5,90			
U 8536 scaphirostris #	2,20			
U 7398 trigonus v. minor #	1,80		0,00	

Astrophytum

U 8553 capricorne cv. krausei gelbe Dornen, rein gelbe Blüten	1,60			
U 2 myriostigma		1,20	3,60	24,00
U 5776 myriostigma subvar. quadricostata		1,20	3,60	24,00
U 388 myriostigma v. nudum		1,20	3,60	24,00
U 3 ornatum		1,10	3,30	24,00
U 929 senile [syn. capricorne v. senile] gelb		1,20	3,60	24,00

Austrocactus

U 8829 patagonicus	2,50			
--------------------	------	--	--	--

Austrocephalocereus

U 8594 purpureus		1,00	3,00	14,00
------------------	--	------	------	-------

Aztekium

U 4995 hintonii	1,60		9,60	
-----------------	------	--	------	--

Carnegiea

U 7005 gigantea 'Saguaro'		1,20	3,00	19,00
---------------------------	--	------	------	-------

Cintia

U 8520 knizei KK 2052 Sucre, Ravelo, 2800m, Bolivien	3,50			
--	------	--	--	--

Cleistocactus

U 6867 baumannii spp. horstii HU 373 Rio Amoguija, Porto Murinho, Mato Grosso do Sul, Br., 100-200m blühen mehrmals im Jahr schon ab 20-30 cm orange		1,00	3,00	
U 6171 Mix Mischung verschiedener Arten unserer Wahl		1,00	3,00	16,00
U 15 strausii Bedornung dicht, weiß		1,00	3,00	14,00

Coleocephalocereus

U 6445 goebelianus		1,00	3,00	14,00
--------------------	--	------	------	-------

Coryphantha

U 8654 cornifera		1,00	3,00	
U 5007 maiz-tablasensis		1,00		
U 8635 palmeri PP 1225 Ciudad Maiz, SLP		0,90		
U 8523 pussiliflora Sierra de la Paila, Coahuila	1,00			
U 8655 retusa	1,00			

Dolichothele

U 5986 camptotricha v. crispata [Mammillaria]		1,10	3,30	16,00
---	--	------	------	-------

Echinocactus

U 20 grusonii 10 'Schwiegermutterstuhl' Bedornung intensiv gelb		0,90	2,70	14,00
U 8526 grusonii inermis	1,80			
U 5300 horizontalonius	1,40		7,20	
U 8227 horizontalonius Minas/i Monterrey	1,80			
U 7914 horizontalonius San Luis de la Paz	1,80		10,20	
U 8867 visnaga [Echinocactus platyacanthus]		1,00	3,00	16,00

Echinocereus

U 8590 apachensis BW 074 Fish Creek, Maricopa County, Arizona, USA extreme Dornen	1,00			
U 8587 canus		1,00	3,00	
U 8708 canyonensis f. totoweapensis		1,00		
U 8575 coccineus v. rosei langer Dorn, frosthart bis mind. -15°C		0,90		
U 6099 dasyacanthus		1,10	3,30	19,00
U 8677 enneacanthus x lloydii		0,90		

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Echinocereus

U 6093	fasciculatus v. boyce-thompsonii [fendleri v. b-t]	1,00			
U 5711	fendleri		1,20		
U 5205	fendleri v. kuenzleri Otero Co. NM		1,00		
U 8554	ferreirianus siera San Francisco, BC kurze Dornen		1,00		
U 6312	ferreirianus v.lindsayi #	1,00		5,50	
U 8527	fitchii ssp. albertii Alice, Texas, USA		1,00		
U 8785	hempelii Presa de Las Lajas, Flores Magon, Chihuahua, Mx [fendleri ssp. hempelii]		1,20	3,60	
U 8407	lloydii SB 731 Pecos Co., Tx.		0,90		
U 6771	maritimus	1,00			
U 5349	metornii	1,00			
U 704	Mix Mischung verschiedener Arten unserer Wahl		1,00	3,00	16,00
U 5208	papillosus gelbe Blüte mit rotem Schlund		1,00	3,00	
U 8391	pectinatus v. wenigeri 'ctenoides' Mel. Muzquis		0,80	2,40	14,00
U 8746	pectinatus v. wenigeri HK 10 x bonkeræ HN 01		1,20	3,60	
U 8676	pulchellus L 1084 Aguascalientes, Aguascalientes, Mexico, 1800 m		1,20	3,60	
U 5210	rayonesensis		1,00		
U 7630	reichenbachii HK 1228 Atascosa Co. Texas, USA frosthart/frostresistant		1,00	3,00	
U 8390	reichenbachii v. fitchii SB 853 Jim Hogg County, Texas, USA kurze braune Dornen		0,80	2,40	
U 7859	rigidissimus cv.albiflorus weiß		1,20	3,60	
U 5502	salm-dyckianus		0,80		
U 6435	sanpedroensis PG 180 Rancho San Pedro, So		1,00	3,00	
U 6436	sanpedroensis (subterraneus)		1,00	3,00	
U 5264	scheerii La Bufa, Chihuahua, Mx		1,00	3,00	
U 8675	schwarzii L 1305 Guanacevi, Durango, Mexico, 2500 m		1,00		
U 5714	spinigemmatas		0,90	2,70	
U 5266	subinermis v.aculeatus La Bufa, Chihuah. Blüte gelb		1,00	3,00	
U 8674	tayopensis x subinermis v. aculeatus		1,00		
U 6462	triglochidiatus frosthart / frostresistant >-25°C rot / red		1,10	3,30	
U 7446	triglochidiatus v. gonacanthus frosthart bis - 25°C frostresistant		1,00	3,00	
U 7237	viereckii		0,80		
U 8633	viridiflorus DJF 1296 Hutchinson Co. Tx dw		1,00		
U 8634	viridiflorus SB 213 Taos Co. NM		1,00		
U 8506	viridiflorus ssp. davisii		1,00	0,00	
U 8298	viridiflorus v. robustior HK 1007 Los Pinos, Valencia County, New Mexico, USA		1,00		

Echinopsis

U 7723	aurea (syn. Lobivia aurea) gelb		1,00	3,00	16,00
U 8614	Schick Hybriden Mix		1,40	4,20	19,00
U 7383	subdenudata Fuzzy Navel		1,00	3,00	14,00

Epiphyllum

U 8486	Hybr. `College Queen`	1,00			
--------	-----------------------	------	--	--	--

Eriosyce

U 8832	aurata PHA 2410 Vicuna Hurtado		1,20	3,60	19,00
U 8821	aurata PHA 2691 Vicuna - Hurtado		1,20	3,60	
U 8845	ceratistes v. combarbalensis PHA 2610 Valle Hermoso		1,20	3,60	24,00
U 8822	fricii sp.n. PHA 2611 N. Andalcollo	4,00			
U 8846	ihotzkynæ PHA 2581 Punila		1,20		
U 8813	ihotzkynæ PHA 2693 Punillo		1,20	3,60	
U 8544	muehlenpfordtii	1,00			

Escobaria

U 5215	tuberculosa		1,20		
--------	-------------	--	------	--	--

Eulychnia

U 8837	acida PHA 2578 El Trapische		1,20	3,60	
U 8835	breviflora PHA 2425 Carrizal Bajo		1,20	3,60	

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Eulychnia

U 8839	breviflora v. tenuis PHA 2564 Quebrda León		1,40		
U 8838	castanea PHA 2496 Los Vilos, 27m		1,20	3,60	
U 8836	chorosensis PHA 2433 unklar		1,20	3,60	
U 8833	saint-pieana PHA 2528 Chanaral, 25m		1,60		
U 8814	saint-pieana PHA 2636 Chanaral		1,80	5,40	
U 8815	saint-pieana PHA 2641 Huanillos		1,60	5,40	45,00
U 8831	sp.n. PN Pan de Azucar PHA 2216		1,20	3,60	
U 8830	spinibarbis PHA 2238 Coquimbo a Los Vilos		1,20	3,60	
U 8834	taltalensis iquiquensis PHA 2555 Taltal nicht ganz klar, welche der beiden Arten		1,20	3,60	

Ferobergia

U 7967	F2-Hybr. PRIFOR / FOR	2,00		12,00	
U 7965	F2-Hybr. PRIFOR/PRI	2,00			
U 7491	F2-Hybr. RODY	2,00		12,00	60,00
U 5271	F2-Hybride VIOLET PRIFOR x PRIFOR	2,00		12,00	
U 7068	F3-Hybride VIOLET PRIFOR / PRIFOR X PRIFOR /PRIFOR	2,00		12,00	60,00
U 8419	VIOLET x (F.schwarzii x Ferobergia VIOLET)	2,00			

Ferocactus

U 5716	acanthodes v. lecontei		1,00	3,00	14,00
U 8756	acanthodes x viridescens		1,20		
U 8752	acanthodes f. rostii x grandiflorus (B. Tortuga)		1,20		
U 8753	acanthodes v. eastwoodiae x emoryi		1,20		
U 8754	acanthodes v. eastwoodiae x gracilis		1,20		
U 8408	alamosanus Barranca del Negro, Guirocoba, Sonora, Mx.		1,20	3,60	18,00
U 5543	alamosanus Rancho San Pedro, Alamos, Sonora, Mx ECHT! Nicht pottsii		1,20	3,60	18,00
U 6257	californicus !!		1,00		
U 4832	californicus L 1405 Nopolo, Baja California, Mexico, 100-300 m		1,20	3,60	
U 8717	chrysacanthus L 010 Punta Norte, Isla Cedros, Baja California, Mexico, 1-200 m gelbdornige normale Form		1,40	4,20	
U 8762	chrysacanthus x emoryi beide Eltern gelbe Blüte		1,20		
U 8758	chrysacanthus f. rubrispinus x fordii ssp. borealis		1,20		
U 8423	echidne Venados, Hid., Mx		1,00	3,00	
U 6440	echidne v. rafaensis Herbstblüher / flower in autumn		1,20	3,60	
U 7655	echidne v. rhodanthus De Herdt angeblich ursprüngliches Material v. Fritz Schwarz		1,20	3,60	
U 6439	echidne v. rhodanthus Gila-Almolon, Hid., Typstandort rötliche Blüten, selten rötlich / redish		1,20	3,60	
U 7058	echidne v. victoriensis General Ignacio Zaragoza - Siberia, Nuevo Leon, Mx.		1,20	3,60	
U 8763	emoryi x acanthodes		1,20	3,60	
U 8764	emoryi x grandiflorus		1,20	3,60	
U 7483	emoryi x pottsii		1,20		
U 8765	emoryi x viscaianensis		1,20	3,60	
U 7954	F2-Hybr. fordii x santa-maria	1,00			
U 8766	falconeri x acanthodes (San Borja)		1,20		
U 8767	falconeri x peninsulæ		1,20		
U 8414	falconeri x pottsii F1		1,00	3,00	
U 8768	falconeri x rectispinus		1,20		
U 7960	flavovirens		1,00	3,00	
U 5544	fordii		1,00	3,00	
U 8720	fordii Colonia Emiliano Zapata II, Baja California Sud, Mx.		1,20		
U 8426	fordii Morro Santo Domingo, BCS, Mx Typstandort/typ location rosa Blüte		1,00	3,00	14,00
U 8421	fordii cv. brevispinus Desierto el Viscaino, Baja California Süd, mx.		1,20	3,60	14,00

Anzahl Samen / Number of Seeds:	10	20	100	1000
	Preis in € / price in €			

Ferocactus

U 8721	fordii cv. longispinus Benito Juarez, Baja California Sud, Mx. langdornige Naturform	1,20	3,60	16,00
U 8430	fordii v. borealis El Rosario de Arriba, Baja Californis, Mx.	1,10	3,30	
U 8687	fordii v. De Herdt ev. rostii ev. Naturhybride, De Herdt Nr.354/1968	1,40	4,20	
U 8727	gatesii Bahia de los Angeles	1,00	3,00	
U 8769	gatesii x grandiflorus	1,20	3,60	
U 5550	glaucescens Samen von einem selbstfertilen Exemplar	1,00	3,00	14,00
U 7825	gracilis v. coloratus	1,20	3,60	
U 7059	gracilis X acanthodes	1,20		
U 8781	gracilis x wislizenii F2	1,00	3,00	
U 7964	gracilis aff. Laguna Secca Chapala, BC Reppenhagen 1973	1,00	3,00	
U 8724	grandiflorus Isla Benito West syn. chrysacanthus ssp. grandiflorus	1,40	4,20	
U 8716	grandiflorus L 1410 Bahia Tortugas interessante Form, ev. Naturhybridenschwarm rötlich	1,40	4,20	20,00
U 8760	grandiflorus x emoryi	1,20		
U 8441	grandiflorus x fordii	0,90		
U 8759	grandiflorus (B.Tortugas) x acanthodes	1,20	3,60	
U 8761	grandiflorus (Bahia Asuncion) x fordii (Socorro)	1,20		
U 8689	histris Monte Escobedo, Zacatecas, Mx	1,00	3,00	
U 7475	lindsayi Infernillo, Mich., Mx gelb	1,40	4,20	19,00
U 8731	lindsayi Uruapan, Mich. Blüht im Frühjahr, helle Dornen	1,40	4,20	19,00
U 8771	macrodiscus x septentrionalis	1,20		
U 1030	Mix Mischung verschiedener Arten unserer Wahl	1,00	3,00	16,00
U 7486	peninsulae	1,00	3,00	
U 4841	peninsulae Volcano, Tres Virgenes, Baja California, Mx.	1,00	3,00	
U 4888	peninsulae ssp. viscainensis gelb / yellow	1,00	3,00	16,00
U 8733	peninsulae ssp. viscainensis Fishers Café Shop, Viscaino	1,00	3,00	14,00
U 8732	peninsulae ssp. viscainensis HK 646	1,10	3,60	
U 8685	peninsulae ssp. viscainensis x coloratus	1,00	3,00	
U 8424	peninsulae ssp. viscainensis x fordii F1	0,80	2,40	
U 8425	peninsulae ssp. viscainensis x gracilis F1	1,00		
U 8734	pilifer	1,00		
U 8434	pilifer x echidne F2	1,00	3,00	
U 8774	piliferus-Hybr.	1,00		
U 8690	pottsii La Bufa, Chihuahua, Mx.	1,00	3,00	14,00
U 8435	pottsii x fordii F1	1,00	3,00	
U 8580	pottsii X fordii F2	1,20	3,60	
U 7646	pottsii X rectispinus F2	1,20	3,60	
U 6243	rectispinus	0,80	2,40	
U 4844	rectispinus Playa El Coyote, Baja California Süd, Mx. besonders langdornig	1,10	3,30	
U 8735	rectispinus Rancho Canipolé, Baja California Süd, Mx.	1,10	3,30	
U 8436	rectispinus x acanthodes	1,20	3,60	
U 8682	rectispinus x gracilis	1,00	3,00	14,00
U 8683	rectispinus x santa-maria	1,00	3,00	
U 8437	rectispinus x townsendianus	1,00	3,00	
U 8775	rectispinus (Rancho Canipolé) x chrysacanthus (Isla Cedros)	1,20		
U 8428	reppenhagenii Cerro Laurel, Coalcoman, Michoacan, Mexico. 2000 m	1,20	3,60	16,00
U 8427	reppenhagenii Rep 664 Dos Aguas, Michoacan, Mexico, 2300 m	1,20	3,60	16,00
U 8438	reppenhagenii x glaucescens F2	1,00	3,00	16,00
U 5871	robustus	0,80	2,40	14,00
U 8736	santa-maria L 1554 San Carlos Bay, Baja California, Mexico, 1-10 m	1,10	3,30	16,00
U 8737	schwarzii Cerro Colorado, Sinaloa, mx.	1,00	3,00	

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Ferocactus

U 8738	schwarzii De Herdt 370/70		1,00	3,00	14,00
U 7489	schwarzii x Ferrobergia VIOLET F2 Blüte voraussichtlich gelb		1,40	4,20	19,00
U 8772	septentrionalis x grandiflorus		1,20	3,60	
U 8773	septentrionalis x macrodiscus		1,20		
U 8679	sp. Born 453 x acanthodes		1,00		
U 8680	sp. Born 453 x gracilis		1,00		
U 8714	sp.n. Mision San Borja Mision San Borja, Baja California. Mx. aff. acanthodes v. kurze gelbe Dornen		1,20	3,60	20,00
U 8779	spec. Laguna Seca Chapala x grandiflorus (Bahia Asunción)		1,20		
U 8780	spec. Laguna Seca Chapala x viscainensis (San Borja)		1,20		
U 7858	stainesii v. pilosus haariger als Typ		1,00	3,00	14,00
U 8613	stainesii v. pringlei satt rote Dornen, keine oder fast keine Haare		1,00	3,00	16,00
U 8739	townsendianus		1,00	3,00	14,00
U 8741	townsendianus Cabo San Lucas, Baja California Süd, Mx.		1,10		
U 8740	townsendianus La Laguna, Baja California Süd, Mx.		1,10	3,30	
U 7061	townsendianus X santa-maria townsendianus 20 km südl. La Paz, Reppenhagen		1,00	3,00	
U 8722	viridescens Ensenada, Baja California, Mx.		1,00	3,00	14,00
U 8432	viridescens v- littoralis Puerto Santo Tomas		1,00	3,00	
U 6731	viridescens v. littoralis De Herdt Katalog 351/1968		1,00	3,00	
U 8431	viridescens v. littoralis Misión Santo Domingo, BC südlichstes, bekanntes Vorkommen		1,00	3,00	
U 6727	viridescens v. littoralis San Telmo, B. C.		0,80	2,40	
U 5554	viridescens v. orcuttii		1,00	3,00	
U 7920	viridescens v. orcuttii Valle de las Palmas, BC (Typstandort)		1,00	3,00	
U 8783	viridescens v. orcuttii x Ferrobergia VIOLET F2 Blüte gelb gelb		1,60	4,80	
U 8784	viridescens v. orcuttii x Ferrobergia VIOLET F2 Blüte rot rot		1,80	5,40	28,00
U 7056	viridescens v. orcuttii X Ferrobergia VIOLET F2 Blüte gelb, rötlich gespitzt		1,60	4,80	
U 8439	viridescens x gracilis F2		0,90	2,70	
U 8933	wislizenii		1,00	3,00	16,00
U 6726	X lecontei Born 453/1968 rot/red		1,00	3,00	
U 8776	x lecontei (Born 453) x acanthodes		1,20	3,60	
U 8777	x lecontei (Born 453) x fordii		1,20		
U 8778	x lecontei (Born 453) x septentrionalis		1,20		

Ferofossulocactus

U 7493	F2-Hybride LEIBNITZ F.macrod.xSt. coptonogonus	2,00		12,00	60,00
--------	--	------	--	-------	-------

Frailea

U 667	alacriportana		1,00		
U 5705	alacriportana FS 018		1,20		
U 8788	angelesii KH 1252 West of Concordia, Entre Rios, Argentina 20m (syn. Frailea mammifera subs. angelesiae)	1,20			
U 8707	buenerkeri ssp. densispina		1,00	3,00	
U 8663	grahliana gelb		1,00	3,00	
U 8662	heliosa		1,00	3,00	
U 1162	horstii		0,80		
U 8664	lepida		1,00		
U 6137	magnifica n.n. [mammifera]		1,10	3,30	18,00
U 5444	Mix Mischung verschiedener Arten unserer Wahl		1,20	3,60	18,00
U 8940	parviflora		1,20	3,60	
U 4902	phaeodisca		0,80		
U 8789	piltzii KH 1497		1,20		
U 8628	pseudograhliana		1,10	3,30	18,00
U 8704	pumila f. rubrispina Blüte gelblich		1,10	3,30	18,00
U 8706	pygmaea Gf 901 Tres Pasos - Mercedes Blüte blassgelb		1,00	3,00	

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Frailea

U 6218	sp.n. HU 793a Itaqui, Rio Grande do Sul, Brazil		1,00	3,00	
U 8514	spec. nov. VoS 567 north of Gral. Patricio Colman, Paraguay, 230 m		1,00	3,00	
U 8705	tenuissima n.i.		1,00		
U 6685	zapiciore		1,20	3,60	

Gymnocactus

U 6787	mandragora v. zaragossensis #	4,00			
U 5509	viereckii 'neglectus' L 1159 # Sierra Salamanca [Turbinicarpus]	1,80			

Gymnocalycium

U 39	baldianum rot / red		1,00	3,00	18,00
U 714	bruchii rosa		0,90		
U 512	damsii [anisitsii]		1,00	3,00	16,00
U 5586	eurypleurum FR 1178		1,00	3,00	14,00
U 8868	mihanovichii v. stenogonum		1,00	3,00	16,00
U 726	Mix		0,80	2,40	
U 516	monvillei		0,90		
U 5595	mucidum P 036a Salicas, Catamarca, Argentina, 1000m lange Pfahlwurzeln, G.glaucum v.mucidum		1,00	3,00	14,00
U 5368	nidulans P 138 Senor de la Pena, La Rioja, Argentina, 900-1000 m		1,00	3,00	14,00
U 4975	quehlianum		1,00	3,00	16,00
U 6897	tillianum WR 227 Sierra Ambato, Catamarca, Argentina, 3000m prächtige derbe Dornen rot		1,10	3,30	
U 8611	vatteri v. paucispinum		1,00	3,00	

Hamatocactus

U 6239	hamatacanthus [Ferocactus] rote Dornen / red spines		1,00	3,00	14,00
U 8688	hamatacanthus nördl. Rodeo, Durango, Mx kräftige Form [Ferocactus]		0,90	2,70	14,00
U 7648	hamatacanthus v. gracilispinus [Ferocactus]		1,00	3,00	
U 8729	hamatacanthus v. sinuatus Jaumave, Tamaulipas, Mx.		1,00	3,00	
U 8681	hamatacanthus v. sinuatus Rep 1294a Presa Rodriguez Gomez, Nuevo León, Mexico, 350 m [Ferocactus hamatacanthus ssp. sinuatus]		1,00	3,00	
U 8730	hamatacanthus v. sinuatus Rep. 1294a Presa Rodriguez Gomez, Nuevo León, Mexico [Ferocactus hamatacanthus ssp. sinuatus]		1,00	3,00	
U 7640	hamatacanthus v. sinuatus subv. papyracanthus		0,80	2,40	

Harrisia

U 8826	bonplandii große weiße Blüten		1,00		
U 5189	martinii		1,00	3,00	

Hildewintera

U 6646	colademononis Heg. 178a SO of Samipata, Bolivia (syn. H.polonica) [Cleistocactus winteri]	1,20		4,50	
--------	---	------	--	------	--

Homalocephala

U 6673	texensis [Echinocactus texensis]	2,00		6,00	
--------	----------------------------------	------	--	------	--

Islaya

U 6029	maritima		1,20	3,60	
U 8560	mollendensis		1,20	3,60	
U 8621	roseiflora [divaricatiflora]	1,00			

Leuchtenbergia

U 6207	principis		1,20	3,60	24,00
--------	-----------	--	------	------	-------

Lobivia

U 8841	chrysochete PHA 2709 El Palacio 3740m		1,40	4,20	
U 8709	ferox v. longispina Blüte weiß		1,00	3,00	

Lophophora

U 4497	diffusa weiß / white	1,80		12,00	
U 8231	Mix		3,50	10,00	
U 6028	williamsii v. decipiens	1,80			

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Mammillaria

U 6530	albicans L 034 Isla San Diegueto, Baja California, 10-100 m		1,00	3,00	
U 7756	barbata Cuarenta Casas, Chihuahua, mx.	9,00			
U 6305	bocasana		1,10	3,30	18,00
U 8711	bocensis H 0402	1,00			
U 5992	bombycina karmin		1,10	3,30	16,00
U 6675	boolii / insularis Puerto el Portezuelo, BC	0,80			
U 5551	brandegeei ssp. gabpii El Arco, Baja California		1,00		
U 7563	buxbaumeriana gelblich		0,90	2,70	
U 8853	calleana Blüte weiß		1,00		
U 4982	candida		1,10	3,30	16,00
U 5624	cerralboa		1,00	3,00	
U 8742	cerralboa L 039 Isla Cerralbo, Baja California, Mexico		1,00	3,00	
U 8691	coahuilensis v. albiarmata		1,20	3,60	16,00
U 8657	columbiana Blüte rosa		0,90		
U 8442	columbiana GS 08 Valera, Venezuela		1,00	3,00	
U 8668	compacticaulis Blüten rosa rosa		0,90	2,70	
U 7488	craigii Rep 1585 Samachic/La Bufa, Chihuahua, Mexico, 2115 m		1,00	3,00	16,00
U 8659	densispina		0,90	2,70	
U 8855	felipensis Rep 636 San Felipe, Guanajuato, Mexico, 2200 m Blüte weiß		1,10	3,30	
U 5512	formosa Dr. Arroyo, N.L. Mx		1,20	3,60	16,00
U 6529	fraileana Pichilingue, BC		0,90	2,70	
U 8032	geminispina		1,10	3,30	18,00
U 8658	gilensis		0,90		
U 8856	gilensis Rep 1739 Orito, Aguascalientes, Mexico, 2350 m		1,20		
U 6846	glareosa	0,80			
U 7384	glassii		1,00	3,00	
U 5828	hahniana		1,00	3,00	14,00
U 8499	hirsuta Rep 1236 Ahualulco, San Luis Potosí, Mexico, 1900 m		1,10	3,30	16,00
U 8851	hirsuta Rep 1515 Arroyos/Pila, San Luis Potosí, Mexico, 1950 m		1,20		
U 8857	hirsuta v. gracilis Rep 1955 Pinos, Zacatecas, Mexico, 2550 m Blüte weiß weiß		1,20		
U 8858	hirsuta v. grandis		1,00		
U 5636	hutchisoniana Muleche, BC groß / large		1,00	3,00	16,00
U 8860	knebeliana Blüte cremeweiß		1,00	3,00	
U 8861	kunzeana Blüte weiß [seideliana]		1,00		
U 8869	lanata		1,00	3,00	16,00
U 6734	lasiacantha		1,20	3,60	19,00
U 4678	limonensis R 1620 La Meseta, Jal., 2000 m, auf silikatischen Felsblöcken	0,80			
U 8501	linarensis		0,80	2,40	
U 5720	mammillaris Venezuela		1,00	3,00	14,00
U 394	mazatlanensis groß		0,80	2,40	
U 7420	mazatlanensis v. monocentra groß		0,80	2,40	
U 762	Mix Mischung verschiedener Arten unserer Wahl		1,00	3,00	16,00
U 5644	moelleriana fa. cowperae	0,90		5,40	
U 8656	muehlenpfordtii	0,90			
U 8862	multiceps Blüte weißlich mit Mittelstreif		1,00		
U 5836	nivosa		1,00	3,00	16,00
U 8863	painteri Rep 1398 San Nicolas, Querétaro, Mexico, 1700 m		1,20		
U 8446	papasquiarensis Santiago Papasquiario, Durango, Mx (syn. tesopacensis v. papasquiarensis, M. grusonii)		0,90	2,70	12,00
U 5837	parkinsonii rot/red		1,00	3,00	16,00
U 7458	pennispinosa	1,00		6,60	
U 1105	praelii n.n. [karwinskiana]		1,10		
U 6386	prolifera	0,90			
U 8710	prolifera v. hartiensis Carru Cajabaro	0,90			
U 4444	rioverdense		0,90		

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Mammillaria

U 8864	ritteriana Rep 1218 Los Muertos, Nuevo León, Mexico, 1300 m Blüte weiß		1,00		
U 7130	ruetii		0,90	2,70	
U 7178	ruetii Jpala, Guatemala		0,80	2,40	
U 5755	schumannii v. globosa Typstandort (syn. Bartschella)		1,00	3,00	
U 8942	sinforosensis HO 510 Cumbres de Sinforosa		1,20		
U 8941	sinforosensis ssp. marionae PN 429 Cumbres de Guérachi		1,20		
U 369	spinosissima rot/red		0,90	2,70	
U 4189	spinosissima cv. 'Un Pico' einstachlig rot / red		1,20	3,60	16,00
U 8825	spinosissima cv. albispina Blüten rosarot - karmin		0,90	2,70	12,00
U 6002	spinosissima v. rubra karmin		1,00	3,00	
U 8498	sylvatica Rep 1603 Tuxpan/Cerritos, Jalisco, Mexico, 1500 m	0,80		2,40	
U 5522	tetrancistra (syn. Phellosperma)		1,20	3,60	
U 8743	tetrancistra Arizona, USA helle Dornen		1,00	3,00	14,00
U 8448	tetrancistra Sierra Pinacate, Son., Mx dunkle Dornen		1,00	3,00	
U 8593	Toluca cv. Sin Pico		1,00	3,00	14,00
U 8865	vagaspina Blüte rahmweiß bis rosa		1,00		
U 8669	wiesingeri		0,90	2,70	
U 8866	wildii Rep 1110 Metzquititlan, Hidalgo, Mexico Blüte weiß		1,20		
U 8850	xaltianguis Rep 753 Xaltianguis, Guerrero, Mexico, 600 m		1,20		
U 6023	zeilmanniana v. albiflora white		1,10	3,30	16,00

Marginatocereus

U 7841	marginatus		1,10	3,30	25,00
--------	------------	--	------	------	-------

Melocactus

U 8203	aff. maxonii weißes Cephalium		0,80		
U 6475	azureus		1,10	3,30	14,00
U 8938	curvispinus		1,00	3,00	
U 8202	zehntneri gelbliches Cephalium		1,10	3,30	14,00

Migueliopuntia

U 8847	miguelii PHA 2568 Quebradita	1,20			
--------	------------------------------	------	--	--	--

Myrtillocactus

U 6473	geometrizans weiß / white		1,40	4,20	25,00
--------	---------------------------	--	------	------	-------

Neobuxbaumia

U 6160	polylopha		0,90	2,70	
--------	-----------	--	------	------	--

Neochilenia

U 8268	crispa ssp. atroviridis FK 105 22km South of Vallenar, Huasco, Chile [Eriosyce]		0,90		
U 5863	jussieui		0,80	2,60	
U 981	Mix Mischung verschiedener Arten unserer Wahl		1,00	0,00	
U 1091	paucicostata v. viridis wächst gut		0,80	2,60	
U 1142	pulchella	1,00			

Neolloydia

U 7620	conoides SB 596 La Blanca, Zacatecas, Mexico	2,00			
--------	--	------	--	--	--

Neoporteria

U 4107	chilensis v. albidiflora		0,80		
U 8588	curvispina	0,80			
U 7220	neohankeana FK 501 Taltal Eriosyce taltalensis ssp. paucicostata 'neohankeana'		0,90		
U 5869	papaso n.i.	0,80			
U 8840	subgibbosa PHA 2605 Los Vilos		1,40	4,20	
U 8937	villosa		1,20	3,60	19,00

Neowerdermannia

U 8792	vorwerkii La Quiaca, Jujuy, Argentinien weiße Blüte! weiß	2,00			
U 8793	vorwerkii JK 446 Macha, Bolivien, 3800m	2,50			
U 8791	vorwerkii v. Comanche, La Paz, Bolivien weiße Blüte! weiß	2,50			

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Neowerdermannia

U 7758 vorwerkii v. penae 1,80

Notocactus

U 5289 buiningii 1,10 3,30 16,00
 U 8563 buiningii PR 374 Border, Rio Grande do Sul, Brazil 1,00 3,00
 U 7111 graessneri [syn. Brasilicactus] 1,00 3,00 16,00
 U 8639 harmonianus Gf 145 1,00
 U 6126 haselbergii (syn. Brasilicactus) rot 1,00 3,00 16,00
 U 940 horstii 1,00 3,00 16,00
 U 5659 incomptus 0,80 2,40 10,00
 U 374 leninghausii [Parodia] 1,20 3,60 16,00
 U 6574 leninghausii v. longispina 1,00 3,00 14,00
 U 941 magnificus gelb / yellow 1,00 3,00 10,00
 U 906 Mix 05/21 Mischung verschiedener Arten unserer Wahl 1,20 3,60
 U 8684 nigripinus [Parodia nigripina] 1,00 3,00 14,00
 U 8495 orthacanthus FS 416 0,80
 U 7040 ottonis v. janousekianus orangerot 1,00 6,00
 U 3819 purpureus 1,00 3,00 14,00
 U 2997 schlosseri 0,80
 U 8481 sellowii fa. sessiliflora (syn. Wigginsia) 0,90 2,70
 U 6006 uebelmannianus gelb+lila / yellow+pink 1,10 3,30 16,00
 U 3980 warasii 1,00 3,00 16,00

Opuntia

U 8065 engelmannii v. engelmannii (dw) min. temp. <-30°C frostresistant gelb 0,90

Oreocereus

U 221 celsianus 1,00 3,00 14,00
 U 8842 lecoriensis PHA 2703 Lecori Alto 3420 m 1,00 3,00

Oroya

U 4821 peruviana 0,90 2,70

Pachycereus

U 1276 'Cardon' 0,80 2,40 14,00

Parodia

U 5987 buenekeri (Syn. Brasiliparodia) 0,80
 U 7852 chrysacanthion cv. Rubriflora gelbe Bedornung, rote Blüten rot 1,20 3,60 18,00
 U 5883 mairanana orange 1,10 3,30 16,00

Pediocactus

U 6845 simpsonii frosthart / frostresistant 1,40

Pierrebraunia

U 8497 bahiensis Aussaat 1,40 8,40

Pilosocereus

U 6048 azureus 1,00 3,00 14,00
 U 6765 braunii 1,00 3,00 14,00
 U 6707 gounellii 1,00 3,00 14,00
 U 8701 gounellii v. zehntneri 1,00 3,00 14,00
 U 8596 odilensis 1,20 3,60 16,00

Polaskia

U 6572 chichipe 1,10 3,30 16,00

Pyrrhocactus

U 8818 choapensis PHA 2607 Vilos - Illapel 1,40 4,20
 U 8819 confinis PHA 2631 Baranquia 2,00
 U 8844 curvispinus v. aconcaguensis PHA 2590 Farallones 1,40 4,20
 U 8556 totoralensis Eriosyce crispa 0,80

Rebutia

U 7415 anneliesii 0,90 2,70
 U 4711 chrysacantha Santa. Barbara, Argentinien (syn. senilis ssp. chrysacanthus) [minuscula] 1,00 3,00 16,00
 U 5530 chrysacantha WR 706b Sta. Barbara, Salta to Cafajate, Argentinia (syn. senilis ssp. chrysacantha) [minuscula] 1,00 3,00 16,00
 U 8665 fiebrigii 0,90 2,70

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Rebutia

U 4709 knizeii gelb / yellow		0,80	2,40	
U 8036 mandingaensis HJ 421 West of Tarvita, Chuquisaca, Bolivia, 2800 m		1,40	4,20	
U 257 Mix Mischung verschiedener Arten unserer Wahl		0,80	2,40	
U 5174 pseudominuscula WR 011		1,00	3,00	
U 5307 pygmaea 35 km O San Vincente	0,80			
U 5176 pygmaea v. longispina L 541		0,80		
U 8041 rubiginosa L 402 Navarez , O'Connor, Tarija, Bo, 1000-1300m	1,00			
U 4933 senilis WR 706 a El Manzana, Arbutinien [minuscula]		1,00	3,00	
U 4710 senilis v. breviseta		0,80	2,40	16,00
U 8875 senilis aff. BOS 213		1,10	3,30	
U 6963 turbinata		1,00		

Setiechinopsis

U 5018 mirabilis gruppenbildend weiß duftend / white		1,00	3,00	
--	--	------	------	--

Stephanocereus

U 8592 leucostele		1,00	3,00	14,00
-------------------	--	------	------	-------

Stetsonia

U 1516 coryne		1,00	3,00	14,00
---------------	--	------	------	-------

Strombocactus

U 6307 pulcherrimus # Xicho (espinosae) rot / red		1,60	4,80	
---	--	------	------	--

Sulcorebutia

U 4372 cylindrica v. albiflora HS 44a weiss / white	1,40			
---	------	--	--	--

Thelocactus

U 8450 bicolor v. pottsii Cd. Chihuahua, Chihuahua, Mx		1,00	3,00	
U 8617 bicolor v. tricolor		1,00	3,00	16,00
U 7429 garciae	1,60			
U 8745 heterochromus		1,00	3,00	
U 8744 pottsii x heterochromus		1,00	3,00	

Trichocereus

U 5523 bridgesii		1,10	3,30	16,00
U 8843 chilensis PHA 2491		1,00	3,00	19,00
U 8615 Flying Saucer-Hybr. X x Echinopsis Schick-Hybr.		2,00	6,00	28,00
U 8936 huascha X Echinopsis Schick-Hybr. super Blüten, vielfarbig		2,00	6,00	28,00
U 8595 macrogonus		1,00	3,00	
U 5092 pachanoi		1,60	4,80	28,00
U 4953 pasacana		1,00	3,00	16,00
U 7352 peruvianus weiß / white		1,20		
U 8935 spachianus X Echinopsis Schick-Hybr. super Blüten vielfarbig		2,00	6,00	28,00
U 4951 terscheckii		1,10	3,30	18,00
U 8934 thelegonus X Echinopsis Schick-Hybr.		2,00	6,00	28,00

Turbincarpus

U 8542 graminispinus #	2,00			
U 8800 laui westl. Villa juarez	1,80			
U 5425 laui #	1,00		6,00	
U 8623 laui # Cerritos	1,80			
U 7895 laui # westl. Guaxama, Mx	1,80			
U 7311 macrochele fo. frailensis #	1,00			
U 8568 macrochele fo. frailensis # El Refugio A	1,20			
U 8569 macrochele fo. frailensis # El Refugio B	1,20			
U 8802 macrochele fo. railensis La Bisnaga	1,20			
U 7470 nieblae # südl. Sierra San Carlos	2,40			
U 6394 polaskii # La Bonita	1,00			
U 4992 roseiflorus #	1,20			
U 6697 saueri # (syn. Gymnocactus saueri)		1,40		
U 4986 schmiedickeanus v. dickisoniae #	1,00			
U 7924 schwarzii v. rubriflorus # El Fraile rot	1,80			
U 4965 swobodae #	1,00			
U 8038 X mombergeri #	1,80			

Anzahl Samen / Number of Seeds:

10	20	100	1000
----	----	-----	------

Preis in € / price in €			
-------------------------	--	--	--

Weingartia

U 8798 fidaiana ssp. amerauseri STO 987 E San Cruce, Rio Paichu, Santa Cruz, Bolivia 2660 m	2,50			
U 8573 fidaiana ssp. amerhauseri LB	1,00			
U 8799 fidaiana ssp. amerhauseri LB 3926 Paichu Centro, Tarija, Bolivia, 2710 m	2,50			
U 8797 fidaiana ssp. amerhauseri VoS 1969 Paichu valley, Tarija, Bolivia. 2752m	2,50			
U 8571 fidaiana ssp. amerhauseri VOS 957	1,00			
U 8561 frey-juckeri HJ 441 Rio Huancarani, Chuquisaca, Bolivia, 1100 m	1,50			
U 8650 pygmaea RH 1126 Mal Paso, Potosi, 3950 m, Bolivien	1,20			
U 8627 spectabilis HJ 1159	1,40			

Wigginsia

U 8516 courantii	1,00			
------------------	------	--	--	--

Andere Sukkulenten

U 6423 / other succulents				
---------------------------	--	--	--	--

Adansonia

U 8402 digitata Affenbrotbaum	2,80		21,00	
-------------------------------	------	--	-------	--

Adenium

U 6708 obesum pink	1,60		9,60	120,0
U 8607 obesum cv. Border überwiegend Blüten mit hellem Rand - dunkler Mitte	4,50			
U 8198 obesum cv. Pure White überwiegend reinweiße Blüten reinweiß / pure white	4,50			
U 6753 obesum pink flower überwiegend rosa Blüten mit weißem Schlund rosa / pink	3,00		18,00	120,0
U 7337 obesum v. multiflorum	1,80		10,80	95,00

Aeonium

U 8901 atropurpureum		1,00		
U 5676 davidbramwellii Tenerife (Syn. Ciliatum v. palmense)		1,10	3,30	14,00
U 5678 decorum La Gomera		1,00	3,00	14,00
U 8703 escobarii		0,90	2,70	14,00
U 8631 glutinosum		0,80	2,40	14,00
U 6580 haworthii		0,90	2,70	14,00
U 5682 holochrysum Tenerife		0,80	2,40	9,00
U 8630 lancerottense		0,80	2,40	14,00
U 7522 Mix Mischung verschiedener Arten unserer Wahl		1,00	3,00	16,00
U 5685 percaneum Gran Canaria		0,80	2,40	9,00
U 8900 simsii		1,00	3,00	
U 5686 spathulatum Tenerife		1,00	3,00	

Agave

U 6283 attenuata		1,20	3,60	20,00
U 7820 macroacantha		1,40		
U 8649 potatorum		1,40		
U 6011 potatorum v. verschaffeltii eine der schönsten Agaven		1,40	4,20	
U 8823 striata v. striata	1,00		6,00	
U 6201 victoriae-reginae		0,90	2,70	

Albuca

U 7472 spiralis Sizzle Frizzle	1,50			
--------------------------------	------	--	--	--

Aloe

U 6012 aculeata v. crousiana		1,20	3,60	16,00
U 6472 broomii		1,00	3,00	
U 8902 bulbifera		1,20		
U 8638 castanea Blüte orange		0,90	2,70	
U 8905 comptonii		1,20	3,60	16,00
U 6018 dichotoma	0,80		4,80	
U 7074 ferox		1,00	3,00	16,00
U 8903 humilis		1,20	3,60	24,00
U 8605 karasbergensis	1,20			
U 8873 macroclada Madagaskar		2,00	6,00	
U 1950 marlothii		1,00	3,00	16,00

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Aloe

U 6200	Mix	Mischung verschiedener Arten unserer Wahl		0,80	2,40	
U 8456	peglerae			1,40	4,20	24,00
U 8904	reitzii			1,20	3,60	16,00
U 7845	reitzii cv. Azurea			1,20	3,60	
U 6009	spectabilis			1,20	3,60	16,00
U 6634	striata			1,00	3,00	16,00
U 2399	variegata			1,40	4,20	32,00

Androcymbium

U 8564	austrocapensis		4,00			
U 8812	eucomoides	Zwiebel: Colchicaceae, Winterwachser 6-10°C	4,00			
U 8211	longipes	Zwiebel: Colchicaceae, Winterwachser 6-10°C	6,50			
U 8809	volutare	Südafrika Zwiebel	4,00			

Bowiea

U 6043	volubilis		1,60		9,80	59,00
--------	-----------	--	------	--	------	-------

Caralluma

U 8651	acutangula	Ngare Mara, Kenia	4,00			
--------	------------	-------------------	------	--	--	--

Ceiba

U 8824	speciosa	(syn. Chorisia speciosa) Florettseidenbaum	1,00		6,00	36,00
--------	----------	--	------	--	------	-------

Cyphostemma

U 7206	elephantopus		4,90			
--------	--------------	--	------	--	--	--

Delosperma

U 8661	brunnthaleri	Blüte lilarosa, sehr froshart lilarosa		0,90	2,70	
U 8672	esterhuyseniae	froshart bis - 4 °C		0,90		
U 8671	harazianum	Blüte rosa, sehr froshart bei Regenschutz rosa		0,90		
U 8667	herbeum	Blüte weiß, sehr froshart bei Regenschutz weiß		0,90	2,70	14,00
U 8666	lydenburgense	Blüte lila, froshart -5 bis -10 °C		0,90	2,70	14,00
U 8582	Mix winterhart/hardy (dw)	Mischung winterharter Arten		1,00	3,00	
U 8670	nakurense	Blüte weiß-rosa, sehr froshart bei Regenschutz		0,90	2,70	

Dioscorea

U 7742	elephantipes	(Testudinaria elephantipes), Caudex	4,20		25,00	140,0
--------	--------------	-------------------------------------	------	--	-------	-------

Dracaena

U 6430	draco	"Drachenbaum"	1,00		6,00	36,00
--------	-------	---------------	------	--	------	-------

Drimiopsis

U 8805	maxima	De Hoop	9,50			
--------	--------	---------	------	--	--	--

Dyckia

U 8508	fosteriana			1,20	3,60	22,00
--------	------------	--	--	------	------	-------

Echeveria

U 8697	agavioides cv. Red Leaf			1,60	4,80	
U 8696	lilacina			1,60	4,80	19,00
U 8712	Mix			1,20	3,60	18,00
U 8694	shaviana			1,60	4,80	19,00

Euphorbia

U 6013	enopla			2,40	7,20	34,00
U 6059	grandicornis			2,60	7,20	48,00
U 6016	inermis			2,40	6,20	32,00
U 6629	ingens			1,40	4,20	

Fockea

U 5527	edulis			3,20	9,60	48,00
--------	--------	--	--	------	------	-------

Fouquieria

U 7476	columnaris	(syn. Idria)	1,50		9,00	
--------	------------	--------------	------	--	------	--

Gasteria

U 6315	armstrongii			1,80	5,40	75,00
--------	-------------	--	--	------	------	-------

Graptopetalum

U 3303	bellum	(syn. Tacitus bellus)		1,60	4,80	18,00
--------	--------	-----------------------	--	------	------	-------

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Haworthia

U 8870 pumila		1,60	4,80	34,00
U 6314 truncata	3,50		18,00	

Jatropha

U 6887 podagrica	2,00		12,00	
------------------	------	--	-------	--

Kalanchoe

U 8827 maromokotrensis Madagaskar 2006 beschrieben, Blüte blassrosagrün, bauchig		1,20	3,60	18,00
U 8609 sexangularis		1,00	3,00	

Lansea

U 8646 greenwayi	5,00			
------------------	------	--	--	--

Lapidaria

U 6624 margaretae		1,10	3,30	
-------------------	--	------	------	--

Lithops

U 1313 v. bella		1,10	3,30	18,00
U 2200 aucampiae gelb / yellow		1,20	3,60	34,00
U 8876 aucampiae v. aucampiae C 002 near Danielskuil, Northern Cape, SA	1,00			
U 8877 aucampiae v. aucampiae C 003 10 km SE Postmasburg, Northern Cape, SA		1,20		
U 8311 aucampiae v. aucampiae C 117 45km North-West of Griquatown (Griekwastad), Cape		1,00	3,00	
U 7712 aucampiae v. aucampiae C 298 near Severn, N. Cape, South Afr.		1,20		
U 7800 aucampiae v. aucampiae C 334 15 km NNE Olifantshoek, Northern Cape, SA		1,20		
U 8375 aucampiae v. aucampiae C 366 Near Danielskuil, Cape Province		1,20	3,60	34,00
U 7713 aucampiae v. aucampiae 'Kuruman' C 173 60 km SE Kuruman, Northern Cape, Südafrika		1,20	3,60	
U 8929 aucampiae v. aucampiae cv. Kuruman form C 332 5 km NE Kuruman, Northern Cape, SA		1,20		
U 2432 aucampiae v. koelemanii		1,10	3,30	22,00
U 8352 aucampiae v. koelemanii C 256 35km West-South-West of Postmasburg, Cape		1,20	3,60	
U 1314 bromfieldii		1,10	3,30	18,00
U 7691 bromfieldii v. bromfieldii C 368 25 km SE Upington, Northern Cape, Südafrika gelb / yellow		1,00		
U 8310 bromfieldii v. glaudinae C 116 TL 70km West-North-West of Griquatown (Griekwastad), Cape		1,10		
U 7978 bromfieldii v. insularis C 042 15 km E Keimoes, Northern Cape, SA		1,10		
U 7354 bromfieldii v. insularis (Sulphurea)		1,20	3,60	22,00
U 8884 bromfieldii v. mennellii C 044 TL 25 km SSW Upington, Northern Cape, SA		1,20	3,60	
U 7998 bromfieldii v. mennellii C 283 20 km SSW Upington, Northern Cape, SA		1,20	3,60	
U 8314 comptonii C 125 50km East-North- East of Ceres, Cape Province		1,20		
U 8371 comptonii v. weberi C 347 70km South-South-West of Calvinia, Cape Province		1,20		
U 8509 dinteri ssp. dinteri C 206 TL 40km South-South-East of Warmbad, Namibia		1,20	3,60	
U 8328 dinteri ssp. frederici C 180 TL 30km North-West of Pofadder, Cape Province		1,20	3,60	18,00
U 7809 dinteri ssp. multipunctata C 181 TL 65 km SE Warmbad, Namibia		1,20		
U 7710 dinteri v. brevis C 268 55 km SW Warmbad, Namibia		1,20		
U 8907 divergens v. amethystina C 201 60 km WNW Loeriesfontain, Northern Cape, SA		1,40		
U 8354 divergens v. amethystina C 270 TL		1,20		
U 2443 dorotheae		1,10	3,30	19,00
U 7999 dorotheae C 300 15 km N Pofadder, Northern Cape, SA		1,20	3,60	18,00

Anzahl Samen / Number of Seeds:	10	20	100	1000
	Preis in € / price in €			

Lithops

U 8318	francisci C 140 TL, 35km East of Lüderitz, Namibia		1,20		
U 8923	fulleri v. fulleri C 161 near Pofadder, Northern Cape, SA		1,20	3,60	
U 8132	fulviceps (Aurea) v.		1,40	4,20	36,00
U 8327	fulviceps v. fulviceps C 170 40km North of Karasburg, Namibia		1,20	3,60	
U 8342	fulviceps v. fulviceps C 220 TL, 75km North of Karasburg, Namibia		1,20	3,60	
U 8343	fulviceps v. fulviceps C 221 85km North of Karasburg, Namibia		1,20	3,60	
U 7535	fulviceps v. fulviceps C 266 65 km N, Karasburg, Namibia		1,20	3,60	
U 7707	fulviceps v. fulviceps cv. Aurea C 363 Namibia		1,50	4,50	
U 8912	fulviceps v. lactinea C 222 100 km ESE Keetmanshoop, Namibia		1,20		
U 1674	fulviceps v. fulviceps gelb / yellow		1,10	3,30	18,00
U 7981	gesinae v. annae C 078 TL 25 km SW Helmeringhausen, Namibia		1,20	3,60	
U 8909	gesinae v. gesinae C 207 TL, 70 km N Aus, Namibia		1,20	3,60	
U 8357	geyeri C 274 TL 75km East-North-East of Alexander Bay, Cape		1,20		
U 7306	geyeri 'hillii' C 233 65 km NE Port Nolloth, Northern Cape (SA)		1,20	3,60	
U 8915	geyeri cv. hillii C 232 65 km NE Port Nolloth, Northern Cape, SA		1,20	3,60	
U 2454	hallii weiß / white		1,20	3,60	18,00
U 7974	hallii v. hallii C 022 55 km SW Prieska, Northern Cape, SA		1,10		
U 8891	hallii v. hallii C 090 30 km SE Douglas, Northern Cape, SA		1,20		
U 8312	hallii v. hallii C 119 35km West-South-West of Strydenburg, Cape Province		1,20		
U 8325	hallii v. hallii C 158 55km East-North-East of Vanwyksvlei, Cape Province		1,20	3,60	
U 8925	hallii v. hallii C 174 25 km SEPrieska, Northern Cape, SA		1,20	3,60	
U 8898	hallii v. hallii (Brown Form) C 135 20 km SE Strydenburg, Northern Cape, SA		1,20	3,60	
U 8234	hallii v. hallii (Brown Form) C 136 35km East-North-East of Strydenburg, Cape Province Brown form		1,20	3,60	
U 7982	hallii v. hallii (salicola reticulata) C 087 TL 30 km SE Hopetown, northern Cape, SA		1,20		
U 8255	hallii v. ochracea C 039 5km North-East of Groblershoop, Cape Province		1,10		
U 8892	hallii v. ochracea C 098 50 km NNW Upington, Northern Cape, SA		1,20		
U 8945	hallii v. ochracea C 372 150 km SW Upington. Northern Cape, SA		1,20	3,60	
U 8347	herrei C 234 70km North-East of Alexander Bay, Cape Province		1,20	3,60	
U 8916	herrerae C 235 TL 35 k NE Alexander Bay, Northern Cape, SA		1,20		
U 5493	hookeri		1,20	3,60	18,00
U 8307	hookeri C 110 50km North-West of Marydale, Cape Province		1,20	3,60	
U 8257	hookeri 'Vermiculate form' C 051 15km North-West of Strydenburg, Cape Province		1,20	3,60	
U 4607	hookeri fa. vermiculata		1,10	3,30	18,00
U 8890	hookeri v. dabneri C 085 35 km W Kimberley, Northern Cape, SA		1,20	3,60	
U 8359	hookeri v. dabneri C 301 20km North-North-East of Douglas, Cape Province		1,20		
U 7984	hookeri v. elephina C 092 TL 10 km N Britstown, Northern Cape, SA		1,20	3,60	
U 7538	hookeri v. elephina C 093 25km North-East of Britstown, Cape Province		1,20	3,60	
U 7986	hookeri v. hookeri C 112 40km West-North-West of Prieska, Cape Province		1,20	3,60	
U 8309	hookeri v. hookeri C 114 15km North-West of Niekerkshoop, Cape Province		1,10		

Anzahl Samen / Number of Seeds: 10 20 100 1000
Preis in € / price in €

Lithops

U 8320	hookeri v. hookeri C 142B 30km North-West of Niekerkshoop, Cape Province		1,20		
U 8368	hookeri v. hookeri C 340 near Marydale, Northern Cape, Southafrika		1,20		
U 8365	hookeri v. hookeri 'Vermiculate form' C 335 30km West-South-West of Strydenburg, Cape Province		1,20		
U 8930	hookeri v. hookeri cv. Vermiculate form C 336 45 km SSW Prieska, Northern Cape, SA		1,20		
U 8883	hookeri v. lutea C 038 TL 5 km NE Groblershoop, Northern Cape, SA		1,20		
U 7977	hookeri v. marginata C 035 TL 25 km SE Hopetown, Northern Cape, SA		1,20	3,60	
U 7704	hookeri v. marginata C 137 35 km E Hopetown, Northern Cape, Südafrika		1,20	3,60	
U 8242	hookeri v. marginata C 154 30km North-West of Hopetown, Cape Province rotbraune Form		1,20	3,60	
U 8366	hookeri v. marginata C 338 35km South-East of Hopetown, Cape Province		1,20		
U 2504	hookeri v. subfenestrata (syn. turbiniformis v. brunneo-violacea)		1,20	3,60	
U 8324	hookeri v. subfenestrata C 156 5km North of Prieska, Cape Province		1,20	3,60	
U 7703	hookeri v. subfenestrata, brunneoviolacea C 019 TL 40 km SW Griquatwn, Northern Cape, Südafrika		1,20		
U 2510	hookeri v. susannae (syn. turbiniformis v. susannae)		1,10	3,30	19,00
U 7308	hookeri v. susannae C 091 TL 30km SE Douglas, Northern Cape, SA eingezogen zu 7702		1,20	3,60	
U 7702	hookeri v. susannae C 091 TL, 30 km SE Douglas, Northern Cape, SA		1,10	3,30	
U 7807	julii spp. julii cv. littlewoodii C 218 TL, 40 km WSW Warmbad, Namibia		1,20	3,60	
U 7701	julii ssp. fulleri C 062 near Kakamas, Northern Cape, Südafrika		1,20		
U 7810	julii ssp. fulleri v. brunnea C 179 TL, 10 km NE Pofadder, Northern Cape, SA		1,20	3,60	
U 7975	julii ssp. fulleri v. fulleri C 024 5 km N Kenhardt, Northern Cape, SA		1,20	3,60	
U 8244	julii ssp. fulleri v. fulleri C 171 60km West of Upington, Cape Province		1,20		
U 8239	julii ssp. fulleri v. fulleri C 323 25km South-West of Upington, Cape Province		1,20		
U 8911	julii ssp. fulleri v. rouxii C 216 60 km WSW Warmbad, Namibia		1,20	3,60	
U 8888	julii ssp. julii C 064 near Karasberg, Namibia		1,20		
U 8329	julii ssp. julii C 183 25km South-East of Warmbad, Namibia		1,20		
U 8919	julii ssp. julii C 297 45 km, SE Warmbad, Namibia		1,20	3,60	
U 8373	julii ssp. julii C 349 45km South-East of Warmbad, Namibia		1,20	3,60	
U 8887	julii v. fulleri C 056 25 km SW Pofadder, Norther Cape, SA		1,20	3,60	
U 8894	julii v. fulleri C 121 115 km Kenhardt, Northern Cape, SA		1,20		
U 8908	julii v. fulleri C 203 15 km SSE Kenhardt, Northern Cape, SA		1,20		
U 8914	julii v. fulleri C 230B 75 km E Gamoep, Northern Cape, SA		1,20	3,60	
U 8871	julii v. fulleri cv. Light Green		1,20	3,60	22,00
U 8350	julii v. fulleri C 259 40 km ENE Gamoep, Northern Cape, SA		1,20	3,60	
U 8700	julii v. fulleri cv. Fullergreen		1,60	4,80	28,00
U 1319	karasmontana		1,10		
U 7796	karasmontana spp. eberlanzii C 369 TL 20 km E Lüderitz, Namibia		1,20		
U 8899	karasmontana spp. eberlanzii (erniana) C 147 40 km S Aus, Namibia		1,20	3,60	
U 8699	karasmontana ssp. bella		1,10	3,30	19,00
U 8306	karasmontana ssp. bella C 108 5km South of Aus, Namibia		1,10		

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Lithops

U 8238	karasmontana ssp. bella C 285 Near Aus, Namibia		1,20	3,60	
U 8240	karasmontana ssp. bella C 295 115km South-South-East of Aus, Namibia		1,20	3,60	
U 8872	karasmontana ssp. eberlanzii		1,10	3,30	18,00
U 7990	karasmontana ssp. eberlanzii C 149 TL 110 km SSE Aus, N 'erniana witputzensis'		1,20	3,60	
U 8336	karasmontana ssp. eberlanzii C 208 10km South of Aus, Namibia		1,20		
U 8698	karasmontana v. aiaisensis		1,10	3,30	19,00
U 7708	karasmontana v. karasmontana C 223 25km North-East of Grünau, Namibia		1,20		
U 8237	karasmontana v. karasmontana C 225 30 km North-West of Grünau, Namibia		1,20	3,60	
U 8913	karasmontana v. karasmontana C 226 25 km W Grünau, Namibia		1,20	3,60	
U 8344	karasmontana v. karasmontana 'jacobseniiana' C 227 TL 10km South-West of Grünau, Namibia		1,20		
U 8000	karasmontana v. karasmontana 'mickbergensis' C 317 15 km NE Grünau, N		1,20	3,60	
U 7803	karasmontana v. karasmontana 'mickbergensis' C 327 15 km NNE Grünau, Namibia		1,20	3,60	
U 7980	karasmontana v. karasmontana (Signalisberg Form) C 065 25 km WNW Grünau, N		1,20	3,60	
U 7802	karasmontana v. karasmontana Signalberg C 328 25 km WNW Grünau, Namibia		1,20		
U 2434	karasmontana v. lericheana		1,10		
U 7997	karasmontana v. lericheana C 267 TL 70 km N karasburg, N		1,20	3,60	
U 8002	karasmontana v. lericheana C 329 70km North of Karasburg, Namibia		1,20	3,60	
U 8332	karasmontana v. lerichiana C 193 50km North-North-East of Grünau, Namibia		1,20	3,60	
U 7801	karasmontana v. lerichiana C 330 70 km n Karasburg, Namibia		1,20	3,60	
U 2610	karasmontana v. mickbergensis red top		1,20	3,60	18,00
U 8131	karasmontana v. mickbergensis cv. Red Tops f.mix		1,20	3,60	24,00
U 7993	karasmontana v. tischeri C 182 TL, 30 km NNE Grünau, Namibia		1,20		
U 7529	karasmontana ssp. karasm. cv. mickbergensis C 168 10 km NNE Grünau, N		1,10	3,30	
U 8326	karasmontana v.kar. `mickbergensis C 169 20km North-North-East of Grünau, Namibia		1,20	3,30	
U 7307	leslei v. hornii C 364 TL 45 km SSW Kimberley, Northern Cape (SA)		1,20	3,60	
U 2461	leslei fa. albinica weiß		1,10	3,30	
U 8360	leslei ssp. burchellii C 302 20km North-North-East of Douglas, Cape Province		1,20	3,60	
U 8361	leslei ssp. burchellii C 308 40km North-North-East of Steinkopf, Cape Province		1,20	3,60	
U 7973	leslei v. hornii C 015 40 km SW Kimberley, northern Cape, SA		1,20		
U 8246	leslei v. leslei C 005 Near Warrenton, Cape Province, Northern Cape, SA Warrenton form		1,20		
U 8932	leslei v. leslei C 358 25 km W Lobatse, B		1,20		
U 8882	leslei v. leslei, Albinica C 036A TL near Warrenton, Northern Cape, SA		1,20		
U 8248	leslei v. leslei, Grey Form C 009 70km West of Mafikeng, Cape Province, Northwest, SA		1,20		
U 8881	leslei v. leslei, Pietsburg form C 030 30 km NW Pietsburg, Limpopo, SA Pietsburg form		1,20		
U 7699	leslei v. leslei, Warrenton C 036 near Warrenton, Südafrika		1,10		
U 8878	leslei v. minor C 006 25 km SW Swartruggens, North West, SA		1,20		

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Lithops

U 8879	lesliei v. minor, Witblom C 006A 25 km SW Swartruggens, North West, SA		1,20		
U 7991	lesliei v. venterii 'maraisii' C 153 TL 60 km NW Kimberley, Northern Cape, SA		1,20	3,60	
U 8249	lesliei v. l. esliei C 010 25km South-West of Lobatse, Botswana		1,20		
U 7534	lesliei ssp. lesliei v. lesliei, Pietersburg form C 032 10 km SE Pietersburg, Limpopo, SA		1,20	3,60	
U 1951	marmorata		1,10	3,30	19,00
U 8910	marmorata v. elisae C 214 75 km WSW Warmbad, Namibia		1,20	3,60	
U 8924	marmorata v. marmorata C 163 25 km NE Steinkopf, Northern Cape, SA		1,20	3,60	
U 7698	marmorata v. marmorata C 305 40 km NNE Steinkopf, Northern Cape, Südafrika		1,20	3,60	
U 8003	marmorata v. marmorata C 360 35 km NE Steinkopf, Northern Cape, SA		1,20	3,60	
U 7805	marmorata v. marmorata 'diutina' C 260 15 km ENE Steinkopf, Northern Cape, SA		1,20	3,60	
U 7816	marmorata v. marmorata 'framesii' C 058 TL 45 km ENE Springbok, Northern Cape, SA		1,20	3,60	
U 7797	marmorata v. marmorata cv. framesii C 365 60 km NE Springbok, Northern Cape, SA		1,20	3,60	
U 2519	Mix Mischung verschiedener Arten unserer Wahl		1,20	3,60	30,00
U 8920	naureniae C 304 TL 60 km SE Springbok, Northern Cape, SA		1,20	3,60	
U 1324	olivacea gelb / yellow		1,20	3,60	18,00
U 8886	olivacea v. olivacea C 055 25 km SW Pofadder, Northern Cape, SA		1,20	3,60	
U 7812	olivacea v. nebrownii C 162 B TL TL 70 km WSW Pofadder, Northern Cape, SA		1,20	3,60	
U 1326	otzeniana		1,10	3,30	19,00
U 7814	otzeniana C 128 TL 35 km NWN Loeriesfontein, Northern Cape, SA		1,20		
U 8918	otzeniana C 280 45 km NNW Loeriesfontein, Northern Cape, SA		1,20	3,60	
U 2265	pseudotruncatella gelb / yellow		1,10	3,30	18,00
U 7301	pseudotruncatella ssp. volkii C 069 TL 45 km S Windhoek, Namibia		1,20	3,60	
U 8261	pseudotruncatella v. pseudotruncatella C 067 20km East-North-East of Windhoek, Namibia		1,10	3,30	
U 7533	pseudotruncatella v. pseudotruncatella C 070 30 km S Windhoek, Namibia		1,20	3,60	
U 8353	pseudotruncatella v. pseudotruncatella C 263 20km West of Windhoek, Namibia		1,20	3,60	
U 8889	pseudotruncatella v. pseudotruncatella cv. alpina C 068 35 km SSE Windhoek, Namibia		1,20		
U 2203	salicola		1,10	3,30	19,00
U 8885	salicola C 049 10 km NW Petrusville, Northern Cape, SA		1,20	3,60	
U 8921	salicola C 321 25 km NWN Petrusville, Northern Cape, SA		1,20		
U 6613	salicola C 351 10 km Luckhoff, Free State, SA		1,20	3,60	
U 8931	salicola C 353 15 km WNW Luckhoff, Free State, SA		1,20	3,60	
U 7694	salicola maculata C 086 35 km SE Hope Town, Southern Cape, Südafrika		1,20	3,60	
U 1840	schwantesii		1,10	3,30	19,00
U 8927	schwantesii cv. gulielmi C 184 TL, 10 km NW Helmeringhausen, Namibia		1,20	3,60	
U 8321	schwantesii Grey form C 144 55km North-North-East of Aus, Namibia		1,20	3,60	
U 7692	schwantesii ssp. gebseri C 165 TL 70 km S Maltahöhe, Namibia gelb / yellow		1,10		
U 8243	schwantesii ssp. schwantesii C 077 Near Helmeringhausen, Namibia		1,20		

Anzahl Samen / Number of Seeds: 10 20 100 1000
 Preis in € / price in €

Lithops

U 8331	schwantesii v. rugosa C 192 40km North-West of Helmeringhausen, Namibia		1,20	3,60	
U 2503	schwantesii v. schwantesii C 079 25km South-West of Helmeringhausen, Namibia		1,10	3,30	
U 8893	schwantesii v. schwantesii C 106 80 km W Maltahöhe, Namibia		1,20	3,60	
U 8235	schwantesii v. schwantesii C 143 B 60km North-North-East of Aus, Namibia (syn. triebneri)		1,20	3,60	
U 7989	schwantesii v. schwantesii C 145 55km NE Aus, N		1,20		
U 7992	schwantesii v. schwantesii C 164 25 km SW Helmeringhausen, N		1,20	3,60	
U 8330	schwantesii v. schwantesii C 191 60km North-West of Helmeringhausen, Namibia		1,20		
U 7808	schwantesii v. schwantesii C 211 10 km SE Helmeringhausen, Namibia		1,20	3,60	
U 7693	schwantesii v. schwantesii C 265 45 km N Helmeringhausen, Namibia		1,10		
U 7690	schwantesii v. schwantesii cv. kuibisensis C 150 25 km E Aus, Namibia		1,20		
U 7353	schwantesii v. triebneri		1,10		
U 7689	schwantesii v. uricosensis 'natupsdriftensis' C 075 TL 35 km W Maltahöhe, Namibia gelb / yellow		1,20	3,60	
U 8335	schwantesii v. uricosensis cv. christinae C 210 TL, 45 Imm W Maltahöhe, Namibia		1,20	3,60	
U 8305	schwantesii v. urikosensis (christinae) C 107 20km West of Maltahöhe, Namibia gelb/yellow		1,20		
U 8922	schwantesii v. marthae C 148 60 km SSE Aus, Namibia		1,20	3,60	
U 1839	terricolor (syn. localis)		1,20	3,60	
U 8315	terricolor C 130 30km South-West of Rietbron, Cape Province		1,20		
U 8897	terricolor C 132 TL, 40 km E Laingsburg, Western Cape, SA		1,20		
U 7799	terricolor C 346 30 km WNW Prince Albert road, Western Cape, SA		1,20	3,60	
U 8370	terricolor C 346 30km West-North-West of Prince Albert Road, Cape Province		1,20		
U 8351	terricolor 'peersii' C 254 30km East-North-East of Willowmore, Cape Province		1,20		
U 7988	terricolor (localis) C 133 25 km S Beaufort West, Western Cape, SA		1,20	3,60	
U 8896	terricolor (peersii) C 131 TL near Miller Station, Eastern Cape, SA		1,20		
U 8316	terricolor (Prince Albert form) C 134 5km North of Prince Albert, Cape Province		1,20		
U 8917	terricolor cv. peersii C 253 95 km NW Port Elizabeth, Eastern Cape, SA		1,20	3,60	
U 8367	terricolor cv. peersii C 339 Near Steytlerville, Eastern Cape, SA		1,20		
U 8895	verruculosa v. verruculosa C 129 30 km E Brandvlei, Northern Cape, SA		1,20		
U 8880	verruculosa v. glabra C 025 30 km E Kenhardt, Northern Cape. SA		1,20	3,60	
U 7305	verruculosa v. glabra C 177 25 km SSE Kenhardt, Northern Cape (SA)		1,20	3,60	
U 8926	verruculosa v. verruculosa C 178 90 km W Kenhardt, Northern Cape, SA		1,20	3,60	
U 8334	verruculosa v. verruculosa C 198 85km South-South-East of Pofadder, Cape Province		1,20	3,60	
U 8906	verruculosa v. verruculosa C 200B 80 km SSE Pofadder, Northern Cape, SA		1,20	3,60	
U 8346	verruculosa v. verruculosa C 230C 75km East of Gamoep, Cape Province		1,20		
U 7817	verruculosa v. verruculosa 'inae' C 095 55 km SW Prieska, Northern Cape, SA		1,20		
U 7813	verruculosa v. verruculosa 'inae' C 157 55 km ENE Vanwyksvlei, Northern Cape, SA		1,20	3,60	
U 7806	villetii ssp. deboeri C 230A TL, 75 km E Gamoep, Northern Cape, SA		1,20		

Anzahl Samen / Number of Seeds:

10	20	100	1000
Preis in € / price in €			

Lithops

U 8928 villetii ssp. villetii C 194 60 km NNW Loeriesfontein, Northern Cape, SA

	1,20		
--	------	--	--

Moringa

U 6644 hildebrandtii

9,00			
------	--	--	--

Nolina

U 8201 recurvata

	1,40	4,20	29,00
--	------	------	-------

Operculicarya

U 6762 decaryi

3,90		25,00	190,0
------	--	-------	-------

Pachypodium

U 8597 baronii # CITES, not outside EU

5,80		44,00	0,00
------	--	-------	------

U 8874 brevicaulis ssp. leucoanthum weiße Blüten

4,50		38,00	
------	--	-------	--

U 6932 densiflorum gelb / yellow

2,60		16,00	
------	--	-------	--

U 5022 geayi

1,20		4,80	28,00
------	--	------	-------

U 2258 lamerei Madagaskarpalme

1,20		4,80	0,00
------	--	------	------

U 8606 mikea

2,60		16,00	120,0
------	--	-------	-------

U 6428 rutenbergianum

1,40			
------	--	--	--

Petopentia

U 7837 natalensis (syn. Fockea), Caudex

3,80		29,00	160,0
------	--	-------	-------

Polyxena

U 8811 calicola Zwiebel: Asparagaceae, Winterwachser 6-10°C

4,00			
------	--	--	--

U 8810 pygmaea de Hoop Zwiebel: Asparagaceae, Winterwachser 6-10°C

4,00			
------	--	--	--

Puya

U 8848 raimondii PHA 2754 Arani

	2,00	6,00	
--	------	------	--

U 8849 sp.n. PHA 2751 Cerro Tunari, Bolivien, 3730 m

	1,20	3,60	
--	------	------	--

Pyrenacantha

U 8652 malvifolia Coastal Province, Kenia

15,00			
-------	--	--	--

Rhadamanthus

U 8808 involutis Zwiebel: Asparagaceae, Winterwachser 6-10°C

3,50			
------	--	--	--

U 8215 platyphyllus (syn. Drimia platyphylla) Zwiebel: Asparagaceae, Winterwachser 6-10°C

3,50		21,00	
------	--	-------	--

Sinningia

U 8943 cardinalis

	1,20	3,60	
--	------	------	--

U 8944 iarae

	1,20	3,60	
--	------	------	--

Sinningia (Rechsteineria)

U 8455 leucotracha

	1,20	3,60	24,00
--	------	------	-------

Sterculia

U 8653 rynchocarpa Sagalla, Kenia

9,00		54,00	
------	--	-------	--

Titanopsis

U 6717 calcarea

	1,20	3,60	18,00
--	------	------	-------

Winterharte Dickblattgewächse

U 8586 Crassulaceae winterhardy sehr feine Samen

		2,40	
--	--	------	--