

Me-Momentum: Extracting Hard Confident Examples from Noisily Labeled Data

Yingbin Bai Tongliang Liu*

Trustworthy Machine Learning Lab, University of Sydney

Abstract

Examples that are close to the decision boundary—that we term *hard examples*, are essential to shape accurate classifiers. Extracting confident examples has been widely studied in the community of learning with noisy labels. However, it remains elusive how to extract hard confident examples from the noisy training data. In this paper, we propose a deep learning paradigm to solve this problem, which is built on the memorization effect of deep neural networks that they would first learn simple patterns, i.e., which are defined by these shared by multiple training examples. To extract hard confident examples that contain non-simple patterns and are entangled with the inaccurately labeled examples, we borrow the idea of momentum from physics. Specifically, we alternately update the confident examples and refine the classifier. Note that the extracted confident examples in the previous round can be exploited to learn a better classifier and that the better classifier will help identify better (and hard) confident examples. We call the approach the “**Momentum of Memorization**” (*Me-Momentum*). Empirical results on benchmark-simulated and real-world label-noise data illustrate the effectiveness of *Me-Momentum* for extracting hard confident examples, leading to better classification performance.

1. Introduction

As training datasets are growing big while accurately labeling them is often expensive or sometimes even infeasible, cheap datasets with label noise are ubiquitous in many real-world applications. Without any care, label noise will degenerate the performance of learning algorithms, especially for those based on deep neural networks [57]. Learning with noisy labels [1] aims to reduce the side-effect of label noise and therefore has become an important topic in machine learning.

Existing methods for learning with noisy labels can be divided into two categories: algorithms that result in *sta-*

tistically consistent or *inconsistent* classifiers. Methods in the first category intent to design *classifier-consistent* algorithms [58, 14, 35, 7, 39, 56, 24, 54, 50, 45, 49, 20], where classifiers learned by using the noisy data will statistically converge to the optimal classifiers defined by clean data. However, these methods rely heavily on the *noise transition matrix* [23, 32, 51]. In real-world applications, it is hard to learn the *instance-dependent* noise transition matrix [5]. To be free of estimating the noise transition matrix, methods in the second category employ heuristics to reduce the side-effect of label noise [27, 25, 38, 33, 9, 8, 43, 41, 21, 19]. These methods were reported to empirically work well, especially in the setting of *instance-dependent* label noise.

One promising direction in the second category is to extract examples with clean labels—*confident examples*—[31, 40, 30, 6, 44, 34, 47, 48]. The idea is that compared with the original noisy training data, the extracted examples are less noisy and thus will lead to a classifier with better performance. Given only noisy data, state-of-the-art methods exploit the *memorization effect* [57, 2] to extract confident examples. The memorization effect will enable deep neural networks to first learn patterns that are shared by a majority of training examples. As clean labels are of majority in each noisy class [29, 52], deep neural networks would therefore first fit training data with clean labels, and then gradually fit the examples with incorrect labels [4]. Therefore, early stopping [19, 36] and the small loss trick [13, 10, 55] can be used to exploit confident examples.

Examples that are close to the decision boundary are called *hard examples*. As illustrated in Figure 1, hard (confident) examples play an important role in shaping the decision boundary. It has also been widely studied in the traditional classification problem that hard examples are essential to train accurate classifiers [42, 3, 12, 11]. Notwithstanding the importance of hard confident examples, none of the existing methods studies how to extract hard confident examples from noisy data. Note that extracting hard confident examples is non-effortless. Since hard examples are often of a small proportion and contain less discriminative information compared with the easy ones (these that are far away from the decision boundary), they are often entan-

*Correspondence to Tongliang Liu (tongliang.liu@sydney.edu.au).




Figure 1. The illustration of the influence of hard (confident) examples in classification. Circles represent positive examples while triangles represent negative examples. Green and blue denote examples with accurate labels while red presents examples with incorrect labels. Blank circles and triangles represent unextracted data. (a) shows an example of classification with clean data. (b) shows noisy examples, especially those close to the decision boundary, will significantly degenerate the accuracy of the classifier. (c) shows confident examples help learn a fairly good classifier. (d) shows that hard confident examples are essential to train an accurate classifier.

gled with inaccurately labeled examples in the procedures of extraction.

In this paper, by alternately updating the confident examples and refining the classifier, we propose a deep learning paradigm that is able to extract hard confident examples from the noisy training data, leading to better classification performance. Specifically, the idea is similar to the usage of momentum from physics. As stated in the statistical learning theory, with better training data, a better classifier can be obtained [28]. We can then think of the classifier as a particle traveling through the hypothesis space, getting acceleration from the confident data. Classifiers with better performance can be achieved by properly exploiting the previously extracted confident examples. This is similar to the momentum trick used in optimization that previous gradient information can be used to escape local minimum and achieve fast convergence rates [37]¹. At a high level, the proposed method is built on the memorization effect of deep neural networks and on the intuition that better confident examples will result in a better classifier and that a better classifier will identify better confident examples (and hard confident examples). The proposed method is therefore called the Momentum of Memorization (Me-Momentum).

We conduct experiments to show the effectiveness of the proposed Me-Momentum on noisy versions of *MNIST*, *CIFAR10*, *CIFAR100*, and a real-world label noise dataset *Clothing1M*. Specifically, on *MNIST* and *CIFAR*, we generate class-dependent and instance-dependent label noise and visualize the extracted hard confident examples, which justifies why Me-Momentum consistently outperforms the baseline methods.

2. Me-Momentum

In this section, by specifying the proposed method of *momentum of memorization* (Me-Momentum; summarized in Algorithm 1), we would like to detail how to accomplish extracting hard confident examples and boosting the

¹In optimisation, the parameter vector can be thought of as a particle traveling through the parameter space, getting acceleration from the gradient of the loss. The momentum trick demonstrated that the gradient in the previous update can help escape local minimum and achieve fast convergence rates.

classification performance. At a high level, by alternately updating the confident examples and refining the classifier, Me-Momentum fulfills a positive cycle that better confident examples will result in a better classifier and that a better classifier will identify better confident examples. Specifically, Me-Momentum has two loops, i.e., an inner loop and an outer loop. In the inner loop, Me-Momentum alternates update of the confident examples and the classifier (Steps 2 and 3). However, the inner loop continually refines a classifier and thus depends heavily on the initialization of the classifier (Step 1). It may lead to the memorization of noisy labels and the inferiority of sample-selection bias. To handle this problem, the outer loop re-initializes the classifier (Step 5) while it maintains the previously extracted confident examples.

There are some points to be clarified for the proposed Algorithm 1:

- Q1. How to initialize a good classifier in Step 1?
- Q2. How to extract confident examples in Step 2?
- Q3. How to validate the learned classifiers in Steps 3 and 5 without a clean validation set?
- Q4. What are hard confident examples?
- Q5. Why can hard confident examples be extracted?
- Q6. Why the proposed method is called Me-Momentum?

To answer the *first question*, we would like to mention that the aim of the initialization in Step 1 is to initialize a good classifier for the positive cycle: a better classifier will identify better confident examples and better confident examples will result in a better classifier. A good candidate should have a fairly high classification accuracy, e.g., higher than random guessing. Otherwise, the positive cycle cannot be invoked. Fortunately, the initialization can be made by exploiting the memorization effect of deep neural networks that would first fit clean data [2, 57]. Note that this memorization effect is independent of training optimization or network backbones [2]. Specifically, we use the early stopping trick. For easy understanding, we would like to introduce a definition of *high-peak*. A noisy validation accuracy at the i -th epoch is called an i -th high-peak if it achieves

the highest accuracy in the epoch range $\{1, \dots, i\}$. Assume the i -th and j -th high-peaks occur next to each other, having noisy validation accuracies of a and b , respectively. The training early stops if $(b-a)/(j-i) \leq \tau$, where τ is a hyper-parameter. In the experiments, we set $\tau = 0.1$, which empirically works well across all datasets. In Section 3.4, we compare the difference between the early stopping method and the traditional validation method. We also study the sensitivity of the hyper-parameter.

The answer to the *second question* is closely related to the memorization effect. Note that the classifier initialized in Step 1 would fit the clean data well but not the incorrectly labeled data because of the memorization effect and early stopping. Therefore, we can treat the training examples whose noisy labels are identical to the ones predicted by the classifier obtained in Step 1 as confident examples. This also applies for the classifiers in Step 3 to extract confident examples, which are iteratively trained by employing the updated confident data. Note that there are some other feasible methods to extract confident examples, e.g., extract those who have a large class posterior.

In Step 3, we aim to learn a better classifier compared with the one in the previous round. This can be achieved because of two reasons: (1) we initialize the network with the parameters of the classifier learned in the previous round; (2) we have a better set of confident examples as the training sample. This starts the positive cycle that better confident examples will result in a better classifier and that a better classifier will identify better confident examples. The *third question* is essential for identifying the classifiers in the cycle. Note that the accurately labeled examples are always assumed to be dominant in each class in the community of learning with noisy labels [29, 23, 10]. Otherwise, the true class label cannot be identified by only exploiting the noisy data. This assumption implies that the performance on the noisy validation set (split from the noisy training set) and these on test set are positively correlated. The noisy validation set could be used as a surrogate to validate the classifiers if no clean validation set is available. We therefore validate the classifiers in Steps 3 and 5 with the highest noisy validation accuracies during the training. Empirical results show that it works well.

To answer the *fourth question*, we define the hard examples by exploiting the memorization effect of deep neural networks, i.e., deep neural networks first fit the majority (or easy) patterns and then the minority (or hard) patterns. Specifically, hard examples are those which contain minority (or hard) patterns. Note that hard patterns are usually entangled with incorrect labels.

Following the previous question, we answer the *fifth question*. By simply exploiting the memorization effect, extracting confident examples with hard patterns is difficult. However, by using the proposed Me-Momentum method,

we could extract hard examples. Due to the memorization effect of deep neural networks, the model first fits the simple patterns, i.e., examples with simple features, some of which also have hard features. Then deep neural networks can learn hard patterns from the fitted examples, which makes it possible for deep neural networks to extract hard confident examples from those examples entangled with incorrect labels. A visualization is shown in Figure 3.

To answer the *sixth question*, we would like to first mention that the proposed method heavily relies on the memorization effect of deep neural networks. Specifically, in Step 1, a classifier is initialized by exploiting the memorization effect via early stopping, which is used to identify confident examples. Later, the classifier and confident examples are iteratively refined and updated, respectively, which is the positive cycle we have mentioned before. Note that this cycle also depends on the memorization effect to update confident examples and refine classifiers. Our method is named as *momentum of memorization* (Me-Momentum) because it uses the trick of momentum to better exploit the memorization effect. Specifically, we can think of the classifier as a particle traveling through the hypothesis space, getting acceleration from the updated extracted confident data. We exploit the previously extracted confident examples to help learn a better classifier, training the network by using the confident examples extracted in the previous round. The impact of the confident examples will increase as we continue extracting more confident examples.

Relation to existing work: The strategy of alternatively optimizing the classifier and updating the training examples is not new for dealing with label noise. For example, Joint Optim [38], Co-teaching [10, 55], and SELF [30] are similar to ours. Specifically, Joint Optim and Co-teaching update the classifier with one step of stochastic gradient descent while SELF and the proposed method refine the classifier to be optimal with respect to the extracted confident examples. However, existing methods have not focused on extracting hard confident examples and thus are substantially different from this paper because they neglected the importance of avoiding the accumulated error caused by the single initialization of the classifier and the sample-selection bias. Experiments (e.g., Figures 2 and 3) show that Me-Momentum with the outer loop part (i.e., re-initialization of the classifier) contributes significantly to extracting hard confident examples and achieving high label precision.

Me-Momentum is similar to curriculum learning as it also learns from easy to difficult. However, curriculum learning needs a predefined curriculum (sample weighting scheme), e.g., assigning big/small weights for confident/noisy data. If the curriculum is not available, some clean data is required to learn a mentornet to provide a curriculum [13] or a latent variable could be introduced by self-paced learning [16] to learn a curriculum. Differently, Me-

Algorithm 1 Me-Momentum

Input: Noisy training data, noisy validation data, iteration number N_{inner} and N_{outer} ;

Output: Extracted confident examples and the classifier;

1: **Initialize** a classifier f_0 by using the noisy training data and early stopping; //memorization effect

for $i = 1, \dots, N_{\text{outer}}$ **do**

for $j = 1, \dots, N_{\text{inner}}$ **do**

 2: **Update** the extracted confident examples;

 //i.e., the training examples whose noisy labels are identical to the ones predicted by f_{j-1}

 3: **Obtain** the classifier f_j ;

 //initialize the network by using the parameters of f_{j-1} and train it by employing confident examples; the classifier f_j will be chosen with the highest noisy validation accuracy throughout the training procedure

 4: **Break** and output f_{j-1} if the highest validation accuracy is non-increasing in the loop;

end

5: **Re-initialize** a classifier f_0 ;

 //randomly initialize the network and train it by using confident examples; the classifier f_0 will be chosen with the highest noisy validation accuracy throughout the training procedure

6: **Break** and output f_{j-1} if the highest validation accuracy is non-increasing in the loop;

end

Momentum is only based on noisy data and does not explicitly learn a curriculum. Me-Momentum also has a similar flavor to active learning which tends to choose and label hard examples to learn from at each iteration. However, for active learning, no label information is available before the data is chosen while Me-Momentum has noisy labels and needs to consider the side-effect of label noise.

3. Experiments

Datasets: To verify the effectiveness of the proposed method, we do experiments on datasets with both synthetic and real-world label noise. Specifically, we manually corrupt *MNIST* [17], *CIFAR10*, and *CIFAR100* [15] with class-dependent label noise and instance-dependent label noise. We detail how to generate class-dependent and instance-dependent label noise in Appendix 1. We employ the real-world noisy dataset *Clothing1M* [52]. These datasets have been widely used in studies with noisy labels [10, 38, 51].

For *MNIST*, *CIFAR10*, and *CIFAR100*, we leave out 10% of the noisy training data as noisy validation data. *Clothing1M* contains one million noisy training images, which are crawled from shopping websites, labeling by surrounding text. Almost all existing work uses the 14k clean validation data in their experiments. To verify the robustness of the proposed method, we also employ noisy validation data in our experiments. Specifically, 100k noisy data are randomly left as noisy validation data and the remaining 900k noisy data as the training data.

Baselines: Me-Momentum is compared against the following state-of-the-art approaches. (1) Statistically consistent methods: Forward [32], T-revision [51], and DMI [53]; (2) Statistically inconsistent methods: MentorNet [13], Co-teaching [10], Joint Optim [38], SELF [30], CDR [46], Di-

videMix [18], ELR+ [22] where MentorNet, Co-teaching, SELF, and DivideMix use the idea of extracting confident examples by employing the small loss trick. Note that DivideMix and ELR+ employ a semi-supervised approach for unconfident examples, which gives them an advantage for synthetic datasets whose numbers of confident examples are limited. Therefore, we only compare our method with them on real-world datasets.

Network structure and optimization: All the methods are implemented by PyTorch v1.5. For the experiments on *MNIST*, *CIFAR10*, and *CIFAR100*, we set $N_{\text{inner}} = 20$, $N_{\text{outer}} = 3$, 100 epochs for each inner loop and follow the settings of T-revision [51]. Specifically, LeNet-5, ResNet-18, and ResNet-34 networks are used for *MNIST*, *CIFAR10*, and *CIFAR100* respectively. We use SGD with momentum 0.9, weight decay 10^{-4} , batch size 128, and an initial learning rate of 10^{-2} , divided by 10 after the 40-th epoch and 80-th epoch respectively (we fix the learning rate of 10^{-2} for the early stopping method). Data augmentation is used with horizontal random flips and 32×32 random crops after padding 4 pixels on each side.

For *Clothing1M*, a ResNet-50 is used. To show the effectiveness of the proposed method, we do experiments by randomly initializing the network and pre-training it by employing *ImageNet*, respectively. As the noisy training sample contains a large number of examples, we set $N_{\text{inner}} = 6$ and $N_{\text{outer}} = 3$ and 5 epochs for each inner loop. We use SGD with momentum 0.9, weight decay 10^{-3} , batch size 32, with a learning rate of 5×10^{-3} , and divided it by 10 at the 3-rd and 5-th round in the inner loop. For each outer loop, the model will be randomly re-initialized (or replaced by a pre-trained one). The learning rate will be reset to 5×10^{-3} . For data augmentation, all images




Figure 2. We call one update of the classifier and the extracted confident examples as one round. We illustrate how the label precision of the extracted confident examples, the number of the extracted confident examples, and the classification accuracy of the classifier trained by using the extracted confident examples change during the training of Me-Momentum. We have three distinct peaks in these figures because we have set $N_{\text{outer}} = 3$ and the classifiers are re-initialized in the outer loop. The dash lines in the second row indicate the number of clean labels in the noisy training data.

are resized to 256×256 , horizontal random flipped, and 256×256 random cropped with padding 32 pixels on each side. Note that due to the page limit, some complementary experiments to Sections 3.1 and 3.2 and the comparison with SELF are put in Appendix 2. The code is available at <https://github.com/tmllab/Me-Momentum>.

3.1. Verify Momentum of Memorization

In Section 2, we discussed that Me-Momentum is implemented by fulfilling the positive cycle that better confident examples will result in a better classifier and that a better classifier will identify better confident examples. In this subsection, we will empirically verify this positive cycle, which can be done on the synthetic datasets as we have their ground-truth labels.

In Figure 2, we can see that in the inner loops (e.g., rounds 0-5, rounds 6-9, and rounds 10-12 in the first column of figures represent three inner loops respectively), the classification accuracy generally increases (note that the figures are not smooth because the classifiers are tested on the unseen test data) and the number of extracted confident ex-

amples clearly increases (although their label precision decreases slightly). We can also see that in the outer loops (e.g., rounds 0, 6, and 10 in the first column of the figures consist of an outer loop), the classification accuracy clearly increases and the label precision of the extracted confident examples clearly increases (although the number of extracted confident examples decreases slightly). This implies that compared with previous classifiers and extracted confident examples, better ones are obtained, which empirically justifies the positive cycle. Note that the classification accuracy in the outer loop is low because the models are re-initialized.

Figure 2 also shows the importance of the outer loop of Me-Momentum. We can see that the label precision of the extracted confident examples slightly decreases in the inner loops. This is because the deep model gradually memorizes the noisy labels as we continually refine it. This issue can be handled by re-initializing the deep model in the outer loop. Specifically, we can see from Figure 2 that by re-initializing the model in the outer loop, the label precision of the extracted confident examples increases significantly.




Figure 3. Visualization of the extracted confident examples. The first and third columns are about the confident data extracted in the first run of the inner loop; while the second and the fourth columns are about the confident data extracted in the outer loop. Specifically, green dots represent the data selected in the first round. Blue and red dots represent the newly extracted data in the middle and the end rounds respectively. Large figures for *CIFAR100* are provided in the supplementary material.

Table 1. Means and standard deviations of classification accuracy on *MNIST*

Flipping-Rate	Cross-Entropy	MentorNet	Co-teaching	Forward	Joint Optim	DMI	T-revision	CDR	Ours
Sym-20%	97.88% ±0.27%	96.57% ±0.18%	97.22% ±0.18%	98.22% ±0.08%	98.58% ±0.15%	98.92% ±0.11%	98.91% ±0.04%	98.76% ±0.07%	98.94% ±0.13%
Sym-40%	97.41% ±0.18%	96.16% ±0.49%	94.64% ±0.33%	96.71% ±0.16%	98.12% ±0.06%	98.63% ±0.11%	98.42% ±0.47%	98.40% ±0.17%	98.66% ±0.07%
Inst-20%	97.61% ±0.28%	94.66% ±0.35%	95.37% ±0.08%	95.89% ±0.12%	98.10% ±0.14%	98.75% ±0.11%	97.12% ±0.09%	98.18% ±0.09%	98.96% ±0.06%
Inst-40%	92.93% ±0.81%	88.51% ±0.36%	90.06% ±0.81%	88.95% ±2.47%	92.00% ±1.39%	97.58% ±0.82%	94.89% ±0.66%	93.43% ±1.12%	98.11% ±0.35%

Table 2. Means and standard deviations of classification accuracy on *CIFAR10*

Flipping-Rate	Cross-Entropy	MentorNet	Co-teaching	Forward	Joint Optim	DMI	T-revision	CDR	Ours
Sym-20%	85.00% ±0.43%	80.49% ±0.11%	87.16% ±0.52%	85.63% ±0.11%	89.70% ±0.36%	88.18% ±0.13%	89.63% ±0.33%	89.68% ±0.38%	91.44% ±0.33%
Sym-40%	79.59% ±1.31%	77.48% ±3.45%	83.59% ±0.28%	74.30% ±0.26%	87.79% ±0.20%	83.98% ±0.48%	86.81% ±0.21%	86.13% ±0.44%	88.39% ±0.34%
Inst-20%	85.92% ±1.09%	79.12% ±0.42%	86.54% ±0.11%	85.29% ±0.38%	89.69% ±0.42%	89.14% ±0.36%	90.46% ±0.13%	90.24% ±0.39%	90.86% ±0.21%
Inst-40%	79.91% ±1.41%	70.27% ±1.52%	80.98% ±0.39%	74.72% ±3.24%	82.62% ±0.57%	84.78% ±1.97%	85.37% ±3.36%	83.07% ±1.33%	86.66% ±0.91%

Although the number of the extracted confident examples decreases, the overall quality of the extracted confident examples is increasing as evidenced by the increase of the

classification accuracy of the classifiers trained on the extracted confident data. Note that the low data quality in the first run of the inner loop also justifies that a single deep

Table 3. Means and standard deviations of classification accuracy on *CIFAR100*

Flipping-Rate	Cross-Entropy	MentorNet	Co-teaching	Forward	Joint Optim	DMI	T-revision	CDR	Ours
Sym-20%	57.59% ±2.55%	52.11% ±0.10%	59.28% ±0.47%	57.75% ±0.37%	64.55% ±0.38%	58.73% ±0.70%	65.40% ±1.07%	66.52% ±0.24%	68.03% ±0.53%
Sym-40%	45.74% ±2.61%	35.12% ±1.13%	51.60% ±0.49%	38.59% ±1.62%	57.97% ±0.67%	49.81% ±1.22%	57.71% ±0.84%	60.18% ±0.22%	63.48% ±0.72%
Inst-20%	59.85% ±1.56%	51.73% ±0.17%	57.24% ±0.69%	58.76% ±0.66%	65.15% ±0.31%	58.05% ±0.20%	60.71% ±0.73%	67.06% ±0.50%	68.11% ±0.57%
Inst-40%	43.74% ±1.54%	40.90% ±0.45%	45.69% ±0.99%	44.50% ±0.72%	55.57% ±0.41%	47.36% ±0.68%	51.54% ±0.91%	56.86% ±0.62%	58.38% ±1.28%

model initialization may lead to sample selection bias.

There are interesting observations of the proposed method that the number of extracted confident examples is close to the number of accurately labeled data in the training set and that the label precision of the extracted confident examples is quite high, i.e., almost all are above 90%. This empirically proves that Me-Momentum is powerful in extracting confident examples. In the next subsection, we will visualize that Me-Momentum is also good at extracting hard confident examples.

3.2. Visualize hard confident examples

To justify that Me-Momentum is able to extract hard confident examples, we visualize the extracted confident examples by employing t-SNE [26]. Specifically, we show how the confident examples are progressively extracted in the inner and outer loops. The results are shown in Figure 3, where green, blue, and red dots represent confident examples extracted at the beginning, middle, and end rounds of the loops, respectively. On the datasets of *MNIST* and *CIFAR10*, we can clearly see that the blue and red dots are mostly located at the boundaries of the clusters of green dots. Although the figures of *CIFAR100* are small, we can also clearly see that there are lots of blue and red dots which are outside of the green clusters in the second and fourth figures. This supports and justifies our claim that Me-Momentum is able to extract hard confident examples (those are close to the decision boundary).

Comparing the extracted results of the first run of the inner loop (the first and third columns) with those of the outer loop (the second and fourth columns), we can find that the cluster boundaries in the latter are more clear. This further justifies that why better classification performance can be obtained by re-initialization in the outer loop. Comparing the confident examples extracted on the class-dependent label noise datasets with those on the instance-dependent label noise datasets, we can observe that the proposed method is not sensitive to the type of label noise and can work well on the most general instance-dependent label noise cases.

3.3. Classification accuracy

Synthetic data To evaluate the classification performance of Me-Momentum, we first conduct experiments on

Table 4. Classification accuracy on *Clothing1M*.

Method	Validation	Accuracy
Cross Entropy	Clean	69.54%
MentorNet	Clean	56.77%
Co-teaching	Clean	58.68%
Forward	Clean	69.84%
Joint Optim	Clean	72.23%
DMI	Clean	72.46%
T-revision	Clean	74.18%
DivideMix	Clean	74.76%
ELR+	Clean	74.81%
Ours (pre-trained)	Noisy	73.13%
Ours (scratch)	Clean	74.75%
Ours (pre-trained)	Clean	75.18%

MNIST, *CIFAR10*, and *CIFAR100* with class-dependent and instance-dependent label noise. Each trial is repeated five times. The results are presented in Tables 1, 2, and 3, respectively. Me-Momentum consistently outperforms the baselines. Specifically, *CIFAR100* is the most challenging one among the three datasets. Me-Momentum outperforms the baselines by a clear margin across all the settings as shown in Table 3. Note that the performance gain in Me-Momentum is caused by the improvement of the quality of the extracted confident examples.

In the baselines, Co-teaching, Joint Optim, and T-revision are the representative methods that learn robust classifiers by extracting confident examples, refining the noisy labels, and exploiting the noise transition matrix, respectively. Note that Co-teaching keeps updating a constant number of confident examples from the mini-batches used in SGD. We therefore do not compare with its extracted confident examples in Section 3.2 as our method extracts confident examples from the whole training data at once. By comparing the classification performance, we can clearly see that the proposed method is much more powerful in extracting confident examples. Note that Joint Optim and T-revision employ all training data to train the classifiers; while our method only employs confident examples and discards the unconfident ones. The results further justify that Me-Momentum is able to extract high-quality confident examples. Note that the performance of Me-Momentum could




Figure 4. Comparing the difference between the early stopping method in Step 1 and the traditional validation method where the classifier with the highest validation accuracy during the whole training procedure will be output. The green dash line indicates the epoch at which early stopping happens; while the orange dash line indicates the epoch at which the highest validation accuracy is achieved during the whole training procedure. In the third plot, the two dash lines are identical to each other.




Figure 5. Illustrative of extracting hard confident examples.

be further improved by correcting the unconfident data with the idea of Joint Optim.

Real-world dataset We compare Me-Momentum with baseline methods on *Clothing1M* in Table 4, where “pre-trained” and “scratch” mean the network was pre-trained by employing *ImageNet* and initialized randomly, respectively; “clean” and “noisy” means the validation data is clean and noisy respectively. First, it is observed that Me-Momentum works well with noisy validation, even surpassing many baselines with clean validation. For a fair comparison, we also use clean validation to validate our method, which achieves the highest test accuracy of 75.18%, better than T-revision by 1% and Joint Optim by 2.95%. Note that Forward and T-revision need the 50k clean data for estimating the transition matrix, while Me-Momentum does not need any clean data for training. In addition, to show the robustness of Me-Momentum, we conduct experiments with ResNet-50 from scratch, which achieves the second best accuracy.

3.4. Ablation study

We discuss the early stopping trick used in Step 1 of Algorithm 1. The training early stops if $(b - a)/(j - i) \leq \tau$, where τ is a hyper-parameter. In the experiments, we set

$\tau = 0.1$, which empirically works well across all datasets. In Figure 4, we compare the difference between the proposed early stopping method and the traditional validation method. Comparing the blue dash line with the yellow dash line in Figure 4, we can observe that the proposed early stopping strategy stops earlier and fits less noise, while the traditional methods would continue to fit more data and thus fit more noise.

We also study the sensitivity of the hyper-parameter. Specifically, we study its sensitivity on *CIFAR10* by setting τ to be the values in the range $\{0.05, 0.07, 0.1, 0.3, 0.5\}$. Other settings are the same as those in this paper. The results are presented in Figure 5. We can see that the classification performance of Me-Momentum is robust and not sensitive to the change of the value of τ .

4. Conclusion

In this paper, we propose a method called Me-Momentum that is able to extract hard confident examples from noisily labeled data by exploiting the memorization effect of deep neural networks. At a high level, it fulfills a positive cycle that better confident examples will result in a better classifier and that a better classifier will identify better confident examples. We have empirically verified its effectiveness by analyzing the statistics of the extracted examples, visualizing the hard confident examples, and comparing its classification performance with state-of-the-art baselines. In the future, we will extend our work by utilizing and exploiting the unconfident examples, e.g., in a semi-supervised way to further boost the performance.

5. Acknowledgments

The authors would like to thank Yu Yao and Xiaobo Xia for their helpful suggestions. The authors also would like to thank reviewers and Area Chair for their helpful comments. YB was supported by Agriculture Consultant and Smart Management. TL was supported by Australian Research Council Project DE-190101473.

References

- [1] Dana Angluin and Philip Laird. Learning from noisy examples. *Machine Learning*, 2(4):343–370, 1988. 1
- [2] Devansh Arpit, Stanislaw Jastrzebski, Nicolas Ballas, David Krueger, Emmanuel Bengio, Maxinder S Kanwal, Tegan Maharaj, Asja Fischer, Aaron Courville, and Yoshua Bengio. A closer look at memorization in deep networks. In *ICML*, pages 233–242, 2017. 1, 2
- [3] Yoshua Bengio, Jérôme Louradour, Ronan Collobert, and Jason Weston. Curriculum learning. In *ICML*, pages 41–48, 2009. 1
- [4] Pengfei Chen, Ben Ben Liao, Guangyong Chen, and Shengyu Zhang. Understanding and utilizing deep neural networks trained with noisy labels. In *ICML*, pages 1062–1070, 2019. 1
- [5] Jiacheng Cheng, Tongliang Liu, Kotagiri Ramamohanarao, and Dacheng Tao. Learning with bounded instance-and label-dependent label noise. In *ICML*, 2020. 1
- [6] Mark Dredze, Koby Crammer, and Fernando Pereira. Confidence-weighted linear classification. In *ICML*, pages 264–271, 2008. 1
- [7] Jacob Goldberger and Ehud Ben-Reuven. Training deep neural-networks using a noise adaptation layer. In *ICLR*, 2017. 1
- [8] Sheng Guo, Weilin Huang, Haozhi Zhang, Chenfan Zhuang, Dengke Dong, Matthew R Scott, and Dinglong Huang. Curriculumnet: Weakly supervised learning from large-scale web images. In *ECCV*, pages 135–150, 2018. 1
- [9] Bo Han, Jiangchao Yao, Gang Niu, Mingyuan Zhou, Ivor Tsang, Ya Zhang, and Masashi Sugiyama. Masking: A new perspective of noisy supervision. In *NeurIPS*, pages 5836–5846, 2018. 1
- [10] Bo Han, Quanming Yao, Xingrui Yu, Gang Niu, Miao Xu, Weihua Hu, Ivor Tsang, and Masashi Sugiyama. Co-teaching: Robust training of deep neural networks with extremely noisy labels. In *NeurIPS*, pages 8527–8537, 2018. 1, 3, 4
- [11] Warren He, Bo Li, and Dawn Song. Decision boundary analysis of adversarial examples. In *ICLR*, 2018. 1
- [12] Sheng-Jun Huang, Rong Jin, and Zhi-Hua Zhou. Active learning by querying informative and representative examples. In *NeurIPS*, pages 892–900, 2010. 1
- [13] Lu Jiang, Zhengyuan Zhou, Thomas Leung, Li-Jia Li, and Li Fei-Fei. MentorNet: Learning data-driven curriculum for very deep neural networks on corrupted labels. In *ICML*, pages 2309–2318, 2018. 1, 3, 4
- [14] Jan Kremer, Fei Sha, and Christian Igel. Robust active label correction. In *AISTATS*, pages 308–316, 2018. 1
- [15] Alex Krizhevsky. Learning multiple layers of features from tiny images. Technical report, 2009. 4
- [16] M Pawan Kumar, Benjamin Packer, and Daphne Koller. Self-paced learning for latent variable models. In *NeurIPS*, pages 1189–1197, 2010. 3
- [17] Yann LeCun, Corinna Cortes, and Christopher J.C. Burges. The MNIST database of handwritten digits. <http://yann.lecun.com/exdb/mnist/>, 1998. 4
- [18] Junnan Li, Richard Socher, and Steven C. H. Hoi. Dividemix: Learning with noisy labels as semi-supervised learning. In *ICLR*, 2020. 4
- [19] Mingchen Li, Mahdi Soltanolkotabi, and Samet Oymak. Gradient descent with early stopping is provably robust to label noise for overparameterized neural networks. In *AISTATS*, 2020. 1
- [20] Xuefeng Li, Tongliang Liu, Bo Han, Gang Niu, and Masashi Sugiyama. Provably end-to-end label-noise learning without anchor points. In *ICML*, 2021. 1
- [21] Yuncheng Li, Jianchao Yang, Yale Song, Liangliang Cao, Jiebo Luo, and Li-Jia Li. Learning from noisy labels with distillation. In *ICCV*, pages 1910–1918, 2017. 1
- [22] Sheng Liu, Jonathan Niles-Weed, Narges Razavian, and Carlos Fernandez-Granda. Early-learning regularization prevents memorization of noisy labels. In *NeurIPS*, 2020. 4
- [23] Tongliang Liu and Dacheng Tao. Classification with noisy labels by importance reweighting. *IEEE Transactions on pattern analysis and machine intelligence*, 38(3):447–461, 2016. 1, 3
- [24] Yang Liu and Hongyi Guo. Peer loss functions: Learning from noisy labels without knowing noise rates. In *ICML*, 2020. 1
- [25] Xingjun Ma, Yisen Wang, Michael E Houle, Shuo Zhou, Sarah M Erfani, Shu-Tao Xia, Sudanthi Wijewickrema, and James Bailey. Dimensionality-driven learning with noisy labels. In *ICML*, pages 3361–3370, 2018. 1
- [26] Laurens van der Maaten and Geoffrey Hinton. Visualizing data using t-sne. *Journal of machine learning research*, 9(Nov):2579–2605, 2008. 7
- [27] Eran Malach and Shai Shalev-Shwartz. Decoupling” when to update” from” how to update”. In *NeurIPS*, pages 960–970, 2017. 1
- [28] Mehryar Mohri, Afshin Rostamizadeh, and Ameet Talwalkar. *Foundations of Machine Learning*. MIT Press, 2018. 2
- [29] Nagarajan Natarajan, Inderjit S Dhillon, Pradeep K Ravikumar, and Ambuj Tewari. Learning with noisy labels. In *NeurIPS*, pages 1196–1204, 2013. 1, 3
- [30] Tam Nguyen, C Mummadi, T Ngo, L Beggel, and Thomas Brox. SELF: learning to filter noisy labels with self-ensembling. In *ICLR*, 2020. 1, 3, 4
- [31] Curtis G Northcutt, Tailin Wu, and Isaac L Chuang. Learning with confident examples: Rank pruning for robust classification with noisy labels. In *UAI*, 2017. 1
- [32] Giorgio Patrini, Alessandro Rozza, Aditya Krishna Menon, Richard Nock, and Lizhen Qu. Making deep neural networks robust to label noise: A loss correction approach. In *CVPR*, pages 1944–1952, 2017. 1, 4
- [33] Scott E Reed, Honglak Lee, Dragomir Anguelov, Christian Szegedy, Dumitru Erhan, and Andrew Rabinovich. Training deep neural networks on noisy labels with bootstrapping. In *ICLR*, 2015. 1
- [34] Mengye Ren, Wenyuan Zeng, Bin Yang, and Raquel Urtasun. Learning to reweight examples for robust deep learning. In *ICML*, pages 4331–4340, 2018. 1

- [35] Clayton Scott. A rate of convergence for mixture proportion estimation, with application to learning from noisy labels. In *AISTATS*, pages 838–846, 2015. 1
- [36] Hwanjun Song, Minseok Kim, Dongmin Park, and Jae-Gil Lee. Prestopping: How does early stopping help generalization against label noise? *arXiv preprint arXiv:1911.08059*, 2019. 1
- [37] Ilya Sutskever, James Martens, George Dahl, and Geoffrey Hinton. On the importance of initialization and momentum in deep learning. In *ICML*, pages 1139–1147, 2013. 2
- [38] Daiki Tanaka, Daiki Ikami, Toshihiko Yamasaki, and Kiyoharu Aizawa. Joint optimization framework for learning with noisy labels. In *CVPR*, pages 5552–5560, 2018. 1, 3, 4
- [39] Kiran K Thekumparampil, Ashish Khetan, Zinan Lin, and Sewoong Oh. Robustness of conditional gans to noisy labels. In *NeurIPS*, pages 10271–10282, 2018. 1
- [40] Sunil Thulasidasan, Tanmoy Bhattacharya, Jeff Bilmes, Gopinath Chennupati, and Jamal Mohd-Yusof. Combating label noise in deep learning using abstention. In *ICML*, pages 6234–6243, 2019. 1
- [41] Arash Vahdat. Toward robustness against label noise in training deep discriminative neural networks. In *NeurIPS*, pages 5596–5605, 2017. 1
- [42] Vladimir Vapnik. *The nature of statistical learning theory*. Springer science & business media, 2013. 1
- [43] Andreas Veit, Neil Alldrin, Gal Chechik, Ivan Krasin, Abhinav Gupta, and Serge Belongie. Learning from noisy large-scale datasets with minimal supervision. In *CVPR*, pages 839–847, 2017. 1
- [44] Yixin Wang, Alp Kucukelbir, and David M Blei. Robust probabilistic modeling with bayesian data reweighting. In *ICML*, pages 3646–3655. JMLR. org, 2017. 1
- [45] Songhua Wu, Xiaobo Xia, Tongliang Liu, Bo Han, Mingming Gong, Nannan Wang, Haifeng Liu, and Gang Niu. Class2simi: A noise reduction perspective on learning with noisy labels. In *ICML*, 2021. 1
- [46] Xiaobo Xia, Tongliang Liu, Bo Han, Chen Gong, Nannan Wang, Zongyuan Ge, and Yi Chang. Robust early-learning: Hindering the memorization of noisy labels. In *ICLR*, 2021. 4
- [47] Xiaobo Xia, Tongliang Liu, Bo Han, Mingming Gong, Jun Yu, Gang Niu, and Masashi Sugiyama. Instance correction for learning with open-set noisy labels. *arXiv preprint arXiv:2106.00455*, 2021. 1
- [48] Xiaobo Xia, Tongliang Liu, Bo Han, Mingming Gong, Jun Yu, Gang Niu, and Masashi Sugiyama. Sample selection with uncertainty of losses for learning with noisy labels. *arXiv preprint arXiv:2106.00445*, 2021. 1
- [49] Xiaobo Xia, Tongliang Liu, Bo Han, Nannan Wang, Jiankang Deng, Jiatong Li, and Yinian Mao. Extended t: Learning with mixed closed-set and open-set noisy labels. *arXiv preprint arXiv:2012.00932*, 2020. 1
- [50] Xiaobo Xia, Tongliang Liu, Bo Han, Nannan Wang, Mingming Gong, Haifeng Liu, Gang Niu, Dacheng Tao, and Masashi Sugiyama. Part-dependent label noise: Towards instance-dependent label noise. In *NeurIPS*, 2020. 1
- [51] Xiaobo Xia, Tongliang Liu, Nannan Wang, Bo Han, Chen Gong, Gang Niu, and Masashi Sugiyama. Are anchor points really indispensable in label-noise learning? In *NeurIPS*, pages 6835–6846, 2019. 1, 4
- [52] Tong Xiao, Tian Xia, Yi Yang, Chang Huang, and Xiaogang Wang. Learning from massive noisy labeled data for image classification. In *CVPR*, pages 2691–2699, 2015. 1, 4
- [53] Yilun Xu, Peng Cao, Yuqing Kong, and Yizhou Wang. L_{dmi}: A novel information-theoretic loss function for training deep nets robust to label noise. In *NeurIPS*, pages 6222–6233, 2019. 4
- [54] Yu Yao, Tongliang Liu, Bo Han, Mingming Gong, Jiankang Deng, Gang Niu, and Masashi Sugiyama. Dual T: reducing estimation error for transition matrix in label-noise learning. In *NeurIPS*, 2020. 1
- [55] Xingrui Yu, Bo Han, Jiangchao Yao, Gang Niu, Ivor W Tsang, and Masashi Sugiyama. How does disagreement benefit co-teaching? In *ICML*, 2019. 1, 3
- [56] Xiyu Yu, Tongliang Liu, Mingming Gong, and Dacheng Tao. Learning with biased complementary labels. In *ECCV*, pages 68–83, 2018. 1
- [57] Chiyuan Zhang, Samy Bengio, Moritz Hardt, Benjamin Recht, and Oriol Vinyals. Understanding deep learning requires rethinking generalization. In *ICLR*, 2017. 1, 2
- [58] Zhilu Zhang and Mert Sabuncu. Generalized cross entropy loss for training deep neural networks with noisy labels. In *NeurIPS*, pages 8778–8788, 2018. 1