

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- Trade name: Super dough
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- Application of the substance / the mixture: *DIY*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Excelligence Learning Corporation
Discount School Supply
20 Ryan Ranch Rd, Suite 200
Monterey, CA 93940
(800) 627-2829*
- **1.5 Reference Number:** *NBHL1905007325SD; SHHL1905022763SD-SH; SHAHG1909426801*

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.
- **Information concerning particular hazards for human and environment:**
The product has not to be labelled due to the calculation procedure of Regulation (EC) No. 1272/2008.
- **Classification system:**
The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** *Not applicable.*
- **Hazard pictograms** *Not applicable.*
- **Signal word** *Not applicable.*
- **Hazard-determining components of labelling:** *Not applicable.*
- **Hazard statements** *Not applicable.*
- **Precautionary statements** *Not applicable.*
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:**
*Mixture of the substances listed below with nonhazardous additions.
For the wording of the listed hazard statements refer to Section 16.*

· **Composition:**

CAS: 7732-18-5 EINECS: 231-791-2	Water	64.79%
-------------------------------------	-------	--------

(Contd. on page 2)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

		(Contd. of page 1)
CAS: 9002-89-5	polyvinyl alcohol	15.39%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	7.97%
CAS: 9005-25-8 EINECS: 232-679-6	Starch	4.76%
CAS: 25214-39-5	2-Methyl-2-propenoic acid methyl ester polymer with 1,1-dichloroethene and 2-propenenitrile	4.61%
CAS: 31837-42-0 EINECS: 250-830-4	2-[[1-[(2,3-dihydro-2-oxo-1H-benzimidazol-5-yl)amino]carbonyl]-2-oxopropyl]azo]benzoic acid	0-1.5%
CAS: 12240-15-2	C.I. Pigment Blue 27	0-1.5%
CAS: 12227-89-3 EINECS: 235-442-5	Iron oxide black	0-1.5%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	0-1.5%
CAS: 980-26-7 EINECS: 213-561-3	5,12-dihydro-2,9-dimethylquino[2,3-b]acridine-7,14-dione	0-1.5%
CAS: 1328-53-6 EINECS: 215-524-7	Polychloro copper phthalocyanine	0-1.2%
CAS: 57-55-6 EINECS: 200-338-0	propane-1,2-diol substance with a Community workplace exposure limit	0.56%
CAS: 4418-26-2 EINECS: 224-580-1 Index number: 607-164-00-8	sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene) ethanolate ⚠ Acute Tox. 4, H302	0.3%
CAS: 77-92-9 EINECS: 201-069-1	citric acid ⚠ Eye Irrit. 2, H319	0.1%
CAS: 1303-96-4 EINECS: 215-540-4 Index number: 005-011-01-1	Disodium tetraborate, decahydrate ⚠ Repr. 1B, H360FD	0.02%

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Never give anything by mouth to an unconscious person.
Rinse out mouth with water.
Seek medical treatment.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 2)

- 5.3 Advice for firefighters
- Protective equipment:
Wear fully protective suit.
Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
Avoid contact with eyes.
Avoid formation of dust.
Ensure adequate ventilation.
Use respiratory protective device against the effects of fumes/dust/aerosol.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
Pick up mechanically.
Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
Avoid contact with eyes.
Ensure good ventilation/exhaustion at the workplace.
Keep away from heat and direct sunlight.
Prevent formation of dust.
For the general occupational hygienic measures refer to Section 8.
- Information about fire - and explosion protection: Normal measures for preventive fire protection.
- 7.2 Conditions for safe storage, including any incompatibilities
· Requirements to be met by storerooms and receptacles: Store in a cool location.
· Information about storage in one common storage facility: Store away from foodstuffs.
· Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol (7.97%)	
AGW (Germany)	Long-term value: 200 E mg/m ³ 2 (I);DFG, Y
VME (France)	Long-term value: 10 mg/m ³
13463-67-7 titanium dioxide (0-1.5%)	
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembar; AGS, DFG
VME (France)	Long-term value: 10 mg/m ³
57-55-6 propane-1,2-diol (0.56%)	
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb und Xc

(Contd. on page 4)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 3)

77-92-9 citric acid (0.1%)	
AGW (Germany)	Long-term value: 2 E mg/m ³ 2(I);DFG, Y
1303-96-4 Disodium tetraborate, decahydrate (0.02%)	
AGW (Germany)	Long-term value: 0.5* mg/m ³ 2(I);*einatembar; AGS, Y, 10
VME (France)	Long-term value: 5 mg/m ³ R1B

· **Regulatory information**

- AGW (Germany): TRGS 900
- VME (France): ED 984, 10.2016
- MAK (Germany): MAK- und BAT-Liste
- DNELs: Data not available.
- PNECs: Data not available.

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure
- **Appropriate engineering controls** See Section 7 for information about design of technical facilities.
- **Personal protective equipment**
- **Respiratory protection:** Suitable respiratory protective device recommended.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Solid

(Contd. on page 5)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 4)

· Colour:	Red , Yellow , Bule , Green , Black , White
· Odour:	No odor
· Odour threshold:	Data not available.
· pH-value:	Data not available.
· Change in condition:	
Melting point/freezing point:	Data not available.
Initial boiling point and boiling range:	Data not available.
· Flash point:	Data not available.
· Flammability (solid, gas):	Data not available.
· Auto-ignition temperature:	Data not available.
· Decomposition temperature:	Data not available.
· Self-igniting:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
· Oxidizing properties:	Data not available.
· Vapour pressure:	Data not available.
· Density:	Data not available.
· Relative density:	Data not available.
· Vapour density:	Data not available.
· Evaporation rate:	Data not available.
· Solubility in / Miscibility with water:	Data not available.
· Partition coefficient: n-octanol/water:	Data not available.
· Viscosity:	
Dynamic:	Data not available.
Kinematic:	Data not available.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No decomposition if used according to specifications.
- 10.2 Chemical stability Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 5)

· LD/LC50 values relevant for classification:		
9002-89-5 polyvinyl alcohol		
Oral	LD50	14,270 mg/kg (mouse) 23,900 mg/kg (rat)
56-81-5 glycerol		
Oral	LD50	4,090 mg/kg (mouse) 12,600 mg/kg (rat) 27,000 mg/kg (rabbit)
13463-67-7 titanium dioxide		
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)
980-26-7 5,12-dihydro-2,9-dimethylquino[2,3-b]acridine-7,14-dione		
Oral	LD50	23,000 mg/kg (rat)
Dermal	LD50	>3,000 mg/kg (rabbit)
57-55-6 propane-1,2-diol		
Oral	LD50	20,000 mg/kg (rat)
Dermal	LD50	20,800 mg/kg (rabbit)
4418-26-2 sodium 1-(3,4-dihydro-6-methyl-2,4-dioxo-2H-pyran-3-ylidene)ethanolate		
Oral	LD50	500 mg/kg (rat)
77-92-9 citric acid		
Oral	LD50	5,040 mg/kg (mouse)
1303-96-4 Disodium tetraborate, decahydrate		
Oral	LD50	2,660 mg/kg (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 7)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 6)

- **12.7 Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|--|
| · 14.1 UN-Number | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable. |
| · 14.2 UN proper shipping name | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable. |
| · 14.3 Transport hazard class(es) | |
| · ADR/RID/ADN, IMDG, IATA | |
| · Class | Not applicable. |
| · Label | Not applicable. |
| · 14.4 Packing group | |
| · ADR/RID/ADN, IMDG, IATA | Not applicable. |
| · 14.5 Environmental hazards | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · 14.8 Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Not applicable. |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **MAK(German Maximum Workplace Concentration)**

13463-67-7 titanium dioxide

3A

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**

- **SVHC Candidate List of REACH Regulation Annex XIV Authorisation (15/1/2019)**

None of the ingredients is listed.

- **REACH Regulation Annex XVII Restriction (17/12/2018)**
See Section 16 for information about restriction of use.

None of the ingredients is listed.

(Contd. on page 8)

EU

Safety data sheet
Regulation (EC) No.1907/2006 and 1272/2008

Printing date 20.05.2019

Version number 1

Revision: 14.05.2019

Trade name: Super dough

(Contd. of page 7)

· REACH Regulation Annex XIV Authorisation List (13/6/2017)

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information· **Relevant hazard statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child.

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LCS0: Lethal concentration, 50 percent

LDS0: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

End of document

EU

Additional brand names:

Colorations Super Lightweight Air-Dry Putty, CPUTTY

Colorations Super Lightweight Air-Dry Putty, LGPUTTY

Colorations Super Lightweight Air-Dry White Putty, WPUTTY