

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

A guide for buyers and
users of demolition
and recycling equipment

Published by:

DEMOLITION &
d&ri
RECYCLING INTERNATIONAL

Price: £50.00, US\$70.00, €60.00



Demand durability



Zaxis-6.
No compromise

Demand durability without compromising on the cost of ownership. With many key components reinforced for added protection, the ZX350LC-6 high reach demolition excavator achieves exceptional levels of availability.

Zaxis-6: designed and engineered for your needs.

Learn more at www.hitachicm.eu

HITACHI

Reliable solutions

KHL TEAM

EDITORIAL

EDITOR: Steve Ducker, UK Head Office
Tel: +44 (0)1892 786210
e-mail: steve.ducker@khl.com
Twitter: @KHL_DRI

SPECIALIST WRITERS:

Thomas Allen, Lindsey Anderson, Andy Brown, Alex Dahm,
Mike Hayes, Cristián Peters, D. Ann Shiffler, Euan Youdale

EDITORIAL DIRECTOR: Paul Marsden

PUBLISHER: James King

CONTENTS

2019-2020



d&ri

DEMOLITION &
RECYCLING INTERNATIONAL
BUYERS' GUIDE

SALES

ADVERTISEMENT MANAGER:

Simon Kelly, UK Head Office
Tel: +44 (0)1892 786223
e-mail: simon.kelly@khl.com

UK (EXC NI), BENELUX:

Eleanor Shefford
Tel: +44 (0)1892 786236
e-mail: eleanor.shefford@khl.com

CHINA:

Cathy Yao
Tel: +86 10 6553 6676
e-mail: cathy.yao@khl.com

FRANCE:

Hamilton Pearman
Tel: +33 1 45 93 08 58
e-mail: hpearman@wanadoo.fr

ITALY:

Fabio Potestà
Tel: +39 010 570 4948
e-mail: info@mediapointsrl.it

JAPAN:

Michihiro Kawahara
Tel: +81 (0)3 3212 3671
e-mail: kawahara@rayden.jp

KOREA:

CH Park
Tel: +82 2 730 1234
e-mail: mci@unitel.co.kr

NORDIC COUNTRIES:

Bridget Leary
Tel: +44 (0)1892 786219
e-mail: bridget.leary@khl.com

SPAIN:

Mike Posener
Tel: +353 86 043 1219
e-mail: mike.posener@khl.com

TURKEY:

Emre Apa
Tel: +90 (0)532 324 36 16
e-mail: emre_apa@apayayincilik.com.tr

CENTRAL EUROPE/NORTHERN

IRELAND: Simon Battersby
Tel: +44 (0)1892 786232
e-mail: simon.battersby@khl.com

USA/CANADA:

Matt Burk
Tel: +1 312 496 3314
e-mail: matt.burk@khl.com

Wil Holloway

Tel: +1 312 929 2563
e-mail: wil.holloway@khl.com

Thomas Kavooras

Tel: +1 312 929 3478
e-mail: thomas.kavooras@khl.com

Alister Williams

Tel: +1 312 860 6775
e-mail: alister.williams@khl.com

VP GLOBAL SALES:

Trevor Pease
e-mail: trevor.pease@khl.com

Welcome to the *D&Ri Buyers' Guide*, which is the sole worldwide listing of tools and equipment for the demolition and C&D waste recycling industry. This makes it an invaluable resource for industry professionals, containing information on the leading brands, from skid steer loaders through to the latest specialist demolition attachments.

5 ABOUT KHL**7 ABOUT D&Ri****8 CONVERSION TABLES**
**11 DEMOLITION AND
RECYCLING
ATTACHMENTS**
**89 CRUSHING AND
SCREENING**
**115 CONSTRUCTION
EQUIPMENT**
156 SUBSCRIBE TO D&Ri
177 CONTACT DETAILS

KHL OFFICES

UNITED KINGDOM
(HEAD OFFICE)

Southfields,
Southview Road,
Wadhurst, East Sussex
TN5 6TP, UK.
Tel: +44 (0)1892 784088
Fax: +44 (0)1892 784086
www.khl.com

USA OFFICE

KHL Group Americas LLC
3726 E. Ember Glow Way,
Phoenix, AZ 85050, USA.
Tel: +1 480 659 0578
trevor.pease@khl.com

SOUTH AMERICA OFFICE

KHL Group Américas LLC
Av. Manquehue Sur 520, of.
205, Las Condes, Santiago,
Chile
Tel: +56 9 7798 7493
cristian.peters@khl.com

CHINA OFFICE

KHL Group China
Room 769, Poly Plaza,
No. 14, South Dong Zhi Men
Street, Dong Cheng District
Beijing, PR China 100027
Tel: +86 (0)10 6553 7678
cathy.yao@khl.com

EDITOR'S NOTE

The *D&Ri Buyers' Guide* has been compiled using information supplied by the manufacturers listed to KHL's custom developed online live database and by specialist industry observers and analysts. KHL accepts no responsibility for any errors or omissions that may have resulted. Manufacturers on the database are invited to add, update or delete product entries at any time. The next *D&Ri Buyers' Guide* will be published in 2020 and any manufacturers not currently on the database should contact steve.ducker@khl.com



Price: £50.00, US\$70.00,
€60.00

© Copyright KHL Group 2019
ISSN 1465 9778

MEMBER OF





ARMS YOUR FLEET FOR THE TOUGHEST MISSIONS



Mantovanibenne s.r.l.
www.mantovanibenne.com
sales@mantovanibenne.com



The KHL portfolio



KHL is the leading provider of construction and power information with a portfolio that comprises magazines, websites, newsletters, directories, market studies, conferences, awards and exhibitions.

Established in 1989, KHL Group is the leading supplier of international construction information in the world. It has achieved rapid growth through market focus and an intense knowledge of the world market. Editorial quality and independence from commercial pressures is why KHL's magazines enjoy a loyal readership which is the foundation of long-term success for a publishing company.

KHL Group is a diversified media company that delivers information in whatever format the market demands. Using its strong market-leading magazine brands, KHL has expanded into digital magazines, newsletters, apps, directories, new media technologies, exhibitions, conferences, awards and contract publishing.

KHL has introduced professional publishing practices to the markets it serves. It was the first publisher in the construction industry to launch a website in the early nineties, and the first to be accredited with the acclaimed BPA International independent circulation audit in specific markets. KHL was also the first publisher in any sector to offer digital magazines, and to have those subscriptions independently audited. KHL constantly monitors growth markets and offers advertisers proven and trustworthy routes to their customers within those markets.

KHL Group, and any of its individual titles, are members of the following associations; Specialized Carriers & Rigging Association (SC&RA), Association of Equipment Manufacturers (AEM), European Demolition Association (EDA), National Demolition Association (NDA), Committee for European Construction Equipment (CECE), European Association of Heavy Haulage, Transport and Mobile Cranes (ESTA), European Rental Association (ERA), Construction Equipment Association (CEA), Periodicals in Construction and Agriculture (PICA), Association of Equipment Distributors (AED), Crane Rental Association of Canada (CRAC), Associated Wire Rope Fabricators (AWRF), International Powered Access Federation (IPAF), American Rental Association (ARA), European Confederation of Equipment Distributors (ECED), Hire Association Europe (HAE) and others.

OFF HIGHWAY RESEARCH

Off-Highway Research is KHL Group's specialist market intelligence arm. Formed in 1981 as part of The Economist Intelligence Unit (EIU), Off-Highway Research is a management consultancy specialising in the research and analysis of international construction, and agricultural equipment markets, and is the largest of its kind in the world.

MAGAZINES

- Access International
- American Cranes and Transport
- Access Lift and Handlers
- COMPRESSORtech2
- Concreto LatinoAmericana
- Concreto Latino Americana
- Construction Europe
- Construcción LatinoAmericana
- Construção Latino American
- Demolition and Recycling International
- Diesel Progress International
- Diesel Progress North America
- International Construction
- International Cranes and Specialized Transport
- International Construction Turkiye
- International Rental News
- New Power Progress
- Vinc Proje Tasimaciligi

WEBSITES

- AmericanCranesandTransport.com
- COMPRESSORTech2.com
- ctssnet.net
- DieselGasTurbine.com
- DieselandGasTurbineGuide.net
- DieselProgress.com
- KHL.com
- NewPowerProgress.com
- OffHighwayResearch.com
- OffHighway-Store.com

EVENTS

- ALH Conference and Awards
- China International Crane Summit
- Cranes and Transport Latin America Conference
- Demolition Conference Turkey
- European Rental Awards
- ESTA Awards of Excellence
- International Awards for Powered Access
- International Cranes & Transport Asia Pacific
- International Rental Conference Asia
- International Tower Cranes Conference
- Lift & Move USA
- Tower Cranes North America
- World Crane and Transport Summit
- World Demolition Summit

NEWSLETTERS

- Access International Newsletter
- Access, Lift & Handlers Newsletter
- COMPRESSORTech2 News
- Construcción Latinoamericana
- Construção Latino-American
- Demolition & Recycling International Newsletter
- Diesel Progress Newsletter
- Diesel & Gas Turbine Worldwide News
- ERA Rental Weekly

- International Rental News Newsletter
- NewPowerProgress
- World Construction Week
- World Construction Week China
- World Crane Week
- KHL Crane Market

EVENT NEWSLETTERS

- APEX Daily & Preview
- Bauma China Daily & Preview
- Bauma Daily & Preview
- bC India Daily & Preview
- Conexpo Daily & Preview
- Intermat Daily & Preview
- IRE Daily & Preview

EXHIBITIONS

- APEX
- APEX Asia
- International Rental Exhibition

DIRECTORIES

- Access Yearbook
- American Cranes & Transport Sourcebook
- Demolition and Recycling Buyers' Guide
- Global Construction Guide
- International Concrete Construction
- The Rental Book
- World Crane Guide

TOP LISTS

- Access 50
- Access m20
- ACT Crane 100
- ACT Transport50
- ACT Specialized Lifting 50
- ACT Tower Crane 50
- ACT Transport 50
- ALH 20/20
- CE-100
- D&R100
- IC 50
- IC m20
- IC Transport 50
- iC Top200
- IRN 100
- Scaffold 20
- Yellow Table

SURVEYS

- CE Barometer
- ERA/IRN Rental Tracker
- Marine Propulsion Order Survey
- Mechanical Drive Order Survey
- Power Generation Order Survey
- Rental Rates Survey
- Rental Confidence Survey

MARKET WEBSITES

- KHL Crane Market

For more information about KHL's portfolio visit: www.khl.com



Time for a Change. The new RAZER X.



The truly international demolition magazine

Demolition and Recycling International is the only fully international magazine for the demolition and associated recycling sectors, reporting on the latest equipment and projects around the world.

Demolition & Recycling International's global readership covers over 10,000 people in more than 150 countries worldwide and is made up of the leading figures in the demolition, construction and waste recycling sectors – equipment buyers and users alike. Launched in 1999, it is published six times a year and has now produced more than 100 issues since its inception.

This history has been built on in-depth coverage of the demolition and recycling sectors. Site reports, equipment, business and people news form the regular editorial content, along with special features covering equipment designed for the industry and our annual d&ri100 listing of demolition contractors by turnover. *D&RI* also reports on the major trade shows and national demolition association gatherings around the world.

Many of the items of equipment that you can find in this guide are regularly featured in *D&RI*, either as product upgrades, or within case studies, application stories and site reports. Most of the companies included in this guide will also feature in the magazine at various times.

The magazine is available as either printed copy or in digital format. You can register to be part of the digital circulation by going online at www.khl.com/demolition, where you will be able to download fully searchable versions of the current and previous issues of the magazine quickly and simply.

D&RI has also established the annual World Demolition Summit, which consists of a one-day technical conference and evening gala dinner, at which the annual World Demolition Awards are presented following a shortlisting and judging process conducted by a nine-strong international panel of respected industry figures with more than 300 years' experience between them.

First held in 2009, the World Demolition Summit is part of the industry, with a track record that includes several successful years holding it in Amsterdam, a groundbreaking first North American event in Miami in 2016 and record attendances at the two most recent events in London and Dublin.

This year it will reach another landmark venue when it is hosted in Boston, USA. The date for your diary is Wednesday and Thursday October 23-24 and the venue is the Marriott Copley Place hotel, which has world-

class conference facilities. We have also arranged special rates with the hotel for World Demolition Summit delegates.

Some of the speaking slots have already been announced and once again the conference will provide a strong mix of international speakers.

Already confirmed are Erith Contractors (United Kingdom), Kiewit/Manson (USA) and Fabio Bruno Construcões, a Brazilian company that has recently set up an operation in North America.

Others will be named in the coming weeks so please stay in touch with *D&RI* or online at www.demolitionsummit.com for details.

The World Demolition Awards continue to thrive with categories consisting of Contract of the Year over US\$1 million, Contract of the Year under US\$1million, Safety & Training Award, Collaboration Award, Explosive Demolition Award, Urban Demolition Award, Industrial Demolition Award, Civils Demolition Award, Recycling and Environmental Award, Manufacturers' Innovation Award, Tools and Attachments, and Manufacturers' Innovation Award, Plant and Equipment.

Because these awards are judged by an independent panel made up of leading industry figures from around the world, and not by the magazine itself, the winners receive the recognition of their industry peers.

As well as the 11 categories for which prospective award winners can enter, there is a special overall award for the best of the individual winners presented on the night, and an award for the best new entrant.



***D&RI* like other titles in the KHL portfolio provides in-depth coverage of its chosen sector across a range of platforms**

The winner in each category receives a distinctive trophy and the chance to use the winner's logo for its category in its marketing. Highly commended or shortlisted companies can also advertise their success after the event.

More details of both the summit and the awards can be found online by visiting the website at www.demolitionsummit.com, in our special World Demolition Summit newsletter, the *D&RI* fortnightly e-newsletter and in regular online updates at www.khl.com

These are exciting times for *D&RI* as for the first time we have published a bonus issue, the April 2019 magazine which was a last minute news edition for the Bauma exhibition in Munich. We also continue to build our industry leading circulation, including emerging markets.

Global voice

D&RI is the International Media Partner of the European Demolition Association. It also works closely with the American National Demolition Association and attends and reports from the conventions of both. The magazine is circulated to members of the following associations:

France



Germany



Italy



Netherlands



Spain



UK



Conversion tables

METRIC CONVERSION

LENGTH

1 millimetre (mm)	=	0.0394 ins
1 metre (m) (1000 mm)	=	1.0936 yds
1 kilometre (km) (1000 m)	=	0.5214 mile
1 inch	=	25.4 mm
1 yard (36 inches)	=	0.9144 m
1 mile (1760 yards)	=	1.6093 km

AREA

1 square metre (m ²) (10000 cm ²)	=	1.1960 square yds
1 hectare (ha) (10000 m ²)	=	2.4711 acres
1 square km (km ²) (100 hectares)	=	0.3851 square mile
1 square yard (9 square feet)	=	0.8361 m ²
1 acre (4840 yards ²)	=	4046.9 m ²

VOLUME

1 cubic metre (m ³)	=	1.3080 cubic yards
1 litre (l)	=	0.2200 gallon
1 cubic yard (27 cubic feet)	=	0.7646 m
1 pint (4 gills)	=	0.5683 litre
1 gallon (8 pints)	=	4.5401 litres

HEAT

1 British Thermal Unit (BTU)	=	1055 joules
1 BTU/lb	=	2.326 kilojoules/kg

WEIGHT

1 gramme (g) (1000 mg)	=	0.0353 oz
1 pound (lb) (16 ounces)	=	0.4536 kg
1 ton (2240 pounds)	=	1.0161 tonnes
1 US ton	=	2000 lb
1 metric tonne	=	2200 lb
1 hundred weight (cwt)	=	112 lb

POWER

1 horsepower (hp)	=	746 watts (0.75 kW)
1 kilowatt (kW)	=	1.34 hp

PRESSURE

1 bar (atmosphere)	=	14.2 psi
1 pound/inch ² (psi)	=	6895 N/m ²
1 (Newton/m ²) Nm ²	=	1 pascal (Pa)
20 lb/in ²	=	1.41 kg/cm ²

USA WET MEASURE EQUIVALENTS

1 US pint (16 fl oz) (0.8327 UK pt)	=	0.4732 litre
1 US gallon (0.8327 UK gal)	=	3.7653 litres
1 US barrel	=	5.62 ft ³ = 0.159 m ³

These tables and conversion factors are provided to help readers with comparisons between Imperial (UK), US, and metric measurements. Please do not use the conversion factors in important technical or safety calculations as they are designed as a guide to converting figures, not a definitive listing.

Inches (")	Millimetres (mm)
0.039	1 25.4
0.079	2 50.8
0.118	3 76.2
0.157	4 101.6
0.197	5 127.0
0.236	6 152.4
0.276	7 177.8
0.315	8 203.2
0.354	9 228.6
0.390	10 254.0

Square Feet (ft ²)	Square Metres (m ²)
10.764	1 0.093
21.528	2 0.186
32.292	3 0.279
43.056	4 0.372
53.819	5 0.465
64.583	6 0.557
75.347	7 0.650
86.111	8 0.743
96.875	9 0.836
107.638	10 0.930

Ounces (oz)	Grammes (g)
0.035	1 28.350
0.071	2 56.699
0.106	3 85.049
0.141	4 113.398
0.176	5 141.748
0.212	6 170.097
0.247	7 198.447
0.282	8 226.796
0.317	9 255.146
0.352	10 283.496

SPEED

MILES PER HOUR (mph)	20	30	40	50	60	70	80	90	100
KILOMETRE/HOUR (km/h)	32	48	64	80	96	112	128	144	160

FUEL

GALLONS (UK)	1	2	4	6	8	10	12	14
LITRES	4.55	9.09	18.18	27.27	36.37	45.46	54.54	63.64
GALLONS (US)	1	2	4	6	8	10	12	14
LITRES	3.78	7.54	15.14	22.71	30.28	37.85	45.45	53.00

WEIGHT

POUNDS	1	2	3	4	5	10	14	20
KILOGRAMS	0.454	0.907	1.361	1.814	2.268	4.536	6.350	9.072

TEMPERATURE

°F	32	40	50	60	70	75	85	95	105	140	175	212
°C	0	5	10	15	20	25	30	35	40	60	80	100

The key figures printed in the centre column, can be read as either metric or imperial, example: 1 metre = 1.094 yards or 1 yard = 0.914 metres

Miles		Kilometres (km)
0.621	1	1.609
1.243	2	3.219
1.864	3	4.828
2.485	4	6.437
3.105	5	8.047
3.728	6	9.656
4.350	7	11.265
4.971	8	12.875
5.592	9	14.484
6.210	10	16.094

Feet (')		Metres (m)
3.281	1	0.305
6.562	2	0.610
9.843	3	0.914
13.123	4	1.219
16.404	5	1.525
19.685	6	1.829
22.966	7	2.134
26.247	8	2.438
29.528	9	2.743
32.808	10	3.050

Yards (yd)		Metres (m)
1.094	1	0.914
2.187	2	1.829
3.281	3	2.743
4.375	4	3.658
5.468	5	4.572
6.564	6	5.486
7.658	7	6.401
8.752	8	7.315
9.846	9	8.230
10.940	10	9.144

Square Yards (yd ²)		Square Metres (m ²)
1.196	1	0.836
2.392	2	1.672
3.588	3	2.508
4.784	4	3.345
5.980	5	4.181
7.176	6	5.017
8.372	7	5.853
9.568	8	6.689
10.764	9	7.525
11.960	10	8.362

Cubic Feet (ft ³)		Cubic Metres (m ³)
35.315	1	0.028
70.629	2	0.057
105.943	3	0.085
141.258	4	0.113
176.572	5	0.147
211.887	6	0.170
247.201	7	0.198
282.516	8	0.227
317.830	9	0.255
353.150	10	0.280

Cubic Yards (yd ³)		Cubic Metres (m ³)
1.308	1	0.765
2.616	2	1.529
3.924	3	2.294
5.232	4	3.058
6.540	5	3.823
7.848	6	4.587
9.156	7	5.352
10.464	8	6.117
11.772	9	6.881
13.080	10	7.650

Pounds (lb)		Kilograms (kg)
2.205	1	0.454
4.409	2	0.907
6.614	3	1.361
8.819	4	1.814
11.023	5	2.268
13.226	6	2.722
15.432	7	3.175
17.637	8	3.629
19.842	9	4.082
22.046	10	4.536

Gallons (gal)		Litres (l)
0.220	1	4.544
0.440	2	9.087
0.660	3	13.631
0.880	4	18.174
1.101	5	22.718
1.321	6	27.262
1.541	7	31.805
1.761	8	36.349
1.981	9	40.892
2.202	10	45.440

Pints (pt)		Litres (l)
1.761	1	0.568
3.521	2	1.136
5.282	3	1.704
7.043	4	2.272
8.804	5	2.840
10.564	6	3.406
12.325	7	3.976
14.086	8	4.544
15.847	9	5.112
17.608	10	5.680



» 4 t at 36 m

PRECISE DEMOLITION

MODERN LONGFRONT-DEMOLITION MATERIAL HANDLER

870E



Telehandler 5,5 t Balancer 130-300 t Material Handling 17-160 t Duty Cycle Crane 13,5-300 t Crawler Crane 50-300 t Telescopic Crane 16-120 t Mobile Harbour Crane 300 t



SENNEBOGEN
Maschinenfabrik GmbH

Sennebogenstraße 10
94315 Straubing

↪ alfred.endl@sennebogen.de



DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

**DEMOLITION
AND RECYCLING
ATTACHMENTS**

ATTACHMENTS

BREAKERS	12
CONCRETE CRUSHERS	49
CONCRETE CUTTERS	64
CONCRETE PULVERISERS	66
DEMOLITION SHEARS	77

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Arden	AB282	25	55	3-6	0.69	1350	70	n/s	n/s
NPK	E 102	39	86	0.5	n/s	777	n/s	n/s	n/s
D&A	6V	55	121	0.5-2	n/s	n/s	40	18-25	59-127
Arden	AB0082	55	121	2-6	n/s	n/s	n/s	n/s	n/s
Brokk	BHB 55	55	121	n/s	0.1	n/s	n/s	n/s	n/s
Yuci HC	YC 50	55	121	0.7-1.1	0.12	900	40	n/s	n/s
Socomec	DMS 50	60	132	0.7-1.2	0.12	750	38	17-25	120
Northerntrack	FX-6 Pro	60	132	0.5-1.2	n/s	n/s	40	18-25	60-130
Omal	HB 66	60	132	0.8-2	0.15	n/s	40	12-25	105-115
Kubota	KXB 300 N	60	132	0-1	0.13	n/s	n/s	n/s	n/s
Rotair	OLS 50	60	132	0.8-1.2	0.12	893	36	n/s	130-150
Brokk	SB 52	60	132	0.5	0.1	n/s	n/s	n/s	n/s
Promove	XP 60	60	132	0.6-1.6	0.17	240	38	10-15	100-110
NPK	E-106	62	137	0.7-1	n/s	872	41	15-20	180
Gehl	EBX150	64	141	n/s	0.2	n/s	n/s	12-23	n/s
MSB	Saga 10H	64	141	0.8-3	n/s	n/s	38	10-16	100-110
Bobcat	HB280	65	143	0.8-1.2	0.81	866	37	13.0-23.0	120
Montabert	SC6	65	143	0.7-1.2	n/s	996	37	12-23	110
Daemo	BO6	68	150	0.5-1.2	n/s	932	40	10-22	n/s
FRD	FX15	69	152	0.5-1.5	n/s	924	36	10-28	100-140
FRD	FX15 Top	69	152	0.5-1.5	n/s	816	36	n/s	n/s
Rammer	111	70	154	0.8-1.8	n/s	781	36	n/s	n/s
Sandvik	BR 111	70	154	0.8-1.8	n/s	781	36	15-33	80-130
Dongyang	DYB-50	70	154	0.8-2.5	n/s	899	36	10-20	80-100
Dongyang	DYB-50T	70	154	0.8-2.5	n/s	1180	36	10-20	80-100
Caterpillar	H25D	70	154	0.8-1.1	0.17	781	36	15-25	165
Indeco	HP 100	70	154	0.6-2.5	0.15	1100	n/s	n/s	n/s
Jisung	JSB10D	70	154	0.8-2.5	0.2	947	40	15-25	90-120
Kinshofer	KSB 1	70	154	0.5-2.5	0.28	900	n/s	13-20	100
Rich Power	RPB10D	70	154	0.8-2.5	0.2	947	40	15-25	90-120
Soosan	SB 10	70	154	n/s	0.09	947	n/s	15-30	90-120
Hammer	SB70	70	154	0.5-2.5	0.28	900	40	13-20	100
Takeuchi	TKB 52	70	154	0.8-1.8	n/s	781	36	15-33	100-120
Komac	TOR 1V	70	154	0.5-1.5	0.17	n/s	40	15-25	90-120
Sandvik	BR108	70-85	n/s	0.8-1.8	0.27	821	104	12-30	100-140
Jisung	JSB10T	72	159	0.8-2.5	0.2	1135	40	15-25	90-120
Komac	KB 100V	72	159	0.5-1.5	0.16	n/s	40	15-25	90-120
Rich Power	RPB10T	72	159	0.8-2.5	0.2	1135	40	15-25	90-120
Rammer	108	75	165	0.8-1.8	n/s	821	104	12-30	100-140
Italdem	GK 75 S	75	165	0.5-2	0.16	n/s	40	13-25	95-105
Prodem	PRB008	75	165	0.7-1.5	0.11	n/s	42	12-22	100-130
Rammer	RO1P	75	165	0.8-2	n/s	920	40	15-25	80-120
Arrowhead	S 10	75	165	0.7-1.5	0.25	1180	40	n/s	n/s
Eusiti	SGK-75S	75	165	0.5-2	0.16	n/s	40	13-25	95-105
Okada	Okada 150	76	168	0.7-1.5	n/s	970	40	12-25	60-130
Okada	OKB 300	77	170	1.2-2.5	n/s	951	n/s	n/s	n/s
Globram	RM45s	78	172	0.6-2.2	0.15	1007	45	16-38	108-125
Komac	TOR 1H	78	172	0.5-1.5	0.17	n/s	40	15-25	90-120
Komac	TOR 1S	78	172	0.5-1.5	0.17	n/s	40	15-25	90-120
Everdigm	EHBO08NA	79	174	0.6-1.5	0.11	n/s	42	12-30	100-130
Dehaco	IBEX 70GS	79	174	0.8-1.5	n/s	380	38	10-16	100-110
Bento	BKB 100 S	80	176	0.5-1.5	0.17	955	40	n/s	n/s
Everdigm	EHBO08	80	176	0.6-1.5	0.11	n/s	42	12-30	100-130
Indeco	HP 150 FS	80	176	0.7-3	0.23	n/s	45	15-40	160
Idromeccanica	IMI 9 M	80	176	0.7-2	0.28	930	40	18-38	100-135
Komac	KB 100H	80	176	0.5-1.5	0.16	n/s	40	15-25	90-120
Komac	KB 100S	80	176	0.5-1.5	0.16	n/s	40	15-25	90-120
Stanley	MB156	80	176	0.9-2.7	0.24	1069	44	15-38	124-144
Inan Makina	MTB 9	80	176	0.75-1.5	0.12	n/s	38	15-30	120
Ramtec	RT 90	80	176	0.7-2	0.18	1100	40	n/s	n/s
SkanCraft	SCB1	80	176	0.5-2	0.13	n/s	40	12-25	90-120
Kwanglim	SG200S	81	179	0.9-3	0.22	1164	45	14-25	82-118
Top	A 70	85	187	1.2-2	0.17	n/s	45	n/s	n/s
Dongyang	DYB-70	85	187	1.2-3	n/s	1010	45	15-25	100-120

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Gehl	EBX275	85	187	n/s	0.37	n/s	n/s	19-34	n/s
NPK	HO6X	85	187	1.1-1.6	n/s	n/s	40	10-15	110
Idromeccanica	IMI 9 HP	85	187	0.7-2	0.18	1100	45	18-28	80-110
Komatsu	JTHB10-3	85	187	1-2	0.2	n/s	45	20-30	70-140
Ramtec	RT 92	85	187	0.7-2	0.18	1100	45	n/s	n/s
Kwanglim	SG200	85	187	0.9-3	0.41	1012	45	14-25	82-118
Promove	xP 70	85	187	0.8-1.8	0.21	270	42	15-25	110-130
Jisung	JSB30D	86	190	2.5-4.5	0.32	1170	53	25-50	90-120
Dongyang	DYB-70T	87	192	1.2-3	n/s	1210	45	15-25	100-120
Bobcat	HB380	88	194	0.8-1.7	1.32	897	n/s	15-30	120
JAB	JB7T III	88	194	0.8-1.5	n/s	n/s	40	15-25	80-100
Globram	RM45	88	194	0.8-2.8	0.2	1007	45	16-38	108-125
Okada	TOP21LT	88	194	0.7-2.3	0.2	1220	45	15-34	90-120
Rammer	155	90	198	0.8-1.8	n/s	884	36	15-33	80-130
Rammer	155E	90	198	0.8-1.8	n/s	884	36	15-33	80-130
Arden	AB0102	90	198	0.8-1.5	n/s	n/s	40	n/s	90-120
Bento	BGK 85	90	198	1-3	0.2	1085	n/s	n/s	n/s
Bento	BGK 85 S	90	198	1-3	0.2	1085	n/s	n/s	n/s
Omial	HB 86I	90	198	1.2-2.2	0.18	n/s	45	12-30	105-115
Komatsu	JTHB08-3	90	198	7-1.5	0.14	n/s	40	18-25	60-130
Ramtec	MH7	90	198	0.8-1.8	n/s	n/s	36	15-33	80-130
Promove	P3 SH	90	198	0.8-2.4	0.17	260	46	15-20	120
Epiroc	SB 102	90	198	1.1-3	n/s	571	45	16-35	100-150
Soosan	SB10 II	90	198	0.8-2.5	n/s	1150	40	15-30	90-120
Montabert	SC8	90	198	1-1.7	n/s	897	45	15-30	120
Takeuchi	TKB 52-S	90	198	0.8-1.8	n/s	884	36	15-33	100-120
Toku	TNB-08	90	198	0.7-1.5	n/s	n/s	40	18-25	60-130
Jisung	JSB20D	92	203	1.2-3	0.29	1000	45	20-30	90-120
Jisung	JSB20T	92	203	1.2-3	0.29	1262	45	20-30	90-120
Rich Power	RPB20D	92	203	1.2-3	0.29	1000	45	20-30	90-120
Rich Power	RPB20T	92	203	1.2-3	0.29	1262	45	20-30	90-120
Okada	Okada 200	94	207	1-2	n/s	1070	40	12-25	90-120
NPK	PH-06	94	207	1-2	n/s	991	42	15-35	n/s
Bento	BGK 86	95	209	1-3	0.2	1115	n/s	n/s	n/s
Bento	BGK 86 P	95	209	1-3	0.2	1115	n/s	n/s	n/s
Socomec	DMS 95/2	95	209	1.2-1.8	0.24	1000	45	27-40	120
Epiroc	EC 40	95	209	1-3	n/s	703	42	15-35	110-130
Yuci HC	YC 100	95	209	1.2-2.2	0.18	1110	45	n/s	n/s
Kwanglim	SG300S	96	212	1.2-4	0.49	1321	57	20-40	82-118
A-Ward	AWB200	97	214	0.7-1.3	0.27	n/s	40	n/s	78-107
JAB	JB8T III	97	214	0.8-2	n/s	n/s	45	15-25	80-100
Yujin Tech	YJB 150	97	214	0.8-3	0.4	1113	46	20-30	80-110
All-Kor	AKB 10	98	216	0.8-1.5	n/s	n/s	40	15-25	130
OSA Demolition Equipment	HB 100	98	216	0.5-1.8	0.17	970	40	12-28	80-120
Indeco	HP 150 FS H/ Duty	98	216	0.7-3	0.23	n/s	45	15-40	160
Indeco	HP 200 FS H/ Duty	98	216	0.7-3	n/s	n/s	45	n/s	160
JAB	JB7S III	98	216	0.8-1.5	n/s	n/s	40	15-25	80-100
Top	A 70 S	100	221	1.5-2.5	0.17	n/s	45	n/s	n/s
Brokk	BHB 105	100	221	n/s	0.16	n/s	n/s	n/s	n/s
Dowin	DW 20SL	100	221	1.2-3	0.3	1090	45	20-30	90-120
Dongyang	DYB-50S	100	221	0.8-2.5	n/s	1087	36	10-20	80-100
Hydraram	FX-10	100	221	0.8-1.6	0.26	1180	36	10-20	80-100
NPK	H-08X	100	221	1.5-2.5	n/s	n/s	45	15-25	107
Kinshofer	KSB 2	100	221	1.2-3.5	0.4	1000	n/s	15-30	110
Rotair	OLS 95	100	221	1.3-2.2	0.23	1112	48	n/s	80-120
Ramtec	RT 100 S	100	221	1-3	0.19	1120	47	n/s	n/s
Arrowhead	S 20	100	221	1.5-3	0.35	1180	45	n/s	n/s
Hammer	SB100	100	221	1.2-3.5	0.4	1000	45	15-30	110
Kwanglim	SG300	100	221	1.2-4	0.68	1069	57	20-40	82-118
Promove	XP 101	100	221	1-2.5	0.35	270	42	15-25	100-110
Sandvik	BR211	100-120	n/s	1.2-2.6	0.34	910	119	14-40	100-140
FRD	FX25	101	223	1-2.5	n/s	1030	45	18-35	100-140
FRD	FX25 Top	101	223	1-2.5	n/s	939	45	n/s	n/s
Rammer	RO2P	101	223	1.3-3.3	n/s	1096	46	15-40	60-120

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Dowin	DW T15	102	225	0.8-2.5	0.2	1135	40	15-25	90-120
Jisung	JSB10S	102	225	0.8-2.5	0.2	1135	40	15-25	90-120
Pladdet	PDH 10 S	102	225	0.8-2.5	0.2	n/s	40	n/s	n/s
Soosan	SB10 II TS-P	102	225	0.8-2.5	n/s	1135	75	15-30	90-120
Soosan	SB10TS-P	102	225	0.8-2.5	0.09	1135	40	n/s	n/s
Dehaco	DBH 10	103	227	0.6-1.2	0.15	n/s	40	15-25	80/110
Dongyang	DYB-100	104	229	2.5-4.5	n/s	1074	53	25-40	100-120
Soosan	SQ10	104	229	0.8-2.5	n/s	1135	40	15-35	90-120
Rammer	211	105	232	1.2-2.6	n/s	910	119	14-40	100-140
Rammer	222	105	232	1.2-2.4	n/s	880	42	n/s	n/s
Bento	BGK 86 PS	105	232	1-3	0.2	1145	n/s	n/s	n/s
Bento	BGK 86 S	105	232	1-3	0.2	1145	n/s	n/s	n/s
Sandvik	BR 222	105	232	1.2-2.4	n/s	880	42	20-48	100-150
Italdem	GK 100 S	105	232	1-3	0.2	n/s	46	15-30	95-105
Italdem	GK 86 S	105	232	1-3	0.2	n/s	46	20-30	80-90
Komatsu	JTHB20-3	105	232	1.52-2.5	0.34	n/s	50	20-35	80-150
Tabe	MT 95	105	232	0.8-3.5	0.15	1046	420	20-35	80-100
Eusiti	SGK-100S	105	232	1-3	0.2	n/s	46	15-30	95-105
Dongyang	DYB-100T	106	234	2.5-4.5	n/s	1240	53	25-40	100-120
NPK	GHO6	106	234	1.2-2.2	n/s	1037	42	10-25	115
NPK	E200	107	236	1-2	n/s	n/s	42	10-25	112
All-Kor	AKB 15	108	238	1-2	n/s	n/s	45	15-25	130
Beilite	BLTB-45	108	238	0.8-1.5	n/s	1294	45	20-40	88-118
JAB	JB8S III	108	238	0.8-2	n/s	n/s	45	15-25	80-100
Komac	TOR 2V	108	238	0.8-3	0.27	n/s	46	20-35	90-120
Case	CH-1M	109	240	n/s	0.2	n/s	45	20-30	n/s
Rammer	255	110	243	1.2-2.5	n/s	842	40	15-35	95-150
Rammer	255E	110	243	1.2-2.5	n/s	842	40	15-35	95-150
Sandvik	BR155	110	243	1.2-2.5	n/s	n/s	40	15-35	95-150
Sandvik	BR255	110	243	1.2-2.5	n/s	n/s	40	15-35	95-150
Drago	DB-S 40	110	243	0.8-2.5	0.09	n/s	40	n/s	n/s
Omial	HB 86S	110	243	1.2-2.2	0.18	n/s	45	12-30	105-115
Allied	HR 175	110	243	n/s	n/s	910	45	n/s	n/s
Soosan	SB20 II	110	243	1.2-3	n/s	1254	45	20-40	90-120
Montabert	SC12	110	243	1.2-2.2	n/s	926	47	17-35	120
Vulcan	V2GS	110	243	0.45-2.27	0.5	n/s	44.5	15-30	89-121
Wimmer	WHO2-A	110	243	1-3	n/s	n/s	50	20-35	85-150
Bobcat	HB580	111	245	1.2-2.2	1.75	925	n/s	17-35	120
FRD	FX25 S	112	247	1-2.5	n/s	939	45	n/s	n/s
FRD	FX25 XS	112	247	1-2.5	n/s	939	45	n/s	n/s
Komac	KB 150V	112	247	0.8-3	0.25	n/s	46	20-35	90-120
NPK	PH-07	112	247	1.5-3	n/s	1035	47	15-45	n/s
AJCE	AB-100M	113	249	0.8-2.5	0.2	n/s	40	15-30	90-120
All-Kor	AKB 15 V	115	254	0.8-2.5	n/s	n/s	45	n/s	n/s
Daemo	B10	115	254	0.5-1.5	n/s	1100	40	15-30	n/s
Boohung	BH 400	115	254	0.8-1.9	0.16	n/s	40	15-30	90-120
JCB	HM100Q	115	254	1-1.8	0.17	n/s	45	15-32	140-160
Rotar	RHB 20	117	258	1.3-3	n/s	n/s	42	15-35	110-130
Chicago Pneumatic	RX2	117	258	1.3-3	0.2	968	42	n/s	n/s
D&A	8V	120	265	0.8-2.5	n/s	1135	45	15-30	88-118
Arden	ABO122	120	265	1-2.5	n/s	n/s	45	n/s	90-120
Dowin	DW 30BL	120	265	2.5-4.5	0.3	1170	53	25-50	90-120
Feel	Fine 1X	120	265	0.8-2.5	n/s	n/s	36	n/s	n/s
JCB	HMO12T	120	265	0.5-2	0.3	n/s	40	12-25	90-120
Idromeccanica	IMI 88 HP	120	265	1-3	0.19	1000	48	20-30	80-110
Inan Makina	MTB 11	120	265	1-2.5	0.2	n/s	45	20-35	120
Rlich Power	RPB30D	120	265	2.5-4.5	0.32	1170	53	25-50	90-120
MSB	SAGA 20H	120	265	0.8-3	0.19	681	44.5	15-30	80-110
SkanCraft	SCB2	120	265	0.8-2.5	0.16	n/s	45	12-25	90-120
Toku	TNB-1M	120	265	1-2	n/s	n/s	45	20-30	70-140
Okada	TOP21H	120	265	1-2.3	0.31	1220	45	19-34	90-120
Everdigm	EHBO1	121	267	0.7-2.5	0.18	1215	45	15-25	100-130
Everdigm	EHBO1NA	121	267	0.7-2.5	0.18	n/s	45	15-25	100-130
Everdigm	EHBO2	121	267	1-4	0.2	1215	45	20-35	100-130

THE DEFINITION OF TOUGH



OUR LINE OF TOUGH EQUIPMENT WORKS HARD IN TOUGH ENVIRONMENTS. DURABLE AND POWERFUL, YOU CAN BE CONFIDENT YOU CAN INCREASE YOUR PRODUCTIVITY WITH LIUGONG'S POWERFUL LINE OF MACHINES. WITH A FOCUS ON THE EASY AND FLUID OPERATION AS WELL AS COMFORT, OPERATORS HAVE AN EASY TIME KEEPING UP WITH OUR MACHINES.

 **LIUGONG**

TOUGH WORLD. TOUGH EQUIPMENT.

A TOOL FOR EVERY JOB



That's what our job's about. Designing and making the perfect hydraulic tools for any application, and then making them available to users all over the world. We also have to make sure they stay efficient over time. Whatever job you have in hand, you can bet your life we're already working on that for you.



 **INDECO**
A TOOL FOR EVERY JOB

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Everdigm	EHBO2NA	121	267	1-4	0.2	n/s	45	20-35	100-130
Dowin	DW 30SL	122	269	2.5-4.5	0.32	1170	53	25-50	90-120
Northerntrack	FX-25 Pro	122	269	1-2.4	n/s	n/s	45	15-35	90-120
Bento	BXP 100	123	271	1-2.5	0.18	1100	46	n/s	n/s
JAB	JB9T III	123	271	1-2	n/s	n/s	45	20-30	80-100
Prodem	PRBO10	123	271	0.7-3	0.18	n/s	45	15-25	100-130
Rammer	355	124	273	1.6-3.6	n/s	946	48	25-55	90-150
Rammer	355E	124	273	1.6-3.6	n/s	946	48	25-55	90-150
All-Kor	AKB 15 S	125	276	0.8-2.5	n/s	n/s	45	n/s	n/s
NPK	E201	125	276	1.3-2.5	n/s	n/s	47	15-35	102.5
NPK	GHO7	125	276	1.4-2.5	n/s	1088	47	15-35	105
Dehaco	lbex 135GS	125	276	1-2	n/s	403	40	15-35	90-120
Dowin	DW T20	126	278	1.2-3	0.29	1262	45	20-30	90-120
Jisung	JSB20S	126	278	1.2-3	0.29	1262	45	20-30	90-120
Pladdet	PDH 20 S	126	278	1.2-3	0.29	n/s	45	n/s	n/s
Soosan	SB20 II TS-P	126	278	1.2-3	n/s	1213	68	20-40	90-120
Soosan	SB20TS-P	126	278	1.2-3	0.14	1262	45	n/s	n/s
Tabe	AGB 100	130	287	1.5-3.5	n/s	1010	n/s	n/s	n/s
Steck	B 1.5	130	287	1-3	0.19	1031	48	n/s	n/s
Caterpillar	H35E	130	287	1.1-2.4	0.41	871	40	12-35	165
Caterpillar	H35S	130	287	1.1-2.4	0.41	860	40	12-35	165
Soosan	SQ20	130	287	1.2-3	n/s	1213	45	20-45	90-120
Komac	TOR 2H	130	287	0.8-3	0.27	n/s	46	20-35	90-120
Komac	TOR 2S	130	287	0.8-3	0.27	n/s	46	20-35	90-120
Yuci HC	YC 120	130	287	1.6-2.5	0.2	1180	47	n/s	n/s
Bento	BKB 150 S	134	295	0.8-3	0.25	1110	46	n/s	n/s
Dongyang	DYB-70S	134	295	1.2-3	n/s	1215	45	15-25	100-120
Komac	KB 150H	134	295	0.8-3	0.25	n/s	46	20-35	90-120
Komac	KB 150S	134	295	0.8-3	0.25	n/s	46	20-35	90-120
Boohung	BH 450	135	298	1.8-2.5	0.18	n/s	45	20-40	90-120
Drago	DB-S 45	135	298	1.2-3.5	0.13	n/s	45	n/s	n/s
Hydraram	FX-20	135	298	1.5-3	0.37	1210	45	15-25	100-120
GB	GBN10T	135	298	0.8-2.5	n/s	n/s	40	15-30	80-100
Genesis	GHB 250	135	298	1-3	0.34	n/s	40	15-35	90-120
Ramtec	MH11	135	298	1.2-2.4	n/s	n/s	42	20-48	100-150
Promove	P4 SH	135	298	1.8-4	0.23	300	54	25-30	100
Arrowhead	S 30	135	298	2-4	0.4	1300	53	n/s	n/s
Soosan	SB30 II	135	298	2.5-4.5	n/s	1313	53	25-50	90-120
Takeuchi	TKB 72-S	135	298	1.3-2.7	n/s	994	42	20-48	120-140
Sandvik	BR315	135-160	n/s	1.6-3.6	0.47	1020	131	16-50	100-140
JCB	HM140Q	136	300	1-3.5	0.23	n/s	50	25-50	120-150
Giant Hydraulic Tech	GTO8 Silence	137	302	0.8-2.5	n/s	n/s	40	15-30	90-120
JAB	JB9S III	137	302	1-2	n/s	n/s	45	20-30	80-100
Feel	Fine 2X	138	304	0.8-2.5	n/s	n/s	40	n/s	n/s
Okada	Okada 250	138	304	1.2-2.5	n/s	1135	45	15-30	90-120
AJCE	AB-200M	139	306	1.2-3	0.27	n/s	45	20-40	90-120
D&A	15 V	140	309	1-3	n/s	1259	57	n/s	n/s
Brokk	BHB 155	140	309	n/s	0.25	n/s	n/s	n/s	n/s
Omali	HB 120s	140	309	2-3	0.21	n/s	48	15-30	105-115
OSA Demolition Equipment	HB 150	140	309	0.8-2.5	0.19	990	45	15-30	90-120
Tabe	MT 145	140	309	2.5-4.5	n/s	940	55	50-70	120-140
SkanCraft	SCB3	140	309	1-3	0.34	n/s	57	23-45	90-120
Okada	TOP205B	140	309	19-28	n/s	2774	135	160-260	140-180
Brokk	SB 152	142	313	1-1.6	0.25	n/s	n/s	n/s	n/s
Rammer	315	145	320	1.6-3.6	n/s	1017	131	16-50	100-140
Arden	AB152	145	320	1.3-3	0.34	1250	57	n/s	n/s
Feel	Fine 3X	145	320	1-3	n/s	n/s	45	n/s	n/s
GB	GBN20T	145	320	1.2-3	n/s	n/s	45	20-35	80-100
Caterpillar	H45ES	145	320	1.5-3.2	0.54	1006	50	25-62	170
Kinshofer	KSB 3	145	320	1.5-4.5	0.58	1100	n/s	18-40	110
Rammer	RO3P	145	320	2-4.4	n/s	1198	53	25-50	75-120
Hammer	SB150	145	320	1.5-4.5	0.58	1100	48	18-40	110
Komac	TOR 3V	145	320	1.2-4	0.36	n/s	53	25-40	90-120
FRD	FX35	146	322	1.5-4	n/s	1060	52	24-52	120-160

P&V

Padley & Venables

QUALITY TOOLS



MADE IN BRITAIN



PROVEN WORLDWIDE



ROCK DRILLING

DEMOLITION

CONTRACTORS'

WWW.PADLEY-VENABLES.COM



SALES@PADLEY-VENABLES.COM TEL: +44 (0) 1246 299 100

KOCUREK

EXCAVATORS LTD



KOCUREK

EXCAVATORS LTD

DEMOLITION

Get full versatility with Kocurek manufactured TAB demolition equipment. Designed to carry heavier tool weights at a range of heights, aiming to help increase production time and efficiency. With the Kocurek modular joint change over between equipment is simple and quick. Contact the Kocurek Sales team to discuss your requirements and let us show you the possibilities.

t: +44 (0) 1473 217477

e: sales@kocurek.co.uk

www.kocurek.com



Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
FRD	FX35 Top	146	322	1.5-4	n/s	1060	52	n/s	n/s
Dongyang	DYB-100S	148	326	2.5-4.5	n/s	1285	53	25-40	100-120
Prodem	PRB030	149	329	1.5-4.5	0.3	n/s	50	20-35	100-130
Rammer	333	150	331	2-4	n/s	1002	50	n/s	n/s
All-Kor	AKB 40 V	150	331	2.5-3.5	n/s	n/s	53	n/s	n/s
Boohung	BHB10	150	331	2-3.5	n/s	n/s	53	25-40	90-120
Sandvik	BR 333	150	331	2-4	n/s	1002	50	30-63	100-150
Sandvik	BR355	150	331	1.6-3.6	n/s	n/s	48	25-55	90-150
Gehl	EBX375	150	331	n/s	0.51	n/s	n/s	23-42	n/s
Epiroc	EC 50	150	331	2-4.5	n/s	835	52	30-50	110-140
Everdigm	EHB03NA	150	331	1.5-4.5	0.3	n/s	50	25-35	100-130
Feel	Fine 4	150	331	1-3.5	n/s	n/s	53	n/s	n/s
Bobcat	HB680	150	331	1.5-3.7	2	1035	55	25-50	120
John Deere Construction	HH20C	150	331	n/s	n/s	n/s	n/s	n/s	90-150
Jisung	JSB30T	150	331	2.5-4.5	0.32	1342	53	25-50	90-120
Komac	KB 200V	150	331	1.2-4	0.34	n/s	53	25-40	90-120
Rich Power	RPB30T	150	331	2.5-4.5	0.32	1342	53	25-50	90-120
Montabert	SC16	150	331	1.5-3.7	n/s	1036	55	25-50	120
Allied	HRO3	151	333	1.5-2.9	n/s	112	45	15-42	60-120
Dehaco	DBH 15	152	335	1-3	0.25	n/s	45	20-30	80/110
Dowin	DW T30	152	335	2.5-4.5	0.32	1342	53	25-50	90-120
Everdigm	EHB03	152	335	1.5-4.5	0.3	1257	50	25-35	100-130
Jisung	JSB30S	152	335	2.5-4.5	0.32	1342	53	25-50	90-120
Pladdet	PDH 30 S	152	335	2.5-4.5	0.32	n/s	53	n/s	n/s
Soosan	SB30 II TS-P	152	335	2.5-4.5	n/s	1317	60	25-50	90-120
Soosan	SB30TS-P	152	335	2.5-4.5	0.2	1342	53	n/s	n/s
Dongyang	DYB-210	154	340	3-5.5	n/s	1124	60	25-40	110-130
Dongyang	P215	154	340	3-5.5	n/s	1124	60	25-40	110-130
Bento	BGK 160	155	342	2-4.5	0.35	1215	n/s	n/s	n/s
Bento	BGK 160 S	155	342	2-4.5	0.35	1215	n/s	n/s	n/s
Bento	BGK 161	155	342	2-4.5	0.35	1275	n/s	n/s	n/s
Bento	BGK 161 P	155	342	2-4.5	0.35	1275	n/s	n/s	n/s
Bento	BGK 161 PS	155	342	2-4.5	0.35	1320	n/s	n/s	n/s
Bento	BGK 161 S	155	342	2-4.5	0.35	1320	n/s	n/s	n/s
Boohung	BH 530	155	342	2-3	0.28	n/s	53	25-60	90-120
Italdem	GK 161 S	155	342	2-4.5	0.35	n/s	56	30-40	80-90
Italdem	GK 165 S	155	342	2-4.5	0.35	n/s	56	25-40	95-105
Eusiti	SGK-165S	155	342	2-4.5	0.35	n/s	56	25-40	95-105
Komac	TOR 3H	155	342	1.2-4	0.36	n/s	53	25-40	90-120
Komac	TOR 3S	155	342	1.2-4	0.36	n/s	53	25-40	90-120
Soosan	SG30	156	344	2-4.5	n/s	1317	53	25-55	90-120
FRD	FX35	157	346	1.5-4	n/s	1116	52	24-52	120-160
FRD	FX35S	157	346	1.5-4	n/s	1060	52	n/s	n/s
FRD	FX35XS	157	346	1.5-4	n/s	1060	52	n/s	n/s
Globram	RM48	157	346	1.5-4.5	0.24	1150	48	24-44	108-125
Bento	BKB 200 S	158	348	1.3-4.5	0.35	1214	53	n/s	n/s
Komac	KB 200H	158	348	1.2-4	0.34	n/s	53	25-40	90-120
Komac	KB 200S	158	348	1.2-4	0.34	n/s	53	25-40	90-120
Caterpillar	B4	159	351	2.5	0.37	1224	53	25-50	103
All-Kor	AKB 40 S	160	353	2.5-3.5	n/s	n/s	53	n/s	n/s
Bento	BXP 150	160	353	1.8-4	0.29	1260	56	n/s	n/s
Northerntrack	FX-30	160	353	2-4	n/s	1240	53	25-40	100-120
NPK	H-1XA	160	353	2.4-4.1	n/s	n/s	57	25-38	117
Indeco	HP 200 FS	160	353	1.4-5	0.3	n/s	48	25-45	160
Komatsu	JTHB20S-3	160	353	1.5-2.5	n/s	n/s	50	n/s	n/s
Epiroc	SBU 160	160	353	2.5-5	n/s	n/s	50	30-50	100-150
Promove	xP 150	160	353	1.8-4	0.42	280	56	25-35	120-130
Yuci HC	YC 160	160	353	2.5-3.5	0.36	1260	50	n/s	n/s
Yujin TECH	YJB 200	160	353	1-3.5	0.48	1306	53	20-50	90-120
A-Ward	AWB400	161	355	2.1-4	0.55	n/s	58	n/s	88-117
Caterpillar	B4s	162	357	2-4	0.37	1234	53	25-50	103
JCB	HM166Q	162	357	1.9-4.5	0.25	n/s	50	40-60	100-150
JAB	JB10T III	162	357	1.5-3	n/s	n/s	53	25-40	90-120
NPK	PH-1	162	357	2-3.5	n/s	1154	57	25-55	n/s

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Socomec	DMS 165	165	364	1.9-3	0.33	1050	55	35-50	120
Inan Makina	MTB 15	165	364	1-3	0.23	n/s	50	20-35	85-150
Toku	TNB-2M	165	364	1.5-2.5	n/s	n/s	50	20-35	80-150
Drago	DB-S 53	166	366	3-5	0.18	n/s	53	n/s	n/s
Rotar	RHB 30	166	366	2.1-4.5	n/s	n/s	52	30-50	110-140
Chicago Pneumatic	RX3	166	366	2.1-4.5	0.3	1155	52	n/s	n/s
AJCE	AB-300M	168	370	2.5-4.5	0.41	n/s	53	25-50	90-120
Beilite	BLTB-53	169	373	1.5-3.5	n/s	1436	53	20-50	88-118
Omal	HB 190	170	375	2.2-4	0.49	n/s	60	50-100	70-80
Dehaco	IBEX 170GS	170	375	1.5-3	n/s	500	53	25-40	90-120
Tabe	MT 175	170	375	2.5-4.5	0.28	1060	450	40-50	80-90
MSB	SAGA 30H	170	375	1.2-3.5	0.38	700	53	25-40	90-120
Vulcan	V3GS	173	381	1.36-3.63	0.7	n/s	51	19-42	89-121
D&A	20 V	175	386	n/s	n/s	1317	57	n/s	n/s
Dongyang	DYB-100T-SL	175	386	2.5-4.5	n/s	n/s	n/s	n/s	n/s
Komatsu	JTHB30-3	175	386	2.4-4	0.48	n/s	58	25-45	100-150
Okada	TOP31	175	386	1.5-4	0.51	1800	57	26-49	100-140
Dongyang	DYB-210T	178	392	3-5.5	n/s	1280	60	25-45	110-130
Gehl	EBX550	179	395	n/s	0.75	n/s	n/s	30-57	n/s
Arden	AB0202	180	397	2-6	n/s	n/s	n/s	n/s	n/s
Arden	AB212	180	397	2.5-4.5	0.39	1300	57	n/s	100-140
BTi	CX4	180	397	2-4	0.55	1215	53	27-45	120
GB	GBN30T	180	397	2.5-4.5	n/s	n/s	53	25-50	90-120
OSA Demolition Equipment	HB 180	180	397	2.5-4.5	0.33	1230	56	25-50	90-120
Ramtec	MH15	180	397	2-4	n/s	n/s	50	30-63	100-150
Rotair	OLS 160	180	397	2.2-3.2	0.36	1279	53.7	n/s	80-120
Takeuchi	TKB 102-S	180	397	2-4	n/s	1129	50	30-63	120-140
Allied	HRO5	182	401	1.9-3.9	n/s	119	53	27-49	70-120
Dehaco	DBH 18	183	404	1.2-4	0.34	n/s	53	25-40	90-120
Top	A 100 S	185	408	2.5-4	0.26	n/s	56	n/s	n/s
Dongyang	DYB-210S	186	410	3-5.5	n/s	1363	60	25-45	110-130
Soosan	SB10 II SSL	186	410	0.8-2.5	n/s	1264	40	15-30	90-120
D&A	17V	187	412	1.5-4	n/s	n/s	57	23-70	88-118
FRD	FX45	187	412	2.5-5.5	n/s	1285	60	n/s	n/s
FRD	FX45	187	412	2.5-5.5	n/s	1167	60	30-60	120-160
FRD	FX45 Top	187	412	2.5-5.5	n/s	1167	60	n/s	n/s
JCB	HMO18T	187	412	1.5-4	0.56	n/s	57	23-70	90-120
Okada	Okada 400	187	412	1.5-4	n/s	1450	57	23-70	90-120
SkanCraft	SCB4	187	412	1.5-4	0.29	n/s	57	23-70	90-120
Genesis	GHB 350	188	415	2-5	0.48	n/s	55	25-45	90-130
Soosan	SB 35 BH	189	417	1.5-4	n/s	1264	60	n/s	n/s
Rammer	455	190	419	3.1-4.6	n/s	1126	56	40-70	100-170
Rammer	455E	190	419	3.1-4.6	n/s	1126	56	40-70	100-170
BTi	BX 4	190	419	1.2-4	0.56	1350	53	n/s	n/s
John Deere Construction	HH40C	190	419	n/s	n/s	n/s	n/s	n/s	100-170
Idromeccanica	IMI 18 HP	190	419	2-4	0.4	1150	55	30-50	90-120
JAB	JB8SL	190	419	n/s	n/s	n/s	45	15-25	80-100
Kinshofer	KSB 4	190	419	2.5-6.5	0.75	1200	n/s	25-55	130
Promove	P6 SH	190	419	3.2-5.5	0.34	365	64	30-45	90
Ramtec	RT 180 HP	190	419	2-4	0.4	1150	55	n/s	n/s
Hammer	SB200	190	419	2.5-6.5	0.75	1200	55	25-55	130
NPK	E202	195	430	2.3-4.1	n/s	n/s	57	25-50	118
Hydraram	FX 40	195	430	3-5	0.53	1280	60	30-50	110-130
Northerntrack	FX-35 Pro	195	430	2-3.8	n/s	n/s	57	23-70	90-120
Northerntrack	FX-40	195	430	3-5	n/s	1280	60	30-50	110-130
Giant Hydraulic Tech	GT10 Silence	195	430	1.2-3	n/s	n/s	45	20-40	90-120
BTi	BX 6	200	441	3-4.5	0.8	1380	62	n/s	n/s
Dowin	DW 40SL	200	441	3.5-5.5	0.55	1260	60	30-60	100-130
Feel	Fine 4X	200	441	1-3.5	n/s	n/s	53	n/s	n/s
NPK	H-2XA	200	441	2.7-5.4	n/s	n/s	65	30-57	128
Omal	HB 195S	200	441	2.2-4	0.49	n/s	60	50-100	70-80
Omal	HB 196	200	441	2.2-4	0.4	n/s	56	35-60	120
Dehaco	Ibex200GS	200	441	2-4	n/s	560	59.5	30-45	90-120
NPK	PH-2	200	441	3-5.5	n/s	1240	66	25-60	n/s

RCC-series



GET THE
RED
CRUSH!



Extreme powerful heavy industrial concrete cutter

- Enormous power combined with short cycle times
- Built of high performance structural steel
- Easy replaceable cutting teeth
- Fitted with our new RAMPLIFIER® technology

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
MSB	Saga 40H	200	441	2.5	0.45	858	59.5	30-45	90-120
Wimmer	WH 4	200	441	2.5-6	n/s	n/s	68	30-70	100
Yuci HC	YC 200	200	441	3.5-4.5	0.55	1440	57	n/s	n/s
Soosan	SB35 II	204	450	3-5.5	n/s	1452	60	30-60	100-130
Brokk	BHB 205	205	452	n/s	0.41	n/s	n/s	n/s	n/s
NPK	GH1	205	452	2.3-4	n/s	n/s	57	25-50	120
Sandvik	BR522	205-245	n/s	2.5-5.5	0.68	1140	150	20-70	110-150
Soosan	SB20 II SSL	206	454	1.2-3	n/s	1352	45	20-40	90-120
FRD	FX45 S	208	459	2.5-5.5	n/s	1167	60	n/s	n/s
FRD	FX45 XS	208	459	2.5-5.5	n/s	1167	60	n/s	n/s
Prodem	PRB040	209	461	2.5-6	0.45	n/s	58	30-50	110-140
Boohung	BH 600	210	463	2.8-4	0.41	n/s	60	30-60	90-120
Socomec	DMS 210	210	463	2.8-4.5	0.5	1200	62	40-55	120
Stanley	MBF5	210	463	2.22	0.74	1380	70	38-83	100 - 140
Rich Power	RPB43D	210	463	6-9	0.9	1518	75	50-90	120-150
Brokk	SB 202	212	467	1.6	0.41	n/s	n/s	n/s	n/s
Epiroc	EC 60	215	474	3-6	n/s	904	62	35-60	110-140
Epiroc	ES 60	215	474	3-6	n/s	n/s	62	35-60	110-140
Inan Makina	MTB 21	215	474	2.5-6	0.45	n/s	68	30-60	120
Komac	TOR 5V	215	474	3-5	0.51	n/s	58	30-50	100-130
All-Kor	AKB 40	216	476	2-3.5	n/s	n/s	53	25-40	150
JAB	JB10S III	216	476	1.5-3	n/s	n/s	53	25-40	90-120
Dongyang	DYB-100S-SL	217	478	2.5-4.5	n/s	n/s	n/s	n/s	n/s
Everdigm	EHBO4NA	217	478	2.5-6	0.45	n/s	58	30-50	110-140
Vulcan	V4GS	218	481	1.8-5.4	0.8	n/s	60	22,7-45	89-121
Rammer	522	220	485	2.5-5.5	n/s	1140	150	20-70	110-150
Steck	B 2	220	485	2.5-6	0.45	1271	68	n/s	n/s
Bento	BGK 210	220	485	3-6	0.52	1390	n/s	n/s	n/s
Bento	BGK 210 S	220	485	3-6	0.52	1390	n/s	n/s	n/s
Bento	BGK 211	220	485	3-6	0.52	1400	n/s	n/s	n/s
Bento	BGK 211 P	220	485	3-6	0.52	1400	n/s	n/s	n/s
Bento	BGK 211 PS	220	485	3-6	0.52	1455	n/s	n/s	n/s
Bento	BGK 211 S	220	485	3-6	0.52	1455	n/s	n/s	n/s
Italdem	GK 211 S	220	485	3-6	0.52	n/s	67	40-60	80-90
Italdem	GK 225 S	220	485	3-6	0.52	n/s	67	35-60	95-105
Bobcat	HB880	220	485	2.2-5.3	4.06	1188	65	30-65	120
Allied	HR 230	220	485	n/s	n/s	1170	60	n/s	n/s
Jisung	JSB35D	220	485	3-5.5	0.55	1238	60	30-60	100-130
Komac	KB 250V	220	485	3-5	0.49	n/s	58	30-50	100-130
Stanley	MBO5	220	485	2.3-6	0.75	1350	67	38-83	100-140
Rich Power	RPB35D	220	485	n/s	0.55	1238	60	30-60	100-130
Eusiti	SGK-225S	220	485	3-6	0.52	n/s	67	35-60	95-105
Dongyang	DYB-210T-SL	223	492	3-5.5	n/s	n/s	n/s	n/s	n/s
Daemo	B40	224	494	3-4.5	n/s	1408	62	30-50	n/s
BTi	CX6	224	494	3-5	0.82	1360	62	45-90	140
Dowin	DW T40	224	494	3-5.5	0.55	1472	60	30-60	100-130
JCB	HM266Q	224	494	2.8-6	0.38	n/s	65	42-75	100-150
Jisung	JSB35S	224	494	3-5.5	0.55	1472	60	30-60	100-130
Pladdet	PDH 35 S	224	494	3-5.5	0.55	n/s	60	n/s	n/s
Soosan	SB30 II SSL	224	494	6.6-13.2	n/s	1422	53	25-50	90-120
Soosan	SB35 II TS-P	224	494	3-5.5	n/s	1472	53	30-60	100-130
Soosan	SB35TS-P	224	494	3-5.5	0.37	1472	60	n/s	n/s
JAB	JB15T III	225	496	2-3.5	n/s	n/s	60	30-60	100-130
Stanley	MB256	225	496	1.8-4.5	0.47	1295	64	34-60	96-117
Globram	RM56	225	496	2.5-5	0.43	1300	56	31-58	108-125
Arrowhead	S 40	225	496	3-5.5	0.7	1450	65	n/s	n/s
Epiroc	SBU 220	225	496	2.8-6	n/s	n/s	65	42-75	100-150
Montabert	SC22	225	496	2.2-5.3	n/s	1182	65	30-65	120
Rammer	555	228	503	3.2-8	n/s	1261	72	36-90	90-140
Rammer	555 Hot	228	503	3.2-8	n/s	1261	72	36-90	80-130
Rammer	555 Scaler	228	503	3.2-8	n/s	1261	72	36-90	80-130
Rammer	555E	228	503	3.2-8	n/s	1261	72	36-90	90-140
John Deere Construction	HH60C	228	503	n/s	n/s	n/s	n/s	n/s	80-130
Allied	AR 70 C XSF	230	507	n/s	n/s	1360	63	n/s	n/s

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Sandvik	BR455	230	507	2.7-5.2	n/s	n/s	56	40-70	100-170
Drago	DB-S 60	230	507	3-6	0.34	n/s	60	n/s	n/s
Indeco	HP 350 FS	230	507	1.7-6.5	0.5	n/s	56	30-60	160
Ramtec	MH23	230	507	2.7-5.2	n/s	n/s	56	40-70	100-170
Soosan	SG35	231	509	3-6	n/s	1472	60	30-65	100-130
Rammer	RO4P	232	512	3-6	n/s	n/s	60	30-60	70-130
Rotar	RHB 40	233	514	2.9-6	n/s	n/s	62	35-60	110-140
Chicago Pneumatic	FX4	233	514	2.9-6	0.45	1254	62	n/s	n/s
Komatsu	JTHB30S-3	235	518	2.4-4	n/s	n/s	58	n/s	n/s
Komatsu	JTHB40-3	235	518	3-4.5	0.75	n/s	64	30-55	100-160
Promove	P6 SB	235	518	3.2-5.5	0.34	340	64	30-45	90
Soosan	SB 40 BH	237	523	2.8-5	n/s	1507	68	n/s	n/s
Bento	BXP 250	240	529	3-5.5	0.43	1350	64	n/s	n/s
NPK	E203	240	529	2.7-5.4	n/s	n/s	66	30-65	127
NPK	GH2	240	529	2.7-5.4	n/s	n/s	66	25-65	160
Komac	TOR 5H	240	529	3-5	0.51	n/s	58	30-50	100-130
Komac	TOR 5S	240	529	3-5	0.51	n/s	58	30-50	100-130
Promove	XP 250	240	529	3-5.2	0.56	370	64	35-45	120-130
Genesis	GHB 500	241	531	2-6	0.68	n/s	67	38-83	110-146
Kwanglim	SG350	244	538	2.8-4	1.02	1348	68	30-50	98-127
D&A	17S	245	540	1.5-4	n/s	n/s	57	23-70	98-186
Allied	AR 70 C BSF	245	540	n/s	n/s	1360	63	n/s	n/s
Bento	BKB 250 S	245	540	2-4.5	0.5	1263	58	n/s	n/s
FRD	FX55	245	540	4-7	n/s	1264	68	40-85	120-160
FRD	FX55 Top	245	540	4-7	n/s	1264	68	n/s	n/s
Komac	KB 250H	245	540	3-5	0.49	n/s	58	30-50	100-130
Komac	KB 250S	245	540	3-5	0.49	n/s	58	30-50	100-130
AJCE	AB-350M	247	545	3-5.5	0.54	n/s	60	30-60	100-130
Soosan	SB40 II BH	247	545	4-7	n/s	1459	68	40-70	110-140
Everdigm	EHBO4	249	549	2.5-6	0.45	1403	58	30-50	110-140
Top	A 200 S	250	551	3.5-5.5	0.65	n/s	65	n/s	n/s
All-Kor	AKB 50	250	551	3.5-5.5	n/s	n/s	60	30-60	160
GB	GBN45T	250	551	3-5.5	n/s	n/s	60	30-60	100-130
Caterpillar	H45E	250	551	1.5-3.2	0.54	1017	50	25-62	170
OSA Demolition Equipment	HB 250	250	551	3-5.5	0.45	1280	65	30-60	100-130
Case	CH-2M	250	551	n/s	0.34	n/s	51	20-35	n/s
Idromeccanica	IMI 26 HP	250	551	3.5-8	0.6	1280	68	50-90	90-140
JAB	JB15S III	250	551	3.5-5.5	n/s	n/s	60	30-60	100-130
Jisung	JSB35T	250	551	3-5.5	0.55	1472	60	30-60	100-130
Jisung	JSB40D	250	551	4-7	0.69	1347	68	40-70	110-140
Kinshofer	KSB 6	250	551	3-8	0.95	1250	n/s	30-60	140
Tabe	MT 265	250	551	3.5-5	0.4	1200	65	20-35	120-140
Rich Power	RPB35T	250	551	3-5.5	0.55	1472	60	30-60	100-130
Rich Power	RPB40D	250	551	4-7	0.69	1347	68	40-70	110-140
Ramtec	RT 250 HP	250	551	3.5-8	0.6	1280	68	n/s	n/s
Hammer	SB250	250	551	3-8	0.95	1250	65	30-60	140
SkanCraft	SCB5	250	551	2-4.5	0.7	n/s	70	30-60	110-165
Wlimmer	VH 5	250	551	2.5-6	n/s	n/s	70	30-60	120
Yuci HC	YC 250	250	551	4.5-5.5	0.79	1520	65	n/s	n/s
Gehl	EBX800	252	556	n/s	1.09	n/s	n/s	42-72	n/s
Everdigm	EHBO4H	255	562	2.5-8	0.45	n/s	58	50-75	110-140
Rotair	OLS 255	255	562	3.4-4.5	0.59	1496	67.5	n/s	90-130
Toku	TNB-3M	255	562	2-4-4	n/s	n/s	58	25-45	100-150
Okada	TOP35B	256	564	2-4	0.75	1550	61	49-64	110-165
Caterpillar	B6	259	571	3-6	0.68	1422	68	40-70	122
D&A	30 V	260	573	2-4.5	n/s	1513	70	n/s	n/s
D&A	40 V	260	573	3-6.5	n/s	1396	70	35-70	108-162
Arden	AB0292	260	573	3-6	n/s	n/s	70	n/s	110-165
Socomec	DMS 260	260	573	3.8-5.5	0.63	1300	68	n/s	n/s
Dongyang	DYB-210S-SL	260	573	3-5.5	n/s	n/s	n/s	n/s	n/s
Hydraram	FX-45 PRO	260	573	2.6-4.5	n/s	n/s	70	35-70	110-165
Giant Hydraulic Tech	GT20 Silence	260	573	2.5-4.5	n/s	n/s	53	25-50	90-120
Caterpillar	H55ES	260	573	2.5-6	0.81	1108	58	30-85	165
JCB	HMO26T	260	573	3-6.5	1.07	n/s	70	29-65	110-165

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Idromeccanica	IMI 260	260	573	4-10	0.78	1500	79	45-95	60-75
Idromeccanica	IMI 260 JCB	260	573	4-10	0.78	1500	79	45-95	60-75
Idromeccanica	IMI 260 Top	260	573	4-10	0.78	1300	79	45-95	60-75
SkanCraft	SCB6	260	573	3-6.5	0.61	n/s	70	29-65	110-165
Dongyang	DYB-300	264	582	4-7	n/s	1312	68	25-40	140-160
Rammer	RO5P	266	587	4-7.5	n/s	1360	68	35-70	110-155
Beilite	BLTB-70	267	589	4.5-6	n/s	1598	70	40-70	108-137
Omal	HB 270	270	595	6-9	0.74	n/s	80	100	90
Omal	HB 270JCB	270	595	6-8	0.74	n/s	80	100	90
Arrowhead	S 50	270	595	4.5-8	0.8	1500	70	n/s	n/s
Dowin	DW 50BL	271	598	4-7	0.65	1347	68	30-70	110-140
Caterpillar	H65D S	271	598	3-6.5	0.95	n/s	65	40-105	170
Dongyang	DYB-300T	272	600	4-7	n/s	1580	68	30-45	140-160
Prodem	PRB050-NL	274	604	3.5-8	0.7	n/s	68	35-65	130-170
All-Kor	AKB 55 V	275	606	4-6	n/s	n/s	68	n/s	n/s
Ramtec	BH32	275	606	3.4-8	n/s	n/s	72	35-90	90-140
Boohung	BHB20	275	606	4-6	n/s	n/s	69	30-60	95-130
Sandvik	BR555	275	606	3.2-8	n/s	1261	72	35-90	90-140
Dowin	DW 50SL	275	606	4-7	0.7	1347	68	40-70	110-140
OSA Demolition Equipment	EASY 125	275	606	4-12	0.67	1475	80	40-100	70
Atlas Copco	EC 70	275	606	4-9	n/s	n/s	70	45-75	100-140
Jisung	JSB40T	275	606	4-7	0.69	1600	68	40-70	110-140
Tabe	MT 275	275	606	3.5-5.5	0.4	1220	610	60-70	80-90
Rotair	OLS 300	275	606	3.5-5	0.65	1543	71.5	n/s	90-130
Rich Power	RPB40T	275	606	4-7	0.69	1600	68	40-70	110-140
Chicago Pneumatic	RX6	275	606	4-9	n/s	665	70	45-75	110-140
Montabert	SC28	275	606	3-7.5	n/s	1263	72	40-75	120
Takeuchi	TKB 302-S	275	606	3.4-8	n/s	1261	72	35-90	90-140
Yujin Tech	YJB 300	275	606	2-7	0.85	1386	68	30-50	90-130
Caterpillar	B6s	277	611	4-8	0.68	1439	68	40-70	122
FRD	FX55	280	617	4-7	n/s	1276	68	40-85	120-160
FRD	FX55 S	280	617	4-7	n/s	1264	68	n/s	n/s
FRD	FX55 XS	280	617	4-7	n/s	1264	68	n/s	n/s
Bobcat	HB980	280	617	3-7.5	6.5	1253	72	45-80	120
Idromeccanica	IMI 28 HP	280	617	6-9	0.7	1250	72	50-90	80-130
JAB	JB10SL	280	617	n/s	n/s	n/s	53	25-40	90-120
Ramtec	RT 280 HP	280	617	4-8	0.7	1280	72	n/s	n/s
MSB	Saga 50H	280	617	4-7	n/s	n/s	68	35-50	95-130
Rotar	RHB 60	284	626	4.2-9	n/s	n/s	70	45-75	100-140
Darda	C20 C	285	628	5-7	n/s	1628	n/s	100	500
Komatsu	JTHB40S-3	285	628	3-4.5	n/s	n/s	64	n/s	n/s
MSB	MS 200 H	285	628	2-6	0.47	925	63	40-50	110-130
MSB	MS 200H	285	628	2-6	n/s	n/s	63	40-50	110-130
Soosan	SB40 II BH-TS	289	637	4-7	n/s	1463	68	40-70	110-140
Allied	AR 70 C BR	290	639	n/s	n/s	1260	63	n/s	n/s
Promove	P12 SH	290	639	4-8	0.67	295	80	40-100	80
Prodem	PRB040-SL	290	639	2.5-8	0.45	n/s	58	50-70	110-140
Yuci HC	YC 300	290	639	4.5-6.5	0.79	1650	70	n/s	n/s
Soosan	SB40 II	292	644	4-7	n/s	1602	68	40-70	100-140
Prodem	PRB050	294	648	3.5-8	0.7	n/s	68	35-65	130-170
Vulcan	V5GS	294	648	2.7-9.1	1.4	n/s	59	38-57	96-131
All-Kor	AKB 70 V	295	650	4.5-7	n/s	n/s	75	n/s	n/s
Brokk	BHB 305	295	650	n/s	0.61	n/s	n/s	n/s	n/s
Boohung	BHB30	295	650	4.5-7	n/s	n/s	75	40-90	100-130
Dowin	DW T50	295	650	4-7	0.69	1600	68	40-70	110-140
Epiroc	ES 70	295	650	4-9	n/s	n/s	70	45-75	110-140
Genesis	GHB 750	295	650	3-7	1.02	n/s	68	45-83	108-150
Allied	HR 270	295	650	n/s	n/s	1320	68	n/s	n/s
Allied	HR 290	295	650	n/s	n/s	1320	75	n/s	n/s
Jisung	JSB40S	295	650	4-7	0.69	1600	68	40-70	110-140
Jisung	JSB43T	295	650	6-9	0.9	1860	75	50-90	120-150
Pladdet	PDH 40 S	295	650	4-7	0.69	n/s	68	n/s	n/s
Rich Power	RPB43T	295	650	6-9	0.9	1860	75	50-90	120-150
Soosan	SB40 II TS-P	295	650	4-7	n/s	1620	45	40-70	110-140

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Soosan	SB40TS-P	295	650	4-7	0.49	1600	68	n/s	n/s
Yujin Tech	YJB 200SL	295	650	1-3.5	0.48	1398	53	20-50	90-120
A-Ward	AWB800	298	657	4.8-8	1.09	n/s	70	n/s	98-127
Everdigm	EHBO5 SA	299	659	2.5-6	0.7	1682	68	n/s	n/s
Soosan	SG40	299	659	4-9	n/s	1620	68	40-75	110-140
Bento	BGK 290	300	662	4.5-9	0.75	1500	n/s	n/s	n/s
Bento	BGK 290 S	300	662	4.5-9	0.75	1500	n/s	n/s	n/s
Bento	BGK 291	300	662	4.5-9	0.75	1550	n/s	n/s	n/s
Bento	BGK 291 S	300	662	4.5-9	0.75	1600	n/s	n/s	n/s
Socomec	DMS 300	300	662	4-7	0.7	1435	72	50-70	120
Omali	HB 276	300	662	6-8	0.56	n/s	73	50-80	110-120
OSA Demolition Equipment	HB 300	300	662	4-6	0.55	1300	70	30-70	100-130
Komatsu	JTHB50-3	300	662	3.8-6	1.12	n/s	75	35-60	100-160
Inan Makina	MTB 30	300	662	3-8	0.84	n/s	70	30-65	105-155
Ramtec	RT 260 Plus	300	662	4-10	0.78	1580	80	n/s	n/s
Epiroc	SB 302	300	662	4.5-9	n/s	807	80	50-80	100-150
Promove	XP 300	300	662	4-9	0.95	380	80	50-60	110-130
JAB	JB20T III	301	664	4-6	n/s	n/s	68	35-70	100-130
Kwanglim	SG400	302	666	2.8-6	1.36	1372	75	40-90	78-127
Dongyang	DYB-300S	304	670	4-7	n/s	1682	68	30-45	140-160
Gehl	EB100	304	670	n/s	1.36	n/s	n/s	49-151	n/s
Soosan	SB35 II SSL	305	673	3.5-5	n/s	1526	60	30-60	100-130
Kwanglim	SG350S	305	673	2.8-4	0.68	1595	68	30-50	98-127
Arden	ABO352	310	684	2-6	n/s	n/s	n/s	n/s	n/s
Drago	DB-S 68	310	684	4-7	0.44	n/s	68	n/s	n/s
Socomec	DMS 310	310	684	5-7	0.75	1450	72	n/s	n/s
Feel	Fine 5	310	684	3-6	n/s	n/s	68	n/s	n/s
GB	GBN60T	310	684	3.5-7	n/s	n/s	70	34-60	95-130
Inan Makina	MTB 25	310	684	2.5-6	0.47	n/s	70	30-60	120
SkanCraft	SCB7	310	684	3-6.5	0.91	n/s	70	35-70	110-165
Everdigm	EHBO5NL	312	688	3.5-8	0.7	n/s	68	35-65	130-170
NPK	PH-3	314	692	4-9	n/s	1395	76	45-100	n/s
Rammer	777	315	695	4.3-9.5	n/s	1449	80	40-120	90-140
Rammer	777 Hot	315	695	4.3-9.5	n/s	1449	80	40-120	90-140
Rammer	777 Scaler	315	695	4.3-9.5	n/s	1449	80	40-120	80-130
Rammer	777E	315	695	4.3-9.5	n/s	1449	80	40-120	90-140
Caterpillar	H65ES	315	695	3-9	1.09	1454	68	40-115	165
John Deere Construction	HH80C	315	695	n/s	n/s	n/s	n/s	n/s	90-40
Globram	RM66	315	695	3-7.8	0.63	1250	65	55-85	108-135
Atlas Copco	SB 300	315	695	4-9	n/s	850	80	n/s	n/s
Komac	TOR 6V	315	695	3.5-7	0.76	n/s	68	40-70	110-140
All-Kor	AKB 55 S	320	706	4-6	n/s	n/s	68	n/s	n/s
Feel	FINE 6BL	320	706	5-8	n/s	n/s	72	n/s	n/s
Northerntrack	FX-50	320	706	4-7	n/s	1580	68	35-65	140-160
NPK	H-3XA	320	706	3.6-6.4	n/s	n/s	75	45-68	117
Indeco	HP 500 FS	320	706	3-8	0.7	n/s	65	50-80	160
Indeco	HP 750 FS	320	706	3-8	n/s	n/s	65	n/s	160
Dehaco	IBEX 320GS	320	706	3.5-7.5	n/s	697	68	35-50	95-130
Kinshofer	KSB 8	320	706	4.5-9	1.2	1550	n/s	50-70	160
Hammer	SB300	320	706	4.5-9	1.2	1550	75	50-70	160
Toku	TNB-4M	320	706	3-4.5	n/s	n/s	64	30-55	100-160
AJCE	AB-400M	325	717	4-7	0.68	n/s	68	40-70	110-140
Okada	TOP45B	325	717	5-8	n/s	1362	68	50	120-160
JAB	JB20BL	326	719	n/s	n/s	n/s	68	30-60	95-130
Everdigm	EHBO5	328	723	3.5-8	0.7	1682	68	35-65	130-170
Okada	Okada 650	328	723	3-6.5	n/s	1513	70	30-65	110-160
Rammer	RO7P	329	725	5-9	n/s	1501	75	45-90	80-140
D&A	50 V	330	728	3-6.5	n/s	1597	70	n/s	n/s
D&A	60 V	330	728	4.5-8	n/s	n/s	75	40-110	118-162
Top	A 300 S	330	728	4.5-7	0.84	n/s	70	n/s	n/s
Italdem	GK 291 S	330	728	4.5-9	0.75	n/s	80	60-90	80-90
Italdem	GK 320 S	330	728	4.5-9	0.75	n/s	80	45-85	95-105
JCB	HMO33T	330	728	4.5-8	1.39	n/s	75	34-76	120-165
Komac	KB 300V	330	728	3.5-7	0.74	n/s	68	40-70	110-140

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
MSB	MS 220H	330	728	3-7	n/s	n/s	70	40-90	110-130
Arrowhead	S 60	330	728	5-8.5	1.1	1600	75	n/s	n/s
Epiroc	SBU 340	330	728	4.5-9	n/s	n/s	80	62-100	100-150
SkanCraft	SCB8	330	728	4.5-8	0.76	n/s	75	34-76	120-165
Eusiti	SGK-320S	330	728	4.5-9	0.75	n/s	80	45-85	95-105
Komac	TOR 6H	330	728	3.5-7	0.76	n/s	68	40-70	110-140
Komac	TOR 6S	330	728	3.5-7	0.76	n/s	68	40-70	110-140
Daemo	B50	333	734	3-6	n/s	1603	70	30-55	n/s
BTi	BX 8	333	734	3-8	1.1	1600	70	n/s	n/s
BTi	CX8	333	734	3-8	1.09	1520	70	45-90	140
D & A	40S	336	741	3-6.5	n/s	n/s	70	35-70	108-186
Allied	AR 75 B BR	336	741	n/s	0.48	1350	75	n/s	n/s
Soosan	SB40 II SSL	338	745	4-7	n/s	1640	68	40-70	110-140
Steck	B 3	340	750	3-6.5	0.84	1430	70	n/s	n/s
Doosan	DBX35	340	750	4-6	0.66	n/s	70	35-65	170
Caterpillar	H55E	340	750	2.5-6	0.81	1323	58	30-85	165
Stanley	MB10	340	750	3	1.35	1473	75	56-106	100-145
Taber	MT 375	340	750	4.5-7	0.5	1300	610	65-75	130-135
MSB	SAGA 55H	340	750	4-7	n/s	n/s	68	35-50	95-130
Allied	HRO9	341	752	3.9-8.4	n/s	137	68	34-72	90-140
Stanley	MB556	341	752	3.2-7.2	1.02	1600	69	45-83	110-138
Soosan	SB43 II BH	341	752	6-9	n/s	1677	75	50-90	120-150
Dehaco	DBH 36	342	754	4-7	0.74	n/s	68	30-45	95/130
Kwanglim	SG400S	343	756	2.8-6	0.95	1778	75	40-90	78-127
Everdigm	EHBO5NA	344	759	3.5-8	0.7	n/s	68	35-65	130-170
Northerntrack	FX-55 Pro	345	761	3.6-6.5	n/s	n/s	75	40-110	120-165
Caterpillar	H55S	345	761	2.5	0.81	1108	58	30-85	100
JAB	JB20S III	345	761	5.5-6.5	n/s	n/s	68	35-70	100-130
Soosan	SB 43 BH	345	761	4-7	0.59	1699	75	n/s	n/s
Bento	BKB 300 S	346	763	3-6	0.75	1387	68	n/s	n/s
Komac	KB 300H	346	763	3.5-7	0.74	n/s	68	40-70	110-140
Komac	KB 300S	346	763	3.5-7	0.74	n/s	68	40-70	110-140
Boohung	BH 680	347	765	4-6	0.55	n/s	68	40-70	100-130
FRD	F6FT	350	772	5-9	n/s	n/s	75	50-150	100-160
FRD	F6LN	350	772	5-9	0.88	1400	75	50-150	100-160
Feel	Fine 5X	350	772	3-6	n/s	n/s	68	n/s	n/s
Omal	HB 275s	350	772	6-9	0.74	n/s	80	100	90
OSA Demolition Equipment	HB 350	350	772	6-9	0.75	1480	77	60-90	110-140
Rotair	OLS 350	350	772	4.5-6	0.83	1569	77.5	n/s	70-130
Yujin Tech	YJB 350BL	352	776	3.5-9	1.21	1636	75	40-80	100-130
MSB	MS 255H	355	783	3-8	n/s	n/s	75	60-85	110-130
Komac	TOR 7H	355	783	5-9	0.93	n/s	75	45-90	110-140
Komac	TOR 7S	355	783	5-9	0.93	n/s	75	45-90	110-140
Beilite	BLTB-75	357	787	6-8.5	n/s	1787	75	50-90	118-147
Allied	AR 75 B BSF	358	789	n/s	0.48	1640	75	n/s	n/s
JCB	HM386Q	360	794	4.5-9	0.6	n/s	80	60-100	100-150
Yujin Tech	YJB 350	360	794	3.5-9	1.21	1678	75	40-80	100-130
Case	CH-3M	363	800	n/s	0.47	n/s	58	25-45	n/s
Bento	BKB 350 S	365	805	4-9	0.9	1480	75	n/s	n/s
NPK	E204	365	805	4-7.8	n/s	n/s	76	45-100	130
FRD	F6 Top	365	805	3.5-10	0.88	1345	90	n/s	n/s
FRD	F6BHL	365	805	3.5-10	0.88	1345	75	50-150	100-160
NPK	GH3	365	805	3.6-6.8	n/s	n/s	76	45-100	130
Montabert	SC36	365	805	4-10	n/s	1379	76	55-100	125
Soosan	SB43 II SSL	368	811	6-9	n/s	1907	75	50-90	120-150
Bento	BGK 360 S	370	816	7-11	1	1590	n/s	n/s	n/s
Ramtec	BH40	370	816	4.6-9	n/s	n/s	80	40-120	90-140
Epiroc	EC 80	370	816	5-12	n/s	1097	80	60-90	120-150
Soosan	SB43 II	370	816	6-9	n/s	1869	75	50-90	120-150
Komac	TOR 7V	370	816	5-9	0.93	n/s	75	45-90	110-140
Bobcat	HB1180	372	820	4-5	10.5	1379	85	55-100	125
All-Kor	AKB 70 S	375	827	4.5-7	n/s	n/s	75	n/s	n/s
Daemo	B60	375	827	5-7	n/s	1635	75	35-70	n/s
Darda	C20 J	375	827	5-7	n/s	2110	n/s	100	500

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Dowin	DW T70	375	827	6-9	0.9	1860	75	50-90	120-150
Epiroc	ES 80	375	827	5-12	n/s	n/s	80	60-90	120-150
Feel	Fine 7BLX	375	827	5-8	n/s	n/s	72	n/s	n/s
Jisung	JSB43S	375	827	6-9	0.9	1860	75	50-90	120-150
Komac	KB 350H	375	827	5-9	0.88	n/s	75	45-90	110-140
Komac	KB 350S	375	827	5-9	0.88	n/s	75	45-90	110-140
Pladdet	PDH 43 S	375	827	6-9	0.9	n/s	76	n/s	n/s
Soosan	SB43 II TS-P	375	827	6-9	n/s	1899	40	50-90	120-150
Soosan	SB43TS-P	375	827	6-9	0.59	1859	75	n/s	n/s
Soosan	SG43	379	836	5-12	n/s	1899	78	50-90	120-150
Bento	BGK 361 S	380	838	7-11	1	1710	n/s	n/s	n/s
Dowin	DW 70BL	380	838	6-9	0.7	1518	75	50-90	120-150
Dongyang	DYB-400	380	838	6-9	n/s	1366	75	40-70	140-160
GB	GBN70T	380	838	6-9	n/s	n/s	75	40-80	100-140
Italdem	GK 361 S	380	838	7-11	1	n/s	85	75-100	90-100
Caterpillar	H65E	380	838	3-9	1.1	1306	68	40-115	165
Idromeccanica	IMI 38 ASIA	380	838	6-10	0.8	1300	78	60-95	70-130
Idromeccanica	IMI 38 HP	380	838	6-10	0.8	1300	78	60-95	70-130
Jisung	JSB43D	380	838	6-9	0.9	1518	75	50-90	120-150
Rotar	RHB 80	380	838	5.2-12	n/s	n/s	80	60-90	120-150
Ramtec	RT 380 HP	380	838	6-10	0.8	1300	78	n/s	n/s
Chicago Pneumatic	FX8	380	838	5.2-12	0.95	1510	80	n/s	n/s
WIMMER	WH 6	380	838	3-8	n/s	n/s	75	50-100	120
JAB	JB20SL	382	842	n/s	n/s	n/s	68	30-60	95-130
Dongyang	DYB-400T	384	847	6-9	n/s	1683	75	40-70	140-160
All-Kor	AKB 55	385	849	4-6	n/s	n/s	68	30-60	160
Sandvik	BR777	385	849	4.3-9.5	n/s	1449	80	40-120	90-140
Bobcat	HB1380	385	849	4-12	n/s	1489	85	65-120	125
Inan Makina	MTB 35	385	849	3-8	0.9	n/s	75	50-100	120
Takeuchi	TKB 402-S	385	849	4.6-9	n/s	1449	80	40-120	90-140
Toku	TNB-5M	385	849	3.8-6	n/s	n/s	75	35-60	100-160
Komac	KB 350V	388	856	5-9	0.88	n/s	75	45-90	110-140
Darda	C20 V	390	860	5-7	n/s	1833	n/s	100	500
Drago	DB-S 75	390	860	5-9	0.54	n/s	75	n/s	n/s
Giant Hydraulic Tech	GT30 Silence	390	860	4-7	n/s	n/s	70	40-70	110-140
Caterpillar	H65S	390	860	3	1.09	1324	68	40-115	100
Indeco	HP 1000 FS	390	860	3.5-10.5	n/s	n/s	75	n/s	170
Indeco	HP 600 FS	390	860	3.5-10.5	0.85	n/s	75	50-80	170
Case	CH-6M	390	860	n/s	1.36	n/s	76	40-70	n/s
Promove	P12 SB	390	860	5-10	0.67	280	80	40-100	80
Globram	RM75	390	860	4-10	0.71	1417	73	52-78	105-138
Yujin Tech	YJB 300SL	390	860	2-7	0.85	1572	68	30-50	90-130
Soosan	SB43 II BH-TS	392	864	6-9	n/s	1736	75	50-90	120-150
Okada	Okada 800	393	867	4.5-8	n/s	1609	75	35-75	120-170
Darda	C20 H	395	871	5-7	n/s	1790	n/s	100	500
Everdigm	EHBO6NL	395	871	5-11	1	n/s	80	45-90	130-170
Stanley	MB656	396	873	5.4-6.5	1.2	1689	76	60-91	117-131
Socomec	DMS 400	400	882	6-8.5	0.9	1455	80	70-95	120
Feel	Fine 6	400	882	5-7	n/s	n/s	72	n/s	n/s
Feel	Fine 6X	400	882	5-7	n/s	n/s	72	n/s	n/s
Inan Makina	MTB 36	400	882	3-8	0.9	n/s	75	50-100	120
Inan Makina	MTB 38	400	882	3-8	0.9	n/s	80	50-100	120
Prodem	PRB060-NL	401	884	5-11	1	n/s	80	45-90	130-170
Dongyang	DYB-400S	405	893	6-9	n/s	1684	75	40-70	140-160
Bobcat	HB2380	405	893	6-15	13.56	1587	95	75-125	130
Case	CH-4M	408	900	n/s	0.74	n/s	64	30-55	n/s
Brokk	BHB 455	410	904	n/s	0.86	n/s	n/s	n/s	n/s
Socomec	DMS 410	410	904	6.5-9.5	0.9	1550	80	n/s	n/s
Northerntrack	FX-70	410	904	6-9	n/s	1683	75	40-70	140-160
JAB	JB30BL	410	904	n/s	n/s	n/s	75	40-90	100-130
MSB	MS 250 H	410	904	3-8	0.9	1065	75	60-85	110-130
MSB	MS 250H	410	904	3-8	n/s	n/s	75	60-85	110-130
Tabe	MT 475	410	904	6-10	0.75	1338	700	70-80	130-135
Toku	TNB-6M	410	904	5.5-8	n/s	n/s	75	40-70	100-160

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
AJCE	AB-430M	413	911	6-9	1.02	n/s	75	50-90	120-150
Rammer	999	415	915	5.8-13	n/s	1669	90	50-150	90-140
Rammer	999 Hot	415	915	5.8-13	n/s	1669	90	50-150	100-140
Rammer	999 Scaler	415	915	5.8-13	n/s	1669	90	50-150	90-130
Rammer	999E	415	915	5.8-13	n/s	1669	90	50-150	100-140
Komatsu	JTHB60S-3	415	915	5.5-8	n/s	n/s	75	n/s	n/s
Dehaco	DBH 42	417	919	5-8	0.88	n/s	75	40-80	100-130
Bento	BXP 450	420	926	4-11	1.25	1680	80	n/s	n/s
JCB	HMO49T	420	926	4.5-8	1.81	n/s	80	38-85	140-170
Dehaco	Ibex 400GS	420	926	5-8	n/s	746	74.5	45-85	95-130
Wimmer	WH 8	420	926	4-10	n/s	n/s	85	50-100	120
Caterpillar	H80E	422	931	5.9-10	1.36	535	74.5	70-130	170
Boohung	BH 750	424	935	6-8	0.61	n/s	75	50-90	110-140
Prodem	PRB060	424	935	5-11	1	n/s	80	45-90	130-170
Caterpillar	H80ES	425	937	6-10	1.36	1416	74.5	70-130	170
Caterpillar	H80S	425	937	6	1.35	1433	75	70-130	100
Allied	HR14	425	937	5.9-9.9	n/s	147	75	45-87	90-140
BTi	BX10	430	948	5-8	1.36	1800	78	45-80	140
Omni	HB 400	430	948	7-10	0.7	n/s	80	50-80	110-120
Komatsu	JTHB60-3	430	948	6-11	1.36	n/s	95	40-70	100-160
Kinshofer	KSB 10	430	948	6-11	1.7	1650	n/s	75-90	150
Hammer	SB400	430	948	6-11	1.7	1650	80	75-90	150
Vulcan	V8GS	430	948	5-11.8	1.7	n/s	74	49-91	96-131
Promove	XP 400	430	948	5.5-10	1.44	390	80	70-80	120-140
Daemo	B70	431	950	6-8	n/s	1805	78	45-80	n/s
Genesis	GHB 1000	435	959	5-9	1.36	n/s	74	40-80	95-130
Globram	RM80	435	959	4.5-12	0.8	1490	80	62-88	105-128
Atlas Copco	SB 450	435	959	6-10	n/s	925	95	n/s	n/s
JAB	JB30T III	438	966	4.5-7	n/s	n/s	75	40-90	100-130
MSB	SAGA 81H	438	966	6-9	n/s	n/s	75	45-85	95-130
Caterpillar	H75E	440	970	5.9-10	1.36	n/s	74.5	70-130	170
Indeco	HP 1100 FS	440	970	4-12	n/s	n/s	80	n/s	170
Indeco	HP 700 FS	440	970	4-12	0.95	n/s	80	60-90	170
Rammer	R10P	440	970	6-12	n/s	n/s	85	50-95	110-160
JCB	HM496Q	441	972	6.5-13	0.86	n/s	95	65-110	n/s
Montabert	SC42	445	981	4-12	n/s	1499	84	70-120	125
Case	CH-6E	449	990	n/s	2.03	n/s	94	45-80	n/s
Caterpillar	B8S	450	992	6.35	1.15	316	75	80	117
Italdem	GK 450 S	450	992	7-11	1.05	n/s	85	75-100	105-115
Brokk	SB 452	450	992	5.1-11	0.86	n/s	n/s	n/s	n/s
Eusiti	SGK-450S	450	992	7-11	1.05	n/s	85	75-100	105-115
Caterpillar	B8	456	1005	6.35	1.15	316	75	80	117
Okada	TOP60B	457	1008	5.5-10	n/s	1570	85	50	120-160
All-Kor	AKB 70	458	1010	4.5-7	n/s	n/s	75	40-90	160
Steck	B 4	460	1014	3-8	0.98	1587	80	n/s	n/s
Inan Makina	MTB 40	460	1014	4-10	0.98	n/s	80	45-100	100-140
Kwanglim	SG600	461	1017	8-12	1.63	1550	90	45-80	127-147
NPK	PH-4	465	1025	6-9	n/s	1570	86	50-120	n/s
Soosan	SB 45 BH	467	1030	5-9	n/s	2037	85	n/s	n/s
Everdigm	EHB06NA	469	1034	5-11	1	n/s	80	45-90	130-170
Northerntrack	FX-65 Pro	470	1036	5-8.5	n/s	n/s	80	45-100	140-170
MSB	MS 300 H	470	1036	5-10	1.06	1135	85	60-85	110-130
MSB	MS 300H	470	1036	5-10	n/s	n/s	85	60-85	110-130
Rich Power	RPB50D	471	1039	11-16	2.1	1994	100	80-110	150-170
JAB	JB30SL	475	1047	n/s	n/s	n/s	75	40-90	100-130
Komac	TOR 8H	475	1047	7-14	1.47	n/s	85	55-100	130-160
Komac	TOR 8S	475	1047	7-14	1.47	n/s	85	55-100	130-160
D&A	60S	480	1058	4.5-8	n/s	n/s	75	50-125	118-186
Arden	AB0502	480	1058	2-6	n/s	n/s	n/s	n/s	n/s
Arden	AB502	480	1058	6-10	1.18	1760	80	n/s	140-165
Giant Hydraulic Tech	GT40 Silence	480	1058	6-9	n/s	n/s	75	50-90	120-150
Komac	TOR 8V	480	1058	7-14	1.47	n/s	85	55-100	130-160
Okada	TOP55B	481	1061	4.5-8	1.36	1830	74	60-7	140-170
Everdigm	EHB06	482	1063	5-11	1	1932	80	45-90	130-170

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
JAB	JB30S III	482	1063	6.5-7.5	n/s	n/s	75	40-90	100-130
Prodem	PRB100-NL	485	1069	7-15	1.4	n/s	93	60-110	140-180
Case	CH-5M	488	1076	n/s	1.12	n/s	76	35-61	n/s
Doosan	DBX45	490	1080	6-8	1	n/s	77	45-90	170
Inan Makina	MTB 45	490	1080	4-10	1.06	n/s	85	50-100	120
Arrowhead	S 100	490	1080	7.5-11	1.4	1650	95	n/s	n/s
Yujin Tech	YJB 400	490	1080	6-11	1.76	1964	85	45-90	130-150
Bento	BKB 400 S	491	1083	6-11	1.4	1768	85	n/s	n/s
D&A	70V	495	1091	4.5-8	n/s	n/s	80	45-100	137-167
SkanCraft	SCB9	495	1091	4.5-8	1.1	n/s	80	38-85	140-170
Dongyang	DYB-500	496	1094	7-14	n/s	1728	85	60-100	120-150
Allied	AR 70 C SSU	498	1098	n/s	n/s	1450	63	n/s	n/s
Komac	KB 400H	498	1098	7-14	1.37	n/s	85	55-100	130-160
Komac	KB 400S	498	1098	7-14	1.37	n/s	85	55-100	130-160
Gehl	EB150	499	1100	n/s	2.34	n/s	n/s	65-114	n/s
All-Kor	AKB 100 V	500	1103	7-10	n/s	n/s	90	n/s	n/s
Boohung	BHB40	500	1103	7-10	n/s	n/s	85	45-80	130-150
Caterpillar	CAT 75ES	500	1103	6-10	n/s	1493	74.5	n/s	n/s
NPK	H-4XE	500	1103	5.4-8.6	n/s	n/s	90	64-83	152
NPK	H-4XL	500	1103	5.4-8.6	n/s	n/s	90	64-83	152
Montabert	SC50	500	1103	7-12	n/s	1550	94	75-125	130
LaBounty	LMB130B	503	1109	5-13	2	n/s	89	n/s	99-139
Ramtec	BH52	505	1114	7-12.5	n/s	n/s	90	50-150	100-140
Sandvik	BR999	505	1114	5.8-13	n/s	1669	90	50-150	100-140
Komac	KB 400V	505	1114	7-14	1.37	n/s	85	55-100	130-160
Takeuchi	TKB 802-S	505	1114	7-12.5	n/s	1669	90	50-150	100-140
Yujin Tech	YJB 350SL	505	1114	3.5-9	1.21	1700	75	40-80	100-130
Dongyang	DYB-500T	508	1120	7-12	n/s	2115	85	60-100	120-150
Beilite	BLT 50 II	510	1125	n/s	n/s	1835	85	n/s	n/s
Beilite	BLT 50 S	510	1125	n/s	n/s	1835	85	n/s	n/s
Top	A 500 S	515	1136	7-13	1.23	n/s	85	n/s	n/s
Brokk	BHB 555	520	1147	n/s	1.05	n/s	n/s	n/s	n/s
Dowin	DW 80BL	520	1147	7-14	1.2	1737	85	60-100	130-160
Epiroc	SB 552	520	1147	9-15	n/s	919	100	65-115	100-150
JAB	JB35T III	525	1158	5-8	n/s	n/s	80	40-90	100-130
D&A	70S	526	1160	4.5-8	n/s	n/s	80	70-140	137-186
Boohung	BH 850	528	1164	8-10	1.03	n/s	85	60-100	120-150
Socomec	DMS 530	530	1169	8-11	1.08	1700	85	80-110	120
Dongyang	DYB-500S	530	1169	7-12	n/s	2068	85	60-100	120-150
Kwanglim	SG600S	530	1169	8-12	1.36	1818	90	45-80	127-147
FRD	F9LN	535	1180	6-12	1.31	1595	90	45-150	120-170
Prodem	PRB100	537	1184	7-15	1.35	n/s	93	60-110	140-180
Allied	AR 85 B	538	1186	n/s	0.67	1540	85	n/s	n/s
Kinshofer	KSB 12	540	1191	8-12	2.3	1700	n/s	85-110	150
Stanley	MBX15	540	1191	6	2	1760	85	15-25	130-152
Hammer	SB500	540	1191	8-11	2.3	1700	90	85-110	150
Everdigm	EHB10 SA	541	1193	7-15	1.3	n/s	85	n/s	n/s
Allied	AR 75 B SSU	544	1200	n/s	0.48	1680	75	n/s	n/s
D&A	80V	545	1202	6-10	n/s	2062	90	50-100	137-167
NPK	E205	545	1202	6-10	n/s	n/s	86	50-120	162
JCB	HMO54T	545	1202	6-10	2.28	n/s	90	42-94	140-170
SkanCraft	SCB10	545	1202	6-10	1.43	n/s	90	42-94	140-170
Bento	BXP 550	550	1213	6-12	1.55	1900	90	n/s	n/s
Northerntrack	FX-90	550	1213	7-12	n/s	1950	90	45-85	140-160
Omal	HB 500	550	1213	10-12	1.3	n/s	95	110	130
Indeco	HP 1250 FS	550	1213	5-14	n/s	n/s	90	n/s	170
Indeco	HP 900 FS	550	1213	5-14	1.2	n/s	90	70-100	170
Rotar	RHB 110	550	1213	9-15	n/s	n/s	80	70-100	120-150
Chicago Pneumatic	RX11	550	1213	9-15	0.95	1520	80	n/s	n/s
Promove	XP 551	550	1213	6-12	1.55	480	87	70-100	120-150
Globram	RM88	555	1224	5.5-15	1.35	1545	90	72-98	105-128
All-Kor	AKB 80	560	1235	7-8	n/s	n/s	80	40-90	160
Feel	Fine 7	560	1235	7-9	n/s	n/s	85	n/s	n/s
JAB	JB35S III	560	1235	5-8	n/s	n/s	80	40-90	100-130

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Everdigm	EHB10NA	563	1241	7-15	1.35	n/s	93	60-110	140-180
Genesis	GHB 1500	564	1244	7-12	2.03	n/s	84	45-85	130-150
Everdigm	EHB10	566	1248	7-15	1.35	n/s	93	60-110	140-180
Soosan	SG45	566	1248	7-15	n/s	2161	85	60-110	130-160
Rotair	OLS 550	568	1252	8-11	1	1887	81.5	n/s	70-130
Northerntrack	FX-75 Pro	570	1257	6.5-10	n/s	n/s	90	50-110	140-170
GB	GBN100T	570	1257	6-13	n/s	n/s	90	45-85	130-160
NPK	GH-4	570	1257	5.9-10	n/s	1690	86	50-120	150
Allied	HR 330	570	1257	n/s	n/s	1910	85	n/s	n/s
Komatsu	JTHB70-3	570	1257	6-11	2.03	n/s	95	45-80	100-160
Toku	TNB-6E	570	1257	6-11	n/s	n/s	95	45-80	100-160
Dowin	DW T80	571	1259	7-14	1.3	2101	85	60-100	130-160
Pladdet	PDH 45 S	571	1259	7-14	1.3	n/s	85	n/s	n/s
Soosan	SB45 TS-P	571	1259	7-14	0.93	2161	85	60-100	130-160
Vulcan	V10GS	572	1261	5.9-14.5	2.4	n/s	86	60-90	131-152
Okada	Okada 1000	577	1272	6-10	n/s	2062	90	50-110	140-170
A-Ward	AWB1100	579	1277	8-12.5	2.04	n/s	85	n/s	117-147
All-Kor	AKB 100 S	580	1279	7-10	n/s	n/s	90	n/s	n/s
OSA Demolition Equipment	HB 580	580	1279	7-14	1.3	1800	92	70-100	130-150
Soosan	SB45	580	1279	7-14	n/s	2225	85	60-100	130-160
Feel	Fine 7X	585	1290	7-9	n/s	n/s	85	n/s	n/s
Promove	P14 SH	590	1301	7-11	1.1	408	90	70-100	90
JAB	JB40T III	592	1305	6-10	n/s	n/s	85	45-95	130-150
Beilite	BLTB-85	597	1316	7-11	n/s	2109	85	60-100	127-157
Drago	DB-S 85	600	1323	6-13	0.85	n/s	85	n/s	n/s
OSA Demolition Equipment	Easy 250	600	1323	7-16	1.2	1680	95	70-130	75
Tabe	MT 575	600	1323	8-15	1	1650	850	90-125	130-140
MSB	SAGA 100H	600	1323	7-12	n/s	n/s	85	45-90	130-150
All-Kor	AKB 100	607	1338	6-10	n/s	n/s	85	45-80	180
All-Kor	AKB 90	607	1338	7.5-9	n/s	n/s	85	45-95	180
JAB	JB40S III	607	1338	7.5-9	n/s	n/s	85	45-95	130-150
Dehaco	lbex 600GS	610	1345	6-10	n/s	895	85	45-90	130-150
Daemo	B90	614	1354	7.0-12	n/s	1981	85	50-100	n/s
BTi	BX15	615	1356	6-9	2.04	1980	85	50-100	140
Epiroc	EC 90	625	1378	9-15	n/s	1213	90	80-110	130-150
Chicago Pneumatic	RX12	625	1378	9-15	n/s	835	90	80-110	130-150
Caterpillar	H95S	627	1383	7	2.03	1666	87.5	70-150	100
AJCE	AB-450M	629	1387	7-14	1.36	n/s	85	60-100	130-160
Omali	HB 556	630	1389	10-12	1.25	n/s	95	80-90	110-120
Dehaco	DBH 65	646	1424	7-10	1.37	n/s	85	45-85	130/150
Giant Hydraulic Tech	GT50 Silence	648	1429	7-14	n/s	n/s	85	60-100	130-160
Steck	B 7	650	1433	9-15	1.45	1838	95	n/s	n/s
Bento	BGK 610 S	650	1433	9-12	1.7	285	n/s	n/s	n/s
Italdem	GK 620 S	650	1433	9-15	1.7	n/s	105	110-130	110-120
Italdem	GK 630 S	650	1433	9-15	1.7	n/s	105	110-130	110-120
Indeco	HP 1200 FS	650	1433	6.5-16	1.5	n/s	90	70-105	170
MTB	MT 65	650	1433	n/s	n/s	n/s	n/s	n/s	n/s
Globram	RM90	650	1433	6.9-14	1.4	1750	90	98-100	110-130
Eusiti	SGK-630S	650	1433	9-15	1.7	n/s	105	110-130	110-120
Rich Power	RPB60D	652	1438	15-18	2.9	2007	125	90-120	150-170
Wimmer	WH 10	655	1444	7-13	n/s	n/s	95	60-120	125
MSB	MS 400 H	670	1477	7-12	1.57	1275	95	70-90	120-140
MSB	MS 400H	670	1477	7-12	n/s	n/s	95	70-90	120-140
Rammer	R12P	682	1504	9-14	n/s	n/s	90	60-100	100-160
Brokk	BHB 705	685	1510	n/s	1.47	n/s	n/s	n/s	n/s
Promove	P16 SH	690	1521	8-13	1.2	446	95	90-130	100
Hammer	FX700	700	1544	8-15	2	1900	95	70-100	160
Kinshofer	KFX 14	700	1544	8-15	2	1900	n/s	70-100	160
Rotair	OLS 700 X	700	1544	10-14	2	1900	95	n/s	150
Rammer	1322	710	1566	9-15	n/s	n/s	95	60-120	125-160
Rammer	1533	710	1566	10-19	n/s	2004	105	80-140	140-160
Rammer	1322E	710	1566	9-15	n/s	n/s	95	60-120	125-160
Rammer	1533E	710	1566	10-19	n/s	2004	105	80-140	140-160
Epiroc	SB 702	720	1588	10-17	n/s	1012	105	80-120	120-170

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
NPK	H-6XA	725	1599	7.3-11.8	n/s	n/s	96	83-125	145
Allied	AR 95 B	726	1601	n/s	0.93	1800	95	n/s	n/s
Montabert	501 NG	730	1610	8-18	n/s	1808	106	80-140	n/s
Caterpillar	H95ES	730	1610	7-14	2.03	1666	87.5	70-150	172
Arden	AB0853	740	1632	6-12	n/s	n/s	n/s	n/s	n/s
Arden	AB852	740	1632	10-14	2.16	2100	95	n/s	140-165
JAB	JB50T III	747	1647	8-12	n/s	n/s	90	60-100	130-150
Kwanglim	SG800	748	1649	10-13	2.71	1972	100	80-110	147-167
Bento	BXP 800	750	1654	9-16	2.1	2250	100	n/s	n/s
Idromeccanica	IMI 58 M	750	1654	8-14	1.5	1800	94	80-120	130-150
Epiroc	MB 750	750	1654	10-17	n/s	1400	100	80-120	140-170
Inan Makina	MTB 65	750	1654	7-13	1.45	n/s	95	60-120	125
Rotair	OLS 750	750	1654	9-13	1.5	2290	94	n/s	n/s
Arrowhead	S 130	750	1654	11-15	18	1800	105	n/s	n/s
Promove	xP 800	750	1654	9-15	3.60	520	100	90-110	165-175
Wimmer	WH 12	760	1676	9-15	n/s	n/s	100	70-130	125
Jisung	JSB50D	765	1687	11-16	2.1	1994	100	80-110	150-170
Jisung	JSB70D	765	1687	11-16	2.1	1994	100	80-110	150-170
Yujin Tech	YJB 1000	765	1687	9-12	2.44	2298	100	80-100	150-170
Ramtec	RT 590	780	1720	8-14	1.5	1810	95	n/s	n/s
Feel	Fine 10 X	785	1731	n/s	n/s	n/s	n/s	n/s	n/s
All-Kor	AKB 130 V	795	1753	10-16	n/s	n/s	100	n/s	n/s
Jisung	JSB50T	795	1753	11-16	2.1	2326	100	80-110	150-170
Rich Power	RPB50T	795	1753	11-16	2.1	2326	100	80-110	150-170
D&A	100 V	800	1764	8-12.5	n/s	2125	95	n/s	n/s
D&A	100DP	800	1764	8-12.5	n/s	n/s	95	75-120	137-177
Bento	BKB 1000	800	1764	9-16	2.65	2056	100	n/s	n/s
Epiroc	EC 100	800	1764	12-19	n/s	1462	100	100-120	150-170
JCB	HMO80T	800	1764	8-12.5	3.06	n/s	95	63-102	140-180
JCB	HMB70Q	800	1764	11-19	1.34	1462	100	100-120	100-150
Rotar	RHB 140	800	1764	10-17	n/s	n/s	100	100-120	150-170
Chicago Pneumatic	RX14	800	1764	10-17	1.35	1958	100	n/s	n/s
SkanCraft	SCB13	800	1764	8-12.5	1.87	n/s	95	63-102	140-180
Komac	TOR 10H	800	1764	12-16	2.6	n/s	100	80-120	150-170
Komac	TOR 10S	800	1764	12-16	2.6	n/s	100	80-120	150-170
Okada	TOP90	810	1786	7-12	n/s	1732	98	65	130-180
Rammer	1229	820	1808	9-15	1.5	1853	95	n/s	n/s
Ramtec	BH80	820	1808	9-15	n/s	n/s	95	60-120	125-150
Sandvik	BR 1229	820	1808	9-15	1.5	1853	95	n/s	n/s
Komatsu	JTHB120-3	820	1808	8-14	2.71	2500	105	70-110	120-170
Komac	TOR 10V	820	1808	12-16	2.6	n/s	100	80-120	150-170
Soosan	SB57	829	1828	12-16	n/s	1983	100	80-110	150-170
JAB	JB141T III	830	1830	38-52	n/s	n/s	165	200-260	160-180
JAB	JB50S III	830	1830	9-12	n/s	n/s	90	60-100	130-150
MSB	MS 460H	830	1830	10-16	2.27	1390	100	70-100	120-140
Okada	Okada 1300	830	1830	8-13	n/s	2125	95	75-120	140-190
Globram	RM1 10	830	1830	10-19	1.78	1820	109	80-125	115-138
Beilite	BLT 60 H	840	1852	n/s	n/s	1900	100	n/s	n/s
Beilite	BLT 60 II	840	1852	n/s	n/s	1900	100	n/s	n/s
Beilite	BLT 60 S	840	1852	n/s	n/s	1900	100	n/s	n/s
FRD	F12XP	840	1852	10-16	2.32	1970	105	n/s	n/s
Hydraram	FX-95 PRO	840	1852	9-15	n/s	n/s	95	75-120	140-180
Komac	KB 1000H	845	1863	12-16	2.6	n/s	100	80-120	150-170
Komac	KB 1000S	845	1863	12-16	2.6	n/s	100	80-120	150-170
Soosan	SQ50	845	1863	9-16	n/s	2316	100	80-120	150-170
Sandvik	BR1322	850	1874	9-15	n/s	n/s	95	60-120	125-150
Socomec	DMS 850	850	1874	9.5-13.5	1.45	1830	95	n/s	n/s
FRD	FXJ125	850	1874	9-16	2.32	2005	110	70-120	160-180
NPK	H-7X	850	1874	9.1-13.6	n/s	n/s	106	90-140	145
Indeco	HP 1500 FS	850	1874	10-20	1.75	n/s	110	80-125	180
Dongyang	DYB-600	853	1881	11-16	n/s	1927	100	80-120	150-170
Dowin	DW T100	861	1899	11-16	2.1	2326	100	80-110	150-170
Jisung	JSB50S	861	1899	11-16	2.1	2326	100	80-110	150-170
Pladdet	PDH 50 S	861	1899	11-16	2.1	n/s	100	n/s	n/s

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Soosan	SB50 TS-P	861	1899	11-16	1.56	2316	100	80-110	150-170
Kwanglim	SG800S	861	1899	10-13	2.04	2342	100	80-110	147-167
Komac	KB 1000V	865	1907	12-16	2.6	n/s	100	80-120	150-170
Rammer	1655	870	1918	12-20	n/s	n/s	115	90-130	135-145
Rammer	1655E	870	1918	12-20	n/s	n/s	115	90-130	135-145
All-Kor	AKB 130 S	870	1918	10-16	n/s	n/s	100	n/s	n/s
Boohung	BHB60	870	1918	10-16	n/s	n/s	100	80-110	150-170
Sandvik	BR1533	870	1918	10-19	n/s	2004	105	80-140	140-160
Feel	Fine10	870	1918	9-12	n/s	n/s	100	n/s	n/s
Dongyang	DYB-600T	872	1923	11-16	n/s	2290	100	80-120	150-170
Boohung	BH 1000	879	1938	12-16	1.75	n/s	100	80-110	130-160
Dongyang	DYB-600S	880	1940	11-16	n/s	2361	100	80-120	150-170
A-Ward	AWB1500	883	1947	12-15	3	n/s	100	n/s	82-166
Beilite	BLTB-100	889	1960	10-14	n/s	2284	100	80-110	147-167
Dehaco	DBH 91	890	1962	11-16	2.59	n/s	100	80/110	150-170
GB	GBN140T	890	1962	10-17	n/s	n/s	100	85-110	150-170
Soosan	SB50	890	1962	11-16	n/s	2358	100	80-110	150-170
Kwanglim	SG1200	892	1967	12-18	4.07	2204	120	110-140	137-157
D&A	130 V	900	1985	10-15	n/s	2234	105	n/s	n/s
D&A	130DP	900	1985	10-15	n/s	n/s	105	80-140	137-177
Doosan	DXB100H	900	1985	10-17	2.35	2018	106	120	170
Inan Makina	GA100	900	1985	8-15	n/s	n/s	110	18.5-29	125-170
OSA Demolition Equipment	HB 910	900	1985	11-16	2	2050	102	80-110	150-170
JCB	HMO90T	900	1985	10-15	4.11	n/s	105	68-119	140-190
Inan Makina	MTB 95	900	1985	9-15	1.76	n/s	100	70-130	125
SkanCraft	SCB15	900	1985	10.5-15	2.25	n/s	105	68-119	140-190
Allied	HR22	902	1989	10-16	n/s	206	100	79-110	130-160
Komatsu	JTHB120S-3	910	2007	8-14	n/s	n/s	105	n/s	n/s
Giant Hydraulic Tech	GT60 Silence	917	2022	11-16	n/s	n/s	100	80-110	150-170
Feel	Fine 12	920	2029	12-14	n/s	n/s	110	n/s	n/s
Feel	Fine 12X	920	2029	12-14	n/s	n/s	110	n/s	n/s
Hydraram	FX-120	920	2029	10-16	2.3	2240	100	80-120	150-170
Daemo	B140	929	2048	10-15	n/s	2225	105	90-110	n/s
BTi	BX20	930	2051	10-15	2.71	2225	105	90-110	160
Northerntrack	FX-110 Pro	930	2051	12-18	n/s	n/s	105	80-140	140-180
AJCE	AB-500M	948	2090	11-16	2.03	n/s	100	80-110	150-170
Steck	B 10	950	2095	9-15	1.66	2256	100	n/s	n/s
Drago	DB-S 100	950	2095	12-19	1.42	n/s	100	n/s	n/s
Socomec	DMS 980	950	2095	10-14	1.6	1830	102	100-130	130
Tabe	MT 10	950	2095	10-16	2	1870	1000	85-110	150-175
Toku	TNB-7J	950	2095	8-14	n/s	n/s	105	80-120	140-180
Komac	TOR 13S	950	2095	12-16	2.6	n/s	102	80-120	150-170
NPK	E207	955	2106	9-14.5	n/s	n/s	106	90-150	162
Arden	AB1052	960	2117	12-18	2.52	2200	105	n/s	140-170
Arden	AB1053	960	2117	6-12	n/s	n/s	n/s	n/s	n/s
Rotair	OLS 980 X	970	2139	12-18	2.4	2050	105	n/s	160
Prodem	PRB130	974	2148	12-20	2.15	n/s	105	80-140	140-180
JAB	JB60T III	975	2150	10-16	n/s	n/s	100	80-110	150-170
Bento	BGK 950 S	980	2161	12-19	2.1	2505	n/s	n/s	n/s
Dehaco	lbex 900GS	980	2161	10-16	n/s	1000	98	80-100	140-160
Montabert	XL 1000	980	2161	11-17	n/s	2018	106	70-120	170
Arrowhead	S 180	990	2183	13-21	2.2	1900	113	n/s	n/s
Everdigm	EHB13 SA	994	2192	12-20	2.1	2341	105	n/s	n/s
Doosan	DBX90	1000	2205	12-16	2.1	n/s	107	80-140	180
OSA Demolition Equipment	Easy 501	1000	2205	14-24	1.65	2260	114	110-140	80
FRD	FXJ175	1000	2205	12-21	3.61	2043	120	100-160	160-180
Omal	HB 1000	1000	2205	14-20	1.92	n/s	114	120-150	130
Indeco	HP 1800 FS	1000	2205	12-22	2	n/s	115	85-130	180
Idromeccanica	IMI 1010	1000	2205	12-20	1.86	2100	114	115-150	70-90
Idromeccanica	IMI 99 M	1000	2205	12-20	2.1	2000	110	90-120	140-160
Epiroc	MB 1000	1000	2205	12-21	n/s	1458	110	85-130	160-180
Epiroc	MB 1000	1000	2205	12-20	n/s	1548	110	85-130	160-180
Rotair	OLS 1000	1000	2205	14-20	2.4	2137	105	n/s	170
Promove	P23 SH	1000	2205	13-20	1.65	494	114	100-135	110

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Rammer	R18P	1000	2205	15-23	n/s	n/s	120	100-140	160-180
Ramtec	RT 1000	1000	2205	12-23	1.86	2050	115	n/s	n/s
Ramtec	RT 990 P	1000	2205	12-20	2.1	2000	110	n/s	n/s
Komac	TOR 13H	1000	2205	12-16	2.6	n/s	102	80-120	150-170
Promove	XP 1000	1000	2205	12-18	4.5	550	110	100-130	165-175
Genesis	GHB 2000	1002	2209	11-16	2.71	n/s	99	80-110	140-160
Wlimmer	WH 17-A	1005	2216	14-20	n/s	n/s	115	70-130	135
All-Kor	AKB 130	1019	2247	10-16	n/s	n/s	100	80-110	200
JAB	JB60S III	1019	2247	12-16	n/s	n/s	100	80-110	150-170
Top	A 900 S	1020	2249	13-18	2.21	n/s	99	n/s	n/s
Ramtec	EH100	1020	2249	12-20	n/s	n/s	115	100-140	135-145
Stanley	MBX138	1029	2269	9-16	2.7	2380	100	80-110	150-170
Globram	RM1 15	1030	2271	13-22	2.1	2005	114	86-126	115-138
Rammer	2155	1040	2293	16-26	n/s	2198	118	120-180	140-160
Rammer	2155E	1040	2293	16-26	n/s	2198	118	120-180	140-160
Everdigm	EHB13	1040	2293	12-20	2.15	2341	105	80-140	140-180
Okada	Okada 1500	1043	2300	9-15	n/s	2338	105	65-100	140-190
Bento	BGK 960 S	1050	2315	12-19	2.3	2550	n/s	n/s	n/s
Hammer	FX1000	1050	2315	12-21	3	2050	115	135	165
Italdem	GK 1050 S	1050	2315	13-20	2.3	n/s	114	130-150	110-120
Italdem	GK 1060 S	1050	2315	13-20	2.3	n/s	114	130-150	110-120
Allied	HR 390	1050	2315	n/s	n/s	2010	98	n/s	n/s
Kinshofer	KFX 17	1050	2315	12-21	3	2050	n/s	135	165
Eusiti	SGK-1060S	1050	2315	13-20	2.3	n/s	114	130-150	110-120
Vulcan	V12GS	1050	2315	8.6-16.3	4	n/s	99	83-102	145-162
Epiroc	SB 1102	1060	2337	13-24	n/s	1166	120	100-135	130-180
Sandvik	BR1655	1080	2381	12-21	n/s	n/s	115	100-140	135-145
NPK	GH6	1080	2381	10-13.8	n/s	1931	106	90-150	165
Caterpillar	H110E S	1080	2381	11-18	2.7	1568	99.5	60-120	160
MSB	Saga 120H	1082	2386	11-16	n/s	n/s	98	80-100	140-160
LaBounty	LMB2015	1088	2399	12-20	3	n/s	115	n/s	135-145
Doosan	DXB130H	1090	2403	15-22	2.7	2181	124	140	170
Okada	TOP100B	1090	2403	10-19	n/s	2390	110	100-150	140-180
Case	CH-7J	1098	2421	n/s	2.71	n/s	105	80-120	n/s
Bento	BTOR 13 S	1100	2426	13-20	2.65	2385	102	n/s	n/s
Omni	HB 1056/6	1100	2426	16-20	1.92	n/s	114	90-140	130
Stanley	MB/XP2015	1100	2426	12	3.4	1947	115	90-130	190-220
Socomec	MDO 1000 TS	1100	2426	13-16	2.1	2130	110	n/s	n/s
Komac	TOR 13V	1100	2426	12-16	2.6	n/s	102	80-120	150-170
Okada	TOP100A	1107	2441	10-18	3.39	2060	109	110-132	140-180
Montabert	900	1120	2470	15-25	n/s	2120	118	100-150	125
GB	GBN170E	1120	2470	14-20	n/s	n/s	120	90-120	150-170
All-Kor	AKB 200FH	1123	2476	13-20	n/s	n/s	115	70-110	140
JAB	RB15	1123	2476	13-20	n/s	n/s	115	70-110	140
D&A	150DP	1150	2536	12-18	n/s	n/s	115	100-150	157-186
JCB	HM120T	1150	2536	12-18	4.39	n/s	115	85-127	140-190
SkanCraft	SCB18	1150	2536	13-18	2.8	n/s	115	85-127	140-190
Komac	TOR 18H	1150	2536	17-23	4.12	n/s	108	90-125	160-180
Rammer	2166	1180	2602	16-26	n/s	n/s	125	120-180	140-160
Rammer	2166E	1180	2602	16-26	n/s	n/s	125	120-180	140-160
Allied	AR 110 B	1180	2602	n/s	n/s	2260	110	n/s	n/s
Caterpillar	H115GC	1183	2609	10-18	3	n/s	120	90-120	150-170
Northerntrack	FX-130 Pro	1190	2624	14-21	n/s	n/s	115	100-150	160-190
Montabert	M900	1190	2624	15-25	n/s	n/s	118	100-150	125
Steck	B 12	1200	2646	14-20	1.88	2256	110	n/s	n/s
Bento	BKB 1500 S	1200	2646	13-19	2.8	2380	120	n/s	n/s
Beilite	BLT 70 H	1200	2646	n/s	n/s	2060	120	n/s	n/s
Beilite	BLT 70 II	1200	2646	n/s	n/s	2060	120	n/s	n/s
Beilite	BLT 70 S	1200	2646	n/s	n/s	2060	120	n/s	n/s
Bento	BXP 1200	1200	2646	14-21	2.95	2500	120	n/s	n/s
Drago	DB-S 120 F	1200	2646	14-22	2.7	n/s	120	n/s	n/s
Epiroc	EC 120	1200	2646	15-24	n/s	1593	120	120-140	150-170
Inan Makina	GA150	1200	2646	12-18	n/s	n/s	120	90-120	150-170
GB	GBN170T	1200	2646	15-20	n/s	n/s	125	100-120	150-170

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
JCB	HM1270Q	1200	2646	11-19	2.04	1593	120	120-140	n/s
Indeco	HP 2000 FS	1200	2646	15-25	2.5	n/s	120	110-150	180
Idromeccanica	IMI 120 M	1200	2646	14-22	2.7	2100	120	100-130	140-160
Epiroc	MB 1200	1200	2646	15-26	n/s	1494	120	100-140	160-180
Atlas Copco	MB 1200	1200	2646	15-26	n/s	n/s	120	n/s	n/s
MSB	MS 520 H	1200	2646	14-18	2.9	n/s	110	80-100	120-140
MSB	MS 520H	1200	2646	14-18	n/s	n/s	110	80-100	120-140
MTB	MT 120	1200	2646	n/s	n/s	n/s	n/s	n/s	n/s
Rotar	RHB 180	1200	2646	15-24	n/s	n/s	120	120-140	150-170
Ramtec	RT 1190 P	1200	2646	14-22	2.7	n/s	120	n/s	n/s
Chicago Pneumatic	RX18	1200	2646	15-24	2	2133	120	n/s	n/s
Promove	XP 1200	1200	2646	14-20	4.5	550	120	100-130	165-175
Montabert	900 MS	1205	2657	15-25	n/s	2120	118	n/s	n/s
Daemo	B180	1209	2666	16-20	n/s	2455	120	100-140	n/s
Boohung	BHB70	1210	2668	13-20	n/s	n/s	120	90-120	150-170
BTi	BX30	1210	2668	16-20	4.07	2455	120	100-140	170
Komac	KB 1500H	1210	2668	13-18	2.75	n/s	120	90-120	150-170
Komac	KB 1500S	1210	2668	13-18	2.75	n/s	120	90-120	150-170
Feel	FINE 16X	1220	2690	13-18	n/s	n/s	120	n/s	n/s
NPK	GH-7	1220	2690	14-21	n/s	2235	116	100-180	180
All-Kor	AKB 160 S	1230	2712	13-20	n/s	n/s	120	n/s	n/s
Dowin	DW 15G	1230	2712	13 - 18	2.8	2031	120	90 - 120	160 - 180
Jisung	JSB18GT	1230	2712	13-18	2.8	2031	120	90-120	160-180
Rich Power	RPB18GT	1230	2712	13-18	2.8	2031	120	90-120	160-180
Allied	HR33	1235	2723	15-23	n/s	218	120	98-140	160-180
Boohung	BH 1200	1236	2725	13-18	2.22	n/s	120	90-120	140-170
Case	CH-100	1237	2728	n/s	4.07	n/s	114	100-140	n/s
Komatsu	JTHB160-3	1240	2734	14-20	4.07	n/s	115	100-140	120-170
Toku	TNB-100	1240	2734	14-20	n/s	n/s	115	100-140	120-170
Sandvik	BR2155	1240-1280	n/s	16-26	n/s	2198	118	120-180	140-160
Kwanglim	SG1200S	1242	2739	12-18	2.71	2656	120	110-140	137-157
Globram	RM120	1245	2745	15-24	2.5	2140	119	115-150	120-138
Bento	BGK 1350 S	1250	2756	18-25	3	2610	n/s	n/s	n/s
Dehaco	DBH 120	1250	2756	12-17	2.76	n/s	120	90-120	150-170
Feel	FINE 16	1250	2756	13-18	n/s	n/s	120	n/s	n/s
Hammer	FX1300	1250	2756	14-24	3.2	2400	120	105-140	170
OSA Demolition Equipment	HB 1250	1250	2756	15-18	3	2280	125	90-120	150-170
Allied	HR 470	1250	2756	n/s	n/s	2180	120	n/s	n/s
Jisung	JSB60T	1250	2756	15-18	2.9	2604	125	90-120	150-170
Kinshofer	KFX 20	1250	2756	14-24	3.2	2400	n/s	105-140	170
Socomec	MDO 1200 TS	1250	2756	15-19	2.5	n/s	117	130-140	130
Rich Power	RPB60T	1250	2756	15-18	2.9	2604	125	90-120	150-170
Komac	TOR 18S	1250	2756	17-23	4.12	n/s	108	90-125	160-180
Dongyang	DHB-700T	1252	2761	13-18	n/s	2637	120	90-120	160-180
Dongyang	DYB-700T	1255	2767	13-18	n/s	2410	125	100-140	150-180
Dehaco	IBEX 1200GS	1255	2767	13-18	n/s	1100	120	80-100	150-170
Jisung	JSB60D	1255	2767	15-18	2.9	2007	125	90-120	150-170
Inan Makina	MTB 125	1255	2767	14-20	1.88	n/s	115	70-130	135
Dongyang	DYB-700	1260	2778	13-18	n/s	2155	125	100-140	150-180
Vulcan	V18GS	1262	2783	12-20	6.1	n/s	121.9	91-121	148-172
Dongyang	DHB-700	1269	2798	13-18	n/s	2637	120	90-120	160-180
NPK	H-8XA	1270	2800	12-19	n/s	n/s	116	100-150	155
Prodem	PRB170	1270	2800	14-24	2.2	n/s	117	110-170	160-180
Jisung	JSB18GD	1280	2822	13-18	2.8	1800	120	90-120	160-180
Rich Power	RPB18GD	1280	2822	13-18	2.8	1800	120	90-120	160-180
Montabert	XL 1300	1285	2833	15-22	n/s	2181	124	90-140	170
Dowin	DW T150	1296	2858	15-18	2.9	2604	125	90-120	150-170
Jisung	JSB60S	1296	2858	15-18	2.9	2604	125	90-120	150-170
Pladdet	PDH 60 S	1296	2858	15-18	2.9	n/s	125	n/s	n/s
Soosan	SB60 TS-P	1297	2860	15-18	1.88	2592	125	90-120	150-170
All-Kor	AKB 160 V	1300	2867	13-20	n/s	n/s	120	n/s	n/s
All-Kor	AKB 180 S	1300	2867	16-22	n/s	n/s	125	n/s	n/s
OSA Demolition Equipment	Easy 750	1300	2867	16-27	2.1	2290	120	80-140	115
Omali	HB 1300/6	1300	2867	18-23	2.7	n/s	125	130-160	145

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Taber	MT 12	1300	2867	15-23	2.4	2100	1100	90-120	150-170
Rotair	OLS 1300 X	1300	2867	17-20	3	2600	120	n/s	160
Dongyang	DYB-700S	1307	2882	14-18	n/s	2615	125	100-140	150-180
Dongyang	DHB-700S	1308	2884	13-18	n/s	2513	120	90-120	160-180
Jisung	JSB18GS	1310	2889	13-18	2.8	2031	120	90-120	160-180
NPK	E208	1315	2900	12.7-19	n/s	n/s	116	100-180	180
Hydraram	FX-160	1320	2911	14-18	3.45	2640	125	100-140	150-180
Komac	TOR 18V	1320	2911	17-23	4.12	n/s	108	90-125	160-180
Caterpillar	H115GC S	1325	2922	13-18	3	1445	120	90-120	170
Komac	KB 1500V	1325	2922	13-18	2.75	n/s	120	90-120	150-170
MSB	SAGA 180H	1325	2922	13-20	n/s	n/s	120	90-120	150-170
All-Kor	AKB 180 V	1340	2955	16-22	n/s	n/s	125	n/s	n/s
JAB	JB70S III	1340	2955	13-18	n/s	n/s	120	90-120	150-170
Rammer	R25P	1340	2955	20-29	n/s	2215	135	130-170	160-180
All-Kor	AKB 160	1342	2959	16-23	n/s	n/s	120	90-120	200
NPK	GH7 A	1345	2966	14-21	n/s	2275	116	n/s	n/s
Italdem	GK 1360 S	1350	2977	18-25	3	n/s	120	150-160	130-140
Rotair	OLS 1400	1350	2977	17-22	3.2	2350	120	n/s	170
Rich Power	RPB70D	1350	2977	18-21	2.56	2200	135	100-150	160-180
Eusiti	SGK-1360S	1350	2977	18-25	3	n/s	120	150-160	130-140
Yujin Tech	YJB 1500	1350	2977	13-18	4.23	2440	120	90-120	150-180
Giant Hydraulic Tech	GT70 Silence	1358	2994	12-18	n/s	n/s	120	90-120	150-170
Top	A 1400 S	1360	2999	17-25	3.45	n/s	131	n/s	n/s
Arden	AB1352	1360	2999	16-24	3.88	2330	125	n/s	160-180
Arden	AB1353	1360	2999	15-19	n/s	n/s	n/s	n/s	n/s
Okada	TOP150	1361	3001	13-19	4.07	2390	122	114-132	140-180
Ramtec	EH140	1370	3021	18-26	n/s	n/s	125	120-180	140-160
Promove	P27 SH	1390	3065	16-27	2.1	522	120	110-140	110
Everdigm	EHB17	1393	3072	14-24	2.2	n/s	117	110-170	160-180
Stanley	MBX208	1397	3080	11.7-22.7	4	2570	125	90-120	150-170
Sandvik	BR2166	1400	3087	16-27	n/s	n/s	125	120-180	140-160
Idromeccanica	IMI 140 R	1400	3087	19-25	2.9	2270	120	130-190	120-160
Stanley	MB/XP2620	1400	3087	16	4.7	2198	125	120-180	210-230
Socomec	MDO 1300 TS	1400	3087	15-22	3	2350	120	n/s	n/s
Ramtec	RT 1400	1400	3087	19-25	2.7	2260	120	n/s	n/s
LaBounty	LMB2620	1401	3089	16-26	5	n/s	124	n/s	139-159
Dongyang	DYB-760	1410	3109	16-21	n/s	2289	135	100-150	160-180
JAB	JB70T III	1410	3109	13-18	n/s	n/s	120	90-120	150-170
Wimmer	WH22-A	1410	3109	18-26	n/s	n/s	125	100-180	135
Drago	DB-S 125	1415	3120	14-22	1.71	n/s	125	n/s	n/s
Giant Hydraulic Tech	GT75 Silence	1415	3120	14-20	n/s	n/s	125	90-120	150-170
Northerntrack	FX-170 Pro	1420	3131	16-24	n/s	n/s	125	100-155	160-190
Genesis	GHB 3000	1425	3142	13-18	4.07	n/s	124	90-120	150-170
AJCE	AB-600M	1427	3147	15-18	2.71	n/s	125	90-120	150-170
D&A	180DP	1450	3197	16-22	n/s	n/s	125	100-155	157-186
Allied	AR 120 B	1450	3197	n/s	n/s	2470	120	n/s	n/s
Bento	BXP 1500	1450	3197	16-26	3.90	2600	130	n/s	n/s
Jisung	JSB70T	1450	3197	18-21	3.56	2691	135	100-150	160-180
Rich Power	RPB70T	1450	3197	18-21	3.56	2691	135	100-150	160-180
SkanCraft	SCB22	1450	3197	16-22	3.02	n/s	125	95-131	150-190
Montabert	V32	1450	3197	18-30	n/s	n/s	122	120-170	135
Promove	XP 1500	1450	3197	16-25	5.45	570	130	140-150	170-180
Dongyang	DYB-760T	1455	3208	13-18	n/s	2757	135	100-150	160-180
Rammer	2577	1460	3219	21-32	n/s	2299	135	140-200	135-145
Rammer	2577E	1460	3219	21-32	n/s	2299	135	140-200	135-145
Caterpillar	H115E S	1460	3219	12-20	4.07	1683	109.5	70-130	150
Dongyang	DYB-760S	1462	3224	16-21	n/s	2701	135	100-150	160-180
AJCE	AB-180F	1463	3226	12-18	2.65	n/s	120	115-150	160-180
TABE	MT 15	1470	3241	19-25	3.85	2265	1100	120-145	150-180
JAB	JB71S III	1480	3263	16-20	n/s	n/s	125	90-120	150-170
All-Kor	AKB 180	1481	3266	17-24	n/s	n/s	125	90-120	200
NPK	GH-9	1482	3268	17-24	n/s	2356	126	150-200	180
All-Kor	AKB 250FH	1500	3308	18-25	n/s	n/s	120	110-150	140
Dowin	DW T190	1500	3308	18-21	3.5	2691	135	100-150	160-180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Epiroc	EC 135	1500	3308	17-28	n/s	1700	135	140-160	150-170
Inan Makina	GA200	1500	3308	18-25	n/s	n/s	135	125-150	160-180
Italdem	GK 1550 S	1500	3308	20-28	3.5	n/s	135	160-170	140-150
Italdem	GK 1560 S	1500	3308	20-28	3.5	n/s	132	160-170	140-150
NPK	H-10XB	1500	3308	16-22	n/s	n/s	127	159-197	145
OSA Demolition Equipment	HB 1500	1500	3308	16-22	4	2400	135	150-210	130-160
JCB	HM1570Q	1500	3308	16-20	2.53	1700	135	140-160	n/s
Indeco	HP 2500 FS	1500	3308	16-28	3.4	n/s	130	125-160	180
Jisung	JSB70S	1500	3308	18-21	3.56	2691	135	100-150	160-180
Epiroc	MB 1500	1500	3308	17-29	n/s	1550	135	120-155	160-180
Epiroc	MB 1500	1500	3308	17-29	n/s	1630	135	120-155	160-180
MSB	MS 550H	1500	3308	18-25	4.38	1720	120	110-150	120-140
JAB	RB18	1500	3308	18-25	n/s	n/s	120	110-150	140
Rotar	RHB 220	1500	3308	17-28	n/s	n/s	135	140-160	150-170
Chicago Pneumatic	RX22	1500	3308	17-28	2.5	2265	135	n/s	n/s
Soosan	SB70 TS-P	1500	3308	16-21	2.67	2682	135	100-150	160-180
Eusiti	SGK-1560S	1500	3308	20-28	3.5	n/s	132	160-170	140-150
Komac	TOR 23H	1500	3308	18-26	4.81	n/s	127	125-150	160-180
Beilite	BLT 80 H	1510	3330	n/s	n/s	2300	135	n/s	n/s
Beilite	BLT 80 II	1510	3330	n/s	n/s	2300	135	n/s	n/s
Beilite	BLT 80 S	1510	3330	n/s	n/s	2300	135	n/s	n/s
JAB	JB71T III	1530	3374	16-22	n/s	n/s	125	90-120	150-170
Globram	RM130	1535	3385	17-28	3.3	2265	130	125-160	120-138
Montabert	V 32	1546	3409	18-30	n/s	2290	122	n/s	n/s
Bento	BTOR 23 S	1550	3418	18-29	4.9	2730	135	n/s	n/s
Komac	TOR 23S	1550	3418	18-26	4.81	n/s	127	125-150	160-180
Everdigm	EHB20	1554	3427	16-25	2.8	2743	125	100-150	160-180

SPEED

OKADA AIYON CORPORATION supplies a variety of attachments mounted on excavators and has been an innovator in the field for many years all over the world.




4-1-18, Kaigan-dori, Minato-ku, Osaka 552-0022, Japan Tel +81-(0)6-6576-1268 Fax +81-(0)6-6576-1516 Email sales@aiyon.co.jp

www.okada-aiyon.com

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Hydraram	FX-190 Pro	1560	3440	18-26	n/s	n/s	135	120-170	160-190
Prodem	PRB200	1564	3449	16-25	2.8	n/s	125	100-150	160-180
NPK	E210A	1565	3451	18-25	n/s	n/s	126	150-200	157
Montabert	V 32 MS	1570	3462	18-30	n/s	2290	122	n/s	n/s
D&A	200DP	1580	3484	18-24	n/s	n/s	135	120-170	157-186
Hydraram	FX-200	1580	3484	16-24	4.2	2700	135	110-150	160-180
JCB	HM160T	1580	3484	18-24	6.14	n/s	135	115-155	160-190
Steck	B 15	1600	3528	18-26	2.8	2480	120	n/s	n/s
Caterpillar	B20	1600	3528	18-25	4	n/s	135	125-150	180
Bento	BGK 1600 S	1600	3528	25-35	4	2850	n/s	n/s	n/s
FRD	FXJ225	1600	3528	16-24	4.58	2411	135	125-190	160-180
Omali	HB 1700/6	1600	3528	26-30	3.3	n/s	140	140-170	150
MTB	MT 150	1600	3528	n/s	n/s	n/s	n/s	n/s	n/s
Rotair	OLS 1600 X	1600	3528	20-25	3.7	2800	135	n/s	170
SkanCraft	SCB24	1600	3528	18-24	3.53	n/s	135	115-155	160-190
Soosan	SG60	1607	3543	15-18	1.91	2561	125	90-120	150-170
Boohung	BH 1350	1615	3561	18-24	3.5	n/s	135	120-150	160-180
Doosan	DBX170	1620	3572	18-28	3.4	n/s	137	100-150	180
Doosan	DXB170H	1620	3572	18-28	3.4	2337	137	150	180
All-Kor	AKB 220 S	1625	3583	18-30	n/s	n/s	135	n/s	n/s
Boohung	BHB80	1625	3583	18-30	n/s	n/s	135	125-150	160-180
Soosan	ET200	1625	3583	18-25	n/s	2799	135	125-150	160-180
Kwanglim	SG2100S	1625	3583	18-25	4.75	2881	138	120-150	157-177
Komac	TOR 23V	1630	3594	18-26	4.8	n/s	127	125-150	160-180
Kwanglim	SG2100	1634	3603	18-25	6.78	2436	138	120-150	157-177
Beilite	BLTB-125	1636	3607	15-18	n/s	2634	125	90-120	147-167
Allied	HR44	1640	3616	20-29	n/s	234	135	129-170	160-180
AJCE	AB-710M	1650	3638	16-21	3.42	n/s	135	100-150	160-180
Dehaco	DBH 160	1650	3638	18-26	4.21	n/s	135	125-150	160-180
Feel	Fine 20	1650	3638	18-24	n/s	n/s	135	n/s	n/s
Epiroc	MB 1650	1650	3638	19-32	n/s	1573	140	130-170	160-180
Socomec	MDO 1600 TS	1650	3638	19-25	3.7	n/s	130	170-180	140
Inan Makina	MTB 155	1650	3638	18-26	2.8	n/s	125	100-180	135
Okada	Okada 2600	1650	3638	18-26	n/s	2679	135	120-175	140-190
Komac	TOR 26H	1650	3638	20-30	6.08	n/s	140	150-180	160-180
Rammer	2577 PRO	1660	3660	21-32	n/s	n/s	135	140-200	135-145
Feel	Fine 21X	1660	3660	18-24	n/s	n/s	135	n/s	n/s
Montabert	XL 1700	1660	3660	18-28	n/s	2337	137	100-150	180
Prodem	PRB250	1662	3665	20-30	3.2	n/s	135	130-180	160-180
Caterpillar	H120GC	1663	3667	18-25	4	n/s	135	125-150	160-180
Dongyang	DHB-800T	1668	3678	16-25	n/s	2695	135	120-160	160-180
Allied	HR 560	1680	3704	n/s	n/s	2390	140	n/s	n/s
Dongyang	DHB-800	1684	3713	16-25	n/s	2695	135	120-160	160-180
Everdigm	EBH25 SA	1687	3720	20-30	4.3	2743	135	n/s	n/s
Allied	AR 130 B	1690	3726	n/s	3.3	2500	130	n/s	n/s
Indeco	HP 2750 FS	1690	3726	16-30	3.7	n/s	135	130-160	190
Indeco	HP 4500 FS	1690	3726	16-30	n/s	n/s	135	n/s	190
NPK	GH-10	1691	3729	21-28	n/s	2535	136	165-210	180
Stanley	MBX258	1696	3740	16-25	5.4	2710	135	100-150	160-180
Bento	BXP 1700	1700	3749	19-32	4.1	2700	135	n/s	n/s
Hammer	FX1700	1700	3749	20-30	4.2	2700	135	130-160	180
GB	GBN210T	1700	3749	18-28	n/s	n/s	135	120-150	160-180
OSA Demolition Equipment	HB 1700	1700	3749	18-23	4.2	2420	135	150-230	130-160
Komac	KB 2000H	1700	3749	18-26	4.22	n/s	135	125-150	160-180
Komac	KB 2000S	1700	3749	18-26	4.22	n/s	135	125-150	160-180
Kinshofer	KFX 26	1700	3749	20-30	4.2	2700	n/s	130-160	180
Atlas Copco	MB 1700	1700	3749	18-34	3.5	n/s	140	n/s	n/s
Rotair	OLS 1700	1700	3749	20-29	4.2	2734	135	n/s	170
Globram	RM135	1700	3749	16-28	3.65	2490	135	130-160	120-145
Promove	xP 1700	1700	3749	19-28	5.53	670	135	150-170	170-180
A-Ward	AWB2500	1708	3766	20-26	4.76	n/s	135	n/s	156-176
All-Kor	AKB 220 V	1710	3771	18-30	n/s	n/s	135	n/s	n/s
Drago	DB-S 135	1710	3771	18-27	2.91	n/s	135	n/s	n/s
Dongyang	DHB-800S	1710	3771	16-25	n/s	2766	135	120-160	160-180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Komatsu	JKHB 1500	1710	3771	19-24	4.63	2750	n/s	n/s	n/s
Komatsu	JTHB210-3	1710	3771	18-25	6.1	n/s	135	160-200	140-180
Giant Hydraulic Tech	GT80 Silence	1712	3775	18-23	n/s	n/s	135	100-150	160-180
Ramtec	EH170	1720	3793	21-30	n/s	n/s	135	140-200	135-145
Komac	KB 2000V	1720	3793	18-26	4.22	n/s	135	125-150	160-180
Okada	TOP203B	1720	3793	19-23	n/s	2769	135	140-230	140-180
Vulcan	V20GS	1725	3804	17-29	6.8	n/s	134.6	91-151	158-179
MSB	Saga 220H	1730	3815	18-28	n/s	n/s	135	125-150	160-180
MSB	MS 600H	1734	3823	22-28	5.78	1845	130	130-150	120-140
Daemo	B210	1738	3832	18-25	n/s	2764	135	110-160	n/s
Beilite	BLT 81 II	1740	3837	n/s	n/s	2414	140	n/s	n/s
Beilite	BLT 81 S	1740	3837	n/s	n/s	2414	140	n/s	n/s
BTi	BX40	1740	3837	18-25	5.42	2760	135	110-160	170
Dowin	DW 20G	1740	3837	18-22	3.60	2327	135	130 - 150	160 - 180
Jisung	JSB20GT	1740	3837	18-22	3.59	2327	135	130-150	160-180
Rich Power	RPB20GT	1740	3837	18-22	3.58	2327	135	130-150	160-180
Soosan	SB87	1745	3848	18-26	n/s	2327	135	120-180	160-210
D&A	20G	1750	3859	n/s	n/s	2750	135	125-150	157-177
All-Kor	AKB 250 V	1750	3859	22-32	n/s	n/s	135	n/s	n/s
Doosan	DBX190	1750	3859	26-32	3	n/s	142	120-180	180
GB	GBN220E	1750	3859	18-28	n/s	n/s	135	125-150	160-180
MSB	Saga 250H	1750	3859	18-28	n/s	n/s	140	125-150	160-180
Case	CH-151	1751	3861	n/s	6.1	n/s	135	160-200	n/s
Beilite	BLTB-135	1757	3874	18-22	n/s	2764	135	100-150	157-177
Soosan	SQ70	1759	3879	16-21	2.68	2656	135	100-150	160-180
Sandvik	BR2577	1760	3881	21-30	n/s	2299	135	140-200	135-145
Feel	Fine 23X Plus	1760	3881	22-26	n/s	n/s	140	n/s	n/s
JAB	JB80S III	1760	3881	18-26	n/s	n/s	135	125-150	160-180
Stanley	MB/XP3025	1760	3881	21	6.8	2299	135	200	135-145
All-Kor	AKB 220	1762	3885	20-29	n/s	n/s	135	125-150	210
LaBounty	LMB3025	1763	3887	21-30	6	n/s	134	n/s	159-145
AJCE	AB-280F	1766	3894	18-25	3.69	n/s	135	125-160	160-180
Soosan	SB81 TS-P	1766	3894	18-26	3.2	2813	140	120-180	160-180
Jisung	JSB81D	1770	3903	18-26	4.2	2409	140	120-180	160-180
Rich Power	RPB81D	1770	3903	18-26	4.2	2409	140	120-180	160-180
Daemo	B230	1777	3918	18-25	n/s	2764	140	130-170	n/s
Drago	DB-S 135 F	1780	3925	18-27	4.3	n/s	135	n/s	n/s
Jisung	JSB81T	1780	3925	18-26	4.2	2828	140	120-180	160-180
Rich Power	RPB81T	1780	3925	18-26	4.2	2828	140	120-180	160-180
Caterpillar	H120GC S	1785	3936	18-25	4	1605	135	125-150	180
Wimmer	WH26-A	1790	3947	22-29	n/s	n/s	135	120-180	135
Yujin Tech	YJB 2000	1790	3947	18-26	5.29	2773	135	130-150	160-18
D&A	220DP	1800	3969	20-26	n/s	n/s	135	120-190	157-186
Arden	AB1852	1800	3969	22-30	5.35	2845	135	n/s	160-180
Arden	AB1853	1800	3969	19-26	n/s	n/s	n/s	n/s	n/s
Atlas Copco	EC 140	1800	3969	20-33	n/s	n/s	140	130-180	150-170
FRD	FXJ275	1800	3969	18-30	5.12	2468	140	145-220	160-180
Italdem	GK 1800 S	1800	3969	22-30	4.4	n/s	145	200-210	140-150
Italdem	GK 1810 S	1800	3969	22-30	4.4	n/s	140	200-210	140-150
JCB	HM1770Q	1800	3969	20-26	3.16	1796	140	140-160	n/s
JCB	HM180T	1800	3969	20-26	6.8	n/s	135	119-161	160-190
Dehaco	lbex 1800GS	1800	3969	18-25	n/s	1200	135	125-150	160-180
Idromeccanica	IMI 170 M	1800	3969	21-30	4.5	2230	135	130-155	150-180
Jisung	JSB20GD	1800	3969	18-22	3.59	2200	135	130-150	160-180
Rotar	RHB 260	1800	3969	20-33	n/s	n/s	140	130-180	150-170
Rich Power	RPB20GD	1800	3969	18-22	3.59	2200	135	130-150	160-180
Ramtec	RT 1800 P	1800	3969	19-27	4.45	2240	135	n/s	n/s
Chicago Pneumatic	RX25	1800	3969	20-33	3.2	2383	140	n/s	n/s
Chicago Pneumatic	RX26	1800	3969	20-33	n/s	1115	140	130-180	150-170
Eusiti	SGK-1810S	1800	3969	22-30	4.4	n/s	140	200-210	140-150
Toku	TNB-151	1800	3969	18-25	n/s	n/s	135	160-200	n/s
Everdigm	EHB25	1806	3982	20-30	3.2	2743	135	130-180	160-180
Komatsu	JTHB210S-3	1810	3991	18-25	n/s	n/s	135	n/s	n/s
Doosan	DXB190H	1815	4002	26-32	4	2562	142	180	180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Hydraram	FX-210 PRO	1820	4013	20-28	n/s	n/s	135	120-190	160-190
Dowin	DW T200	1825	4024	18-26	4.2	2828	140	120-180	160-180
Jisung	JSB81S	1825	4024	18-26	4.2	2828	140	120-180	160-180
Pladdet	PDH 81 S	1825	4024	18-26	4.2	n/s	140	n/s	n/s
Toku	TNB-151LU1	1830	4035	18-25	n/s	n/s	135	160-200	140-180
JAB	JB80T III	1840	4057	18-26	n/s	n/s	135	125-150	160-180
Jisung	JSB20GS	1840	4057	18-22	3.59	2327	135	130-150	160-180
Feel	Fine 22	1850	4079	20-26	n/s	n/s	135	n/s	n/s
Socomec	MDO 1700 TS	1850	4079	19-27	4.3	2600	135	n/s	n/s
Globram	RM140	1850	4079	20-32	4.25	2490	140	150-180	130-150
SkanCraft	SCB26	1850	4079	20-26	3.95	n/s	135	119-161	150-190
Komac	TOR 26V	1850	4079	20-30	6.08	n/s	140	150-180	160-180
Boohung	BH 1400	1860	4101	19-26	3.79	n/s	140	120-150	160-180
Caterpillar	H120E S	1860	4101	16-27	4.75	1839	119.5	100-170	150
Genesis	GHB 4000	1862	4106	16-21	5.42	n/s	134	100-150	160-180
Feel	Fine 23 Plus	1865	4112	22-26	n/s	n/s	135	n/s	n/s
Okada	TOP205J	1868	4119	18-27	5.42	2620	135	163-200	140-180
Steck	B 17	1870	4123	n/s	3.3	2607	130	n/s	n/s
MTB	MT 170	1870	4123	n/s	n/s	n/s	n/s	n/s	n/s
Dongyang	DYB-800T	1871	4126	19-26	n/s	2790	140	130-170	160-180
All-Kor	AKB 300FH	1874	4132	21-30	n/s	n/s	130	120-160	140
JAB	RB21	1874	4132	18-30	n/s	n/s	130	120-160	140
Inan Makina	MTB 175	1880	4145	22-29	3.3	n/s	135	120-180	135
Montabert	V1800 EVO	1884	4154	20-35	n/s	n/s	140	140-220	165
Montabert	V 1800	1885	4156	20-35	n/s	2558	140	n/s	n/s
JAB	JB81T III	1890	4167	20-28	n/s	n/s	140	125-150	160-180
Dongyang	DYB-800	1898	4185	19-26	n/s	2337	140	130-170	160-180
BTi	BXR50	1900	4190	18-35	6.8	2622	140	n/s	n/s
NPK	E213	1900	4190	21-30	n/s	n/s	136	165-210	176
Hydraram	FX-220	1900	4190	19-26	4.7	2860	140	130-170	160-180
OSA Demolition Equipment	HB 1900	1900	4190	18-24	4.5	2420	141	180-230	130-150
Indeco	HP 3000 FS	1900	4190	19-32	4.4	n/s	140	145-180	200
Socomec	MDO 1900 TS	1900	4190	23-28	4.5	n/s	135	200	140
Rammer	R35P	1900	4190	27-40	n/s	2503	150	150-200	160-180
Montabert	XL 1900	1900	4190	21-31	n/s	2562	142	120-180	180
Dongyang	DYB-800S	1903	4196	19-26	n/s	2822	140	130-170	160-180
Wimmer	WH29-A	1907	4205	25-32	n/s	n/s	145	160-230	140
All-Kor	AKB R25	1910	4212	21-30	n/s	n/s	130	120-160	140
BTi	BXR50C	1910	4212	18-35	6.78	2622	140	160-200	186
JAB	RB25	1910	4212	18-30	n/s	n/s	130	120-160	140
Okada	TOP210B	1910	4212	20-30	n/s	2886	135	160-260	140-180
All-Kor	AKB 320FH	1920	4234	21-30	n/s	n/s	135	120-160	140
JAB	RB26	1920	4234	18-30	n/s	n/s	135	120-160	140
GB	GBN220T	1930	4256	20-30	n/s	n/s	140	120-150	160-180
NPK	GH-6	1931	4258	12-18	n/s	1931	106	90-150	180
Stanley	MBX308	1939	4275	18-29.5	6.8	2830	140	125-150	160-180
Arrowhead	S 230	1940	4278	20-29	4.4	2400	133	n/s	n/s
Giant Hydraulic Tech	GT90 Silence	1947	4293	19-25	n/s	n/s	140	120-180	160-180
Tabe	MT 18	1950	4300	24-28	4.31	2390	1100	130-155	160-190
Komac	TOR 26S	1950	4300	20-30	6.08	n/s	140	150-180	160-180
Promove	xP 2000	1950	4300	22-29	7.88	675	145	170-190	180-190
Drago	DB-S 140	1970	4344	20-29	3.42	n/s	140	n/s	n/s
AJCE	AB-810M	1978	4361	18-26	4.07	n/s	140	120-180	160-180
NPK	H-12X	1996	4401	21-30	n/s	n/s	137	170-208	155
D&A	250DP	2000	4410	22-30	n/s	n/s	145	150-210	157-186
Inan Makina	GA300	2000	4410	25-32	n/s	n/s	150	150-190	160-180
Epiroc	HB 2000	2000	4410	22-38	n/s	1861	145	150-190	160-180
Epiroc	HB 2000	2000	4410	22-38	n/s	1926	145	150-190	160-180
JCB	HM200T	2000	4410	24-30	8.46	n/s	145	127-178	160-190
SkanCraft	SCB30	2000	4410	25-30	5.61	n/s	145	127-178	160-190
JAB	JB81S III	2010	4432	18-28	n/s	n/s	140	125-150	160-180
All-Kor	AKB 250	2012	4436	22-33	n/s	n/s	140	125-150	210
Giant Hydraulic Tech	GT100 Silence	2018	4450	20-28	n/s	n/s	140	150-190	160-180
Rammer	3288	2040	4498	26-42	n/s	2581	142	160-250	150-160

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Rammer	3288E	2040	4498	26-42	n/s	2581	142	160-250	150-160
Hydraram	FX-260 PRO	2050	4520	24-32	n/s	n/s	145	150-210	160-190
Soosan	SQ80	2053	4527	18-26	3.2	2806	140	120-180	160-180
Dowin	DW T270	2071	4567	25-30	5.2	3055	150	150-210	160-180
Jisung	JSB100S	2071	4567	25-30	5.2	3055	150	150-210	160-180
Soosan	SB100 TS-P	2071	4567	25-30	3.76	3063	150	150-210	160-180
Stanley	MBX358	2075	4575	23-31	8.10	3070	150	160-190	160-180
Beilite	BLTB-140	2081	4589	20-24	n/s	2824	140	120-180	157-177
NPK	GH-12	2085	4597	24-38	n/s	2738	146	170-220	180
Allied	AR 140 B	2095	4619	n/s	3.80	2730	140	n/s	n/s
Jisung	JSB100T	2100	4631	25-30	5.2	3055	150	150-210	160-180
Komac	KB 3600H	2100	4631	27-35	6.13	n/s	150	160-190	160-180
Komac	KB 3600S	2100	4631	27-35	6.13	n/s	150	160-190	160-180
Rich Power	RPB100T	2100	4631	25-30	5.2	3055	150	150-210	160-180
Komac	TOR 36H	2100	4631	27-35	7.43	n/s	145	160-190	160-180
Boohung	BH 1500	2110	4653	24-34	4.93	n/s	150	160-190	160-180
Jisung	JSB100D	2114	4661	25-30	5.2	2430	150	150-210	160-180
Rich Power	RPB100D	2114	4661	25-30	5.2	2430	150	150-210	160-180
Wimmer	WH35	2115	4664	29-40	n/s	n/s	150	180-250	140
Caterpillar	H130E S	2140	4719	18-36	6.1	1958	130	120-220	150
Giant Hydraulic Tech	GT130 Silence	2145	4730	25-32	n/s	n/s	150	150-190	160-180
Genesis	GHB 5000	2149	4739	18-26	6.78	n/s	139	120-180	160-180
All-Kor	AKB 320 S	2150	4741	27-37	n/s	n/s	150	n/s	n/s
Boohung	BHB110	2150	4741	27-40	n/s	n/s	150	160-190	160-180
Komac	TOR 36S	2150	4741	27-35	7.43	n/s	145	160-190	160-180
Daemo	B250	2165	4774	22-29	n/s	2898	145	150-210	n/s
All-Kor	AKB 280	2170	4785	25-36	n/s	n/s	145	160-190	220
JAB	JB101S III	2170	4785	26-33	n/s	n/s	145	160-190	160-180
Soosan	SQ100	2185	4818	25-30	3.78	3168	150	150-210	160-180
Caterpillar	H130GC	2187	4822	25-32	6	n/s	150	160-190	160-180
Bento	BTOR 36 S	2200	4851	25-36	7.58	3089	145	n/s	n/s
BTi	BXR65	2200	4851	19-42	8.8	2863	150	n/s	n/s
BTi	BXR65C	2200	4851	19-42	8.81	2863	150	175-220	186
Dehaco	DBH 220	2200	4851	27-35	6.11	n/s	150	160-190	160-180
Atlas Copco	EC 150	2200	4851	25-40	n/s	n/s	150	150-200	150-170
Hammer	FX2200	2200	4851	23-35	5.4	3000	150	165-190	180
GB	GBN300E	2200	4851	24-36	n/s	n/s	150	150-190	160-180
Epiroc	HB 2500	2200	4851	27-46	n/s	2087	155	170-220	160-180
JCB	HM2470Q	2200	4851	24-36	3.86	1933	150	135-200	n/s
Indeco	HP 3500 FS	2200	4851	21-38	5.2	n/s	145	160-200	210
Indeco	HP 6000 FS	2200	4851	21-38	n/s	n/s	145	n/s	210
Kinshofer	KFX 32	2200	4851	23-35	5.4	3000	n/s	165-190	180
MTB	MT 210	2200	4851	n/s	n/s	n/s	n/s	n/s	n/s
Inan Makina	MTB 215	2200	4851	25-32	4.5	n/s	145	160-230	140
Rotair	OLS 2200	2200	4851	27-35	6.1	2910	150	n/s	175
Rotar	RHB 300	2200	4851	25-40	n/s	n/s	150	150-200	150-170
Chicago Pneumatic	RX29	2200	4851	25-40	3.90	2521	150	n/s	n/s
Chicago Pneumatic	RX30	2200	4851	25-40	n/s	1225	150	150-200	150-170
Komac	TOR 36V	2200	4851	27-35	7.43	n/s	145	160-190	160-180
Caterpillar	B30	2209	4871	25-32	6	n/s	150	160-190	180
Dehaco	lbex 2202GS	2215	4884	25-32	n/s	1300	150	160-190	160-180
Feel	Fine 36X	2220	4895	28-35	n/s	n/s	140	n/s	n/s
Komatsu	JTHB290-1	2220	4895	20-30	7.46	n/s	140	160-210	140-180
Globram	RM145	2230	4917	22-37	5.09	2595	144	165-200	130-158
Rammer	3288 PRO	2240	4939	28-45	n/s	n/s	142	160-230	135-145
Case	CH-190	2245	4950	n/s	7.5	n/s	140	160-210	n/s
Top	A 2000 S	2250	4961	26-35	6.74	n/s	149	n/s	n/s
All-Kor	AKB 320 V	2250	4961	27-37	n/s	n/s	150	n/s	n/s
Beilite	BLT 160 S	2250	4961	n/s	n/s	2710	155	n/s	n/s
JAB	JB101T III	2250	4961	25-32	n/s	n/s	145	160-190	160-180
JAB	JB110S III	2250	4961	25-32	n/s	n/s	150	160-190	160-180
MSB	MS 700 H	2250	4961	25-32	7.5	2090	140	170-200	130-150
Toku	TNB-190LU	2250	4961	20-30	n/s	n/s	140	160-210	140-180
All-Kor	AKB 320	2254	4970	26-39	n/s	n/s	150	160-190	220

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Feel	Fine 35	2270	5005	28-35	n/s	n/s	150	n/s	n/s
AJCE	AB-1000M	2279	5025	25-30	5.42	n/s	150	150-210	160-180
Drago	DB-S 150 F	2280	5027	25-35	5.35	n/s	150	n/s	n/s
Komac	KB 3600V	2300	5072	27-35	6.13	n/s	150	160-190	160-180
Tabe	MT 20	2300	5072	25-35	6.8	2485	1320	175-220	160-190
MSB	SAGA 310H	2300	5072	25-35	n/s	n/s	150	140-180	140-160
Rammer	R45P	2315	5105	32-53	n/s	2702	165	200-250	160-180
D&A	30G	2320	5116	n/s	n/s	2950	150	150-190	157-177
Inan Makina	MTB C-Type 215	2320	5116	25-32	4.5	n/s	145	160-230	140
Kwanglim	SG2800	2330	5138	27-30	10.17	2797	155	170-240	157-177
Sandvik	BR3288	2330-2350	n/s	26-40	n/s	2571	142	160-250	150-160
Vulcan	V30GS	2340	5160	25-36	10.2	n/s	150	151-200	159-179
Bento	BXP 2400	2350	5182	24-36	6	3200	150	n/s	n/s
Feel	Fine 37X	2350	5182	36-40	n/s	n/s	155	n/s	n/s
Promove	XP 2400	2350	5182	24-35	7.88	685	150	170-190	180-190
Soosan	ET300	2356	5195	25-32	n/s	2911	150	150-190	160-180
Beilite	BLTB-150	2359	5202	24-27	n/s	3019	150	130-190	157-177
Ramtec	EH240	2360	5204	27-40	n/s	n/s	142	160-250	150-160
Dongyang	DHB-900T	2380	5248	25-32	n/s	2788	150	150-190	160-180
Northerntrack	FX-320 Pro	2380	5248	25-36	n/s	n/s	150	180-240	160-190
Dongyang	DHB-900	2394	5279	25-32	n/s	2788	150	150-190	160-180
All-Kor	AKB 380FH	2396	5283	26-38	n/s	n/s	140	160-230	175
JAB	RB28	2396	5283	26-38	n/s	n/s	140	160-230	140
LaBounty	LMB4035	2399	5290	26-40	10	n/s	141	n/s	149-159
D&A	300DP	2400	5292	24-36	n/s	n/s	150	180-240	157-186
GB	GBN400T	2400	5292	28-40	n/s	n/s	155	160-240	160-180
Italdem	GK 2300 S	2400	5292	28-40	5	n/s	150	220-230	140-150
Italdem	GK 2500 S	2400	5292	28-40	5	n/s	150	220-230	140-150
Omal	HB 2400	2400	5292	26-32	4	n/s	145	160-195	140-160
Idromeccanica	IMI 240 M	2400	5292	26-35	6.5	2450	150	170-190	150-180
Stanley	MB/XP4035	2400	5292	26	10.8	n/s	142	n/s	n/s
Socomec	MDO 2300 TS	2400	5292	25-33	6	2780	152	n/s	n/s
SkanCraft	SCB36	2400	5292	25-36	6.41	n/s	150	154-204	160-190
Eusiti	SGK-2500S	2400	5292	28-40	5	n/s	150	220-230	140-150
Yujin Tech	YJB 3600	2400	5292	28-35	7.2	2904	150	190-250	160-180
JAB	JB110T III	2410	5314	25-32	n/s	n/s	150	160-190	160-180
Dowin	DW 30G	2420	5336	27 - 30	7	2500	150	150 - 190	160 - 180
Jisung	JSB30GT	2420	5336	27-30	7	2500	150	150-190	160-180
Rich Power	RPB30GT	2420	5336	27-30	7	2500	150	150-190	160-180
Jisung	JSB121D	2440	5380	28-35	6.5	2731	155	180-240	160-180
MSB	MS 30AT	2440	5380	28-33	n/s	n/s	150	170-200	130-150
Rich Power	RPB121D	2440	5380	28-35	6.5	2731	155	180-240	160-180
Arden	AB2452	2450	5402	25-36	8.75	3050	150	n/s	160-180
Arden	AB2453	2450	5402	19-26	n/s	n/s	n/s	n/s	n/s
Doosan	DXB260H	2450	5402	30-38	5	2792	156	240	180
Dongyang	DYB-1200T	2450	5402	28-40	n/s	3170	155	170-230	160-180
Ramtec	RT 2500 P	2450	5402	27-35	6.4	2500	150	n/s	n/s
Dongyang	DHB-900S	2454	5411	25-32	n/s	3057	150	150-190	160-180
Dongyang	DYB-1200	2460	5424	28-40	n/s	2736	155	170-230	160-180
Globram	RM150	2475	5457	25-42	5.9	2600	150	175-225	135-158
Everdigm	EHB30	2477	5462	26-35	4.2	3276	150	170-240	165-185
Kwanglim	SG2800S	2481	5471	27-30	7.46	3217	155	170-240	157-177
Caterpillar	H130GC S	2487	5484	25-32	6	1795	150	160-190	180
Prodem	PRB300	2492	5495	26-35	4.2	n/s	150	170-240	165-185
Dongyang	DYB-1200S	2495	5501	28-40	n/s	3306	155	170-230	160-180
Hydraram	FX-340	2500	5513	28-40	7.2	3170	155	170-230	160-180
Epiroc	HB 2500	2500	5513	27-46	n/s	2042	155	170-220	160-180
Indeco	HP 4000 FS	2500	5513	23-42	6.2	n/s	150	180-230	210
Indeco	HP 7500 FS	2500	5513	23-42	n/s	n/s	150	n/s	210
Jisung	JSB130D	2501	5515	30-40	9	2816	155	200-260	160-180
Rich Power	RPB130D	2501	5515	30-40	9	2816	155	200-260	160-180
A-Ward	AWB3500	2505	5524	26-35	9.4	n/s	155	n/s	156-176
AJCE	AB-380F	2519	5554	25-33	5.19	n/s	150	175-220	160-180
MTB	MT 255	2520	5557	n/s	n/s	n/s	n/s	n/s	n/s

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Inan Makina	MTB 255	2520	5557	29-40	5.51	n/s	150	180-250	140
Jisung	JSB30GD	2530	5579	27-30	7	2300	150	150-190	160-180
Komatsu	JTHB350-3	2530	5579	27-40	10.17	n/s	146	180-230	130-180
Rich Power	RPB30GD	2530	5579	27-30	7	2300	150	150-190	160-180
Beilite	BLT 150 H	2540	5601	n/s	n/s	2500	150	n/s	n/s
Beilite	BLT 150 II	2540	5601	n/s	n/s	2500	150	n/s	n/s
Beilite	BLT 150 S	2540	5601	n/s	n/s	2500	150	n/s	n/s
Jisung	JSB30GS	2540	5601	27-30	7	2500	150	150-190	160-180
Montabert	V45	2547	5616	27-40	n/s	n/s	150	180-265	165
Beilite	BLT 160 H	2550	5623	n/s	n/s	2710	155	n/s	n/s
Beilite	BLT 160 II	2550	5623	n/s	n/s	2710	155	n/s	n/s
Doosan	DBX260	2550	5623	30-38	4.5	n/s	156	150-240	180
Montabert	V 45 SHD	2550	5623	27-40	n/s	2658	150	n/s	n/s
NPK	H-16X	2563	5651	25-39	n/s	n/s	145	173-235	155
NPK	E216	2565	5656	25-39	n/s	n/s	146	170-220	172
Montabert	V 2500	2570	5667	27-40	n/s	2853	160	n/s	n/s
Montabert	V2500 EVO	2571	5669	27-40	n/s	n/s	160	175-250	155
Okada	TOP270	2576	5680	20-30	7.46	2900	140	178-238	128-168
Epiroc	EC 155	2600	5733	30-45	n/s	2020	155	180-220	160-180
FRD	FXJ375	2600	5733	25-42	7.31	2715	155	170-260	300-550
Inan Makina	GA400	2600	5733	32-44	n/s	n/s	160	190-250	160-180
Socomec	MDO 2500 TS	2600	5733	26-33	6.2	n/s	152	230	140
Rotar	RHB 380	2600	5733	29-46	n/s	n/s	155	180-220	160-180
Chicago Pneumatic	RX38	2600	5733	29-46	n/s	1270	155	180-220	160-180
Okada	Okada 3600	2610	5755	25-36	n/s	3016	150	180-250	140-190
NPK	GH-15	2618	5773	28-45	n/s	2933	156	200-250	180
Soosan	SB121 TS-P	2632	5804	28-35	5.01	3215	155	180-240	160-180
Dowin	DW T350	2635	5810	28-35	6.5	3255	155	180-240	160-180
Jisung	JSB121S	2635	5810	28-35	6.5	3255	155	180-240	160-180
Kwanglim	SG3300	2640	5821	28-44	13.56	2780	158	180-240	157-177
Genesis	GHB 6000	2645	5832	25-30	8.13	n/s	149	150-210	160-180
All-Kor	AKB 350	2650	5843	30-44	n/s	n/s	150	160-190	220
Boohung	BHB120	2650	5843	33-50	n/s	n/s	155	190-250	170-190
Feel	Fine 37	2650	5843	36-40	n/s	n/s	155	n/s	n/s
JAB	JB111S III	2650	5843	33-38	n/s	n/s	150	160-190	160-180
Inan Makina	MTB C-Type 255	2655	5854	29-40	5.61	n/s	150	180-250	140
Caterpillar	H140E S	2660	5865	24-42	8.14	2167	140	160-230	160
Montabert	XL 2600	2670	5887	28-38	n/s	2792	156	150-240	180
Soosan	SQ120	2671	5890	28-35	5.05	3168	155	180-240	160-180
Giant Hydraulic Tech	GT150 Silence	2676	5901	28-35	n/s	n/s	155	180-240	160-180
Feel	Fine 45X	2690	5931	40-49	n/s	n/s	160	n/s	n/s
Toku	TNB-23QLU1	2690	5931	27-40	n/s	n/s	146	180-230	130-180
Giant Hydraulic Tech	GT160 Silence	2691	5934	30-40	n/s	n/s	155	190-250	160-180
Case	CH-230	2694	5940	n/s	10.17	n/s	146	180-230	n/s
D&A	360DP	2700	5954	28-42	n/s	n/s	155	200-260	157-186
JCB	HM270T	2700	5954	28-42	11.31	n/s	155	170-238	160-190
Jisung	JSB121T	2700	5954	28-35	6.5	3255	155	180-240	160-180
Rich Power	RPB121T	2700	5954	28-35	6.5	3255	155	180-240	160-180
SkanCraft	SCB42	2700	5954	28-42	7.37	n/s	155	170-238	160-190
JAB	JB111T III	2750	6064	28-40	n/s	n/s	150	160-190	160-180
Giant Hydraulic Tech	GT190 Silence	2791	6154	35-45	n/s	n/s	160	190-250	160-180
AJCE	AB-480F	2796	6165	33-45	10.39	n/s	158	200-250	160-180
Rammer	4099	2800	6174	34-55	n/s	2962	166	250-350	150-160
Rammer	4099E	2800	6174	34-55	n/s	2962	166	250-350	150-160
Dehaco	DBH 280	2800	6174	33-40	8.99	n/s	155	190-250	160-180
Northerntrack	FX-380 Pro	2800	6174	30-42	n/s	n/s	155	200-260	160-190
GB	GBN400E	2800	6174	33-50	n/s	n/s	160	180-250	160-180
JAB	JB120S III	2800	6174	32-42	n/s	n/s	160	190-250	160-180
Boohung	BH 1600	2815	6207	34-46	8.21	n/s	160	190-250	160-190
Wimmer	WH42-A	2820	6218	33-50	n/s	n/s	165	170-300	140
Kwanglim	SG3300S	2822	6223	28-44	9.5	3281	158	180-240	157-177
AJCE	AB 1300 M	2830	6240	30-45	n/s	n/s	165	n/s	n/s
Daemo	B300	2832	6245	26-32	n/s	3200	150	180-250	n/s
Soosan	SB130 TS-P	2833	6247	30-45	6.57	3392	165	200-260	160-180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Genesis	GHB 8000	2841	6264	28-35	10.85	n/s	154	180-240	160-180
Arden	AB2852	2850	6284	28-42	10.9	3230	155	n/s	160-180
Arden	AB2853	2850	6284	26-37	n/s	n/s	n/s	n/s	n/s
All-Kor	AKB 400 S	2850	6284	33-50	n/s	n/s	155	n/s	n/s
Bento	BKB 4200 S	2850	6284	32-50	10.5	3290	155	n/s	n/s
Dowin	DW T380	2850	6284	30-40	9	3395	155	200-260	160-180
GB	GBN645E	2850	6284	33-50	n/s	n/s	155	210-320	150-190
Jisung	JSB130S	2850	6284	30-40	9	3395	155	200-260	160-180
Komac	KB 4200H	2856	6297	34-47	10.2	n/s	155	190-250	170-190
Komac	KB 4200S	2856	6297	34-47	10.2	n/s	155	190-250	170-190
NPK	E218	2860	6306	30-43	n/s	n/s	160	208-265	183
Feel	Fine 45	2860	6306	40-49	n/s	n/s	160	n/s	n/s
Stanley	MBX408	2871	6331	26-40	10	3230	155	190-250	160-180
Stanley	MBX458	2876	6342	27-45	11.66	3341	160	190-250	160-180
AJCE	AB-1200M	2896	6386	28-35	6.78	n/s	155	180-240	160-180
Hammer	FX2800	2900	6395	28-45	8.5	3300	160	180-240	180
Jisung	JSB40GD	2900	6395	35-45	9.9	2500	160	190-250	160-180
Kinshofer	KFX 36	2900	6395	28-45	8.5	3300	n/s	180-240	180
Okada	Okada 4200	2900	6395	28-42	n/s	3209	155	170-238	150-190
Globram	RM160	2930	6461	28-49	7.8	2945	159	185-260	135-158
Daemo	B360	2937	6476	28-36	n/s	3200	155	180-250	n/s
All-Kor	AKB 400	2950	6505	32-42	n/s	n/s	155	280-360	220
All-Kor	AKB 400 V	2950	6505	33-50	n/s	n/s	155	n/s	n/s
BTi	BXR85	2950	6505	28-48	11.5	3241	160	n/s	n/s
BTi	BXR85C	2950	6505	28-52	11.52	3241	160	190-240	186
Dehaco	lbex 2800GS	2950	6505	32-40	n/s	1400	153	180-220	160-180
JAB	JB120T III	2950	6505	32-42	n/s	n/s	160	190-250	160-181
MSB	MS 35AT	2950	6505	30-45	6.75	2330	165	190-220	130-150
Inan Makina	MTB 285	2950	6505	33-50	6	n/s	160	170-280	140
NPK	H-20X	2955	6516	30-43	n/s	n/s	155	204-265	172
Dongyang	DHB-1400T	2960	6527	30-42	n/s	3420	160	170-230	160-180
Okada	TOP300B	2980	6571	28-45	n/s	3241	155	280-300	140-180
Komac	TOR 42H	2980	6571	34-47	10.51	n/s	155	190-250	160-180
AJCE	AB-1250M	2983	6578	30-36	8.81	n/s	155	180-250	160-180
Beilite	BLTB-155	2986	6584	27-33	n/s	3133	155	180-240	157-177
Jisung	JSB130T	2995	6604	30-40	9	3395	155	200-260	160-180
Rich Power	RPB130T	2995	6604	30-40	9	3395	155	200-260	160-180
Caterpillar	B35	3000	6615	30-40	7.5	n/s	153	180-220	180
Feel	FINE 46X	3000	6615	40-49	n/s	n/s	165	n/s	n/s
Italdem	GK 2800 S	3000	6615	30-50	6.3	n/s	165	250-260	150-160
Italdem	GK 3000 S	3000	6615	30-50	6.3	n/s	165	250-260	150-160
JCB	HM3070Q	3000	6615	30	5.50	2196	165	210-270	n/s
Allied	HR 600	3000	6615	n/s	n/s	2790	153	n/s	n/s
Idromeccanica	IMI 290 M	3000	6615	35-50	10	2800	155	200-250	160-190
Socomec	MDO 3000 TS	3000	6615	32-45	8	3005	165	n/s	n/s
Rotar	RHB 460	3000	6615	29-46	n/s	n/s	165	210-260	160-180
Chicago Pneumatic	RX45	3000	6615	35-55	5.1	2870	165	n/s	n/s
Chicago Pneumatic	RX46	3000	6615	35-55	n/s	1365	165	220-270	160-180
Eusiti	SGK-3000S	3000	6615	30-50	6.3	n/s	165	250-260	150-160
All-Kor	AKB 480FH	3006	6628	33-48	n/s	n/s	155	320-420	185
JAB	RB38	3006	6628	33-48	n/s	n/s	155	170-240	145
Okada	TOP300	3016	6650	28-52	10.17	3200	155	238-273	140-180
Dongyang	DHB-1400S	3020	6659	30-42	n/s	3306	160	170-230	160-180
Dowin	DW 40G	3020	6659	35-45	9.9	2950	160	190 - 250	160 - 180
Jisung	JSB40GT	3020	6659	35-45	9.9	2950	160	190-250	160-180
Soosan	SG130	3033	6688	30-45	6.58	3360	165	200-260	160-180
All-Kor	AKB 450	3038	6699	37-53	n/s	n/s	155	190-250	220
JAB	JB121S III	3040	6703	38-42	n/s	n/s	155	190-250	160-180
Vulcan	V40GS	3040	6703	31-54	16.3	n/s	152.4	167-227	159-190
Rammer	4099 PRO	3050	6725	34-55	n/s	3182	166	250-320	135-145
GB	GBN745E	3050	6725	33-50	n/s	n/s	165	250-380	160-190
MSB	Saga 400H	3050	6725	33-45	n/s	n/s	160	190-260	160-180
NPK	GH-18	3067	6763	38-50	n/s	3056	165	220-290	180
Caterpillar	H140GC	3074	6778	30-40	7.5	n/s	153	180-220	160-180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Dongyang	DHB-1400	3085	6802	30-42	n/s	3420	160	170-230	160-180
NPK	E220	3085	6802	30-45	n/s	n/s	156	200-250	162
Bento	BXP 3100	3090	6813	30-50	7.33	3500	160	n/s	n/s
Soosan	SB140 TS-P	3090	6813	30-45	7.05	3475	165	200-260	200-350
Promove	XP 3100	3090	6813	30-48	13.11	690	160	190-240	180-190
Feel	Fine 46	3100	6836	40-49	n/s	n/s	165	n/s	n/s
OSA Demolition Equipment	HB 3000	3100	6836	30-40	9.5	2980	162	260-320	130-160
Epiroc	HB 3100	3100	6836	32-52	n/s	2209	165	210-270	160-180
Socomec	MDO 3100 TS	3100	6836	32-45	8.2	n/s	165	270	150
Prodem	PRB400	3100	6836	32-45	6	n/s	165	200-280	165-185
Ramtec	RT 3200 P	3100	6836	32-50	9.8	2750	155	n/s	n/s
Soosan	SB147	3101	6838	28-45	n/s	3099	165	200-260	160-180
Jisung	JSB40GS	3110	6858	35-45	9.9	2950	160	190-250	160-180
Caterpillar	H140GC S	3134	6910	30-40	7.5	2025	153	180-220	180
Drago	DB-S 155 ACC	3150	6946	25-35	4.56	n/s	155	n/s	n/s
Atlas Copco	EC 165	3150	6946	30-50	n/s	n/s	165	200-270	160-180
Indeco	HP 10000 FS	3150	6946	27-50	n/s	n/s	160	n/s	210
Indeco	HP 5000 FS	3150	6946	27-50	8	n/s	160	190-265	210
Komac	KB 4200V	3150	6946	34-47	10.2	n/s	155	190-250	170-190
Soosan	SQ140	3169	6988	30-45	7.06	3441	165	200-260	160-180
Yujin Tech	YJB 4000	3190	7034	33-50	9.97	3258	160	190-250	160-180
Hammer	FX3200	3200	7056	30-47	9	3400	160	200-260	180
Northerntrack	FX-460 Pro	3200	7056	34-50	n/s	n/s	165	220-280	160-190
FRD	FXJ475	3200	7056	33-55	9.62	2892	170	200-300	160-180
GB	GBN460E	3200	7056	37-55	n/s	n/s	165	200-260	160-180
JAB	JB140S III	3200	7056	35-45	n/s	n/s	165	200-260	160-180
Kinshofer	KFX 40	3200	7056	30-47	9	3400	n/s	200-260	180
Inan Makina	MTB C-Type 285	3200	7056	33-50	6	n/s	160	170-280	140
Bento	BTOR 42 S	3210	7078	32-50	10.72	3250	155	n/s	n/s
Komac	TOR 42S	3210	7078	34-47	10.51	n/s	155	190-250	160-180
JAB	JB121T III	3220	7100	35-45	n/s	n/s	155	190-250	160-180
Dehaco	Ibex 3000HS	3250	7166	30-45	n/s	1350	165	190-220	130-150
Everdigm	EHB40	3251	7168	32-45	6	3460	165	200-280	165-185
Montabert	V3500	3261	7191	35-60	n/s	n/s	175	250-320	175
D&A	450DP	3300	7277	34-50	n/s	n/s	165	220-280	157-186
Dehaco	IBEX 3200GS	3300	7277	36-45	n/s	1400	160	190-260	160-180
Taber	MT 30	3300	7277	30-50	8.8	2815	1525	205-245	160-190
Arrowhead	S 330	3300	7277	29-45	10	2600	160	n/s	n/s
SkanCraft	SCB50	3300	7277	34-50	7.93	n/s	165	187-250	150-190
Komac	TOR 42V	3310	7299	34-47	10.51	n/s	155	190-250	160-180
Genesis	GHB 10000	3312	7303	30-45	13.56	n/s	164	200-260	160-180
Kwanglim	SG5000S	3342	7369	40-70	12.21	3618	180	240-320	157-177
Doosan	DBX420	3356	7400	32-45	6	n/s	165	200-280	185
GB	GBN450E	3360	7409	37-55	n/s	n/s	165	190-280	160-180
Beilite	BLT 175 H	3372	7435	n/s	n/s	3087	175	n/s	n/s
Beilite	BLT 175 II	3372	7435	n/s	n/s	3087	175	n/s	n/s
Beilite	BLT 175 S	3372	7435	n/s	n/s	3087	175	n/s	n/s
LaBounty	LMB5545	3379	7451	34-55	15	n/s	166	n/s	149-159
Drago	DB-S 165 ACC	3380	7453	30-45	5.98	n/s	165	n/s	n/s
Ramtec	EH300	3380	7453	34-55	n/s	n/s	166	250-350	150-160
Sandvik	BR4099	3380-3540	n/s	34-55	n/s	2962	166	250-350	150-160
AJCE	AB-1400M	3399	7495	30-45	10.85	n/s	165	200-260	160-180
Stanley	MB/XP5545	3400	7497	34	14.9	n/s	166	n/s	n/s
JAB	JB140T III	3420	7541	35-45	n/s	n/s	165	200-260	160-182
Montabert	V 55 SHD	3430	7563	35-60	n/s	2925	170	n/s	n/s
Montabert	V55	3430	7563	35-50	n/s	n/s	170	240-320	165
All-Kor	AKB 500	3434	7572	40-58	n/s	n/s	160	200-260	220
NPK	E224A	3493	7702	31-45	n/s	n/s	175	265 - 321	190
Feel	Fine 50X	3500	7718	50-65	n/s	n/s	175	n/s	n/s
Montabert	V 3500	3500	7718	35-60	n/s	3090	175	n/s	n/s
Caterpillar	H160E S	3530	7784	32-55	11.52	2414	160	220-300	160
Giant Hydraulic Tech	GT200 Silence	3532	7788	40-55	n/s	n/s	175	210-290	160-180
Kwanglim	SG5000	3533	7790	40-70	16.28	3022	180	240-320	157-177
BTi	BXR100C	3540	7806	34-68	16.56	3400	170	250-310	186

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Beilite	BLTB-165	3541	7808	33-38	n/s	3420	165	200-260	157-177
Arden	AB3552	3550	7828	34-50	12.25	3420	165	n/s	160-180
Arden	AB3553	3550	7828	26-37	n/s	n/s	n/s	n/s	n/s
BTi	BXR100	3550	7828	34-68	13.5	3399	170	n/s	n/s
Case	CH-310	3592	7920	n/s	13.56	n/s	160	240-303	n/s
Epiroc	HB 3600	3600	7938	35-63	n/s	2274	170	240-300	160-180
Komatsu	JTHB450-3	3600	7938	38-50	13.56	n/s	160	240-300	140-180
Wimmer	VH55-A	3615	7971	40-70	n/s	n/s	175	200-300	140
GB	GBN450T	3630	8004	38-52	n/s	n/s	165	200-260	160-180
JAB	JB141S III	3630	8004	42-47	n/s	n/s	165	200-260	160-180
Feel	FINE 50	3700	8159	50-65	n/s	n/s	175	n/s	n/s
Hammer	FX3700	3700	8159	35-50	9.5	3500	175	250-300	180
Kinshofer	KFX 47	3700	8159	35-50	9.5	3500	n/s	250-300	180
Daemo	B450	3713	8187	40-50	n/s	3595	165	200-280	n/s
Boohung	BH 1800	3750	8269	43-60	10.65	n/s	180	210-290	160-190
MSB	MS 45AT	3750	8269	40-55	7.97	2450	175	210-240	130-150
MTB	MT 360	3750	8269	n/s	n/s	n/s	n/s	n/s	n/s
Dongyang	DYB-1500	3753	8275	42-55	n/s	3236	175	200-300	160-180
Jisung	JSB151D	3788	8353	40-55	12	3143	175	210-290	160-180
Rammer	4510	3800	8379	40-70	9	3010	170	n/s	n/s
D&A	550DP	3800	8379	40-60	n/s	n/s	175	240-320	157-186
All-Kor	AKB 600 V	3800	8379	45-70	n/s	n/s	175	n/s	n/s
A-Ward	AWB5000	3800	8379	43-50	16.3	n/s	175	n/s	156-176
Sandvik	BR 4510	3800	8379	40-70	9	3010	170	n/s	n/s
Sandvik	BR 4510 City	3800	8379	40-70	9	3010	170	n/s	n/s
Dehaco	DBH 380	3800	8379	40-50	12.59	n/s	175	210-290	160-180
Northerntrack	FX-520 Pro	3800	8379	42-60	n/s	n/s	175	240-320	160-190
JCB	HM380T	3800	8379	40-60	22.47	n/s	175	204-272	150-190
Inan Makina	MTB 365	3800	8379	40-65	8	n/s	175	180-280	140
Inan Makina	MTB C-Type 365	3800	8379	40-65	8	n/s	175	180-280	140
SkanCraft	SCB60	3800	8379	40-60	9.35	n/s	175	204-272	150-190
Toku	TNB-310LU1	3800	8379	38-50	n/s	n/s	160	240-300	140-180
Soosan	SB157	3897	8593	40-55	n/s	3212	175	210-290	160-190
Stanley	MBX608	3899	8597	35-59	14.91	3744	175	210-290	160-180
Rammer	4511	3900	8600	n/s	9.2	3010	175	n/s	n/s
Rammer	5011	3900	8600	43-80	n/s	3329	190	280-380	160-170
Rammer	5011E	3900	8600	43-80	n/s	3329	190	280-380	160-170
Sandvik	BR 4511 City	3900	8600	40-70	9.2	3010	175	n/s	n/s
Sandvik	BR 4511 City Pro	3900	8600	40-70	9.8	3010	175	n/s	n/s
Allied	HR 710	3900	8600	n/s	n/s	3230	180	n/s	n/s
Globram	RM180	3900	8600	34-62	9.99	3220	180	245-300	140-162
Dongyang	DHB-1500T	3905	8611	45-60	n/s	3830	180	190-270	160-180
Vulcan	V50GS	3905	8611	40-74	20.3	n/s	180.3	250-299	159-179
All-Kor	AKB 620FH	3920	8644	43-63	n/s	n/s	170	300-400	190
Dongyang	DYB-1500T	3920	8644	42-55	n/s	3330	175	200-300	160-180
JAB	RB48	3920	8644	43-63	n/s	n/s	170	190-250	155
Dongyang	DHB-1500S	3924	8652	45-60	n/s	3782	180	190-270	160-180
Okada	Okada 6000	3950	8710	37-60	n/s	3627	169	230-310	150-190
Soosan	SQ150	3950	8710	40-55	8.16	3677	175	210-290	160-180
Dongyang	DYB-1500S	3957	8725	42-55	n/s	3838	175	200-300	160-180
All-Kor	AKB 600 S	3990	8798	45-70	n/s	n/s	175	n/s	n/s
Dowin	DW T480	3990	8798	40-55	12	3709	175	210-290	160-180
Jisung	JSB151S	3990	8798	40-55	12	3709	175	210-290	160-180
Soosan	SB151 TS-P	3991	8800	40-55	8.15	3736	175	210-290	160-180
Arden	AB4052	4000	8820	40-60	15.24	3650	175	n/s	160-180
Arden	AB4053	4000	8820	37-53	n/s	n/s	n/s	n/s	n/s
Italdem	GK 3800 S	4000	8820	40-65	8.3	n/s	185	300-310	150-160
Italdem	GK 4000 S	4000	8820	40-65	8.3	n/s	185	300-310	150-160
OSA Demolition Equipment	HB 4000	4000	8820	38-60	12	3180	177	280-340	130-160
Indeco	HP 7000 FS	4000	8820	32-63	10.5	n/s	180	250-305	210
Eusiti	SGK-4000S	4000	8820	40-65	8.3	n/s	185	300-310	150-160
Yujin Tech	YJB 5000	4000	8820	45-55	13.13	3726	175	250-310	160-180
Dongyang	DHB-1500	4010	8842	45-60	n/s	3830	180	190-270	160-180
Everdigm	EHB50	4010	8842	40-70	7.9	3735	180	230-330	165-185

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
BTi	BXR120	4100	9041	42-81	16.3	3502	180	n/s	n/s
Dowin	DW 50GX	4100	9041	35-50	16	3790	175	180 - 350	170-230
Epiroc	HB 4100	4100	9041	40-70	n/s	2359	180	250-320	160-180
Jisung	JSB151T	4100	9041	40-55	12	3886	175	210-290	160-180
Daemo	B600	4105	9052	42-81	n/s	3616	n/s	280-400	n/s
Okada	TOP400	4135	9118	40-60	n/s	3833	169	280-350	140-180
Bento	BTOR 55 S	4150	9151	47-70	13.1	3650	175	n/s	n/s
Hydraram	FX-500	4150	9151	42-55	13	3610	175	200-300	160-180
Komac	TOR 55S	4150	9151	47-70	12.85	n/s	175	210-310	160-190
Doosan	DBX500	4165	9184	40-70	7.9	n/s	175	230-330	185
BTi	BXR120C	4170	9195	42-81	16.27	3500	180	320-400	186
All-Kor	AKB 600	4183	9224	48-70	n/s	n/s	170	210-290	220
AJCE	AB-580F	4200	9261	45-60	14	n/s	185	210-290	160-180
Genesis	GHB 12000	4200	9261	40-55	16.27	n/s	180	250-300	160-180
Socomec	MDO 4000 TS	4200	9261	45-65	10	3200	180	n/s	n/s
Prodem	PRB500	4200	9261	40-70	7.9	n/s	180	230-330	165-185
Rotar	RHB 540	4200	9261	45-70	n/s	n/s	180	250-320	160-180
Chicago Pneumatic	RX53	4200	9261	40-70	6.4	3084	180	n/s	n/s
Chicago Pneumatic	RX54	4200	9261	45-70	n/s	1500	180	250-320	160-180
MSB	Saga 510H	4200	9261	40-55	n/s	n/s	180	250-300	140-160
Komac	TOR 55H	4200	9261	47-70	12.85	n/s	175	210-310	160-190
Rammer	5011 PRO	4250	9371	43-80	n/s	n/s	190	280-340	140-150
Feel	Fine 65	4300	9482	60-70	n/s	n/s	185	n/s	n/s
GB	GBN520T	4340	9570	45-70	n/s	n/s	180	210-290	160-180
Caterpillar	H180E S	4340	9570	42-76	16.27	2556	180	220-300	160
All-Kor	AKB 700	4341	9572	47-57	n/s	n/s	175	210-290	220
FRD	F70XP	4350	9592	45-70	13.67	3235	75	n/s	n/s
Daemo	B650	4380	9658	42-81	n/s	3766	180	280-400	n/s
Bento	BXP 4500	4380	9658	45-70	13.75	3800	180	n/s	n/s
JAB	JB171S III	4380	9658	47-57	n/s	n/s	175	210-290	160-180
Komac	TOR 55V	4380	9658	47-70	12.85	n/s	175	210-310	160-190
Promove	xP 4500	4380	9658	45-80	16.87	700	180	290-330	180-190
AJCE	AB-1500M	4390	9680	40-55	12.2	n/s	175	210-290	160-180
Hammer	FX4200	4400	9702	37-57	12.5	3800	180	270-320	190
Dehaco	IBEX 4000GS	4400	9702	40-55	n/s	1800	180	250-300	160-180
Kinshofer	KFX 58	4400	9702	37-57	12.5	3800	n/s	270-320	190
Dehaco	lbex 4000HS	4430	9768	40-55	n/s	1500	175	210-240	130-150
JAB	JB170S III	4460	9834	45-62	n/s	n/s	175	210-290	160-180
D&A	650DP	4500	9923	45-80	n/s	n/s	180	260-360	147-186
Arden	AB5053	4500	9923	37-53	n/s	n/s	n/s	n/s	n/s
Dehaco	DBH 450	4500	9923	45-60	15.32	n/s	180	210-290	160-180
Feel	Fine 65X	4500	9923	60-70	n/s	n/s	185	n/s	n/s
Inan Makina	MTB 505	4500	9923	45-70	9.8	n/s	190	220-300	140
Montabert	V 4500	4500	9923	48-80	n/s	3555	190	n/s	n/s
NPK	GH-23	4525	9978	50-60	n/s	3320	174	250-320	180
JAB	JB171T III	4540	10011	45-70	n/s	n/s	175	210-290	160-180
Komatsu	JTHB650-3	4550	10033	45-70	16.27	3000	178	280-390	140-180
Toku	TNB-400LU	4550	10033	45-70	n/s	n/s	178	280-390	140-180
Wimmer	WH65-A	4570	10077	45-70	n/s	n/s	190	250-340	140
Northerntrack	FX-680 Pro	4600	10143	47-78	n/s	n/s	180	260-360	160-190
Beilite	BLTB-175	4617	10180	40-50	n/s	3718	175	220-300	157-177
All-Kor	AKB 800	4650	10253	57-68	n/s	n/s	190	65-114	220
Montabert	V4500	4668	10293	45-80	n/s	n/s	190	280-380	185
JAB	JB170T III	4670	10297	45-62	n/s	n/s	175	210-290	160-183
All-Kor	AKB 750FH	4682	10324	52-75	n/s	n/s	180	250-350	190
JAB	RB68	4682	10324	52-75	n/s	n/s	180	220-350	155
Epiroc	HB 4700	4700	10364	45-80	n/s	2454	190	260-360	160-180
LaBounty	LMB8055	4749	10472	43-80	17	n/s	189	n/s	159-169
Sandvik	BR5011	4750	10474	43-80	n/s	n/s	190	280-380	160-170
Ramtec	EH400	4750	10474	43-80	n/s	n/s	190	280-380	160-170
MTB	MT 500	4750	10474	n/s	n/s	n/s	n/s	n/s	n/s
Arrowhead	S 450	4775	10529	39-71	16	n/s	175	n/s	n/s
FRD	FXJ770	4800	10584	44-75	14.54	3235	190	250-340	160-180
JAB	JB181S III	4800	10584	57-68	n/s	n/s	190	240-340	160-180

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
Stanley	MB/XP8055	4800	10584	43	17.6	n/s	190	n/s	n/s
NPK	H-30X	4808	10602	45-68	n/s	n/s	175	250-303	183
JAB	JB180S III	4820	10628	54-70	n/s	n/s	185	220-310	160-180
Hammer	FX5000	4850	10694	40-70	16.5	4000	195	290-350	190
Kinshofer	KFX 70	4850	10694	40-70	16.5	4000	n/s	290-350	190
Taber	MT 40	4850	10694	45-70	9.7	3025	1600	250-340	160-190
Globram	RM195	4850	10694	40-78	13.68	3380	195	285-350	140-162
GB	GBN600E	4900	10805	44-70	n/s	n/s	180	250-340	160-180
GB	GBN770E	4900	10805	45-55	n/s	n/s	175	250-380	160-200
JAB	JB180T III	4950	10915	54-70	n/s	n/s	185	220-310	160-184
OSA Demolition Equipment	HB 5000	5000	11025	45-70	13.7	3250	180	260-360	160-190
Indeco	HP 14000 FS	5000	11025	39-80	n/s	n/s	195	n/s	21
Indeco	HP 9000 FS	5000	11025	39-80	15	n/s	195	290-355	210
Beilite	BLTB-185	5027	11085	45-60	n/s	3984	185	270-350	167-186
Allied	HR60	5075	11190	27-40	n/s	262	150	151-201	160-180
Dowin	DW 60GX	5100	11246	40-70	18	3995	185	190 - 350	170-230
GB	GBN800E	5100	11246	45-70	n/s	n/s	185	250-380	160-200
Inan Makina	MTB C-Type 505	5100	11246	45-70	9.8	n/s	190	200-300	140
GB	GBN700T	5200	11466	50-75	n/s	n/s	195	240-340	160-180
All-Kor	AKB 1000	5215	11499	68-90	n/s	n/s	210	23-42	220
Beilite	BLTB-190	5393	11892	45-60	n/s	4034	190	280-350	167-186
Beilite	BLTB-195	5408	11925	45-60	n/s	3930	195	290-380	167-186
NPK	GH-30	5450	12017	50-80	n/s	3552	184	280-350	180
JAB	JB 181T III	5450	12017	50-75	n/s	n/s	190	240-340	160-181
BTi	BXR160C	5490	12105	55-100	21.68	3943	200	360-450	186
Dehaco	IBEX 5500HS	5500	12128	50-75	n/s	1600	180	250-305	130-150
MSB	MS 55AT	5500	12128	50-75	9.57	2688	180	250-305	130-150
Montabert	V65	5589	12324	45-90	n/s	n/s	202	380-420	165
Montabert	V 65 SHD	5590	12326	55-90	n/s	3510	202	n/s	n/s
Okada	TOP 800	5600	12348	60	n/s	4424	189	260-380	150-190
Daemo	B800	5625	12403	55-100	n/s	4059	1700	320-450	n/s
BTi	BXR160	5630	12414	55-100	21.5	3943	200	n/s	n/s
D&A	700DP	5700	12569	58-100	n/s	n/s	200	310-390	167-206
Arden	AB6053	5700	12569	53-90	n/s	n/s	n/s	n/s	n/s
Allied	AR 180 C	5700	12569	n/s	n/s	3630	180	n/s	n/s
Hammer	FX6000	5800	12789	45-80	18.5	4200	200	300-380	190
Northerntrack	FX-740 Pro	5800	12789	60-90	n/s	n/s	200	310-390	160-190
Epiroc	HB 5800	5800	12789	58-100	n/s	2580	200	310-390	160-180
Kinshofer	KFX 80	5800	12789	45-80	18.5	4200	n/s	300-380	190
Soosan	SG180	5850	12899	50-90	n/s	3958	197	300-400	160-180
Soosan	SG181	5889	12985	50-90	n/s	n/s	200	350-450	180-200
Rammer	9033	6000	13230	68-120	n/s	3707	215	360-460	170-180
OSA Demolition Equipment	HB 6000	6000	13230	60-100	14.5	4000	202	310-390	170-210
Socomec	MDO 6000 TS	6000	13230	60-90	12	n/s	198	400	160
Montabert	V 6000	6000	13230	55-90	n/s	3743	215	n/s	n/s
Komac	TOR 70S	6200	13671	65-85	16.67	n/s	195	300-400	180-210
GB	GBN900E	6300	13892	55-100	n/s	n/s	208	280-390	180-205
Komac	TOR 70H	6420	14156	65-85	16.67	n/s	195	300-400	180-210
Everdigm	EHB70	6500	14333	60-110	10	n/s	205	320-420	165-185
FRD	F100XP	6500	14333	65-100	15.69	3800	210	n/s	n/s
JAB	JB191S III	6500	14333	68-90	n/s	n/s	210	42-72	160-180
Komac	TOR 70V	6520	14377	67-85	16.67	n/s	195	300-400	180-210
Rammer	7013	6600	14553	60-100	12.5	3580	203	n/s	n/s
Sandvik	BR 7013	6600	14553	60-100	12.5	3580	203	n/s	n/s
GB	GBN800T	6600	14553	55-100	n/s	n/s	210	30-57	160-180
Doosan	DBX700	6686	14743	60-110	10	n/s	200	320-420	185
Prodem	PRB700	6700	14774	60-110	10	n/s	205	320-420	165-185
Wimmer	WH80-A	6700	14774	60-100	n/s	n/s	210	300-400	150
Komatsu	JTHB850-3	6800	14994	70-100	21.69	3500	210	320-400	140-180
JAB	JB191T III	6820	15038	55-100	n/s	n/s	210	49-151	160-182
MTB	MT 700	6900	15215	n/s	n/s	n/s	n/s	n/s	n/s
Promove	XP 7000	6900	15215	70-130	22.37	800	210	380-420	180-190
Inan Makina	MTB 700	6950	15325	60-100	13	n/s	210	250-350	150
Inan Makina	MTB 705	6950	15325	60-100	13	n/s	210	250-350	150

Manufacturer	Model	Weight (kg)	Weight (lb)	Carry Device (t)	Impact Energy (kJ)	Total Length (mm)	Tool Ø (mm)	Oil Flow (l/min)	Operating pressure (bar)
D&A	750DP	7000	15435	60-100	n/s	n/s	205	350-420	167-206
Arden	AB7052	7000	15435	60-100	n/s	n/s	205	n/s	160-180
Arden	AB7053	7000	15435	53-90	n/s	n/s	n/s	n/s	n/s
Epiroc	HB 7000	7000	15435	70-120	n/s	2855	210	360-450	160-180
SkanCraft	SCB100	7000	15435	60-100	15.03	n/s	205	350-420	170-210
Montabert	V 7000	7000	15435	70-120	n/s	3743	215	n/s	n/s
Beilite	BLTB-210	7011	15459	65-100	n/s	4295	210	380-500	176-196
BTi	BXR185C	7100	15656	65-120	25.1	4590	220	364-455	186
BTi	BXR185D	7100	15656	65-120	25.1	4590	220	364-455	186
Northerntrack	FX-820 Pro	7100	15656	65-100	n/s	n/s	205	360-450	160-190
Dongyang	DHB-2000	7180	15832	70-100	n/s	3792	210	290-370	190-210
Inan Makina	MTB C-Type 700	7200	15876	60-100	13	n/s	210	250-350	150
Inan Makina	MTB C-Type 705	7200	15876	60-100	13	n/s	210	250-350	150
Dongyang	DHB-2000T	7251	15988	70-100	n/s	4385	210	290-370	190-210
Hydraram	FX-800	7400	16317	60-100	16.74	4445	210	290-370	190-210
OSA Demolition Equipment	HB 8000	7400	16317	65-100	17	4500	205	350-420	170-210
LaBounty	LBM9580	7400	16317	70-110	21	n/s	215	n/s	170-180
Dongyang	DHB-2000S	7415	16350	70-100	n/s	4443	210	290-370	190-210
MSB	MS 75 AT	7500	16538	70-100	n/s	3090	205	300-400	140-160
MSB	MS 75AT	7500	16538	70-100	n/s	n/s	205	300-400	140-160
NPK	E260A	7710	17001	72-118	n/s	n/s	204	300-400	166
Globram	RM215	7720	17023	50-115	18.55	3490	215	330-420	145-175
NPK	GH-40	7750	17089	90-110	n/s	3867	204	300-400	180
Hammer	FX8000	7800	17199	60-110	23	4500	215	380-440	200
Indeco	HP 12000 FS	7800	17199	45-120	25	n/s	215	325-420	230
Indeco	HP 16000 FS	7800	17199	45-120	n/s	n/s	215	n/s	230
Kinshofer	KFX 120	7800	17199	60-110	23	4500	n/s	380-440	200
Soosan	SB200TR-F	7836	17278	50-90	n/s	4340	210	400-500	170-190
Tabe	MT 80	7880	17375	60-90	n/s	4166	1900	300-400	160-180
Daemo	B1000	8060	17772	85-140	n/s	4875	220	380-455	n/s
Dehaco	IBEX 7500HS	8380	18478	70-100	n/s	1650	205	300-400	140-160
D&A	1200DP	10000	22050	85-140	n/s	n/s	240	450-530	167-206
Epiroc	HB 10000	10000	22050	85-140	n/s	3142	240	450-530	160-180
Everdigm	EHB100	10070	22204	85-140	14	n/s	245	410-530	165-185
Prodem	PRB1000	10070	22204	85-140	14	n/s	245	410-530	165-185
Hydraram	FX-1200 PRO	10400	22932	88-150	n/s	n/s	240	450-530	160-190
GB	GBN1000E	10500	23153	70-150	n/s	n/s	230	380-450	240-280
Indeco	HP 18000 FS	11050	24365	60-140	25	n/s	250	420-520	230
Indeco	HP 25000 FS	11050	24365	60-140	n/s	n/s	250	n/s	230
NPK	GH-50	11300	24917	120	n/s	1008	214	350-450	180
Hammer	FX12000	12000	26460	80-170	28	5200	255	480-570	200
Kinshofer	KFX 150	12000	26460	80-170	28	5200	n/s	480-570	200
Hammer	FX15000	14500	31973	100-200	35	5500	280	500-600	200
Kinshofer	KFX 200	14500	31973	100-200	35	5500	n/s	500-600	200
All-Kor	AKB 250 S	n/s	n/s	22-32	n/s	n/s	135	n/s	n/s
Beilite	BLTB-40	n/s	n/s	0.5-1.2	n/s	n/s	40	15-30	88-118
Doosan	DBX10	n/s	n/s	1-2.5	0.2	n/s	47	15-30	130
Doosan	DBX20	n/s	n/s	2.5-4.5	0.4	n/s	57	25-45	140

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l/min)
Kinshofer	DRC260D	0.07	1.2	250	200	220	700	550	30
Brokk	CC260	0.08	0.5	250	n/s	220	n/s	n/s	n/s
Dongyang	DYC-70	0.1	1	282	n/s	203	887	n/s	n/s
Socomec	PDO 100	0.11	1.2-2.5	280	265	n/s	800	n/s	10-20
All-Kor	AKC 100C	0.11	0.7-2	280	75	294	820	568	15-35
Dehaco	MCR 010	0.11	0.7-2	280	n/s	298	n/s	n/s	15-35
Komac	TRIS 1M	0.11	0.8-2	280	n/s	n/s	890	570	n/s
GB	GBMCO10R	0.11	0.7-2	280	n/s	578	900	n/s	n/s
JAB	JCR 010R	0.11	0.7-2	n/s	n/s	298	n/s	n/s	n/s
AJCE	ACR1	0.11	0.7-2	280	n/s	n/s	n/s	n/s	n/s
Socomec	PDO 100	0.11	1.2-2.5	280	265	n/s	800	n/s	10-20
NPK	X-1	0.13	1.3-2	260	n/s	860	n/s	n/s	20-30
Prodem	PMCO15	0.14	1.5-2	320	60	359	969	659	15-35
MSB	MSRC300	0.15	2-4	300	n/s	304	n/s	n/s	90
Kinshofer	DRC340	0.15	1.5-2.7	343	334	360	877	715	100
Drago	1 T	0.15	1.5-3	220	n/s	380	710	260	n/s
Everdigm	EHCO15	0.15	1.5-2	309	249	209	926	659	15-35
MSB	MSRC300	0.15	2-4	300	n/s	304	n/s	n/s	90
Darda	CC340	0.15	1.5-2.7	343	174	360	876	715	100
Kinshofer	DRC340	0.15	1.5-2.7	343	334	360	877	715	100
Trevi Benne	MF 05	0.16	5-13	570	435	349	1500	n/s	80-250
Vulcan	VRC3	0.16	1-3	436.9	n/s	129	1013	609	10-20
Drago	1 HT	0.16	1.5-3	220	n/s	380	720	260	n/s
Okada	TS-W250	0.18	1.5-2.5	250	n/s	175	950	635	n/s
All-Kor	AKC 200C	0.18	1.5-3	360	100	588	973	688	20-45
Dehaco	MCR 020	0.18	1.5-3	360	n/s	319	n/s	n/s	20-45
GB	GBCO20R	0.18	1.5-3	360	n/s	618	1110	n/s	n/s
JAB	JCR 020R	0.18	1.5-3	n/s	n/s	318	n/s	n/s	n/s
AJCE	ACR2	0.18	1.5-3	360	n/s	n/s	n/s	n/s	n/s
Okada	TS-W250	0.18	1.5-2.5	250	n/s	175	950	635	n/s
Dongyang	DYC-100	0.18	1-2	354	n/s	220	1100	n/s	n/s
FRD	VXS2ER	0.19	1.5-3	276	n/s	200	892	655	8-15
VTN	HP 01	0.19	1.5-3	276	n/s	196	892	665	20/25
VTN	PD 01	0.19	1.5-3	230	279	400	901	n/s	n/s
Verdelli	PDI 1.5	0.19	1.4-1.6	250	n/s	n/s	1100	n/s	30
FRD	VX2ER	0.19	1.5-2.5	230	n/s	220	908	621	n/s
Prodem	PMCO20	0.19	2-3	370	80	468	709	709	20-40
Everdigm	EHCO2	0.2	2-2.5	359	292	269	986	709	20-40
Komac	TRIS 2M	0.2	1.5-3	360	n/s	n/s	1110	688	n/s
OSA Demolition Equipment	RS 200	0.21	1.5-3	250	300	n/s	840	n/s	20-30
Hydraram	HMK-7	0.21	6-14	250	325	392	1355	250	80-150
Jisung	JSC 20MRC	0.21	n/s	400	n/s	307	1060	720	n/s
OSA Demolition Equipment	RS 200	0.21	1.5-3	250	300	n/s	840	n/s	20-30
Hydraram	HMK-7	0.21	6-14	250	325	392	1355	250	80-150
Jisung	JSC 20MRC	0.21	n/s	400	n/s	307	1060	720	n/s
Prodem	PMCO25	0.22	2.5-3.5	430	80	618	800	800	25-45
Everdigm	EHCO25	0.23	2.5-3.5	422	338	339	1064	800	25-45
Arden	CU 0230 CB	0.24	2-4.5	303	n/s	n/s	1016	n/s	50-70
Darda	CC440	0.24	2.5-4.5	440	n/s	431	868	846	100
Okada	TS-WB350	0.24	2.5-4	360	n/s	240	1070	680	n/s
Verdelli	PDI 2	0.24	1.6-1.8	300	n/s	n/s	1200	n/s	30
Kinshofer	DRC420	0.24	2.5-4.8	420	330	382	874	843	100
Darda	CC430	0.24	2.5-4.8	431	n/s	382	896	843	100
Mantovanibenne	CR2	0.24	2-4	360	n/s	n/s	1070	n/s	30-50
Trevi Benne	HC 02	0.25	1.5-3.5	290	n/s	n/s	1120	n/s	40-60
Hydraram	HCC-2V	0.25	2-4	280	n/s	177	1020	n/s	40-60
Trevi Benne	MK 07	0.25	6-10	525	490	449	810	n/s	80/150
VTN	PD 02 M	0.26	2-5	350	320	920	1030	520	n/s
FRD	VX5ER	0.26	2-5	350	n/s	250	1036	609	n/s
FRD	V4C	0.26	3-6	174	n/s	320	1140	770	5-8
FRD	V4P	0.26	3-6	374	n/s	320	1140	770	5-8
VTN	PD 02	0.26	2-5	350	320	920	1030	520	n/s
Socomec	PDO 250	0.27	2.5-4.5	300	300	n/s	1130	n/s	20-40
NPK	X-3A	0.27	2.5-4	360	n/s	920	n/s	n/s	30-50

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Darda	CC480	0.28	4-6	460	n/s	490	903	857	100
Arrowhead	40 CC	0.28	2-5	305	100	n/s	n/s	n/s	n/s
Dehaco	CRH 440 Mini	0.29	3-6	440	n/s	391	n/s	n/s	n/s
Mantovanibenne	CRH440	0.29	3-6	440	n/s	431	n/s	n/s	n/s
Verdelli	PDI 3	0.3	3.6-4.4	400	n/s	n/s	1400	n/s	48
VTN	HP 02	0.3	2-5	350	n/s	294	1127	745	50
Rammer	RCCO4R	0.3	3-6	440	200	440	1105	n/s	65
FRD	VXB6ER	0.3	2-5	350	n/s	300	1127	745	5-8
Trevi Benne	HC 03	0.3	3.5-5.5	385	n/s	219	1165	n/s	60/80
Dehaco	MS 130R	0.3	120-160	2500	n/s	n/s	n/s	n/s	600-800
Hydraram	HCC-3V	0.3	4-7	358	n/s	216	1165	n/s	60-80
Prodem	PMCO30	0.31	3-4.5	430	90	638	776	776	30-50
LaBounty	UPX 1800	0.31	n/s	2540	1498	n/s	n/s	n/s	n/s
Everdigm	EHCO3	0.31	3-4.5	416	382	357	1129	776	30-50
Drago	3-TF	0.31	3.5-5.5	454	204	800	990	315	n/s
Italmek	IP2 M	0.32	2.8-5	365	n/s	470	1040	n/s	40
Mantovanibenne	CR4	0.32	3-6	440	n/s	n/s	1070	n/s	65
Epiroc	CB 350	0.32	2-8	380	219	392	907	n/s	50-90
Atlas Copco	CC 350	0.32	2.5-5	380	220	392	n/s	n/s	50-90
Dehaco	MCR 350	0.32	2-5	380	220	996	n/s	n/s	50-90
Jisung	JSC 30MRC	0.32	n/s	480	n/s	336	1260	770	n/s
Dongyang	DYC-300	0.32	2-4	436	n/s	284	1296	n/s	n/s
Komac	TRIS 3M	0.33	2.5-5	430	n/s	0.82	1305	726	n/s
AJCE	ACR3	0.33	2.5-5	430	n/s	n/s	n/s	n/s	n/s
Trevi Benne	MF 15	0.34	13-24	690	525	498	1800	n/s	150-250
All-Kor	AKC 300CH	0.35	2.5-5	490	100	284	1140	777	30-75
Kinshofer	DRC520	0.35	4.2-9	540	400	466	959	924	100
Darda	CC520	0.35	4.2-9	540	n/s	466	959	924	100
Socomec	PDO 350	0.35	4.5-7	360	335	n/s	1220	n/s	40-60
NPK	X-4A	0.35	3.5-5.5	460	n/s	1050	n/s	n/s	30-50
GB	GBMCO30R-S	0.36	2.5-5	430	n/s	837	1347	n/s	n/s
JAB	JCR 030R-S	0.36	2.5-5	n/s	n/s	388.59	n/s	n/s	n/s
Allied-Gator	MTR 5 C	0.36	2.3-4.5	457	317	239	n/s	101	76
Darda	CC580	0.36	5.5-9	565	n/s	530	967	934	100
Hydraram	HMK-10	0.36	9-18	340	400	588	1630	300	150-250
Hammer	FPO3	0.36	3-10	400	n/s	147	1280	n/s	20-70
All-Kor	AKC 300C	0.36	2.5-5	430	100	373	1230	767	30-75
VTN	MT03 D	0.37	3-6	374	305	196	1174	390	5-8
Hammer	MCO3 D	0.37	3-6	374	305	824	1174	n/s	30-50
Arden	CU 350 CB	0.37	3.5-8	433	325	95	1160	929	40-80
Drago	3-HTF	0.37	3.5-5.5	454	204	800	970	315	n/s
Drago	3-HT	0.37	3-7	454	204	800	970	315	n/s
Drago	3-TFD	0.37	3.5-5.5	454	204	800	1190	315	n/s
Hammer	MCO3 S	0.38	3-6	174	255	n/s	1158	n/s	30-50
Geith	GT20	0.38	6 - 11	584	n/s	n/s	n/s	n/s	n/s
OSA Demolition Equipment	RS500	0.38	4-10	405	n/s	n/s	1020	350	30-50
Prodem	PMP050-S	0.38	2-10	220	n/s	219	1100	580	30-50
Prodem	PMP050-P	0.38	2-10	430	n/s	219	1100	580	30-50
OSA Demolition Equipment	RS 500	0.38	4-10	405	350	n/s	1020	n/s	30-50
Promove	CP 300	0.38	2-10	430	n/s	216	1100	n/s	30-50
Dongyang	DYC-600	0.38	4-7	533	n/s	319	1390	n/s	n/s
OSA Demolition Equipment	MC 5	0.4	4-8	410	250	n/s	1020	n/s	30-50
Komac	TRIS 5M	0.4	4-6	530	n/s	0.97	1410	840	n/s
OSA Demolition Equipment	MCO5 Concrete	0.4	4-8	n/s	n/s	n/s	n/s	n/s	n/s
SkanCraft	SCMT4-10M	0.4	4-10	410	250	785	1020	n/s	30-50
All-Kor	AKC 500 S	0.41	4-6.5	620	n/s	n/s	1382	n/s	n/s
All-Kor	AKC 500 C	0.41	4-6.5	620	n/s	n/s	1382	n/s	n/s
Northerntrack	MK 7	0.41	6-14	530	510	735	1470	n/s	n/s
Arden	CU350	0.42	37-53	n/s	n/s	n/s	n/s	n/s	n/s
AJCE	ACR5	0.42	4.5-8	520	n/s	n/s	n/s	n/s	n/s
Trevi Benne	MK 10	0.44	8-14	600	610	598	1000	n/s	150-250
VTN	HP 04	0.44	4-8	485	n/s	343	1290	910	70
FRD	VXB7ER	0.44	4-8	485	n/s	350	1290	910	5-8
Drago	3-HTFD	0.44	3.5-5.5	454	204	800	1210	315	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l/min)
VTN	PD 03 M	0.47	4-9	480	410	1400	1345	890	n/s
Verdelli	C.D. C 3 R	0.48	3.6-4.4	380	n/s	n/s	1100	n/s	48
SkanCraft	SCMT4-10	0.48	4-10	410	250	785	1020	n/s	30-50
Hammer	FK05	0.48	5-10	460	n/s	294	1350	n/s	50-70
Prodem	PMCO50	0.48	4.5-8	520	100	986	850	850	50-80
All-Kor	AKC 500CH	0.48	4.5-8	520	100	481	1362	850	50-90
Okada	TS-VWB500V	0.48	4-5.5	500	n/s	330	1390	835	n/s
FRD	VX9ER	0.48	4.5-9	480	n/s	450	1291	873	n/s
VTN	PD 03	0.48	4-9	480	410	1400	1345	890	n/s
GB	GBMCO50H-S	0.48	4.5-8	520	n/s	986	1455	n/s	n/s
JAB	JCR 050H-SF	0.48	4.5-8	n/s	n/s	478	n/s	n/s	n/s
JAB	JCR 050H-SH	0.48	4.5-8	n/s	n/s	478	n/s	n/s	n/s
Arrowhead	60 CC	0.49	4-8	410	200	n/s	n/s	n/s	n/s
Hammer	FRO4	0.5	5-10	440	n/s	294	1400	n/s	50-70
Jisung	JSC 130RC	0.5	n/s	620	n/s	430	1390	955	n/s
FRD	V6C	0.51	5-10	229	n/s	750	1390	755	5-8
FRD	V6S	0.51	5-10	437	n/s	750	1390	755	5-8
FRD	V6M	0.51	5-10	508	n/s	750	1390	755	5-8
FRD	V6P	0.51	5-10	545	n/s	750	1390	755	5-8
Mantovanibenne	CR5	0.53	5-14	450	n/s	n/s	1290	n/s	50-90
Kinshofer	DRC700	0.54	7-15	650	300	680	1126	1140	150
Darda	CC700	0.54	7-15	650	n/s	680	1126	1140	150
Trevi Benne	HC 05ND	0.55	5.5-10	480	n/s	249	1300	n/s	80/150
Hydraram	HMK-13	0.56	15-25	400	450	735	1780	300	180-250
All-Kor	AKC 500CH2	0.57	4.5-8	610	125	481	1360	1000	50-90
Trevi Benne	MK 13	0.58	11-20	740	710	747	1055	n/s	180/250
Vulcan	VRC7	0.58	5-10	480	n/s	299	1353	960.1	45-100
Feel	FMC 60	0.58	7-12	680	n/s	2x448	1505	1003	n/s
Trevi Benne	MF 18	0.59	16-25	780	580	548	2000	n/s	200/300
Verdelli	PDI 5	0.6	6.5-8.5	550	n/s	n/s	1700	n/s	80
Allied-Gator	MTR 10 C	0.6	3.4-6.8	539	368	359	n/s	120.65	151
Hammer	FPO6	0.6	6-13	510	n/s	196	1650	n/s	40-100
Hydraram	HCC-5V	0.61	5-9	480	n/s	196	1300	n/s	80-150
Hydraram	HCC-6V	0.61	5-9	480	n/s	n/s	n/s	n/s	80-150
Promove	CP 600	0.62	6-11	580	n/s	333	1670	n/s	10-12
Genesis	GVP 07	0.63	5-7	368	330	709	1727	n/s	95
Mantovanibenne	CR5R	0.63	5-14	450	n/s	n/s	1315	n/s	50-90
Tabe	DMT 10	0.63	6-13	550	510	n/s	1525	300	70-110
Atlas Copco	CC 650	0.63	5-14	450	270	441	1300	880	90-180
Dehaco	MCR 650	0.63	5-14	490	270	996	n/s	n/s	90-180
Drago	7-TF	0.63	5-8.5	588	301	1050	1160	410	n/s
VTN	MT 05 P	0.64	5-11	440	n/s	1000	1350	590	n/s
MSB	MSRC700	0.64	5-11	354	n/s	628	n/s	n/s	100
Socomec	PDO 550	0.64	7.5-11	460	380	n/s	1420	n/s	60-90
Hammer	MCO5 S	0.64	5-11	229	292	n/s	1350	n/s	70-110
VTN	MT05 D	0.65	5-11	545	385	343	1385	590	5-8
Hammer	MCO5 D	0.65	5-11	545	385	1471	1385	n/s	70-110
Ramtec	MP7	0.65	6-10	494	n/s	1190	n/s	n/s	100-150
Italmek	IP7	0.65	6-12	570	n/s	780	1500	n/s	60-90
Sandvik	BC 807	0.65	6-10	497	380	430	1494	862	n/s
Italmek	IF5	0.65	5-12	470	510	883	1500	n/s	n/s
Arden	CU007	0.65	2-6	n/s	n/s	n/s	n/s	n/s	n/s
VTN	MT05 R	0.65	5-11	508	397	343	1419	590	5-8
Hammer	MCO5 R	0.65	5-11	508	397	n/s	1419	n/s	70-110
Hammer	MCO5 P	0.66	5-11	437	331	824	1348	n/s	70-110
VTN	MT05 W	0.66	5-11	475	436	343	1462	590	5-8
Verdelli	C.D. C 5 R	0.67	6.5-8.5	400	n/s	n/s	1100	n/s	60
NPK	X-7A	0.67	6-9	550	n/s	1300	n/s	n/s	50-80
Drago	7-HTF	0.67	5-8.5	588	301	1050	1230	410	n/s
Rammer	RCC10R	0.68	5-14	450	400	510	1315	n/s	50-90
Geith	GT30	0.68	11-18	711	n/s	n/s	n/s	n/s	n/s
Hydraram	HMK-15	0.68	18-25	420	485	834	1995	330	180-250
Trevi Benne	MK 15	0.68	17-27	835	740	897	1220	n/s	180-250
Drago	7-HT	0.69	8-14	588	301	1050	1230	410	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Okada	OBC 03 FR	0.69	6-9	550	120	775	1000	1610	n/s
Steck	S 07 U	0.69	5-10	550	600	n/s	n/s	n/s	n/s
Drago	7-TFD	0.7	5-8.5	588	301	1050	1360	410	n/s
Trevi Benne	MK 18P	0.72	17-27	780	750	1295	1270	n/s	130/200
OSA Demolition Equipment	MC 7	0.72	7-11	525	350	n/s	1446	n/s	140-180
Trevi Benne	MF 25	0.72	22-40	940	690	598	2300	n/s	250/350
Drago	7-HTFD	0.72	5-8.5	588	301	1050	1360	410	n/s
OSA Demolition Equipment	MCO7 Concrete	0.72	7-11	n/s	n/s	n/s	n/s	n/s	n/s
Epiroc	CB 750	0.73	7-14	480	269	441	1374	n/s	90-180
Arden	CU008	0.73	6-12	n/s	n/s	n/s	n/s	n/s	n/s
Darda	CC260	0.74	1.2	250	120	220	700	550	30
VTN	HP 07	0.74	7-13	550	n/s	490	1510	1075	70
FRD	VXB10ER	0.74	7-13	550	n/s	500	1510	1075	5-8
Konverma	HCR 500 C	0.75	7-14	500	430	1373	n/s	n/s	25
Hammer	FK08	0.75	6-13	600	n/s	343	1520	n/s	60-100
Hammer	FR07	0.75	6-13	470	n/s	343	1570	n/s	60-100
Verdelli	C.D_ C 7 R	0.77	6-11	500	n/s	n/s	1100	n/s	80
Okada	TS-WB620V	0.78	6-13	620	n/s	355	1670	1105	n/s
Konverma	HCR 500 M	0.8	7-14	420	410	1373	n/s	n/s	25
FRD	V11C	0.8	10-15	297	n/s	1050	1620	910	5-8
FRD	V11S	0.8	10-15	544	n/s	1050	1620	910	5-8
FRD	V11W	0.8	10-15	562	n/s	1050	1620	910	5-8
FRD	V11M	0.8	10-15	642	n/s	1050	1620	910	5-8
FRD	V11P	0.8	10-15	670	n/s	1050	1620	910	5-8
Myungsan	MS500R	1	5-10	560	n/s	558	1500	880	10-20
VTN	PD 10	0.82	9-13	600	490	1700	1615	1130	n/s
FRD	VX15ER	0.82	9-15	n/s	n/s	600	1528	1136	n/s
Atlas Copco	CC 950	0.92	9-16	650	330	539	1600	1070	90-180
Dehaco	MCR 950	0.92	9-16	680	330	2401	n/s	n/s	90-180
Epiroc	CB 950	0.94	12-20	680	324	539	1700	n/s	90-180
Hydraram	HMK-20	0.95	25-35	480	525	1226	2220	380	200-300
Hammer	FK10	0.95	9-15	670	n/s	392	1640	n/s	70-110
Hammer	FR09	0.95	9-15	600	n/s	392	1700	n/s	70-110
Dehaco	MS 09R	0.95	10-15	650	n/s	n/s	n/s	n/s	90-120
Kwanglim	SG650PV	0.95	n/s	670	140	598	1854	1066	n/s
Mantovanibenne	MS09R	0.98	10-15	585	n/s	n/s	n/s	n/s	90-120
SkanCraft	SCMT10-15	1	10-15	670	485	1815	1680	n/s	150-160
OSA Demolition Equipment	MC 10	1	12-15	670	475	n/s	1680	n/s	150-160
Promove	CP 1000	1	10-18	620	n/s	490	1500	n/s	60-120
OSA Demolition Equipment	MC10 Concrete	1	12-15	660	n/s	n/s	1695	490	n/s
Jisung	JSC 180RC	1	n/s	750	n/s	590	1795	1130	n/s
Geith	GT40RJ	1	18-23	762	n/s	n/s	n/s	n/s	n/s
AJCE	ACR15	1	13-18	800	n/s	n/s	n/s	n/s	n/s
VTN	MT10 W	1.01	10-15	562	436	441	1622	590	5-8
Trevi Benne	HC 10ND	1.02	9-17	685	n/s	448	1550	n/s	150/250
Geith	GT40-RJ	1.02	18-23	762	n/s	n/s	n/s	n/s	n/s
VTN	MT10 D	1.03	10-15	670	445	490	1594	590	5-8
Hammer	MC10 D	1.03	10-15	670	445	1471	1594	n/s	90-140
Hammer	MC10 S	1.03	10-15	297	322	n/s	1544	n/s	90-140
Konverma	HCM 600 C	1.03	8-17	650	485	1471	n/s	n/s	25
Hammer	MC10 P	1.06	10-15	544	396	824	1573	n/s	90-140
VTN	MT10 R	1.06	10-15	642	455	490	1618	590	5-8
Hammer	MC10 R	1.06	10-15	642	455	n/s	1618	n/s	90-140
Drago	11 HT	1.06	12-17	714	90	n/s	1300	n/s	80
Italmek	IP10	1.06	13-15	680	n/s	900	1600	n/s	100
Konverma	HCM 600 M	1.07	8-17	517	450	1471	n/s	n/s	25
Trevi Benne	MK 20	1.08	24-38	920	765	1295	1330	n/s	200/300
Drago	11 HTF	1.1	12-17	714	90	n/s	1300	n/s	80
Verdelli	P.D.I. 10	1.1	12.5-13.5	600	n/s	n/s	1850	n/s	160
Jisung	JSC 600MC	1.1	n/s	750	n/s	590	1795	1130	n/s
All-Kor	AKC 1000 C	1.1	12-22	830	n/s	n/s	1.893	n/s	n/s
Socomec	PDO 1100	1.1	13-18	610	510	n/s	1680	n/s	n/s
JAB	JFC 130-II	1.1	13-17	825	n/s	846	1775	n/s	n/s
All-Kor	AKC 1000 S	1.1	12-22	830	n/s	n/s	1893	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l/min)
Steck	S 13 U	1.1	9-15	650	650	n/s	n/s	n/s	n/s
A-Ward	AMP1800R	1.1	10-18	520	n/s	n/s	n/s	n/s	n/s
Geith	GT60QR	1.1	23-30	914	n/s	n/s	n/s	n/s	n/s
Geith	GT60-RJ	1.12	23-30	914	n/s	n/s	n/s	n/s	n/s
FRD	VXS20ER	1.12	13-20	752	n/s	550	1896	1258	5-8
VTN	HP 12	1.12	13-20	752	n/s	539	1896	1258	150-160
VTN	PD 15	1.14	13-20	720	570	2300	1840	1160	n/s
FRD	VX20ER	1.14	15-20	720	n/s	750	1722	1172	n/s
Myungsan	MS650R	1.15	10-17	650	n/s	807	1920	1050	10-20
Socomec	PDO 1150	1.15	10-17	685	n/s	n/s	n/s	n/s	150-250
FRD	V17T	1.15	15-22	300	n/s	1250	1930	1110	20-30
FRD	V17C	1.15	15-22	344	n/s	1250	1930	1110	20-30
FRD	V17S	1.15	15-22	604	n/s	1250	1930	1110	20-30
FRD	V17M	1.15	15-22	707	n/s	1250	1930	1110	20-30
FRD	V17W	1.15	15-22	708	n/s	1250	1930	1110	20-30
FRD	V17P	1.15	15-22	754	n/s	1250	1930	1110	20-30
OSA Demolition Equipment	RS1000	1.15	12-16	600	480	900	1700	460	200-220
Italmek	IF10	1.15	10-16	600	630	1422	1650	n/s	n/s
Trevi Benne	MK 23P	1.16	24-38	940	800	1594	1330	n/s	180/250
Hammer	FP11	1.2	13-18	660	n/s	294	2000	n/s	140-180
Hydraram	HCC-10V	1.2	10-15	685	n/s	441	1550	n/s	150-250
Hydraram	HCC-12V	1.2	10.-15	658	n/s	n/s	n/s	n/s	150-250
Hydraram	HMK-25	1.2	35-45	500	560	1422	2305	435	250-350
Myungsan	MSP650R	1.2	10-15	450	n/s	1304	1845	1206	50-150
Socomec	SFD 1200	1.2	13-18	560	180	n/s	1660	n/s	n/s
Arden	CDO15	1.2	12-15	n/s	n/s	n/s	n/s	n/s	n/s
Prodem	PMP130-C	1.23	14-20	643	n/s	618	1940	1200	100-180
MSB	MSRC1500	1.24	12-17	515	n/s	1540	n/s	n/s	130
Trevi Benne	MK 25	1.24	33-48	945	815	1495	1370	n/s	250-350
Allied-Gator	MTR 15 C	1.25	6-11	685	469	508	n/s	127	189
Doosan	RC14	1.25	13-16	720	240	508	1840	384	100-180
Everdigm	EHC13	1.25	9-14	366	n/s	647	1882	989	100-180
Prodem	PMP130-S	1.26	14-20	366	n/s	648	1882	989	100-180
Hydraram	MK-23P	1.27	24-38	850	780	1030	2395	485	180-250
Tabe	DMT 15	1.29	16-16	635	670	n/s	1880	404	110-160
Feel	FMC 150	1.3	12-18	700	n/s	2x498	1840	1195	n/s
Arden	CU015	1.3	12-15	n/s	n/s	n/s	n/s	n/s	n/s
Verdelli	C.D_ C 10 R	1.31	15-17	610	n/s	n/s	1800	n/s	120
Daemo	DMC140	1.31	13-20	612	n/s	418	1965	n/s	170-220
Hydraram	HCC-13V	1.32	16-21	610	n/s	441	1750	n/s	180-250
Prodem	PMP130-MS	1.33	14-20	412	n/s	628	1870	989	100-180
Prodem	PMP130-D	1.33	14-20	629	n/s	618	1945	1187	100-180
D&	FC 500	1.34	12-20	720	n/s	1047	2020	460	n/s
Vulcan	VRC15M	1.35	13-18	800	n/s	637	1869	1226	100-180
Hammer	FR12	1.35	12-20	650	n/s	559	1850	n/s	110-160
Hammer	FK13	1.35	12-20	720	n/s	559	1850	n/s	110-160
Daemo	DMC140B	1.35	13-20	612	n/s	418	1945	n/s	170-220
Prodem	PMP130-P	1.35	14-20	647	n/s	598	1972	1157	100-180
Italmek	IP15	1.4	15-21	800	n/s	110	1900	n/s	120
Vulcan	VRC15	1.4	13-18	800	n/s	637	1869	1226	100-180
Trevi Benne	HC 13D	1.4	18-27	610	n/s	448	1750	n/s	180/250
OSA Demolition Equipment	MC 15	1.4	14-19	710	520	n/s	1900	n/s	200-240
OSA Demolition Equipment	RS1500	1.4	16-22	710	n/s	1100	2010	480	220-240
SkanCraft	SCMT15-20	1.4	15-20	710	520	1962	1900	n/s	220-240
Hydraram	HMK-35	1.4	45-60	525	565	1569	2365	435	300-400
OSA Demolition Equipment	MC15 Concrete	1.4	14-19	720	n/s	n/s	1955	575	n/s
AJCE	ACR20	1.4	20-22	880	n/s	n/s	n/s	n/s	n/s
Konverma	HCR 650 C	1.41	14-24	797	580	2648	n/s	n/s	45
Daemo	DMC180	1.42	16-23	728	n/s	438	2050	n/s	180-220
Trevi Benne	MF 40	1.42	36-57	1080	770	947	2600	n/s	300/400
Genesis	GVP 15	1.45	8-13	635	635	n/s	2500	n/s	170
Hammer	FP15	1.45	13-22	680	n/s	343	2100	n/s	140-200
Daemo	DMC180B	1.45	16-23	728	n/s	438	2020	n/s	180-230
Arden	CU 015 CB	1.45	13-21	720	n/s	896	2060	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Konverma	HCM 650 C	1.47	15-25	797	580	2648	n/s	n/s	45
FRD	V22T	1.49	21-28	325	n/s	1500	2080	1200	20 - 30
FRD	V22C	1.49	21-28	413	n/s	1500	2080	1200	20 - 30
FRD	V22S	1.49	21-28	664	n/s	1500	2080	1200	20 - 30
FRD	V22W	1.49	21-28	754	n/s	1500	2080	1200	20 - 30
FRD	V22M	1.49	21-28	861	n/s	1500	2080	1200	20 - 30
FRD	V22P	1.49	21-28	862	n/s	1500	2080	1200	20 - 30
NPK	S-13XCR	1.49	10-15	810	n/s	1750	n/s	n/s	80-150
Konverma	HCR 650 M	1.5	14-24	577	510	2648	n/s	n/s	45
Globram	RM318	1.5	14-24	815	n/s	n/s	n/s	n/s	250
Promove	CP 1510	1.5	15-25	800	n/s	745	1800	n/s	100-180
FRD	VXM17ERP	1.5	13-21	717	n/s	650	1994	240	n/s
Jisung	JSC 250RC	1.5	n/s	900	n/s	983	2075	1267	n/s
Geith	GT60RJ	1.5	23-30	1041	n/s	n/s	n/s	n/s	n/s
VTN	MT15 D	1.51	15-22	754	583	588	1927	720	20-30
Hammer	MC15 D	1.51	15-22	754	583	1471	1887	n/s	150-200
JCB	MP200 S	1.52	15-25	385	520	1993	1870	n/s	150-250
FRD	VXM17ERC	1.52	13-21	392	n/s	900	1995	240	n/s
Hammer	MC15 S	1.55	15-22	344	481	n/s	1859	n/s	150-200
Dehaco	CR 15R	1.55	16-20	800	630	n/s	n/s	n/s	130-150
Jisung	JSC 800MC	1.55	n/s	900	n/s	983	2075	1267	n/s
VTN	MT15 T	1.56	15-22	300	364	785	1890	720	20-30
Genesis	GDR 150	1.57	13	660	635	755	1829	n/s	150
FRD	VXM17ERM	1.57	13-21	717	n/s	650	1994	240	n/s
Konverma	HCM 650 M	1.58	15-25	577	510	2648	n/s	n/s	45
MSB	MSMC 2000	1.59	18-27	n/s	n/s	n/s	n/s	n/s	n/s
VTN	MT15 R	1.59	15-22	707	586	588	1953	720	20-30
Rammer	RCC16R	1.59	14-18	825	700	990	1995	n/s	130-150
Hammer	MC15 R	1.59	15-22	707	586	n/s	1913	n/s	150-200
Hammer	MC15 P	1.59	15-22	604	512	1471	1851	n/s	150-200
VTN	MT15 W	1.6	15-22	708	641	539	2000	720	20-30
Verdelli	P.D.I. 15	1.6	17-20	720	n/s	n/s	2100	n/s	180
Ramtec	MP15	1.6	10-18	566	n/s	2060	n/s	n/s	230
Mantovanibenne	CR15R	1.6	14-18	800	n/s	n/s	1800	n/s	130-150
Mantovanibenne	CR15	1.6	14-18	800	n/s	n/s	n/s	n/s	130-150
Epiroc	CC 1600 U	1.6	13-23	700	490	559	n/s	n/s	150-250
Hydraram	HCC-16V	1.6	16-21	610	n/s	n/s	n/s	n/s	180-250
D&A	FR 500R	1.6	15-24	720	n/s	897	2300	710	40-60
Sandvik	BC 1515	1.6	10-18	570	500	2060	1832	1184	n/s
FRD	VXM17ERSW	1.61	13-21	620	n/s	700	1954	240	n/s
Okada	TS-WB950V	1.61	12-25	950	n/s	605	2140	1405	n/s
Tabe	DMT 20	1.63	15-22	680	720	n/s	2035	404	140-200
BTi	MS15R	1.65	10-15	750	675	2002	4300	n/s	12
Hammer	FK16	1.65	14-23	760	n/s	637	2000	n/s	140-200
D&A	DMC 20	1.65	18-26	900	760	2242	2200	n/s	200-250
Trevi Benne	MF 60	1.65	53-85	1350	880	1246	3000	n/s	400-600
Boohung	BHMC80	1.65	18-26	200	n/s	2241	2220	900	n/s
Boohung	BHMC60	1.65	18-26	900	n/s	1510	2200	1358	n/s
All-Kor	AKC 2000 S	1.65	18-26	900	n/s	n/s	2200	1358	n/s
GB	GBMC-201II	1.65	18-26	900	n/s	2242	2220	n/s	n/s
Yujin Tech	YJMC 2000	1.65	18-26	900	n/s	n/s	n/s	n/s	n/s
Kwanglim	SG900PV	1.66	n/s	865	180	897	2318	1340	n/s
JCB	MP200 U	1.68	15-25	750	730	1993	2050	n/s	150-250
Hydraram	HCC-17V	1.68	20-25	820	n/s	588	1775	n/s	180-250
All-Kor	AKC 2000C	1.68	18-26	890	180	847	1940	1350	200-250
Dowin	DWMP 80	1.68	18-26	886	180	833	1942	1354	200-250
Komac	TRIS 22 CHR-II	1.68	18-26	886	n/s	1823	2128	1354	200-250
JAB	JMC 201-II	1.68	18-26	950	n/s	1096	1945	n/s	n/s
Geith	GT80-RJ	1.7	30-36	1067	n/s	n/s	n/s	n/s	n/s
Myungsan	MS850R	1.7	17-25	850	n/s	996	2210	1123	10-30
Dehaco	MS 15R	1.7	16-20	750	n/s	n/s	n/s	n/s	130-150
Hammer	FR15	1.7	14-23	680	n/s	637	1950	n/s	140-200
Trevi Benne	MK 35	1.7	43-65	1010	875	1794	1375	n/s	300/400
Italmeck	IF15	1.7	14-21	700	730	2108	2000	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Geith	GT8OQR	1.7	30-38	1067	n/s	n/s	n/s	n/s	n/s
FRD	VXS26ER	1.73	18-25	836	n/s	600	2165	1428	10-15
VTN	HP 16	1.73	18-25	836	n/s	578	2165	1428	170-180
Trevi Benne	HC 15ND	1.73	15-23	820	n/s	598	1775	n/s	180-250
FRD	V26T	1.74	25-35	420	n/s	2050	2260	1500	20-30
FRD	V26C	1.74	25-35	576	n/s	2050	2260	1500	20-30
FRD	V26S	1.74	25-35	911	n/s	2050	2260	1500	20-30
FRD	V26M	1.74	25-35	1111	n/s	2050	2260	1500	20-30
FRD	V26P	1.74	25-35	1130	n/s	2050	2260	1500	20-30
FRD	V26W	1.74	25-35	n/s	n/s	2050	2260	1500	20-30
Epiroc	CC 1700 S	1.75	15-25	370	430	774	1868	n/s	150-250
Atlas Copco	CC 1700S	1.75	15-25	370	430	775	1870	n/s	150-250
Inan Makina	DCR 15	1.75	14-20	680	n/s	686	2000	n/s	200-250
Italmek	IF16	1.75	12-22	700	730	735	2000	n/s	n/s
Geith	GT8ORJ	1.75	30-38	1041	n/s	n/s	n/s	n/s	n/s
All-Kor	AKC 2000S	1.76	18-26	520	480	558	2070	1300	200-250
All-Kor	AKC 2000P	1.76	18-26	890	180	947	2200	1540	200-250
Komac	TRIS 22 PHR-II	1.76	18-26	890	n/s	1823	2024	1542	200-250
Hydraram	HCC-18P	1.77	16-23	850	n/s	637	2240	n/s	130-200
VTN	MT15 CH	1.78	15-22	565	677	588	2060	720	20-30
Doosan	RC22	1.79	17-25	732	240	558	1840	438	150-250
Promove	CP 1800	1.8	15-22	750	n/s	961	1930	n/s	150-200
OSA Demolition Equipment	RS1800	1.8	22-30	825	n/s	n/s	2180	665	240-280
Steck	S 20 U	1.8	15-25	750	650	n/s	2100	400	n/s
A-Ward	AMP2900R	1.8	18-28	580	n/s	n/s	n/s	n/s	n/s
Socomec	SFD 1800	1.8	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Allied-Gator	MTR 20 C	1.81	9-17	787	546	757	n/s	139.7	227
Trevi Benne	HC 18P	1.82	15-25	850	n/s	648	2240	n/s	130/200
NPK	S-16XCR	1.82	14-18	850	614	2250	2190	1330	80-150
Soosan	SUP25 RC	1.82	17-25	804	180	817	1961	n/s	150-250
Kinshofer	DLD-25	1.85	18-25	825	800	700	1980	400	120-200
Socomec	PDO 1850	1.85	16-23	820	n/s	n/s	n/s	n/s	180-250
Konverma	HCM 700 C	1.87	20-30	900	660	2648	n/s	n/s	45
Soosan	SUP25 RS	1.87	17-25	415	n/s	847	1958	n/s	150-250
Feel	FMC 200	1.87	18-26	800	n/s	2x1046	2180	1255	n/s
Prodem	PMP220-S	1.88	20-28	503	n/s	877	2160	1083	150-250
Everdigm	EHC22	1.88	20-28	503	n/s	797	2175	1083	150-250
D&A	FC 700	1.88	18-30	830	n/s	1146	2280	490	n/s
Italmek	IP18	1.89	18-24	890	n/s	120	2100	n/s	150
Vulcan	VRC20	1.9	18-25	939	n/s	996	2161	1343.6	100-250
Epiroc	CC 1700 U	1.9	15-25	740	615	558	2044	n/s	150-250
Atlas Copco	CC 1700U	1.9	15-25	740	615	559	2050	n/s	150-250
SkanCraft	SCMT20-30	1.9	20-30	800	540	2256	2050	n/s	220-240
OSA Demolition Equipment	MC 18	1.9	21-28	800	540	n/s	2050	n/s	220-260
OSA Demolition Equipment	RS 1800	1.9	22-30	825	665	n/s	2180	n/s	240-280
D&A	FR 700R	1.9	20-30	830	n/s	1146	2400	710	40-60
OSA Demolition Equipment	MC18 Concrete	1.9	21-28	830	n/s	n/s	2115	605	n/s
Wimmer	TC 550 U	1.9	16	550	400	2860	n/s	n/s	n/s
VTN	MT20 T	1.91	21-28	325	364	1123	2008	720	20-30
Arden	CDO22	1.91	15-19	n/s	n/s	n/s	n/s	n/s	n/s
Soosan	SUP25 RP	1.92	17-25	750	180	677	1948	545	150-250
Arden	CUO22	1.92	26-37	n/s	n/s	n/s	n/s	n/s	n/s
Daemo	DMC210	1.93	20-28	784	n/s	567	2222	n/s	200-250
Verdelli	C_D_C 15 R	1.95	17-20	720	n/s	n/s	2000	n/s	200
Kinshofer	MQP-25-D	1.95	18-25	785	810	785	1980	470	120-200
Rotar	RDC 20 S	1.95	15-25	750	650	618	2100	760	150-250
Italmek	IF18	1.95	16-24	750	780	2403	2220	n/s	n/s
AJCE	ACR25	1.95	22-25	980	n/s	n/s	n/s	n/s	n/s
Globram	RM320	1.96	19-27	730	n/s	2000	2170	n/s	250
Kinshofer	MQP-25-C	1.96	18-25	785	810	735	1940	375	120-200
Hydraram	HCC-19V	1.96	20-25	820	n/s	n/s	n/s	n/s	200-300
MSB	MSMC 3000	1.97	28-37	n/s	n/s	n/s	n/s	n/s	n/s
Tabe	DMT 25	1.97	18-26	786	840	n/s	2225	454	180-230
Daemo	DMC210B	1.98	20-28	784	n/s	567	2222	n/s	200-250

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Hydraram	MK-18P	1.99	17-27	410	485	1128	2055	330	130-200
FRD	VX26ER	1.99	20-26	847	n/s	920	2060	1465	n/s
VTN	MT20 D	2	21-28	862	623	785	2075	720	20-30
Hammer	MC20 D	2	21-28	862	623	1961	2075	n/s	170-210
VTN	PD 19	2	20-26	847	630	2600	2160	1340	n/s
NPK	M-20S	2	17-24	940	580	3250	2184	1242	100-200
Demarec	DCC-25	2	18-25	1000	835	981	n/s	n/s	40-60
Italmek	IF20	2	18-25	750	780	883	2220	n/s	n/s
Genesis	GCC 50	2	18-27	737	n/s	n/s	n/s	n/s	n/s
VTN	MT20 W	2.01	21-28	754	641	785	2099	720	20-30
Trevi Benne	MK 28P	2.02	33-48	n/s	n/s	n/s	1385	n/s	230-300
FRD	VXM25ERC	2.02	18-27	392	n/s	1150	2088	240	n/s
Doosan	RC14 Crushing	2.04	20-28	903	237	678	2346	1433	150-230
Prodem	PMP220-C	2.04	20-28	903	n/s	737	2311	1483	150-250
Trevi Benne	HC 20ND	2.04	21-30	890	n/s	697	1900	n/s	200-300
Italmek	IP21	2.05	18-24	930	n/s	140	2150	n/s	150
Prodem	PMP220-D	2.05	20-28	797	n/s	767	2276	1368	150-250
VTN	MT20 R	2.06	21-28	860	651	785	2116	720	20-30
Hammer	MC20 R	2.06	21-28	861	651	n/s	2116	n/s	170-210
FRD	VXM25ERP	2.06	18-27	780	n/s	800	2074	240	n/s
Hammer	MC20 P	2.07	21-28	664	524	1471	2034	n/s	170-210
Hammer	MC20 S	2.09	21-28	413	556	n/s	2101	n/s	170-210
Konverma	HCM 700 M	2.1	20-30	650	575	2648	n/s	n/s	45
Verdelli	PDI 20	2.1	20-22	800	n/s	n/s	2200	n/s	200
MSB	MSRC2000	2.1	12-17	514	n/s	2314	n/s	n/s	250
Globram	RM328	2.1	17-36	910	n/s	n/s	n/s	n/s	250
Epiroc	CC 2300 S	2.1	20-30	415	485	853	1983	n/s	150-250
Mantovanibenne	CR20R	2.1	18-24	1050	n/s	n/s	2030	n/s	180-220
Dehaco	CR 20R	2.1	18-24	920	750	n/s	n/s	n/s	180-220
Mantovanibenne	CR20	2.1	18-24	1050	n/s	n/s	n/s	n/s	180-220
Hammer	FR21	2.1	16-27	800	n/s	785	2320	n/s	180-230
Genesis	GCP 410	2.1	20	864	737	n/s	2.057	n/s	n/s
LaBounty	MDP 20 CC	2.1	18	640	690	n/s	n/s	n/s	n/s
FRD	VXM25ERM	2.11	18-27	780	n/s	800	2074	240	n/s
Hydraram	HCC-22V	2.13	22-28	890	n/s	686	1900	n/s	200-300
Hammer	FP20	2.15	16-25	850	n/s	431	2500	n/s	200-250
VTN	PD 22	2.15	22-30	900	720	2600	2170	1470	n/s
FRD	VX30ER	2.15	22-30	900	n/s	1050	2250	1470	n/s
Arden	CU 022 CB	2.17	19-30	800	n/s	1165	2400	n/s	n/s
FRD	VXM25ERSW	2.18	18-27	755	n/s	850	2063	240	n/s
Okada	TS-WB1000V	2.19	18-30	1300	n/s	750	2425	1530	n/s
Hammer	FK22	2.2	16-27	900	n/s	785	2400	n/s	180-230
OSA Demolition Equipment	RS 2000	2.2	30-40	920	600	1500	2300	740	300-320
Geith	GT100GR	2.2	38-53	1219	n/s	n/s	n/s	n/s	n/s
Prodem	PMP220-P	2.21	20-28	893	n/s	697	2327	1508	150-250
Geith	GT100RJ	2.21	36-52	1219	n/s	n/s	n/s	n/s	n/s
Genesis	GDT 190	2.22	20	787	838	n/s	2.438	n/s	150-225
FRD	VXS30ER	2.23	22-30	980	n/s	700	2345	1535	10-15
VTN	HP 21	2.23	22-30	980	n/s	686	2345	1535	190-200
Rammer	RCC21R	2.23	18-24	985	800	1270	2000	n/s	180-220
Kwanglim	SG1100PV	2.23	n/s	1070	180	1176	2405	1564	n/s
Mantovanibenne	MS22R	2.24	21-27	830	n/s	n/s	n/s	n/s	180-220
VTN	MT20 CH	2.25	21-28	689	723	785	2229	720	20-30
BTi	MS20R	2.25	12-18	820	660	2002.76	2060	n/s	11.8
Dehaco	MS 20R	2.25	18-25	820	n/s	n/s	n/s	n/s	150-200
Daemo	DMC230R	2.25	20-28	780	n/s	567	2050	n/s	200-250
Genesis	GCC 70	2.26	27-36	813	n/s	n/s	n/s	n/s	n/s
Ramtec	MP19	2.27	16-25	710	n/s	2800	n/s	n/s	230
Doosan	RC25	2.3	20-27	925	360	668	2474	470	150-250
Epiroc	CC 2300 U	2.3	20-30	750	660	686	2159	n/s	150-250
Daemo	DMC230RB	2.3	20-28	780	n/s	567	2480	n/s	200-250
Socomec	PDO 2300	2.3	22-30	890	n/s	n/s	n/s	n/s	200-300
Sandvik	BC 2019	2.3	16-25	702	600	2800	1996	1390	n/s
Italmek	IF21	2.3	21-29	870	850	2648	2340	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
D&A	FC 1000	2.33	26-40	950	n/s	1375	2300	550	n/s
Genesis	GCC 90	2.34	36-50	914	n/s	n/s	n/s	n/s	n/s
Konverma	HCR 750 C	2.35	24-40	950	730	3237	n/s	n/s	45
Prodem	PMP220-U	2.35	20-28	611	n/s	797	2273	1189	150-250
Inan Makina	DCR 20	2.35	20-35	870	n/s	912	2100	n/s	200-250
Steck	S 25 U	2.35	22-35	900	870	n/s	2300	720	n/s
NPK	S-23XCR	2.37	19-21	1020	n/s	2910	2390	1600	100-200
Verdelli	C.D_ C 20 R	2.38	19-22	800	n/s	n/s	2100	n/s	220
Hydraram	HCC-24V	2.38	22-28	890	n/s	n/s	n/s	n/s	250-350
Trevi Benne	MK 38P	2.39	43-63	n/s	n/s	n/s	1465	n/s	250-300
Italmek	IP25	2.4	23-32	1020	n/s	150	2250	n/s	190
Globram	RM332	2.4	20-45	1050	n/s	n/s	n/s	n/s	300
Myungsan	MS1000R	2.4	25-33	950	n/s	1205	2420	1330	10-40
Myungsan	MSP850R	2.4	17-25	600	n/s	1569	2128	1361	100-200
Kinshofer	DLD-30	2.4	22-35	870	885	800	2155	475	150-250
Hydraram	HCC-24P	2.4	24-32	1000	n/s	785	2360	n/s	180-250
FRD	V34T	2.4	33-50	454	n/s	2180	2470	1700	40-50
FRD	V34C	2.4	33-50	611	n/s	2180	2470	1700	40-50
FRD	V34S	2.4	33-50	1042	n/s	2180	2470	1700	40-50
FRD	V34M	2.4	33-50	1234	n/s	2180	2470	1700	40-50
FRD	V34P	2.4	33-50	1248	n/s	2180	2470	1700	40-50
LaBounty	MDP 20 CP	2.4	18	640	690	n/s	n/s	n/s	n/s
VTN	MT25 T	2.42	25-35	420	394	1373	2133	720	20-30
Demarec	DCC-30	2.43	20-35	1150	915	1177	n/s	n/s	40-60
Kinshofer	MQP-30-D	2.45	22-35	870	900	930	2160	470	150-250
SkanCraft	SCMT26-36	2.45	26-36	850	500	3041	2200	n/s	220-260
OSA Demolition Equipment	MC 24	2.45	26-36	850	540	n/s	2200	n/s	240-300
OSA Demolition Equipment	MC24 Concrete	2.45	26-36	865	n/s	n/s	2230	570	n/s
Trevi Benne	HC 23P	2.47	23-34	1000	n/s	797	2360	n/s	180-250
Okada	TS-WB1 100V	2.48	20-35	1100	n/s	940	2525	1625	n/s
Genesis	GDR 200	2.5	20	889	813	1023	2512	n/s	230
VTN	MT25 D	2.5	25-35	1130	709	883	2260	720	20-30
Promove	CP 2510	2.5	23-38	880	n/s	1128	2650	n/s	170-250
Hammer	FR26	2.5	20-32	920	n/s	834	2600	n/s	200-300
Jisung	JSC 1000MC	2.5	n/s	1100	n/s	1527	2560	1768	n/s
Italmek	IF23	2.5	23-32	900	850	1324	2370	n/s	n/s
Arden	CD031	2.51	19-26	n/s	n/s	n/s	n/s	n/s	n/s
Hammer	MC25 S	2.53	25-35	576	540	n/s	2219	n/s	250-300
Konverma	HCR 750 M	2.53	24-40	700	660	3237	n/s	n/s	45
Soosan	SUP30 RC	2.54	25-36	1046	200	807	2350	n/s	150-250
Hammer	MC25 D	2.55	25-35	1130	709	1961	2260	n/s	250-300
NPK	S-24XCR	2.55	19-27	1100	n/s	3350	n/s	n/s	100-200
NPK	SV-24XR	2.55	19-27	1100	n/s	3650	n/s	n/s	100-200
Atlas Copco	CC 2500S	2.55	22-35	400	460	1275	2085	n/s	150-250
Daemo	DMC300	2.55	27-36	915	n/s	727	2351	n/s	250-300
Genesis	LXP 200	2.55	9-20	965	711	n/s	2488	n/s	n/s
Wimmer	TC 700 U	2.55	20	700	530	3288	n/s	n/s	n/s
Tabe	DMT 30	2.56	25-33	930	940	n/s	2575	454	250-300
Globram	RM330	2.59	23-35	805	n/s	2500	2350	n/s	250
Epiroc	CB 2500	2.6	20-35	1100	750	981	2260	n/s	250
Kinshofer	MQP-30-C	2.6	22-35	875	920	880	2155	440	150-250
Daemo	DMC300B	2.6	27-36	915	n/s	727	2380	n/s	250-300
VTN	MT25 R	2.61	25-35	1111	730	883	2304	720	20-30
Hammer	MC25 R	2.61	25-35	1111	730	n/s	2304	n/s	250-300
Komac	TRIS 30 CHR-II	2.63	26-32	1163	n/s	3158	2418	1773	250-300
Dowin	DWMP 110	2.63	26-32	1163	200	1323	2624	1773	250-300
All-Kor	AKC 3000C	2.63	27-35	1170	200	1345	2620	1780	250-300
D&A	DMC 30	2.63	27-36	1100	926	3338	2700	n/s	250-300
Boohung	BHMC100	2.63	27-36	200	n/s	3288	2700	1100	n/s
All-Kor	AKC 2000 C	2.63	18-26	900	n/s	n/s	2200	1358	n/s
All-Kor	AKC 3000 S	2.63	27-36	1100	n/s	n/s	2700	1643	n/s
All-Kor	AKC 3000 C	2.63	27-36	1100	n/s	n/s	2700	1643	n/s
JAB	JMC 301-II	2.63	26-32	1100	n/s	1743	2420	n/s	n/s
GB	GBMC-301II	2.63	26-32	1100	n/s	3338	2700	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Yujin Tech	YJMC 3000	2.63	27-36	1100	n/s	n/s	n/s	n/s	n/s
JAB	JMC II 100	2.63	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Soosan	SUP30 RS	2.64	25-36	556	n/s	1056	2457	n/s	150-250
Hydraram	HCC-27V	2.64	29-35	1090	n/s	735	2115	n/s	250-350
Demarec	MGP-30-U	2.64	22-35	590	790	1743	n/s	n/s	40-60
FRD	VXM30ERC	2.64	26-38	490	n/s	1400	2378	270	n/s
Hammer	FK27	2.65	20-32	980	n/s	834	2600	n/s	200-300
Hammer	FP25	2.65	20-32	875	n/s	481	2700	n/s	200-300
FRD	VXM30ERP	2.65	26-38	865	n/s	1050	2356	270	n/s
Rotar	RDC 25 S	2.67	24-35	900	775	667	2259	760	150-250
Trevi Benne	HC 25ND	2.67	28-38	1090	n/s	747	2115	n/s	250-350
AJCE	ACR30	2.68	28-37	1120	n/s	n/s	n/s	n/s	n/s
JCB	MP300 S	2.69	22-35	400	430	2989	2075	n/s	150-250
Hammer	MC25 P	2.69	25-35	911	633	1471	2252	n/s	250-300
Konverma	HCM 750 M	2.7	25-40	720	625	2648	n/s	n/s	45
Verdelli	P.D.I. 23	2.7	22-25	900	n/s	n/s	2400	n/s	220
VTN	PD25	2.7	27-35	1130	760	785	2250	1470	25-35
FRD	VX35ER	2.7	27-35	1130	n/s	1250	2250	1470	25 - 35
JCB	MP300 U	2.74	22-35	850	560	2989	2240	n/s	150-250
BTi	MS30R	2.75	15-24	900	785	2311	2240	n/s	n/s
Dehaco	MS 30R	2.75	28-35	875	n/s	n/s	n/s	n/s	200-250
OSA Demolition Equipment	RS 2500	2.75	35-50	1100	880	n/s	2700	n/s	300-340
Trevi Benne	MK 50	2.75	58-80	1150	1070	2192	1540	n/s	400-500
VTN	MT25 CH	2.76	25-35	850	725	981	2490	720	20-30
FRD	VXM30ERM	2.77	26-38	865	n/s	1050	2356	270	n/s
Ramtec	MP25	2.79	22-35	852	n/s	3300	n/s	n/s	230
Mantovanibenne	CR26R	2.8	24-35	1100	n/s	n/s	2200	n/s	220-250
Mantovanibenne	CR26	2.8	24-35	1100	n/s	n/s	n/s	n/s	220-250
All-Kor	AKC 3000S	2.8	27-35	605	600	1046	2440	1590	250-300
Komac	TRIS 30 PHR-II	2.8	26-32	968	n/s	3158	2631	1869	250-300
D&A	FR 1000R	2.8	26-40	950	n/s	1375	2700	810	40-60
Sandvik	BC 2525	2.8	22-35	852	650	3300	2187	1434	n/s
A-Ward	AMP3500R	2.8	27-38	690	n/s	n/s	n/s	n/s	n/s
Soosan	SUP30 RP	2.81	25-36	1045	200	846	2358	570	150-250
All-Kor	AKC 3000P	2.82	27-35	970	200	1694	2430	1870	250-300
Atlas Copco	CC 2500U	2.84	22-35	860	725	883	2250	n/s	150-250
Epiroc	CC 2500 U	2.84	22-35	860	725	1274.86	n/s	n/s	150-250
Epiroc	CC 3100 S	2.85	25-40	400	465	1421.96	2059	n/s	150-250
Socomec	PDO 2850	2.85	29-38	1090	n/s	n/s	n/s	n/s	250-350
Hydraram	HMK-70	2.85	75-100	700	755	2354	3020	550	450-600
Jisung	JSC 320RC	2.85	n/s	1100	n/s	1527	2560	1768	n/s
Rammer	RCC30R	2.86	24-35	1040	900	1420	2200	n/s	220-250
Arden	CU031	2.86	26-37	n/s	n/s	n/s	n/s	n/s	n/s
FRD	VXM30ERSW	2.86	26-38	843	n/s	1100	2365	270	n/s
MSB	MSMC 4000	2.88	38-47	n/s	n/s	n/s	n/s	n/s	n/s
Myungsan	MS1100R	2.9	33-36	1100	n/s	1564	2640	1493	10-40
Myungsan	MSP1000R	2.9	28-36	710	n/s	1932	2302	1438	150-250
OSA Demolition Equipment	RS2500	2.9	35-50	1100	700	1700	2700	880	300-340
Italmek	IF25	2.9	27-35	960	940	3628	2650	n/s	n/s
LaBounty	MDP 27 CC	2.9	25	810	790	n/s	n/s	n/s	n/s
Feel	FMC 300	2.93	28-36	1000	n/s	2x1754	2455	1559	n/s
Kinshofer	DLD-45	2.95	32-50	990	950	1000	2360	525	200-300
Doosan	RC34	2.95	28-36	1056	360	777	2686	532	200-300
Hammer	FP30	2.95	24-40	950	n/s	579	2800	n/s	220-300
Hydraram	HCC-32V	2.96	29-35	1090	n/s	n/s	n/s	n/s	300-400
Konverma	HCM 800 C	2.97	27-50	1000	785	2648	n/s	n/s	45
NPK	M-28S	2.97	28-40	1067	762	4500	2521	1500	150-250
SkanCraft	SCMT30-38	2.97	30-38	920	550	3335	2400	n/s	220-260
Prodem	PMP320-S	2.99	28-40	573	n/s	1136	2533	1332	200-300
Dehaco	CR 26R	3	24-35	1100	850	n/s	n/s	n/s	220-250
Promove	CP 2900	3	28-45	1130	n/s	1275	2370	n/s	250-300
Genesis	GCP 410R	3	25	864	737	n/s	2362	n/s	n/s
Everdigm	EHC32	3	28-36	983	n/s	1006	2565	1560	200-300
Prodem	PMP320-D	3	28-40	983	n/s	1096	2565	1560	200-300

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
VTN	MT35 T	3.01	33-50	454	394	1544	2316	840	40-50
Arden	CU 031 CB	3.02	26-39	950	n/s	1394	2700	n/s	n/s
Doosan	MP34 Crushing	3.03	28-36	1119	240	947	2533	1648	200-300
Prodem	PMP320-C	3.03	28-40	1119	n/s	1036	2533	1684	200-300
Rotar	RDC 32 S	3.05	30-45	995	880	n/s	2508	760	250-300
Daemo	DMC330R	3.05	27-36	890	n/s	727	2660	n/s	250-300
Steck	S 32 U	3.05	30-45	1000	975	n/s	2504	720	n/s
LaBounty	UPX 250	3.08	55	736	584	n/s	n/s	n/s	n/s
Hydraram	HCC-28P	3.09	33-40	1115	n/s	981	2540	n/s	230-300
Epiroc	CC 3100 U	3.1	25-40	870	700	1019	2341	n/s	150-250
Daemo	DMC330RB	3.1	27-36	890	n/s	727	2685	n/s	250-300
OSA Demolition Equipment	MC30 Concrete	3.1	30-38	870	n/s	n/s	2485	615	n/s
Italmek	IF30	3.1	28-38	990	940	1471	2650	n/s	n/s
OSA Demolition Equipment	MC 30	3.12	30-38	920	550	n/s	2420	n/s	240-300
Prodem	PMP320-P	3.13	28-40	1008	n/s	1126	2563	1643	200-300
Kinshofer	MQP-45-D	3.15	32-50	990	960	1225	2355	515	200-300
Genesis	GDT 290	3.18	30	991	1067	n/s	2794	n/s	225-380
Allied-Gator	MTR 40 C	3.18	16-29	984	695	1166	n/s	184	303
Kinshofer	MQP-45-C	3.2	32-50	990	975	1175	2360	450	200-300
All-Kor	AKC 4000S	3.2	36-42	630	600	1096	2700	1290	250-300
Demarec	MQP-45-U	3.2	32-50	670	830	1893	n/s	n/s	40-60
LaBounty	MDP 27 CP	3.2	25	710	760	n/s	n/s	n/s	n/s
All-Kor	AKC 4000C	3.25	36-42	1710	200	1445	2590	1710	250-300
All-Kor	AKC 4000P	3.25	36-42	1350	600	1794	2630	1710	250-300
Demarec	DCC-40	3.25	25-45	1360	995	1275	n/s	n/s	40-60
Arden	CU5000	3.25	37-53	n/s	n/s	n/s	n/s	n/s	n/s
Atlas Copco	CC 3300S	3.28	30-50	440	625	1383	2370	n/s	220-350
MSB	MSRC3000	3.3	28-38	623	n/s	3854	n/s	n/s	250
Ramtec	MP32	3.3	28-35	912	n/s	3420	n/s	n/s	280
Prodem	PMP320-U	3.3	28-40	753	n/s	1096	2681	1486	200-300
Arden	CU 3500 CB	3.3	38-55	1000	n/s	1673	2500	n/s	n/s
Wimmer	TC 800 U	3.3	24	800	550	3856	n/s	n/s	n/s
VTN	MT35 D	3.32	33-50	1248	824	1079	2521	840	40-50
Hammer	MC35 D	3.32	33-50	1248	824	2942	2521	n/s	300-350
JCB	MP400 S	3.32	30-50	440	700	3986	2310	n/s	220-350
Hydraram	MK-28P	3.33	33-48	520	560	1618	2350	440	230-300
Taber	DMT 35	3.33	32-40	1010	1040	n/s	234	490	300-350
Hammer	MC35 S	3.35	33-50	611	629	n/s	2469	n/s	300-350
NPK	M-35S	3.36	27-36	1087	726	n/s	2602	1533	190-300
Konverma	HCM 800 M	3.37	30-50	770	700	2648	n/s	n/s	45
Verdelli	C_D_C 23 R	3.4	22-25	900	n/s	n/s	2200	n/s	230
VTN	PD30	3.4	33-50	1203	840	883	2319	1795	25-35
Epiroc	CC 3700 S	3.4	32-50	440	625	1441	2320	n/s	220-350
FRD	VX50ER	3.4	33-50	1203	n/s	1300	2319	1795	25 - 35
Genesis	LXP 300	3.4	20-32	1092	762	n/s	2600	n/s	n/s
VTN	MT35 R	3.47	33-50	1230	854	981	2582	840	40-50
Hammer	MC35 R	3.47	33-50	1234	854	n/s	2582	n/s	300-350
Atlas Copco	CC 3300U	3.48	30-50	1000	765	1069	2370	n/s	220-350
JCB	MP400 U	3.48	30-50	1010	765	3986	2370	n/s	220-350
Geith	GT120	3.49	50-82	1372	n/s	n/s	n/s	n/s	n/s
Globram	RM342	3.5	28-55	1150	n/s	n/s	n/s	n/s	320
Eusiti	SGF 35	3.5	20-26	800	150	n/s	2713	1080	150-160
Mantovanibenne	CC35R	3.5	30-40	1100	n/s	n/s	2270	n/s	280-300
Hammer	FR32	3.5	26-40	1000	n/s	1226	2800	n/s	300-350
Hammer	FK33	3.5	26-40	1050	n/s	1226	2800	n/s	300-350
FRD	V44C	3.54	44-60	663	n/s	2450	2720	1740	40 - 50
FRD	V44T	3.54	44-60	482	n/s	2450	2720	1740	40 - 50
FRD	V44S	3.54	44-60	1064	n/s	2450	2720	1740	40 - 50
FRD	V44M	3.54	44-60	1302	n/s	2450	2720	1740	40 - 50
FRD	V44P	3.54	44-60	1308	n/s	2450	2720	1740	40 - 50
Hammer	MC35 P	3.55	33-50	1042	773	1471	2509	n/s	300-350
Genesis	GDR 300	3.58	32	1092	991	1305	2743	n/s	380
VTN	MT 35 CH	3.6	33-50	920	780	1128	2510	n/s	40-50
Genesis	GCP 610	3.6	29	1143	991	n/s	2.642	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Italmek	IF35	3.6	32-45	1070	1040	4413	2700	n/s	n/s
Italmek	IP35	3.65	34-50	1270	n/s	160	2460	n/s	300
Trevi Benne	HC 40	3.68	34-52	1370	n/s	847	2520	n/s	300-400
Myungsan	MS1300R	3.7	36-40	1300	n/s	1694	3060	1823	10-50
Epiroc	CC 3700 U	3.7	32-50	1000	765	1235	2420	n/s	220-350
LaBounty	MDP 35 CC	3.7	32	970	910	n/s	n/s	n/s	n/s
Arden	CUO42	3.76	37-53	n/s	n/s	n/s	n/s	n/s	n/s
NPK	S-36XCR	3.8	29-38	1355	n/s	3800	2787	1995	150-250
Myungsan	MSP1500R	3.8	40-50	820	n/s	2256	2550	1650	200-400
SkanCraft	SCMT36-50	3.8	36-50	1150	600	3580	2600	n/s	280-320
OSA Demolition Equipment	MC 40	3.8	36-50	1150	600	n/s	2600	n/s	300-350
OSA Demolition Equipment	RS 4000	3.8	36-49	1350	1034	n/s	2800	n/s	300-380
OSA Demolition Equipment	MC40 Concrete	3.8	36-50	1100	n/s	n/s	2500	500	n/s
Hydraram	HCC-40V	3.82	36-49	1370	n/s	834	2520	n/s	300-400
NPK	M-38S	3.85	35-45	1230	838	5900	3009	1676	200-250
Hammer	FP40	3.85	30-60	1280	n/s	618	2810	n/s	350-450
NPK	SV-36XR	3.92	29-38	1350	n/s	4150	n/s	n/s	150-250
Hydraram	HCC-42V	3.92	36-49	1370	n/s	n/s	n/s	n/s	350-450
FRD	V50C	3.94	50-70	743	n/s	2650	2970	2020	40-50
Hydraram	HMK-70	3.94	75-100	700	755	2354	3020	550	450-600
FRD	V50T	3.94	50-70	511	n/s	2650	2970	2020	40-50
FRD	V50S	3.94	50-70	1123	n/s	2650	2970	2020	40-50
FRD	V50M	3.94	50-70	1372	n/s	2650	2970	2020	40-50
FRD	V50P	3.94	50-70	1547	n/s	2650	2970	2020	40-50
Arden	CDO42	3.94	26-37	n/s	n/s	n/s	n/s	n/s	n/s
Promove	CP 4000	3.95	34-55	1230	n/s	1373	2600	n/s	300-350
A-Ward	AMP5500R	3.95	35-55	960	n/s	n/s	n/s	n/s	n/s
Soosan	SUP40 RC	4	35-50	1250	260	1295	2700	n/s	240-350
Italmek	IF40	4	33-45	1080	1050	1814	2700	n/s	n/s
Arden	CUO45	4.04	53-90	n/s	n/s	n/s	n/s	n/s	n/s
Arden	CDO45	4.04	53-90	n/s	n/s	n/s	n/s	n/s	n/s
Soosan	SUP40 RS	4.05	35-50	695	320	1474	2775	n/s	240-350
Rotar	RDC 42 S	4.1	45-70	1230	1020	1000	2730	880	250-300
Steck	S 42 U	4.1	45-65	1200	1100	n/s	2504	720	n/s
LaBounty	MDP 35 CP	4.1	32	860	910	n/s	n/s	n/s	n/s
Okada	TS-WB1400V	4.18	30-50	1400	n/s	1100	2970	1995	n/s
Hammer	FR42	4.2	32-55	1150	n/s	1432	3080	n/s	350-400
Hammer	FK43	4.2	32-55	1230	n/s	1432	3080	n/s	350-400
Demarec	DCC-50	4.2	35-55	1500	1110	1471	n/s	n/s	40-60
Soosan	SUP40 RP	4.25	35-50	1170	200	1295	2700	n/s	240-350
Kinshofer	MGP-60-D	4.38	45-65	1175	1090	1420	2600	550	300-400
Everdigm	EHC40	4.4	36-47	676	n/s	1773	2968	1612	280-360
Tabe	DMT 45	4.4	38-50	1165	1140	n/s	3080	490	350-400
Demarec	MGP-60-U	4.4	45-65	820	880	2839	n/s	n/s	40-60
Prodem	PMP400-N	4.47	36-52	316	n/s	2043	2545	1823	150-250
Verdelli	P.D.I. 30	4.5	27-33	1000	n/s	n/s	2700	n/s	250
Globram	RM352	4.5	38-65	1250	n/s	n/s	n/s	n/s	370
Eusiti	SGF 45	4.5	27-35	900	150	n/s	2775	1424	150-160
Atlas Copco	CC 4700S	4.5	45-65	710	860	1520	2700	1860	350-450
Genesis	GCP 610R	4.5	39	1143	991	n/s	2.946	n/s	n/s
Genesis	GDT 390	4.54	41	1168	1143	n/s	3.2	n/s	300-380
Allied-Gator	MTR 50 C	4.54	25-40	1168	812.8	1465	n/s	228.6	454
BTi	MS40R	4.55	24-30	1200	1015	3507	3045	n/s	n/s
NPK	S-42XCR	4.55	39-48	1500	n/s	4200	n/s	2240	175-275
Dehaco	MS 40R	4.55	40-50	950	n/s	n/s	n/s	n/s	250-300
Prodem	PMP400-S	4.58	36-52	676	n/s	1774	2968	1612	280-360
Prodem	PMP400-MS	4.59	36-52	707	n/s	1723	2937	1612	280-360
Myungsan	MS1500R	4.6	40-70	1500	n/s	2102	3300	1939	10-50
Atlas Copco	CC 3300B	4.6	38-55	600	644	n/s	2380	n/s	220-350
Kinshofer	MGP-60-C	4.6	45-65	1150	1050	1370	2600	480	300-400
Prodem	PMP400-D	4.64	36-52	1209	n/s	1574	3063	1879	280-360
Prodem	PMP400-C	4.69	36-52	1274	n/s	1584	2807	1970	280-360
Dehaco	CR 40R	4.7	35-50	1350	1100	n/s	n/s	n/s	250-300
VTN	MT45 D	4.71	44-60	1310	851	1177	2723	840	40-50

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Mantovanibenne	CR40R	4.72	35-50	1350	n/s	n/s	2800	n/s	250-300
Mantovanibenne	CR40	4.72	35-50	1350	n/s	n/s	n/s	n/s	250-300
Atlas Copco	CC 4700U	4.75	45-65	1300	1080	1520	2900	1960	350-450
LaBounty	UPX 450	4.76	99	863	609	n/s	n/s	n/s	n/s
Rammer	RCC43R	4.77	35-50	1350	1160	1900	2800	n/s	250-300
Prodem	PMP400-P	4.78	36-52	1184	n/s	1654	2971	1895	280-360
VTN	MT45 T	4.79	44-60	482	441	1744	2547	840	40-50
Verdelli	C.D. C 35 R	4.8	27-33	1080	n/s	n/s	2600	n/s	300
OSA Demolition Equipment	RS 5000	4.8	50-65	1500	1055	n/s	2850	n/s	350-400
Epiroc	CC 5000 S	4.83	45-65	720	865	1941.72	2800	n/s	350-450
Atlas Copco	CC 5000S	4.83	45-65	720	865	1942	n/s	n/s	350-450
VTN	PD50	4.85	45-70	1550	n/s	1373	2750	2100	40-50
Trevi Benne	HC 50	4.85	48-68	1500	n/s	1196	2690	n/s	350-450
Hydraram	HCC-50V	4.85	50-65	1500	n/s	1177	2690	n/s	350-450
FRD	VX80ER	4.85	45-70	1550	n/s	1400	2750	2100	40-50
Genesis	GRX 395	4.87	41	1143	1067	n/s	3200	n/s	n/s
VTN	MT 45 CH	4.9	44-60	920	800	1275	2710	n/s	40-50
NPK	SV-47XR	4.9	39-48	1600	n/s	4500	n/s	n/s	175-275
Okada	TS-WB1600V	4.96	40-70	1600	n/s	1320	3160	2275	n/s
Genesis	GDR 400	4.99	45	1219	1041	n/s	2.997	n/s	n/s
Genesis	LXP 400	5	27-45	1194	851	n/s	2900	n/s	n/s
AJCE	ACR45	5	35-48	1400	n/s	n/s	n/s	n/s	n/s
Trevi Benne	MK 70	5.02	72-110	n/s	n/s	n/s	1720	n/s	450-600
Epiroc	CC 5000 U	5.05	45-65	1300	1090	1520	2960	n/s	350-450
Atlas Copco	CC 5000U	5.05	45-65	1300	1090	1520	n/s	n/s	350-450
VTN	MT45 R	5.16	44-60	1300	906	1128	2795	840	40-50
All-Kor	AKC 5500S	5.2	45-52	720	600	1794	3250	1905	280-360
All-Kor	AKC 5500C	5.2	45-52	2350	220	5281	3400	2350	280-360
OSA Demolition Equipment	MC 55	5.2	50-70	1300	810	n/s	2850	n/s	300-380
SkanCraft	SCMT50-70	5.2	50-70	1300	850	4905	2850	n/s	350-400
OSA Demolition Equipment	MC55 Concrete	5.2	50-70	1300	n/s	n/s	2750	750	n/s
VTN	MT55 T	5.22	50-70	511	486	1993	2778	840	40-50
Demarec	DCC-65	5.3	50-70	1600	1200	1716	n/s	n/s	40-60
Hydraram	HCC-58V	5.4	50-65	1500	n/s	n/s	n/s	n/s	400-500
Italmek	IF55	5.4	45-65	1230	1190	5198	3050	n/s	n/s
All-Kor	AKC 5500P	5.48	45-52	1460	600	5281	3470	2370	280-360
VTN	MT55 D	5.5	50-70	1550	944	1275	2902	840	40-50
Italmek	IF60	5.5	45-65	1230	1190	2108	3050	n/s	n/s
LaBounty	MDP 50 CC	5.6	45	1270	1140	n/s	n/s	n/s	n/s
Allied-Gator	MTR 70 C	5.67	31-50	1289	883	1664	n/s	241	492
NPK	S-60XCR	5.7	45-55	1600	n/s	n/s	3195	2395	n/s
OSA Demolition Equipment	RS 6000	5.8	60-80	1650	1080	n/s	3000	n/s	380-450
Taber	DMT 55	5.8	50-90	1285	1280	n/s	3415	540	400-500
Genesis	LXP 500	5.8	32-54	1295	876	n/s	3000	n/s	n/s
JAB	JMC 550-II	5.8	45-52	1560	n/s	5300	3395	n/s	n/s
Hammer	FR54	5.9	40-65	1280	n/s	1716	3420	n/s	400-500
Hammer	FK55	5.9	40-65	1350	n/s	1716	3420	n/s	400-500
Verdelli	P.D.I. 40	6	36-34	1100	n/s	n/s	2850	n/s	300
VTN	MT55 R	6.14	50-70	1466	1115	1324	3018	840	40-50
Mantovanibenne	CR60R	6.25	50-65	1580	n/s	n/s	3020	n/s	320-350
Rammer	RCC60R	6.25	50-60	1580	n/s	2840	n/s	n/s	320-350
Dehaco	CR 60R	6.25	50-65	1580	n/s	n/s	n/s	n/s	320-350
Demarec	DCC-75	6.3	60-80	1750	1300	1961	n/s	n/s	60
Atlas Copco	CC 6000S	6.3	58-85	750	900	1765	2900	2000	450-550
LaBounty	MDP 50 CP	6.3	45	1270	1140	n/s	n/s	n/s	n/s
Hydraram	HCC-65V	6.43	66-85	1680	n/s	1422	2950	n/s	400-500
BTi	MS60R	6.5	30-50	1540	1160	4154	3255	n/s	5
Dehaco	MS 60R	6.5	60-70	1250	n/s	n/s	n/s	n/s	280-320
Atlas Copco	CC 6000U	6.5	58-85	1400	1150	1765	3100	2120	450-550
Trevi Benne	HC 60	6.58	64-88	1680	n/s	1445	2950	n/s	400-500
NPK	SV-65XR	6.63	60-70	2000	n/s	5780	n/s	n/s	200-300
Mantovanibenne	CC65R	6.65	60-70	1525	n/s	n/s	3000	n/s	500-600
Wimmer	TC 1100 U	6.7	45	1100	800	6177	n/s	n/s	n/s
Epiroc	CC 7000 S	6.75	58-85	750	900	2010	2930	n/s	450-550

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (/min)
Atlas Copco	CC 7000S	6.75	58-85	750	900	2010	n/s	n/s	450-550
Epiroc	CC 7000 U	7.1	58-85	1400	1150	1765.2	3100	n/s	450-550
Atlas Copco	CC 7000U	7.1	58-85	1400	1150	1765	n/s	n/s	450-550
Hydraram	HCC-72V	7.1	66-85	1680	n/s	n/s	n/s	n/s	450-650
Okada	TS-WB1900V	7.34	70-100	1900	n/s	2000	3510	2600	n/s
VTN	PD 80	7.7	70-100	1850	2250	1912	3085	2550	40-50
OSA Demolition Equipment	MC 80	7.8	80-100	1700	1110	n/s	3200	n/s	400-500
Hammer	FK81	7.8	55-90	1550	n/s	2059	3600	n/s	450-550
Hammer	FR80	7.8	55-90	1400	n/s	2059	3700	n/s	450-550
OSA Demolition Equipment	RS 8000	7.9	80-100	1830	1185	n/s	3200	n/s	400-500
Genesis	LXP 800	7.9	41-68	1803	1270	n/s	3550	n/s	n/s
Mantovanibenne	CR80R	8.25	70-90	1800	n/s	n/s	3400	n/s	500-600
Dehaco	CR 80R	8.25	70-90	1800	1300	n/s	n/s	n/s	500-600
FRD	VX100ER	8.4	70-100	1850	n/s	1950	3085	2640	40-50
Verdelli	P.D.I. 80	8.5	60-80	1900	n/s	n/s	3800	n/s	350
Hydraram	HCC-85V	8.55	85-105	1830	n/s	1814	3160	n/s	450-650
Trevi Benne	HC 80	8.7	84-110	1830	n/s	1843	3160	n/s	450-650
Tabe	DMT 90	8.7	70-110	1520	1380	n/s	3780	635	500-700
Rammer	RCC80R	8.8	70-90	1750	990	3190	2900	n/s	500-600
Allied-Gator	MTR 90 C	9.07	50-86	1422	991	2332	n/s	260	681
NPK	SV-100XR	9.2	80-100	2200	n/s	7350	n/s	n/s	200-300
LaBounty	UPX 950	9.3	187	1600	1041	n/s	n/s	n/s	n/s
Okada	TS-WB2200V	9.7	100	2400	n/s	2150	4050	3160	n/s
Hydraram	HCC-95V	9.38	85-105	1830	n/s	n/s	n/s	n/s	500-800
LaBounty	MDP 90 CP	9.5	85	1420	1240	n/s	n/s	n/s	n/s
Hydra Ram	HCC-100V	10.75	86-130	2050	n/s	2157	3350	n/s	500-800
OSA Demolition Equipment	MC 110	10.8	85-130	1900	1240	n/s	3500	n/s	500-600
Trevi Benne	HC 100	10.9	84-135	2050	n/s	2192	3350	n/s	500-800
Dehaco	CR 140R	11	120-160	2000	1450	n/s	n/s	n/s	600-800
Mantovanibenne	CR100R	11	90-130	2050	n/s	n/s	3200	n/s	600-800
OSA Demolition Equipment	RS11000	11	90-130	2100	n/s	n/s	3500	1350	450-600
FRD	VX130ER	11	80-130	2680	n/s	2350	3620	2680	80-100
VTN	PD120	11	80-130	2100	n/s	2305	3620	2680	80-100
Dehaco	CR 100R	11	90-130	2050	1450	n/s	n/s	n/s	600-800
Rammer	RCC110R	12	90-130	2000	1100	3880	3200	n/s	600-800
Mantovanibenne	CR120R	12	100-150	2310	n/s	n/s	3300	n/s	600-800
Okada	TS-WB2400V	12	100	2400	n/s	2150	4050	3160	n/s
Trevi Benne	HC 120	12.2	84-165	2305	n/s	2391	3700	n/s	500-800
Hydraram	HCC-120V	12.2	86-150	2305	n/s	2354	3700	n/s	500-800
Allied-Gator	MTR 100 C	12.7	72-90	1727	1194	2591	n/s	299	984
OSA Demolition Equipment	RS12000	13	90-150	2300	n/s	n/s	3820	1410	450-700
Hydraram	HCC-130V	13.85	86-150	2305	n/s	n/s	n/s	n/s	500-800
BTi	MS130R	14	80-120	2500	1450	9655.13	4300	n/s	4.4
Dehaco	MS 130R	14	120-160	2500	n/s	n/s	n/s	n/s	600-800
Trevi Benne	HC 140	14.3	110-210	2860	n/s	2491	3630	n/s	500-800
Hydraram	HCC-150V	15.8	100-200	2836	n/s	n/s	n/s	n/s	600-1000
Allied-Gator	MTR 160 C	19.96	97.5-136	1981	1372	3289	n/s	330	1590
Allied-Gator	MTR 180 C	23.59	113.4	2184	1626	4982	n/s	445	1590
Hydraram	HCC-320V	32	200-300	3100	n/s	n/s	n/s	n/s	600-1300
Komac	TRIS 2M	0.2	1.5-3	360	n/s	0.61	1110	688	n/s
FRD	VMX17 P	n/s	13-21	717	700	n/s	1994	n/s	110-160
FRD	V22 P	n/s	21-28	862	n/s	800	n/s	n/s	170-200
FRD	VMX30 P	n/s	26-38	865	810	n/s	2356	n/s	200-250
FRD	V26 P	n/s	25-35	1130	n/s	900	n/s	n/s	250-300
FRD	V34 P	n/s	33-50	1248	n/s	1100	n/s	n/s	300-350
FRD	VMX35 P	n/s	35-50	957	910	n/s	2555	n/s	300-400
FRD	V4 P	n/s	3-6	374	n/s	200	n/s	n/s	30-50
FRD	V44 P	n/s	44-60	1308	n/s	1200	n/s	n/s	350-450
FRD	V50 P	n/s	50-70	1547	n/s	1300	n/s	n/s	400-500
FRD	V6 P	n/s	5-11	545	n/s	350	n/s	n/s	70-110
FRD	VMX10 P	n/s	7-13	520	500	n/s	1595	n/s	70-90
FRD	VMX13 P	n/s	10-16	610	580	n/s	1785	n/s	90-140
FRD	VMX25 P	n/s	18-27	780	760	n/s	2074	n/s	170-210
Demarec	MGP-25-U	n/s	18-25	n/s	n/s	n/s	n/s	n/s	40-60



NEW PRODUCTS IN 2019

DRUM CUTTERS



WHEEL CUTTERS



CRUSHER BUCKETS



SCREENER BUCKETS



CHECK OUT OUR ORIGINAL DEMAREC MERCHANDISE WEBSHOP AT DEMAREC.SHOP



In the end... It's only about the right tool

DEMAREC. De Hork 32, 5431 NS Cuijk, the Netherlands. Tel.: +31 (0) 485 442300, info@demarec.com
DEMAREC Deutschland. Im Rohnweiher 14, D-53797 Lohmar, Germany. Tel.: +49 2205 92027 0, info@demarec-deutschland.de
KINSHOFER UK. 4 Milton Industrial Court, Hors eld Way, Bredbury, Stockport, Cheshire, SK6 2TA. Tel.: +44 (0)161 406 7046, sales@kinshofer.co.uk
KINSHOFER USA. 6420 Inducon Drive - Suite G, Sanborn, NY, 14132. Tel. +1 (716) 731 4333, sales-usa@kinshofer.com



REGISTER FOR THE **FREE** DIGITAL ISSUE

Delivered instantly
anywhere in the
world

- Interactive
- Searchable
- Archiveable



For more details and to register for your own, **FREE**, digital copies go to:
www.khl.com



INFORMATION THAT BUILDS AND POWERS THE WORLD

www.khl.com

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Width (mm)	Total Length (mm)
Hydraram	HMSH 10	0.11	0.8-2	180	210	340	n/s	2850
Hydraram	HMSH 20	0.17	2-3.5	230	260	450	n/s	n/s
Northerntrack	HCC-2V	0.18	2-4	280	n/s	177	n/s	1020
Sandvik	BC 504	0.2	2.5-6	312	315	460	1145	606
Ramtec	CC 4	0.21	2.5-6	312	n/s	460	n/s	n/s
Soosan	SMCO 2	0.24	1.5-2.5	387	250	26	n/s	1087
Hydraram	HMSH 30	0.26	3-8	285	300	600	n/s	n/s
Okada	CUT18	0.29	3-5	400	285	135	270	1250
Sandvik	BC 706	0.32	4-9	400	390	310	1230	885
Soosan	SMCO3 MC	0.32	3-5	433	90	333	n/s	1204
D&A	DFS O3	0.33	3-8	400	100	309	n/s	n/s
Northerntrack	HCC-3	0.35	4-7	358	n/s	216	n/s	1165
Ramtec	CC 6	0.36	4-9	400	n/s	750	n/s	n/s
FRD	VR4ER	0.4	2.5-8	350	295	320	n/s	1855
Inan Makina	CRS O4	0.5	5.5-9	450	n/s	2157	n/s	1295
Soosan	SMCO5	0.52	5-8	596	120	318	n/s	1357
Hydra Ram	HMSH 50 HR	0.52	5-9	430	450	880	n/s	n/s
Northerntrack	HCC-5V	0.55	5-10	480	n/s	196	n/s	1300
FRD	VM10ER	0.63	6-13	550	510	400	300	1525
Okada	CUT30V	0.7	6-13	525	325	300	300	1670
Okada	CUT30	0.71	6-10	518	295	658	n/s	1650
FRD	VR7ER	0.76	5-13	415	285	600	n/s	2080
Okada	C-100	0.97	13-15	605	400	380	n/s	1725
Northerntrack	HCS-12U	0.98	10-16	670	340	n/s	n/s	n/s
Northerntrack	HCC-10V	1.02	10-15	685	n/s	441	n/s	1550
Italdem	ITP 100	1.15	12-16	600	n/s	1345	n/s	1700
Okada	CUT50	1.18	11-17	598	335	934	n/s	2000
Soosan	SMC10	1.2	10-14	750	450	45	n/s	1900
FRD	VR15ER	1.21	9-19	450	340	610	n/s	2277
Okada	CUT50V	1.22	12-25	605	340	500	365	2000
FRD	VM13ER	1.27	13-16	635	670	550	404	1956
Northerntrack	HCC-13V	1.32	20-25	610	n/s	441	n/s	1750
LaBounty	BLS 2000	1.36	18-29	381-508	495	3188	n/s	n/s
Okada	C-200	1.4	18-21	705	460	720	n/s	1945
Italdem	ITP 150	1.4	16-22	710	n/s	1395	n/s	2010
FRD	VM16ER	1.6	15-22	680	720	1950	404	2035
Northerntrack	HCC-17V	1.68	16-21	820	n/s	588	n/s	1775
Boohung	BHMS80	1.7	18-26	353	n/s	2241	1281	2100
Inan Makina	CRS 17	1.75	14-20	880	n/s	2422	n/s	1870
Soosan	SMC25ORG	1.75	17-25	900	180	697	n/s	1956
Soosan	SMC25ORD	1.8	17-25	800	180	697	n/s	1907
Italdem	ITP 180	1.8	22-30	840	n/s	1594	n/s	2300
FRD	VM19ER	1.9	18-26	786	840	2340	454	2225
Arden	CU 2000 CB	1.9	18-27	710	470	318	n/s	2320
Caterpillar	MP318CC	1.93	18-25	368	645	1075	793	1972
Caterpillar	MP318D	1.94	18-25	549	645	1038	793	1935
Caterpillar	MP318	1.97	18-25	468	565	2511	793	2000
Northerntrack	HCS-19U	1.98	17-25	760	625	2354	n/s	n/s
Arden	CU 2000 BF	2	18-27	710	580	318	n/s	2410
FRD	VR18ER	2.12	12-30	480	380	950	n/s	2665
Northerntrack	HCC-22V	2.13	22-28	890	n/s	686	n/s	1900
Inan Makina	CRS 20M	2.15	20-35	900	n/s	3138	n/s	2070
LaBounty	BLS 3000	2.18	29-38	432-559	584	4025	n/s	n/s
Italdem	ITP 200	2.2	30-40	900	n/s	1794	n/s	2300
Okada	CUT82	2.24	20-28	835	543	1505	n/s	2675
Okada	CUT82V	2.25	20-35	850	550	600	480	2690
Inan Makina	CRS 20	2.3	20-35	900	n/s	3776	n/s	1885
Ramtec	CC 22	2.3	20-40	720	n/s	1600	n/s	n/s
Genesis	LXP 200	2.4	9-20	432	483	n/s	n/s	2515
Soosan	SMC300RG	2.45	25-32	950	180	797	n/s	2190
Rammer	RC 22	2.5	19-40	720	780	1600	2350	1590
Sandvik	BC 2022	2.5	19-40	720	780	1600	2350	1590
Soosan	SMC300RD	2.5	25-32	900	180	797	n/s	2276
FRD	VM25ER	2.5	25-33	930	940	2600	454	2575

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Width (mm)	Total Length (mm)
Arden	CU 2700 CB	2.6	26-37	810	560	380	n/s	2480
D&A	DFS 30	2.6	26-36	570	600	1594	n/s	n/s
Northerntrack	HCC-27V	2.64	29-35	1090	n/s	735	n/s	2115
Caterpillar	MP324CC	2.66	24-35	513	753	1520	793	2133
Caterpillar	MP324D	2.69	24-35	677	756	1427	793	2079
Caterpillar	MP324	2.74	24-35	642	680	3386	793	2194
Inan Makina	CRS 25	2.8	25-38	1080	n/s	3481	n/s	2380
Boohung	BHMS100	2.8	27-36	585	n/s	3288	1650	2650
Arden	CU 2700 BV	2.84	26-37	600	600	300	n/s	2560
Arden	CU 2700 BF	2.84	26-37	800	580	350	n/s	2630
Arden	CU 2700 BP	2.9	26-37	593	610	248	n/s	2570
Italdem	ITP 250	2.9	35-50	1100	n/s	1993	n/s	2700
FRD	VR26ER	2.93	23-38	575	475	1460	n/s	3227
Northerntrack	HCS-28U	2.96	24-37	890	745	3776	n/s	n/s
Okada	CUT 100-FR	3	n/s	1030	n/s	1687	490	2870
Caterpillar	MP332CC	3.22	32-50	927	869	1367	1005	2175
FRD	VM32ER	3.3	32-40	1010	1040	3500	490	2734
Caterpillar	MP332D	3.34	32-50	1078	909	1347	1005	2253
Genesis	LXP 300	3.4	20-32	559	610	n/s	n/s	2800
D&A	DFS 403.4	36-45	600	600	3348	n/s	n/s	
FRD	VR42EF	3.5	25-50	570	570	6000	n/s	3500
Northerntrack	HCS-35U	3.54	32-54	1050	785	5196	n/s	n/s
FRD	VR37ER	3.76	30-45	670	710	1650	n/s	3726
Northerntrack	HCC-40V	3.82	36-49	1370	n/s	834	n/s	2520
Caterpillar	MP30CC	3.85	35-60	540	890	1780	1010	2800
Caterpillar	MP30CR	3.86	35-60	770	920	1740	1010	2770
Caterpillar	MP345CC	4.31	45-65	1023	913	1670	1005	2344
FRD	VM42ER	4.4	38-50	1165	1140	1300	490	3080
Caterpillar	MP345D	4.53	45-65	1183	954	1670	1005	2367
FRD	VR42ER	4.65	30-55	740	570	8900	n/s	3744
Genesis	GRX 395	4.76	41	610	648	n/s	n/s	3200
FRD	VR56EF	4.8	30-60	712	712	7000	n/s	4045
Northerntrack	HCS-48U	4.82	42-62	1360	1100	6276	n/s	n/s
Northerntrack	HCC-50V	4.85	50-65	1500	n/s	1177	n/s	2690
Genesis	LXP 400	5	27-45	610	686	n/s	n/s	3000
Caterpillar	MP365CC	5.66	65-90	1232	1051	2017	1100	2663
FRD	VM60ER	5.8	50-90	1285	1280	1400	540	3415
Genesis	LXP 500	5.9	32-54	686	711	n/s	n/s	3100
FRD	VR56ER	5.96	35-60	830	712	10000	n/s	4338
Genesis	GSS 660	6.05	n/s	813	814	14460	n/s	n/s
Caterpillar	MP365D	6.12	65-90	1384	1089	2031	1100	2678
Northerntrack	HCS-65U	6.23	52-86	1430	1170	10052	n/s	n/s
FRD	VR76EF	6.3	40-100	810	810	8150	n/s	4200
Caterpillar	MP40CR	6.37	60-85	800	1100	4650	2150	3500
Caterpillar	MP40CC	6.37	60-85	720	1100	4310	2340	3500
Northerntrack	HCC-65V	6.43	66-85	1680	n/s	1422	n/s	2950
FRD	VR76ER	7.57	45-100	870	810	12000	n/s	4436
FRD	VR90EF	7.7	45-110	850	850	10800	n/s	4850
Genesis	LXP 800	7.9	41-68	1016	889	n/s	n/s	3550
Northerntrack	HCC-85V	8.55	85-105	1830	n/s	1814	n/s	3160
FRD	VM80ER	8.7	70-110	1520	1380	5900	635	3780
FRD	VR90ER	10	55-110	1005	850	13200	n/s	5355
Northerntrack	HCC-100V	10.75	86-130	2050	n/s	2157	n/s	3350
Northerntrack	HCC-120V	12.2	86-150	2305	n/s	2354	n/s	3700
FRD	VR130ER	13.5	120	1140	1270	14500	n/s	6300
Genesis	GSS 2500	18.6	n/s	1168	1220	29430	n/s	n/s
FRD	VR200ER	19.4	n/s	1300	1300	17000	n/s	7000
Caterpillar	MP332	n/s	32-50	927	869	1367	1005	2253

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Rammer	RPV03S	0.14	1.5-4	300	340	200	770
BTi	MCP300	0.15	1.5-4	300	300	239	770
Dehaco	MCP 300	0.15	2-4	300	340	n/s	n/s
Daemo	DMC10	0.16	1.5-2	330	n/s	169	n/s
Daemo	DMC11	0.17	1.5-2	360	n/s	219	n/s
Italmek	IDF2	0.19	2-5	320	330	n/s	900
Daemo	DMC30	0.27	2.5-3.5	410	n/s	249	n/s
Okada	OSC-35AV	0.28	3-5	430	90	305	1245
Daemo	DMC31	0.31	2.5-3.5	430	n/s	278	n/s
Verdelli	D.I. 3	0.35	3.6-4.4	350	n/s	299	1350
A-Ward	AMP1000R	0.4	2-10	220	n/s	n/s	n/s
OSA Demolition Equipment	MCO5 Pulverizer	0.4	4-8	310	n/s	n/s	1020
Italmek	IDF4	0.42	3.5-9	440	460	n/s	1200
Daemo	DMC50	0.42	4-5.5	520	n/s	450	n/s
Daemo	DMC51	0.42	4-5.5	530	n/s	318	n/s
SkanCraft	SCMT4-10 M	0.43	4-10	310	250	n/s	1020
BTi	MCP480	0.49	4-10	480	480	707	1225
Rammer	RPV07S	0.49	4-10	480	515	600	1225
Dehaco	MCP 480	0.49	5-10	480	515	n/s	n/s
Verdelli	C.D. F 3 R	0.5	3.6-4.4	370	n/s	n/s	1100
SkanCraft	SCMT4-10	0.5	4-10	310	250	785	1020
OSA Demolition Equipment	FPV 6	0.5	6-10	510	330	n/s	1300
GB	GBPRO50F	0.5	4.5-8	630	n/s	349	1245
Prodem	PHPO50	0.5	4.5-8	630	n/s	428	1245
Trevi Benne	F 07	0.5	n/s	n/s	450	n/s	650
Prodem	PHPO80	0.52	7-10	478	n/s	388	1275
All-Kor	AKR 500M	0.55	4.5-8	508	100	353	1384
Hydraram	HFP-5V	0.55	6-10	475	480	245	1330
Verdelli	DI 5	0.55	6-12	400	n/s	498	1400
Prodem	PHPO50R	0.55	4.5-8	508	n/s	498	1382
All-Kor	AKR 500F	0.58	4.5-7	745	252	333	1570
OSA Demolition Equipment	RV 6	0.6	7-12	520	n/s	n/s	1410
Globram	RM415	0.6	7-16	n/s	525	n/s	n/s
Northerntrack	CP10	0.6	n/s	6-10	550	330	400
Trevi Benne	FM 10	0.6	5.5-12	550	580	269	n/s
Okada	OSC70A	0.61	6-9	590	98	508	1550
VTN	FPO7	0.63	6-13	550	510	399	1525
Promove	CR 800	0.63	6-13	550	n/s	628	510
Okada	OSC-70AV	0.65	6-9	600	100	450	1580
All-Kor	AKR 800F	0.65	5.5-10	745	310	382	1604
VTN	MT05 P	0.66	5-11	437	331	392	1348
BTi	RPO7	0.66	6-9	500	490	757	1560
Trevi Benne	F 07RD	0.68	5-12	530	n/s	349	1345
VTN	CK07 D	0.71	7-13	520	500	441	1595
Verdelli	C.D. F 5 R	0.71	6.5-8.5	390	n/s	n/s	1100
Hydraram	HFP-7V	0.74	6-10	475	140	n/s	n/s
Verdelli	DI 7	0.75	6-12	550	n/s	797	1650
Indeco	IFP 8 X	0.75	6-18	650	n/s	1594	1700
Globram	RM412	0.75	7-18	650	n/s	n/s	n/s
OSA Demolition Equipment	MCO7 Pulverizer	0.76	7-11	500	n/s	n/s	1486
VTN	CK07 P	0.77	7-13	535	525	441	1620
VTN	CK07 R	0.77	7-13	530/265	480/280	441	1595
VTN	CK07 CH	0.77	7-13	350	430	588	1575
Verdelli	CD. F 7 R	0.8	6-11	450	n/s	n/s	1200
Northerntrack	CP 15	0.85	13	715	690	343	n/s
Trevi Benne	FM 15	0.85	9-17	715	690	349	n/s
Nye	12CP47	0.89	9-14	533	406	n/s	673
AJCE	APL15	0.89	13-18	800	n/s	n/s	n/s
Trevi Benne	FR 09RD	0.9	8-14	655	n/s	399	1730
Hydraram	HRP-10V	0.92	9-12	655	660	392	1730
Abiljo	P130	0.97	12-15	760	640	n/s	n/s
Hydraram	HCS-12U	0.98	10-16	670	340	2072	n/s
Nye	15CP47	1	13-17	660	457	n/s	786
Verdelli	DI 10	1	12-15	600	n/s	897	1750

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
OSA Demolition Equipment	FM 20	1	18-22	900	n/s	n/s	600
Arden	BBO700AHD	1.04	16-22	660	n/s	n/s	n/s
Arden	BB700	1.04	19-26	n/s	n/s	n/s	n/s
BTi	MCP600HT	1.05	10-18	620	620	996	1600
Dehaco	MCP 600HT	1.05	10-18	620	625	n/s	n/s
OSA Demolition Equipment	RV 10	1.05	9-15	630	n/s	n/s	1900
Italmek	IDF12	1.05	10-18	660	650	n/s	1650
VTN	MT10 P	1.06	10-15	544	396	490	1573
SkanCraft	SCMT10-15	1.06	10-15	600	510	n/s	1715
OSA Demolition Equipment	MC10	1.06	12-15	600	n/s	n/s	1715
Globram	RM515	1.07	10-20	n/s	560	n/s	n/s
Rammer	RPV14S	1.07	10-18	620	625	920	1600
Okada	OSC135A	1.09	10-16	708	148	668	1900
Nye	20CP47	1.09	16-24	792	522	n/s	863
Okada	OSC-135AV	1.09	10-16	720	150	600	1930
Hydraram	HRP-12V	1.1	9-12	655	140	n/s	n/s
Doosan	FP14	1.1	13-20	680	240	508	1656
OSA Demolition Equipment	FPV 12	1.1	10-16	700	400	n/s	1920
Dehaco	RP 10-IT	1.1	10-15	580	590	n/s	n/s
BTi	RP10-IT	1.1	10-18	580	590	886	1710
SkanCraft	SCP10-16	1.1	n/s	10-16	700	400	588
Everdigm	EHP16	1.1	13-20	680	n/s	508	1656
Prodem	PHP160	1.1	13-20	680	n/s	996	1658
JAB	JMP130-II	1.1	13-17	770	n/s	846	1795
Komac	TRIS22P	1.1	18-26	850	n/s	2690	1836
Hydraram	HFP-12V	1.12	9-12	690	700	637	1740
Italdem	ITFF 120	1.12	10-16	640	n/s	1295	1920
VTN	CK11 D	1.13	10-16	610	580	520	1785
VTN	CK11 CH	1.14	10-16	425	510	637	1730
VTN	CK11 P	1.14	10-16	630	630	520	1780
Rammer	RPV14R	1.15	10-18	580	590	720	1710
Italmek	IF 12	1.15	10-16	620	640	n/s	1850
Steck	D 40	1.15	n/s	921	915	460	n/s
Indeco	IRP 11 X	1.15	10-25	660	n/s	1694	1860
Globram	RM518	1.15	12-25	660	n/s	n/s	n/s
Abiljo	P160	1.16	16-19	760	640	n/s	n/s
VTN	CK11 R	1.16	10-16	610/320	580/320	520	1785
NPK	G-120	1.17	10-17	775	n/s	950	n/s
Arden	BB1200	1.18	13-19	600	n/s	757	2050
A-Ward	AP120	1.2	12	560	540	570	n/s
All-Kor	AKR 1000F	1.25	13-17	720	150	1714	1590
Korte	KPD 12.15	1.25	12-15	635	n/s	706	n/s
Trevi Benne	F 12RD	1.25	12-19	700	n/s	648	1600
Everdigm	EHP16R	1.25	13-16	720	n/s	508	1840
Prodem	PHP160R	1.25	13-20	720	n/s	996	1840
JAB	JP150	1.25	14-20	800	n/s	697	1580
Nye	20CP49	1.27	16-24	792	522	n/s	863
VTN	FP12	1.27	13-16	635	670	548	1956
Promove	CR 1500	1.27	13-16	635	n/s	1046	670
Trevi Benne	FR 13RD	1.27	12-17	705	n/s	548	1920
Hydraram	HFP-13P	1.3	17-27	710	220	765	1740
FRD	VS9E	1.3	12-18	710	850	1000	1900
LaBounty	CP 40	1.3	16-21	760	640	n/s	n/s
Korte	KPS 11.16	1.3	11-16	640	n/s	834	n/s
Verdelli	DI 13	1.3	17-20	700	n/s	1495	1950
Indeco	IFP 13 X	1.3	10-21	810	n/s	2092	1900
Globram	RM416	1.3	12-21	810	n/s	n/s	n/s
GB	GBPR150F	1.3	12-18	840	n/s	847	1663
Hydraram	HRP-14V	1.32	13-15	705	710	539	1920
Trevi Benne	MA 18	1.33	15-23	740	790	588	2080
Korte	KPD 15.19	1.35	15-19	700	n/s	903	n/s
Abiljo	P200	1.36	20-27	850	655	n/s	n/s
LaBounty	CP 60	1.36	21-29	910	690	n/s	n/s
BTi	EXC 60 CP	1.36	n/s	20-30	914	737	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
VTN	VF13	1.37	12-18	710	850	648	1935
Trevi Benne	F 15P	1.37	12-19	670	n/s	897	1600
Promove	CF 140	1.37	12-18	710	n/s	981	850
Doosan	FP22	1.38	16-25	732	240	538	1985
Prodem	PHP190	1.38	16-25	732	n/s	1056	1985
Hydraram	HRP-16V	1.4	13-15	705	220	n/s	n/s
Arden	CU 1300 BB	1.4	14-19	600	390	745	2040
BTi	EXC 40 CP	1.4	n/s	16-20	762	660	n/s
Everdigm	EHP19	1.4	16-25	732	n/s	538	1985
OSA Demolition Equipment	FM 25	1.4	22-32	1100	n/s	n/s	690
Okada	OSC-135PAV	1.42	11-16	720	150	600	1810
Hydraram	HFP-15V	1.42	13-17	690	220	n/s	n/s
Verdelli	C.D_ F 20 R	1.42	19-22	800	n/s	n/s	2100
Nye	25CP47	1.42	22-28	889	600	n/s	973
Verdelli	C.D_ F 10 R	1.43	15-17	570	n/s	n/s	1800
Arden	BBH014	1.43	19-26	n/s	n/s	n/s	n/s
Northerntrack	CP 20	1.45	15-25	915	770	441	n/s
SkanCraft	SCMT 15-20	1.46	15-20	680	540	1962	1920
OSA Demolition Equipment	MC15 Pulverizer	1.46	14-19	680	n/s	n/s	1920
SkanCraft	SCMT15-20	1.48	15-20	680	540	n/s	1920
Indeco	IMP 15	1.5	12-24	720	575	2242	1860
A-Ward	AP200	1.5	20	750	690	n/s	n/s
AJCE	APL20	1.5	20-22	870	n/s	n/s	n/s
Globram	RM520	1.5	16-23	n/s	620	390	n/s
VTN	CK14 D	1.5	13-21	717	700	637	1994
VTN	FP15	1.53	15-22	680	720	648	2086
Promove	CR 1800	1.53	15-22	680	n/s	1196	720
Nye	25CP49	1.54	22-28	889	600	n/s	973
OSA Demolition Equipment	FPV 17	1.55	16-20	815	460	n/s	2080
VTN	CK14 P	1.55	13-21	720	730	608	1995
SkanCraft	SCP16-20	1.55	n/s	16-20	815	460	686
Konverma	HCP 850	1.57	15-27	830	850	1717	n/s
VTN	CK14 R	1.57	13-21	717/338	700/340	608	1994
Arden	BBH0600B	1.58	15-19	600	600	n/s	1975
VTN	MT15 P	1.59	15-22	604	512	637	1890
All-Kor	AKR 1000M	1.6	15-18	800	150	996	2040
Northerntrack	CP 25	1.6	25-36	1050	810	588	n/s
Italdem	ITFG 160	1.6	16-20	680	n/s	1843	2330
JAB	JMP150	1.6	14-20	800	n/s	747	2035
Myungsan	MS850F	1.6	18-28	817	n/s	996	2178
VTN	CK14 CH	1.6	13-21	620/410	630/410	637	1954
SkanCraft	SCR15-20	1.61	15-20	680	n/s	686	2330
OSA Demolition Equipment	RV 16	1.61	15-20	780	n/s	n/s	2330
Steck	D 50	1.61	n/s	1000	982	525	n/s
Hydraram	HRP-17V	1.65	16-21	745	750	637	2050
Arden	BB0900AHD	1.65	24-35	820	n/s	n/s	n/s
Arden	BB900	1.65	26-37	n/s	n/s	n/s	n/s
Abiljo	P280	1.68	28-36	950	735	n/s	n/s
Caterpillar	P215	1.68	15-25	838	722	1185	2414
Trevi Benne	MA 25	1.68	24-37	860	910	735	2400
Mantovanibenne	RP16-IT	1.69	16-20	700	n/s	n/s	n/s
All-Kor	AKR 2000 M	1.7	18-26	890	200	1445	2400
Caterpillar	P315	1.7	15-25	n/s	750	480	1666
Indeco	IFP 1000	1.7	n/s	16-30	800	460	n/s
Indeco	IRP 18 X	1.7	14-30	820	n/s	2092	2280
Globram	RM523	1.7	16-30	820	n/s	n/s	n/s
BTi	RP16	1.72	16-23	700	660	996	2020
GB	GBPR200F	1.73	20-28	970	n/s	1046	1955
Italdem	ITFF 170	1.74	16-22	810	n/s	1594	2080
MSB	MSHP-2000 H	1.75	n/s	18-28	955	1446	1200
Dowin	DFP 80	1.75	20-26	880	n/s	990	2380
Vulcan	VHP20	1.75	18-28	965	n/s	697	2286
AJCE	APL25	1.75	22-25	980	n/s	n/s	n/s
Dowin	DWMP 80	1.76	18-26	890	180	931	2197

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
JAB	JMP201-II	1.76	18-26	900	n/s	1076	n/s
Everdigm	EHP20R	1.78	17-25	732	n/s	557	2078
Prodem	PHP200R	1.78	17-28	766	n/s	1694	2078
Okada	OSC-200AV	1.79	18-30	860	150	880	2190
Okada	OSC200A	1.79	18-30	850	148	986	2150
A-Ward	AP300	1.8	n/s	n/s	813	785	n/s
Sandvik	BP 2430	1.8	n/s	18-28	870	470	770
FRD	VS15E	1.8	17-22	840	980	1300	2250
Verdelli	DI 18	1.8	20-22	800	n/s	1794	2100
Korte	KPS 16.22	1.8	16-22	840	n/s	1128	n/s
Indeco	IFP 19 X	1.8	16-30	900	n/s	2640	2100
Globram	RM426	1.8	18-30	900	n/s	n/s	n/s
JAB	JP200	1.8	18-26	980	n/s	1195	1806
All-Kor	AKR 2000F	1.85	13-17	850	200	2192	1840
Boohung	BHP 80	1.85	18-26	200	800	1315	2180
Kinshofer	DLP-25	1.85	18-25	790	800	650	1980
All-Kor	AKR 2000 S	1.85	18-26	n/s	800	n/s	1294
Yujin Tech	YJMP 2000	1.85	20-26	800	n/s	n/s	n/s
Soosan	Posher 200	1.85	17-25	855	n/s	1961	n/s
Korte	KPD 18.23	1.87	18-23	805	n/s	1079	n/s
Konverma	HCP 850 R	1.87	15-27	830	850	1717	n/s
Nye	30CP47	1.88	26-38	1016	681	n/s	1177
Demarec	DLC-25	1.88	18-25	785	800	686	1995
Demarec	DRC-25	1.88	18-25	785	800	834	n/s
VTN	VF19	1.88	17-22	840	980	697	2290
Promove	CF 200	1.88	17-22	840	n/s	1275	980
Doosan	FP25	1.89	20-28	889	360	638	2206
Prodem	PHP220	1.89	20-28	889	n/s	1704	2181

PORTABLE TO REDUCE LABOR ON INTERIOR JOBS!

MODULAR LIGHT DUTY BALER™*

Developed by demolition experts for the demolition industry.

*patent pending



DEMOLITION RESOURCES INC.

Innovation in Demolition™



Volume and Labor Savings

- 12:1 reduction in elevator trips
- 75% labor reduction and increased safety
- Load material directly on trailers, no dumpsters needed

Simply Creates Premium Bales

- Less than 5 minutes to assemble and bale
- Any combination of light ferrous/non-ferrous metals
- Produces easy to handle 16" premium bales

Watch the video and contact us at

www.demolitionresources.com - or call Mick +1602.290.6871



Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Everdigm	EHP22	1.89	20-28	889	n/s	637	2206
SkanCraft	SCR18-26	1.9	18-26	800	n/s	883	2390
OSA Demolition Equipment	RV 20	1.9	18-26	820	n/s	n/s	2390
Demarec	DLD-25	1.91	18-25	825	800	735	n/s
Demarec	DRD-25	1.91	18-25	825	800	883	n/s
Demarec	DRP-25	1.91	18-25	790	800	834	n/s
Northerntrack	HFP-20V	1.91	18-25	810	n/s	785	1850
Arden	BB1900	1.92	18-27	700	n/s	896	2250
Okada	OSC-280AV	1.94	18-30	885	150	880	1905
Trevi Benne	FR 15RD	1.94	15-23	780	n/s	648	2180
Nye	30CP49	1.95	26-38	1016	681	n/s	1177
Rotar	RSP 20 S	1.95	16-25	800	860	912	2280
MSB	MSHP-2000 CT	1.95	n/s	18-28	955	1462	1200
Ramtec	RP30 N	1.95	18-28	870	n/s	1350	n/s
Vulcan	VHP20CT	1.95	18-28	965	n/s	697	2286
Globram	RM425	1.95	16-30	n/s	810	495	n/s
Feel	FINE 90PHR	1.95	18-26	850	n/s	1175	2407
Wimmer	TC 550 P	1.96	16	800	470	2860	n/s
Hydraram	HRP-20P	1.97	15-23	755	220	883	2180
Abiljo	P380	1.97	37-48	1050	935	n/s	n/s
SkanCraft	SCMT20-30	1.98	20-30	800	570	2256	2080
Hydraram	HCS-19U	1.98	17-25	760	625	2391	n/s
Steck	P 20 R	1.98	n/s	15-25	700	400	n/s
OSA Demolition Equipment	MC18 Pulverizer	1.98	21-28	800	n/s	n/s	2080
Italmek	IDF20	1.98	18-25	880	890	n/s	2100
Kinshofer	MQP-25-P	1.99	12-25	790	810	735	1980
VTN	FP18	1.99	18-26	786	840	747	2187
Promove	CR 2000	1.99	18-26	786	n/s	1345	840
Trevi Benne	F 18RD	1.99	17-27	825	n/s	847	1845
All-Kor	AKR 2000M	2	18-26	890	200	1445	2400
Arden	CU 2000 BB	2	18-27	700	450	961	2250
Globram	RM525	2	20-29	n/s	725	420	n/s
BTi	RP20-IT	2	18-26	750	730	1444	2130
Dehaco	RP-20-IT	2	21-26	750	730	n/s	n/s
BTi	RP18	2	18-26	760	730	1444	2136
Wimmer	FU 950	2	20	950	850	n/s	n/s
Trevi Benne	FM 35	2	34-51	1200	880	747	n/s
Northerntrack	CP 35	2	36-48	1200	880	735	n/s
Trevi Benne	FR 18P	2	15-23	755	n/s	897	2180
Italdem	ITFG 200	2	21-28	760	n/s	1992	2390
Komac	TRIS22PHR	2	18-26	886	n/s	1644	2386
JAB	JMP200	2	18-26	900	n/s	996	2390
OSA Demolition Equipment	FM 30	2	32-42	1150	n/s	n/s	710
Caterpillar	MP318P	2.03	18-25	820	622	695	2006
LaBounty	CP 80	2.03	29-40	1070	740	n/s	n/s
BTi	EXC 80 CP	2.03	n/s	30-40	1067	825	n/s
Verdelli	C.D_ F 15 R	2.04	17-20	680	n/s	n/s	2000
OSA Demolition Equipment	FPV 20	2.05	21-29	860	550	n/s	2300
Atlas Copco	BP 2050	2.05	18-27	875	610	883	9000
SkanCraft	SCP20-30	2.05	n/s	21-29	860	550	834
Okada	ORC200AVHR	2.05	18-35	805	n/s	900	2300
Mantovanibenne	MCP800	2.05	18-27	850	n/s	n/s	n/s
Atlas Copco	DP 2000	2.05	18-27	780	650	834	8500
NPK	G18J	2.05	17-22	823	n/s	522	1900
Hydraram	HFP-21P	2.06	24-38	835	260	981	1845
VTN	CK21 D	2.07	18-27	780	760	785	2074
Trevi Benne	F 21P	2.07	17-27	835	n/s	996	1845
VTN	MT20 P	2.07	21-28	664	524	883	2034
Hydraram	HRP-20V	2.08	16-21	745	220	n/s	n/s
Indeco	IMP 20	2.08	17-36	800	640	2790	2070
Rammer	RPV22R	2.08	18-26	750	730	1100	2130
Genesis	GMP 50D	2.1	18-27	914	635	n/s	n/s
Rotar	RDP 20 S	2.1	15-25	845	750	608	2100
Kinshofer	DSP-30	2.1	20-35	885	840	735	1800

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Kinshofer	DSP-30 Extreme	2.1	20-35	885	840	880	1800
Italdem	ITFF 200	2.1	22-30	910	n/s	1893	2300
Arden	BBH020	2.1	26-37	n/s	n/s	n/s	n/s
NPK	M-20G	2.1	17-24	770	567	3250	2194
NPK	U-21JA	2.11	21-31	800	720	n/s	n/s
VTN	CK21 P	2.11	18-27	780	780	735	2088
VTN	CK21 R	2.11	18-27	780/358	760/340	735	2070
Demarec	DSP-30	2.12	20-35	885	840	1495	2145
Okada	OSC-200MAV	2.14	18-30	860	150	880	2055
NPK	G-18JX	2.15	17-22	823	n/s	1060	n/s
Okada	OSC-200HMAV	2.16	18-30	860	150	880	2055
Okada	OSC-200PAV	2.18	18-30	860	150	880	2055
Hydraram	HFP-22V	2.18	18-25	810	260	n/s	n/s
VTN	CK21 CH	2.18	18-27	755/550	677/470	735	2063
Korte	KPS 20.38	2.19	20-38	908	n/s	1344	n/s
Rammer	RPV22S	2.2	18-25	830	800	1170	2070
Dehaco	MCP 800HT	2.2	18-25	830	800	n/s	n/s
BTi	MCP800-HT	2.2	18-25	830	830	1444	2070
LaBounty	MHP 200	2.2	20	940	840	n/s	n/s
Ramtec	RP32	2.2	22-35	880	870	4633	2380
Myungsan	MS850FHR	2.2	18-28	835	n/s	1196	2296
Daemo	DRP235	2.2	24-32	960	n/s	1096	n/s
Arden	BBH800B	2.2	18-30	735	680	630	2647
Hydraram	HRP-22V	2.21	22-28	870	880	785	2330
Okada	OSC-160GMAV	2.22	18-30	800	150	700	1925
NPK	U21JR	2.25	n/s	800	n/s	458	885
Genesis	GMP 70D	2.29	27-36	1016	737	n/s	n/s
Indeco	IRP 23 X	2.3	18-36	900	n/s	2640	2510
Globram	RM528	2.3	20-36	900	n/s	n/s	n/s
Verdelli	DI 23	2.3	22-25	900	n/s	1993	2200
Everdigm	EHP25R	2.3	20-27	925	n/s	667	2474
Prodem	PHP250R	2.3	22-30	925	n/s	1953	2468
GB	GBPR300F	2.3	29-40	1050	n/s	1644	2110
Feel	FINE 120P	2.3	25-35	n/s	n/s	1375	2705
Mantovanibenne	MS 20 R	2.3	n/s	n/s	n/s	n/s	n/s
FRD	VS22E	2.32	20-28	905	1060	1500	2395
VTN	VF23	2.32	20-28	905	1062	797	2410
Promove	CF 240	2.32	20-28	905	n/s	1471	1060
NPK	U-21JXR	2.33	19-28	800	n/s	885	n/s
All-Kor	AKR 3000 S	2.33	26-32	n/s	900	n/s	1442
Konverma	HCP 1000	2.33	20-47	950	950	2207	n/s
Boohung	BHP 100	2.33	27-36	200	800	1464	2300
All-Kor	AKR 3000F	2.34	13-17	920	200	2391	1980
Rotar	RSP 25 S	2.35	20-30	855	915	1030	2400
Komac	TRIS30P	2.35	26-32	920	n/s	2849	1981
JAB	JP300	2.35	26-32	1100	n/s	1942	1990
AJCE	APL30	2.35	28-37	1120	n/s	n/s	n/s
Kinshofer	DLP-30	2.38	22-35	860	885	750	2155
Indeco	IMP 25	2.4	20-45	1050	760	3388	2290
A-Ward	AP400	2.4	n/s	n/s	940	880	n/s
Myungsan	MS1000F	2.4	28-40	960	n/s	1196	2437
Trevi Benne	F 20RRD	2.41	22-30	825	n/s	847	2215
Hydraram	HFP-20RV	2.41	23-28	n/s	n/s	n/s	n/s
Demarec	DRP-30	2.41	22-35	860	885	981	n/s
Okada	ORC280AVHR	2.43	22-38	804	n/s	803	2425
Trevi Benne	MA 35	2.43	38-58	1010	960	1323	2635
Demarec	DRD-30	2.44	22-35	870	885	1030	n/s
Korte	KPD 22.30	2.44	22-30	915	n/s	1354	n/s
Demarec	DRC-30	2.44	22-35	875	900	981	n/s
Dowin	DFP 100	2.44	26-33	1020	n/s	1196	2650
NPK	U-21JRA	2.45	21-31	800	720	n/s	n/s
Caterpillar	P325	2.45	20-35	n/s	850	530	2744
Demarec	DLD-30	2.45	22-35	870	885	834	n/s
Trevi Benne	FR 20RD	2.45	21-30	880	n/s	797	2410

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Demarec	DLC-30	2.46	22-35	875	900	785	2150
Trevi Benne	F 23P	2.47	22-30	835	n/s	996	2215
Hydraram	HRP-25P	2.48	21-30	890	260	1030	2410
Caterpillar	P225	2.48	25-35	1018	899	1733	2615
Trevi Benne	FR 23P	2.48	21-30	890	n/s	1046	2410
SkanCraft	SCMT26-36	2.49	26-36	830	510	3041	2210
Hydraram	HFP-25V	2.49	25-32	870	880	932	1955
OSA Demolition Equipment	MC24 Pulverizer	2.49	26-36	830	n/s	n/s	2210
Vulcan	VHP30	2.49	28-40	1041	n/s	1026	2464
Okada	OSC-250GMAV	2.5	18-30	860	150	880	2030
Kinshofer	MGP-30-P	2.5	22-35	880	830	880	2165
A-Ward	AP500	2.5	50	940	960	n/s	n/s
MSB	MSHP-3000 H	2.5	n/s	28-40	1040	1620	1600
OSA Demolition Equipment	FM 40	2.5	42-60	1250	n/s	n/s	750
Hydraram	HFP-26PR	2.52	33-48	835	260	981	2215
Italmek	IDF25	2.52	22-32	980	990	n/s	2300
VTN	FP24	2.53	25-33	930	940	947	2575
Promove	CR 3000	2.53	25-33	930	n/s	1544	940
Steck	P 25 R	2.53	22-35	900	490	n/s	n/s
Nye	TRX200U	2.54	16-24	1632	1051	n/s	1051
Nye	TRX200	2.54	16-24	1683	1051	n/s	1051
Epiroc	BP 2050 R	2.56	22-27	875	610	883	2630
Genesis	LXP 200	2.57	9-20	737	610	n/s	2452
Arden	BB2500	2.58	26-37	850	n/s	1145	2450
OSA Demolition Equipment	RV 25	2.58	24-32	910	n/s	n/s	2510
SkanCraft	SCR24-32	2.58	24-32	910	n/s	981	2510
Hydraram	HRP-26V	2.6	22-28	870	260	n/s	n/s
All-Kor	AKR 3000M	2.6	27-36	960	300	1993	2700
Atlas Copco	BP 2050R	2.6	22-27	875	610	883	9000
Kinshofer	DSP-45	2.6	30-50	1015	900	980	1950
Kinshofer	DSP-45 Extreme	2.6	30-50	1015	900	1175	1950
Arden	BB1000AHD	2.6	35-50	930	n/s	n/s	n/s
Komac	TRIS30PHR	2.6	26-32	957	n/s	2281	2627
Yujin Tech	YJMP 3000	2.6	26-32	980	n/s	n/s	n/s
JAB	JMP300	2.6	26-32	1000	n/s	1345	2630
Arden	BB1000	2.6	37-53	n/s	n/s	n/s	n/s
Arden	BBH800R	2.6	18-30	735	680	630	2647
Korte	KPS 24.35	2.61	24-35	1025	n/s	1511	n/s
Soosan	Posher 300	2.63	25-36	1004	n/s	2618	n/s
VTN	CK28 D	2.65	26-35	865	810	1030	2356
Demarec	DSP-45	2.65	30-50	1015	900	1843	2360
Trevi Benne	F 25RD	2.65	24-35	870	n/s	996	1955
Hydraram	HFP-30P	2.66	33-48	890	260	1128	1955
Nye	40CP47	2.66	35-50	1168	776	n/s	1286
Globram	RM535	2.68	28-38	n/s	810	495	n/s
Hydraram	HFP-22VM	2.68	22-32	810	260	n/s	n/s
Trevi Benne	F 28P	2.68	24-35	890	n/s	1146	1955
VTN	MT25 P	2.69	25-35	911	633	981	2252
Arden	CU 2700 BB	2.7	24-37	850	560	1226	2450
Caterpillar	MP324P	2.74	24-35	965	764	971	2183
Doosan	FP34	2.75	28-36	1061	360	777	2388
VTN	CK28 P	2.75	26-35	890	880	932	2378
Prodem	PHP320	2.75	28-42	1049	n/s	1724	2371
Everdigm	EHP32	2.75	28-36	1061	n/s	765	2388
BTi	RP25	2.75	26-32	930	850	1574	2440
Rotar	RDP 25 S	2.77	24-35	974	822	686	2270
Ramtec	RP32R	2.77	22-35	880	870	4633	2750
MSB	MSHP-3000 CT	2.77	28-40	1049	1610	1600	
Vulcan	VHP30CT	2.77	28-40	1041	n/s	1026	2464
VTN	CK28 R	2.77	26-35	861/440	810/430	932	2460
Globram	RM435	2.78	26-40	n/s	910	540	n/s
LaBounty	CP 100	2.79	40-50	1220	890	n/s	n/s
Konverma	HCP 1000 R	2.79	20-47	950	950	2207	n/s
BTi	EXC 100 CP	2.79	n/s	40-50	n/s	838	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Dowin	DWMP 110	2.8	26-32	968	200	1676	2430
Hydraram	HFP-28V	2.8	25-32	870	260	n/s	n/s
All-Kor	AKR 3000 M	2.8	27-36	960	300	1993	2700
OSA Demolition Equipment	FPV 30	2.8	30-45	1040	560	n/s	2660
Wimmer	FU 1050	2.8	30	1050	850	n/s	n/s
SkanCraft	SCP30-45	2.8	n/s	30-45	1040	560	1177
Trevi Benne	FM 50	2.8	46-68	1360	1050	996	n/s
Northerntrack	CP 50	2.8	48-65	1360	1050	981	n/s
Italdem	ITFG 280	2.8	28-40	910	n/s	2291	2660
Feel	Fine12OPHR	2.8	25-35	995	n/s	1375	2705
Indeco	IFP 28 X	2.8	20-45	1000	n/s	3537	2440
Globram	RM436	2.8	24-45	1000	n/s	n/s	n/s
JAB	JMP301-II	2.8	26-32	1000	n/s	1743	2.43
OSA Demolition Equipment	FM 55	2.8	50-65	1350	n/s	n/s	810
JAB	JRP 100	2.8	n/s	n/s	n/s	n/s	n/s
Nye	40CP49	2.81	35-50	1168	776	n/s	1286
Hydraram	HRP-28V	2.84	29-35	915	920	1030	2420
FRD	VS30E	2.84	24-35	1025	1200	1600	2685
VTN	VF27	2.84	24-35	1025	1200	947	2705
Promove	CF 280	2.84	24-35	1025	n/s	1569	1200
BTi	RP30-IT	2.85	26-32	900	850	1574	2400
Dehaco	RP 30-IT	2.85	27-35	900	850	n/s	n/s
Mantovanibenne	MCP910	2.85	28-38	1000	n/s	n/s	n/s
NPK	G28J	2.86	n/s	1000	n/s	n/s	1530
VTN	CK28 CH	2.86	26-35	843/690	795/593	932	2365
NPK	U31J	2.88	n/s	980	n/s	590	1540
Genesis	GMP 90D	2.9	36-50	1118	826	n/s	n/s
JAB	JMP330-II	2.9	30-40	1000	n/s	1743.7	2745
Italdem	ITFF 280	2.9	30-45	1090	n/s	2491	2660
OSA Demolition Equipment	FPV 28	2.9	n/s	n/s	n/s	n/s	n/s
Nye	TRX250U	2.91	22-28	1871	1205	n/s	1205
Nye	TRX250	2.91	22-28	1930	1205	n/s	1205
Atlas Copco	DP 2800	2.93	25-35	965	350	871	10000
Globram	RM536	2.95	27-45	960	n/s	n/s	n/s
Prodem	PHP350R	2.95	28-40	1056	n/s	2232	2663
Everdigm	EHP35R	2.95	28-36	1056	n/s	777	2686
Hydraram	HCS-28U	2.96	24-37	890	745	3836	n/s
NPK	G-28J	2.96	25-38	1000	n/s	1530	n/s
Rammer	RPV29R	2.99	26-32	900	850	1300	2400
Sandvik	BP 3042	3	24-42	n/s	1160	520	1220
LaBounty	MHP 350	3	30	1120	1020	n/s	n/s
SkanCraft	SCMT 30-38	3	30-38	900	550	3041	2450
NPK	U-31JX	3	29-48	980	n/s	1540	n/s
OSA Demolition Equipment	RV 30	3.04	30-40	n/s	1040	510	n/s
SkanCraft	SCRP 30-40	3.04	30-40	1040	n/s	1177	2660
Epiroc	BP 3050	3.05	25-40	1020	650	1128	2590
Demarec	DRC-45	3.06	32-50	980	975	1275	n/s
Northerntrack	HFP-32V	3.07	33-45	950	n/s	1030	2100
Rammer	RPV30S	3.08	25-35	1000	950	1590	2400
LaBounty	UPX 250	3.08	55	736	584	n/s	n/s
Demarec	DRD-45	3.09	32-50	990	945	1275	n/s
Demarec	DLC-45	3.09	32-50	980	975	1079	2365
Okada	OSC-360AV	3.09	30-50	1105	180	1000	2700
Okada	OSC360A	3.09	30-50	1089	178	1116	2650
Trevi Benne	FR 25RD	3.1	28-38	915	n/s	1046	2520
Rotar	RDP 32 S	3.1	32-50	1000	867	931	2458
Dehaco	MCP 910-IT	3.1	25-35	1000	950	n/s	n/s
BTi	MCP910-IT	3.1	25-35	1000	1000	1564	2400
Myungsan	MS1000FHR	3.1	28-40	926	n/s	1196	2543
Okada	ORC 100 FR	3.1	29-37	n/s	900	520	1344
Steck	P 32 R	3.1	32-50	n/s	1000	525	n/s
Demarec	DLD-45	3.11	32-50	990	945	1079	n/s
Trevi Benne	FR 28P	3.12	28-38	930	n/s	1196	2520
Hydraram	HRP-30P	3.12	28-38	930	n/s	1177	2520

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
Wimmer	TC 800 P	3.12	24	1080	485	3856	n/s
Demarec	DRP-45	3.13	32-50	980	945	1275	n/s
Trevi Benne	F 30RD	3.15	32-52	950	n/s	1046	2100
NPK	M28G	3.15	23-36	910	711	365	2542
Trevi Benne	F 30RD	3.16	32-52	950	n/s	1046	2100
NPK	U31JA	3.17	28-48	980	804	n/s	n/s
Rotar	RSP 30 S	3.17	25-35	1005	960	1245	2710
NPK	U-31JA	3.18	31-50	980	804	n/s	n/s
Korte	KPD 29.38	3.2	29-38	1010	n/s	2698	n/s
Arden	BBH031	3.23	37-53	n/s	n/s	n/s	n/s
Kinshofer	MGP-45-P	3.25	32-50	980	945	1175	2355
Hydraram	HRP-32V	3.28	29-35	915	260	n/s	n/s
Arden	BB3300	3.28	35-55	900	n/s	1544	2675
Trevi Benne	F 32P	3.29	32-50	890	n/s	1146	2365
Arden	BBH1000B	3.3	30-45	960	820	n/s	3012
Genesis	LXP 300	3.3	20	889	660	n/s	2600
NPK	U31JR	3.3	n/s	980	n/s	590	1540
Trevi Benne	F 29RRD	3.31	28-38	870	n/s	n/s	2350
Prodem	PHP420	3.32	36-49	1102	n/s	1156	2633
VTN	FP30	3.33	32-40	1010	1040	1096	2734
Promove	CF 350	3.33	32-40	1010	n/s	2242	1040
Ramtec	RP42 N/Q	3.34	24-42	1160	n/s	2330	n/s
Caterpillar	MP332P	3.36	32-50	803	840	1439	2277
Korte	KPS 35.50	3.36	35-50	1200	n/s	1717	n/s
Nye	TRX350	3.4	26-38	2254	1399	n/s	1399
Nye	TRX350U	3.4	26-38	2185	1399	n/s	1399
Hydraram	HFP-35V	3.4	33-45	950	260	n/s	n/s
A-Ward	AP650	3.4	n/s	n/s	1150	1000	n/s
FRD	VS40E	3.4	35-50	1200	1260	1750	2800
Verdelli	CD_ F 23 R	3.4	22-25	850	n/s	n/s	2200
OSA Demolition Equipment	MC30	3.4	30-38	900	n/s	n/s	2450
NPK	M35G	3.42	27-36	980	692	n/s	2622
Caterpillar	P235	3.42	35-60	1214	1103	n/s	1953
Italmek	IDF 30	3.43	30-40	n/s	1180	600	3150
Okada	OSC450V	3.44	30-50	1180	178	1285	3000
Promove	CF 350	3.45	30-50	1200	n/s	1814	1260
Hydraram	HRP-34V	3.45	36-50	980	980	1177	2500
VTN	VF33	3.45	30-50	1200	1260	1096	2810
Indeco	IFP 35 X	3.45	28-55	1190	n/s	3786	2590
JAB	JP400	3.45	38-48	1300	n/s	2690	2336
Globram	RM443	3.45	30-55	1190	n/s	n/s	n/s
NPK	U-31JXR	3.46	29-48	980	n/s	1540	n/s
Hydraram	HFP-28VM	3.48	28-38	870	260	n/s	n/s
Arden	CU 3500 BB	3.5	38-55	900	1000	n/s	2420
Indeco	IMP 35	3.5	28-55	1150	860	3886	2450
Demarec	DSP-60	3.53	42-65	1135	1000	2043	2635
NPK	G-35JEH	3.55	29-48	980	n/s	1540	n/s
Promove	CR 3600	3.55	32-48	1010	n/s	2305	1040
VTN	MT35 P	3.55	33-50	1042	773	1079	2509
Italmek	IF 35	3.6	32-45	n/s	1070	640	2700
Kinshofer	DSP-60 Extreme	3.6	42-65	1185	1025	1370	2250
Indeco	IRP 36 X	3.6	30-55	1050	n/s	3537	2800
Globram	RM445	3.6	34-52	n/s	1010	560	n/s
Globram	RM544	3.6	32-55	1050	n/s	n/s	n/s
VTN	CK 36 D	3.62	35-50	957	910	1177	2555
NPK	U31JRA	3.63	28-48	980	804	n/s	n/s
Trevi Benne	FM 70	3.65	63-83	1500	1150	1295	n/s
Northerntrack	CP 70	3.65	65-80	1500	1150	1275	n/s
Arden	BBH1000R	3.7	30-45	960	820	720	3012
Globram	RM545	3.7	35-50	n/s	910	510	n/s
Trevi Benne	F 35RRD	3.72	35-55	950	n/s	1046	2450
Trevi Benne	FR 35RD	3.75	34-53	980	n/s	1196	2560
VTN	CK 36 P	3.76	35-50	980	930	n/s	2585
NPK	G-25JEH	3.76	19-28	823	n/s	1060	n/s

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
VTN	CK 36 R	3.77	35-50	957/470	910/430	n/s	2555
OSA Demolition Equipment	RV 40	3.78	38-55	1130	550	n/s	2850
Skancraft	SCRIP 38-55	3.78	38-55	1130	n/s	1422	2850
Epiroc	BP 3050 R	3.79	30-40	1020	650	1128	3790
Italdem	ITFG 380	3.8	35-60	1050	n/s	2491	2850
Caterpillar	P335	3.8	30-45	n/s	1000	690	3770
Hydraram	HCS-38U	3.82	32-50	1050	785	5280	n/s
Nye	TRX450	3.84	35-50	2550	1592	n/s	1592
Nye	TRX450U	3.84	35-50	2472	1592	n/s	1592
Atlas Copco	BP 3050R	3.9	30-40	1020	650	1128	n/s
VTN	CK 36 CH	3.91	35-50	935/775	870/610	n/s	2590
Verdelli	C.D_ F 35 R	4	27-33	980	n/s	n/s	2600
OSA Demolition Equipment	FM 65	4	60-80	1450	n/s	n/s	870
Hydraram	HRP-42V	4.06	36-50	980	260	n/s	n/s
Caterpillar	MP30 PS	4.08	35-60	390	970	580	1180
NPK	U45J	4.08	41-45	1130	961	n/s	n/s
Dehaco	RP 40-IT	4.1	32-45	1000	870	n/s	n/s
BTi	RP40-IT	4.1	32-45	1000	870	1713	2680
Skancraft	SCMT 36-50	4.1	36-50	980	600	3237	2600
Demarec	DRP-60	4.1	45-65	1150	1020	1471	n/s
Rotar	RSP 40 S	4.1	32-50	1155	1155	1520	3150
Trevi Benne	MA 65	4.1	58-85	1430	1440	1667	3345
OSA Demolition Equipment	MC40 Pulverizer	4.1	36-50	980	n/s	n/s	2600
Hydraram	HFP-42V	4.12	42-68	1100	n/s	1373	2400
NPK	M38G	4.15	30-50	1140	864	5900	3064
Demarec	DLP-60	4.15	45-65	1150	1020	1226	2550
Caterpillar	MP30 PP	4.18	35-60	960	940	1230	2800
Rammer	RPV40S	4.18	35-45	1150	1100	1980	2700
Dehaco	MCP 1000-IT	4.2	35-45	1150	1100	n/s	n/s
BTi	MCP1000-IT	4.2	35-45	1150	1150	1963	2700
Myungsan	MS1300FHR	4.2	40-70	1100	n/s	1564	3200
Steck	P 42 R	4.2	45-65	n/s	1200	565	n/s
AJCE	APL50	4.2	42-47	1280	n/s	n/s	n/s
Prodem	PHP400R	4.22	40-55	1142	n/s	3318	3075
Korte	KPD 38.50	4.22	38-50	1165	n/s	3345	n/s
Rammer	RPV39R	4.25	32-45	1000	870	1890	2680
Hydraram	HFP-35VM	4.28	35-52	950	260	n/s	n/s
Nye	55CP49	4.35	48-60	1250	872	n/s	1439
VTN	FP40	4.4	38-50	1165	1140	1295	3080
Arden	BB1200AHD	4.4	50-80	1160	n/s	n/s	n/s
Indeco	IFP 45 X	4.4	33-65	1290	n/s	4085	2850
Globram	RM450	4.4	36-65	1290	n/s	n/s	n/s
BTi	EXC 120 CP	4.49	50-72	n/s	1372	1105	n/s
BTi	EXC 150 CP	4.49	50-72	n/s	1372	1105	n/s
Trevi Benne	F 45RD	4.49	43-70	1130	n/s	1246	2415
OSA Demolition Equipment	FPV 45	4.5	40-60	1080	600	n/s	2700
Trevi Benne	FM 100	4.5	78-110	1550	1250	1495	n/s
Indeco	IMP 45	4.5	38-65	1250	930	4583	2660
LaBounty	CP 120	4.5	50-73	4490	1020	n/s	n/s
Indeco	IRP 45 X	4.5	38-65	1150	n/s	3786	3150
Rotar	RDP 42 S	4.5	45-70	1230	930	1030	2640
Globram	RM554	4.5	42-65	1150	n/s	n/s	n/s
NPK	U45JR	4.5	41-45	1130	961	1680	2900
Verdelli	DI 30	4.5	27-33	1000	n/s	2491	2400
NPK	U-45JR	4.56	45-50	1130	n/s	1740	n/s
Caterpillar	MP345P	4.58	45-65	938	868	1768	2503
Nye	TRX550	4.61	48-60	3060	1910	n/s	1910
Nye	TRX550U	4.61	48-60	2966	1910	n/s	1910
Kinshofer	MQP-60-P	4.65	46-65	1150	1050	1370	2620
Hydraram	HFP-48V	4.76	42-68	1100	300	n/s	n/s
LaBounty	UPX 450	4.76	45	863	609	n/s	n/s
Okada	OSC-500AV	4.8	40-100	1417	215	1115	3090
Hydraram	HCS-48U	4.82	42-62	1360	1100	6376	n/s
OSA Demolition Equipment	FPV 60	4.9	60-80	1130	n/s	n/s	2800

Manufacturer	Model	Operating Weight (t)	Carrying Device (t)	Opening (mm)	Wrench Opening Depth (mm)	Breakout Force (kN)	Total Length (mm)
OSA Demolition Equipment	FM 95	4.9	90-100	1550	n/s	n/s	930
Skancraft	SCP 40-70	4.9	40-70	n/s	1130	760	1569
VTN	MT45 P	5.07	44-60	1064	731	1275	2659
Genesis	LXP 400	5.1	27-45	965	762	n/s	2900
Arden	BBH 1300B	5.16	45-55	1451	1344	n/s	3463
Arden	BBH1300	5.16	53-90	n/s	n/s	n/s	n/s
Arden	BBH 1300R	5.16	45-55	1451	1344	n/s	3463
Nye	TRX750	5.18	59-90	3443	2149	n/s	2149
Nye	TRX750U	5.18	59-90	3337	2149	n/s	2149
Hydraram	HRP-52V	5.19	51-67	1120	1120	1373	2840
Arden	CJ 5000 BB	5.2	45-60	1215	n/s	2351	3085
Dehaco	RP 50-IT	5.2	45-60	1100	960	n/s	n/s
BTi	RP50-IT	5.2	45-60	1100	960	2142	3000
Italmek	IF 55	5.4	45-65	n/s	1230	720	3050
Trevi Benne	FR 50RD	5.41	49-70	1120	n/s	1395	2840
Okada	OSC-650AV	5.42	50-100	1500	215	1400	3625
Skancraft	SCMT 50-70	5.42	50-70	1100	870	4905	2850
OSA Demolition Equipment	MC55 Pulverizer	5.42	50-70	1100	n/s	n/s	3230
Genesis	LXP 500	5.53	32-54	1092	787	n/s	3000
Nye	70CP49	5.55	59-90	1321	939	n/s	1514
VTN	VF50	5.55	45-70	1300	1300	1395	3250
FRD	VS50E	5.55	45-70	1300	1300	1400	3250
OSA Demolition Equipment	RV 60	5.61	50-80	n/s	1280	570	n/s
Skancraft	SCRIP 50-80	5.61	50-80	1280	n/s	1667	3380
Korte	KPD 50.60	5.65	50-60	1285	n/s	4022	n/s
VTN	FP 55	5.8	50-90	1285	1280	1395	3415
Genesis	LXP 500	5.8	32	1092	787	n/s	3000
Hydraram	HRP-62V	5.88	51-67	1120	260	n/s	n/s
VTN	MT55 P	5.92	50-70	1120	797	1569	2876
Wimmer	TC 1100 P	6	45	1500	850	6177	n/s
Caterpillar	MP365P	6.14	65-90	1260	1089	1977	2869
Caterpillar	P360	6.25	40-65	n/s	1200	690	4310
Hydraram	HFP-65V	6.43	65-85	1250	1280	1667	2670
Trevi Benne	F 70RD	6.43	55-95	1250	n/s	1694	2670
Trevi Benne	MA 100	6.6	86-120	1950	1530	2157	3620
Nye	100CP49	6.68	89-125	1473	1054	n/s	1704
Caterpillar	MP40 PS	6.7	60-85	500	1170	1450	3650
Hydraram	HFP-72V	6.98	65-85	1250	325	n/s	n/s
Hydraram	HCS-72U	7.18	52-86	1430	1170	n/s	n/s
Hydraram	HRP-72V	7.25	68-85	1320	1320	1765	3250
Korte	KPD 60.100	7.4	60-100	1540	n/s	4709	n/s
Trevi Benne	FR 70RD	7.45	66-88	1320	n/s	1794	3250
OSA Demolition Equipment	RV 80	7.8	70-90	1350	n/s	n/s	3400
Hydraram	HRP-82V	7.86	68-85	1320	325	n/s	n/s
Genesis	LXP 800	8	41-68	1549	991	n/s	3550
Dehaco	MCP 1300-IT	8	60-80	1300	1300	n/s	n/s
BTi	MCP1300-IT	8	60-80	1300	1300	2989	3250
Dehaco	RP 80-IT	8.2	60-90	1250	1070	n/s	n/s
BTi	RP80-IT	8.2	60-90	1250	1070	2989	3600
VTN	FP70	8.79	70-110	1520	1380	1794	3780
LaBounty	UPX 950	9.3	187	1117	1041	n/s	n/s
OSA Demolition Equipment	RV 110	9.95	90-120	1720	n/s	n/s	3800
OSA Demolition Equipment	FPV 100	10.4	80-130	1800	950	n/s	3200
Hydraram	HCS-110U	11.2	86-150	1950	1320	n/s	n/s
Hydraram	HRP-110V	11.45	86-130	1700	1700	2305	3850
Trevi Benne	FR 100N	11.9	84-135	1700	n/s	2342	3850
Hydraram	HRP-120V	12.8	86-130	1700	500	n/s	n/s
Hydraram	HRP-200V	20.58	100-200	1900	1900	3727	4480
Trevi Benne	FR 200	22.3	95-205	1900	n/s	3786	4480
Hydraram	HRP-220V	22.9	100-200	1900	500	n/s	n/s
Hydraram	HRP-250V	24.64	100-250	2050	2050	4021	5140
Trevi Benne	FR 250	24.64	95-275	2050	n/s	4085	5140
Hydraram	HRP-280V	26.4	100-250	2050	500	n/s	n/s
Feel	Fine 90P	107	18-26	n/s	n/s	1157	2407

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
Brokk	HCS6	0.06	267	n/s	214	n/s	n/s	n/s
Brokk	MC200	0.12	200	n/s	490	n/s	n/s	n/s
Brokk	HCS7	0.16	357	n/s	312	n/s	n/s	n/s
Drago	1-HTS	0.16	110	260	280	720	n/s	n/s
Drago	1-TS	0.17	110	260	280	720	n/s	n/s
All-Kor	AKS 200S	0.19	205	n/s	608	950	478	20-45
Dehaco	MSH 020	0.19	200	n/s	302	n/s	n/s	20-45
GB	GBSH020R	0.19	205	n/s	648	1085	478	n/s
JAB	JSH 020R	0.19	n/s	n/s	647	n/s	n/s	n/s
AJCE	ASH2	0.19	230	n/s	n/s	n/s	n/s	n/s
Komac	TRIS2S	0.2	200	n/s	648	1085	478	n/s
Italmek	IC1.8	0.22	200	185	n/s	1280	n/s	20-80
Verdelli	C.D.I.S. 2	0.23	100	140	n/s	600	500	30
Socomec	SCR 250	0.25	236	230	n/s	1050	n/s	n/s
Dehaco	MSH 030	0.26	230	n/s	418	n/s	n/s	30-75
AJCE	ASH3	0.26	230	n/s	n/s	n/s	n/s	n/s
NPK	K-3J	0.28	340	220	716	n/s	n/s	30-50
All-Kor	AKS 300S	0.29	230	n/s	1079	1127	563	30-75
GB	GBSH030R-S	0.29	230	n/s	1106	1247	563	n/s
JAB	JSH 030R-S	0.29	n/s	n/s	1106	n/s	n/s	n/s
Okada	TS-S250C	0.3	325	220	340	1155	605	n/s
Komac	TRIS3S	0.3	231	n/s	1106	1186	576	n/s
Hydraram	HSS-3RV	0.3	265	230	n/s	1330	380	80-100
Darda	CC420 S	0.3	145	220	740	1095	794	100
Trevi Benne	CS 03R	0.3	265	230	448	1330	380	80-100
Brokk	CC420S	0.3	145	n/s	740	n/s	n/s	n/s
NPK	K 3 J	0.3	340	n/s	716	n/s	n/s	n/s
Brokk	TC120	0.31	120	n/s	662	n/s	n/s	n/s
D&A	DFS 03	0.33	400	n/s	309	n/s	n/s	n/s
Drago	3-TS	0.33	132	260	800	990	315	n/s
BTi	SH25R	0.34	195	200	378	1350	195	60-100
Verdelli	CDIS 3	0.35	180	200	n/s	765	765	50
Italmek	IC3.5	0.35	270	240	n/s	1550	n/s	50-100
O.S.A.	SH5	0.35	350	330	n/s	1000	n/s	n/s
Allied-Gator	MTR 5 S	0.36	254	254	757	n/s	235	76
Drago	3-HT Kombi	0.37	452	n/s	n/s	970	n/s	n/s
NPK	K-4J	0.37	399	260	785	n/s	n/s	30-50
VTN	MT03 S	0.38	174	255	245	1158	390	30-50
Brokk	BMS 100	0.38	195	n/s	647	n/s	n/s	n/s
Atlas Copco	SC 270	0.39	185	160	353	1370	n/s	60-100
Rammer	RSS05R	0.39	195	200	660	1350	370	60-100
NPK	K-3JR	0.39	341	352	n/s	1184	656	30-50
Drago	3-HTS	0.4	130	260	800	1060	315	n/s
Drago	3-TSD	0.4	n/s	260	800	1190	315	n/s
Arden	CU 350 CF	0.4	273	286	92	110	n/s	n/s
OSA Demolition Equipment	MCO5 Shear	0.4	340	n/s	n/s	1050	280	30-50
Komac	TRIS5S	0.4	288	n/s	1514	1412	665	n/s
VTN	CI 040	0.4	350	348	1250	1855	n/s	n/s
NPK	K 4 J	0.4	399	n/s	785	n/s	n/s	n/s
SkanCraft	SCMT4-10 M	0.42	340	250	785	1020	n/s	30-50
AJCE	ASH5	0.43	290	n/s	n/s	n/s	n/s	n/s
Hydraram	HSS-5RV	0.45	340	320	n/s	1725	460	80-150
NPK	K-4JR	0.45	400	400	n/s	1469	746	30-50
Drago	3-HTSD	0.46	132	260	800	1260	315	n/s
Trevi Benne	CS 05R	0.47	340	320	498	1725	460	80/150
Italmek	IC2	0.47	240	283	n/s	1300	n/s	50-100
All-Kor	AKS 500SL	0.47	258	n/s	1206	1628	616	50-90
Verdelli	CD_ S 3 R	0.48	210	n/s	n/s	1100	n/s	48
Tabe	CHT 5	0.48	350	n/s	n/s	n/s	n/s	70-100
VTN	CI450	0.48	350	348	314	1880	n/s	70-110
Globram	RM906F	0.49	290	n/s	1200	1560	n/s	150
SkanCraft	SCMT4-10	0.49	340	250	785	1050	n/s	30-50
Dehaco	MSH 050H	0.5	290	n/s	534	n/s	n/s	40-80
All-Kor	AKS 500SH	0.5	290	n/s	1667	1356	720	50-90

Manufacturer	Model	Operating	Opening (mm)	Wrench	Cutting	Total	Total	Oil
		Weight (t)		Opening Depth (mm)	Force (kN)	Length (mm)	Width (mm)	Flow (l-min)
GB	GBSH050H-S	0.5	290	n/s	1515	1468	720	n/s
JAB	JSH 050H-SF	0.5	n/s	n/s	1514	n/s	n/s	n/s
JAB	JSH 050H-SH	0.5	n/s	n/s	1514	n/s	n/s	n/s
Komac	TRIS5SHR	0.5	288	n/s	1514	1456	665	n/s
LaBounty	MSD 7R	0.5	254	280	1637	1520	n/s	n/s
Verdelli	CDIS 5	0.5	220	280	n/s	1050	900	80
All-Kor	AKS 500PH	0.54	432	n/s	775	1357	790	50-90
Demarec	DMS-05-C	0.54	400	360	n/s	1665	n/s	60-100
BTi	SH50R	0.57	240	290	528	1900	240	90-120
Caterpillar	S305	0.58	240	290	653	1709	390	60
A-Ward	AS120	0.6	320	92	n/s	285	275	n/s
Italmek	IC5	0.6	280	250	n/s	1650	n/s	50-100
Allied-Gator	MTR 10 S	0.6	305	305	1056	n/s	273	151
Hydraram	HSS-6RV	0.6	340	320	n/s	n/s	n/s	80-150
Genesis	GVP 07	0.62	292	292	1572	1676	n/s	95
Steck	S 06 I	0.63	292	292	1177	1735	n/s	n/s
Drago	7 TS	0.63	190	350	1170	1240	410	n/s
OSA Demolition Equipment	SH 6	0.64	365	240	n/s	1880	n/s	80-100
VTN	MT05 S	0.64	229	292	490	1350	755	70-110
Atlas Copco	SC 600	0.65	245	240	451	1850	n/s	90-120
Brokk	BMS 140	0.65	290	n/s	863	n/s	n/s	n/s
Dehaco	SH 50R	0.65	240	290	n/s	n/s	n/s	90-120
Verdelli	CD_ S 5 R	0.67	300	n/s	n/s	1100	n/s	60
Rammer	RSS08R	0.68	290	290	880	1900	430	80-100
Globram	RM906R	0.68	290	n/s	1200	1730	n/s	150
NPK	K-7J	0.68	532	340	1290	n/s	n/s	50-80
Drago	7 HT-Kombi	0.69	588	n/s	n/s	1230	n/s	n/s
OSA Demolition Equipment	MCO7	0.7	270	n/s	n/s	1466	370	140-180
Brokk	CC700S	0.7	268	n/s	1840	n/s	n/s	n/s
NPK	K 7 J	0.7	532	n/s	1290	n/s	n/s	n/s
Socomec	SCR 750	0.72	290	240	n/s	1700	n/s	n/s
Drago	7-TSD	0.72	190	350	1170	1440	410	n/s
VTN	CK07 S	0.73	265	335	637	1475	n/s	5/8
Konverma	HCR 500 S	0.73	330	300	1373	n/s	n/s	25
Italmek	IC7	0.73	340	310	n/s	1750	n/s	50-100
Italmek	IC7 TBV	0.73	340	310	n/s	1750	n/s	50-100
Drago	7 HTS	0.74	190	350	1170	1230	410	n/s
Hydraram	HSS-8RV	0.75	405	355	n/s	2050	460	100-150
Verdelli	C.D_ S 7 R	0.75	315	n/s	n/s	1100	n/s	80
Okada	TS-S320C	0.76	475	320	745	1630	405	n/s
VTN	CI 070	0.77	415	356	2100	2080	n/s	n/s
Drago	7-HTSD	0.77	190	350	1170	1500	410	n/s
Tabe	CHT 10	0.8	415	n/s	n/s	n/s	n/s	90-140
VTN	CI700	0.8	415	348	588	2080	n/s	90-140
Socomec	SCR 750 G-R	0.87	280	200	n/s	1740	n/s	n/s
Daemo	DMCP140R	0.87	700	n/s	488	n/s	n/s	170-220
Trevi Benne	CS 07RS	0.88	405	370	897	2180	570	100-150
Globram	RM912F	0.93	452	n/s	2600	1675	n/s	180
Globram	RM 912 F	0.93	425	390	2600	1675	n/s	n/s
Mantovanibenne	SD12	0.95	700	n/s	n/s	1800	n/s	60-100
Konverma	HCM 600 S	0.97	375	350	1471	n/s	n/s	25
Northerntrack	SH20	0.98	550	530	1961	n/s	n/s	n/s
BTi	SH100R	0.98	375	395	757	2000	375	90-110
SkanCraft	SCMT10-15	0.99	350	340	n/s	1545	n/s	150-160
OSA Demolition Equipment	MC10 Shear	0.99	350	n/s	n/s	1545	340	150-160
All-Kor	AKS 1001 S	1	530	n/s	697	1730	820	200-250
Verdelli	CDIS 10	1	300	340	n/s	1400	1250	120
Hydraram	HSS-10RV	1.02	405	355	n/s	n/s	n/s	100-150
LaBounty	MSD 800	1.02	381	432	n/s	n/s	n/s	n/s
VTN	MT10 S	1.03	297	322	637	1544	590	90-140
A-Ward	AS200	1.05	400	118	n/s	440	312	n/s
Steck	S 10 I	1.07	424	390	2560	2003	n/s	n/s
VTN	CK11 S	1.09	335	340	686	1610	n/s	20-30
Verdelli	CDIV 10	1.1	330	340	1195	2000	780	160

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
Rammer	RSS11R	1.1	375	395	1380	2000	550	10-15
Dehaco	SH 100R	1.1	375	395	n/s	n/s	n/s	90-110
BTi	SH130R	1.1	375	395	n/s	2100	375	90-110
JAB	JMS 130-II	1.1	490	n/s	876	1835	n/s	n/s
Arden	CB1200	1.16	610	n/s	797	2070	n/s	n/s
Hydraram	HSS-12RV	1.18	475	385	n/s	2300	570	150-250
Trevi Benne	CS 12RS	1.18	475	385	947	2300	570	150-250
VTN	CI 1000	1.19	452	n/s	n/s	n/s	n/s	n/s
Globram	RM 912 R	1.2	425	390	2600	2005	n/s	n/s
Globram	RM912R	1.2	425	n/s	2600	2005	n/s	180
Drago	11 HTS	1.2	220	190	n/s	1300	n/s	80
Rammer	RSS15R	1.2	375	395	1380	2100	550	90-110
Daemo	DMP130CFS	1.2	700	n/s	2500	1773	n/s	170-220
Verdelli	C.D_ S 10 R	1.21	345	n/s	n/s	1800	n/s	120
Dehaco	SH 130R	1.22	375	395	n/s	n/s	n/s	90-110
Arden	CF1200	1.24	360	n/s	1006	2070	n/s	n/s
Arden	BF1200	1.24	580	n/s	1195	2120	n/s	n/s
LaBounty	MSD 800R	1.24	381	440	n/s	2210	n/s	
Italmek	IC10	1.25	430	380	n/s	2350	n/s	50-100
Italmek	IC10 TBV	1.25	430	380	n/s	2350	n/s	50-100
OSA Demolition Equipment	SH12	1.25	440	400	n/s	2450	n/s	150-220
Allied-Gator	MTR 15 S	1.25	406	406	1445	n/s	356	189
Tabe	CHT 15	1.31	450	n/s	n/s	n/s	n/s	150-250
VTN	CI1200	1.31	450	481	598	2302	n/s	150-250
Promove	SC 1300	1.31	450	n/s	2697	n/s	n/s	20-30
Northerntrack	SH40	1.35	600	600	2942	n/s	n/s	n/s
Brokk	BMS 250-H	1.36	375	n/s	1353	n/s	n/s	n/s
Hydraram	HSS-14RV	1.36	475	385	n/s	n/s	n/s	150-250
Konverma	HCR 650 S	1.37	427	370	2649	n/s	n/s	45
Darda	CC700 S	1.38	268	359	1840	1475	1037	150
Okada	TS-S430C	1.39	565	420	1080	2055	485	n/s
Dowin	DSR 60	1.4	429	423	657	n/s	n/s	150
Arden	AS-014R45	1.4	435	485	n/s	2693	831	n/s
Konverma	HCM 650 S	1.4	427	370	2648	n/s	n/s	45
Arden	AS014	1.4	n/s	n/s	n/s	n/s	n/s	n/s
Genesis	GXT 115	1.41	406	457	n/s	n/s	n/s	n/s
OSA Demolition Equipment	MC15 Shear	1.44	360	n/s	n/s	1740	360	200-240
SkanCraft	SCMT15-20	1.44	360	360	1962	1740	n/s	220-240
Genesis	GVP 15	1.45	406	381	2980	2348	n/s	170
A-Ward	AS300	1.5	470	118	n/s	440	312	n/s
Promove	SC 1500	1.5	452	485	2697	2275	n/s	20-30
Caterpillar	S3015	1.5	400	380	1155	2645	640	125
VTN	CK14 S	1.5	392	493	834	1826	n/s	20-30
Trevi Benne	CD 15	1.52	655	455	n/s	2075	n/s	180-250
VTN	MT15 S	1.55	344	481	735	1900	720	150-200
Genesis	GXT 155R	1.6	406	457	n/s	2500	n/s	100-180
Genesis	GXT 115R	1.6	406	457	n/s	2500	n/s	100-180
All-Kor	AKS 1501 S	1.6	610	n/s	996	1940	1100	200-250
Verdelli	CDIV15	1.6	360	420	1495	2500	900	200
Verdelli	CDIS15	1.6	400	400	n/s	1500	1400	200
Hydraram	HSS-18RV	1.65	535	445	n/s	2660	715	180-250
Italmek	IC15	1.65	450	400	n/s	2400	n/s	150-200
Italmek	IC15 TBV	1.65	450	400	n/s	2400	n/s	150-200
All-Kor	AKS 2000 M	1.7	503	n/s	n/s	2100	1281	n/s
Boohung	BHMS 80	1.7	503	n/s	n/s	2100	1281	n/s
Daemo	DMP230CMS	1.73	900	n/s	577	2044	n/s	200-250
Mantovanibenne	SD20	1.76	795	n/s	n/s	2100	n/s	180-200
Dowin	DWMP 80	1.76	522	56	1961	2072	1294	n/s
JAB	JMS 201-II	1.76	520	n/s	1265	2075	n/s	n/s
Globram	RM915F	1.77	580	n/s	5360	2140	n/s	180
AJCE	ASH15	1.8	400	n/s	n/s	n/s	n/s	n/s
Jisung	JSSH 50	1.8	400	n/s	897	1795	1130	n/s
Komac	TRIS22SHR-II	1.8	522	n/s	1992	2072	1294	200-250
Daemo	DMP230SM	1.8	486	n/s	3417	2247	n/s	200-250

Manufacturer	Model	Operating	Opening (mm)	Wrench	Cutting	Total	Total	Oil
		Weight (t)		Opening Depth (mm)	Force (kN)	Length (mm)	Width (mm)	Flow (l-min)
Arden	CB1900	1.8	710	n/s	1195	2320	n/s	n/s
Daemo	DMCP230R	1.8	600	n/s	1693	n/s	n/s	n/s
Allied-Gator	MTR 20 S	1.81	457	457	2092	n/s	356	227
Wimmer	TC 550 S	1.83	400	470	2860	n/s	n/s	n/s
Konverma	HCM 700 S	1.83	470	450	2648	n/s	n/s	45
Kinshofer	DLC-25	1.84	785	800	650	1940	390	120-200
Arden	CF1900	1.87	385	n/s	1315	2350	n/s	n/s
Kinshofer	MGP-25-S	1.9	370	560	2695	1750	320	120-200
Myungsan	MSS850R	1.9	380	n/s	1743	2100	n/s	10-30
Caterpillar	MP318S	1.9	322	490	3630	1656	1298	n/s
Komac	TRIS22SHR	1.9	507	600	1713	1995	1071	200-250
BTi	SH180R	1.9	445	525	1086	2700	445	150-200
Genesis	GXT 225	1.91	457	508	n/s	n/s	n/s	n/s
SkanCraft	SCMT20-30	1.91	460	400	2256	1910	n/s	220-240
OSA Demolition Equipment	MC18 Shear	1.91	460	n/s	n/s	1910	400	220-260
LaBounty	MSD 1000	1.91	482	508	n/s	n/s	n/s	n/s
Arden	BC 250	1.92	n/s	n/s	n/s	n/s	n/s	n/s
Arden	BF1900	1.92	640	n/s	1414	2410	n/s	n/s
Italmek	IC18	1.95	480	430	n/s	2490	n/s	150-230
Italdem	ITC 180	1.95	470	n/s	1495	3040	n/s	180-200
Steck	S 20 I	2	581	580	5256	2590	n/s	n/s
A-Ward	AS400	2	550	118	n/s	505	312	n/s
LaBounty	MSD 1000R	2	482	508	3669	2622	n/s	100-300
Dowin	DSR 80	2	520	546	784	n/s	n/s	200
Verdelli	C.D. S 15 R	2	380	n/s	n/s	2000	n/s	200
All-Kor	AKS 2001 S	2	510	n/s	1743	2200	1100	200-250
Komac	TRIS22DHR	2	645	n/s	2550	2321	1354	30-40
All-Kor	AKS 2000 S	2	500	n/s	1569	2380	1040	n/s
JAB	JMS 200	2	510	n/s	1942	1995	n/s	n/s
Yujin Tech	YJMS 2000	2	700	n/s	n/s	n/s	n/s	n/s
VTN	CK21 S	2.03	392	493	1079	1853	n/s	20-30
OSA Demolition Equipment	SH20	2.03	470	500	n/s	3040	n/s	200-220
SkanCraft	SCS20-30	2.03	470	500	2452	3040	n/s	180-220
Trevi Benne	CS 20RS	2.05	535	445	1096	2660	715	180/250
VTN	MT20 S	2.09	413	556	981	2100	720	170-210
Arden	CU 1300 CF	2.1	360	350	190	2075	n/s	n/s
NPK	M-20K	2.1	540	468	3250	2264	1038	100-200
Dehaco	SH 180R	2.1	445	525	n/s	n/s	n/s	150-200
Arden	CU 2000 GR	2.1	200	300	270	2350	n/s	n/s
Arden	AS-021R56	2.1	486	538	n/s	2970	938	n/s
Arden	AS021	2.1	n/s	n/s	n/s	n/s	n/s	n/s
Rammer	RSS23R	2.13	445	525	1980	2700	620	150-200
Kinshofer	DRS-25-A	2.15	500	460	4600	2740	n/s	150-250
Globram	RM 915 R	2.16	580	580	5360	2595	n/s	n/s
Globram	RM915R	2.16	580	n/s	5360	2595	n/s	180
Caterpillar	S320B	2.17	409	459	1583	2792	792	150
Hydraram	HSS-22RV	2.18	535	445	n/s	n/s	n/s	180-250
Wimmer	TC 700 S	2.2	415	470	3288	n/s	n/s	n/s
AJCE	ASH20	2.2	500	n/s	n/s	n/s	n/s	n/s
Jisung	JSSH 81	2.2	500	n/s	1026	2075	1267	n/s
Inan Makina	SHR 25	2.2	475	n/s	5541	2325	n/s	250-300
Daemo	DMS250	2.2	668	n/s	2580	2353	n/s	200-250
Genesis	GXT 225R	2.22	457	508	n/s	2900	n/s	150-230
All-Kor	AKS 2001 S-L	2.25	240	n/s	n/s	2760	1250	200-230
Genesis	GXP 200	2.27	457	432	n/s	n/s	n/s	n/s
Promove	SC 2200	2.27	480	n/s	3923	n/s	n/s	20-30
Tabe	CHT 20	2.27	480	n/s	n/s	n/s	n/s	200-300
VTN	CI2000	2.27	480	510	941	2666	n/s	200-300
Arden	CU 2000 CF	2.3	385	410	318	2350	n/s	n/s
All-Kor	AKS 2001 S-L(II)	2.3	650	n/s	n/s	705	2350	200-230
Konverma	HCR 750 S	2.3	520	500	3237	n/s	n/s	45
Northerntrack	HSS-25RV	2.35	575	495	1030	2900	715	200-300
Italmek	IC23	2.35	550	500	n/s	2720	n/s	150-250
OSA Demolition Equipment	MC24 Shear	2.37	510	n/s	n/s	2100	400	240-300

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
SkanCraft	SCMT26-36	2.37	510	400	3041	2100	n/s	240-300
Kinshofer	MQP-30-S	2.38	410	600	3040	1910	355	150-250
Verdelli	CD_ S 20 R	2.38	450	n/s	n/s	2000	n/s	220
Trevi Benne	CS 30	2.4	650	675	4800	2800	n/s	n/s
Caterpillar	S3025	2.4	458	415	1787	3030	750	175
Indeco	ISS 10/20	2.4	550	570	5987	2724	450	20
Kinshofer	DLC-30	2.4	875	900	750	2150	455	150-250
Okada	TS-S550C	2.44	690	550	1910	2550	605	n/s
GB	GBMS-301	2.45	570	n/s	2690	2400	1140	n/s
JAB	JMS 301	2.45	580	n/s	2690	2174	n/s	n/s
Yujin Tech	YJMS 3000	2.45	810	n/s	n/s	n/s	n/s	n/s
All-Kor	AKS 3000 S	2.45	570	n/s	2700	2400	1140	n/s
Okada	TS-W650XCV	2.48	680	635	1500	2370	1350	n/s
Arden	BC 350	2.48	n/s	n/s	n/s	n/s	n/s	n/s
Okada	TSRC-1000V	2.48	1000	n/s	2470	2445	1540	n/s
Genesis	GXP 200R	2.5	457	432	n/s	2800	n/s	300
Promove	SC 2500	2.5	480	515	3923	2665	n/s	20-30
Rotar	RSS 20	2.5	445	416	1275	2657	n/s	240
Verdelli	CDIV 23	2.5	500	450	1993	3000	1200	230
Verdelli	CDIS 23	2.5	500	420	n/s	1800	1760	230
Komac	TRIS30SHR	2.5	580	500	2550	2386	1214	250-300
All-Kor	AKS 3001 S	2.5	570	n/s	2590	2200	1170	250-300
Arden	CB2500	2.5	810	n/s	1394	2640	n/s	n/s
VTN	MT25 S	2.53	576	540	1177	2219	720	250-300
SkanCraft	SCS26-34	2.53	550	510	4511	3060	n/s	200-240
OSA Demolition Equipment	SH25	2.53	550	510	n/s	3060	n/s	200-240
Globram	RM925F	2.54	352	n/s	7150	2600	n/s	250
A-Ward	AS650	2.6	675	140	n/s	505	312	n/s
Caterpillar	MP324S	2.6	485	490	3825	2186	1419	n/s
Myungsan	MSS100OR	2.6	440	n/s	2192	2590	n/s	10-40
D&A	DFS 30	2.6	570	n/s	1594	n/s	n/s	15-60
Komac	TRIS30DHR	2.63	731	n/s	2281	2529	1213	30-40
VTN	CK28 S	2.64	490	600	1275	2134	n/s	20-30
Trevi Benne	CS 25RS	2.65	570	505	1794	2950	715	200-300
Arden	CF2500	2.66	450	n/s	2052	2580	n/s	n/s
Arden	BF2500	2.66	780	n/s	1594	2630	n/s	n/s
Okada	TS-W500CV	2.67	760	500	2460	2510	1625	n/s
Arden	AS 027 R SV	2.7	567	515	503	3170	n/s	n/s
Epiroc	SC 2500 R	2.75	445	416	1275	1275	n/s	50
Atlas Copco	SC 2500R	2.75	445	416	5217	n/s	n/s	50
FRD	RC22ER	2.75	225	n/s	n/s	2320	540	25-35
Caterpillar	MP324TS	2.76	486	490	2189	2129	793	n/s
Daemo	DMS330	2.79	806	n/s	3527	2588	n/s	250-300
Mantovanibenne	SH310F	2.8	565	630	n/s	2850	n/s	200-250
Northerntrack	HSS-30RV	2.8	615	545	1226	3110	715	200-300
Dowin	DWMP 110	2.8	603	103	3776	2434	1585	250-300
Komac	TRIS30SHR-II	2.8	603	n/s	3836	2434	1585	250-300
JAB	JMS 301-II	2.8	600	n/s	1962.91	2435	n/s	n/s
Arden	CU 2700 GR	2.8	250	330	290	2405	n/s	n/s
Arden	CU 2700 CF	2.8	450	500	380	2580	n/s	n/s
Boohung	BHMS 100	2.8	602	n/s	n/s	1650	1650	n/s
GB	GBMS-301II	2.8	602	n/s	3288	2650	1650	n/s
All-Kor	AKS 3000 M	2.8	602	n/s	n/s	2650	1650	n/s
Inan Makina	PLV 25	2.8	906	n/s	2697	2320	n/s	200-250
Hydraram	HSS-28RV	2.84	575	495	n/s	n/s	n/s	200-300
Daemo	DMP330CMS	2.85	1110	n/s	906	2474	n/s	250-300
LaBounty	UPX 250	2.86	533	482	n/s	n/s	n/s	n/s
VTN	CI 3000	2.86	n/s	n/s	n/s	n/s	585	n/s
Steck	S 30 I	2.87	626	590	7022	2980	n/s	n/s
Konverma	HCM 800 S	2.87	560	540	3630	n/s	n/s	45
Caterpillar	S325B	2.9	528	571	2221	3177	792	200
Daemo	DMP330CML	2.91	1220	n/s	836	2546	n/s	250-300
Daemo	DMS300	2.92	570	n/s	3527	2410	n/s	250-300
SkanCraft	SCMT30-38	2.93	560	410	3188	2300	n/s	240-300

Manufacturer	Model	Operating	Opening (mm)	Wrench	Cutting	Total	Total	Oil
		Weight (t)		Opening (mm)	Depth (mm)	Force (kN)	Length (mm)	Width (mm)
Genesis	GXT 335	2.95	584	660	n/s	n/s	n/s	n/s
Kinshofer	DLC-45	2.95	980	990	1000	2370	470	200-300
Italmek	IC25 XP	2.95	590	530	n/s	2800	n/s	200-300
BTi	SH310R	2.95	565	630	1444	3300	565	200-250
All-Kor	AKS 4001 S	2.95	630	n/s	2790	2730	1260	290-320
LaBounty	MSD 1500	3	559	635	n/s	n/s	n/s	n/s
Trevi Benne	CS 30RS	3	615	545	2292	3130	715	200/300
Arden	AS-030R61	3	560	610	n/s	3415	1062	n/s
Daemo	DMP330SM	3	613	n/s	5569	2508	n/s	250-300
Italdem	ITC 300	3	590	n/s	1992	3520	n/s	180
Arden	AS030	3	n/s	n/s	n/s	n/s	n/s	n/s
Kinshofer	MGP-45-S	3.02	465	700	3825	2105	375	200-300
Globram	RM925R	3.07	625	n/s	7150	2980	n/s	250
Arden	CB3300	3.08	1000	n/s	1673	2750	n/s	n/s
Kinshofer	DRS-30-A	3.1	570	490	6700	2965	n/s	200-300
AJCE	ASH30	3.1	700	n/s	n/s	n/s	n/s	n/s
Jisung	JSSH 130	3.1	700	n/s	1285	2580	1768	n/s
NPK	M-28K	3.13	638	559	4550	2606	1273	150-250
Wimmer	TC 800 S	3.17	600	600	3856	n/s	n/s	n/s
Allied-Gator	MTR 40 S	3.18	610	610	3298	n/s	476	303
LaBounty	MSD 1500R	3.18	559	635	6553	3188	n/s	100-400
Caterpillar	MP332S	3.18	471	677	1652	2146	1005	280
Arden	CF3100	3.18	580	n/s	2441	2750	n/s	n/s
Arden	BF3100	3.18	920	n/s	1743	2630	n/s	n/s
OSA Demolition Equipment	SH35	3.2	590	590	n/s	3520	n/s	240-300
Everdigm	ESS30	3.2	581	555	1245	3099	650	200-300
Doosan	SS34	3.2	581	51	n/s	3099	650	200-300
All-Kor	AKS 3001 S-L	3.2	290	n/s	n/s	3040	1420	230-250
OSA Demolition Equipment	SH35	3.2	590	590	n/s	3520	n/s	240-300
SkanCraft	SCS34-40	3.2	590	590	5394	3520	n/s	250-300
Inan Makina	PLV 22	3.2	845	n/s	3295	2770	n/s	250-300
OSA Demolition Equipment	MC30	3.25	560	n/s	n/s	2300	410	240-300
Taber	CHT 30	3.26	575	n/s	n/s	n/s	n/s	280-350
VTN	CI3200 R	3.26	575	606	1432	3227	n/s	20-30
Verdelli	C.D. S 23 R	3.27	540	n/s	n/s	2200	n/s	230
JAB	JMS 330-II	3.29	600	n/s	2042	2760	n/s	n/s
Genesis	GXT 335R	3.3	584	660	n/s	3200	n/s	230-390
Promove	SC 3200	3.3	575	610	6080	3142	n/s	20-30
All-Kor	AKS 3001 S-L(II)	3.3	760	n/s	n/s	810	2560	230-250
Dehaco	SH 310R	3.3	565	630	n/s	n/s	n/s	200-250
Rammer	RSS34R	3.31	565	630	2860	3300	700	200-250
Arden	BC 450	3.35	n/s	n/s	n/s	n/s	n/s	n/s
VTN	MT35 S	3.35	611	629	1373	2469	840	300-350
Hydraram	HSS-34RV	3.36	615	545	n/s	n/s	n/s	200-300
Dowin	DSR 110	3.4	610	653	1078	n/s	n/s	250
Caterpillar	S3035	3.4	560	540	2509	3420	750	250
JAB	JMS 401	3.4	710	n/s	2789	2760	n/s	n/s
D&A	DFS 40	3.4	600	n/s	3348	n/s	n/s	15-60
Arden	CU 3500 CF	3.4	580	520	416	3335	n/s	n/s
Genesis	GXP 300	3.49	584	610	n/s	n/s	n/s	n/s
Daemo	DMS360	3.5	456	n/s	4932	2690	n/s	290-320
Myungsan	MSS1600R	3.5	440	n/s	2839	2710	n/s	10-40
Rotar	RRC 25	3.5	204	190	n/s	2884	n/s	450
NPK	M-35K	3.55	580	587	n/s	2695	1160	190-300
Rotar	RSS 30	3.59	607	544	1530	3275	n/s	450
Allied	AMS 30 Tip	3.6	610	530	1648	327	n/s	n/s
Allied	AMS 30 Apex	3.6	610	530	3138	327	n/s	n/s
Allied	AMS 30 Throat	3.6	610	530	7071	3270	n/s	n/s
VTN	CK36 S	3.61	555	650	1569	2350	n/s	40-50
Okada	TS-S660C	3.63	815	660	2310	2835	1618	n/s
Indeco	ISS 20/30	3.65	660	680	7971	3400	560	30
Globram	RM929F	3.68	705	n/s	8700	2965	n/s	300
Caterpillar	MP332TS	3.69	384	n/s	1934	2200	1005	280
Genesis	GXP 300R	3.7	584	610	n/s	3250	n/s	450

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
VTN	CI 4000	3.76	670	710	n/s	3726	n/s	n/s
Italmek	IC38	3.8	700	630	n/s	3200	n/s	230-350
Italmek	IC35	3.8	690	630	6680	3200	n/s	n/s
Caterpillar	MP30S	3.85	540	890	1780	2800	1010	n/s
Okada	TS-W610CV	3.88	840	610	2720	3000	1635	n/s
Northerntrack	HSS-40RV	3.9	680	600	1422	3420	865	300-400
OSA Demolition Equipment	SH 40	3.91	680	600	n/s	3660	n/s	300-350
Skancraft	SCS40-50	3.91	680	600	5884	3660	n/s	300-350
Skancraft	SCMT36-50	3.95	620	430	3237	2430	n/s	280-320
OSA Demolition Equipment	MC40 Shear	3.95	620	n/s	n/s	2430	430	300-350
Genesis	GXP 400	3.99	711	737	n/s	n/s	n/s	n/s
Verdelli	CDIV 30	4	600	500	2192	3600	1300	300
Verdelli	CDIS 30	4	600	560	n/s	2300	2150	300
Caterpillar	S340B	4	563	703	6818	3638	1720	n/s
Jisung	JSSH 151	4	900	n/s	1594	3200	1898	n/s
LaBounty	MSD 2000	4.02	711	737	n/s	n/s	n/s	n/s
Epiroc	SC 3600 R	4.03	607	544	1529	3106	n/s	50
Atlas Copco	SC 3600R	4.03	607	544	6512	n/s	n/s	50
Trevi Benne	CS 40RS	4.03	660	610	2690	3420	865	300-400
Okada	TSRC-1300V	4.07	1300	n/s	2850	2920	1900	n/s
Mantovanibenne	SH410F	4.1	670	720	n/s	3200	n/s	250-300
Kinshofer	DRS-45-A	4.1	625	540	8210	3290	n/s	300-400
LaBounty	MSD 2000-SL	4.11	711	737	n/s	n/s	n/s	n/s
Promove	SC 4000	4.17	670	n/s	7159	n/s	n/s	20-30
Tabe	CHT 35	4.17	670	n/s	n/s	n/s	n/s	300-450
Steck	S 40 I	4.18	707	750	8532	3370	n/s	n/s
Caterpillar	S2050	4.18	681	635	3029	3555	635	350
VTN	CI4000 R	4.2	670	710	1618	3745	n/s	20-30
Italdem	ITC 400	4.2	680	n/s	2839	3660	n/s	180-200
Arden	AS042	4.2	n/s	n/s	n/s	n/s	n/s	n/s
Arden	AS-042R66	4.25	650	737	n/s	3861	1274	n/s
NPK	M-38K	4.25	735	686	5900	3136	1500	200-250
Genesis	GXT 445	4.31	711	711	n/s	n/s	n/s	n/s
Caterpillar	MP345S	4.32	500	744	1945	2503	1005	360
Hydraram	HSS-45RV	4.38	680	600	n/s	n/s	n/s	300-400
Caterpillar	MP30TS	4.38	510	580	2740	2800	1180	n/s
Globram	RM929R	4.39	705	n/s	8700	3380	n/s	300
Steck	S 44 I	4.4	730	750	10317	3370	n/s	n/s
Kinshofer	MQP-60-S	4.4	540	750	4315	2335	410	300-400
BTi	SH410R	4.4	670	720	1992	3700	670	250-300
Rotar	RSS 40	4.44	750	625	1648	3635	n/s	450
Arden	AS-042R70	4.45	650	737	n/s	3900	1274	n/s
Italmek	IC46	4.45	750	710	n/s	3500	n/s	250-370
Arden	AS-042R60FLE	4.5	650	737	n/s	3590	1274	n/s
Allied	AMS 40 Tip	4.5	760	640	1785	3630	n/s	n/s
Allied	AMS 40 Apex	4.5	760	640	3383	3630	n/s	n/s
Allied	AMS 40 Throat	4.5	760	640	8620	3630	n/s	n/s
Allied-Gator	MTR 50 S	4.54	711	711	4125	n/s	521	454
Everdigm	ESS45	4.59	706	626	1569	3424	987	280-360
Doosan	SS48	4.59	706	56	n/s	3424	987	280-360
VTN	CI 4500	4.60	740	n/s	n/s	n/s	n/s	n/s
LaBounty	MSD 2000R	4.64	711	737	10242	3624	n/s	200-400
Arden	AS 045 R	4.7	722	714	771	3890	n/s	n/s
Dowin	DSR 180	4.7	720	705	1716	n/s	n/s	380
Dehaco	SH 410R	4.7	670	720	n/s	n/s	n/s	250-300
LaBounty	UPX 450	4.79	660	787	n/s	n/s	n/s	n/s
LaBounty	MSD2250	4.8	762	762	n/s	n/s	n/s	n/s
Indeco	ISS 25/40	4.8	740	760	9964	3800	640	40
Verdelli	C.D_ S 35 R	4.8	600	n/s	n/s	2600	n/s	300
Trevi Benne	CS 50RS	4.8	725	675	2840	3660	865	350-450
Caterpillar	S3050	4.83	681	635	3029	4475	1060	350
Kinshofer	DRS-60-C	4.85	720	620	10990	3285	n/s	400-600
VTN	MT45 S	4.86	663	724	1471	2750	840	350-450
Epiroc	SC 4500 R³	4.88	750	625	1647	3568	n/s	50

Manufacturer	Model	Operating	Opening (mm)	Wrench	Cutting	Total	Total	Oil
		Weight (t)		Opening Depth (mm)	Force (kN)	Length (mm)	Width (mm)	Flow (l-min)
Atlas Copco	SC 4500R	4.88	750	625	7923	n/s	n/s	50
Rammer	RSS45R	4.88	670	720	4130	3700	800	250-300
Genesis	GXT 445R	4.9	711	711	n/s	3500	n/s	300-500
Italmek	IC 45	4.9	780	760	n/s	3700	n/s	n/s
Genesis	GXP 400R	5	711	737	n/s	3600	n/s	450
VTN	CI5000 R	5	740	720	1912	3690	n/s	40-50
Okada	TS-W720CV	5.05	955	720	2925	3295	1740	n/s
Taber	CHT 45	5.1	740	n/s	n/s	n/s	n/s	350-500
Promove	SC 5000	5.1	740	750	8728	3710	n/s	40-50
Genesis	GXP 440 MAXX	5.17	711	737	n/s	n/s	n/s	n/s
All-Kor	AKS 4001 S-L	5.22	430	n/s	n/s	3710	2140	320-350
Mantovanibenne	SH550F	5.25	760	780	n/s	3500	n/s	275-375
Genesis	GXT 555	5.26	762	762	n/s	n/s	n/s	n/s
Daemo	DMS400	5.3	710	n/s	11460	4625	n/s	200-320
OSA Demolition Equipment	MC55 Shear	5.38	700	n/s	n/s	2525	485	300-380
SkanCraft	SCMT50-70	5.38	700	700	4905	2700	n/s	350-400
LaBounty	MSD 2500	5.45	813	864	n/s	n/s	n/s	n/s
LaBounty	MSD 2500-SL	5.45	813	864	n/s	n/s	n/s	n/s
Italmek	IC54	5.45	790	760	n/s	3700	n/s	270-400
Genesis	GXP 500	5.47	813	813	n/s	n/s	n/s	n/s
Arden	AS-055R70	5.5	745	809	n/s	4209	1392	n/s
Globram	RM945F	5.5	810	n/s	10950	3105	n/s	350
BTi	SH550R	5.5	760	780	2461	3950	760	275-375
Arden	AS055	5.5	n/s	n/s	n/s	n/s	n/s	n/s
Kinshofer	DRS-60-A	5.55	720	620	10990	3660	n/s	400-600
Arden	AS-055R60FLE	5.6	745	809	n/s	3862	1392	n/s
OSA Demolition Equipment	SH 55	5.63	800	690	n/s	4100	n/s	350-450
SkanCraft	SCS50-70	5.63	800	680	6963	4100	n/s	300-350
OSA Demolition Equipment	SH55	5.63	800	690	n/s	4100	n/s	350-450
Kinshofer	DRS-60-B	5.64	720	620	10990	4100	n/s	400-600
Northerntrack	HSS-55RV	5.65	780	690	1569	3905	1000	400-500
Allied-Gator	MTR 70 S	5.67	813	813	4813	n/s	572	492
LaBounty	MSD2250R	5.67	762	762	n/s	n/s	n/s	n/s
Dehaco	SH 550R	5.75	760	780	n/s	n/s	n/s	275-375
Italmek	IC 55	5.8	795	855	n/s	3900	n/s	n/s
Caterpillar	MP365P	5.8	552	860	2342	2597	1100	450
VTN	MT55 S	5.8	743	784	1765	2937	840	400-500
Caterpillar	S2070	5.82	819	755	3880	3875	720	530
Rammer	RSS58R	5.88	760	780	4780	3950	800	30-40
Genesis	GXT 555R	5.9	762	762	n/s	3800	n/s	340-570
Genesis	GXP 440R MAXX	5.9	711	737	n/s	3600	n/s	450
Arden	AS-055R80	5.9	745	809	n/s	4267	1392	n/s
Genesis	GXT 665	5.99	813	813	n/s	n/s	n/s	n/s
AJCE	ASH45	6	900	n/s	n/s	n/s	n/s	n/s
Verdelli	CDIS 40	6	700	600	n/s	2550	2250	350
Verdelli	CDIV 40	6	870	600	2990	4000	1600	300
VTN	CI 6000	6	830	n/s	n/s	n/s	n/s	n/s
LaBounty	MSD 3000	6.05	889	965	n/s	n/s	n/s	n/s
Indeco	ISS 30/50	6.1	850	860	12953	4040	680	50
Arden	AS-055R70FLE	6.1	745	809	n/s	3929	1392	n/s
LaBounty	MSD 3000-SL	6.14	889	965	n/s	n/s	n/s	n/s
Rotar	RSS 50	6.18	782	701	1971	3980	n/s	450
Kinshofer	DRS-75-C	6.2	835	720	14270	3650	n/s	600-800
Genesis	GXP 500R	6.2	813	813	n/s	3950	n/s	450
Trevi Benne	CS 55RS	6.2	780	690	2890	3905	1000	400/500
Genesis	GXP 660 Maxx	6.21	813	813	n/s	n/s	n/s	n/s
Genesis	GXP 700	6.26	889	889	n/s	n/s	n/s	n/s
Globram	RM 945 R	6.26	810	850	10950	4005	n/s	n/s
Wimmer	TC 1100 S	6.35	800	900	6177	n/s	n/s	n/s
Caterpillar	MP40S	6.37	720	1100	2120	3500	1180	n/s
Steck	S 65 I	6.4	820	872	12827	4000	n/s	n/s
Allied	AMS 50 Tip	6.4	790	710	2128	3980	n/s	n/s
Allied	AMS 50 Apex	6.4	790	710	4138	3980	n/s	n/s
Allied	AMS 50 Throat	6.4	790	710	10130	3980	n/s	n/s

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
Hydraram	HSS-62RV	6.48	780	690	n/s	n/s	n/s	400-500
Promove	SC 6500	6.5	830	850	9807	4340	n/s	40-50
Globram	RM960F	6.53	890	n/s	12500	3235	n/s	400
Globram	RM945R	6.60	810	n/s	10950	4005	n/s	350
LaBounty	MSD 2500R	6.64	813	864	13057	4051	n/s	300-700
Genesis	GXT 665R	6.66	813	813	n/s	4000	n/s	345-590
LaBounty	MSD 2000R-SL	6.73	711	737	n/s	n/s	n/s	n/s
LaBounty	MSD 2500R-SL	6.73	813	864	n/s	n/s	n/s	n/s
Mantovanibenne	SH700	6.75	830	840	n/s	3730	n/s	500-600
Mantovanibenne	SH700F	6.75	830	840	n/s	3730	n/s	500-600
Daemo	DMS550X	6.8	802	n/s	14627	5050	n/s	250-320
Genesis	GXP 1000	6.8	965	965	n/s	n/s	n/s	n/s
Tabe	CHT 60	6.85	830	n/s	n/s	n/s	n/s	400-600
VTN	CI6500 R	6.85	830	852	2157	4297	n/s	40-50
Epiroc	SC 6200 R ³	6.86	782	701	1971	3903	n/s	50
Atlas Copco	SC 6200R	6.86	782	701	9365	n/s	n/s	50
Caterpillar	S365C	6.87	845	840	10342	3840	1900	n/s
OSA Demolition Equipment	SH 70	6.9	850	800	n/s	4700	n/s	350-400
Arden	AS 070 R SV	6.9	860	850	1085	4400	n/s	n/s
SkanCraft	SCS70-100	6.9	850	750	7845	4250	n/s	300-350
OSA Demolition Equipment	SH70	6.9	850	800	n/s	4700	n/s	350-400
Caterpillar	S3070	6.92	819	755	3880	4890	1160	530
Kinshofer	DRS-75-A	6.95	835	720	14270	4075	n/s	600-800
Genesis	GXP 660R MAXX	7	813	813	n/s	4250	n/s	750
Genesis	GXT 775	7.03	889	940	n/s	n/s	n/s	n/s
Genesis	GXP 990 MAXX	7.03	889	889	n/s	n/s	n/s	n/s
Kinshofer	DRS-75-B	7.05	835	720	14270	4550	n/s	600-800
Italmek	IC71	7.15	860	820	n/s	4100	n/s	350-500
Northerntrack	HSS-70RV	7.18	845	710	2010	4190	1100	450-600
Globram	RM969F	7.19	970	n/s	15350	3435	n/s	450
Arden	AS-073R80	7.30	840	927	n/s	4540	1552	n/s
Arden	AS073	7.36	n/s	n/s	n/s	n/s	n/s	n/s
Arden	AS-073R70FLE	7.4	840	927	n/s	4200	1552	n/s
Okada	TS-W820CV	7.4	1020	820	3200	3780	1915	n/s
BTi	SH700R	7.4	830	840	2979	4300	830	500-600
Globram	RM960R	7.45	890	n/s	12500	4135	n/s	400
Caterpillar	S2090	7.48	910	900	4754	4325	760	700
Verdelli	CDIV 70	7.5	930	1000	3487	4600	1900	350
LaBounty	MSD4000	7.5	1000	1100	n/s	n/s	n/s	n/s
VTN	CI 7000	7.5	870	n/s	n/s	n/s	n/s	n/s
Steck	S 75 I	7.63	908	958	15259	4166	n/s	n/s
Kinshofer	DRS-90-C	7.7	950	815	19450	4100	n/s	700-1000
Genesis	GXP 700R	7.7	889	889	n/s	4500	n/s	750
Dehaco	SH 700R	7.7	830	840	n/s	n/s	n/s	500-600
LaBounty	MSD 3000R	7.73	889	965	14509	4686	n/s	400-800
OSA Demolition Equipment	SH 80	7.8	880	830	n/s	4800	n/s	400-500
Indeco	ISS 35/60	7.8	950	970	14946	4238	730	50
OSA Demolition Equipment	SH80	7.8	880	830	n/s	4800	n/s	400-500
LaBounty	MSD 3000R-SL	7.82	889	965	n/s	n/s	n/s	n/s
Daemo	DMS700	7.9	896	n/s	17437	5480	n/s	320
Trevi Benne	CS 70RS	7.9	845	710	3737	4190	1100	450-600
Genesis	GXT 775R	8	889	940	n/s	4600	n/s	390-600
Globram	RM969F	8.02	970	1050	15350	3435	n/s	n/s
Globram	RM969R	8.02	970	n/s	15350	4335	n/s	450
Promove	SC 8000	8.1	870	950	11768	4435	n/s	40-50
Genesis	GXP 1000R	8.1	965	965	n/s	4950	n/s	750
Tabe	CHT 75	8.1	870	n/s	n/s	n/s	n/s	500-800
VTN	CI8000 R	8.1	870	944	2354	4450	n/s	40-50
LaBounty	MSD 4500	8.14	978	1092	n/s	n/s	n/s	n/s
Genesis	GXT 995	8.17	991	1067	n/s	n/s	n/s	n/s
LaBounty	MSD 4500-SL	8.23	978	1092	n/s	n/s	n/s	n/s
Hydraram	HSS-82RV	8.23	845	710	n/s	n/s	n/s	450-600
Rotar	RSS 100	8.25	947	903	2373	4835	n/s	750
Rammer	RSS80R	8.27	830	840	5520	4300	1140	500-600

Manufacturer	Model	Operating	Opening (mm)	Wrench	Cutting	Total	Total	Oil
		Weight (t)		Opening (mm)	Depth (mm)	Force (kN)	Length (mm)	Width (mm)
Allied	AMS 100 Tip	8.3	940	910	2560	4830	n/s	n/s
Allied	AMS 100 Apex	8.3	940	910	4952	4830	n/s	n/s
Allied	AMS 100 Throat	8.3	940	910	14180	4830	n/s	n/s
Caterpillar	S385C	8.32	879	903	12509	4260	2120	n/s
Genesis	GXP 990R MAXX	8.4	889	889	n/s	4900	n/s	750
Kinshofer	DRS-90-A	8.5	950	815	19450	4800	n/s	700-1000
Kinshofer	DRS-90-B	8.6	950	815	19450	5000	n/s	700-1000
LaBounty	MSD4000R	8.6	1000	1100	n/s	n/s	n/s	n/s
LaBounty	UPX 950	8.62	1117	1041	n/s	n/s	n/s	n/s
Steck	S 90 I	8.65	1085	1049	17770	4615	n/s	n/s
Caterpillar	S3090	8.76	910	900	4754	5370	1300	700
FRD	FSC 100	8.9	820	820	3940	4650	n/s	n/s
Genesis	GXT 995R	9	991	1067	n/s	5000	n/s	440-615
Epiroc	SC 8300 R ³	9.06	947	903	2373	4730	n/s	50
Atlas Copco	SC 8300R	9.06	947	903	13121	n/s	n/s	50
Allied-Gator	MTR 90 S	9.07	889	889	6477	n/s	622	681
Mantovanibenne	SH900	9.1	940	950	n/s	4070	n/s	600-700
Mantovanibenne	SH900F	9.1	940	950	n/s	4070	n/s	600-700
Northerntrack	HSS-90RV	9.25	920	780	2599	4400	1200	500-800
Okada	TS-W1000CV	9.3	1370	1000	3675	4170	2400	n/s
Genesis	GXP 1200	9.39	1067	1067	n/s	n/s	n/s	n/s
BTi	SH900R	9.4	940	950	3955.71	4600	940	600-700
Italmek	IC95	9.45	990	965	n/s	4600	n/s	450-600
LaBounty	MSD 4500R	9.55	978	1105	17099	4902	n/s	500-800
LaBounty	MSD 4500R-SL	9.64	978	1092	n/s	n/s	n/s	n/s
OSA Demolition Equipment	SH100	9.95	920	900	n/s	5000	n/s	500-800
VTN	CI 9500	10	1000	n/s	n/s	n/s	n/s	n/s
Dehaco	SH 900R	10.1	965	930	n/s	n/s	n/s	600-700
Trevi Benne	CS 90RS	10.3	920	780	4783	4400	1200	500-800
Tabe	CHT 100	10.33	1004	n/s	n/s	n/s	n/s	700-1000
VTN	CI10000 R	10.33	1004	1072	2746	5360	n/s	80-100
Promove	SC 10000	10.33	1000	1085	12945	5200	n/s	80-100
Indeco	ISS 45/90	10.4	1100	1120	24910	4840	815	60
Genesis	GXT 1555	10.43	1118	1168	n/s	n/s	n/s	n/s
Genesis	GXP 1500	10.75	1118	1118	n/s	n/s	n/s	n/s
OSA Demolition Equipment	SH120	11.5	950	950	n/s	5300	n/s	700-900
LaBounty	MSD 7500	11.59	1092	1143	n/s	n/s	n/s	n/s
LaBounty	MSD 7500-SL	11.68	1092	1143	n/s	n/s	n/s	n/s
Hydraram	HSS-110RV	11.69	920	780	n/s	n/s	n/s	500-800
Genesis	GXP 1200R	11.9	1067	1067	n/s	5200	n/s	750
Mantovanibenne	SH1500F	12	1100	1100	n/s	4400	n/s	700-1000
Genesis	GXT 1555R	12.1	1118	1168	n/s	6000	n/s	615-860
Steck	S 125 I	12.44	1172	1110	15887	4760	n/s	n/s
Rotar	RSS 150	12.5	1095	997	3256	5450	n/s	960
Mantovanibenne	SH1500	12.5	1100	1100	n/s	5200	n/s	800-1000
Verdelli	CDIV120	12.6	1100	1100	4882	5200	2150	400
Allied-Gator	MTR 100 S	12.7	965	965	7872	n/s	680	984
Genesis	GXP 1500R	13.3	1118	1118	n/s	5500	n/s	750
VTN	CI 13000	13.6	1145	1270	n/s	6180	n/s	n/s
LaBounty	MSD 7500R	13.64	1092	1143	19973	5588	n/s	500-1000
LaBounty	MSD 7500R-SL	13.73	1092	1143	n/s	n/s	n/s	n/s
LaBounty	UPX 1800	14.51	2540	1140	n/s	n/s	n/s	n/s
Genesis	GXT 2055	14.52	1219	1270	n/s	n/s	n/s	n/s
Tabe	CHT 130	14.65	1145	n/s	n/s	n/s	n/s	900-1200
VTN	CI15000 R	14.65	1145	1270	3481	6260	n/s	80-100
Dehaco	SH 1500R	15	n/s	1100	n/s	n/s	n/s	700-1000
Mantovanibenne	SH1500R	15	1075	1100	n/s	5200	n/s	800-1000
Genesis	GXT 2055R	16.4	1219	1270	n/s	6600	n/s	850-1200
Northerntrack	HSS-160RV	16.5	1100	1080	3236	5440	1325	900-1200
Trevi Benne	CS 160RS	16.7	1100	1080	6078	5440	1325	800-1000
LaBounty	MSD 9500	16.95	1219	1321	n/s	n/s	n/s	n/s
LaBounty	MSD 9500-SL	17.05	1219	1321	n/s	n/s	n/s	n/s
BTi	SH2000R	18	1200	1200	6048	6000	1200	700-1000
Hydraram	HSS-180RV	18.3	1100	1080	n/s	n/s	n/s	700-1000

Manufacturer	Model	Operating Weight (t)	Opening (mm)	Wrench Opening Depth (mm)	Cutting Force (kN)	Total Length (mm)	Total Width (mm)	Oil Flow (l-min)
Northerntrack	HSS-200RV	19.16	1180	1130	3432	5580	1750	800-1000
VTN	CI 19500	19.4	1225	1300	n/s	7000	n/s	n/s
Mantovanibenne	SH2000F	19.5	1200	1200	n/s	5400	n/s	700-1000
Trevi Benne	CS 200RS	19.5	1180	1130	6875	5580	1750	900-1200
Mantovanibenne	SH2000	19.5	1200	1200	n/s	5400	n/s	700-1000
LaBounty	MSD 9500R	19.68	1220	1320	24623	5588	n/s	800-1500
Allied-Gator	MTR 160 S	19.96	1067	1067	8181	n/s	800	1590
LaBounty	MSD 9500R-SL	20.23	1219	1321	n/s	n/s	n/s	n/s
LaBounty	UPX 2800(HR)	20.41	1295	1320	n/s	n/s	n/s	n/s
Tabe	CHT 190	20.9	1225	n/s	n/s	n/s	n/s	1000-1500
VTN	CI20000 R	20.9	1225	1300	4511	7100	n/s	80-100
Hydraram	HSS-220RV	21.85	1180	1130	n/s	n/s	n/s	900-1200
Genesis	GXT 2555	22.91	1372	1422	n/s	n/s	n/s	n/s
Allied-Gator	MTR 180 S	23.59	1219	1219	14199	n/s	1041	1590
Genesis	GXP 2500	24.49	1168	1219	n/s	n/s	n/s	n/s
Genesis	GXP 2500R	24.9	1168	1219	n/s	7200	n/s	1136
LaBounty	UPX2800	24.95	1295	1320	n/s	n/s	n/s	n/s
Genesis	GXT 2555R	25.6	1372	1422	n/s	7000	n/s	925-1200
Globram	RM9102	n/s	550	n/s	n/s	2724	n/s	100-200
Globram	RM9203	n/s	660	n/s	n/s	3400	n/s	200-300
Globram	RM9254	n/s	740	n/s	n/s	3800	n/s	220-360
Globram	RM9305	n/s	850	n/s	n/s	4040	n/s	240-400
Globram	RM9356	n/s	950	n/s	n/s	4238	n/s	300-550
Globram	RM9459	n/s	1100	n/s	n/s	4840	n/s	360-700
Arden	AS093	n/s	n/s	n/s	n/s	n/s	n/s	n/s

TAME THE DUST!

The **DF 3000 Mobile Power Tank** is the brand-new dust control unit equipped with water tank, generating set and optional road trailer. An independent solution for every application field.

GENERAC®

DF
ECOLOGY

27030 Villanova d'Ardenghi (PV) - Italy
 Tel: +39 0382 567011
 Email: dfecology@generac.com
 Web: www.towerlight.com



ATTACHMENTS



**DUST CONTROL
UNITS**



**FLOOR
STRIPPERS**



**SANITATION
EQUIPMENT**

DEHACO. THE BEST EQUIPMENT FOR A NEW BEGINNING...

Kruisbaak 25
2165 AJ Lisserbroek
The Netherlands
+31 (0)88 - 20 20 600
info@dehaco.nl
www.dehaco.nl



Jewell provides custom machines for the world's harshest environments including the forestry, demolition, scrap recycling, material handling and construction industries.

Drawing on years of accumulated experience and technical know how, Jewell converts standard excavators into tough, robust machines capable of conquering diverse jobsite challenges.



YOU HAVE TOUGH JOBS... WE BUILD TOUGH MACHINES

WWW.JEWELLATTACHMENTS.COM
18135 S.W. BOONES FERRY ROAD, PORTLAND OR 97224
PH: 1-877-237-3392 US AND CANADA
OR 503-352-8238



DEMOLITION &
d&ri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

CRUSHING & SCREENING

CRUSHING & SCREENING

GENERAL CRUSHING PLANTS	91
MOBILE CRUSHERS	93
SCREENS & SCREENING	103

OTHER EQUIPMENT

SCRAP HANDLERS	112
DEMOLITION ROBOTS	113
HYDRODEMOLITION EQUIPMENT	114
GRABS AND GRAPPLES	114



The KHL Power Division Portfolio

COMPRESSOR TECH

DP
DIESEL PROGRESS

DPI
DIESEL PROGRESS INTERNATIONAL



NPP
NEW POWER PROGRESS

DIESEL PROGRESS

E.G.S.A
Buying Guide

DNN DIESEL NEWS NETWORK

COMPRESSOR SOURCING TECHNOLOGY SUPPLEMENT

ECT

CTSSnet.net
COMPRESSOR TECHNOLOGY SOURCING SUPPLEMENT

www.compressortech2.com

www.dieselprogress.com

www.dieselprogressinternational.com

Diesel & Gas Turbine WORLDWIDE




ENGINE ROOM NEWS

Diesel & Gas Turbine Sourcing Guide

www.diesलगasturbine.com

The KHL Construction magazine portfolio...



...subscribe free today, visit www.khl.com

Manufacturer	Model	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Drive Power (kW)	Screening Attachments (Y/N)
Sandvik	CG850	8.25	KU	n/s	4140	950	n/s
Baioni	BS 60	29	KU	n/s	n/s	n/s	n/s
Baioni	BS 75	45	KU	n/s	n/s	n/s	n/s
Sandvik	CV215 VSI	50	KU	PB	40	n/s	n/s
Baioni	BP 600	60	KU	n/s	n/s	37	n/s
Baioni	BS 90	60	KU	n/s	n/s	n/s	n/s
Baioni	BS 105	80	KU	n/s	n/s	n/s	n/s
Rubble Master	RM 60	80	KU	PB	500	67	n/s
Baioni	BP 700/500	90	KU	n/s	n/s	45	n/s
Sandvik	CV216 VSI	121	KU	PB	50	n/s	n/s
Baioni	MIP 80	130	KU	n/s	560	132	n/s
Sandvik	CH420	132	KU	KB	120	90	n/s
Baioni	BP 900/600	150	KU	n/s	n/s	75	n/s
Sandvik	CI712 HSI	150	KU	PB	300	n/s	n/s
Sandvik	CS420	162	KU	KB	267	90	n/s
Baioni	BS 130	190	KU	n/s	n/s	n/s	n/s
Sandvik	CV217 VSI	192	KU	PB	50	n/s	n/s
Sandvik	CI711 HSI	200	KU	PB	600	n/s	n/s
Baioni	BS 150	220	KU	n/s	n/s	n/s	n/s
Sandvik	CH430	220	KU	KB	185	132	n/s
Baioni	BP 1100/700	240	KU	n/s	n/s	90	n/s
Baioni	MIP 101	240	KU	n/s	700	160	n/s
Sandvik	CI722 HSI	250	KU	PB	350	n/s	n/s
Sandvik	CV218 VSI	250	KU	PB	55	n/s	n/s
Parker	GC-F200	280	KU	KB	145	n/s	NO
Sandvik	CH540	295	KU	KB	185	250	n/s
Parker	GC-C200	310	KU	KB	185	n/s	NO
Sandvik	CS430	330	KU	KB	400	132	n/s
Parker	GC-F300	330	KU	KB	185	n/s	NO
KPI-JCI	K200+	349	KU	n/s	n/s	n/s	n/s
Baioni	MIP 120	360	KU	n/s	840	200	n/s
Sandvik	CH440	388	KU	KB	215	220	n/s
Baioni	BP 1100/950	400	KU	n/s	n/s	132	n/s
Sandvik	CI721 HSI	400	KU	PB	900	n/s	n/s
Sandvik	CI732 HSI	400	KU	PB	350	n/s	n/s
KPI-JCI	K300+	417	KU	n/s	n/s	n/s	n/s
Parker	GC-C300	430	KU	KB	210	n/s	NO
Sandvik	CV228 VSI	444	KU	PB	55	n/s	n/s
Baioni	BP 1300/950	465	KU	n/s	n/s	132	n/s
Sandvik	CH550	470	KU	KB	215	330	n/s
Sandvik	CS440	503	KU	KB	500	220	n/s
Sandvik	CH865i	517	KU	KB	123	500	n/s
Baioni	BP 1300	530	KU	n/s	n/s	132	n/s
Baioni	MIP 140 R	530	KU	n/s	980	250	n/s
Sandvik	CH865	560	KU	KB	100	500	n/s
Sandvik	CJ411	565	KU	BB	840	110	n/s
KPI-JCI	K400+	567	KU	n/s	n/s	n/s	n/s
Sandvik	CV229 VSI	600	KU	PB	55	n/s	n/s
Baioni	BP 1500	640	KU	n/s	n/s	160	n/s
Sandvik	CH660	662	KU	KB	275	315	n/s
Sandvik	CI731 HSI	700	KU	PB	1000	n/s	n/s
Sandvik	CS550	720	KU	KB	431	330	n/s
KPI-JCI	K500+	753	KU	n/s	n/s	n/s	n/s
Sandvik	CJ412	790	KU	BB	830	132	n/s
Sandvik	CS660	792	KU	KB	622	315	n/s
Baioni	MIP 160 R	800	KU	n/s	1100	315	n/s
Sandvik	CJ612	805	KU	BB	1100	160	n/s
Sandvik	CH860i	910	KU	KB	315	500	n/s
Sandvik	CJ613	960	KU	BB	1130	160	n/s
Sandvik	CH860	1024	KU	KB	275	500	n/s
Sandvik	CH895i	1077	KU	KB	127	750	n/s
Sandvik	CJ615	1085	KU	BB	1070	200	n/s
Sandvik	CJ815	1160	KU	BB	1300	200	n/s
Sandvik	CH895	1170	KU	KB	100	750	n/s

Manufacturer	Model	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Drive Power (kW)	Screening Attachments (Y/N)
Sandvik	CR810	1200	KU	n/s	600	n/s	n/s
Baioni	MIP 220 R	1200	KU	n/s	1250	400	n/s
Sandvik	CH870i	1283	KU	KB	350	600	n/s
Sandvik	CH870	1512	KU	KB	300	500	n/s
Sandvik	CH890i	1837	KU	KB	428	750	n/s
Sandvik	CH890	2595	KU	KB	370	750	n/s
Sandvik	CG810	2700	KU	n/s	2860	315	n/s
Sandvik	CG820	4000	KU	n/s	3350	525	n/s
Telsmith	1021	n/s	KU	BB	n/s	15	n/s
Telsmith	1538	n/s	KU	BB	n/s	45	n/s
Telsmith	2036	n/s	KU	BB	n/s	75	n/s
Telsmith	2044	n/s	KU	BB	n/s	75	n/s
Telsmith	2250	n/s	KU	BB	n/s	93	n/s
Telsmith	2540	n/s	KU	BB	n/s	93	n/s
Telsmith	3042	n/s	KU	BB	n/s	112	n/s
Telsmith	3258	n/s	KU	BB	n/s	149	n/s
Telsmith	38 SBS	n/s	KU	KB	n/s	n/s	n/s
Telsmith	44 SBS	n/s	KU	KB	n/s	n/s	n/s
Telsmith	44 SBX	n/s	KU	KB	n/s	n/s	n/s
Telsmith	52 SBS	n/s	KU	KB	n/s	n/s	n/s
Telsmith	52 SBX	n/s	KU	KB	n/s	n/s	n/s
Telsmith	57 SBS	n/s	KU	KB	n/s	n/s	n/s
Telsmith	57 SBX	n/s	KU	KB	n/s	n/s	n/s
Telsmith	68 SBS	n/s	KU	KB	n/s	n/s	n/s
Cityequip	Air Basic 1600	n/s	KU	n/s	n/s	37	n/s
EvoQuip	Bison 35	n/s	KU	n/s	n/s	n/s	n/s
Pilot Crushtec	BR0605	n/s	KU	PB	350	18-30	n/s
Cityequip	CitySkid 960V3	n/s	KU	BB	n/s	75	n/s
Cityequip	CitySkid 960V4	n/s	KU	BB	n/s	120	n/s
Sandvik	CJ211	n/s	KU	BB	700	90	n/s
Sandvik	CJ409	n/s	KU	BB	660	75	n/s
Telsmith	H2238	n/s	KU	BB	n/s	93	n/s
Telsmith	H2550	n/s	KU	BB	n/s	112	n/s
Telsmith	H3244	n/s	KU	BB	n/s	112	n/s
Telsmith	H3450	n/s	KU	BB	n/s	147	n/s
Telsmith	J3858	n/s	KU	BB	n/s	15	n/s
Pilot Crushtec	MI4034	n/s	KU	PB	508	110	n/s
Telsmith	PA6060	n/s	KU	PB	n/s	375	n/s
Telsmith	T300	n/s	KU	KB	n/s	220	n/s
Telsmith	T400	n/s	KU	KB	n/s	298	n/s
Telsmith	T500	n/s	KU	KB	n/s	n/s	n/s
Telsmith	T900	n/s	KU	KB	n/s	662	n/s
KPI-JCI	VS5054	n/s	KU	PB	n/s	336/224	n/s

Manufacturer	Model	Drive	Maximum	Plant	Crusher	Maximum	Screening
		Power (kW)	Output (t/h)			Feed Size (mm)	Attachments (Y/N)
				Type	Type		
Komplet	LEM 4825	7.5	30	CO	BB	300	n/s
Komplet	M 2000	7.5	8	CO	n/s	150	n/s
Red Rhino	4000 Mini	10.2	n/s	RM	BB	n/s	n/s
Red Rhino	4000 series	10.3	8	RM	BB	80	Optional
Komplet	M 5000	11	20	CO	n/s	200	n/s
Cityequip	HydroMaster 1000	15	n/s	CO	n/s	n/s	n/s
Sandvik	UJ540	2x15	800	RM	BB	975	n/s
Sandvik	UJ640	2x18.5	1100	RM	BB	975	n/s
Guidetti	Caesar 1	21	20	RM	BB	n/s	n/s
Komplet	LEM Track 4825	21	30	RM	BB	80	n/s
Komplet	Mill Track 5000	21	25	RM	n/s	25	n/s
Red Rhino	5000	28	n/s	RM	BB	n/s	n/s
Red Rhino	5000 Series	29	20	RM	BB	100	Optional
Komplet	LEM 6040	30	80	CO	BB	400	n/s
Komplet	LEM 7040	30	120	CO	BB	500	n/s
Parker	Rocksizer	30	n/s	n/s	BB	280	No
Eagle Crusher	1036	30-45	95	CO	BB	n/s	No
Guidetti	Caesar 2	35	50	RM	BB	n/s	n/s
Parker	102	37	50	n/s	PB	250	No
Cityequip	CitySkid 7V3 DT	37	n/s	CO	BB	n/s	n/s
Cityequip	CitySkid 7V3 ST	37	n/s	CO	BB	n/s	n/s
Cityequip	CitySkid 9V3	37	n/s	CO	BB	n/s	n/s
Parker	KA102	37	50	RA	PB	250	No
Parker	KF102	37	50	n/s	PB	250	No
Cityequip	City Sort Nr. 1000/V3	38	n/s	CO	n/s	n/s	n/s
Cityequip	City Sort Nr. 1500/V3	38	n/s	CO	n/s	n/s	n/s
Eagle Crusher	1536	45-67	136	CO	BB	n/s	No
Eagle Crusher	UM-04	45-75	100	CO	PB	n/s	No
Red Rhino	7000 Plus	51.5	45	RM	BB	120	Optional
Red Rhino	7000 Series	51.5	45	RM	BB	120	Optional
Cityequip	AirCrawler 1200	52	n/s	RM	n/s	n/s	n/s
Cityequip	AirCrawler 1600	52	n/s	RM	n/s	n/s	n/s
Cityequip	AirMaster 1200	52	n/s	CO	n/s	n/s	n/s
Cityequip	AirMaster 1600	52	n/s	CO	n/s	n/s	n/s
Eagle Crusher	2036	52-75	245	CO	BB	n/s	No
BMD	RA 700/6 E	55	n/s	CO	BB	n/s	n/s
Eagle Crusher	UM-05	56-112	150	CO	PB	n/s	No
Komplet	LEM Track 6040	61	80	RM	BB	600	n/s
Komplet	LEM Track 7040	61	80	RM	BB	600	n/s
Giegold Recycling	MB 600/400	64	n/s	RA	n/s	n/s	n/s
Parker	CA900	75	n/s	RA	KB	n/s	No
Parker	CP900	75	n/s	n/s	KB	n/s	No
Parker	KA103	75	100	RA	PB	250	No
Parker	KF103	75	100	n/s	PB	250	No
Baioni	W400/2	80	230	RM	n/s	n/s	n/s
Baioni	W400/3	80	230	RM	n/s	n/s	n/s
REV	GCV 60	83	n/s	RM	BB	n/s	n/s
Cityequip	CitySkid 7V4 ST	88	n/s	CO	BB	n/s	n/s
Cityequip	CitySkid 9V4	88	n/s	CO	BB	n/s	n/s
Komplet	LEM Track 7040	90	100	RM	BB	700	n/s
Parker	RockRanger RQ	90	n/s	n/s	BB	455	No
Parker	Rocksledger	90	n/s	n/s	BB	560	No
OM	Mercurio	93	n/s	RM	BB	n/s	n/s
Eagle Crusher	2036 Eagle	93/75	n/s	RA	BB	n/s	No
Baioni	W500/2	100	330	RM	n/s	n/s	n/s
Baioni	W500/3	100	330	RM	n/s	n/s	n/s
Cityequip	CityTrak 7T6	103	n/s	RM	BB	n/s	n/s
BMD	RA 700/6	103	n/s	CO	BB	n/s	n/s
BMD	RA 700/6 T	103	n/s	CO	BB	n/s	n/s
REV	GCV 80 Zeffiro	104	n/s	RM	BB	n/s	n/s
Gasparin	Vulcano-GI 86 C	104	n/s	n/s	n/s	n/s	n/s
Parker	CA1200	110	n/s	RA	KB	n/s	No
Parker	CP1200	110	n/s	n/s	KB	n/s	No
Parker	RockRanger RE	110	n/s	n/s	BB	710	No

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Irock	Sidewinder-15	112	400	RA	PB	203	n/s
Eagle Crusher	3242	112-149	408	CO	BB	n/s	No
Eagle Crusher	UM-15	112-149	200	CO	PB	n/s	No
Eagle Crusher	UM-25	112-224	300	CO	PB	n/s	No
Rubble Master	RM 7060! 2.0	115	150	RM	PB	600	n/s
SBM	RCL 720 E/D	120	n/s	RA	PB	n/s	n/s
BAT	BB 80 T	125	40-130	RM	n/s	400	n/s
OM	Atlante	127	n/s	RM	n/s	n/s	n/s
REV	GCV 100 N/V	127	n/s	RM	BB	n/s	n/s
Telsmith	820VK-TL	129	n/s	RM	n/s	1372	n/s
REV	GCV 80	130	n/s	RM	BB	n/s	n/s
Powerscreen	Metrotrak	134	n/s	RM	BB	n/s	n/s
Sandvik	UJ 310	134	n/s	n/s	n/s	n/s	n/s
OM	Argo	138	n/s	RM	BB	n/s	n/s
Gasparin	Diablo-GI 106 C	138	220	RM	BB	n/s	No
Gasparin	Diablo-GI 106 CV	138	n/s	n/s	n/s	n/s	n/s
Gasparin	GI 106 CV Diablo	138	220	RM	BB	n/s	Optional
Komatsu	BR380JG	140	240	RM	BB	150	n/s
Terex-Finlay	J 960	140	n/s	RM	BB	1800	No
Powerscreen	Metrotrak HA	140	200	RM	BB	800	n/s
Irock	Sidewinder-20	149	600	RA	PB	203	n/s
Parker	1110 HD	150	n/s	n/s	PB	600	No
Parker	CA1350	150	n/s	RA	KB	n/s	No
Parker	CP1350	150	n/s	n/s	KB	n/s	No
Parker	KA105	150	200	RA	PB	300	No
Parker	KF105	150	200	n/s	PB	350	No
Giegold Recycling	MP 600/800	150	n/s	RA	PB	n/s	n/s
REV	GCV 100	151	n/s	RM	BB	n/s	n/s
Kleemann	MC 100 Ri EVO	155	130-150	RM	BB	500	n/s
Rockster	R700S	160	n/s	RM	PB	n/s	n/s
BAT	BB 100 T	165	50-200	RM	n/s	500	n/s
McCloskey	C40	165	n/s	RM	BB	n/s	n/s
McCloskey	J40	166	n/s	RM	BB	n/s	n/s
REV	GCR 100	168	n/s	RM	BB	n/s	n/s
REV	GCR 100/S	168	n/s	RM	BB	n/s	n/s
REV	GCR 98	168	n/s	RM	BB	n/s	n/s
REV	GCS 98	168	n/s	RM	BB	n/s	n/s
REV	GCV 98	168	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 96	168	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 96 S	168	n/s	RM	BB	n/s	n/s
Sandvik	QJ 241	168	n/s	RM	BB	n/s	n/s
Sandvik	QJ241	168	225	RM	BB	520	n/s
Gasparin	Vesuvio-GI 1000 CV	168	n/s	n/s	n/s	n/s	n/s
Eagle Crusher	500-05 CV	168/112	n/s	RA	PB	n/s	No
Eagle Crusher	500-05 CVSS	168/112	n/s	RA	PB	n/s	Yes
Eagle Crusher	400-04 CV	168/75	n/s	RA	PB	n/s	No
Metso	Lokotrack LT 96	170	n/s	RM	BB	n/s	n/s
Baioni	TR110/70V	178	200	RM	n/s	600	n/s
Giegold Recycling	MBG 1000/500	180	n/s	RA	n/s	n/s	n/s
BAT	BB 110 TD	182	50-220	RM	n/s	600	n/s
Eagle Crusher	Rapid-Deploy	184	n/s	RA	PB	n/s	Yes
Eagle Crusher	500-05 CC	184/112	n/s	RA	PB	n/s	Yes
REV	GCC 3800	186	n/s	RM	KB	n/s	n/s
REV	GCC 3800/S	186	n/s	RM	KB	n/s	n/s
REV	GCR 106	186	n/s	RM	BB	n/s	n/s
REV	GCS 106	186	n/s	RM	BB	n/s	n/s
REV	GCV 8.5	186	n/s	RM	PB	n/s	n/s
REV	GCV 8.5/S	186	n/s	RM	PB	n/s	n/s
Powerscreen	Premiertrak 300	186	280	RM	BB	900	n/s
Powerscreen	Premiertrak R300	186	280	RM	BB	900	n/s
Powerscreen	Trakpactor 250	186	n/s	RM	PB	n/s	n/s
Powerscreen	Trakpactor 260	186	250	RM	PB	800	n/s
Powerscreen	Trakpactor 260SR	186	250	RM	PB	800	n/s
OM	Apollo	186	n/s	RM	BB	n/s	n/s

Manufacturer	Model	Drive	Maximum	Plant	Crusher	Maximum	Screening
		Power (kW)	Output (t/h)			Feed Size (mm)	Attachments (Y/N)
REV	GCC 3800	187	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 1055J	187	n/s	RM	BB	n/s	n/s
Atlas Copco	PC 1060I	187	n/s	RM	n/s	n/s	n/s
McCloskey	I34	188	n/s	RM	n/s	n/s	n/s
McCloskey	I34R	188	n/s	RM	n/s	n/s	n/s
Powerscreen	Premiertrak 400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak 400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak R400X	194	400	RM	BB	1060	n/s
Powerscreen	Premiertrak R400X	194	400	RM	BB	1060	n/s
Rubble Master	RM 90Go!	194	200	RM	PB	650	n/s
Maschinenfabr.Liezen	R-CJ 108-80 T	196	n/s	n/s	n/s	n/s	n/s
Parker	1112 HD	200	n/s	n/s	PB	600	No
Baioni	BP110/70B	200	275	RM	n/s	n/s	n/s
Baioni	FCS 91	200	245	RM	n/s	n/s	n/s
Kleemann	MC 125 RR	200	n/s	n/s	n/s	n/s	n/s
Giegold Recycling	MP 1000/800	200	n/s	RA	PB	n/s	n/s
BAT	PB 100 T	200	50-170	RM	n/s	n/s	n/s
Sandvik	UH450 E	200	n/s	RM	n/s	n/s	n/s
Sandvik	UH440E	200	n/s	RM	KB	215	n/s
Sandvik	US440E	200	500	RM	KB	215	n/s
Terex Finlay	J 1170 Direct Drive	202	n/s	RM	BB	2400	Optional
Powerscreen	Pegson XH 400 XR-S	202	n/s	RM	BB	n/s	n/s
Powerscreen	Premiertrak 300	202	n/s	RM	BB	n/s	n/s
Powerscreen	Premiertrak 400 S	202	n/s	RM	BB	n/s	n/s
Tesab	1012S	205	250	RA	PB	500	n/s
Tesab	623CT	205	150	RM	PB	200	n/s
Tesab	623S	205	150	RA	PB	200	n/s
Tesab	643S	205	150	RA	PB	200	n/s
BAT	BB 120 T	205	60-250	RM	n/s	600	n/s
Terex Finlay	I 100	205	n/s	RM	PB	2260	Yes
Terex Finlay	I 100 RS	205	n/s	RM	PB	2260	Optional
Terex Finlay	J 1160	205	n/s	RM	BB	2380	No
Eagle Crusher	3242 Eagle	205/112	n/s	RA	BB	n/s	No
Eagle Crusher	1000-15 CV	205/298/149	n/s	RA	PB	n/s	No
REV	GCS 12.9 B	210	n/s	RM	PB	n/s	n/s
Rockster	R800	210	n/s	RM	BB	n/s	n/s
Rockster	R900	210	n/s	RM	PB	n/s	n/s
Tesab	10570	224	300	RM	BB	700	n/s
OM	Apollo Plus	224	n/s	RM	BB	n/s	n/s
Gipo	B 0960 C	224	150	RM	n/s	n/s	Yes
Gipo	B 0960 C Giga	224	150	RM	n/s	n/s	Yes
Gipo	B 0960 FDR	224	150	RM	n/s	n/s	Yes
REV	GCS 109	224	n/s	RM	BB	n/s	n/s
REV	GCV 109	224	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 1110	224	n/s	RM	PB	n/s	n/s
Metso	Lokotrack Urban LT 106	224	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 106	224	n/s	RM	BB	n/s	n/s
OM	Marte	224	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 106	224	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 106 S	224	n/s	RM	BB	n/s	n/s
Irock	Sidewinder-30	224	750	RA	PB	254	n/s
Eagle Crusher	UM-45	224-298	400	CO	PB	n/s	No
MFL	CC 80 / T	225	145	RM	KB	130	n/s
MFL	R-CI 100-100 / T	225	250	RM	PB	700	n/s
MFL	R-CI 100-130 / T	225	300	RM	PB	800	n/s
MFL	R-CI 100-130 / TV	225	300	RM	PB	800	n/s
MFL	STE 100-65 / T	225	250	RM	BB	550	n/s
MFL	STE 90-60 / T	225	200	RM	BB	550	n/s
Kleemann	MC 100 R	228	n/s	RM	BB	n/s	n/s
BWM-Dietlas	MMU 130 T-S 120	230	n/s	RM	BB	n/s	n/s
Gipo	R 90 FDR	230	200	RM	n/s	n/s	No
Gipo	R 90 FDR Giga	230	200	RM	n/s	n/s	No
Gasparin	GI1010 K 1 R	235	250	RM	PB	n/s	No
Gasparin	GI1010 K 1 R	235	250	RM	PB	n/s	Yes

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Rockster	R1000S	235	n/s	RM	PB	n/s	n/s
Rubble Master	RM 100Go!	235	250	n/s	PB	750	n/s
Giegold Recycling	MPG 1000 x 800	240	n/s	RA	PB	n/s	n/s
Giegold Recycling	SBA 1000/800 P	240	n/s	n/s	PB	n/s	n/s
Giegold Recycling	SBA 1100/650 B	240	n/s	n/s	BB	n/s	n/s
Eagle Crusher	UltraTraxx	240	n/s	RM	PB	3800	Optional
Powerscreen	1000 Maxtrak	242	230	RM	KB	1000	n/s
Gasparin	Everest-F 1180 C	242	n/s	n/s	n/s	n/s	n/s
Gasparin	Everest-F 1180 CV	242	n/s	n/s	n/s	n/s	n/s
Gasparin	Everest-GI 129 CV	242	n/s	n/s	n/s	n/s	n/s
Gasparin	GI 1111 K2R	242	n/s	n/s	n/s	n/s	n/s
Maximus	MXP-1050R	242	300	RM	PB	400	n/s
Metso	Nordberg LT 1110	242	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 1110 S	242	n/s	RM	PB	n/s	n/s
Atlas Copco	PC 2	242	n/s	RM	BB	n/s	n/s
Atlas Copco	PC 4	242	n/s	RM	BB	n/s	n/s
Rockster	R1100DE	242	n/s	RM	PB	n/s	n/s
Rockster	R1100S	242	n/s	RM	PB	n/s	n/s
Eagle Crusher	1000-15 CC	242/149	n/s	RA	PB	n/s	Yes
Eagle Crusher	1200-25 CC	242/317/186	n/s	RA	PB	n/s	Yes
Kleemann	MC 110 Ri EVO	243	190-210	RM	BB	650	n/s
Kleemann	MCO 9i EVO	243	225-275	RM	KB	200	n/s
Kleemann	MC 110 Zi EVO	246	190-210	RM	BB	650	n/s
Kleemann	MCO 9	248	n/s	RM	KB	n/s	n/s
Gasparin	Olimpo-GI 118 C	248	n/s	RA	BB	n/s	n/s
Gasparin	Olimpo-GI 118 CV	248	n/s	RA	BB	n/s	n/s
BAT	PB 120 T	249	60-200	RM	n/s	n/s	n/s
MFL	CC 102 / T	250	220	RM	KB	180	n/s
Baioni	FCS 108	250	440	RM	n/s	n/s	n/s
MFL	STE 108-75 / TV	250	450	RM	BB	650	n/s
MFL	STE 108-75 / W	250	400	RA	BB	650	n/s
Powerscreen	1000 Maxtrak	257	n/s	RM	n/s	n/s	n/s
Powerscreen	1000 SR	257	n/s	RM	n/s	n/s	n/s
Komatsu	BR580JG	257	460	RM	BB	200	n/s
Terex Finlay	C 1540	257	n/s	RM	KB	2450	No
Terex Finlay	C 1540 Dual Power	257	n/s	RM	KB	2450	Optional
Terex Finlay	C 1540 P	257	260	RM	KB	2450	Optional
Terex Finlay	I 110	257	n/s	RM	PB	2380	Yes
Terex Finlay	I 120 RS	257	n/s	RM	PB	2100	Yes
Terex Finlay	J 1170	257	n/s	RM	BB	2400	Optional
Terex Finlay	J 1170 AS	257	n/s	RM	BB	2400	Yes
Terex Finlay	J 1175	257	475	RM	BB	2670	No
Terex Finlay	J 1175 Dual Power	257	n/s	RM	BB	2670	Yes
Powerscreen	Trakpactor 320 SR	257	n/s	RM	PB	n/s	n/s
Powerscreen	Trakpactor 320 X	257	n/s	RM	PB	n/s	n/s
Powerscreen	1000SR	261	230	RM	KB	1000	n/s
Gipo	B 1170 C	261	300	RM	n/s	n/s	Yes
Gipo	B 1170 FDR	261	300	RM	n/s	n/s	Yes
Gipo	B 1170 FDR Giga	261	300	RM	n/s	n/s	Yes
McCloskey	C38	261	n/s	RM	KB	n/s	n/s
McCloskey	C38R	261	n/s	RM	KB	n/s	n/s
McCloskey	C50	261	n/s	RM	BB	n/s	n/s
Screen Machine Industries	CST	261	n/s	RM	n/s	n/s	n/s
REV	GCS 11.7	261	n/s	RM	PB	n/s	n/s
REV	GCS 125	261	n/s	RM	BB	n/s	n/s
REV	GCS 125/B	261	n/s	RM	BB	n/s	n/s
REV	GCS 125/SR	261	n/s	RM	BB	n/s	n/s
REV	GCV 11.7	261	n/s	RM	PB	n/s	n/s
McCloskey	J45	261	175-300	RM	BB	n/s	n/s
McCloskey	J45R	261	n/s	RM	BB	n/s	n/s
McCloskey	J50	261	n/s	RM	BB	2120	n/s
Irock	Magnum 15	261	350	RA	PB	n/s	n/s
Maximus	MXC-1000	261	140	RM	KB	150	n/s
Maximus	MXJ-1100	261	300	RM	BB	600	n/s

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Maximus	MXJ-1200	261	400	RM	BB	650	n/s
Maximus	MPX-1200	261	350	RM	PB	n/s	n/s
Sandvik	QH331	261	220	RM	KB	185	n/s
Sandvik	QH331 HS	261	n/s	RM	KB	n/s	n/s
Sandvik	QI341	261	300	RM	PB	600	n/s
Sandvik	QI341 HS	261	300	RM	PB	600	n/s
Sandvik	QJ 341	261	n/s	RM	BB	n/s	n/s
Sandvik	QS331	261	344	RM	KB	360	n/s
Sandvik	QS331 HS	261	n/s	RM	KB	n/s	n/s
Gipo	R 100 C	261	250	RM	n/s	n/s	No
Gipo	R 100 C Giga	261	250	RM	n/s	n/s	No
Gipo	R 100 FDR	261	250	RM	n/s	n/s	No
Gipo	R 100 FDR Giga	261	250	RM	n/s	n/s	No
Gipo	R 100 RR PB Giga	261	250	RM	n/s	n/s	No
Irock	RDS-15	261	350	RA	n/s	n/s	n/s
Irock	TC-15CC	261	350	RM	PB	n/s	n/s
Irock	TJ-3046	261	445	RM	BB	n/s	n/s
Telsmith	TJ3258	261	n/s	RM	BB	1372	n/s
Powerscreen	Trakpactor 320	261	320	RM	PB	1080	n/s
Powerscreen	Trakpactor 320SR	261	320	RM	PB	1080	n/s
Irock	WJC-2844	261	370	RA	BB	n/s	n/s
Powerscreen	1180 Premiertrak	262	n/s	RM	BB	n/s	n/s
Screen Machine Industries	4043T	265	n/s	RM	n/s	n/s	n/s
Screen Machine Industries	4043TR	265	n/s	RM	n/s	n/s	n/s
Maximus	MPX-1200R	265	350	RM	PB	600	n/s
Sandvik	QJ341	265	400	RM	BB	650	n/s
Sandvik	QJ341+	265	450	RM	BB	650	n/s
Rockster	R1100DS	265	n/s	RM	PB	n/s	n/s




red dot award 2018
winner






ORGANIZED BY
dsri
WORLD DEMOLITION AWARDS 2018
SHORTLISTED
INNOVATION AWARD - PLANT & EQUIPMENT

Cost saving hybrid processing



Mobile crushing & screening
24/7 Remote monitoring
Fuel efficient hybrid systems
Minimum cost of ownership

Performance in every detail

Follow us    www.keestrack.com

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Rockster	R1200D	265	n/s	RM	BB	n/s	n/s
Kleemann	MC 110 R	266	n/s	RM	BB	n/s	n/s
Kleemann	MC 110 Z	266	n/s	RM	BB	n/s	n/s
McCloskey	I44v3	268	n/s	RM	PB	n/s	n/s
Screen Machine Industries	JHT	280	n/s	RM	n/s	n/s	n/s
Screen Machine Industries	JXT	280	n/s	RM	n/s	n/s	n/s
Giegold Recycling	MPG 1200/1000	280	n/s	n/s	PB	n/s	n/s
Rubble Master	RM V550GO!	280	200	RM	PB	400	n/s
Giegold Recycling	SBA 1200/1000 P	280	n/s	n/s	PB	n/s	n/s
Keestrack	Supershark 11070	280	n/s	RM	BB	n/s	n/s
Keestrack	Supershark 9060	280	n/s	RM	BB	n/s	n/s
Rubble Master	RM 120GO!	286	350	RM	n/s	850	n/s
Atlas Copco	PC 1000	287	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 3	287	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 6	287	n/s	RM	BB	n/s	n/s
Powerscreen	Premiertrak 750	288	n/s	RM	BB	n/s	n/s
Kleemann	MCO 9 S	289	n/s	RM	KB	n/s	n/s
Kleemann	MCO 9i S EVO	289	225-275	RM	KB	200	n/s
Kleemann	MR 100 R	291	n/s	RM	PB	n/s	n/s
Kleemann	MR 100 Z	291	n/s	RM	PB	n/s	n/s
QM	Titano	298	n/s	RM	PB	n/s	n/s
Eagle Crusher	UM-69	298-447	800	CO	PB	n/s	No
Baioni	BP130/85B	300	410	RM	n/s	n/s	n/s
MFL	CC 102 / T	300	190	RM	KB	170	n/s
Metso	Lokotrack LT 220 D	309	n/s	RM	KB	n/s	n/s
Screen Machine Industries	CXT	310	n/s	RM	n/s	n/s	n/s
Metso	Lokotrack LT 116	310	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 120	310	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 120 E	310	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 1213	310	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 1213 S	310	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 1213 SE	310	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 200 HP	310	n/s	RM	KB	n/s	n/s
Metso	Lokotrack LT 7150	310	n/s	RM	KSB	57	n/s
Metso	Nordberg LT 116	310	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 116 S	310	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 120	310	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 1213	310	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 1213 S	310	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 200 HP	310	n/s	RM	n/s	n/s	n/s
Parker	1312 HD	315	n/s	n/s	PB	n/s	No
Sandvik	UH440i	315	388	RM	KB	215	n/s
Sandvik	UJ440i Classic	315	700	RM	BB	760	n/s
Sandvik	UJ440i Trend	315	700	RM	BB	760	n/s
Sandvik	US440i	315	600	RM	KB	450	n/s
Maximus	MXP-1300	317	450	RM	PB	n/s	n/s
Maximus	MXP-1300R	317	450	RM	PB	600	n/s
Metso	Nordberg LT 125	317	n/s	RM	BB	n/s	n/s
Metso	Nordberg LT 300 GP	317	n/s	RM	n/s	n/s	n/s
Eagle Crusher	1200-25 CV	317/354/224	n/s	RA	PB	n/s	No
McCloskey	I54	320	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 300 GPB	320	n/s	RM	n/s	n/s	n/s
Baioni	BP130/100B	325	494	RM	n/s	n/s	n/s
Tesab	10580	328	400	RM	BB	800	n/s
Tesab	1012TS	328	350	RM	PB	500	n/s
Powerscreen	1150 Maxtrak	328	300	RM	n/s	1200	n/s
Tesab	1200TC	328	300	RM	KB	250	n/s
Powerscreen	1300 Maxtrak	328	350	RM	KB	1300	n/s
Tesab	1412T	328	350	RM	PB	300	n/s
Gipo	B 1185 C	328	500	RM	n/s	n/s	Yes
Gipo	B 1185 FDR	328	500	RM	n/s	n/s	Yes
Gipo	B3 Giga	328	n/s	RM	n/s	n/s	No
McCloskey	C44	328	n/s	RM	KB	n/s	n/s
REV	GCR 12.9	328	n/s	RM	PB	n/s	n/s

Manufacturer	Model	Drive	Maximum	Plant	Crusher	Maximum	Screening
		Power	Output			Feed Size	Attachments
		(kW)	(t/h)	Type	Type	(mm)	(Y/N)
REV	GCS 12.9	328	n/s	RM	PB	n/s	n/s
Irock	Magnum 20	328	500	RA	PB	n/s	n/s
Maximus	MXC-1200	328	430	RM	KB	n/s	n/s
Atlas Copco	PC 1375I	328	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 5	328	n/s	RM	n/s	n/s	n/s
Powerscreen	Premiertrak 600	328	600	RM	BB	1160	n/s
Powerscreen	Premiertrak 600E	328	600	RM	BB	1160	n/s
Sandvik	QH440	328	n/s	RM	n/s	n/s	n/s
Sandvik	QH441	328	388	RM	KB	215	n/s
Sandvik	QH441 HS	328	n/s	RM	KB	n/s	n/s
Sandvik	QI441	328	500	RM	PB	800	n/s
Sandvik	QI441 HS	328	500	RM	PB	800	n/s
Sandvik	QI441 SDHS	328	500	RM	PB	800	n/s
Sandvik	QS 441	328	n/s	RM	KSB	n/s	n/s
Sandvik	QS441	328	600	RM	KB	450	n/s
Gipo	R 110 C	328	350	RM	n/s	n/s	No
Gipo	R 110 FDR	328	350	RM	n/s	n/s	No
Gipo	R 131 C	328	400	RM	n/s	n/s	No
Gipo	R 131 FDR	328	400	RM	n/s	n/s	No
Parker	JQ1575	n/s	400	RM	BB	625	No
Gipo	RC 100 C	328	250	RM	n/s	n/s	No
Gipo	RC 100 FDR	328	250	RM	n/s	n/s	No
Irock	RDS-20	328	500	RA	n/s	n/s	n/s
Irock	TC-20	328	500	RM	PB	n/s	n/s
Powerscreen	Trakpactor 500SR	328	500	RM	PB	1380	n/s
Powerscreen	Trakpactor 550	328	500	RM	PB	1260	n/s
McCloskey	V80 VSI	328	n/s	RM	n/s	n/s	n/s
Powerscreen	XV350	328	350	RM	PB	1300	n/s
Keestrack	Destroyer 1112 C	329	n/s	RM	PB	n/s	n/s
Terex Finlay	C 1540 RS	331	260	RM	KB	2450	Yes
Terex Finlay	C 1545	331	n/s	RM	KB	2270	No
Terex Finlay	C 1545 P	331	n/s	RM	KB	2270	Yes
Terex Finlay	J 1480	331	n/s	RM	BB	2860	Yes
Powerscreen	Premiertrak 6000	331	n/s	RM	BB	n/s	n/s
Powerscreen	Trakpactor 500	331	n/s	RM	PB	n/s	n/s
Powerscreen	Trakpactor 500 SR	331	n/s	RM	PB	n/s	n/s
Powerscreen	XV 350	331	n/s	RM	PB	n/s	n/s
Kleemann	MR 130 R	337	n/s	RM	PB	n/s	n/s
Kleemann	MR 130 Z	337	n/s	RM	PB	n/s	n/s
BAT	PB 130 T	348	50-250	RM	n/s	n/s	n/s
MFL	R-CI 130-130 / W	350	300	RA	PB	800	n/s
Screen Machine Industries	5256T	354	n/s	RM	n/s	n/s	n/s
Gipo	B 1195 C	354	500	RM	n/s	n/s	Yes
Gipo	B 1195 FDR	354	500	RM	n/s	n/s	Yes
Gipo	B 1385 C	354	600	RM	n/s	n/s	Yes
Gipo	B 1385 FDR	354	600	RM	n/s	n/s	Yes
Gipo	B 1385 FDR Giga	354	600	RM	n/s	n/s	Yes
Gipo	R 131 C Giga	354	400	RM	n/s	n/s	No
Gipo	R 131 RR PB Giga	354	400	RM	n/s	n/s	No
Gipo	R 131C FDR Giga	354	400	RM	n/s	n/s	No
Eagle Crusher	1200-25 OCSS	354/186	n/s	RA	PB	n/s	Yes
Kleemann	MC 120 Z	359	n/s	RM	BB	n/s	n/s
Kleemann	MC 125 Z	364	450-550	RM	BB	900	n/s
Kleemann	MCO 11 S	364	315	RM	KB	200	n/s
Kleemann	MC 120 Z PRO	365	550	RM	BB	700	n/s
Kleemann	MR 122 Z	365	350	RM	PB	800	n/s
Terex Finlay	C 1550	368	n/s	RM	KB	n/s	No
Terex Finlay	C 1550 P	368	n/s	RM	KB	n/s	Yes
Terex Finlay	I 140	368	n/s	RM	PB	2200	Optional
Terex Finlay	I 140 RS	368	n/s	RM	PB	2200	No
Kleemann	MCO 11i PRO	368	420	RM	KB	240	n/s
Kleemann	MR 110 Zi EVO2	368	240	RM	PB	600	n/s
Kleemann	MR 130 Zi EVO2	368	300	RM	PB	700	n/s
Kleemann	MCO 11	371	n/s	RM	KB	n/s	n/s

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
Eagle Crusher	1400-45 CV	373/298	n/s	RA	PB	n/s	No
Eagle Crusher	1400-45 OC	373/298	n/s	RA	PB	n/s	No
Eagle Crusher	1600-69 OC	373/800	n/s	RA	PB	n/s	Yes
McCloskey	I54v3	380	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 140	390	n/s	RM	BB	n/s	n/s
Keestrack	Destroyer 1312 C	392	n/s	RM	PB	n/s	n/s
REV	GCS 14.10	400	n/s	RM	PB	n/s	n/s
REV	GCS 140	400	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 1415	400	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 150 E	400	n/s	RM	BB	n/s	n/s
MFL	R-CI 130-130 / TV	400	400	RM	PB	800	n/s
Telsmith	T16060	402	n/s	RM	PB	n/s	n/s
Gipo	B 1395 FDR	403	700	RM	n/s	n/s	Yes
Gipo	B 1410 FDR	403	700	RM	n/s	n/s	Yes
Gipo	B4 Giga	403	n/s	RM	n/s	n/s	No
Metso	Lokotrack LT 130 E	403	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 1315	403	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 300 GP	403	n/s	RM	KB	n/s	n/s
Metso	Lokotrack LT 300 HP	403	n/s	RM	KB	n/s	n/s
Metso	Nordberg LT 1315	403	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 1415	403	n/s	RM	PB	n/s	n/s
Metso	Nordberg LT 300 HP	403	n/s	RM	n/s	n/s	n/s
Metso	Nordberg LT 550 GPF	403	n/s	RM	n/s	n/s	n/s
Atlas Copco	PC 1610IG	403	n/s	RM	n/s	n/s	n/s
Gipo	R 130 C	403	450	RM	n/s	n/s	No
Gipo	R 130 FDR	403	500	RM	n/s	n/s	No
Gipo	RC 110 C	403	350	RM	n/s	n/s	No
Gipo	RC 110 FDR	403	350	RM	n/s	n/s	No
Gipo	RC 131 C	403	400	RM	n/s	n/s	No
Gipo	RC 131 FDR	403	400	RM	n/s	n/s	No
Gipo	RC MAG 2100 C	403	150	RM	n/s	n/s	No
Gipo	RC MAG 2100 FDR	403	150	RM	n/s	n/s	No
Telsmith	TC52	403	n/s	RM	KB	1372	n/s
Irock	Magnum 30	410	650	RA	PB	n/s	n/s
REV	GCS 125/E	412	n/s	RM	BB	n/s	n/s
Gipo	R 150 C	433	600	RM	n/s	n/s	No
Gipo	R 150 FDR	433	600	RM	n/s	n/s	No
Gipo	R MAG 2700	433	400	RM	n/s	n/s	No
Gipo	RC 130 C	433	500	RM	n/s	n/s	No
Gipo	RC 130 FDR	433	500	RM	n/s	n/s	No
Gipo	RC MAG 2400 C	433	300	RM	n/s	n/s	No
Gipo	RC MAG 2400 FDR	433	300	RM	n/s	n/s	No
Gipo	RC MAG 2700 C	433	400	RM	n/s	n/s	No
Gipo	RC MAG 2700 FDR	433	400	RM	n/s	n/s	No
Kleemann	MC 140 Z	438	550-650	RM	BB	1000	n/s
Metso	Nordberg LT 160	445	n/s	RM	BB	n/s	n/s
Kleemann	MC 160 PRR	460	n/s	RM	BB	1100	n/s
Powerscreen	1500 Maxtrak	470	950	RM	KB	1500	n/s
Metso	Lokotrack LT 330 D	470	n/s	RM	KB	n/s	n/s
Kleemann	MR 150 Z	480	460	RM	PB	800	n/s
Kleemann	MR 170 Z	480	600	RM	PB	800	n/s
Kleemann	MCO 13	481	535	RM	KB	330	n/s
Kleemann	MCO 13 S	481	425	RM	KB	280	n/s
Gipo	R 170 C	522	1100	RM	n/s	n/s	No
Gipo	R 170 FDR	522	1100	RM	n/s	n/s	No
Gipo	RC 150 C	522	800	RM	n/s	n/s	No
Gipo	RC 150 FDR	522	800	RM	n/s	n/s	No
Metso	Lokotrack LT 160 E	550	n/s	RM	BB	n/s	n/s
Metso	Lokotrack LT 400 HPF	550	n/s	RM	KB	n/s	n/s
Metso	Lokotrack LT 550 GP	550	n/s	RM	KB	n/s	n/s
Metso	Lokotrack LT 9100 E	550	n/s	RM	KSB	n/s	n/s
Metso	Nordberg LT 1418	552	n/s	RM	PB	n/s	n/s
Terex Finlay	C 1554	571	n/s	RM	KB	2500	No
Metso	Lokotrack LT 1418 E	600	n/s	RM	PB	n/s	n/s

Manufacturer	Model	Drive	Maximum	Plant	Crusher	Maximum	Screening
		Power (kW)	Output (t/h)			Feed Size (mm)	Attachments (Y/N)
				Type	Type		
Sandvik	UH640	600	500	RM	KB	235	n/s
Gipo	RC 170 C	746	1100	RM	n/s	n/s	No
Gipo	RC 170 FDR	746	1100	RM	n/s	n/s	No
Metso	Lokotrack LT 1620 E	800	n/s	RM	PB	n/s	n/s
Metso	Lokotrack LT 200 E	1600	n/s	RM	BB	n/s	n/s
Red Rhino	2000 Series	n/s	8	CO	BB	80	Optional
Red Rhino	3000 Series	n/s	20	CO	BB	100	Optional
Parker	HS0907	n/s	90	RM	PB	300	No
Parker	103	n/s	100	n/s	PB	250	No
Parker	GC1000	n/s	130	RM	KB	410	No
Parker	JR0745	n/s	130	RM	BB	410	No
KPI-JCI	1500EV	n/s	135	KU/RM/RA	n/s	n/s	n/s
Parker	HS1110	n/s	150	RM	PB	600	No
KPI-JCI	4233	n/s	181	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	ProSizer 3100	n/s	181	KU/RM/RA	n/s	n/s	n/s
Gasparin	GI 86 C Vulcano	n/s	190	RM	BB	n/s	Optional
Parker	105	n/s	200	n/s	PB	350	No
Parker	HS1112	n/s	200	RM	PB	600	No
Parker	HS1112R	n/s	200	RM	PB	600	No
KPI-JCI	2742	n/s	218	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS2056	n/s	218	RA	BB	n/s	n/s
KPI-JCI	4240	n/s	218	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	CS4233CC	n/s	249	KU/RM/RA	n/s	n/s	n/s
Keestrack	H4	n/s	250	RM	KB	185	n/s
Keestrack	R3	n/s	250	RM	PB	n/s	n/s
Tesab	1012T	n/s	250	RM	PB	500	n/s
KPI-JCI	2650	n/s	256	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS2650	n/s	256	RA	BB	n/s	n/s
KPI-JCI	2056	n/s	261	KU/RM/RA	BB	n/s	n/s
KPI-JCI	SS2056	n/s	261	RA	BB	n/s	n/s
KPI-JCI	2500EVT	n/s	267	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	4250	n/s	272	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	ProSizer 4200	n/s	272	KU/RM/RA	n/s	n/s	n/s
Keestrack	B3	n/s	300	RM	BB	500	n/s
Parker	GC1200	n/s	330	RM	KB	560	No
Parker	JR0960	n/s	330	RM	BB	560	No
KPI-JCI	1200LS	n/s	349	RM/RA	n/s	n/s	n/s
KPI-JCI	K200+	n/s	349	n/s	n/s	n/s	n/s
KPI-JCI	K200PM	n/s	349	RA	n/s	n/s	n/s
Keestrack	R5	n/s	350	RM	PB	n/s	n/s
KPI-JCI	K200/6203CC	n/s	350	RA	n/s	n/s	n/s
Parker	GC1450	n/s	350	RM	KB	625	No
Parker	HS1312	n/s	350	RM	PB	800	No
Parker	HS1312R	n/s	350	RM	PB	800	No
Parker	JQ1165	n/s	350	RM	BB	625	No
Tesab	700i	n/s	350	RM	BB	700	n/s
Tesab	1012SS	n/s	350	RA	PB	500	n/s
KPI-JCI	82EVT	n/s	356	KU/RM/RA	n/s	n/s	n/s
Gasparin	GI 1111 K 2	n/s	360	RM	PB	n/s	No
Gasparin	GI 1111 K 2 R	n/s	360	RM	PB	n/s	Yes
Gasparin	GI 118 C Olimpo	n/s	360	RM	BB	n/s	Optional
Gasparin	GI 118 CV Olimpo	n/s	360	RM	BB	n/s	Optional
KPI-JCI	3144	n/s	386	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS3144	n/s	386	RA	BB	n/s	n/s
Keestrack	B4	n/s	400	RM	BB	600	n/s
Keestrack	H6	n/s	400	RM	KB	215	n/s
Tesab	800i	n/s	400	RM	BB	800	n/s
KPI-JCI	3850	n/s	408	RA	n/s	n/s	n/s
KPI-JCI	5260	n/s	408	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	K300/6203CC	n/s	417	RA	n/s	n/s	n/s
KPI-JCI	K300+	n/s	417	n/s	n/s	n/s	n/s
KPI-JCI	K300PM	n/s	417	RA	n/s	n/s	n/s
KPI-JCI	K300PM In & Out	n/s	417	RA	n/s	n/s	n/s
Keestrack	B5	n/s	420	RM	BB	650	n/s

Manufacturer	Model	Drive Power (kW)	Maximum Output (t/h)	Plant Type	Crusher Type	Maximum Feed Size (mm)	Screening Attachments (Y/N)
KPI-JCI	1400LS	n/s	435	RM/RA	n/s	n/s	n/s
Parker	GC-F400	n/s	440	n/s	KB	210	No
KPI-JCI	120EVT	n/s	445	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	4500EVT	n/s	445	KU/RM/RA	n/s	n/s	n/s
Keestrack	B6	n/s	450	RM	BB	800	n/s
KPI-JCI	3055	n/s	479	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS3055	n/s	479	RA	BB	n/s	n/s
Keestrack	R6	n/s	500	RM	PB	n/s	n/s
KPI-JCI	3552	n/s	502	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS3552	n/s	502	RA	BB	n/s	n/s
KPI-JCI	CS4250	n/s	544	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	CS4250CC	n/s	544	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	SS4250	n/s	544	KU/RM/RA	n/s	n/s	n/s
Parker	GC-C400	n/s	550	n/s	KB	290	No
KPI-JCI	K400+	n/s	567	n/s	n/s	n/s	n/s
KPI-JCI	K400PM	n/s	567	RA	n/s	n/s	n/s
KPI-JCI	K400PM In & Out	n/s	567	RA	n/s	n/s	n/s
KPI-JCI	4654	n/s	680	RA	n/s	n/s	n/s
KPI-JCI	3365	n/s	690	KU/RM/RA	BB	n/s	n/s
KPI-JCI	CS3365	n/s	690	RA	BB	n/s	n/s
Parker	JQ1310	n/s	700	RM	BB	1000	No
KPI-JCI	CS5260	n/s	726	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	SS5260	n/s	726	KU/RM/RA	n/s	n/s	n/s
KPI-JCI	4450	n/s	740	KU/RM/RA	BB	n/s	n/s
KPI-JCI	VS4450	n/s	740	RA	BB	n/s	n/s
KPI-JCI	K500+	n/s	753	n/s	n/s	n/s	n/s
KPI-JCI	K500PM	n/s	753	RA	n/s	n/s	n/s
KPI-JCI	K500PM In & Out	n/s	753	RA	n/s	n/s	n/s
KPI-JCI	6064	n/s	1090	RA	n/s	n/s	n/s
Atlas Copco	PC 1	n/s	n/s	RM	n/s	n/s	n/s
Eagle Crusher	1400-45 CCS	n/s	n/s	RA	PB	n/s	Yes
Eagle Crusher	1400-45 CVS	n/s	n/s	RA	PB	n/s	Yes
Eagle Crusher	1600-69 CCS	n/s	n/s	RA	PB	n/s	Yes
Gasparin	GI 107 CV Vesuvio	n/s	n/s	RM	BB	n/s	Yes
Gasparin	GI 129 C Everest	n/s	n/s	RM	BB	n/s	No
Gasparin	GI 129 CV Everest	n/s	n/s	RM	BB	n/s	No
Gasparin	GI107 C Vesuvio	n/s	n/s	RM	BB	n/s	No
Keestrack	Destroyer 1011	n/s	n/s	n/s	n/s	n/s	n/s
Keestrack	Destroyer 1313 C	n/s	n/s	n/s	n/s	n/s	n/s
Kleemann	MF 14 S	n/s	n/s	RM	n/s	220	n/s
Kleemann	MF 16 S	n/s	n/s	RM	n/s	250	n/s
Komplet	LEM 6040	n/s	n/s	CO	BB	n/s	n/s
Komplet	LEM 7040	n/s	n/s	CO	BB	n/s	n/s
Komplet	Shark SH910	n/s	n/s	n/s	n/s	n/s	n/s
McCloskey	I44Rv3	n/s	n/s	RM	PB	n/s	n/s
Metso	Nordberg NW 100 GPC	n/s	n/s	RA	n/s	n/s	n/s
Metso	Nordberg NW 1213	n/s	n/s	RA	PB	n/s	n/s
Parker	ConeRanger CE	n/s	n/s	RA	KB	n/s	No
Parker	CrushRanger 1208	n/s	n/s	RA	n/s	n/s	Yes
Parker	CrushRanger 1301	n/s	n/s	RA	n/s	n/s	Yes
Pilot Crushtec	TMO605	n/s	n/s	RA	n/s	350	n/s
Red Rhino	3000 Mini	n/s	n/s	CO	BB	n/s	Optional
Sandvik	UH 320	n/s	n/s	RA	n/s	n/s	n/s
Sandvik	UH 421	n/s	n/s	RA	n/s	n/s	n/s
Sandvik	UJ 440 E	n/s	n/s	RM	n/s	n/s	n/s
Sandvik	UJ 440 i	n/s	n/s	RM	n/s	n/s	n/s
Sandvik	UJ 640	n/s	n/s	RM	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Komplet	WV 1560	0.35	1.1	0.6	1.5	2	n/s	n/s	n/s
Komplet	WV 2080	0.52	1.1	0.8	2	2	n/s	n/s	n/s
Baioni	W150/2	0.6	n/s	0.6	1.5	2	n/s	n/s	n/s
Baioni	W150/3	0.72	n/s	0.6	1.5	3	n/s	n/s	n/s
Rubble Master	OS 70GO!	0.76	10.95	1	0.4	n/s	n/s	n/s	n/s
Baioni	W150/4	0.84	n/s	0.6	1.5	4	n/s	n/s	n/s
Sandvik	SS1012	1	2x2	1	1.33	1	n/s	n/s	n/s
Baioni	W200/2	1	n/s	0.8	2	2	n/s	n/s	n/s
Rubble Master	OS 80GO!	1.1	13.25	1	0.4	n/s	n/s	n/s	n/s
Baioni	W200/3	1.17	n/s	0.8	2	3	n/s	n/s	n/s
Sandvik	SS1013H	1.3	2x2.6	1	1.46	1	n/s	n/s	n/s
Baioni	W200/4	1.35	n/s	0.8	2	4	n/s	n/s	n/s
Rubble Master	OS 100GO!	1.37	14.75	1.15	0.4	n/s	n/s	n/s	n/s
Sandvik	MS01030	1.63	5.5	1	3	3	n/s	n/s	n/s
Sandvik	MS01230	1.72	5.5	1.2	3	2	n/s	n/s	n/s
Sandvik	SS1223	1.8	2x3	1.2	2.43	1	n/s	n/s	n/s
Sandvik	LF1030	1.99	2x5.5	1	3	3	n/s	n/s	n/s
TWS	Haldenband T 4026	2	26	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SS1233	2	2x3	1.2	2.5	1	n/s	n/s	n/s
Sandvik	LF1230	2.13	2x5.5	1.2	3	2	n/s	n/s	n/s
Pilot Crushtec	DD2412	2.2	5.5	1.22	2.44	2	n/s	n/s	n/s
TWS	Haldenband T 5032	2.2	26	n/s	n/s	n/s	n/s	n/s	n/s
Baioni	W 250/2	2.2	n/s	1	2.5	2	n/s	n/s	n/s
Sandvik	MS01240	2.32	2x5.5	1.2	4	3	n/s	n/s	n/s
Baioni	W250/3	2.4	n/s	1	2.5	3	n/s	n/s	n/s
Rubble Master	VS 60	2.5	5.5	1.8	1.5	n/s	n/s	n/s	n/s
Giegold Recycling	MSA 3000	2.6	15	1	2	n/s	n/s	n/s	n/s
Sandvik	SS1433	2.6	2x5.5	1.4	2.5	1	n/s	n/s	n/s
Baioni	W250/4	2.6	n/s	1	2.5	4	n/s	n/s	n/s
Sandvik	MS01540	2.62	2x5.5	1.5	4	3	n/s	n/s	n/s
Sandvik	LF1240	2.65	2x5.5	1.2	4	3	n/s	n/s	n/s
Pilot Crushtec	DWS3015	2.69	2x4	1.5	3	2	n/s	n/s	n/s
Sandvik	SS1233H	2.7	2x5.5	1.2	2.99	1	n/s	n/s	n/s
Red Rhino	3 Way Screener	2.8	18.5	2.4	1	2	n/s	n/s	n/s
Sandvik	LF1540	2.89	2x5.5	1.5	4	3	n/s	n/s	n/s
Baioni	W300/2	3.08	n/s	1.25	3	2	n/s	n/s	n/s
Sandvik	MS01550	3.15	2x5.5	1.5	5	3	n/s	n/s	n/s
Komplet	Kompatto SC 221	3.2	21	1	2.2	2	n/s	1000	400
McCloskey	MiniSizer	3.2	7.1	1.5	1.5	n/s	n/s	n/s	n/s
Sandvik	SF1443	3.2	2x8.5	1.4	3.54	1	n/s	n/s	n/s
Baioni	W300/4	3.25	n/s	1.25	3	4	n/s	n/s	n/s
Baioni	W300/3	3.3	n/s	1.25	3	3	n/s	n/s	n/s
Komplet	GV 25	3.4	11	1	2.5	2	n/s	800	400
Rubble Master	CS 2500/1	3.5	11.7	1	2.5	n/s	n/s	n/s	n/s
Sandvik	SR1237	3.5	2x5.5	1.2	2.5	1	n/s	n/s	n/s
Sandvik	SK154	3.7	15	1.5	3.6	4	n/s	n/s	n/s
Rubble Master	VS 60	3.7	11	1.8	1.5	n/s	n/s	n/s	n/s
Sandvik	LF1550	3.77	2x11	1.5	5	3	n/s	n/s	n/s
Sandvik	SS1823	3.8	2x8.5	1.8	2.64	1	n/s	n/s	n/s
Sandvik	SS1833	3.8	2x8.5	1.8	2.64	1	n/s	n/s	n/s
Pilot Crushtec	GFH560	3.9	3	n/s	n/s	1	5.6	n/s	n/s
Rubble Master	MS 95GO!	3.9	18	1.1	2	n/s	n/s	n/s	n/s
Sandvik	MS01850	3.9	15	1.8	5	3	n/s	n/s	n/s
Rubble Master	CS2500 1D	4	n/s	1	2.5	n/s	n/s	n/s	n/s
Cityequip	Gabion Sizer Std/HD	4	n/s	4.1	n/s	n/s	n/s	n/s	n/s
Sandvik	SR1035	4	7.5	1	2.5	1	n/s	n/s	n/s
Sandvik	SG1231	4.15	2x7.5	1.2	3	1	n/s	n/s	n/s
Pilot Crushtec	DWS2412	4.18	2x2.3	1.22	2.44	2	n/s	n/s	n/s
Cityequip	CitySkreen 920	4.2	3	0.9	2	n/s	n/s	n/s	n/s
TWS	Haldenband T 5036	4.2	37	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SC124	4.2	15	1.2	3.6	4	n/s	n/s	n/s
Sandvik	SR1535	4.2	2x7.5	1.5	3	1	n/s	n/s	n/s
Sandvik	LF1850	4.22	2x11	1.8	5	3	n/s	n/s	n/s
Sandvik	MS01860	4.38	15	1.8	6	3	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m ³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Telsmith	Valu-King	4.41	n/s	1.5	4.9	3	n/s	n/s	n/s
Sandvik	SS1633H	4.45	2x5.8	1.6	2.92	1	n/s	n/s	n/s
Pilot Crushtec	DD3615	4.5	11	1.52	3.65	2	n/s	n/s	n/s
Pilot Crushtec	DD7215	4.5	2x11	1.52	7.3	2	n/s	n/s	n/s
Sandvik	LF2440	4.5	2x11	2.4	4	2	n/s	n/s	n/s
Rubble Master	MS 105G0!	4.6	20	1.3	2.7	n/s	n/s	n/s	n/s
Sandvik	SK185	4.6	15	1.8	4.8	4	n/s	n/s	n/s
Rubble Master	CS2500 2D	4.7	n/s	1	2.5	n/s	n/s	n/s	n/s
Gasparin	GI 1050	4.7	n/s	2.35	1.05	n/s	n/s	n/s	n/s
Sandvik	LF1860	4.7	2x11	1.8	6	3	n/s	n/s	n/s
Sandvik	SC154	4.7	15	1.5	3.6	4	n/s	n/s	n/s
Sandvik	SG1531	4.72	2x7.5	1.5	3	1	n/s	n/s	n/s
Rubble Master	CS 2500/2	4.77	11.7	1	2.5	n/s	n/s	n/s	n/s
TWS	Haldenband TC 6532	4.8	26	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	MS02160	4.8	15	2.1	6	3	n/s	n/s	n/s
Sandvik	SR1537	5	3x5.5	1.5	3	1	n/s	n/s	n/s
Sandvik	LF2160	5.15	2x11	2.1	6	3	n/s	n/s	n/s
Komplet	GV 30	5.2	11	1.2	3	2	n/s	800	400
Sandvik	SR1234	5.2	2x7.5	1.2	2.5	1	n/s	n/s	n/s
Baioni	W400/2	5.4	n/s	1.5	4	2	n/s	n/s	n/s
Sandvik	MS02460	5.41	15	2.4	6	3	n/s	n/s	n/s
McCloskey	Kompaq	5.5	36.3	1.2	2.44	n/s	n/s	n/s	n/s
REV	USR 25	5.64	n/s	1.25	2.5	2	n/s	n/s	n/s
Sandvik	SC155	5.7	18.5	1.5	4.8	4	n/s	n/s	n/s
Sandvik	SR1534	5.9	2x7.5	1.5	2.5	1	n/s	n/s	n/s
Baioni	W400/3	5.9	n/s	1.5	4	3	n/s	n/s	n/s
Gasparin	GI 1230	6	n/s	3	1.2	n/s	n/s	n/s	n/s
Sandvik	SF1843	6.1	2x11.5	1.8	4.29	1	n/s	n/s	n/s
Sandvik	SG1242	6.1	2x11	1.2	3.9	2	n/s	n/s	n/s
Sandvik	SG1831	6.1	2x11	1.8	3	1	n/s	n/s	n/s
Sandvik	SK186	6.1	18.5	1.8	6	4	n/s	n/s	n/s
REV	US 25	6.15	n/s	1	2.5	2	n/s	n/s	n/s
Rubble Master	MS 125Go!	6.2	n/s	1.5	3.5	n/s	n/s	n/s	n/s
Sandvik	SC185	6.2	18.5	1.8	4.8	4	n/s	n/s	n/s
Sandvik	SG1541	6.22	2x11	1.5	3.9	1	n/s	n/s	n/s
Rubble Master	CS3600 2D	6.3	n/s	1.2	3	n/s	n/s	n/s	n/s
Rubble Master	CS 3600/2	6.4	11.7	1.2	3	n/s	n/s	n/s	n/s
Sandvik	LF2460	6.58	2x15	2.4	6	3	n/s	n/s	n/s
Sandvik	SK216	6.6	18.5	2.1	6	4	n/s	n/s	n/s
Baioni	W400/4	6.6	n/s	1.5	4	4	n/s	n/s	n/s
Rubble Master	CS 4800	6.95	n/s	1.32	3.8	n/s	n/s	n/s	n/s
Rubble Master	CS4800 2D	7	n/s	1.3	3.5	n/s	n/s	n/s	n/s
TWS	Haldenband T 5032 Kette	7	26	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SC215	7.1	22	2.1	4.8	4	n/s	n/s	n/s
Sandvik	SR1221	7.2	22	1.2	2	1	n/s	n/s	n/s
Sandvik	LF2470	7.28	2x15	2.4	7	3	n/s	n/s	n/s
Sandvik	SK246	7.3	22	2.4	6	4	n/s	n/s	n/s
Baioni	GMS 08	7.4	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SC186	7.4	22	1.8	6	4	n/s	n/s	n/s
Sandvik	SG1841	7.5	2x11	1.8	3.9	1	n/s	n/s	n/s
Sandvik	SR2045	7.5	3x7.5	2	4	1	n/s	n/s	n/s
Sandvik	SG1542	7.6	2x11	1.5	3.9	2	n/s	n/s	n/s
Sandvik	SF1844	7.7	2x11.5	1.8	4.29	1	n/s	n/s	n/s
Sandvik	SC245	7.8	22	2.4	4.8	4	n/s	n/s	n/s
Sandvik	SC216	7.9	22	2.1	6	4	n/s	n/s	n/s
Sandvik	SR1521	7.9	22	1.5	2	1	n/s	n/s	n/s
Sandvik	SR1039	8	52.5	1	4.5	1	n/s	n/s	n/s
Sandvik	SR2147	8	4x5.5	2	4	1	n/s	n/s	n/s
Baioni	W500/2	8.16	n/s	1.8	5	2	n/s	n/s	n/s
Sandvik	SR1821	8.4	30	1.8	2	1	n/s	n/s	n/s
REV	US 35	8.85	n/s	1.25	3.5	2	n/s	n/s	n/s
KPI-JCI	Cascade	9	n/s	1.8	6.1	3	n/s	n/s	n/s
Baioni	GMC 23	9	13.2	n/s	n/s	n/s	3	n/s	n/s
Screen Machine Industries	Scalper 77C	9	36	2.1	2.1	2	n/s	900	n/s

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m ³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Baioni	W500/3	9.05	n/s	1.8	5	3	n/s	n/s	n/s
Pilot Crushtec	VGH 1000	9.1	30	n/s	n/s	1	4.6	n/s	n/s
Sandvik	SG2141	9.26	2x18.5	2.1	3.9	1	n/s	n/s	n/s
Sandvik	SC246	9.3	3	2.4	6	4	n/s	n/s	n/s
Sandvik	SG1842	9.65	2x18.5	1.8	3.9	2	n/s	n/s	n/s
Sandvik	SR1539	9.8	67.5	1.5	5	1	n/s	n/s	n/s
Baioni	W500/4	9.94	n/s	1.8	5	4	n/s	n/s	n/s
Sandvik	SK306	10	30	3	6	4	n/s	n/s	n/s
Sandvik	LF2450	10.2	2x22	2.4	5	2	n/s	n/s	n/s
Baioni	GMC 33	10.5	18	n/s	n/s	n/s	3	n/s	n/s
Giegold Recycling	MSA 3000/2	10.5	40	1.3	3	n/s	n/s	n/s	n/s
Sandvik	SC247	10.5	37	2.4	7.2	4	n/s	n/s	n/s
Sandvik	SG1851	10.5	2x18.5	1.8	4.8	1	n/s	n/s	n/s
Sandvik	MS02470	10.8	30	2.7	7	2	n/s	n/s	n/s
Screen Machine Industries	Scalper 107D	10.9	82	1.5	4.8	3	n/s	1200	600
Sandvik	SR1549	10.95	67.5	1.5	6	1	n/s	n/s	n/s
Backers	2-hta	11	74.5	1.2	4.8	2	2.5	1200	650
Portafill	Portafill 2000 CT	11	39	2.54	1.8	n/s	n/s	n/s	n/s
Sandvik	SR2065	11.2	4x7.5	2	6	1	n/s	n/s	n/s
Portafill	Portafill 3000 ST	11.5	40	1.22	2.4	n/s	n/s	n/s	n/s
Sandvik	SG2151	11.64	2x18.5	2.1	4.8	1	n/s	n/s	n/s
Sandvik	SR2049	11.7	81.5	2	6	1	n/s	n/s	n/s
Sandvik	SK307	11.8	37	3	7	4	n/s	n/s	n/s
REV	US 45	11.8	n/s	1.5	4.5	2	n/s	n/s	n/s
Sandvik	SR2144	11.9	4x7.5	2.1	4	1	n/s	n/s	n/s
Komplet	Kompatto SC 5030	12	32	1	2.5	2	2.5	800	600
Giegold Recycling	MSA 3000/1	12	40	1.3	3	n/s	n/s	n/s	n/s
Powerscreen	Warrior 600	12	66	2.34	1.17	n/s	3	1000	650
Sandvik	SC306	12.2	37	3	6	4	n/s	n/s	n/s
Baioni	GMX	12.5	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SK308	12.6	37	3	8	4	n/s	n/s	n/s
Portafill	Portafill 4000 W	13	39	1.5	4.2	n/s	n/s	n/s	n/s
Powerscreen	Chieftain 400	13.02	49.4	1.22	2.44	n/s	4	800	650
Sandvik	SG2451	13.2	2x18.5	2.4	4.8	1	n/s	n/s	n/s
Sandvik	LF3060	13.36	2x30	3	6	2	n/s	n/s	n/s
Sandvik	SR2167	13.4	6x5.5	2	6	1	n/s	n/s	n/s
Portafill	Portafill 5000 CT	13.5	39	1.2	2.2	n/s	n/s	n/s	n/s
Metso	Nordberg SW 348	13.8	42	1.2	2.4	n/s	n/s	n/s	n/s
Keestrack	K2	14	55	1.2	2.7	n/s	5	n/s	n/s
Giegold Recycling	MSA 3000/3	14	50	1.3	3	n/s	n/s	n/s	n/s
Giegold Recycling	SGA 250 M	14	40	1.3	2.4	n/s	n/s	n/s	n/s
Sandvik	LF2770	14.35	2x30	2.7	7	2	n/s	n/s	n/s
Sandvik	SC278	14.4	45	2.7	8.4	4	n/s	n/s	n/s
Sandvik	SC307	14.4	45	3	4.2	4	n/s	n/s	n/s
Sandvik	SR1541	14.5	2x22	1.5	4	1	n/s	n/s	n/s
Sandvik	SR2069	14.9	96.5	2	8	1	n/s	n/s	n/s
Backers	2-sa	15	130	1.2	6.7	2	5	1200	650
Backers	3-sb	15	168	1.2	3.2	3	5	650	650
Keestrack	C3	15	n/s	1.2	3.6	n/s	5	n/s	n/s
Gasparin	GI 3500 R	15	n/s	2.75	1.2	2	n/s	n/s	n/s
Giegold Recycling	MSA 3000/5	15	50	1.5	3	n/s	n/s	n/s	n/s
Portafill	Portafill 4000 T	15	41	1.5	4.2	n/s	n/s	n/s	n/s
Rubble Master	TS 3600	15	59	1.22	3	n/s	n/s	n/s	n/s
Sandvik	SR2131	15.1	2x22	2.1	2	1	n/s	n/s	n/s
Powerscreen	Chieftain 600	15.2	49	1.22	2.44	n/s	7	800	650
Rockster	RSS410	15.3	62	1.2	3	n/s	4.5	n/s	n/s
Gipo	GS 123/2	15.4	97	1.22	2.8	2	n/s	n/s	n/s
McCloskey	R70	15.4	95	1.22	2.75	n/s	n/s	3380	3560
Tesab	TS1230	15.4	63	1.22	2.75	2	n/s	1220	1220
Sandvik	LF3070	15.43	2x30	3	7	2	n/s	n/s	n/s
Kleemann	MS 12 Z	15.5	95	1.22	2.75	2	4	1050	650
Rockster	RDS410	15.5	62	1.2	3	2	5.8	n/s	n/s
Sandvik	SR1841	15.5	2x22	1.8	4	1	n/s	n/s	n/s
Sandvik	SR2431	15.5	2x22	2.4	2	1	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drive	Screen	Screen	Maximum	Hopper	Main	Side
			Power (kW)	Width (m)	Length (m)	Number of Screens	Capacity (m ³)	Conveyor Width (mm)	Conveyor Width (mm)
Anaconda	SR410	15.5	68	1.2	3	2	5.8	n/s	n/s
Anaconda	DF410	15.6	68	1.2	3	2	n/s	n/s	n/s
KPI-JCI	GT104	15.88	n/s	n/s	n/s	2	n/s	n/s	n/s
Powerscreen	Commander 1400	16	75	1.5	3.3	n/s	n/s	n/s	n/s
Giegold Recycling	MSA 3000/2 R	16	80	1.3	3	n/s	n/s	n/s	n/s
Gipo	S 1535	16	106	0.15	0.35	n/s	n/s	n/s	n/s
Sandvik	SR2477	16	10x5.5	2.4	6.5	1	n/s	n/s	n/s
Baioni	TMX	16	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Sandvik	SR2141	16.5	2x22	2.1	4	1	n/s	n/s	n/s
Sandvik	SR2454	16.7	5x7.5	2.4	5	1	n/s	n/s	n/s
Powerscreen	Warrior 800	16.7	49.4	1.22	2.77	n/s	2.9	1050	650
Powerscreen	Warrior 1200	16.8	49.4	1.17	3.6	n/s	5	1000	800
Powerscreen	Warrior 800 Kette	16.9	50	1.22	2.77	n/s	n/s	n/s	n/s
Rubble Master	HS 3500M	17	n/s	1.22	2.74	n/s	3.84	1050	650
Powerscreen	Chieftain 400 Kette	17	49	1.22	2.44	n/s	n/s	n/s	n/s
Powerscreen	Chieftain 600 Rad	17	49	1.22	2.44	n/s	n/s	n/s	n/s
Keestrack	K3	17	55	1.2	2.7	n/s	6	n/s	n/s
Parker	SR94	17	49	1.22	2.74	2	3.84	1050	650
Irock	TS-409	17	49	n/s	n/s	2	3.8	n/s	n/s
Maximus	409	17.05	49	1.2	2.7	2	3.84	1050	650
Keestrack	Combo 2712 T	17.5	53.5	1.2	2.7	n/s	n/s	n/s	n/s
Telsmith	JP2238	17.5	n/s	1.2	4.8	n/s	n/s	n/s	n/s
Sandvik	QE241	17.5	74.5	1.24	3.5	2	4.2	1200	650
Sandvik	SC308	17.8	2x30	3	8.4	4	n/s	n/s	n/s
Terex Finlay	863	18	55	1.22	2.76	2	5	1000	650
Backers	2-ma	18	130	1.2	6.7	2	5	1200	650
Backers	2-ta	18	130	1.2	6.7	2	5	1200	650
McCloskey	S80	18	61	1.37	3.66	n/s	n/s	n/s	n/s
Neuenhauser	Super Screener	18	n/s	1.2	n/s	n/s	n/s	n/s	n/s
Sandvik	SR2441	18.5	2x22	2.4	4	1	n/s	n/s	n/s
REV	GSV 45/BE	18.95	94	1.5	4.5	2	n/s	1000	650
REV	GSV 45/E	18.95	94	1.5	4.5	2	n/s	1000	650
Powerscreen	Powertrak 750	19	53	n/s	n/s	n/s	n/s	1200	n/s
Terex-Finlay	595	19.08	55	2.6	3.35	1	5	1200	n/s
Tesab	TS2300	19.25	63	1.37	3.05	2	6	1370	1370
REV	GSV 35 S	19.3	86	1.25	3.5	n/s	n/s	n/s	n/s
Kleemann	MS 14 Z	19.5	75	1.37	3.05	2	6	1050	650
Sandvik	SR2464	19.5	6x7.5	2.4	6	1	n/s	n/s	n/s
Backers	2-ma17	20	130	1.2	8.1	2	8	1200	650
Backers	2-tb17	20	160	2.2	5.5	n/s	12	n/s	n/s
Backers	3-ma	20	168	1.2	3.2	3	5	650	650
Backers	3-mb	20	168	1.2	3.2	3	5	650	650
Anaconda	FSL100	20	68	n/s	n/s	n/s	n/s	1050	n/s
Powerscreen	Chieftain 600 Kette	20	49	1.22	2.44	n/s	n/s	n/s	n/s
Giegold Recycling	MSA 3000/4	20	60	1.3	4	n/s	n/s	n/s	n/s
Sandvik	QE141	20	74.5	2.2	4.2	4	7.5	1200	700
OM	Ciclope	20.5	52	2.05	2.95	n/s	n/s	n/s	n/s
Sandvik	SG2452X	20.5	2x37	2.4	5.16	2	n/s	n/s	n/s
BAT	SM 1530 T	20.5	82	1.5	3	n/s	n/s	n/s	n/s
REV	GSV 35/S	20.8	94	1.25	3.5	3	5	1000	600
Parker	SR105	21	73	1.52	3	n/s	n/s	n/s	n/s
Screen Machine Industries	Scalper 107T	21.2	63	1.5	2.1	1	n/s	1100	n/s
REV	GS 38/SP	21.8	94	1.25	3.8	2	n/s	900	800
OM	Eolo	22	72	1.5	3	n/s	n/s	n/s	n/s
Powerscreen	Chieftain 1400	22	83	1.5	3.3	n/s	n/s	n/s	n/s
Gipo	S 143/2	22	75	1.37	3.05	2	n/s	n/s	n/s
BAT	SM 1340 T	22.5	76	1.3	4	n/s	4	n/s	n/s
Telsmith	JP2550	22.8	n/s	1.2	4.8	n/s	n/s	n/s	n/s
Anaconda	DF514	23	75	1.52	4.27	2	n/s	n/s	n/s
Gipo	GS 144/2	23	97	1.37	3.66	2	n/s	n/s	n/s
Metso	Lokotrack ST 3.5	23	75	1.52	3.58	n/s	5.5	n/s	n/s
Kleemann	MS 13 Z	23	75	1.37	3.66	2	6	1200	800
McCloskey	R105	23	95	1.37	3.66	n/s	n/s	3450	3600
Rockster	RSS514	23	85	1.5	4.3	n/s	7.2	n/s	n/s

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m ³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Sandvik	SR2474	23.2	6x7.5	2.4	7	1	n/s	n/s	n/s
McCloskey	123 Sizer	23.5	74	2.13	3.05	n/s	n/s	n/s	n/s
Baioni	GMC 43S	23.5	33.3	n/s	n/s	n/s	9	n/s	n/s
Metso	Lokotrack ST 2.4	23.5	74.9	1.52	3.64	n/s	4.5	n/s	n/s
Telsmith	JP3244	23.7	205	1.2	4.8	n/s	n/s	n/s	n/s
Gasparin	GI 5000 R	24	74	3.8	1.4	2	6	1200	800
Metso	Nordberg ST 3.5	24	75	1.5	3.7	n/s	n/s	n/s	n/s
Rubble Master	HS 5000M	24.5	n/s	1.43	3.66	n/s	6	1300	800
Sandvik	SR1861	24.5	3x30	1.8	6	1	n/s	n/s	n/s
Backers	3-ta	25	160	1.2	3.9	n/s	n/s	n/s	n/s
Backers	3-ta17	25	168	1.7	3.2	3	8	650	650
Keestrack	Explorer 1500	25	72	1.5	3.6	n/s	n/s	n/s	n/s
Tesab	TS1340	25	74	1.37	3.66	2	n/s	1370	1370
REV	GS 45/SP	25.2	94	1.5	4.5	2	n/s	1200	650
Keestrack	Novum 4215	25.5	72	1.5	3.6	n/s	n/s	n/s	n/s
Terex Finlay	873 Spaleck	25.8	82	1.52	3.66	2	7	1200	800
Metso	Lokotrack ST 2.8	26	75	1.52	4.87	n/s	4.5	n/s	n/s
Gipo	S 1550	26	119	0.15	0.5	n/s	n/s	n/s	n/s
Terex Finlay	873	26.3	82	1.52	3.66	2	7	1200	800
Sandvik	QA 335	26.3	75	1.5	4	n/s	n/s	n/s	n/s
Keestrack	K4	26.5	n/s	1.5	4.2	n/s	7	n/s	n/s
Rockster	RDS514	26.5	85	1.5	4.35	2	8	n/s	n/s
Sandvik	SR2161	26.5	3x30	2.1	6	1	n/s	n/s	n/s
Maximus	512	26.8	96	1.5	3.6	2	9.2	1200	650
Rubble Master	MSC 5700M-2D	26.8	n/s	1.52	3.66	n/s	9.2	1050	650
Irock	TS-512	26.8	75	n/s	n/s	2	9	n/s	n/s
Powerscreen	Chieftain 1700	26.9	83	1.53	4.8	n/s	7.5	1050	650
Powerscreen	Chieftain 1700-2D	27	83	1.55	4.88	n/s	n/s	n/s	n/s
Keestrack	K5	27	n/s	1.5	5	n/s	7	n/s	n/s
Kleemann	MS 16 Z	27	75	1.52	4.27	2	8	1200	650
Parker	SD125	27	75	1.52	3.66	2	9.2	1200	650
Screen Machine Industries	Spyder 516T	27	82	1.5	4.8	3	n/s	1200	600
Sandvik	QA 331	27.05	75	1.5	4.2	n/s	n/s	n/s	n/s
Telsmith	3258-LP-PP/VGF	27.2	149	n/s	n/s	n/s	n/s	n/s	n/s
Eagle Crusher	6X20	27.2	n/s	n/s	n/s	3	n/s	1524	1143
McCloskey	S130 2-Deck	27.2	75	1.52	4.27	n/s	n/s	3870	4600
Irock	TS-514	27.2	75	n/s	n/s	2	9.94	n/s	n/s
Tesab	TS2430	27.2	75	1.52	4.2	2	n/s	1520	1520
Powerscreen	Warrior 1400XE	27.2	85	1.25	3.6	n/s	7	1200	900
KPI-JCI	FT2618VM	27.22	n/s	1.83	5.49	2	n/s	n/s	n/s
Metso	Nordberg ST 3.8	27.5	110	1.5	5.5	n/s	n/s	n/s	n/s
BAT	SM 1550 T	27.5	115	1.5	5	n/s	5	n/s	n/s
Powerscreen	Warrior 1400 X	27.5	90	1.35	3.6	n/s	n/s	n/s	n/s
Keestrack	C4	28	n/s	1.5	3.6	n/s	8	n/s	n/s
Keestrack	C6	28	n/s	1.8	4.5	n/s	8	n/s	n/s
Keestrack	Explorer 1800	28	90	1.8	4.5	n/s	n/s	n/s	n/s
Metso	Lokotrack ST 3.8	28	75	1.52	5.48	n/s	7.5	n/s	n/s
Gipo	S 1560	28	119	0.15	0.6	n/s	n/s	n/s	n/s
KPI-JCI	FT2618V	28.12	n/s	1.83	5.49	2	n/s	n/s	n/s
REV	GSV 45/S	28.2	94	1.5	4.5	2	5	1000	650
Terex Finlay	674	28.5	82	1.52	3.66	3	8	1000	650
Kleemann	MS 16 D	28.5	75	1.52	4.27	3	8	1200	650
Rockster	RTS514	28.5	85	1.5	4.35	3	8	n/s	n/s
Gipo	S 154/2	28.5	97	1.52	4.27	2	n/s	n/s	n/s
Sandvik	SR2461	28.5	3x30	2.4	6	1	n/s	n/s	n/s
Terex Finlay	684 - 2 Deck	28.75	82	1.7	4.3	2	8	1000	650
Keestrack	K16	29	n/s	1.8	4.5	n/s	8	n/s	n/s
McCloskey	S130 3-Deck	29	75	1.52	4.27	n/s	n/s	3870	4600
Irock	TS-514 TD	29	75	n/s	n/s	3	9.94	n/s	n/s
Tesab	TS3430	29	75	n/s	n/s	3	n/s	n/s	n/s
Sandvik	UF 320	29	n/s	3	6.5	n/s	n/s	n/s	n/s
Powerscreen	Warrior 1800	29	83	1.5	4.88	n/s	6.8	1400	900
Powerscreen	Chieftain 1700-3D	29.4	83	1.55	4.88	n/s	n/s	n/s	n/s
Baioni	Citybai	29.5	n/s	n/s	n/s	n/s	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drive	Screen	Screen	Maximum	Hopper	Main	Side
			Power (kW)	Width (m)	Length (m)	Number of Screens	Capacity (m ³)	Conveyor Width (mm)	Conveyor Width (mm)
Telsmith	JCP 2238-38	29.5	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Rockster	RTS514	29.5	96	1.5	4.2	n/s	n/s	n/s	n/s
Sandvik	QE342	29.58	74.5	1.45	4.7	n/s	7	1400	800
Sandvik	QE341	29.77	74.5	1.45	4.7	2	7	1400	800
McCloskey	R155	29.86	95	1.52	4.88	n/s	n/s	3750	3960
Kleemann	MS 702 EVO	29.9	75	1.55	4.5	2	8	1200	650
Kleemann	MS 702i EVO	29.9	75	1.55	4.5	2	8	1200	650
Backers	3-mal17	30	160	1.5	3.9	n/s	n/s	n/s	n/s
Backers	3-mta	30	168	1.2	3.2	3	5	650	650
Backers	3-mta17	30	168	1.7	3.2	3	8	650	650
Backers	3-mtal	30	168	1.2	5.1	3	5	650	650
Backers	3-mtb	30	168	1.2	3.2	3	5	650	650
Backers	3-mtb17	30	168	1.7	3.2	3	8	650	650
Backers	3-mtbc	30	168	1.2	3.2	3	5	650	650
Backers	3-mtbl	30	168	1.2	5.1	3	5	650	650
Backers	3-tbl	30	168	1.2	5.1	3	5	650	650
Keestrack	Frontier 4518 T	30	90	1.8	4.5	n/s	n/s	n/s	n/s
Keestrack	K7	30	n/s	1.8	4.8	n/s	8	n/s	n/s
Metso	Nordberg ST 620	30	135	1.8	6	n/s	n/s	n/s	n/s
Telsmith	3048 HSI-VGF-VLK-CC	30.04	110.3	n/s	n/s	2	n/s	n/s	n/s
Sandvik	QA 441	30.3	74.5	1.5	6	n/s	n/s	n/s	n/s
Maximus	516	30.4	96	1.5	4.8	2	8.7	1400	900
Maximus	518	30.5	97	1.5	5.5	2	9.2	1200	800
Terex Finlay	684 - 3 Deck	30.5	82	1.7	4.3	3	8	1000	650
Metso	Lokotrack ST 620	30.5	130	1.8	6	n/s	3	n/s	n/s
REV	GSV 50/BS	30.6	94	1.5	5	3	6	1200	800
Terex Finlay	883+	31	98	1.53	4.8	2	7	1200	800
Gipo	S 154/3	31	97	1.52	4.27	3	n/s	n/s	n/s
McCloskey	S190 2-Deck	31	92	1.52	6.1	n/s	n/s	n/s	n/s
Anaconda	SR514	31	75	1.52	4.33	2	8	n/s	n/s
Terex-Finlay	883+ Spaleck	32	98	1.53	4.8	2	7	1200	800
Keestrack	Explorer 1800-3 Deck	32	90	1.8	4.5	n/s	n/s	n/s	n/s
OM	Gigante	32	104	5.5	1.6	n/s	n/s	n/s	n/s
Metso	Lokotrack ST 4.8	32	75	1.52	5.48	n/s	7.5	n/s	n/s
Rubble Master	MSC 8500M-2D	32	n/s	1.52	5.48	n/s	9.2	1050	800
Metso	Nordberg ST 4.8	32	110	1.5	5.5	n/s	n/s	n/s	n/s
Powerscreen	Warrior 1800	32.1	83	1.55	4.88	n/s	n/s	n/s	n/s
KPI-JCI	GT145S	32.2	n/s	1.52	4.27	3	n/s	n/s	n/s
Tesab	TS1550	32.6	95	1.53	4.8	2	n/s	1530	1530
Gipo	GS 155/2	32.7	97	1.52	4.88	2	n/s	n/s	n/s
Rubble Master	HS 7500M	33	n/s	1.52	4.88	n/s	8.7	1600	900
Kleemann	MS 18 Z	33	89	1.8	5	n/s	n/s	n/s	n/s
Kleemann	MS 703 EVO	33	75	1.55	4.5	3	8	1200	650
Kleemann	MS 703i EVO	33	75	1.55	4.5	3	8	1200	650
Rubble Master	MSC 10500M-2D	33	n/s	1.52	6.7	n/s	9.2	1050	800
McCloskey	S190 3-Deck	33	92	1.52	6.1	n/s	n/s	n/s	n/s
Powerscreen	Warrior 2100 Spaleck	33.4	97	1.55	4.88	n/s	7	1400	900
Terex-Finlay	893	33.5	129	1.83	6.1	2	10	1600	900
Terex-Finlay	693+ Spaleck	33.5	82	1.53	5.9	2	8	1200	800
REV	GSV 60/E	33.6	104	2.1	6	2	n/s	n/s	n/s
Kleemann	MS 952 EVO	33.9	105	1.55	6.1	2	8	1200	800
Kleemann	MS 952i EVO	33.9	105	1.55	6.1	2	8	1200	800
Maximus	522	34	96	1.5	6.7	2	9.2	1200	800
Kleemann	MS 15 Z	34	95	1.52	4.88	2	8	1400	900
Metso	Nordberg ST 272	34	125	1.5	4.8	n/s	n/s	n/s	n/s
Sandvik	QA 451	34	74.5	1.5	6	n/s	n/s	n/s	n/s
KPI-JCI	GT165	34.02	n/s	n/s	n/s	2	n/s	n/s	n/s
Terex-Finlay	883+ Triple Shaft	34.18	98	1.53	4.8	2	7	1200	800
Rubble Master	MSC 8500M-3D	34.5	n/s	1.52	5.48	n/s	9.2	1050	800
Maximus	518 TR	34.7	96	1.5	5.5	2	9.2	1050	750
Maximus	518T	34.7	96	1.5	5.4	2	9.2	1200	800
Powerscreen	Chieftain 2100X	34.7	83	1.53	6.1	n/s	8	1050	800
Powerscreen	Warrior 2100	34.8	97	1.55	4.88	n/s	7	1400	900
Terex-Finlay	693+	34.84	82	1.52	6.1	2	8	1200	800

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m ³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Parker	SR165	35	96	1.52	4.88	2	8.7	1600	900
Irock	TS-516	35	96	n/s	n/s	2	9	n/s	n/s
Powerscreen	Chieftain 2200	35.35	83	1.55	6.6	n/s	8	1050	800
Maximus	522 TR	35.5	96	1.5	6.7	2	9.2	1050	750
Maximus	522T	35.5	96	1.5	6.7	2	9.2	1200	800
Powerscreen	Chieftain 2100X Bivitec	35.5	83	1.53	5.88	n/s	8	1050	800
Rubble Master	MSC 10500M-3D	35.5	n/s	1.52	6.7	n/s	9.2	1050	800
Eagle Crusher	Rip-Rap	35.6	177	1.7	7.3	n/s	20.6	1700	1067
Kleemann	MS 19 Z	36	95	1.52	6.1	2	8	1200	800
Irock	TS-520	36	97	n/s	n/s	2	9.94	n/s	n/s
Irock	TS-522	36	96	n/s	n/s	2	9	n/s	n/s
Tesab	TS2600	36	93	1.5	6.1	2	n/s	1520	1520
Tesab	TS3600	36	93	1.5	6.1	3	n/s	1520	1520
KPI-JCI	GT205 Multi-Frequency	36.29	n/s	1.52	6.1	n/s	n/s	n/s	n/s
Kleemann	MS 953 EVO	36.3	105	1.55	6.1	3	8	1200	800
Kleemann	MS 953i EVO	36.3	105	1.55	6.1	3	8	1200	800
Kleemann	MS 19 D	36.5	95	1.52	6.1	3	8	1200	800
Gipo	S 156/2	36.5	97	0.15	6.1	2	n/s	n/s	n/s
Irock	TS-520 TD	36.5	97	n/s	n/s	3	9.94	n/s	n/s
Powerscreen	Chieftain 2100X 2D	36.7	83	1.55	6.1	n/s	n/s	n/s	n/s
KPI-JCI	FT3620	36.74	n/s	n/s	n/s	3	n/s	n/s	n/s
Sandvik	QE441	37.07	96	1.7	5.5	2	8.5	1600	900
Sandvik	QE441 FFMS	37.07	96	1.73	5.4	2	8.5	1600	900
Gipo	GS 186/2	37.2	168	1.83	6.1	2	n/s	n/s	n/s
Powerscreen	Chieftain 2100X 3D	37.2	97	1.55	6.1	n/s	n/s	n/s	n/s
Powerscreen	Chieftain 2100X Bivitec	37.2	83	1.55	5.88	n/s	n/s	n/s	n/s
McCloskey	R230	37.2	168	1.83	6.1	n/s	n/s	3830	3660
Parker	SD225	37.2	96	1.52	6.7	2	9.2	1200	800
REV	GCMV 120/45	37.3	261	1.5	4.5	3	3	700	n/s
KPI-JCI	GT205S	37.56	n/s	1.52	6.1	3	n/s	n/s	n/s
KPI-JCI	FT62030C	37.65	n/s	n/s	n/s	3	n/s	n/s	n/s
Terex Finlay	694+	38	98	1.52	6.1	3	8	1200	800
Parker	ST225	38	96	1.52	6.7	3	9.2	1200	800
Irock	TS-522 TD	38	96	n/s	n/s	3	9	n/s	n/s
KPI-JCI	GT206	38.1	n/s	n/s	n/s	2	n/s	n/s	n/s
Screen Machine Industries	Spyder 622TH	38.1	104.4	1.83	6.7	4	n/s	914	914
Maximus	620	38.7	167	1.8	6.1	2	8.7	1400	1000
Rubble Master	HS 11000M	39	n/s	1.83	6.1	n/s	8.7	1600	1000
Gipo	S 156/3	39	97	1.52	6.1	3	n/s	n/s	n/s
Powerscreen	Chieftain 2200 3 Deck	39.4	97	1.55	6.6	n/s	8	1050	800
Tesab	TS1860	39.5	168	1.83	6.2	n/s	n/s	1830	1830
Terex Finlay	694+ Dual Power	40	98/2 x 37	1.52	6.1	3	8	1200	800
Kleemann	MS 20 D	40	225	2.05	6	n/s	n/s	n/s	n/s
Kleemann	MS 20 Z	40	164	2.05	6	n/s	n/s	n/s	n/s
Kleemann	MS 21 Z	40	165	1.83	6.1	2	11.5	1600	900
Kleemann	MS 23 D	40	164	2.05	6	n/s	n/s	n/s	n/s
Gipo	RR 100	40	129	n/s	n/s	n/s	n/s	n/s	n/s
REV	GCMV 120/50 P	42.6	261	1.8	5	3	3	700	n/s
Powerscreen	Warrior 2400	43	151	1.93	6.1	n/s	10	1600	900
Terex-Finlay	984	43.23	151	1.93	6.1	3	8	1000	900
Keestrack	C8	43.5	n/s	1.9	6	n/s	12	n/s	n/s
Keestrack	K8	43.5	n/s	2	6	n/s	12	n/s	n/s
Parker	SR206	44	168	1.83	6.1	2	8.7	1600	1000
Irock	TS-620	44	168	n/s	n/s	2	9	n/s	n/s
Powerscreen	H6203R	45	151	1.93	6.1	n/s	4.33	900	900
Powerscreen	H6203	46.7	151	1.93	6.1	n/s	8.2	1400	900
Gipo	RR 130	50	129	n/s	n/s	n/s	n/s	n/s	n/s
Gipo	S 2160	52	168	0.21	0.6	n/s	n/s	n/s	n/s
Gipo	S 2160/2	52	168	2.1	6	2	n/s	n/s	n/s
Gipo	S 2160/3	54	168	2.1	6	3	n/s	n/s	n/s
Gipo	RR 100/16	55	160	n/s	n/s	n/s	n/s	n/s	n/s
Kleemann	MS 20 D	57	226	2.05	6	3	n/s	1200	650
Telsmith	38SBS-H-CC	60.7	220	n/s	n/s	n/s	n/s	n/s	n/s
Telsmith	44SBS-H-CC	60.7	150	n/s	n/s	n/s	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drive Power (kW)	Screen Width (m)	Screen Length (m)	Maximum Number of Screens	Hopper Capacity (m ³)	Main Conveyor Width (mm)	Side Conveyor Width (mm)
Eagle Crusher	E-Plant	60.8	253	1.2	5.5	n/s	13	1067	610
Gipo	RR 130/16	62	200	n/s	n/s	n/s	n/s	n/s	n/s
Kleemann	MS 23 D	85	226	2.3	8	3	n/s	1800	800
Gipo	RR 130/20	90	224	n/s	n/s	n/s	n/s	n/s	n/s
Baioni	GMS 08 AN	94	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Gipo	RR 130/10/10/8	110	261	n/s	n/s	n/s	n/s	n/s	n/s
KPI-JCI	"FS" Finish Screen	n/s	n/s	2.4	6.1	3	n/s	n/s	n/s
KPI-JCI	"CF" Combo	n/s	n/s	n/s	n/s	3	n/s	n/s	n/s
KPI-JCI	"CS" Combo	n/s	n/s	n/s	n/s	3	n/s	n/s	n/s
KPI-JCI	"DI" Quarry	n/s	n/s	2.4	7.3	3	n/s	n/s	n/s
KPI-JCI	"HS" Heavy Scalper	n/s	n/s	2.4	6.1	2	n/s	n/s	n/s
KPI-JCI	"LP" Low-Profile Screen	n/s	n/s	2.4	7.3	3	n/s	n/s	n/s
KPI-JCI	"MS" Medium Scalper	n/s	n/s	2.4	6.1	3	n/s	n/s	n/s
KPI-JCI	"QF" Four-Deck Screen	n/s	n/s	2.4	6.1	4	n/s	n/s	n/s
KPI-JCI	"SI" Quarry	n/s	n/s	2.4	6.1	3	n/s	n/s	n/s
KPI-JCI	"XH" Extra-Heavy Scalper	n/s	n/s	2.4	6.1	2	n/s	n/s	n/s
KPI-JCI	2.5" Screen	n/s	n/s	2.4	6.1	3	n/s	n/s	n/s
KPI-JCI	Buzzer	n/s	n/s	1.5	4.3	3	n/s	n/s	n/s
EvoQuip	Colt 1000	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
REV	GCV 35	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Telsmith	Grizzly TL26	n/s	n/s	1.8	4.9	2	n/s	n/s	n/s
Telsmith	Grizzly TL32	n/s	n/s	1.8	4.9	2	n/s	n/s	n/s
Telsmith	GVLK3.561	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
KPI-JCI	Low-Profile	n/s	n/s	2.4	6.1	3	n/s	n/s	n/s
Terex Washing Systems	M 1400	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Pilot Crushtec	Maxiscalp 600	n/s	22	1.5	4.8	2	7	n/s	n/s
KPI-JCI	Mesabi Heavy-Duty	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
KPI-JCI	Mesabi Standard-Duty	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
KPI-JCI	PEP Duo-Vibe	n/s	n/s	1.8	7.3	4	n/s	n/s	n/s
KPI-JCI	PEP Vari Vibe	n/s	n/s	1.8	7.3	4	n/s	n/s	n/s
Arjes	Raptor XL	n/s	33	n/s	n/s	n/s	n/s	n/s	n/s
Gipo	S 1335	n/s	106	0.13	0.35	n/s	n/s	n/s	n/s
Gipo	S 1350	n/s	106	0.13	0.5	n/s	n/s	n/s	n/s
Parker	ScreenRanger SA	n/s	n/s	1.2	3	4	n/s	n/s	n/s
Parker	ScreenRanger SF	n/s	n/s	1.2	3	4	n/s	n/s	n/s
Screen Machine Industries	Spyder 514TS	n/s	62	1.5	4.3	3	n/s	1670	610
Screen Machine Industries	Spyder 514TS3	n/s	62	1.5	4.3	3	n/s	1670	610
Terex Ecotec	TRS 540	n/s	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Telsmith	Vibro-king DualTL26	n/s	n/s	2.4	7.3	3	n/s	n/s	n/s
Telsmith	Vibro-king DualTL32	n/s	n/s	2.4	7.3	3	n/s	n/s	n/s
Telsmith	Vibro-king TL22	n/s	n/s	1.5	4.9	3	n/s	n/s	n/s
Telsmith	Vibro-king TL26	n/s	n/s	1.5	4.9	3	n/s	n/s	n/s
Telsmith	Vibro-king TL32	n/s	n/s	1.8	4.9	3	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Drum Screen Length (m)	Drum Screen Diameter (m)	Drive Power (kW)
Komplet	DS 1020	3.4	2	1	9
Komplet	DST 1020	3.4	2	1	20
Zemmler	MS 1600	3.5	1.6	1.3	n/s
McCloskey	407	6.48	2.1	1.2	37
McCloskey	733	6.48	2.1	1.2	37
McCloskey	412 R	7.75	3.6	1.2	37
McCloskey	512A	9.75	3.6	1.5	75
McCloskey	412 TA	9.79	3.6	1.2	45
Screen Machine Industries	612W	10.2	3.6	1.8	62.6
Pronar	MPB 14.44	11	4.4	1.4	36
McCloskey	512R	12.25	3.6	1.5	75
Screen Machine Industries	612T	12.3	3.6	1.8	62.6
McCloskey	412 RT	12.75	3.6	1.2	45
Zemmler	MS 4200	12.8	4.2	2	70
Zemmler	MS 5200	13.2	5.2	2	70
Zemmler	MS 2001	13.5	4.2	2	60
Rockster	RTT517	14.5	n/s	n/s	68
Anaconda	TD516	14.5	5.15	1.37	68
Pronar	MPB 18.47	15.5	4.7	1.8	5.8
Pronar	MPB 20.55	16	5.5	2	75
McCloskey	516RE	16.33	4.88	1.52	75
McCloskey	512RT	18.14	n/s	n/s	75
McCloskey	512RET	19.26	3.6	1.5	75
Rockster	RTT720	20	n/s	n/s	85
Anaconda	TD620	20	5.5	2	93
McCloskey	516REP	20.1	4.9	1.52	94
McCloskey	516AT	21.23	4.88	n/s	75
McCloskey	516RT	22.68	4.88	n/s	75
Pronar	MPB 20.72	24	7.2	2	93
McCloskey	616	26.54	4.87	1.8	130
McCloskey	628RE	27.1	8.53	1.83	130
McCloskey	621	27.8	6.4	1.8	130
McCloskey	628	28.12	8.53	1.8	130
McCloskey	621RE	33.7	6.4	n/s	130
McCloskey	733RE	36.63	10.06	2.03	130
Terex Ecotec	TTS 520	n/s	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Engine	Dredging	Max Reach	Tracked /	Max Lift
			Power (kW)	Depth (m)	Horizontal (m)	Wheeled (T/W)	Capacity (kg)
Sennebogen	817M E	17.2	92	3.3	9	W	5000
JCB	JS20MH	20.72	93	n/s	8.8	W	3530
Sennebogen	718M E	21.4	119	4.2	13	W	5500
Sennebogen	818M E	21.8	97	4.2	10	W	8600
Liebherr	LH 22 M Industry Litronic	21.9	105	3.1	10.4	W	3900
Liebherr	LH 22 C Industry Litronic	22.2	105	2.6	10	T	3900
Caterpillar	MH3022	22.67	126	1.65	9.32	W	3300
Hitachi	ZX240LC-5G	24	132	6.96	10.11	T	n/s
Caterpillar	MH3024	24.06	126	1.48	10.34	W	3600
Liebherr	LH 24 M Industry Litronic	24.2	110	4.8	11	W	3700
Sennebogen	818R E	25	97	3.8	9	T	7800
Sennebogen	821M E	25.1	119	4.9	13	W	8900
Caterpillar	MH3026	25.22	126	1.82	11.43	W	n/s
Liebherr	LH 26 M Industry Litronic	25.6	115	6.9	12.5	W	4900
Liebherr	LH 26 C Industry Litronic	25.8	100	n/s	n/s	T	12400
Doosan	DX210WMH-5	25.95	140	5	10.72	W	n/s
Sennebogen	821R E	26.3	104	4.6	11	T	9100
Sennebogen	723M E	27	119	4.6	11	W	9000
Doosan	DX225MH-5	27.6	124	5.1	10.8	T	n/s
Sennebogen	825M E	28.8	129	5.6	14	W	14200
Hitachi	ZX250LC-5	29	137	5.98	12.5	T	12300
Liebherr	LH 30 M Industry Litronic	29.1	140	3.3	11.7	W	5300
Liebherr	LH 35 M Timber Litronic	29.6	150	5.3	11.8	W	5900
Liebherr	EP 934 C Litronic	29.6	160	n/s	20	T	3050
Link-Belt	240 X2 MH	29.9	132	3.89	12.92	T	n/s
Liebherr	LH 30 C Industry Litronic	30.2	140	2.4	14	T	n/s
Liebherr	LH 35 M Industry Litronic	31.9	140	3.3	12.7	W	3900
Case	CX290D SL	32.6	132	n/s	12.77	T	4510
Link-Belt	250 X3 MH	33.1	132	3.61	11.41	T	3719
Sennebogen	730M E	34.1	168	4.5	11	W	15300
Doosan	DX300MH-5	36	202	6.6	13	T	n/s
Liebherr	ER 934 C Litronic	38.55	160	n/s	17	T	24900
Liebherr	LH 40 M Industry Litronic	38.7	155	6.5	14.5	W	5800
Liebherr	LH 50 M Timber Litronic	40.3	170	4	12.4	W	6200
Liebherr	EP 944 C Litronic	40.6	200	n/s	22	n/s	3050
Liebherr	LH 40 C Industry Litronic	40.9	155	7.2	16	T	5200
Liebherr	LH 50 M Industry Litronic	43.5	155	7.1	16.7	W	4800
Sennebogen	830M E	43.5	168	6	17	W	15600
Sennebogen	735M E	43.9	224	4.7	11.3	W	22500
Liebherr	LH 60 M Timber Litronic	44.8	200	4	13	W	8300
Link-Belt	360 X2 RT MH	45	202	6.43	17	T	n/s
Sennebogen	835M E	45.5	224	6.6	18	W	19500
Liebherr	LH 50 M High Rise Industry Litronic	46.9	155	11.2	19	W	3900
Link-Belt	380 X4 MH	47	200	5.21	15.18	T	5030
Liebherr	EP 954 C Litronic	51.6	250	n/s	24	n/s	3050
Sennebogen	840M E	53	231	9.4	20	W	22800
Liebherr	ER 944 C Litronic	53.4	200	n/s	16.5	T	24100
Sennebogen	835R E	54.5	224	6.6	20	T	19200
Liebherr	LH 50 C High Rise Industry Litronic	54.9	155	7.5	18	T	3300
Sennebogen	830R E	56	164	6	17	T	14500
Liebherr	ER 934 C High Rise Litronic	56.2	160	9	21	T	16000
Liebherr	LH 60 M Industry Litronic	61	190	10	20.5	W	7700
Liebherr	LH 60 C Industry Litronic	62	190	6	20	T	n/s
Sennebogen	840R E	67	231	9.4	20	T	16200
Liebherr	LH 60 M High Rise Industry Litronic	72.6	190	11	21	W	4600
Liebherr	ER 944 C High Rise Litronic	73.4	200	n/s	24	T	37300
Liebherr	ER 954 C Litronic	75.4	250	n/s	20	T	36100
Liebherr	LH 60 C High Rise Industry Litronic	75.8	190	11	21	T	4700
Liebherr	LH 80 M Industry Litronic	76.5	230	4.7	18	W	9800
Liebherr	LH 80 C Industry Litronic	80	230	11	20.8	T	n/s
Link-Belt	800 X2 MH	80.03	397	n/s	n/s	T	n/s
Liebherr	LH 80 M High Rise Industry Litronic	91.8	230	7.5	21	W	5900
Liebherr	LH 80 C High Rise Industry Litronic	95	230	8	22	T	5800
Sennebogen	850M E	95	261	11	21	W	15700

Manufacturer	Model	Weight (t)	Engine	Dredging	Max Reach	Tracked /	Max Lift
			Power (kW)	Depth (m)	Horizontal (m)	Wheeled (T/W)	Capacity (kg)
Liebherr	ER 954 C High Rise Litronic	95.8	250	n/s	23	T	24800
Liebherr	LH 110 M Industry Litronic	98.5	300	7	23	W	9000
Liebherr	LH 110 C Industry Litronic	102	300	6	21.5	T	7600
Liebherr	LH 110 M Port Litronic	104	300	12.3	26	W	9000
Sennebogen	860M E Hybrid	105	261	10.2	23	W	19000
Liebherr	LH 110 M High Rise Industry Litronic	107.5	300	6.7	25.7	W	6700
Liebherr	LH 110 C Port Litronic	109.9	300	11.7	24.5	T	10200
Sennebogen	855M E Hybrid	110	231	9.5	21	W	17300
Liebherr	LH 110 M High Rise Port Litronic	112	300	12.3	26.5	W	8000
Liebherr	LH 110 C High Rise Industry Litronic	112	300	8.5	25	T	6600
Liebherr	LH 80 C Gantry Industry Litronic	112.5	230	8.5	22	T	5500
Liebherr	LH 110 C High Rise Port Litronic	117.6	300	12.5	25.5	T	8600
Sennebogen	860R E Hybrid	120	268	8	23	T	22300
Sennebogen	870M E Hybrid	125	261	12.3	27	W	21300
Liebherr	LH 150 C Industry Litronic	138.4	400	12	26.5	T	8900
Liebherr	LH 150 C Port Litronic	141.4	400	14.3	29.6	T	9000
Sennebogen	870R E Hybrid	145	261	12.5	27	T	21600
Liebherr	LH 150 C High Rise Industry Litronic	147.6	400	12	26.5	T	7400
Liebherr	LH 150 M Industry Litronic	148	400	12	29	W	6500
Liebherr	LH 150 M Port Litronic	150.6	400	12.3	25.5	W	10800
Liebherr	LH 150 C High Rise Port Litronic	151.1	400	13.4	28.4	T	9800
Liebherr	LH 150 M High Rise Port Litronic	162.8	400	13.5	29.5	W	8700
Sennebogen	875R E Hybrid	165	391	12	27	T	28700
Liebherr	LH 150 C Gantry Industry Litronic	171	400	10	26	T	7300
Liebherr	LH 150 M High Rise Industry Litronic	171.7	400	10	27	W	7200
Liebherr	LH 150 C Gantry Port Litronic	178	400	12	30.8	T	8200

Manufacturer	Model Name	Operating	Operating	Max	Max	Max	Max	Minimum	Power	Remote
		Weight (kg)	Weight (lb)	Attachment Weight (kg)	Attachment Weight (lb)	Horizontal Reach (m)	Vertical Reach (m)	Access Opening (mm)	Source (E/D/LPG)	Control (Y/N)
Brokk	Brokk 60II	500	1102	80	176	2.5	3.1	597	E	Y
Husqarna	DXR 140	985	2172	n/s	n/s	3.7	3.7	771	E	Y
Brokk	Brokk 110	990	2183	160	353	3.7	4.3	780	E	Y
Brokk	Brokk 120D	1230	2712	160	353	3.7	4.3	780	D	Y
Brokk	Brokk 120DII	1230	2712	160	353	3.7	4.3	780	D	Y
Brokk	Brokk 160	1600	3527	270	595	4.4	4.8	780	E	Y
Brokk	Brokk 170	1600	3527	250	551	4.4	4.8	780	E	Y
Husqarna	DXR 250	1620	3571	n/s	n/s	4.5	4.8	780	E	Y
Husqarna	DXR 270	1750	3858	n/s	n/s	4.5	4.8	780	E	Y
Husqarna	DXR 300	1960	4321	n/s	n/s	4.9	5.2	780	E	Y
Husqarna	DXR 310	2020	4453	n/s	n/s	5.2	5.5	780	E	Y
Brokk	Brokk 200	2100	4630	350	772	5.1	5.45	780	E	Y
Brokk	Brokk 280	3150	6945	420	926	5.8	6.2	1200	E	Y
Brokk	Brokk 300	3650	8047	500	1102	6.1	6.5	1200	E	Y
Giant Hydraulic Breaker	GTC45C	4300	9480	n/s	n/s	6.3	7	2400	n/s	Y
Giant Hydraulic Breaker	GTC45D	4500	9921	n/s	n/s	6.4	7.3	2850	D	Y
Brokk	Brokk 400	5100	11244	600	1323	6.7	7.1	1600	E	Y
Brokk	Brokk 500	5200	11464	700	1543	7	7.4	1600	E	Y
Brokk	Brokk 400D	5500	12125	600	1323	6.7	7.1	1600	D	Y
Brokk	Brokk 520D	5500	12125	700	1543	7	7.1	1600	D	Y
Brokk	Brokk 800S	11050	24361	1200	2646	9.4	10	2200	E	Y
Brokk	Brokk 800P	11300	24912	1200	2646	9.5	10.1	2200	D	Y

Hydrodemolition equipment and techniques are widely used for the removal and renovation of concrete structures. **D&Ri** here lists the major manufacturers involved in the sector.

American Hydro

9209 Philadelphia Road
Baltimore, Maryland
MD 21237
USA
Tel: +1 (410) 574 8470
Fax: +1 (410) 574 8472
www.americanhydro.net

Aqua-Dyne

635 West 12th St
Baxter Springs
Kansas KS 66713
USA
Tel: +1 620 856 6222
www.aqua-dyne.com

Aquajet Systems AB

Brunnsvägen 15
Holsbybrunn 574-53
SWEDEN
Tel: +46 (383) 508 01
Fax: +46 (383) 507 30
www.aquajet.se

Conjet AB

PO Box 507
Haninge
SE-136 25
SWEDEN
Tel: +46 (0)8 55 65 22 40
Fax: +46 (0)8 55 65 22 60
www.conjet.com

Jet Edge

12070 43rd Street NE
St Michael, Minnesota
MN 55376
USA
Tel: +1 (763) 497 8700
Fax: +1 (763) 497 8701
www.jetedge.com

NLB Corporation

29830 Beck Road, Wixom,
Michigan MI 48393
USA
Tel: +1 (248) 624 5555
Fax: +1 (248) 624 0908
www.nlbcorp.com

Uraca Pumpenfabrik

Sirchinger Strasse 15
72524 Bad Urach
GERMANY
Tel: +49 (7125) 133 0
Fax: +49 (7125) 133 202
www.uraca.de

A range of grabs and grapples is available with varying characteristics, and classification is more complex. In addition many OEMs offer branded grabs and grapples as part of their attachment ranges. **D&Ri** here lists the contact details for most of the major grabs and grapples manufacturers active in this field around the world

Allied Construction Products

3900 Kelley Avenue
Cleveland, Ohio OH 44114
USA
Tel: +1 (216) 431 2600
Fax: +1 (216) 431 2601
www.alliedcp.com

Allied Gator Inc

2100 Poland Avenue
Youngstown
Ohio OH 44502
USA
Tel: +1 (330) 744 0808
Fax: +1 (330) 744 3218
www.alliedgator.com

Anvil Attachments

PO Box 216,
261 Highway 19
Slaughter, Louisiana
LA 70777
USA
Tel: +1 225 654 8223
Fax: +1 225 654 3125
www.anvilattachments.com

Arden Equipment

Avenue de l'Industrie
Charleville-Mezieres,
F-08013
FRANCE
Tel: +33 03 24 33 64 30
Fax: +33 03 24 33 64 32
www.arden-equipment.com

BTI Breaker Technology Inc

PO Box 130
35 Elgin St North
Thornbury ON N0H 2P0
CANADA
Tel: +1 (519) 599 2015
Fax: +1 (519) 599 6803
www.rockbreaker.com

Cangini Benne

Via Savio 29-31
Sarsina
I-47027
ITALY
Tel: +39 05 47 69 80 20
Fax: +39 05 47 69 80 21
www.canginibenne.com

Dehaco

Kruisbaak 25
Postbus 189
2160 AD
NETHERLANDS
Tel: +31 252 41 79 50
Fax: +31 252 41 85 31
www.dehaco.nl

Genesis Equipment & Manufacturing

1000 Genesis Drive
Superior
Wisconsin WI 54880
USA
Tel: +1 (715) 395 5252
Fax: +1 (715) 395 5255
www.genesequip.com

Gensco America

5307 Dividend Drive
Decatur
Georgia GA 30035
USA
Tel: +1 (770) 808 8711
Fax: +1 (770) 808 8739
www.genscoequip.com

Idrobenne Hydraulic Grabs

1/9 Via I Maggio
Isorella,
Brescia
25010
ITALY
Tel: +39 030 995 82 83
Fax: +39 030 995 26 60
www.idrobenne.com

Kinshofer

Hauptstrasse 76
Waakirchen
83666
GERMANY
Tel: +49 8021 8899 0
Fax: +49 8021 8899 37
www.kinshofer.com

Northshore Manufacturing

530 Recycle Center Drive
Two Harbors
MN 55616
USA
Tel: +1 (218) 834 5555
Fax: +1 (218) 834 5556
www.builttritehandlers.com

NPK Europe

World Trade Center Office
403, PO Box 30157
3001 DD Rotterdam
NETHERLANDS
Tel: +31(0)10 205 17 10
Fax: +31(0)10 205 17 15
www.npke.nl

NPK - Nippon Pneumatic

Export Division
4-11-5 Kamiji, Higashinariku
537-0003 Osaka
JAPAN
Tel: +81 6 697 39104
Fax: +81 6 697 45523
www.npk.co.jp

Nye Manufacturing

3585 Mavis Road
Mississauga
Ontario L5C 1T7
CANADA
Tel: +1 905 897 2311
Fax: +1 905 897 2312
www.nyemanufacturing.com

Rockland Mfg Co

152 Weber Lane
Bedford
Pennsylvania,
PA 15522
USA
Tel: +1 (814) 623 1115
Fax: +1 (814) 623 7214
www.rocklandmfg.com

Rotar International BV

Schering 27,
Genemuiden,
8281 JW,
NETHERLANDS
Tel: +31 38 385 5471
Fax: +31 38 385 5402
www.rotar.nl

Rozzi Sr

Via Barca 7
Seniga (Bs) 25020
ITALY
Tel: +39 (030) 9955003
Fax: +39 (030) 9955363
www.rozzi.it

Stanley Infrastructure

55 Shuman Boulevard
Suite 900
Napierville
Illinois
IL 60563
USA
Tel: +1 (218) 8342100
Fax: +1 (218) 8343879
www.sbdinc.com

Trevi Benne

Via Bergoncino 18
Noventa Vicentina
Vicenza 36020
ITALY
Tel: +39 0444 760 273
Fax: +39 0444 861182
www.trevibenne.it

DEMOLITION &
dsri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

CONSTRUCTION EQUIPMENT

EXCAVATORS

DEMOLITION EXCAVATORS	117
MINI EXCAVATORS	118
TRACKED EXCAVATORS	127
WHEELED EXCAVATORS	143

LOADERS

BACKHOE LOADERS	147
SKID STEER LOADERS	150
TRACKED LOADERS	155
WHEELED LOADERS	157

HAULERS

ARTICULATED HAULERS	170
RIGID HAULERS	171
SITE DUMPERS	173



WORLD CONFERENCE AND AWARDS DEMOLITION SUMMIT 2019

23-24
OCTOBER
2019

BOSTON,
USA

www.demolitionsummit.com

CONFIRMED SPEAKERS

FÁBIO BRUNO PINTO
Managing director
Fábio Bruno USA

GREG MIX
Project Sponsor, Kiewit
Infrastructure West Co.

GRANT STYLES
Operations Director,
Erith Contractors Ltd.

JIM GRAHAM
(SESSION CHAIRMAN)
Principal, Executive
Vice President, Winter
Environmental, USA



**AWARDS
SUBMISSION
DEADLINE
30 JUNE 2019**



IN COOPERATION WITH



IN PARTNERSHIP WITH



CREATED AND ORGANISED BY



#worlddemolitionsummit

HEADLINE SPONSOR



Volvo Construction
Equipment

GOLD SPONSORS



AWARDS RECEPTION



AWARDS TABLE WINE



SILVER SPONSORS



WELCOME RECEPTION



PAD & PEN SPONSOR



BRONZE SPONSORS



Manufacturer	Model Name	Operating Weight (t)	Max Working Height (m)	Forward Limit Range (m)	Number of Boom Sections	Engine Power (kW)	Maximum Tool Weight (kg)	Maximum Tool Weight (lb)	Inter-changeable Boom (Y/N)	Extending U'carriage (Y/N)	Tilting Cab (Y/N)
Hitachi	ZX210K-5G	21.1	10.04	8.7	2	125	3360	7407	Yes	No	No
Komatsu	PC 210 LC-10	23.4	9.8	9.38	2	123	5320	11729	Yes	Yes	No
Komatsu	PC210LC-11	23.58	10	9.7	2	123	5870	12941	Yes	Yes	No
Hitachi	ZX250K-5G	25.2	10.56	10.75	2	132	4820	10626	Yes	No	No
Komatsu	PC240NLC-11	25.3	10.3	10.42	2	141	5520	12169	Yes	Yes	No
Komatsu	PC240LC-11	26.2	10.3	10.42	2	141	5520	12169	Yes	Yes	No
Kobelco	SK 210 D-9	26.8	5.83	8.96	2	117	1850	4076	Yes	Yes	No
Komatsu	PC290NLC-11	30.85	10.35	10.71	2	159	6650	14660	Yes	Yes	No
Komatsu	PC290LC-11	30.95	10.35	10.71	2	159	6650	14660	Yes	Yes	No
Komatsu	PC 360 NLC-10	36.25	9.58	10.15	2	202	8970	19776	Yes	Yes	No
Komatsu	PC 360 LC-10	36.55	9.58	10.15	2	202	8840	19489	Yes	Yes	No
Komatsu	PC360NLC-11	36.56	10.55	11.73	2	202	7220	15917	Yes	Yes	No
Komatsu	PC360LC-11	36.85	10.55	11.73	2	202	7220	15917	Yes	Yes	No
Caterpillar	336F	37.2	7.11	11.02	2	236	2500	5500	Yes	Yes	No
Sennebogen	830 R	43	17	16.3	2	164	4400	9700	Yes	Yes	Yes
Caterpillar	340F UHD	45.5	21.7	14	4	234	4800	10582	Yes	Yes	No
Volvo	EC380E HR	46.8	12.5	12.31	2	225	10270	22641	Yes	No	Yes
Hitachi	ZX350LC-5 HRD	46.9	23.04	12.42	4	202	4760	10494	Yes	No	No
Komatsu	PC490LC-11	48.86	11.55	13.17	2	270	9480	20899	Yes	Yes	No
Kobelco	SK 400D LC 10	49	24.7	13	2	213	4000	8818	Yes	Yes	No
Volvo	EC480E HR	57.82	13.3	13.11	2	225	10770	23743	Yes	No	Yes
Kobelco	SK 550D LC 10	62.8	27.5	16	2	271	5300	11684	Yes	Yes	No
Hitachi	ZX470LCH-5 HRD	62.8	27.05	14.35	4	270	5660	12478	Yes	No	No
Liebherr	R 950	74.1	26	n/s	2	200	9500	20943	Yes	No	Yes
Liebherr	R 960	97.7	33	n/s	2	250	12500	27557	Yes	No	Yes
Kobelco	SK 1000D LC-9	111	37.79	22	5	280	2600	5700	Yes	n/s	n/s
Sennebogen	870 R-HD	115	19	19.7	2	250	13000	28660	Yes	Yes	No
Liebherr	R 974 C HD-EW	127	41	n/s	4	400	3000	6614	Yes	No	Yes
Liebherr	R 974 C VH-HD	131	41	n/s	4	400	3000	6614	Yes	Yes	Yes
Liebherr	R 974 C	131.6	41	n/s	2	400	3000	6613	Yes	No	No



WANTED

Industrial Steam Boilers
Any size considered
Best prices paid

Please call or email today with details

HIRE/SALE

Storage Tanks
Water or Diesel (bundled)
Range of sizes


Let Kings solve your storage problems


+44 (0)1992 451629

sales@kingsboilerhire.com







DUST CONTROLLER





GAS, DIESEL & ELECTRIC MODELS

GET CONTROL (716) 592-2700 • BuffaloTurbine.com

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Yanmar	SV 05 B	0.62	5.5	n/s	1.2	1.41	n/s	150
Airman	AX 08-3	0.78	6.4	n/s	1.52	2.81	9.6	180
Rhino	REX10	0.8	13.6	0.04	1.88	3.42	10.5	230
Nante	NT08	0.87	7.4	0.02	1.5	2.7	9.6	190
JCB	8008 CTS	0.88	9	n/s	1.69	3.11	4.6	180
Komatsu	PC09-1	0.88	6.8	0.03	1.47	2.75	n/s	180
IHlmer	9 VX	0.89	7.3	n/s	1.57	2.76	n/s	n/s
Sunward	SWE 08	0.9	7.2	0.02	1.65	2.8	13.1	n/s
Takeuchi	TB 108 Hybrid	0.95	7.6	n/s	n/s	2.03	n/s	180
Kubota	K 008-3 G	0.98	7.4	0.02	1.72	3.07	10	180
Caterpillar	300.9D	0.99	9.6	n/s	1.73	3.02	8.9	180
Atlas Kompakt	AC 08B	1.01	7.2	0.02	1.83	3.18	5.8	180
Wacker Neuson	803	1.02	9.6	0.08	1.73	3.07	4.5	180
Menzi	HD09	1.03	9.69	n/s	1.57	n/s	n/s	n/s
JCB	8010 CTS	1.03	13.8	n/s	2	3.09	8.34	180
Kobelco	SK 08	1.03	7.7	0.03	1.5	2.8	n/s	180
Kobelco	SK 08 1E	1.03	7.7	0.03	1.5	2.8	n/s	180
Schaeff	TC 08	1.03	7.7	0.02	1.5	2.73	5.9	180
Yuchai	YC08-8	1.03	7.5	0.02	1.42	2.73	9.3	180
Yanmar	SV 08-1 AS	1.04	7.7	n/s	1.5	2.73	5.88	180
Kobelco	SK 10 SR 2	1.04	6.1	0.02	1.75	3.3	6.2	180
Kobelco	SK 10 SR 2E	1.04	6.1	0.02	1.75	3.3	6.2	180
Eurocomach	ES 10 ZT	1.06	7.6	n/s	1.62	n/s	n/s	180
Mustang	80M	1.07	7.5	n/s	1.5	2.73	n/s	480
Gehl	M08	1.07	7.5	n/s	1.5	2.73	n/s	180
Caterpillar	300.9D VPS	1.09	9.7	n/s	1.73	3.03	8.9	180
Airman	AX 10 U 4	1.10	9.6	0.02	1.78	3.22	11.7	180
Neumeier	NR 0.8	1.10	7.3	0.02	1.41	2.83	4.8	180
Takeuchi	TB 210 R	1.10	8.7	n/s	1.75	3.28	11.5	180
Hitachi	ZX10U-2	1.11	9.5	0.02	1.78	3.22	11.7	180
Kubota	U 10-3 G	1.12	7.4	0.02	1.8	3.38	10.6	180
Kubota	U 10-3 SL	1.12	7.4	0.02	1.8	3.38	10.6	180
Bobcat	E08	1.14	7.4	n/s	1.82	3.09	8.29	180
Bobcat	E08	1.14	7.5	n/s	1.82	3.09	8.29	180
Kobelco	SK 10 SR 3	1.15	9.5	0.03	1.95	3.35	5.6	180
Terex	TC 10 Z	1.16	n/s	0.02	1.62	3.17	7.4	180
Eurocomach	ES 12 ZT 4	1.16	10.2	n/s	1.86	n/s	n/s	180
Doosan	DX10Z	1.18	7.4	n/s	1.82	3.09	8.29	180
Bobcat	E10	1.18	7.4	n/s	1.82	3.09	8.29	180
Takeuchi	TB 210 Hybrid	1.20	8.7	n/s	1.75	3.28	11.5	180
Schaeff	TC 10	1.22	9.2	0.03	2.05	3.35	5.59	180
Yanmar	VIO 10-2 A	1.22	9.2	n/s	1.95	3.27	13.7	180
Eurocomach	ES 14 SR 4	1.23	10.2	n/s	2.05	n/s	n/s	180
Yanmar	VIO 12	1.24	9.2	n/s	2.05	2.37	13.9	180
Yanmar	VIO 12-2 A	1.25	9.2	n/s	1.95	3.27	13.9	180
Menzi	HD12	1.32	9.17	n/s	2.01	n/s	n/s	n/s
Hinowa	TT 1350	1.35	13.3	0.01	0.95	n/s	8	200
Komatsu	PC14R-3	1.44	11.6	0.04	2	3.55	11.87	230
Wacker Neuson	1404	1.45	17.9	0.03	n/s	3.7	n/s	230
Caterpillar	301.4C	1.47	13.2	n/s	2.24	3.65	7.1	230
Gehl	Z17	1.47	10.8	n/s	2.2	3.71	n/s	230
Takeuchi	TB 215 R	1.50	11.5	0.04	2.19	3.81	14	230
Wacker Neuson	ET16	1.50	13.2	n/s	2.24	3.65	n/s	230
Eurocomach	ES 15 SR	1.54	11.2	n/s	2.06	n/s	n/s	230
Kubota	KX 016-4 HG	1.57	9.6	0.04	2.25	3.79	13	230
Komatsu	PC16R-3	1.57	11.6	0.04	2.16	3.74	14.22	230
IHlmer	14 NXT	1.59	10	n/s	2.01	3.25	n/s	n/s
JCB	8016 CTS	1.59	14.2	0.04	2.6	4.06	7.1	230
Yanmar	SV 16 CR 02	1.59	12	n/s	2.01	3.53	13.7	230
IHlmer	15 NX 2	1.60	10	n/s	2.1	3.61	n/s	n/s
Volvo	EC15C	1.60	12.3	0.04	2.12	3.94	9	230
Volvo	EC17C	1.60	12.3	0.04	2.32	3.58	9	230
Hinowa	TT 1600	1.60	17.6	2.30	n/s	n/s	n/s	230
Hitachi	ZX 16-3	1.60	10.6	0.04	2.37	3.97	9.1	230

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Komatsu	PC14R-3HS	1.61	11.6	0.04	2	3.55	11.86	230
Schaeff	TC 14-2	1.61	10.4	0.03	2.26	3.76	9.75	230
Kubota	KX O16-4 G	1.62	9.6	0.04	2.25	3.79	13	230
Case	CX17B ZTS	1.62	11.3	0.4	2.15	n/s	10	230
Volvo	ECR18E	1.63	12	n/s	2.23	3.92	7.95	230
JCB	8014 CTS	1.63	14.2	0.02	2.65	3.97	13.5	230
Kobelco	SK 16	1.64	12.1	0.05	2.21	3.83	7.6	230
Volvo	EC15D	1.64	12	0.04	2.12	3.86	9	230
Volvo	EC15E	1.64	12	0.03	2.47	3.8	12.9	230
Cams	216	1.65	12	0.06	2.15	3.73	15	230
Wacker Neuson	EZ17	1.65	13.4	n/s	2.33	3.85	8.39	230
Terex	TC 16	1.65	13.1	0.04	2.2	3.9	9.3	230
Terex	TC 16 Twindrive	1.65	13.1	0.04	2.2	3.9	9.3	230
Schaeff	TC 16-2	1.65	10.4	0.03	2.25	3.76	9.75	230
Kubota	U 17-3	1.65	11.8	0.04	2.46	4.03	1.55	230
Sunward	SWE 17	1.66	10.2	0.04	1.65	2.8	13.1	n/s
Terex	TC 15	1.68	n/s	0.02	2.1	3.73	11.7	230
Caterpillar	301.7D CR	1.69	13.2	n/s	2.32	3.84	14.2	230
Komatsu	PC16R-3HS	1.69	11.6	0.04	2.16	3.74	14.22	230
Kubota	KX O18-4 HG	1.7	11.8	0.04	2.38	3.92	16.2	230
Case	CX15B S-2	1.7	11.2	0.4	2.2	n/s	2.2	230
New Holland	E17C	1.7	12.5	n/s	2.35	4.03	15.5	230
Neumeier	NR 1.5	1.7	14.7	0.07	2.05	3.7	11.6	230
Nante	NT18	1.7	n/s	0.06	2.15	3.69	14	230
Hyundai	R 17 Z 9A	1.7	12.5	0.04	2.2	3.9	15.5	230
Takeuchi	TB 216 S	1.7	11.5	0.04	2.39	4.03	n/s	230
Takeuchi	TB216S	1.7	11.5	0.04	n/s	4.03	n/s	230
Hinowa	TT 1700	1.7	17.6	2.3	2.37	n/s	21	230
Bobcat	E17	1.71	9.9	n/s	2.25	3.87	9.11	230
John Deere	17G	1.72	10.8	n/s	2.19	3.81	16	230
Caterpillar	301.7D	1.72	13.2	n/s	2.20	3.7	18.8	230
Case	CX18C	1.72	12.5	0.04	2.25	3.88	15.1	230
Yuchai	YC15-8	1.73	14.7	0.04	1.8	3.45	11	230
Eurocomach	ES 18 ZT	1.73	11.2	n/s	2.3	n/s	n/s	230
Kobelco	SK 17 SR 3	1.73	11.7	0.04	2.37	4.12	10	230
Kobelco	SK 17 SR 3E	1.73	11.7	0.04	2.37	4.12	10	230
Yanmar	SV 16 PR O2	1.73	12	n/s	2.01	3.53	13.7	230
Wacker Neuson	ET 18	1.74	13.2	n/s	2.1	3.80	11.59	230
Mustang	170Z NXT2	1.74	10.8	n/s	2.2	3.71	n/s	230
JCB	18Z-I	1.75	11.7	n/s	2.43	3.83	18	230
Doosan	DX17z	1.75	9.9	n/s	2.25	3.92	9.1	230
Bobcat	E17Z	1.75	9.9	n/s	2.25	3.92	9.11	230
Menzi	HD17	1.75	10.59	n/s	2.7	n/s	n/s	n/s
Sany	SY16C	1.75	13.5	0.04	4	3.67	16.6	230
Sany	SY20C	1.75	10.3	0.04	2.36	3.9	15.2	230
Kubota	KX O19-4 HGL	1.76	11.8	0.04	2.58	4.12	16.2	230
Rhino	REX18	1.76	n/s	n/s	1.98	3.64	11.4	230
Sinoway	SWE18	1.76	14.7	0.05	2.12	3.71	14.4	230
Schaeff	TC 19-2	1.76	12	0.03	2.54	4.17	11	230
Hitachi	ZX17U-5	1.76	10.6	0.04	2.19	3.72	16	230
Kobelco	SK 17 SR 5	1.77	10.1	0.05	2.2	3.81	8.5	230
Yanmar	VIO 17	1.77	10.1	n/s	2.2	3.71	8.5	230
Airman	AX 16-4	1.77	11.1	0.04	2.37	3.97	12.6	230
Case	CX17C	1.77	12.5	0.4	2.2	3.8	15.5	230
Volvo	EC18D	1.77	12	0.04	2.1	3.86	n/s	230
Hitachi	ZX 18-3	1.77	10.6	0.04	2.37	3.97	9.1	230
Case	CX18B S-2	1.78	11.2	0.04	2.2	n/s	7.8	230
Doosan	DX19	1.78	9.9	0.07	2.39	4.04	20.83	230
Bobcat	E19	1.78	9.9	n/s	2.39	4.04	9.2	230
Kubota	KX O18-4 G	1.8	11.8	0.04	2.38	3.92	16.2	230
Cams	218	1.8	12	0.06	2.35	3.92	15	230
IHlmer	16 NXT	1.8	10	n/s	2.36	3.5	n/s	n/s
Cams	219 rsv	1.8	10.5	0.06	2.39	3.92	15	230
New Holland	E18C	1.8	12.5	n/s	2.4	4.12	15.1	230

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Volvo	EC18C	1.8	12.3	0.04	2.1	3.46	9	230
Nante	NT20	1.8	n/s	0.06	2.07	3.61	14	230
Hyundai	R 16-9	1.8	13	0.04	2.25	3.97	15.1	230
Takeuchi	TB 216 A	1.8	11.5	0.04	2.39	4.03	n/s	230
IHlmer	18 NXT	1.81	10	n/s	2.46	3.64	n/s	n/s
Volvo	EC18E	1.81	12	0.04	2.23	3.80	12.9	230
JCB	8018 CTS	1.82	14.2	0.04	2.74	4.07	16.2	230
Sany	SY18C	1.83	13.5	n/s	4	3.67	15.6	230
Yanmar	SV 18 CR	1.84	9.5	n/s	2.42	2.74	15.2	230
Yanmar	SV 18 PR	1.84	9.5	n/s	2.42	2.74	15.2	230
Sunward	SWE 18 a	1.84	14.7	0.04	2.27	3.85	13.1	n/s
Wacker Neuson	ET18	1.85	13.2	n/s	2.2	3.89	11.2	230
Sunward	SWE 18 U	1.85	14.7	0.04	2.41	3.94	13.1	1.314
Yuchai	YC18-8	1.85	14.7	0.05	2.02	3.66	10	230
Yuchai	YC18SR	1.85	14.7	0.05	2.11	4.18	14.3	230
Kubota	KX O19-4 GL	1.86	11.8	0.04	2.58	4.12	16.2	230
Hitachi	ZX19U-5	1.86	10.6	0.04	2.39	3.9	16	230
Atlas Kompakt	AC 18UB	1.88	14.7	0.04	2.21	3.94	22.7	230
SDLG	ER616F	1.88	n/s	0.04	n/s	n/s	15	n/s
Powerplus	PP20S-IX	1.88	15	0.05	2.11	4.05	14.3	230
Neumeier	NR 1.8	1.9	14.7	0.08	2.26	3.74	16.6	230
Kobelco	SK 18	1.9	9.5	0.05	2.42	4.04	7.4	230
Kobelco	SK 18 1E	1.9	9.5	0.05	2.42	4.04	7.4	230
Takeuchi	TB 219 S	1.9	11.5	0.05	2.27	n/s	n/s	230
Takeuchi	TB219S	1.9	11.5	0.05	n/s	n/s	n/s	230
Takeuchi	TB 216 Hybrid	1.91	11.1	n/s	2.39	4.04	14	230
JCB	19C-I	1.91	11.7	n/s	2.43	3.83	18	230
Neumeier	NR 1.8 K	1.92	14.7	0.05	2.38	4.07	8.8	230
Hitachi	ZX19-5A	1.92	10.6	0.04	2.38	3.84	16	230
Airman	AX 18-4	1.93	11.1	0.04	2.37	3.97	12.6	230
Bobcat	E20	1.93	9.9	n/s	2.39	4.09	9.2	230
Terex	TC 19 Z	1.93	n/s	0.04	2.3	3.8	11.7	230
Atlas Kompakt	AC 20B	1.94	13.3	0.04	2.38	4.04	22.7	230
JCB	19C-I EP	1.94	10.8	n/s	2.43	3.83	18	230
Volvo	EC20D	1.95	12	0.04	2.48	3.97	12.5	250
Terex	TC 20	1.95	13.1	0.04	2.3	4.2	11	230
Wacker Neuson	ET 20	1.96	13.2	n/s	2.49	4.13	18.8	230
Volvo	EC20E	1.97	12	0.06	2.64	2.91	18.27	230
Menzi	HD19	1.97	10.59	n/s	2.81	n/s	n/s	n/s
Volvo	EC20C	2	12.3	0.05	2.26	3.81	12.5	250
Takeuchi	TB 219 A	2	11.5	0.05	2.27	n/s	n/s	230
Schaeff	TC 22-2	2.01	12	0.03	2.54	4.17	11	230
JCB	8020 CTS	2.07	14.2	0.04	2.62	4.25	19	250
Komatsu	PC18MR-3	2.07	11.6	0.06	2.16	3.95	9.9	230
Wacker Neuson	ET20	2.08	13.2	n/s	2.68	4.23	18.8	230
IHlmer	20 VX	2.11	13	n/s	2.25	3.67	n/s	n/s
Yanmar	SV 22 CR	2.12	13	n/s	2.48	2.76	18.6	250
Airman	AX 17 U 4	2.13	11.1	0.04	2.37	4.08	10.3	230
Caterpillar	302.2D	2.14	13.2	n/s	2.49	4.02	19.6	250
Eurocomach	ES 22 SR	2.16	14	n/s	2.49	n/s	n/s	250
Kubota	U 20-3 HG	2.16	14	0.07	2.54	4.37	18.8	250
Kobelco	SK 22	2.19	13.4	0.05	2.48	4.24	11.8	250
Kobelco	SK 22 1E	2.19	13.4	0.05	2.48	4.24	11.8	250
Rhino	REX22	2.2	n/s	0.09	2.63	4.16	12	250
Airman	AX 22 U 4	2.21	14.4	0.07	2.59	4.58	18.6	250
Kubota	U 20-3 GL	2.25	14	0.07	2.54	4.37	18.8	250
Yanmar	SV 22 PR	2.26	13	n/s	2.48	2.76	18.6	250
Wacker Neuson	ET24	2.31	13.2	n/s	2.60	4.22	18.8	230
Caterpillar	302.4D	2.32	13.2	n/s	2.4	4.02	21.8	250
Nante	NT25	2.4	n/s	0.07	2.71	4.3	16.3	450
Takeuchi	TB 225	2.40	n/s	0.06	2.58	2.88	19.3	250
Bobcat	E25	2.44	13.3	n/s	2.58	4.55	15.8	250
Eurocomach	ES 25 ZT	2.45	15.5	n/s	2.73	n/s	n/s	280
Terex	TC 25	2.45	n/s	0.04	2.78	4.7	14.6	250

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Volvo	ECR25D	2.49	15.6	0.07	2.67	4.48	n/s	250
Kato	25V4-F	2.5	17.6	0.08	2.44	4.56	21	250
Cams	224	2.52	25.9	0.08	2.55	4.53	21	300
Kubota	KX 027-4 HGL	2.52	17.5	0.06	2.74	4.72	22.1	300
Komatsu	PC22MR-3	2.55	15.7	0.09	2.28	4	13.9	250
Kubota	U 25-3a GL	2.55	15.5	0.08	2.82	4.79	22	300
Kubota	U 27-4 NHGL	2.56	15.6	0.07	2.82	4.63	21	300
Yanmar	VIO 26-6 PR	2.56	15.2	n/s	2.49	4.34	24.5	250
Bobcat	E26	2.57	14.2	n/s	2.58	4.68	15.8	300
Atlas Kompakt	AC 25B	2.58	15.5	0.07	2.38	4.46	20.8	250
Hyundai	R 25 Z-9 AK	2.58	19	0.07	2.42	4.15	21.1	250
Kubota	KX 027-4 GL	2.59	17.5	0.06	2.74	4.72	22.1	300
Kubota	KX 027-4 HGL HI	2.59	17.5	0.06	2.74	4.72	22.1	300
Menzi	25sa	2.6	15.66	n/s	4.62	2.73	n/s	n/s
Cams	Cz 25	2.6	22	0.08	2.64	4.56	27	300
New Holland	E26C	2.6	18.5	n/s	2.64	4.68	21	250
Kubota	KX61-3 GL	2.6	18.2	0.06	2.74	4.72	15	300
Hyundai	R 25 Z-9 A	2.6	19	n/s	2.42	4.48	21.1	250
Kobelco	SK 26	2.6	17.6	0.06	2.85	4.7	14.5	250
Kobelco	SK 26 1E	2.6	17.6	0.06	2.85	4.7	14.5	250
Yanmar	SV 26 PR	2.6	17.6	n/s	3	4.51	14.5	300
Wacker Neuson	2503	2.62	19.4	0.08	2.82	4.6	n/s	250
Takeuchi	TB 23 R	2.64	14.4	n/s	2.56	4.33	19	250
Yanmar	VIO 27-6 PR	2.64	15.2	n/s	2.49	4.34	23.1	250
Atlas Kompakt	AC 25FU	2.65	14	0.08	2.84	4.78	24	300
Case	CX26C	2.65	18.5	0.09	2.42	4.34	21.1	250
Kubota	U 27-4 HI	2.66	15.6	0.07	2.82	4.63	21	300
Kubota	U 27-4 NGL	2.66	15.6	0.07	2.82	4.63	21	300
Kubota	KX 027-4 GL HI	2.67	17.5	0.06	2.74	4.72	22.1	300
Yanmar	VIO 26-6 CR	2.67	15.2	n/s	2.49	4.34	24.5	250
Caterpillar	302.7D CR	2.67	15.2	n/s	2.54	4.48	22.5	300
Kobelco	SK 25 SR 6	2.67	15.2	0.08	2.54	4.52	14.7	250
Kobelco	SK 25 SR 6E	2.67	15.2	0.08	2.54	4.52	14.7	250
Schaeff	TC 25 Z	2.67	15.5	0.1	2.73	4.62	14.5	280
IHlmer	25 VX	2.68	14	n/s	2.52	4.05	n/s	n/s
Bobcat	E27	2.68	18.3	n/s	2.85	4.72	16.03	300
Mustang	250Z	2.69	14.7	n/s	2.95	4.8	n/s	250
Gehl	Z25	2.69	14.7	n/s	2.95	4.8	n/s	250
Case	CX26B ZTS	2.7	17	0.09	2.65	4.52	19.3	250
Eurocomach	ES 28.2 ZT	2.7	24.9	n/s	2.57	n/s	n/s	280
Hitachi	ZX26U-5	2.7	14.5	0.08	2.73	4.57	22.3	300
Bobcat	E27Z	2.71	15.4	n/s	2.55	4.64	16.2	300
Kubota	KX 030-4 HGL	2.72	17.7	0.06	2.87	4.8	25.4	300
Kubota	KX 030-4 HGL HI	2.72	17.7	0.06	2.87	4.8	25.4	300
Volvo	EC27D	2.73	15.6	n/s	2.49	4.33	24.6	300
Yanmar	SV 26 CR	2.74	17.6	n/s	3	4.51	14.5	300
Yanmar	VIO 27-6 CR	2.75	15.2	n/s	2.49	4.34	23.1	250
John Deere	26G	2.77	14.9	n/s	2.59	4.63	22.21	300
Sunward	SWL 2810	2.78	38.5	0.4	n/s	n/s	n/s	n/s
Sany	SY26U	2.78	n/s	0.06	n/s	n/s	n/s	n/s
Airman	AX 27-4	2.79	19.1	0.07	2.86	4.83	25	300
Doosan	DX27Z	2.79	15.8	0.08	2.49	4.51	19.8	300
Volvo	EC27C	2.79	20.4	0.08	2.51	4.42	24.6	300
Kubota	KX 030-4 GL	2.79	17.7	0.06	2.87	4.80	25.4	300
Kubota	KX 030-4 GL HI	2.79	17.7	0.06	2.87	4.80	25.4	300
Eurocomach	ES 28 ZT	2.8	24.9	n/s	2.76	n/s	n/s	280
Kubota	KX71-3 GL	2.8	20.5	0.07	2.87	4.89	17.9	300
Komatsu	PC26MR-3	2.8	15.7	0.09	2.47	4.43	14	300
Takeuchi	TB 228	2.8	18	0.05	2.88	4.72	21	300
Takeuchi	TB 228 Hybrid	2.8	18	0.05	2.72	n/s	n/s	300
Takeuchi	TB228 Hybrid	2.8	18	0.05	n/s	n/s	n/s	300
Yuchai	YC25SR	2.8	20.7	0.08	2.63	n/s	21.5	300
Volvo	ECR28	2.82	13.8	0.07	2.9	4.7	19.7	250
JCB	8025 ZTS	2.83	20	n/s	2.51	4.43	24	250

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Terex	TC 29	2.85	n/s	0.06	2.76	4.81	13.6	300
Yanmar	VIO 25 CR 4	2.85	15	n/s	2.6	2.78	n/s	260
Yanmar	VIO 25 PR 4	2.85	15	n/s	2.6	2.78	n/s	260
Neumeier	NR 2.6	2.86	22.8	0.12	2.61	4.6	28.2	300
Menzi	HD27	2.87	13.57	n/s	2.74	n/s	n/s	n/s
JCB	8026 CTS	2.87	18.4	n/s	3.05	4.66	23	250
Case	CX30B ZTS	2.87	17	0.09	2.79	4.89	22	250
Cams	Cz 30	2.87	22	0.1	2.78	5	26.5	300
Hyundai	R 27 Z-9	2.88	19	0.08	2.5	4.65	20.1	300
Takeuchi	TB 230	2.89	18.2	n/s	2.84	4.85	21	300
Kobelco	SK 28 SR 6	2.95	17.1	0.08	2.59	4.84	16.6	300
Kobelco	SK 28 SR 6E	2.95	17.1	0.08	2.59	4.84	16.6	300
Wacker Neuson	EZ26	2.98	15.2	n/s	2.74	4.81	15.3	300
Cams	Cz 30	3	22	0.1	2.78	5	26.5	300
New Holland	E30C	3	18.5	n/s	2.7	4.68	20	300
Rhino	REX30	3	n/s	0.1	2.99	4.56	18	280
Case	CX30C	3.01	18.5	0.09	2.5	4.52	20.1	300
Kato	30V4	3.03	17.5	0.09	2.7	4.9	29.1	300
Kato	HD30V4	3.03	n/s	0.10	2.7	n/s	n/s	n/s
Powerplus	PP35E-IX	3.08	23	0.09	2.61	4.61	17.4	300
Yuchai	YC25-8	3.08	24	0.07	2.11	4.18	17.5	300
Case	CX33C	3.1	18.2	0.09	3.04	5.06	31.4	300
Yanmar	VIO 33-6 PR	3.16	18.5	n/s	2.95	4.73	29.9	300
Doosan	DX30Z	3.18	18.1	0.09	2.84	4.88	27.5	300
Neumeier	NR 3.0	3.18	22.8	0.12	2.83	4.99	25	300
IHlmer	30 VX	3.2	18	n/s	2.9	4.17	n/s	n/s
Nante	NT28U	3.2	n/s	0.10	2.71	4.64	17.8	300
JCB	8030 ZTS	3.22	20	0.11	3.12	4.9	28	300
Airman	AX 29 U 5	3.23	20	0.08	2.89	4.92	22.6	300
Airman	AX 33 U 5	3.23	21.3	0.09	3.13	5.17	27.5	300
Yanmar	VIO 33-6 CR	3.28	18.5	n/s	2.95	4.73	29.9	300
John Deere	30G	3.28	17.4	n/s	2.79	4.89	n/s	300
Kato	35N4	3.29	n/s	0.11	3.08	n/s	n/s	n/s
Kato	HD35N4	3.29	n/s	0.12	3.08	n/s	n/s	n/s
Komatsu	PC30MR-3	3.29	21.6	0.12	3.13	5.39	17.6	300
Komatsu	PC30MR-5	3.29	18.2	0.09	2.76	4.91	29.42	300
Komatsu	PC35MR-3	3.29	21.6	0.12	3.46	5.64	20.6	300
Bobcat	E32	3.29	23.1	n/s	3.12	4.98	n/s	300
Cams	234	3.30	26.4	0.1	3.1	4.96	25.4	300
New Holland	E33C	3.30	18.5	n/s	3.28	5.47	31	300
Bobcat	E35	3.35	23.1	n/s	3.12	5.23	n/s	300
Eurocomach	ES 35.2 ZT	3.35	24.9	n/s	2.88	n/s	n/s	300
Menzi	HD30	3.36	17.9	n/s	4.72	n/s	n/s	n/s
Kobelco	SK 30 SR 6	3.38	17.1	0.09	2.82	5.2	19.1	300
Kobelco	SK 30 SR 6E	3.38	17.1	0.09	2.82	5.2	19.1	300
Wacker Neuson	3503	3.4	23.7	0.09	3.24	5.19	n/s	300
Volvo	ECR38	3.4	20.4	0.09	3.31	5.27	28.75	300
IHlmer	35 VX	3.43	18	n/s	3.15	4.56	n/s	n/s
Kubota	KX037-4 HGL	3.43	17.8	0.06	3.4	5.3	30	300
Kubota	KX037-4 HGLS2	3.43	17.8	0.06	3.4	5.3	30	300
Eurocomach	ES 35 ZT	3.44	24.9	n/s	3	n/s	n/s	300
Kato	35V4	3.45	17.5	0.11	3.08	5.26	29.1	300
Kato	HD35V4	3.45	n/s	0.12	3.08	n/s	n/s	n/s
Sunward	SWE 30 U	3.45	19.8	0.08	2.54	4.88	18.2	n/s
Volvo	EC35D	3.49	19	0.15	n/s	n/s	32.9	300
Schaeff	TC 35-2	3.49	22.8	0.05	3.33	5.4	15.7	300
Case	CX35B ZTS	3.5	22	0.12	3.1	5.2	27.4	300
Terex	TC 35	3.5	22	0.08	3.4	5.54	16.2	300
Yanmar	VIO 33 UCR	3.5	18.3	n/s	3.08	3.38	n/s	300
Yanmar	VIO 33 UPR	3.5	18.3	n/s	3.08	3.38	n/s	300
Hitachi	ZX33U-5A	3.5	21.2	0.08	3.13	4.75	14.6	300
Airman	AX 33 U 6A	3.51	21.3	0.09	3.13	5.17	27.2	300
Caterpillar	303E CR	3.53	18.5	n/s	2.75	4.81	28.4	300
Wacker Neuson	EZ36	3.53	22.2	n/s	3.5	5.74	21.1	300

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Takeuchi	TB 235	3.53	21.3	0.06	3.4	5.35	27	350
Takeuchi	TB 235 Hybrid	3.53	21.3	0.06	3.25	n/s	n/s	350
Volvo	EC35C	3.54	27.1	0.09	3.7	5.47	30.9	300
Schaeff	TC 37-2	3.55	22.8	0.05	3.25	5.56	15.7	300
Terex	TC 37	3.57	22	0.08	3.18	5.5	16.2	300
Kubota	U36-4 HGL	3.57	17.8	0.06	3.41	5.6	30	300
Kubota	U36-4 HGLS2	3.57	17.8	0.06	3.41	5.6	30	300
Yanmar	VIO 38-6 PR	3.58	18.5	n/s	3.35	5.35	32.1	300
Mustang	350Z NXT2	3.59	17.8	n/s	3.25	5.27	n/s	300
Gehl	Z35	3.59	17.8	n/s	3.25	5.27	n/s	300
Kubota	KX037-4 GL	3.59	17.8	0.06	3.4	5.3	30	300
Kubota	KX037-4 GLS2	3.59	17.8	0.06	3.4	5.3	30	300
Kubota	KX037-4 KGL	3.59	17.8	0.06	3.4	5.3	30	300
Kubota	KX037-4 KGLS2	3.59	17.8	0.06	3.4	5.3	30	300
Kubota	KX101-3 3	3.59	22.9	0.06	3.3	5.4	3.2	300
Kubota	KX101-3 4	3.59	22.9	0.06	3.3	5.4	30	300
Cams	Cz 37	3.6	25.2	0.1	3.11	5.29	27.4	300
JCB	8035 ZTS	3.65	22.7	0.11	3.51	5.32	32	300
Doosan	DX35Z	3.66	20	0.11	3.03	5.09	29.5	300
Kubota	U35-3 3	3.66	22.9	0.06	3.35	5.4	3.2	300
Caterpillar	303.5E CR	3.69	23.6	n/s	2.88	5.06	33	300
John Deere	35G	3.69	17.4	n/s	3.06	5.21	27.1	300
Yanmar	VIO 38-6 CR	3.7	18.5	n/s	3.35	5.35	32.1	300
Case	CX36B ZTS	3.7	22	0.1	3.08	5.24	19	300
New Holland	E37C	3.7	18.5	n/s	3.44	5.6	31	300
Hyundai	R 35 Z-9	3.7	20	0.1	3.20	5.4	31	300
Komatsu	PC35MR-5	3.73	18.2	0.11	3.11	5.17	29.9	300
Takeuchi	TB235 Hybrid	3.73	21.3	0.06	n/s	n/s	n/s	350
Yuchai	YC35-8	3.74	31.2	0.12	3.54	n/s	22.19	300
Powerplus	PP40E-IX	3.75	31.3	0.12	3.57	5.63	22.2	300
Kubota	U36-4 GL	3.75	17.8	0.06	3.41	5.6	30	300
Kubota	U36-4 GLS2	3.75	17.8	0.06	3.41	5.6	30	300
Kubota	U36-4 KGL	3.75	17.8	0.06	3.41	5.6	30	300
Kubota	U36-4 KGLS2	3.75	17.8	0.06	3.41	5.6	30	300
Yanmar	VIO 38 UCR	3.75	20.7	n/s	3.31	3.74	n/s	300
Yanmar	VIO 38 UPR	3.75	20.7	n/s	3.31	3.74	n/s	300
Case	CX37C	3.76	18.2	0.09	3.14	5.2	30.7	300
Menzi	HD35	3.78	17.9	n/s	3.38	n/s	n/s	n/s
Kobelco	SK 35 SR 6	3.78	17.1	0.11	3.05	5.35	22.4	300
Kobelco	SK 35 SR 6E	3.78	17.1	0.11	3.05	5.35	22.4	300
Eurocomach	ES 40.2 ZT	3.8	28.3	n/s	3.2	n/s	n/s	350
Neumeier	NR 3.5 K	3.8	29.2	0.12	3.17	5.52	28.32	300
Powerplus	PP40S-IX	3.8	31.3	0.12	3.12	5.46	25.7	300
Takeuchi	TB 138 FR	3.8	20	0.06	n/s	n/s	n/s	350
Neumeier	NR 3.5	3.82	31.2	0.12	3.53	5.59	22.19	300
Wacker Neuson	EZ28	3.83	15.2	n/s	2.74	4.68	16.6	300
Sany	SY35U	3.86	18.2	n/s	5.47	4.86	36.8	300
Liugong	CLG9035EZTSIIIA	3.86	21.2	0.11	3.09	5.27	30	0.3
Liugong	NA-9035EZTS	3.86	17.2	0.11	3.09	5.27	30	0.3
Yuchai	YC35SR	3.86	31.2	0.12	3.12	n/s	25.7	300
Wacker Neuson	ET35	3.87	22.2	n/s	n/s	n/s	n/s	300
Takeuchi	TB 240	3.89	26.7	n/s	3.47	5.55	31	350
Case	CX39B ZTS	3.9	22	0.17	3.35	5.5	27.4	300
Kubota	KX121-3 GL	3.9	29.4	0.12	3.51	5.6	32.5	350
Airman	AX 38 U 5	3.96	21.3	0.11	3.45	5.52	27.5	300
Airman	AX 38 U 6A	3.96	21.3	0.09	3.46	5.52	27.1	300
Hitachi	ZX38U-5A	3.96	21.2	0.10	3.46	5.41	27.1	300
Caterpillar	304E CR	4	31	0.05	3.13	5.22	30.8	350
Eurocomach	ES 40 ZT	4	28.4	n/s	3.4	n/s	n/s	300
Nante	NT45	4	n/s	0.16	3.53	5.68	23.1	300
Caterpillar	304.5E2 XTC	4.05	31	n/s	3.13	5.22	37.8	350
Caterpillar	304E 2 CR	4.05	30	n/s	3.13	5.22	37.8	350
Caterpillar	304E2 CR	4.05	31	n/s	3.13	5.22	37.8	350
XCMG	XE40	4.05	27.6	0.14	3.6	5.81	23.2	n/s

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Volvo	ECR35D	4.09	19	0.15	n/s	n/s	30.7	300
Wacker Neuson	EZ38	4.1	21	n/s	3.11	5.19	23.3	300
Schaeff	TC 40 Z	4.1	28.3	0.15	3.2	5.22	19.5	350
Kubota	KX O42-4 GLS2	4.12	29	0.12	3.37	5.38	32	350
Kubota	KXO42-4 KGLS2	4.12	29	0.12	3.37	5.38	32	350
Atlas Kompakt	AC 40UB	4.13	23.8	0.11	3.08	5.44	27.4	300
Sunward	SWE 40 U	4.16	22.3	0.11	2.54	5.44	26.4	n/s
Cams	Cz 42	4.20	32.5	0.18	3.21	5.66	37.3	400
Rhino	REX35	4.20	n/s	n/s	3.08	5.42	23.7	350
XCMG	XE35U(CE)	4.20	n/s	0.11	3.06	5.42	27.6	n/s
JCB	8040 ZTS	4.30	33	0.13	3.52	5.78	37	400
IHlmer	40 NX 2	4.43	29.7	n/s	3.4	5.31	n/s	n/s
Volvo	ECR40D	4.46	19	0.15	n/s	n/s	32.9	300
Yuchai	YC45-8	4.46	31.2	0.15	3.73	n/s	32.2	300
Case	CX45B ZTS	4.54	32	0.18	3.66	5.92	35.3	400
Kobelco	SK 45 SRX 6	4.54	29.5	0.14	3.58	5.97	20.9	400
Komatsu	PC45MR-3	4.60	29	0.15	3.77	6.13	21.6	400
Bobcat	E45	4.63	30.2	n/s	3.3	5.67	n/s	400
Kato	45V4-F	4.65	32.4	0.14	3.34	5.76	31	400
Kato	HD45V4	4.65	n/s	0.16	3.34	n/s	n/s	n/s
Terex	TC 48	4.68	29	0.1	3.7	6.02	24.4	400
Kubota	U 48-4	4.70	33.8	0.12	3.38	5.85	33.6	400
Yanmar	VIO 50	4.70	30	n/s	3.55	3.89	n/s	350
Mustang	450Z NXT2	4.73	28.1	n/s	3.55	5.74	n/s	350
Gehl	Z45	4.73	28.1	n/s	3.55	5.7	n/s	350
JCB	8045 ZTS	4.75	33	0.14	3.72	6.01	42	400
JCB	48Z-I	4.79	35.7	n/s	3.53	5.71	38	400
Sunward	SWE 55	4.82	29.2	0.28	3.3	n/s	30.3	400
Schaeff	TC 50	4.82	26.5	0.1	3.7	6.22	27	400
Cams	Cz 50	4.83	34	0.18	3.46	6.11	38.5	400
Volvo	ECR48C	4.85	27.1	0.1	4	6.18	34.2	400
Yanmar	VIO 50-6 ACR	4.86	27.3	n/s	3.79	5.54	22.7	350
Yanmar	VIO 50-6 BCR	4.88	27.5	n/s	3.79	5.54	22.7	350
Sunward	SWE 50 U	4.88	25.8	0.18	2.55	5.91	30.3	n/s
Takeuchi	TB 250	4.89	28.2	0.06	3.79	6	37	400
Wacker Neuson	50Z 3	4.9	28.2	n/s	n/s	6.1	n/s	400
Airman	AX 48 U 6A	4.9	28.2	0.11	3.63	6.06	32.1	400
Hitachi	ZX48U-5A	4.9	28.2	0.1	3.63	5.92	32.1	400
Bobcat	E50	4.91	35.4	n/s	3.52	5.94	n/s	400
John Deere	50G	4.92	26.8	n/s	3.53	5.96	36.8	400
Case	CX50B ZTS	4.92	32	0.13	3.59	5.89	27	400
IHlmer	50 VX	4.93	27.3	n/s	3.6	5.68	n/s	n/s
Komatsu	PC45MR-5M	4.93	28.3	n/s	3.3	5.5	33.9	400
Komatsu	PC45MR-5M	4.95	29.5	0.16	3.3	5.58	33.9	400
Menzi	HD45	4.96	32.81	n/s	3.59	n/s	n/s	n/s
JCB	8055 ZTS	5	34.1	n/s	3.96	6.05	27.8	400
Nante	NT50	5	n/s	0.18	3.75	5.9	33	400
Kato	55V4-F	5.01	32.4	0.16	3.59	5.97	31	400
Airman	AX 48 U 5	5.01	28.4	0.14	3.65	6.03	32.1	400
Volvo	ECR50D	5.01	31.2	0.14	3.66	5.4	n/s	400
Kato	HD55V4	5.01	n/s	0.18	3.59	n/s	n/s	n/s
Kobelco	SK 55 SRX 6	5.02	29.5	0.16	4.12	6.46	24.6	400
Caterpillar	305E CR	5.09	31	0.06	3.28	5.43	45.2	400
JCB	51R-I	5.11	35.7	n/s	3.65	5.83	38	400
Caterpillar	305E2 CR	5.14	31	n/s	3.28	5.33	44.7	400
Eurocomach	ES 50 ZT	5.15	33.8	n/s	3.6	n/s	n/s	400
Airman	AX 55 U 6A	5.21	28.2	0.14	3.83	6.26	36.9	400
Hitachi	ZX55U-5A	5.21	28.2	0.14	3.83	6.13	36.9	400
JCB	8050 ZTS	5.24	34.1	n/s	3.76	6.14	23.7	n/s
Komatsu	PC55MR-3	5.28	29	0.1	3.8	6.07	23.9	400
Komatsu	PC55MR-5M	5.28	29.5	0.18	3.77	6.08	39	400
Shantui	SE50-9	5.28	35	n/s	n/s	n/s	n/s	330
JCB	8055 RTS	5.3	34.1	n/s	3.95	6	28	400
Case	CX55B ZTS	5.3	32	0.13	3.9	6.19	23.6	400

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Cams	Cz 54	5.3	34	0.18	3.93	6.4	38.5	400
Cams	Cz 55	5.3	34	0.18	3.45	6.06	38.5	400
Menzi	HD55	5.32	32.81	n/s	3.83	n/s	n/s	n/s
Yanmar	VIO 57	5.33	30	n/s	3.73	4.32	n/s	400
Airman	AX 52 U 5	5.34	28.2	0.16	3.86	6.24	36.8	400
Kato	55N4	5.35	47.6	0.18	3.85	5.98	36.3	400
Kato	HD55N4	5.35	n/s	0.19	3.85	n/s	n/s	n/s
JCB	55Z-I	5.37	35.7	n/s	3.84	6	42	400
Kato	60V4F	5.37	32.4	0.18	3.8	6.2	41.2	400
Kato	HD60V4	5.37	n/s	0.18	3.8	n/s	n/s	n/s
Mustang	550Z	5.38	33.5	n/s	3.9	6.14	n/s	400
Gehl	Z55	5.38	33.5	n/s	3.9	6.14	n/s	400
Caterpillar	305.5E2 CR	5.38	32.9	n/s	3.47	5.63	50.9	400
Volvo	ECR58D	5.4	36.5	0.14	3.54	6	34.6	400
Sany	SY50C	5.4	29.1	n/s	5.88	5.44	40.7	400
Kubota	U 55-4	5.4	33.8	0.13	3.63	6.1	41.35	400
Caterpillar	305.5E CR	5.41	32.9	0.06	3.47	5.63	47.8	400
IHlmer	55 VX	5.45	27.3	n/s	4.1	6.14	n/s	n/s
JCB	57C-I	5.48	35.7	n/s	4.08	6.14	42	400
Yanmar	VIO 57-6 ACR	5.49	32.6	n/s	5.95	4.24	24.4	400
Doosan	DX55W	5.5	40.8	0.18	3.8	6.11	39.08	n/s
Eurocomach	ES 57 ZT	5.5	33.8	n/s	3.85	n/s	n/s	400
Bobcat	E55	5.5	35.4	n/s	3.92	6.08	26.1	400
Yanmar	VIO 57-6 BCR	5.51	33.5	n/s	5.95	4.24	24.4	400
Wacker Neuson	EZ53	5.52	35.9	n/s	3.75	6.1	28	400
Kubota	KX 057-4	5.55	33.8	0.17	3.89	6.26	42.3	400
Hyundai	R 55 W-9 A	5.55	43	0.18	3.82	6.01	37.7	n/s
Case	CX57C	5.58	49.9	0.25	3.82	6.01	42.4	400
YTO	GWY6	5.6	45	0.21	3.89	6.1	37	n/s
Takeuchi	TB 153 FR	5.6	29.3	0.14	3.59	6.1	36	400
Hyundai	R 55-9	5.65	43	0.18	3.82	6.15	37.3	400
Hyundai	R 55-9 A	5.65	21.3	0.18	3.82	6.15	37.3	400
Terex	TC 60	5.65	32.2	0.1	3.75	6.4	28.2	400
Menzi	HD60	5.68	32.81	n/s	4.01	n/s	n/s	n/s
Menzi	HN55	5.68	48.25	n/s	4.1	n/s	n/s	n/s
Menzi	60sa	5.7	34.3	n/s	4.12	n/s	n/s	n/s
New Holland	E57C	5.7	49.9	n/s	4.06	6.4	42	400
Volvo	EC55C	5.7	36.2	0.14	4.05	5.87	28.44	400
Powerplus	PP60S-IX	5.7	37.3	0.2	5.94	6.36	25.7	376
Takeuchi	TB 260	5.7	32.4	0.06	3.9	6.13	43	400
Neumeier	NR 5.5-1	5.71	36.9	0.22	3.84	6.34	42	400
Rhino	REX50	5.71	n/s	0.20	3.94	n/s	37.4	400
Yuchai	YC55-8	5.71	36.9	0.22	3.94	n/s	37.4	400
Foton Lovol	FR60E	5.73	36.2	0.18	3.93	6.11	44.5	400
Neumeier	NR 6.0 K	5.75	36	0.2	3.79	6.37	44	2000
Powerplus	PP60E-IX	5.75	37.3	0.2	3.94	6.38	37.3	400
Yuchai	YC55SR	5.75	36.9	0.2	3.79	6.23	37.5	400
Doosan	DX57W	5.79	42.5	0.18	6.11	5.98	n/s	n/s
Doosan	DX57W-5	5.79	42.5	0.18	3.5	5.89	41.85	n/s
Hyundai	R 60 CR-9 A	5.8	41	n/s	3.6	6.2	40.9	400
Sinoway	SWE60	5.8	35.5	0.21	2.76	6.14	39.7	400
Changlin	ZG3065-9B	5.8	43.4	0.22	3.82	6.15	58.5	400
Strong	GC60-8	5.85	35.5	0.23	3.86	6.06	39	400
Strong	GC78-8	5.85	43.4	0.28	3.96	6.17	56	450
Strong	JCM906D	5.85	36	0.22	3.86	6.06	40.7	400
Liugong	CLG906DIII A	5.9	33.7	0.21	3.88	6.07	41	0.4
Bobcat	E57W	5.93	42.5	n/s	3.5	5.89	n/s	n/s
Sunward	SWE 60	5.95	45	0.21	3.71	n/s	39.8	n/s
XCMG	XE60CA	5.96	39.8	0.23	3.83	6.13	48.3	n/s
XCMG	XE65CA	5.96	n/s	0.25	3.83	6.13	48.3	n/s
Case	CX60C	5.98	48.3	0.25	3.57	6.01	40.9	400
Nante	NT60	6	n/s	0.26	3.78	6.11	73	450
New Holland	E60C	6.1	48.3	n/s	3.99	6.48	41	400
Atlas Kompakt	AC 60B	6.11	36.2	0.18	3.18	6.18	47	400

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Kato	85V4	8.1	42.7	0.25	4.02	6.83	55	450
Kato	HD85V4	8.1	n/s	0.28	4.02	n/s	n/s	n/s
Gehl	Z80	8.23	41.5	n/s	4.38	7.14	n/s	450
Caterpillar	307.5	8.23	41.7	n/s	4.12	6.67	54.6	450
JCB	85 Z-1	8.3	n/s	n/s	3.72	7.03	43.8	450
JCB	86 C-1	8.6	n/s	n/s	3.29	7.39	40.3	450



WATCH
OUR ONLINE
VIDEOS


The Worlds Most Reliable, Powerful and Productive Hydraulic Attachments and Dust Suppression Systems



Inmalo are UK distributors for Mantovanibenne Hydraulic Attachments, Montabert Hydraulic Breakers, GI-DA Magnets, DustBoss and Motofog Dust Suppression Systems.

The worlds most reliable, technically advanced and powerful demolition systems for the construction and demolition industry are winning competitor trials and contracts throughout the UK.

Call us now to discuss your purchase or rental requirements.



www.inmalo.co.uk

Email: sales@inmalo.co.uk

Tel: 01962 760055

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Sany	SY18C	1.83	11.2	0.06	2.36	4	15.2	230
Komatsu	PC30MR-5	2.95	18.2	0.16	2.76	4.84	29.5	300
Komatsu	PC35MR-5	3.63	18.2	0.18	3.45	5.27	29.9	300
Liugong	CLG9035EZTSIII	3.86	21.2	0.11	3.44	5.6	30	0.3
Liugong	CLG904DIII	4	25.2	0.12	3.1	5.22	28.3	0.3
Komatsu	PC45MR-5	4.87	28.3	0.16	3.62	5.73	33.9	400
Komatsu	PC55MR-5	5.15	28.3	0.18	3.77	5.91	23.9	400
Sany	SY50U	5.2	34	0.15	3.42	5.88	40.7	400
Yanmar	SV 60	5.64	32.6	n/s	3.91	4.28	41.9	400
Yanmar	SV 60-B	5.64	33.5	n/s	3.91	4.28	41.9	400
Mecalac	6 MCR	5.7	55	0.16	3.3	6.3	25.8	400
Sany	SY55C	5.78	35.7	0.21	3.81	6.09	45	400
Lishide	SC60.8	5.85	35.5	0.22	3.86	n/s	38.5	n/s
XGMA	XG806F	5.85	35.5	0.21	3.82	6.1	37.7	n/s
Liugong	CLG906DIII	5.9	33.7	0.21	3.87	6.06	41	0.4
Eurocomach	ES 60 TR	5.95	33.8	n/s	3.95	n/s	n/s	400
XCMG	XE60C	6.01	n/s	0.23	3.83	n/s	48.3	n/s
Lonking	CDM6065E	6.05	44	0.25	3.76	5.95	40	400
SDLG	E660F	6.05	n/s	0.2	n/s	n/s	40	n/s
Sany	SY60C	6.1	45	0.21	3.83	6.11	47.2	400
Bobcat	E62	6.13	36.2	n/s	3.81	6.1	n/s	400
John Deere	60G	6.15	39.6	n/s	3.77	6.23	41.1	400
Menzi	60va	6.15	42	n/s	4.07	n/s	n/s	n/s
SDLG	E665F	6.2	n/s	0.22	n/s	n/s	45	n/s
Doosan	DX62R-3	6.25	36.2	0.18	4.11	6.4	43.2	400
Doosan	DX63-3	6.25	36.2	0.18	4.11	6.4	43.2	400
Wacker Neuson	ET65	6.29	36.2	n/s	3.83	6.01	28	400
IHLmer	65 VX	6.36	n/s	n/s	4.21	6.28	n/s	2.1
Sunward	SWE 70	6.41	42.9	0.26	2.72	6.14	44	n/s
Hitachi	ZX65USB-5A	6.47	34.1	0.24	4.12	6.42	41.1	400
JCB	65R-1	6.6	36.9	n/s	4.01	6.62	47.6	400
Jotec	JT65	6.65	37.9	0.22	n/s	n/s	44.5	400
Hitachi	ZX70-5G	6.65	42.4	0.28	4.17	6.17	55	450
Hitachi	ZX70LC-5G	6.71	42.4	0.28	4.17	6.17	55	450
JCB	67C-1	6.8	41	n/s	4.07	6.5	47.6	400
Rhino	REX70	6.8	n/s	n/s	4.04	6.18	53	500
Lishide	SC70.8	6.8	45	0.37	n/s	n/s	52.7	450
Caterpillar	307E	7.1	39.7	0.3	4.07	6.3	37.1	450
Strong	JCM907D	7.1	45	0.28	4.15	6.18	53.6	450
Mecalac	8 MCR	7.2	55	0.19	3.7	6.7	28	450
Caterpillar	307D	7.27	37.7	0.3	4.07	6.3	50.6	450
Kato	HD308US-6A	7.3	43	0.28	4.12	6.47	61.4	450
Sany	SY75C	7.36	40.9	0.28	3.29	7.06	56	450
XCMG	XE75D	7.46	n/s	0.3	4.02	n/s	57	n/s
XCMG	XE80C	7.46	n/s	0.3	4.16	6.29	51.2	n/s
Beml	BE75	7.5	42.5	0.3	4.09	6.22	48.3	450
Liugong	CLG908EIII	7.5	44.5	0.32	4.03	6.12	56	0.45
Kobelco	SK 75 SRN 3	7.54	42	0.28	4.58	6.88	39.4	450
Sumitomo	SH80-6B	7.55	41.1	0.38	4.05	6.46	56.4	450
Sunward	SWE 80	7.55	42.9	0.28	2.35	6.95	51	n/s
Yuchai	YC75SR	7.6	61.6	0.28	4.11	6.25	57.2	450
Komatsu	PC80MR-3	7.62	47.4	0.26	4	6.61	n/s	450
Shantui	SE70-9	7.65	48.9	n/s	n/s	n/s	n/s	n/s
SDLG	E680F	7.8	n/s	0.32	n/s	n/s	56	n/s
Foton Lovol	FR80E	7.8	43.1	0.32	4.05	6.33	56	450
Strong	JCM908D	7.8	60	0.32	4.01	6.29	53.6	450
Lishide	SC80.8	7.8	45	0.34	4.04	n/s	52.7	n/s
XGMA	XG808F	7.8	48.5	0.3	4.16	6.32	55	n/s
Wacker Neuson	75 Z 3	7.89	51.1	0.28	n/s	7.07	n/s	450
Sumitomo	SH75X-3B	7.92	40	0.28	4.14	6.52	57	450
Sany	SY80C-9S	7.92	42	0.32	4.02	6.24	58	450
Kobelco	SK 75 SR 7	7.93	53.7	0.28	4.6	6.75	39.4	450
Kobelco	SK 75 SRN 7	7.93	53.7	0.28	4.58	6.88	39.4	450
Jotec	JT80	7.96	56.5	0.4	n/s	n/s	51.3	450

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Case	CX75C SR	8	41.2	0.28	4.13	6.41	56.9	450
IHlmer	80 VX	8.01	n/s	n/s	4.2	6.78	n/s	2.2
Wacker Neuson	EZ80	8.02	36.2	n/s	3.92	6.79	43.7	450
Yanmar	B 7 Sigma	8.03	43.5	0.3	4.35	5.49	n/s	450
Komatsu	PC78US-10	8.05	50.7	0.2	4.66	6.92	53.3	450
Yanmar	VIO 80-1 ACR	8.07	39.3	n/s	4.43	4.7	63.5	450
Yanmar	VIO 80 U	8.07	40.7	n/s	4.1	4.7	n/s	450
YTO	E85-9	8.1	53.1	0.37	4.24	6.67	53	450
Neumeier	NR 8.5	8.1	62	0.32	4.16	6.63	58.3	450
Powerplus	PP80E-IX	8.1	63	0.32	4.12	6.59	60	450
XCMG	XE85C	8.1	n/s	0.34	4.13	6.29	51.2	n/s
XGMA	XG809F	8.1	61.6	0.35	4.16	6.32	55	n/s
Yuchai	YC85-8	8.1	61.6	0.32	4.16	6.46	56	450
Changlin	ZG3085-9	8.1	53.1	0.37	4.24	6.67	53	450
John Deere	75G	8.14	42.4	n/s	4.61	6.76	46.6	450
Hitachi	ZX85US-5A	8.14	34.1	0.28	4.11	6.26	55	450
Kubota	KX080-4	8.2	47.8	0.25	4.6	7.33	n/s	450
Kubota	KX080-4	8.2	46.5	0.25	4.6	7.33	n/s	450
Yanmar	B 7 -6 CR	8.2	39.3	n/s	4.45	5.54	56.9	450
Yanmar	SV 85 MB	8.2	55.4	n/s	4.52	2.79	53.2	450
Mustang	800Z NXT2	8.23	41.5	n/s	4.38	7.14	n/s	450
JCB	85Z-1	8.23	48	n/s	6.85	7.03	57.1	450
Sinoway	SWE80	8.25	53.1	0.36	4.23	6.79	63	450
Sumitomo	SH75XU-3B	8.26	40	0.28	4.19	6.49	57	450
Kobelco	SK 85 MSR 3	8.27	42	0.28	4.59	8.01	35.2	450
Kobelco	SK 85 MSR 7	8.27	53.7	0.28	n/s	n/s	n/s	450
Kobelco	SK 85 MSRN 3	8.27	42	0.28	4.46	7.5	37.1	450
Kobelco	SK 85 MSRN 7	8.27	53.7	0.28	n/s	n/s	n/s	450
Eurocomach	ES 85 SB	8.3	46.5	n/s	3.8	n/s	n/s	450
Eurocomach	ES 85 SB 4	8.3	53.7	n/s	3.8	n/s	n/s	450
Komatsu	PC88MR-8	8.3	49	0.23	4.6	7.34	41	450
Hyundai	R 80 CR-9	8.3	43	0.3	4.2	7	55.9	450
Menzi	100na	8.4	54	n/s	4.4	n/s	n/s	n/s
Caterpillar	308E2 CR	8.4	48.5	n/s	4.15	7.02	60.2	450
Takeuchi	TB 290 CM	8.4	51.6	0.25	4.4	7.27	40	450
Takeuchi	TB290	8.4	51.6	0.25	4.4	7.27	40	450
Sumitomo	SH80-3B	8.43	40	0.28	4.18	7.03	56.9	450
Kobelco	SK 75 SR 3	8.43	42	0.28	4.6	6.75	39.4	450
Sunward	SWE 90	8.43	42.9	0.28	4.12	6.69	47.7	n/s
Hitachi	ZX85USB-5A	8.47	34.1	0.28	4.51	7.7	55	450
Volvo	ECR88R	8.5	33.3	2	4.13	6.97	50.7	450
Lishide	SC85.8	8.5	60	0.34	4.15	6.52	52.7	n/s
Takeuchi	TB 280 FR	8.52	51.6	0.25	n/s	6.87	n/s	450
JCB	86C-1	8.53	48	n/s	7.22	7.39	57.1	450
Bobcat	E85	8.54	44.3	n/s	4.17	6.76	n/s	450
SDLG	E690F	8.55	n/s	0.32	n/s	n/s	60	n/s
Doosan	DX85R-3	8.6	44.3	0.28	4.72	7.29	53.9	450
Liugong	NA-908ECR	8.6	44	0.28	4.09	6.65	63	0.45
Yanmar	SV 85 2PB	8.6	55.4	n/s	4.32	3.55	53.2	450
Yanmar	SV 85 Circular	8.6	55.4	n/s	3.86	3.12	53.2	450
Terex	TC 85	8.6	55	0.21	3.91	7.72	47.3	450
Menzi	HD85	8.62	43	n/s	4.32	n/s	n/s	n/s
Case	CX80C MSR	8.69	41.2	0.28	4.13	6.41	56.9	450
Strong	GC88-8	8.7	53.1	0.35	4.25	6.57	55.1	450
Kubota	KX080-4 2PC	8.7	47.8	0.25	4.59	7.82	n/s	450
Kubota	KX080-4 2PC	8.7	46.5	0.25	4.59	7.82	n/s	450
Wacker Neuson	ET90	8.71	55.4	n/s	4.32	7.18	46	450
Komatsu	PC88MR-10	8.72	50.7	0.23	4.56	7.34	n/s	450
John Deere	85G	8.73	42.4	n/s	4.51	7.55	46.6	450
JCB	90Z-1	8.76	55	n/s	7.39	7.49	57.1	450
Takeuchi	TB 290 CV	8.9	51.6	0.25	4.4	7.27	40	450
Eurocomach	ES 85 ZT	9	46.5	n/s	4.27	n/s	n/s	450
Eurocomach	ES 85 ZT 4	9	53.7	n/s	4.27	n/s	n/s	450
Volvo	ECR88D	9.01	43	0.2	4.13	6.97	57.2	450

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Menzi	100sa	9.1	54	n/s	5.32	n/s	n/s	n/s
Eurocomach	ES 90 UR	9.1	46.5	n/s	4.22	n/s	n/s	450
Eurocomach	ES 90 UR 4	9.1	53.7	n/s	4.22	n/s	n/s	450
Hitachi	ZX85US Type HE10	9.17	34.1	0.28	7.65	10.17	53	450
JCB	86C-1 TAB	9.37	48	n/s	4.38	7.84	42.3	450
Mecalac	10 MCR	9.4	74	0.33	4.2	7.6	34	450
JCB	100C-1	9.57	55	n/s	7.44	7.56	72.2	450
Yanmar	SV 100-2 CR	9.62	51.7	n/s	4.29	5.14	68.5	485
Mustang	1000M	9.78	51.7	n/s	4.53	7.4	n/s	485
Gehl	M100	9.78	51.7	n/s	4.53	7.4	n/s	485
Eurocomach	ES 95 TR	9.9	46.5	n/s	4.57	n/s	n/s	450
Eurocomach	ES 95 TR 4	9.9	53.7	n/s	4.57	n/s	n/s	450
Menzi	100va	10	54	n/s	5.17	n/s	n/s	n/s
Yanmar	SV 100-2 PBCR	10.36	51.7	n/s	4.33	6.21	69	485
YTO	WY10B	10.8	68	0.45	4.2	6.96	53	500
Yanmar	SV 120 2PB	11.3	85	n/s	4.55	3.91	81.5	500
Yanmar	SV 120 MB	11.5	85	n/s	4.3	2.9	81.5	500
Komatsu	PC118MR-8	11.89	72	0.4	4.45	7.28	n/s	500
Sunward	SWE 125	12.1	74.5	0.42	2.89	7.79	72.2	n/s
Hitachi	ZX130-5G	12.2	66	0.5	5.54	8.17	104	500
JCB	JS115	12.24	81	0.46	5.57	8.28	47.3	600
Caterpillar	311F L RR	12.5	52	0.53	5.59	8.1	89	500
SDLG	LG6135E	12.5	n/s	0.48	n/s	n/s	85	n/s
Terex	TC 125	12.5	85	0.36	5	8	61	500
Sumitomo	SH130-5	12.7	70.9	0.5	5.15	7.96	90	600
Strong	JCM913D	12.8	86	0.55	5.54	8.17	73.5	500
Caterpillar	312D	12.86	67	0.52	5.54	8.17	96	500
Kato	HD512-7	12.9	78.5	0.5	5.59	8.3	98	500
Mecalac	714 MC e	13	90	1	4.55	8.3	55	500
Rhino	REX130	13	n/s	0.53	5.5	8.18	80	500
Lishide	SC130.8	13	86	0.53	5.5	n/s	90	n/s
Sumitomo	SH130LC-5	13	70.9	0.5	5.15	7.96	90	600
XCMG	XE135B	13	n/s	0.52	5.54	8.3	85	n/s
Hitachi	ZX 130-5 B	13	73.4	n/s	5.12	7.94	104	500
Caterpillar	313D2 GC	13.1	55	0.53	5.54	8.18	95	770
Hitachi	ZX 130 LCN-5 B	13.1	76.4	n/s	5.12	7.94	104	500
John Deere	130G	13.17	73	n/s	5.54	8.67	96	700
Caterpillar	312E L	13.2	70	0.6	5.54	8.17	65	500
Caterpillar	313F	13.2	74	0.53	5.14	7.79	85	500
Caterpillar	313F L GC	13.2	55	0.53	5.54	8.17	85	500
Hitachi	ZX 130-5	13.2	76.4	0.7	5.54	8.3	69	500
Hitachi	ZX130K-5G	13.2	66	0.5	5.54	8.17	104	500
Caterpillar	313F GC	13.3	52	0.53	6.04	8.62	86	500
Powerplus	PP160E-XI	13.3	86.5	0.55	5.5	8.3	90	500
Yuchai	YC135-8	13.3	82	0.52	5.24	n/s	84.9	600
Volvo	EC140B	13.39	69	0.97	5.13	7.96	87.3	500
Caterpillar	312D L	13.41	67	0.52	5.54	8.17	96	500
Caterpillar	313F L	13.5	74	0.53	5.14	7.79	85	500
Shantui	SE130-9	13.5	86	n/s	n/s	n/s	n/s	n/s
Sany	SY135C	13.5	72.7	0.53	4.88	8.68	92.7	500
Sany	SY140C-9	13.55	72.7	0.72	5.12	7.95	124	500
Jotec	JT150	13.6	89.3	0.6	n/s	n/s	85	600
Neumeier	NR 13.5	13.6	82	0.66	5.25	8.06	110	600
Hitachi	ZX130-6	13.6	74.9	0.5	6.03	8.65	104	500
Hitachi	ZX130LCN-6	13.6	74.9	0.5	6.03	8.65	104	500
Caterpillar	313D2 L	13.7	68	0.53	6.04	8.63	n/s	600
Komatsu	PC138US-10	13.7	72.6	n/s	5.07	7.93	n/s	500
JCB	JS131LC	13.77	55	0.89	4.8	7.36	91.9	600
Liugong	CLG915EII	13.8	80.2	0.6	5.87	8.62	96.9	0.6
Case	CX130D	13.8	76.4	0.76	5.5	8.17	90	600
SDLG	LG6150E	13.8	n/s	0.52	n/s	n/s	98.1	n/s
Menzi	M510	13.8	115	n/s	n/s	n/s	102	n/s
Sany	SY140C-9i	13.82	75	0.72	5.12	7.95	124	500
Foton Lovol	FR150D	13.85	69.6	0.6	5.43	8.3	93.2	500

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
John Deere	135G	13.9	75	n/s	5.49	8.24	104	500
Sinoway	SWE150	13.9	69.6	0.58	5.1	8.33	91.8	500
XGMA	XG815EL	13.9	69.9	0.61	5.53	8.29	95	n/s
Yuchai	YC130	13.9	n/s	n/s	n/s	n/s	n/s	500
Hitachi	ZX135US-6	13.9	74.9	0.5	5.98	8.72	104	500
Lonking	CDM6150E	14	86	0.56	5.54	8.21	99	500
YTO	E150-9	14	85	0.6	n/s	n/s	82	n/s
Hyundai	R 140 LC-9 A	14	89	0.7	6.1	8.79	94.8	600
Changlin	ZG3150-9	14	86	0.6	5.49	8.34	77	n/s
Changlin	ZG3150-9C	14	86	0.6	5.49	8.34	77	n/s
JCB	JS130LC	14.02	81	0.34	4.81	7.52	72.5	600
Kato	HD514MR-7	14.1	78.5	0.5	5.54	8.45	98	500
Strong	JCM916D	14.1	86	0.63	5.52	8.19	91.1	600
Sumitomo	SH135X-3B	14.2	70.9	0.5	5.47	8.2	90	600
Hitachi	ZX130LCN TYPE HE13	14.2	73.4	0.19	10.14	13.13	28	500
Doosan	DX140LC-3	14.4	82	0.5	1.1	6.15	76	600
Doosan	DX140LC-5	14.4	85.9	0.59	5.23	7.66	104	600
XCMG	XE150D	14.4	n/s	0.61	5.54	8.3	85	n/s
Case	CX145C	14.5	74.9	0.76	6.05	8.77	56	600
Case	CX145D SR	14.5	74.9	0.76	6.05	8.77	56	600
Menzi	M515	14.5	115	7.17	4.3	8.21	102	n/s
Hitachi	ZX 135 US-5	14.5	73	0.66	5.07	8.02	73	500
Volvo	EC140EL	14.59	90	0.77	5.16	7.98	71.5	600
JCB	JS145LC HD	14.62	81	0.81	4.81	7.52	72.5	600
Hidromek	HMK 140 LC	14.65	70.9	0.6	5.39	8.19	103	500
Volvo	EC140DL	14.7	84	1.5	5.53	8.33	98.1	600
Mecalac	15 MC	14.78	100	0.33	4.73	8.3	55	500
Sumitomo	SH135XU-3B	14.8	70.9	0.45	4.96	7.52	89	600
Takeuchi	TB 1140	14.8	71.8	0.25	5.49	6.21	n/s	500
Kobelco	SK 140 SRLC 3	14.9	74	0.45	5.22	7.83	64.4	500
Wacker Neuson	ET145	14.96	55	n/s	5.48	8.53	69.2	500
Takeuchi	TB 2150 C	15	85	0.25	5.48	8.75	n/s	500
Takeuchi	TB 2150 RCM	15	85	0.25	5.5	8.33	n/s	500
Caterpillar	315F L	15.1	72	0.53	4.84	7.27	85	500
Liebherr	R 914 Compact Litronic	15.1	80	0.17	5.15	8.3	72.7	500
Kobelco	SK 140 SRLC 5	15.1	78.5	0.45	5.22	7.83	64.4	500
JCB	JS145LC	15.28	81	0.42	4.66	7.52	72.5	600
Doosan	DX140LCR-3	15.3	81	0.39	6	8.68	63.7	600
Liugong	CLG915EIV	15.4	84.3	0.6	5.87	8.62	96.9	0.6
Doosan	DX140LCR-5	15.4	85.9	0.51	5.08	7.66	90.7	600
Sumitomo	SH130LF-5 MACAN	15.4	70.9	0.5	5.28	8.32	90	800
Volvo	ECR145DL	15.6	84	n/s	6.12	9.09	96.6	600
Volvo	ECR145EL	15.6	90	0.33	5.13	7.99	80.5	600
Hyundai	R 145 LCR-9 A	15.6	126	0.7	4.89	7.73	80.4	600
Kobelco	ED 160-3	15.7	74	0.5	5.82	8.78	64.4	500
Kobelco	SK 140 SRL 3	15.7	74	0.45	5.33	8.34	64.4	700
Hyundai	HX 145 LCR	15.75	92.7	0.23	4.89	7.73	76.5	500
Volvo	EC140ELM	15.78	89	n/s	4.96	7.98	80.5	600
Doosan	DX160LC-3	15.8	82	0.76	5.98	8.79	63.7	600
Caterpillar	313D2	15.9	70.6	0.65	5.19	8.11	95	600
Kobelco	SK 140 SRL 5	15.9	78.5	0.45	5.33	8.34	64.4	700
Caterpillar	314E LCR	16	67	0.7	n/s	n/s	n/s	500
Case	CX 160 C	16	79.3	0.95	6.05	9.35	74	700
Takeuchi	TB 2150 RCV	16	85	0.25	5.72	8.86	n/s	500
Kobelco	ED 160 BR 5	16.3	78.5	0.5	5.82	8.78	64.4	500
Lishide	SC160.8LC	16.3	86	0.65	5.36	n/s	90	n/s
Powerplus	PP180E-IX	16.5	86.5	0.7	5.36	8.3	90	500
Hitachi	ZX160LC-5G	16.6	90.2	0.6	5.98	8.7	112	500
Doosan	DX160LC-5 HT	16.8	85.9	0.51	5.35	8.8	n/s	600
Volvo	EC160DNL	16.8	104	n/s	6.04	8.97	121	600
Sany	SY135F	16.8	77	0.56	5.5	8.29	110	600
Sumitomo	SH160-5	16.9	89.2	0.62	5.66	8.67	112	600
Case	CX180C	17	89.2	0.85	6.04	9.04	79	600
Komatsu	PC138US-11	17.03	72.5	0.76	5.48	8.3	93.2	500

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Komatsu	PC170LC-10	17.28	85.7	0.94	5.96	8.8	108	500
Caterpillar	316F L	17.3	91	0.8	6.59	9.16	98	500
Hitachi	ZX160LC-6	17.3	82.3	0.6	5.98	8.7	112	500
Case	CX160D	17.4	83.2	0.62	6.06	8.87	112	600
Atlas	160 LC	17.5	95	0.67	6.7	8.85	64	600
Volvo	EC160DL	17.5	104	n/s	6.04	8.97	121	600
Hitachi	ZX 160 LC-5	17.5	90.2	0.82	5.98	8.87	91	500
JCB	JS160NLC	17.53	93	0.99	5.48	8.33	116	600
JCB	JS160LC HRC	17.54	93	0.59	5.38	8.65	116	600
JCB	JS160 LC	17.54	93	0.49	6.29	9.22	68	600
Caterpillar	316E L	17.6	89	0.8	5.74	8.46	88	500
Volvo	EC160ENL	17.63	110	n/s	5.77	8.66	101	600
Volvo	EC160EL	17.72	110	n/s	5.77	8.66	101	600
Hyundai	R 160 LC-9 A	17.8	102	0.9	6.56	6.39	123	600
Caterpillar	318D2 L	17.9	84	0.76	6.39	8.99	111	600
John Deere	160G LC	17.95	90	n/s	5.98	9.16	119	700
Doosan	DX180LC-3	18	93	0.93	6.1	9.9	91.2	600
Volvo	EC180DL	18	104	n/s	6	8.97	121	600
Hitachi	ZX180LCN-5G	18.1	90.2	0.7	6.57	9.27	127	500
JCB	JS160LC	18.3	93	0.59	5.38	8.65	116	600
Volvo	EC180EL	18.38	110	n/s	5.25	8.56	101	600
Liebherr	R 918	18.4	95	0.8	5.75	8.9	80	600
Hitachi	ZX180LC-5G	18.4	90.2	0.7	6.57	9.27	127	600
Caterpillar	318F L	18.5	91	0.91	5.74	8.46	109	500
Case	CX180D	18.5	83.2	0.62	6.04	8.87	112	600
Doosan	DX180LC-5	18.5	97.9	0.7	5.71	8.63	122	600
Doosan	DX180LC-5 HT	18.5	94.9	0.7	5.95	8.98	n/s	700
Hyundai	R 180 LC-9 A	18.6	139	1.1	5.66	8.69	91	600
Hitachi	ZX 180 LC-5	18.6	90.2	1.2	6.57	9.43	95	600
Caterpillar	318E L	18.7	89	0.91	6.39	8.99	80	600
Atlas	175 LC-SR	18.8	95	0.67	5.58	9.3	72	800
JCB	JS180 LC	18.89	93	0.49	6.6	9.22	68	600
Atlas	190 LC	19	115	0.8	6.34	9.3	82	600
Liebherr	R 920 Compact	19	100	0.8	5.8	8.95	71.6	600
Hitachi	ZX 190 LC-5	19	122	1.2	6.34	9.5	95	600
Komatsu	PC190-8 LC	19.2	97	n/s	95	6.25	n/s	700
Komatsu	PC190NLC-8	19.2	97	n/s	6.25	9.23	95	500
Kobelco	SK 180 N 10	19.4	100	0.63	5.6	8.84	90.6	500
Hitachi	ZX200-3G	19.4	110	0.8	6.66	9.75	151	600
Hitachi	ZX 180 LC-6	19.5	n/s	n/s	7.07	n/s	n/s	700
Komatsu	PC170LC-11	19.6	90	0.95	5.96	8.96	123	500
Hitachi	ZX190LCN-6	19.6	122	0.7	6.34	9.32	127	500
Hitachi	ZX200-5G	19.8	132	0.8	6.67	9.75	158	600
JCB	JS190 LC	19.96	93	0.49	6.6	9.22	68	600
Beml	BE200	20	96	0.96	6.14	9.29	115	500
Strong	GC208-8	20	112	0.8	6.5	9.67	127	600
Sumitomo	SH210-5	20	117	0.8	5.61	8.96	142	600
Hitachi	ZX190LC-6	20	122	0.7	6.34	9.32	127	600
Hitachi	ZX200LC-3G	20	110	0.8	6.66	9.75	151	600
JCB	JS200NLC	20.1	129	0.95	6.16	9.14	138	600
Kobelco	SK 140 SRD 5 MD	20.1	78.5	n/s	6.2	9.05	n/s	500
Kobelco	SK 180 LC 10	20.1	100	0.63	5.6	8.84	90.6	600
JCB	JS200SC	20.2	129	0.95	6.16	9.14	138	600
Sumitomo	SH210LC-5	20.4	117	0.9	5.61	8.96	142	600
Hitachi	ZX200LC-5G	20.4	132	0.8	6.67	9.75	158	600
Kato	HD820-R5	20.5	113	0.8	6.7	9.91	150	600
Strong	JCM921D	20.5	112	0.9	6.6	9.67	115	600
Jotec	JT210	20.5	114	0.8	n/s	n/s	122	600
Liebherr	R 920	20.5	95	1	6	9.25	93	600
Shantui	SE210-9	20.5	116	0.9	n/s	n/s	n/s	n/s
John Deere	180G LC	20.51	95	n/s	6.57	9.79	126	800
Rhino	REX210	20.6	n/s	1	6.93	9.99	114	700
Lishide	SC200.8	20.6	112	0.8	n/s	n/s	145	600
Lishide	SC200.8H	20.6	112	1.2	6.51	9.86	138	n/s

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
XCMG	XE200C	20.6	106	0.83	6.5	9.82	138	n/s
Hitachi	ZX210H-3G	20.6	110	0.8	6.66	9.75	151	600
JCB	JS200LC	20.61	129	0.95	6.16	9.14	138	600
SDLG	LG6210E	20.7	120	1.1	6.73	n/s	147	n/s
Caterpillar	320D2 GC	20.8	85	1	6.73	9.87	140	790
XGMA	XG821	20.8	110	0.85	6.63	9.87	n/s	n/s
Volvo	EC210B	20.84	107	0.92	6.33	9.54	122	600
Lishide	SC210.8	20.9	133	0.8	6.56	9.68	145	600
Sany	SY205C	20.9	114	0.83	6.6	10.28	138	600
Sany	SY210C	20.9	104	0.93	6.04	9.31	138	600
Liugong	CLG921Di	21	n/s	0.95	5.87	9.26	159	0.6
Kato	HD820-7	21	128	0.8	6.7	9.93	159	600
Sinoway	SWE210LC	21	112	0.9	6.54	10	120	600
Changlin	ZG3210-9	21	112	1	6.69	9.95	n/s	600
Sinomach	ZG3210-9C	21	112	0.91	n/s	n/s	137	n/s
JCB	JS210LC	21.09	129	1.1	6.16	9.14	138	600
JCB	JS210NLC	21.09	129	1.1	6.16	9.14	138	600
Hitachi	ZX210H-5G	21.1	132	0.8	6.67	9.75	158	600
Hitachi	ZX210K-5G	21.1	132	0.8	6.67	9.75	158	600
Hitachi	ZX210LCH-3G	21.1	110	0.8	6.66	9.75	151	600
Caterpillar	320D2	21.2	106	1.4	6.3	9.47	140	790
Volvo	EC220EN	21.28	128	0.92	5.83	9.09	146	600
XCMG	XE215C	21.3	128	1	6.5	9.82	138	n/s
Zoomlion	ZE210E	21.3	112	0.9	6.75	9.83	147	600
JCB	JS220NLC	21.37	129	1.25	6.16	9.14	138	600
Komatsu	PC210-8	21.39	110	1.27	6.62	9.7	138	600
Sumitomo	SH210F-5 Macan	21.4	117	0.9	6.65	9.9	142	800
Hitachi	ZX 210 LC-5	21.4	122	1.4	5.95	9.43	140	600
Hitachi	ZX210K-3G	21.4	110	0.8	6.66	9.75	151	600
Hitachi	ZX220LC-GI	21.4	132	1	6.61	9.75	158	600
JCB	JS220SC	21.48	129	1.25	6.16	9.14	138	600
Liugong	CLG920EII	21.5	102	0.9	6.38	9.55	152	0.6
Powerplus	PP220E-IX	21.5	134	1	6.51	9.86	145	600
Lishide	SC220.8	21.5	133	1	6.87	n/s	159	n/s
XGMA	XG822CNG	21.5	150	0.91	6.67	9.91	137	n/s
XGMA	XG822FL	21.5	132	1.6	6.92	9.87	150	600
XGMA	XG822i	21.5	133	0.91	6.64	9.93	150	600
XGMA	XG822LNG	21.5	150	0.91	6.67	9.91	137	n/s
Hitachi	ZX200LC-5G Type H15 LD	21.5	132	0.45	11.63	15.23	84	600
Hitachi	ZX210LCK-5G	21.5	132	0.8	6.67	9.75	158	600
Hitachi	ZX210LCH-5G	21.5	132	0.8	6.67	9.75	158	600
Caterpillar	320E L	21.6	112	0.81	6.72	9.86	106	600
Strong	JCM922D	21.6	112	1	6.61	9.67	115	600
Kobelco	SK 210 NLC 10	21.6	124	0.93	7.26	10.34	133	600
Hitachi	ZX210LCN-6	21.6	122	0.8	6.67	9.75	158	500
Volvo	EC220EL	21.7	128	0.92	5.83	9.09	146	600
Strong	GC228LC-8	21.7	112	1	6.51	9.68	127	600
SDLG	LG6225E	21.7	120	1.2	6.73	n/s	147	n/s
Liebherr	R 922	21.7	110	1.05	6.2	9.45	116	600
Hitachi	ZX210-6	21.7	122	0.8	6.67	9.75	158	600
Atlas	215 LC-SR	21.8	115	0.82	6.05	9.4	81	800
Lonking	CDM6225	21.8	112	1.1	6.57	9.74	158	600
Case	CX210C	21.8	140	1	6.11	9.24	142	500
Case	CX250D	21.8	132	1	6.11	9.24	142	500
Hitachi	ZH 210 LC-5	21.8	122	1.37	6.67	9.92	114	600
Hitachi	ZH210-5 HYBRID	21.8	122	0.8	6.67	9.75	158	600
Caterpillar	320GC	21.9	90	1	6.72	9.86	129	790
Doosan	DX 225LC-3	21.9	121	1.28	6.6	10.34	105	600
Neumeier	NP-e 220 LC	21.9	133	1	6.64	5.68	97.6	800
Hyundai	R 220 LC-9 A	21.9	124	1.4	7.72	9.98	152	600
Hitachi	ZX210LCK-3G	21.9	110	0.8	6.66	9.75	151	600
Caterpillar	320F L	21.91	120	1.19	6.54	9.85	107	600
JCB	JS220LC	21.91	129	1.25	6.16	9.14	138	600
Komatsu	PC210LC-8	21.99	110	1.47	6.62	9.7	138	600

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Sennebogen	821 R	22	97	0.6	n/s	12	n/s	600
Lonking	CDM6235E	22	145	1.16	6.57	9.74	147	600
Liugong	CLG922D HD	22	117	1	5.87	9.26	159	0.6
Changlin	ZG3225LC-9	22	112	1.1	6.71	10	n/s	600
Changlin	ZG3225LC-9C	22	112	1.1	6.71	10	n/s	600
Komatsu	PC210-10	22.02	116	1.44	11.79	15.34	149	600
Volvo	EC220DL	22.1	128	1.35	6.73	9.93	153	600
Hyundai	HX 220 L	22.1	129	n/s	6.73	9.98	165	600
Komatsu	PC210-11	22.12	118	1.44	6.09	9.19	n/s	600
Komatsu	PC210NLC-8	22.19	110	1.24	6.62	9.7	138	600
Caterpillar	323D2	22.2	116	1.19	6.72	9.86	140	600
Foton Lovol	FR220D	22.2	112	0.92	6.51	9.87	156	600
Liebherr	LH 22 C Industry Litronic	22.2	105	n/s	2.6	10	n/s	600
Hitachi	ZX210LC-6	22.2	122	0.8	6.67	9.75	158	600
JCB	210X LC	22.29	129	n/s	n/s	n/s	n/s	600
Caterpillar	323F LN	22.3	122	1.3	6.29	9.45	140	500
SDLG	LG6235E	22.3	127	1.1	6.73	n/s	n/s	n/s
XCMG	XE225CA	22.3	n/s	1.1	6.68	9.94	149	n/s
Hitachi	ZX 210LCN Type H15LD	22.3	122	0.4	11.52	15.27	84	500
XCMG	XE215CLL	22.35	n/s	0.4	11.69	15.39	78.7	n/s
Yuchai	YC230LC-8	22.36	112	1.05	6.64	n/s	140	600
Yuchai	YC230LC-8F	22.36	112	1.05	6.64	9.7	140	n/s
Doosan	DX235NLC-5	22.4	125	1.05	6.08	9.27	154	500
Hitachi	ZX240LCN-6	22.4	110	1	6.67	9.28	151	550
Volvo	EC220ENL	22.41	128	0.92	5.83	9.09	146	600
Komatsu	PC210LCI-10	22.41	116	1.65	6.62	9.7	138	600
Komatsu	PC210LC-11	22.45	118	1.65	6.62	9.7	n/s	600
Caterpillar	320E LN	22.46	112	0.81	6.29	9.45	118	500
Caterpillar	320	22.5	121	1.19	6.72	9.86	150	790
Doosan	DX235NLC	22.5	110	0.51	6.1	9.46	124	500
Volvo	EC220DN	22.5	129	1.35	5.83	9.09	150	800
Kobelco	SK 230 SR 3	22.5	124	0.8	6.58	9.7	96.8	600
Komatsu	HB215LC-2	22.58	110	1.65	6.62	9.7	138	600
Caterpillar	323E L	22.6	121	1.19	6.72	9.86	106	600
Caterpillar	323F L	22.6	122	1.3	6.29	9.45	140	600
Lonking	CDM6240	22.6	133	1.16	6.56	9.74	147	600
Case	CX210D	22.6	119	1	5.8	9.22	103	500
Case	CX230D	22.6	119	1	6.05	9.23	142	550
Kobelco	SK 210 H NLC 10	22.6	124	0.93	6.93	10.53	133	600
Sunward	SWE 225 LC	22.6	125	1.05	2.96	5.93	139	n/s
Sany	SY215C	22.6	122	0.93	9.95	9.57	208	600
Komatsu	PC210LC-10	22.62	116	1.65	11.79	15.34	149	600
Kobelco	SK 210 H LC 10	22.7	124	0.93	6.93	10.53	133	600
Kobelco	SK 210 LC 10	22.7	124	0.93	6.93	10.53	133	600
Komatsu	PC210NLC-11	22.76	123	1.24	6.49	9.65	n/s	600
Caterpillar	321D LCR	22.8	103	1.1	6.68	9.75	106	600
Beml	BE220G	22.8	110	1	6.17	9.51	125	610
Liugong	CLG922EIV	22.8	117	1	6.56	9.68	152	n/s
Doosan	DX235LC-5	22.8	125	1.05	6.08	9.27	154	600
Volvo	EC220DNL	22.8	128	1.35	6.73	9.93	153	600
Zoomlion	ZE230E	22.8	133	1.1	7.26	10.19	155	600
Komatsu	PC230NHD-8	22.82	110	1.3	6.59	9.7	138	550
Kobelco	SK 230 SRLC 3	22.9	124	0.8	6.58	9.7	96.8	600
JCB	JS235HD	22.92	129	1.25	6.16	9.14	138	550
John Deere	210G LC	22.93	119	n/s	6.67	9.75	158	800
Kato	HD823MR-7	23	128	0.8	6.69	9.93	159	600
TRXBuild	JY623E	23	133	1	6.83	10.02	146	600
Sinoway	SWE230LC	23	112	1	6.83	10.4	130	600
Changlin	ZG3235-9	23	133	1.2	6.92	10.18	n/s	600
Changlin	ZG3235-9C	23	133	1.2	6.92	10.18	n/s	600
JCB	220X SLC	23.01	129	n/s	n/s	n/s	n/s	600
Kobelco	SK 210 SNLC 10	23.1	124	0.8	6.42	10.07	133	500
Caterpillar	323E LN	23.17	121	0.81	6.29	9.45	118	600
JCB	220X LC	23.19	129	n/s	n/s	n/s	n/s	600

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Volvo	EC235DNL	23.2	129	1.37	5.76	9.09	150	500
Hitachi	ZX240N-6	23.2	122	0.8	6.67	9.75	158	550
Hidromek	HMK 220 LC	23.35	120	1	6.67	10.05	163	600
Hitachi	ZX240-5G	23.4	132	1	6.96	10.11	188	600
Case	CX240D	23.5	119.3	0.96	6.59	9.9	112	550
Powerplus	PP250E-XI	23.5	134	1.2	6.51	9.86	145	600
XCMG	XE235C	23.5	n/s	1.1	6.96	10.24	176	n/s
Komatsu	PC230NHD-11	23.56	123	1.45	5.95	9.16	161	550
Volvo	EC220ENH	23.59	128	0.92	5.76	9.09	125	600
Case	CX210D LR	23.6	119	0.37	12.01	15.49	65	500
Case	CX250D LR	23.6	132	0.37	12.01	15.49	65	800
Komatsu	PC210LCI-11	23.6	118	1.2	6.62	9.87	149	600
Lishide	SC240.8	23.6	133	1.2	6.87	n/s	159	n/s
Volvo	EC220ELR	23.69	128	0.92	12.1	15.8	68	800
Doosan	DX235LCR	23.7	125	1.4	8.01	10.67	106	600
Hitachi	ZX 225 USRLC-5	23.7	122	1.4	6.62	10.11	114	600
Liebherr	R 924	23.75	120	0.95	6.25	9.5	132	600
Komatsu	PC228ULC-10	23.8	116	1.49	6.09	9.2	161	600
Hyundai	R 235 LCR-9 A	23.8	169	1.4	5.78	9.04	151	600
Kobelco	SK 230 SRLC 5	23.8	124	0.8	6.58	9.7	96.8	600
Atlas	225 LC	23.9	116	0.94	6.34	9.83	92	600
Doosan	DX225LC-3 SLR	23.9	125	0.39	11.66	15.38	n/s	600
Komatsu	PC210LC-10 SLF	23.93	n/s	0.46	11.5	15.24	n/s	700
Caterpillar	320E LRR	24	112	0.9	n/s	n/s	n/s	600
Hyundai	HX 235 LCR	24	129	n/s	5.78	10.09	n/s	600
Sumitomo	SH225X-3B	24	114	0.8	6.7	9.91	130	600
Hitachi	ZX240LC-5G	24	132	1	6.96	10.11	188	600
Strong	JCM924D	24.1	133	1.2	6.85	10.03	129	600
Sinoway	SWE230LB	24.1	133	0.6	11.6	15.1	64	600
Sany	SY215CLC	24.15	118	0.8	n/s	n/s	103	n/s
Sany	SY240C	24.2	128	1.2	6.78	10.15	175	600
JCB	JS240SC	24.24	140	1.46	5.72	8.99	191	600
Doosan	DX235LCR-5	24.3	141	1.05	6.17	9.2	n/s	600
SDLG	LG6250E	24.3	134	1.45	6.98	n/s	176	n/s
Kobelco	SK 240 SN 10	24.3	124	0.8	6.42	10.07	133	550
Hitachi	ZX 210LC Type HE15LD	24.3	122	0.4	11.54	15.29	81	600
Hitachi	ZX 225 USLC-5	24.3	122	1.4	6.12	10.11	114	600
Sumitomo	SH240-5	24.4	132	1.1	6.4	9.82	162	600
Caterpillar	323F SA	24.43	122	1.3	6.22	9.44	126	550
Powerplus	PP280E-XI	24.5	134	1.3	6.87	10.17	159	600
Zoomlion	ZE260E	24.5	133	1.2	7.08	10.19	173	600
Hitachi	ZX225USRLC-6	24.5	122	0.8	6.62	9.99	158	600
Komatsu	PC240NLC-10	24.6	132	1.7	6.92	10.02	158	600
Komatsu	PC240NLC-11	24.7	132	1.7	6.92	10.02	n/s	600
JCB	JS240NLC	24.78	140	1.12	5.72	8.99	191	600
Shantui	SE240-9	24.8	150	1.2	n/s	n/s	n/s	n/s
Kobelco	SK 260 SRNLC 3	24.8	124	0.93	7.04	10.24	133	600
Hitachi	ZX250H-5G	24.8	132	1	6.96	10.11	188	600
Hitachi	ZX225USLC-6	24.9	122	0.8	6.62	9.99	158	600
Changlin	ZG3255LC-9	25	133	1.2	6.99	10.26	159	600
Sinomach	ZG3255LC-9C	25	135	1.2	n/s	n/s	162	n/s
Foton Lovol	FR260D	25.05	128	1.2	6.84	10.19	160	600
JCB	JS240LC	25.06	140	1.13	6.79	10.27	120	600
Caterpillar	323	25.1	121	1.3	6.73	9.87	140	790
Atlas	240 LC	25.1	129	1.16	6.13	9.92	161	600
Doosan	DX255NLC-3	25.1	138	1.28	6.8	10.34	125	600
Strong	GC258LC-8	25.1	133	1.2	6.91	10.05	167	600
Caterpillar	324E LN	25.13	151	1.4	6.81	10.11	137	600
Komatsu	PC240LC-10	25.2	132	1.89	6.92	10.02	158	600
Hyundai	R 260 NLC-9 A	25.2	140	1.5	7.55	10.87	194	600
Hitachi	ZX250K-5G	25.2	132	1	6.96	10.11	188	600
Sany	SY235CLC	25.22	145	n/s	6.76	10.65	175	800
JCB	JS260SC	25.24	140	1.46	5.72	8.99	191	600
Komatsu	PC238USLC-11	25.25	123	1.2	6.62	9.87	132	700

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Komatsu	PC240LC-11	25.3	132	1.89	6.92	10.02	n/s	600
Liebherr	R 926	25.3	120	0.8	6.85	9.7	103	600
Liebherr	R 926 Compact	25.3	120	0.8	6.85	9.7	103	600
Sany	SY235C	25.3	140	1.2	6.8	10.16	175	700
Hitachi	ZX 250 LC-5	25.3	132	n/s	6.19	9.66	188	600
Hitachi	ZX250LCH-5G	25.3	132	1	6.96	10.11	188	600
Doosan	DX255LC-5	25.4	141	1.17	6.31	9.45	169	600
John Deere	250G LC	25.46	140	n/s	6.5	10.75	189	800
John Deere	245G LC	25.5	119	n/s	6.62	9.9	158	800
Caterpillar	325F	25.5	122	1.19	6.71	9.79	106	600
Hyundai	HX 260 NL	25.5	190	1.8	5.84	9.55	156	600
Sinoway	SWE250LC	25.5	133	1.2	7.02	10.23	149	600
Sany	SY245H	25.5	147	1.3	6.71	10.22	170	800
Sany	SY265C	25.5	142	1.3	10.22	9.74	227	600
XCMG	XE265C	25.5	n/s	1.25	6.89	10.24	179	n/s
XGMA	XG825EL	25.5	132	1.2	6.94	n/s	170	600
Hitachi	ZX245USLC-6	25.5	119	0.7	6.62	10.11	114	700
Doosan	DX255NLC-5	25.54	137	1.1	6.67	10.17	128	n/s
Volvo	ECR235DL	25.6	128	n/s	6.71	10.1	142	600
Hyundai	HX 260 L	25.6	190	1.8	5.84	9.55	156	600
Hitachi	ZX240LC-5G Type H18	25.6	132	0.4	14.35	18.16	84	600
Caterpillar	325F L	25.63	117	0.81	6.71	9.79	150	600
Caterpillar	326F LN	25.66	152	1.33	6.36	9.69	166	600
Caterpillar	326F L	25.76	152	1.33	6.36	9.69	166	600
JCB	JS260NLC	25.78	140	1.35	5.72	8.99	191	600
Caterpillar	326D2	25.79	145	1.33	6.85	10.15	166	600
Case	CX235CSR	25.8	119	1.15	7.42	10.79	107	600
Hitachi	ZX250LCK-5G	25.8	132	1	6.96	10.11	188	600
JCB	JS260LR	25.85	140	0.49	5.72	8.99	191	600
Kobelco	SK 260 SRLC 3	26	124	0.93	6.99	10.36	133	600
Hitachi	ZX250LCN Type H15LD	26	132	0.75	10.96	14.94	84	600
Case	CX245D	26.1	119	1	6.37	9.52	142	600
Kobelco	SK 260 NLC 10	26.1	138	1.2	7.68	10.98	156	600
Hitachi	ZX250LC Type H15LD	26.1	132	0.75	10.96	14.94	84	600
Volvo	EC250ENL	26.2	159	n/s	6.59	9.96	171	600
Kobelco	SK 260 LC 10	26.2	138	1.2	7.68	10.98	156	600
Kobelco	SK 270 SRNLC 5	26.2	124	0.93	6.99	10.36	133	600
Hitachi	ZX250LC-6	26.2	132	1	6.96	10.11	188	600
Hitachi	ZX250LCN-6	26.2	132	1	6.96	10.11	188	600
Komatsu	PC240LC-10 SLF	26.26	n/s	0.57	13.41	16.76	n/s	700
Volvo	EC250EL	26.29	159	n/s	6.59	9.96	171	600
Caterpillar	326F L	26.3	151	1.4	n/s	n/s	n/s	600
Volvo	ECR235EL	26.44	129	0.63	6.35	9.51	125	700
Kobelco	SK 270 SRLC 5	26.5	124	0.93	6.99	10.36	133	600
Atlas	260 LC	26.6	129	1.16	6.13	9.92	161	600
Hitachi	ZX250LCN Type H18LD	26.7	132	0.4	14.19	18.14	84	600
Hitachi	ZX250LC Type H18LD	26.8	132	0.4	14.19	18.14	84	600
Kobelco	SK 210 D 10 CD	27	124	n/s	7.79	11.07	n/s	600
Kobelco	SK 260 NLC 10E	27.2	138	1.2	n/s	n/s	n/s	600
Doosan	DX255LC SLR	27.25	129	0.5	11.84	16.42	n/s	600
Strong	JCM927D	27.3	133	1.3	6.48	9.98	161	600
Kobelco	SK 260 LC 10E	27.3	138	1.2	n/s	n/s	n/s	600
Hitachi	ZX280-5G	27.4	132	1.1	7.22	10.52	202	600
Powerplus	PP300E-XII	27.5	134	1.4	6.81	10.17	159	600
Lishide	SC270.8LC	27.5	133	1.3	n/s	n/s	159	n/s
XCMG	XE260CLL	27.5	n/s	0.4	14.91	18.26	76.3	n/s
Case	CX245D SR	27.7	119	0.85	5.85	9.18	142	600
Hitachi	ZX250LCN-6 Type HE15LD	28.4	132	0.66	10.87	14.95	78	600
Hitachi	ZX280LC-5G	28.4	132	1.1	7.22	10.52	202	600
Hitachi	ZX250LC-6 Type HE15LD	28.5	132	0.66	10.87	14.95	78	600
Hitachi	ZX250LC-6 Type HE18 LD	28.6	132	0.4	12.76	18.1	74	600
Hitachi	ZX250LCN-6 Type HE18LD	28.6	132	0.4	12.76	18.1	74	600
Caterpillar	330D2	28.98	157	1.54	7.29	10.72	179	600
Sumitomo	SH300-5	29.1	154	1.1	6.57	10.22	175	600

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Hitachi	ZX 290 LC-5	29.1	140	1.65	7.22	10.71	144	600
SDLG	LG6300E	29.3	149	1.9	7.32	n/s	193	n/s
Hyundai	R 300 NLC-9 A	29.3	168	1.9	14.8	18.51	209	600
Hitachi	ZX280LC-5G Type H18	29.4	132	0.45	13.01	18.15	84	600
Caterpillar	329E LN	29.5	173	1.61	7.25	10.68	126	600
Volvo	EC300ENL	29.62	179	1.21	6.84	10.18	188	n/s
Volvo	EC300EEL	29.75	179	1.21	6.84	10.18	188	n/s
Tanguay	TG770	29.75	225	n/s	n/s	9.75	n/s	n/s
Tanguay	TG770HD	29.75	225	n/s	n/s	9.75	n/s	n/s
Caterpillar	330F L	29.77	178	1.33	6.7	10.2	180	600
Komatsu	PC290NLC-10	29.8	147	1.88	6.91	10.45	n/s	600
Komatsu	PC290NLC-11	29.85	147	1.88	6.91	10.45	n/s	600
Case	CX300D	29.9	154	1.1	7.1	10.49	175	600
Komatsu	PC290LC-10	29.9	147	2.02	6.91	10.45	n/s	600
Hitachi	ZX290LCN Type H18LD	29.9	132	0.5	13.73	18.13	84	600
Komatsu	PC290LC-11	29.95	147	2.02	6.91	10.45	n/s	600
Doosan	DX300LC SLR	30	147	0.64	13.78	17.52	n/s	600
Doosan	DX300LC-3	30	159	0.64	7.3	10.72	136	600
Doosan	DX300NLC-3	30	159	1.27	7.4	11.27	136	600
Hyundai	HX 300 NL	30	242	1.27	6.44	9.82	180	600
Lishide	SC300.8	30	198	1.4	7.04	10.76	208	n/s
Kobelco	SK 210 D 10 MD	30	124	n/s	7.79	11.07	n/s	600
Tanguay	TG360	30	n/s	n/s	n/s	9.3	n/s	n/s
Tanguay	TG365	30	n/s	n/s	n/s	9.14	n/s	n/s
Tanguay	TG370	30	n/s	n/s	n/s	9.3	n/s	n/s
Tanguay	TG375	30	n/s	n/s	n/s	9.14	n/s	n/s
Hitachi	ZX290LC Type H18LD	30	132	0.5	13.73	18.13	84	600
Hitachi	ZX300LCN-6	30	186	1.25	7.22	10.52	202	600
Hyundai	HX 300 L	30.2	242	1.27	6.44	9.82	180	600
Liebherr	LH 30 C Industry Litronic	30.2	140	n/s	2.4	14	n/s	600
Hitachi	ZX300LC-6	30.2	186	1.25	7.22	10.52	202	600
Komatsu	PC290LC-10 SLF	30.59	n/s	0.57	12.62	18.29	n/s	700
Beml	BE300LC	30.8	147	1.57	7.32	10.92	169	610
TRXBuild	JY630E	30.8	186	1.38	7.58	10.95	194	600
Doosan	DX300LC-5	30.9	202	1.27	7.3	10.53	188	600
Doosan	DX300NLC-5	30.9	202	1.27	7.3	10.72	137	n/s
Liebherr	R 936	30.9	160	1	6.45	10.1	143	600
Kato	HD1430V	31	183	1.4	7.45	11.18	235	600
Kobelco	SK 300 LC 10	31	200	1.2	6.9	10.95	183	600
Kobelco	SK 300 LC 10E	31	200	1.2	6.9	10.95	183	600
Kobelco	SK 300 NLC 10	31	200	1.2	6.9	10.95	183	600
Kobelco	SK 300 NLC 10E	31	200	1.2	6.9	10.95	183	600
JCB	JS260 XD	31.01	140	1.35	6.79	10.27	120	600
JCB	JS300NLC	31.01	180	1.9	6.48	9.87	247	600
JCB	JS300NLC XD	31.01	180	1.9	6.48	9.87	247	600
JCB	JS300 LC	31.14	165	1.61	7	10.6	148	600
JCB	JS330NLC ME	31.14	210	1.85	6.48	9.87	247	600
JCB	JS330NLC XD	31.14	210	1.9	6.48	9.87	247	600
Sinoway	SWE300LC	31.3	166	1.4	7.3	10.63	177	600
John Deere	300G LC	31.34	166	n/s	7.22	11.09	202	800
JCB	JS290 NLC	31.45	161	1.45	6.4	10	233	600
Volvo	EC250ELR	31.47	159	n/s	14	18.3	77.8	600
Volvo	EC300ELR	31.47	179	0.47	14.75	18.59	80.3	n/s
Hitachi	ZX330-5G	31.5	184	1.4	7.38	10.89	246	600
Liugong	CLG930EIV	31.8	156	1.6	7.3	10.45	203	0.6
Liugong	CLG933EIIIA	31.8	156	1.4	7.3	10.45	203	0.6
Doosan	DX300LC-5 SLR	31.8	202	0.64	13.78	17.39	99.64	800
Hidromek	HMK 300 LC	31.9	151	1.5	6.76	10.37	215	600
Kato	HD1430-7	32	205	1.4	7.45	9.86	224	600
Kato	HD1430LC-7	32	205	1.4	7.45	9.86	224	600
JCB	JS330 NLC	32.03	210	1.61	7.39	11.13	151	600
JCB	JS330 XD	32.03	210	1.61	7.93	11.13	152	600
Lishide	SC330.8	32.1	198	1.4	n/s	n/s	227	n/s
Hitachi	ZX330LC-5G	32.1	184	1.4	7.38	10.89	246	600

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
JCB	JS330 LC	32.23	210	1.61	6.3	10.17	209	600
XGMA	XG833EH	32.5	190	1.6	6.73	10.5	240	n/s
Changlin	ZG3335LC-9C	32.5	186	1.45	7.38	10.92	n/s	600
Case	CX290D SL	32.6	132	n/s	n/s	12.77	n/s	600
Hitachi	ZX300LCN-6 Type HE18LD	32.7	186	0.4	12.55	18.07	74	600
Case	CX290D MH	32.8	132	n/s	n/s	11.41	n/s	600
Hyundai	R 330 NLC-9 A	32.8	210	2.1	8.22	11.95	230	600
Sany	SY305H	32.8	212	1.4	7.41	11.05	220	600
Hitachi	ZX300LCN-6 Type HE15LD	32.8	186	0.7	10.62	15.63	84	600
Strong	JCM933D	32.9	186	1.4	7.34	10.89	168	700
Hitachi	ZX300LC-6 Type HE15LD	32.9	186	0.7	10.62	15.63	84	600
Hitachi	ZX300LC-6 Type HE18LD	32.9	186	0.4	12.55	18.07	74	600
Sennebogen	825 R	33	129	n/s	n/s	13	n/s	600
Strong	GC338LC-8	33	186	1.42	7.34	10.89	182	600
Rhino	REX330	33	n/s	n/s	7.37	10.91	248	600
Sinoway	SWE330LC	33	186	1.53	7.62	11.3	137	600
Hitachi	ZX330LC-5G Type H18	33	164	0.52	14.03	18.16	95	600
Hyundai	HX 300 L-HW	33.04	242	1.27	6.14	10.02	180	600
Link-Belt	250 X3 MH	33.1	n/s	n/s	3.61	11.41	n/s	600
Sunward	SWE 330 LC	33.2	183	1.4	3.13	6.59	210	n/s
JCB	JS330NLC	33.23	210	1.85	6.28	9.88	231	600
JCB	JS330LC LR	33.36	210	0.42	6.28	9.88	231	600
Sumitomo	SH330-5	33.4	202	1.4	6.73	10.67	229	600
Powerplus	PP350E-XI	33.5	201	1.5	7.37	11.1	227	600
Hitachi	ZX350H-5G	33.5	184	1.38	7.38	10.89	246	600
Foton Lovol	FR330D	33.6	190	1.5	7.34	11.07	223	600
XCMG	XE335C	33.8	n/s	1.4	6.97	10.65	263	n/s
XGMA	XG836i	33.8	212	1.6	6.98	10.7	231	600
Lonking	CDM6365H	34	197	1.6	7.07	n/s	n/s	600
Doosan	DX340LC-3	34	210	0.64	7.3	10.72	185	600
Sumitomo	SH330LC-5	34	202	1.4	6.73	10.67	229	600
Sinomach	ZG3365LC-9C	34	186	1.6	n/s	n/s	210	n/s
Hitachi	ZX350K-5G	34.1	184	1.4	7.38	10.89	246	600
Hitachi	ZX350LCH-5G	34.1	184	1.38	7.38	10.89	246	600
Volvo	ECR355EL	34.15	179	1.27	6.46	10.11	192	600
Lonking	CDM6365F	34.3	205	1.6	6.77	10.33	211	600
Zoomlion	ZE360E	34.3	198	1.6	7.11	11.07	219	600
Rhino	REX360	34.5	n/s	n/s	7.37	10.91	208	600
Case	CX350D	34.6	200	1.4	7.34	10.98	229	600
Hitachi	ZX350LCK-5G	34.7	184	1.4	7.38	10.89	246	600
Caterpillar	336 GC	34.8	194	1.88	7.52	11.05	192	600
Lishide	SC360.8	34.8	198	1.6	7.37	n/s	245	n/s
Doosan	DX340NLC-3	34.9	210	1.3	7.5	11.93	27	600
Volvo	ECR355E	35	179	n/s	6.96	10.63	192	n/s
Tanguay	TG970	35	225	n/s	n/s	9.98	n/s	n/s
Tanguay	TG975	35	225	n/s	n/s	8.69	n/s	n/s
XGMA	XG836FL	35	212	1.6	6.98	10.7	231	600
Hitachi	ZX330LC-5G H22	35.1	164	0.4	17.26	21.92	84	600
Hitachi	ZX350LCN-6	35.1	202	1.4	7.38	10.89	246	600
Hitachi	ZX350LC-6	35.2	202	1.4	7.38	10.89	246	600
Hitachi	ZX350LCN Type H18LD	35.3	202	0.6	13.89	17.94	87	600
Caterpillar	335F L	35.4	151	1.4	n/s	n/s	n/s	600
Hitachi	ZX350LC Type H18LD	35.4	202	0.6	13.89	17.94	87	600
Komatsu	PC360NLC-10	35.49	192	2.47	7.38	10.92	211	600
Atlas	340 LC	35.5	180	1.5	6.35	9.776	134	600
Sinoway	SWE360LC	35.5	186	1.6	7.34	10.9	224	600
Sany	SY335C	35.5	210	1.5	7.41	11.05	220	700
Komatsu	PC360LC-10	35.6	192	2.66	7.38	10.92	211	600
Sumitomo	SH350HD-5	35.6	202	1.4	6.73	10.67	229	600
Strong	GC378LC-8	35.7	186	1.62	7.24	10.84	213	600
Strong	JCM936D	35.7	186	1.6	7.3	10.89	207	600
Liugong	CLG939EIIIA	35.8	202	1.9	6.73	10.35	252	0.6
Komatsu	PC360NLC-11	35.8	192	2.47	7.38	10.92	211	600
Komatsu	PC360LC-11	35.9	192	2.66	7.38	10.92	211	600

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Komatsu	PC360LC-10 SLF	35.96	n/s	0.96	12.45	18.29	n/s	700
Hitachi	ZX350LCN Type H2OLD	36	202	0.52	16.05	20.35	78	600
Caterpillar	336D2 XE	36.1	208	n/s	7.51	11.05	211	600
Sumitomo	SH350LHD-5	36.1	202	1.4	6.73	10.67	229	600
Hitachi	ZX350LC Type H2OLD	36.1	202	0.52	16.05	20.35	78	600
John Deere	350G LC	36.13	202	n/s	5.62	11.67	246	800
JCB	JS370NLC ME	36.14	210	1.85	6.26	9.86	231	600
JCB	JS370NLC XD	36.14	210	1.85	6.26	9.86	231	600
Liugong	CLG936EIV	36.2	201	1.6	7.34	10.9	252	0.6
Doosan	DX340LC-5	36.2	213	1.49	7.53	10.97	243	600
Doosan	DX340NLC-5	36.2	n/s	1.49	7.53	11.17	189	n/s
Komatsu	PC360LCI-11	36.2	202	1.96	7.28	11.1	228	850
Sany	SY365C	36.2	205	1.5	11.07	10.13	274	600
Komatsu	HB365NLC-3	36.3	192	2.66	7.38	10.92	211	600
JCB	JS370LC LR	36.3	210	0.42	6.26	9.86	231	600
Kobelco	SK 350 NLC 10	36.3	213	1.6	8.41	11.97	225	600
Komatsu	HB365LC-3	36.4	192	2.66	7.38	10.92	211	600
Volvo	ECR355ENL	36.42	179	1.27	6.46	10.11	192	600
Powerplus	PP380E-XI	36.5	201	1.8	7.37	11.1	245	600
JCB	JS360 NLC	36.52	210	1.61	7.27	11.02	179	600
JCB	JS370 NLC	36.52	210	1.85	7.27	11.02	179	600
Doosan	DX350LC-5	36.58	198	0.81	7.3	11.24	213	800
Caterpillar	336	36.6	n/s	2.27	8.2	11.73	210	600
XCMG	XE370CA	36.6	n/s	1.8	6.93	10.47	242	n/s
John Deere	345G LC	36.65	186	n/s	6.92	9.62	202	800
JCB	JS360 LC	36.68	210	1.61	6.25	10.06	248	600
JCB	JS370 LC	36.69	210	1.84	7.27	11.02	179.6	600
Shantui	SE360-9	36.8	214	1.6	n/s	n/s	n/s	n/s
XCMG	XE370CB	36.8	n/s	1.8	6.89	10.72	263	n/s
Caterpillar	336D2 L XE	37	208	n/s	7.51	11.05	211	600
Caterpillar	336D2 L	37.09	208	1.88	7.51	11.05	211	600
Kobelco	SK 350 LC 10	37.6	213	1.6	7.2	11.35	180	600
Kobelco	SK 350 LC 10E	37.6	213	1.6	7.2	11.35	180	600
Kobelco	SK 350 NLC 10E	37.6	213	1.6	7.2	11.35	180	600
Hitachi	ZX350LCN-6 Type HE2OLD	37.6	164	0.45	14.91	20.15	74	600
SDLG	E6360F	37.7	n/s	1.9	n/s	n/s	236	n/s
Hitachi	ZX350LC-6 Type HE2OLD	37.7	164	0.45	14.91	20.15	74	600
SDLG	LG6360E	37.8	n/s	1.9	7.45	n/s	236	n/s
Hitachi	ZX350LCN-6 Type HE15LD	37.8	164	1	11.4	15.82	104	600
Case	CX370D	37.9	200	1.4	7.34	10.98	229	600
Hitachi	ZX350LC-6 Type HE15LD	37.9	164	1	11.4	15.82	104	600
Hitachi	ZX350LCN-6 Type HE18LD	37.9	164	0.7	13.06	18.02	89	600
Hitachi	ZX350LC-6 Type HE18LD	38	164	0.7	13.06	18.02	89	600
Caterpillar	336F L	38.1	234	2.28	7.09	10.71	212	600
Doosan	DX380LC-3	38.2	290	1.25	7.46	11.17	n/s	600
Hyundai	R 380 LC-9 A	38.2	231	2.3	11.2	15.28	249	600
Hitachi	ZX400LCH-5G	38.2	184	1.9	6.74	10.32	242	600
John Deere	380G LC	38.21	202	n/s	7.38	11.67	246	800
Caterpillar	336F L XE	38.4	235	1.4	n/s	n/s	n/s	600
Volvo	EC380ENL	38.86	229	n/s	6.75	10.45	243	600
Caterpillar	340D2 L	38.9	208	1.9	7.59	11.13	210	600
Hyundai	HX 380 L	38.92	236	1.46	6.56	10.3	192	600
Hyundai	HX 380 NL	38.92	236	1.46	6.56	10.3	192	600
Doosan	DX380NLC-3	39.2	213	2	7.5	11.93	185	600
Liebherr	R 946	39.2	220	1.75	7	10.85	201	600
Volvo	EC380EL	39.24	229	n/s	6.75	10.45	243	600
Hidromek	HMK 370 LC-HD	39.25	200	2	6.56	10.38	254	600
Lishide	SC400.8LC	39.8	216	1.9	7.02	10.75	256	n/s
SDLG	E6400F	40.05	n/s	2	n/s	n/s	236	n/s
Doosan	DX380LC-5	40.2	233	1.61	7.46	10.97	243	600
Doosan	DX380NLC-5	40.2	237	1.61	7.46	11.17	189	n/s
Komatsu	PC390LC-10 SLF	40.52	n/s	0.96	12.27	18.29	n/s	700
Caterpillar	336F	40.8	234	2.28	5.94	11.63	209	600
Liebherr	LH 40 C Industry Litronic	40.9	155	n/s	7.2	16	n/s	600


Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Caterpillar	340F L	41	234	2.28	6.86	10.67	210	600
Komatsu	PC390LC-1.1	41.02	202	2.22	7.26	11.1	228	700
Komatsu	PC390LCi-1.1	41.02	202	2.22	7.26	11.1	228	700
Doosan	DX420LC-3	41.9	367	1.68	7.74	11.49	193	600
Caterpillar	345 GC	42.2	258	2.41	7.2	11.29	235	600
Doosan	DX420LC-5	42.6	257	1.9	7.74	11.29	251	600
Doosan	DX420NLC-5	42.6	257	1.9	7.74	11.49	193	600
Caterpillar	340F LRE	43	317	0.93	13.05	18.08	140	600
Caterpillar	352F LRE	43	317	0.93	13.05	18.08	140	600
Sennebogen	830 R	43	151	0.8	n/s	17	n/s	600
Hyundai	R 430 LC-9 A	43.9	231	2.5	7.47	11.25	229	600
TRXBuild	JY644E	44	250	2	7.74	12.09	198	600
Kobelco	SK 350 D LC 10E	44	213	n/s	n/s	20.99	n/s	600
Kobelco	SK350DLC-10	44	213	n/s	n/s	20.99	n/s	600
Liebherr	R 950 SME	44.5	220	2.5	6.85	10.55	213	600
Strong	GC458LC-8	44.9	250	2	7.8	11.81	270	600
Liugong	CLG945EIII A	45.5	260	2.2	7.86	11.81	288	0.6
Sinoway	SWME460	45.5	280	2.2	7.86	11.81	268	600
Caterpillar	340F UHD	45.6	234	2.28	4.97	11.86	210	600
Hitachi	ZX470-5G	45.6	235	1.9	7.89	11.86	286	600
Rhino	REX450	45.8	n/s	n/s	7.81	11.81	n/s	700
Sumitomo	SH460HD-5	45.9	270	1.8	6.87	11.23	247	600
Foton Lovol	FR480E	46	250	2.1	7.76	11.97	290	600
XCMG	XE470C	46.1	n/s	2.5	7.34	11.63	284	n/s
XCMG	XE470CK	46.1	n/s	2.1	7.34	11.63	284	n/s
Kato	HD2045	46.2	235	2	7.76	12.08	276	600
XGMA	XG845EL	46.3	264	2.1	7.97	12.16	298	n/s
Hitachi	ZX470R-5G	46.4	235	1.9	7.9	11.86	296	600
Komatsu	PC490-1.1	46.47	268	2.76	7.75	11.81	n/s	600
Komatsu	PC490LC-1.1	46.47	268	2.76	7.75	11.81	n/s	600
Lishide	SC450.8LC	46.5	254	2.1	n/s	n/s	256	n/s
Lishide	ZS632	46.6	198	3.2	n/s	n/s	298	700
Sumitomo	SH480LHD-5	46.7	270	1.8	6.87	11.23	247	600
Hitachi	ZX470H-5G	46.7	235	1.9	7.9	11.86	296	600
SDLG	E6460F	46.8	n/s	2.1	n/s	n/s	276	n/s
Powerplus	PP500E-XI	46.8	257	2.3	7.81	12.02	276	600
Shantui	SE450-9	46.8	250	2.1	n/s	n/s	n/s	n/s
Hitachi	ZX470LC-5G	46.8	235	2.1	7.85	11.86	286	600
Link-Belt	380 X4 MH	47	n/s	n/s	5.21	15.18	n/s	750
Lishide	SC485.8LC	47	254	2.3	7.32	11.44	276	n/s
Strong	GC498LC-8	47.1	250	2.2	7.8	11.81	270	600
Sumitomo	SH480LHD-5 MASS	47.2	270	3	6.49	10.81	247	600
Changlin	ZG3465LC-9C	47.3	280	2.2	7.86	12.27	290	600
Hitachi	ZX470LCR-5G	47.6	235	1.9	7.86	11.86	296	600
Hitachi	ZX470LCH-5G	47.8	235	1.9	7.86	11.86	296	600
XCMG	XE490CK	47.9	n/s	2.8	6.93	11.27	288	n/s
XCMG	XE490CH	47.9	n/s	2.6	6.93	11.27	288	n/s
Komatsu	PC490LC-10	47.91	270	3.5	6.78	11.08	n/s	800
Volvo	EC480EL	47.96	283	n/s	6.59	10.93	285	600
Liugong	CLG950EIV	48	282	3.2	6.52	10.39	280	0.6
Hyundai	R 480 LC-9 A	48.1	277	3	11.6	16.35	317	600
Sumitomo	SH500LHD-5	48.1	270	1.8	6.72	11.23	247	600
XCMG	XE500CA	48.1	n/s	2.6	6.95	11.26	288	n/s
XCMG	XE500D	48.1	n/s	3.1	6.95	n/s	288	n/s
Hitachi	ZX470LCH-5B Type 14	48.1	270	1.15	10.23	14.33	238	600
Lonking	CDM6485H	48.2	269	2.2	7.07	11.77	258	600
Kobelco	SK 500 LC 9	48.4	271	1.9	8.4	12.61	244	600
Caterpillar	349F L	48.6	311	3.1	7.66	11.73	267	600
Sumitomo	SH500LHD-5 MASS	48.6	270	3	6.34	10.81	247	600
Komatsu	PC490LCi-1.1	48.92	270	3.17	7.75	12.03	275	700
Doosan	DX490LC-3	49	367	1.9	7.79	12.12	222	600
Doosan	DX490NLC-3	49	290	2.39	7.8	12.15	30.8	600
Kobelco	SK 400 D LC 10	49	213	n/s	n/s	24.74	n/s	600
Kobelco	SK 400 D LC 10E	49	213	n/s	n/s	24.74	n/s	600

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Caterpillar	349F L XE	49.11	317	3.1	8.21	12.15	268	600
Case	CX470C	49.3	270	2.4	7.55	12	229	600
Case	CX470D	49.3	270	2.1	7.55	12	229	600
Hitachi	ZX 470 LCH-5 G	49.3	270	1.9	5.79	10.25	295	750
Case	CX490D	49.4	270	2	7.57	11.72	247	600
Hitachi	ZX490LCH-6	49.4	270	2.1	7.77	11.84	296	600
Doosan	DX490LC-5	49.5	283	2.14	7.79	1186	284	600
Kobelco	SK 500 VLC 9	49.5	271	1.9	8.4	12.61	244	600
XGMA	XG848EL	49.5	264	2.6	6.27	10.38	298	n/s
Hitachi	ZX500LC-3F	49.5	260	2.1	7.69	11.82	278	600
Doosan	DX490NLC-5	49.7	283	2.4	7.79	12.12	222	600
Hitachi	ZX470LCH-5B Type 16	50.1	270	1.15	12.6	16.49	194	750
Komatsu	PC490LC-10 SLF	50.16	n/s	0.96	14.07	19.81	n/s	700
Hitachi	ZX 470 LC-5	50.26	270	1.9	7.28	11.4	252	750
Sany	SY500H	50.5	298	2.2	12.03	10.93	339	600
Caterpillar	352F	50.8	317	3.1	7.06	11.29	268	600
Case	CX500D ME	51	270	3	6.34	10.52	287	600
Hyundai	R 520 LC-9 A	51	277	3.2	11.4	16.28	319	600
Hidromek	HMK 490 LC-HD	51.15	260	3	6.47	10.77	279	600
Caterpillar	352F XE	51.22	317	3.1	7.06	11.29	268	600
John Deere	470G LC	51.22	274	n/s	7.28	12.28	286	900
Kobelco	SK 500 VLC 10	51.3	271	3.4	6.36	10.88	270	600
Kobelco	SK 500 LC 10	51.4	271	3.4	6.48	10.88	270	600
Caterpillar	349E L	51.5	313	n/s	n/s	n/s	n/s	600
Doosan	DX530NLC-5	51.6	283	2.86	6.75	10.73	253	600
Hitachi	ZX520LCH-3F	51.7	260	1.9	7.69	11.82	250	600
Doosan	DX530LC-3	52	394	4.16	7.79	12.12	253	600
Doosan	DX530NLC-3	52	245	3.2	7.8	12.15	253	600
Doosan	DX530LC-5	52.1	283	3.2	6.75	10.44	284	600
Doosan	DX530LC-5 SLR	52.1	283	0.92	15.13	19.45	140	600
Liebherr	R 956	52.2	240	2.35	7.15	11.1	248	600
Hyundai	HX 520 L	52.4	331	2.2	6.24	10.69	278	600
Hitachi	ZX470LCH-5B Type 20	52.4	270	0.8	12.67	20.2	144	750
Caterpillar	352F L XE	52.5	313	3.43	n/s	n/s	n/s	600
Hyundai	HX 520 HD	52.58	331	2.2	6.24	10.69	278	600
Hitachi	ZX530LCH-6	52.7	270	2.1	7.69	11.82	296	600
Sennebogen	835 R-HD	53.5	224	1	n/s	17	n/s	700
Liebherr	LH 50 C High Rise Industry Litronic	54.9	155	n/s	7.5	18	n/s	600
Sennebogen	840 R-HD	55	194	n/s	n/s	18	n/s	700
Komatsu	PC490LC-10MH	58.5	270	n/s	25	16.5	n/s	900
Liebherr	R 960 SME	60.7	250	3.25	7.45	11.25	288	600
Liebherr	LH 60 C Industry Litronic	62	190	n/s	6	20	n/s	600
Kobelco	SK 550 D LC 10	62.8	271	n/s	6.26	27.53	n/s	600
Komatsu	PC650LC-11	65.9	327	3.81	8.49	13.02	317	900
Komatsu	PC700LC-11	66.11	325	4.28	8.01	12.38	285	610
Sennebogen	850 R-HD	66.5	268	12	n/s	21	n/s	700
Hitachi	ZX670LC-5G	66.8	312	2.9	8.53	13	324	650
Sinoway	SWME700	68	336	3.5	6.9	11.58	363	650
XCMG	XE700C	68	n/s	3.8	n/s	n/s	n/s	n/s
Sumitomo	SH700LHD-5	68.1	345	2.9	7.87	12.87	317	650
Sumitomo	SH700LHD-5 Mass	68.2	345	4	7.18	11.75	365	650
Hitachi	ZX670LCH-5G	68.2	312	2.9	8.56	13.03	324	650
Hitachi	ZX670LCH-5B	68.4	345	2.9	8.56	13.03	324	650
Hitachi	ZX690LCH-6	68.7	345	2.9	8.56	13.03	324	650
XCMG	XE700D	69	n/s	4.6	6.95	n/s	363	n/s
Liebherr	R 966	69.25	320	4	7.15	11.6	308	600
Volvo	EC700CL	69.3	316	4.6	7.25	11.5	298	650
Hitachi	ZX670LCR-5G	69.3	312	2.9	8.56	13.03	324	650
Beml	BE700	69.5	309	4	8.07	11.8	297	610
Volvo	EC700CLD	69.8	316	4.6	7.25	11.5	298	650
Volvo	EC700CHR	69.8	316	4.6	7.25	11.5	298	650
John Deere	670G LC	69.9	345	n/s	8.53	13.61	324	900
Doosan	DX700LC	70	345	4.5	8.4	13.9	328	650
Rhino	REX700	70	n/s	n/s	7.18	11.44	328	700

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Zoomlion	ZE700ESP	70	354	4.1	4.69	3.94	388	750
Liugong	CLG970EIIIA	70.5	357	4.3	7.18	11.17	376	0.65
Caterpillar	374F L	71.16	362	2.9	8.58	13.17	358	650
Powerplus	PP800E-XI	71.2	359	4	7.19	11.75	365	650
Lishide	SC760LC.8	71.2	354	4	7.19	n/s	365	n/s
Case	CX750D	71.4	382	2.9	8.4	13.07	306	650
Case	CX750D ME	72	382	4	7.18	11.73	335	650
Sany	SY700H	72	310	4	7.15	11.37	356	750
Volvo	EC750E	72.8	374	4.4	7.21	11.46	362	650
Liebherr	LH 60 C High Rise Industry Litronic	75.8	190	n/s	11	21	n/s	757
Sany	SY750H	76.2	n/s	4.2	7.61	12.04	672	600
Sennebogen	860 R-HD	77	268	n/s	n/s	20	n/s	800
Liebherr	R 970 SME	77.5	330	4.5	7.2	11.65	358	600
Komatsu	PC800-8 EO	79.7	363	5.31	7.13	11.94	304	600
Liebherr	LH 80 C Industry Litronic	80	230	n/s	11	20.8	n/s	750
Sumitomo	SH800LHD-5	80.1	397	3.3	8.69	14.12	361	650
Sumitomo	SH800LHD-5 MASS	80.2	397	4.1	7.03	12.31	470	650
Hitachi	ZX870-5G	80.7	360	3.5	8.87	13.82	399	650
Komatsu	PC800LC-8 EO	81	363	5.6	8.44	13.4	n/s	710
Hyundai	R 800 LC-9 A	82.3	380	5.1	15.1	20.55	443	700
Hitachi	ZX870H-5G	82.3	360	3.5	8.87	13.82	402	650
Hitachi	ZX870LC-5G	82.4	360	3.5	8.87	13.82	399	650
Hitachi	ZX870LCH-5B	84.2	397	3.5	8.87	13.82	402	650
Hitachi	ZX870LCH-5G	84.2	360	3.5	8.87	13.82	402	650
Hitachi	ZX890LCH-6	84.8	382	3.5	8.87	13.82	n/s	650
John Deere	870G LC	85.6	382	n/s	8.87	14.64	399	900
Hitachi	ZX870LCR-5G	85.8	360	3.5	8.87	13.82	402	650
Liebherr	R 976	86.6	400	5.2	7.45	12.3	390	600
Hitachi	ZX870H-5 LD	86.9	397	5.2	4.97	10	324	650
Sennebogen	870 R-HD	87	300	1.8	n/s	20	n/s	700
XCMG	XE900C	87.1	395	6	7.25	12.33	480	n/s
Caterpillar	390F L	87.91	405	2.2	10.75	15.73	365	650
Sinoway	SWME900	88	395	4.5	7.25	12.33	480	650
XCMG	XE900D	89.6	n/s	6	7.25	n/s	480	n/s
Volvo	EC950E	90.02	n/s	n/s	7.12	n/s	n/s	650
Beml	BE1000E-1	95	n/s	4.3	9.3	15	333	710
Liebherr	LH 80 C High Rise Industry Litronic	95	230	n/s	8	22	n/s	750
Liebherr	R 980 SME	96.6	420	6.2	7.3	12.3	426	600
Liebherr	LH 110 C Industry Litronic	102	300	n/s	6	21.5	n/s	750
Liebherr	R 9100	108.5	565	6.8	7.15	13	404	600
Liebherr	R 9200	108.5	565	6.8	7.15	13	404	600
Liebherr	LH 110 C Port Litronic	109.9	300	n/s	11.7	24.5	n/s	750
Komatsu	PC1250-8	110.65	514	5.2	9.35	15.35	479	700
Liebherr	LH 110 C High Rise Industry Litronic	112	300	n/s	8.5	25	n/s	750
Liebherr	LH 80 C Gantry Industry Litronic	112.5	230	n/s	8.5	22	n/s	750
Hitachi	EX1200-6	114	552	6.5	4.78	11.5	709	700
Komatsu	PC1250LC-8	115.25	514	5.2	9.35	15.35	479	700
Komatsu	PC1250-11	115.9	n/s	5	10.44	16	422	700
Liebherr	LH 110 C High Rise Port Litronic	117.6	300	n/s	12.5	25.5	n/s	750
Hyundai	R 1200 LC-9 A	118	567	6.7	8	13.76	634	700
Zoomlion	ZE1250ESP	121.2	567	7	8.38	14.11	578	700
Zoomlion	ZE1250ESP	121.2	567	7	8.38	14.11	578	700
Sinoway	SWME1300	125	567	5	8.68	15.34	477	700
Komatsu	PC1250LC-8 MH	126.63	514	n/s	30	21.3	n/s	n/s
Liebherr	R 9150	128	565	n/s	8.1	13.65	530	600
Liebherr	LH 150 C Industry Litronic	138.4	400	n/s	12	26.5	n/s	1000
Caterpillar	6015B	140	556	8.1	7.9	13.9	501	700
Liebherr	LH 150 C Port Litronic	141.4	400	n/s	14.3	29.6	n/s	100
Liebherr	LH 150 C High Rise Industry Litronic	147.6	400	n/s	12	26.5	n/s	1000
Liebherr	LH 150 C High Rise Port Litronic	151.1	400	n/s	13.4	28.4	n/s	n/s
Beml	BE1600	160	302	10.1	10	16.04	571	810
Beml	BE1800E	170	n/s	10.5	10	16.04	571	810
Liebherr	LH 150 C Gantry Industry Litronic	171	400	n/s	10	26	n/s	1000
Liebherr	LH 150 C Gantry Port Litronic	178	400	n/s	12	30.8	n/s	1000

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Hitachi	EX1900-6	191	775	11	5.92	13.43	754	800
Komatsu	PC2000-8	200	n/s	15.54	9.24	15.78	626	810
Liebherr	R 9250	250	960	15	8.7	15.5	780	850
Hitachi	EX2600-6	252	1398	15	3.72	14.06	943	1000
Komatsu	PC3000-6	261	940	16	7.9	16.2	811	1200
Liebherr	R 9350	302	1120	18	9.5	16.3	880	850
Liebherr	R 9400	345	1250	22	9.5	16.3	1000	1000
Hitachi	EX3600-6	362	n/s	21	4.16	15.47	1166	1270
Komatsu	PC4000-6	397	1400	22	8	16.65	1050	1500
Caterpillar	6040F S	407	1516	17.1	2.6	15.4	1200	1200
Liebherr	R 995	441	1600	26.5	8.6	17.8	1150	1200
Hitachi	EX 5600-6	533	1119	27	8.8	20.2	2230	1400
Hitachi	EX5600-6	533	1398	29	4.8	17	1590	1400
Liebherr	R 996 B	672	2240	36	8.11	19	1500	1400
Liebherr	R 9800	800	2984	42	9	20.1	1760	1630
Hitachi	EX8000-6	825	n/s	40	4.1	18.5	2230	1850

Four events - stronger together



SAVE THE DATE

Three days of Rental and Access events

9-11 June 2020

MECC Maastricht, The Netherlands

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
YTO	WLY70	5.8	n/s	0.22	n/s	n/s	n/s	n/s
Volvo	EW60E	5.88	45	0.24	3.29	6.02	37.7	n/s
Sany	SY65W	5.92	43	0.21	3.49	6.06	45	2.55
XCMG	XE60W	5.93	n/s	0.23	5.83	3.52	42.8	n/s
RHINO	REX60W	5.98	45	0.25	2.86	5.78	58	n/s
Wacker Neuson	6503	6.04	43	n/s	n/s	n/s	n/s	n/s
Nante	NT65W	6.15	n/s	n/s	n/s	n/s	n/s	n/s
Mecalac	7 MWR	6.9	55	0.25	3	6.2	25	3.52
Zeppelin	ZM70	6.9	36.2	0.32	3.6	6.41	30.8	n/s
Wacker Neuson	EW 65	6.99	36.2	n/s	3.6	6.41	28	n/s
Yanmar	B 75 2PB	7.4	55.4	n/s	3.65	5.06	38	n/s
RHINO	REX74CW	7.4	45	0.2	2.99	5.78	53	n/s
Terex	TW 75	7.4	n/s	0.21	3.9	7.35	30	n/s
Nante	NT80W	7.5	n/s	n/s	n/s	n/s	n/s	n/s
RHINO	REX75W	7.5	51	0.26	3.45	5.67	60	n/s
Yanmar	B 75 Circular	7.6	55.4	n/s	3.43	5.05	38	n/s
Mecalac	9 MWR	7.9	55	0.31	3.5	6.7	28	3.56
Terex	TW 85	8.4	n/s	0.21	4	8	42.6	n/s
Yanmar	B 95 2PB	9.1	74.4	n/s	4.1	5.41	53.2	n/s
Yanmar	B 95 Circular	9.3	74.4	n/s	4.03	5.4	53.2	n/s
Yanmar	B 95 MB	9.5	74.4	n/s	3.89	4.06	53.2	n/s
Sinoway	SWEL80	9.5	75	0.35	3.93	6.5	58	n/s
Takeuchi	TB 295 W	9.5	70	0.25	n/s	7.5	n/s	n/s
Gallmac	TG 10	9.6	74.5	0.75	4.17	6.96	n/s	n/s
Mecalac	12 MTX	9.7	80	0.41	4.15	7.13	34	n/s
Wacker Neuson	EW 100	9.85	55	n/s	3.94	7.6	40.3	n/s
Mecalac	11 MWR	10	55	0.57	3.8	7.5	34	3.9
Komatsu	PW98MR-8	10	50.7	0.28	4.06	7.29	n/s	n/s
Takeuchi	TB 295W-1	10	85	0.25	7.7	7.5	n/s	n/s
Zeppelin	ZM100	10.1	55	0.46	3.95	7.61	n/s	n/s
Komatsu	PW98MR-10	10.15	50.7	0.28	4.06	7.86	n/s	n/s
Yanmar	B 110 PB	11	85	n/s	4.44	6.06	72	n/s
Terex	TW 110	11	n/s	0.36	4.32	8.3	58.5	n/s
JCB	Hydradig 110W	11.46	81	0.15	4.16	7.53	42.3	4.51
Gallmac	TG 12	11.5	81	0.8	4.37	7.48	n/s	n/s
Liebherr	A 910 Compact Litronic	12.3	85	0.33	3.95	8.15	44.8	n/s
Komatsu	PW118MR-8	12.31	72	0.4	4.18	7.65	n/s	n/s
Liebherr	A 912 Compact Litronic	12.5	80	0.33	4.35	8.55	51.3	n/s
POWERPLUS	PP130W-IX	12.5	93.2	0.45	4.51	7.58	80	n/s
Komatsu	PW148-8	13.22	86	0.86	4.46	7.74	80	n/s
Mecalac	15 MWR	13.3	100	0.77	4.8	8.9	62	4.4
Mecalac	714 MW e	13.3	90	0.63	4.55	8.3	55	n/s
Komatsu	PW118MR-11	13.45	66.1	0.4	4.18	7.65	n/s	n/s
POWERPLUS	PP150W-IX	13.5	93.2	0.6	4.46	7.59	85	n/s
Sany	SY155W	13.5	120	0.58	4.8	7.96	102	n/s
Caterpillar	M313D Mono	13.7	98	0.5	3.41	8.42	73	n/s
SDLG	LGW6150E	13.8	69	0.75	5.53	8.33	98.1	n/s
Hyundai	HW 140	13.88	117	0.23	4.65	7.75	87.3	n/s
Atlas	140 W	14	80	0.92	4.9	8.4	64	n/s
Caterpillar	M313D VAH	14.1	98	0.5	5.16	8.67	73	n/s
Hyundai	R 140 W 9 A	14.1	109	n/s	4.65	7.75	80.4	n/s
Komatsu	PW148-10	14.44	86	0.86	4.46	7.74	74	n/s
Caterpillar	M315F	14.47	112	0.68	5.46	8.7	103	6.3
Sany	SW405K	14.5	170	3	n/s	n/s	n/s	n/s
Gallmac	TG 14	14.6	93	0.9	4.5	7.95	n/s	n/s
Komatsu	PW160-8	14.91	90.7	1.13	4.93	8.62	n/s	n/s
Atlas	150 W	15	115	0.82	5.1	8.7	82	n/s
Doosan	DX140W-3	15	102	0.58	4.58	7.5	n/s	n/s
Sinoway	SWEL150	15	93	0.55	5.11	8.39	92	n/s
Volvo	EW140D	15.1	105	0.72	5.7	9.27	73	n/s
Caterpillar	M315D2	15.2	101	0.6	5.3	8.52	103	6.2
Hitachi	ZX 140 W 5	15.2	90.2	0.66	5.29	8.96	69	n/s
XCMG	XE150W	15.32	n/s	0.58	9.15	5.04	95	n/s
Caterpillar	M314F	15.32	105	0.53	5.03	8.28	103	6.2

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m ³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Case	WX148	15.55	90	0.55	5.80	8.8	91.3	n/s
Doosan	DX140W-5	15.6	102	0.59	4.49	7.38	99.6	6.4
Hidromek	HMK 140 W	15.9	84.7	0.6	5.04	8.19	106	n/s
Caterpillar	M315D Mono	15.9	98	0.56	5.39	8.9	81	n/s
Hitachi	ZX140W-3F	16	90.2	0.5	5.03	8.21	65	6.8
Liebherr	A 914 Litronic	16.05	105	0.5	5.55	8.9	68.8	n/s
Hydrema	MX 14	16.1	119	n/s	5.28	9.16	79	n/s
Komatsu	PW180-7E0	16.14	109	1.13	5.32	8.88	95	n/s
Doosan	DX160W-5	16.15	102	0.59	5.02	8.04	99.6	6.4
Doosan	DX160W-3	16.24	102	0.51	5.02	8.24	98	n/s
Komatsu	PW160-10	16.28	110	1.13	4.93	8.62	95	n/s
Caterpillar	M315D VAH	16.3	98	0.56	5.59	9.1	81	n/s
Powerplus	PP180W-IX	16.3	93.2	0.65	5.04	8.4	85	n/s
Liebherr	A 914 Compact Litronic	16.35	105	0.5	5.35	8.55	73.7	n/s
Atlas	160 W	16.4	95	0.92	5.1	8.7	82	n/s
Hitachi	ZX140W-6	16.5	100	0.5	5.52	8.69	104	6.8
Doosan	DX165W-5	16.6	102	0.64	5.02	8.04	n/s	6.4
Hydrema	MX 16	16.7	122	n/s	5.91	9.82	82	n/s
JCB	JS145W	16.8	93	0.34	4.78	7.75	75.7	6.06
Hitachi	ZX145W-6	16.8	100	0.5	5.52	8.69	104	6.8
Caterpillar	M316F	16.88	105	0.8	5.41	8.73	114	6.3
Sennebogen	818 M	16.9	97	n/s	n/s	9	n/s	n/s
Atlas	160 W-SR	17	115	1.12	5.1	8.85	82	n/s
Liebherr	A 916 Litronic	17	110	0.6	5.8	9.25	69	n/s
Sany	SYL956H5	17.1	164	4	30	1.14	167	5.85
Sennebogen	817M E	17.2	92	n/s	n/s	9	n/s	n/s
Volvo	EW160D	17.2	115	0.76	6.2	9.8	n/s	n/s
Volvo	EW160E	17.25	112	0.76	5.13	8.6	126	n/s
JCB	JS160W	17.26	93	0.34	5.68	8.39	102	6.06
Case	WX168	17.37	105	0.63	5.84	9.43	113	n/s
Volvo	EWR150E	17.4	105	n/s	4.61	7.98	108	n/s
JCB	JS175W	17.5	129	0.34	5.68	8.39	102	6.56
Caterpillar	M317D2	17.5	101	0.83	6.09	9.36	114	6.3
Doosan	DX170W	17.7	103	0.66	6.23	9.5	n/s	n/s
Komatsu	PW180-10	17.7	116	1.13	5.32	8.88	115	n/s
Hitachi	ZX170W-5	17.7	122	0.82	5.72	9.45	85	n/s
Doosan	DX170W-5	17.7	110	0.66	5.32	8.7	115	7.7
Caterpillar	M318F	17.93	126	0.91	5.39	8.73	114	6.4
Atlas	180 MH	18	115	0.8	3.25	10.25	n/s	n/s
Liebherr	A 918 Litronic	18	120	0.8	5.65	9.15	81	n/s
Hitachi	ZX170W-3F	18	107	0.6	5.33	8.87	102	6.65
Hyundai	R 180 W 9 A	18.4	167	n/s	5.5	8.82	91	n/s
Liebherr	A 918 Compact Litronic	18.55	115	0.6	5.8	9.1	81	n/s
Caterpillar	M317F	18.55	112	0.8	5.69	8.87	92	6.4
Hitachi	ZX170W-6	18.6	122	0.6	5.83	9.33	108	6.65
Case	WX188	18.7	118	0.9	5.8	9.6	125	n/s
Atlas	1404 ZW	19	115	0.8	5.1	8.25	73	n/s
Hitachi	ZX190W-3F	19	122	0.7	5.83	9.4	116	6.8
Volvo	EW180D	19.1	129	0.87	6.3	9.84	n/s	n/s
Volvo	EWR170E	19.2	112	n/s	5.19	8.78	126	n/s
Caterpillar	M318D VAH	19.2	124	1.03	5.75	9.18	102	n/s
Hitachi	ZX190W-5	19.2	122	1.2	5.64	9.24	97	n/s
Hydrema	MX 18	19.3	122	n/s	6.33	10.22	97	n/s
Caterpillar	M320F	19.52	126	0.98	5.98	9.3	137	6.4
Doosan	DX190W-3	19.7	129	0.8	5.73	9.23	128	7
Liebherr	A 920 Litronic	19.7	129	0.8	6.6	9.95	96.6	n/s
Doosan	DX190W-5	19.8	125	0.8	5.73	9.05	130	7
Volvo	EW180E	19.9	129	0.87	5.54	9.4	136	n/s
Atlas	190 W	20	116	0.93	5.30	8.9	98	n/s
Atlas	200 MH	20	95	1	3.25	10.25	n/s	n/s
Caterpillar	M320D2	20	123	0.91	6.28	9.45	136	6.4
Powerplus	PP210W-X	20	130	0.9	5.74	9.45	90	n/s
Sinoway	SWEL190	20	129	0.8	5.97	8.86	120	n/s
Hitachi	ZX190W-6	20	122	0.7	5.83	9.4	123	6.8

Manufacturer	Model	Weight (t)	Engine	Bucket	Dredging	Max. Reach	Tear-Out	Track
			Power (kW)	Capacity (m³)	Depth (m)	Horizontal (m)	Force (kN)	Width (mm)
Hitachi	ZX210W-3F	20	122	0.8	6.29	9.96	151	7.2
Case	WX218	20.45	129	1.09	5.8	9.82	156	n/s
Hyundai	R 210 W 9 A	20.5	129	n/s	6.38	7.16	152	n/s
Doosan	DX210W	20.6	119	1.05	6.25	10	n/s	n/s
Caterpillar	M322D Mono	20.6	123	1.08	5.77	9.89	123	n/s
Rhino	REX210W	20.6	n/s	1	n/s	9.59	114	n/s
JCB	JS20MH	20.72	93	n/s	n/s	8.81	n/s	n/s
Caterpillar	M322D VAH	21	123	1.08	5.99	9.77	123	n/s
Sinoway	SWEL210	21	129	0.9	6.17	9.36	120	n/s
Volvo	EW210D	21.1	129	0.9	6.6	10	n/s	n/s
XCMG	XE210W	21.14	n/s	0.86	10.58	5.76	115	n/s
Hyundai	HW 210-9 A	21.2	136	0.8	5.48	9.11	151	n/s
Liebherr	A 922 Rail Litronic	21.35	110	0.6	5.45	8.75	81	n/s
Sennebogen	718M E	21.4	97	n/s	n/s	13	n/s	n/s
Doosan	DX210W-5	21.43	141	0.86	6.16	9.79	151	7.2
Sennebogen	818 R	21.5	97	0.45	n/s	11	n/s	n/s
Komatsu	PW200-7E0	21.87	118	1.2	5.4	9.88	148	n/s
Liebherr	LH 22 M Industry Litronic	21.9	105	n/s	3.1	10.4	n/s	n/s
Atlas	1604 ZW	22	115	0.9	4.45	5.2	112	n/s
Atlas	180 W-SR	22	115	1.12	5.7	8.9	92	n/s
Sennebogen	723 M-HD	22	112	n/s	5.9	9	n/s	n/s
Sennebogen	821 M	22	97	0.6	n/s	12	n/s	n/s
Hidromek	HMK 200 W	22.15	120	0.9	5.79	9.39	168	n/s
Volvo	EW220E	22.18	129	1	6.31	10.15	132	n/s
Caterpillar	M322D2	22.5	122	1.19	6.68	10.32	152	6.8
Caterpillar	MH3022	22.67	126	n/s	1.66	9.33	n/s	n/s
Atlas	220 W	22.8	129	1.14	6.5	10.25	110	n/s
JCB	JS200W	23.2	129	0.4	5.26	8.87	115	7.23
Liebherr	A 924 Rail Litronic	23.25	110	0.65	4.8	8.3	102	n/s
Hitachi	ZX220W-5B	23.3	122	0.8	6.31	10.07	158	7.3
Caterpillar	M323F	23.9	112	0.8	5.61	9.09	114	6.3
Liebherr	A 924 Litronic	24	140	1.15	7.05	10.6	127	n/s
Caterpillar	MH3024	24.07	126	n/s	1.49	10.35	n/s	n/s
Liebherr	LH 24 M Industry Litronic	24.2	110	n/s	4.8	11	n/s	n/s
Caterpillar	M322D MH	24.7	123	1.08	n/s	n/s	123	n/s
Atlas	250 MH	25	116	1	7.04	12.65	n/s	n/s
Tanguay	WL150	25	123	n/s	n/s	12.19	n/s	n/s
Caterpillar	MH3026	25.22	126	n/s	1.82	11.44	n/s	n/s
Liebherr	LH 26 M Industry Litronic	25.6	115	n/s	6.9	12.5	n/s	n/s
Atlas	270 MH	27	129	1.8	7.88	11.94	n/s	n/s
Liebherr	A 928 Litronic	27	155	1.15	7.8	10.05	139	n/s
Liebherr	A 924 Litronic Heavy Lift	27.25	160	1.35	7.05	10.6	148	n/s
Sennebogen	825 M	27.9	129	0.6	n/s	n/s	n/s	n/s
Liebherr	LH 30 M Industry Litronic	29.1	140	n/s	3.3	11.7	n/s	n/s
Liebherr	LH 35 M Timber Litronic	29.6	150	n/s	5.3	11.8	n/s	n/s
Sennebogen	730 M-HD	30	148	n/s	n/s	11	n/s	n/s
Caterpillar	M325D MH	30	140	n/s	3.11	13.67	n/s	n/s
Liebherr	LH 35 M Industry Litronic	31.9	140	n/s	3.3	12.7	n/s	n/s
Tanguay	WL350	33.57	164	n/s	n/s	13.1	n/s	n/s
Atlas	350 MH	35	180	1.8	7.85	14.8	n/s	n/s
Caterpillar	M325D L MH	36	140	n/s	4.37	14.34	n/s	n/s
Sennebogen	830 M	37	151	0.6	n/s	17	n/s	n/s
Sennebogen	735 M-HD	38.5	186	n/s	n/s	12.5	n/s	n/s
Liebherr	LH 40 M Industry Litronic	38.7	155	n/s	6.5	14.5	n/s	n/s
Caterpillar	MH 3037	39.5	168	n/s	4.9	15.9	n/s	n/s
Liebherr	LH 50 M Timber Litronic	40.3	170	n/s	4	12.4	n/s	n/s
Liebherr	LH 50 M Industry Litronic	43.5	155	n/s	7.1	16.7	n/s	n/s
Sennebogen	835 M	44	194	n/s	n/s	17	n/s	n/s
Liebherr	LH 60 M Timber Litronic	44.8	200	n/s	4	13	n/s	n/s
Link-Belt	360 X2 RT MH	45	202	n/s	6.43	17	n/s	n/s
Liebherr	LH 50 M High Rise Industry Litronic	46.9	155	n/s	11.2	19	n/s	n/s
Atlas	520 MH	52	216	2.5	8.4	16	n/s	n/s
Sennebogen	840 M	52	194	n/s	n/s	18	n/s	n/s
Sennebogen	850 M	61	242	1.2	n/s	21	n/s	n/s

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Dredging Depth (m)	Max. Reach Horizontal (m)	Tear-Out Force (kN)	Track Width (mm)
Liebherr	LH 60 M Industry Litronic	61	190	n/s	10	20.5	n/s	n/s
Sennebogen	870 M	66	313	1.4	5.3	20	n/s	n/s
Sennebogen	860 M	71	268	n/s	n/s	20	n/s	n/s
Liebherr	LH 60 M High Rise Industry Litronic	72.6	190	n/s	11	21	n/s	n/s
Liebherr	LH 80 M Industry Litronic	76.5	230	n/s	4.7	18	n/s	n/s
Liebherr	LH 80 M High Rise Industry Litronic	91.8	230	n/s	7.5	21	n/s	n/s
Liebherr	LH 110 M Industry Litronic	98.5	300	n/s	7	23	n/s	n/s
Liebherr	LH 110 M Port Litronic	104	300	n/s	12.3	26	n/s	n/s
Liebherr	LH 110 M High Rise Industry Litronic	107.5	300	n/s	6.7	25.7	n/s	n/s
Liebherr	LH 110 M High Rise Port Litronic	112	300	n/s	12.3	26.5	n/s	n/s
Liebherr	LH 150 M Industry Litronic	148	400	n/s	12	29	n/s	n/s
Liebherr	LH 150 M Port Litronic	150.6	400	n/s	12.3	25.5	n/s	n/s
Liebherr	LH 150 M High Rise Port Litronic	162.8	400	n/s	13.5	29.5	n/s	n/s
Sennebogen	875 M	165	n/s	n/s	n/s	27	n/s	n/s
Liebherr	LH 150 M High Rise Industry Litronic	171.7	400	n/s	10	27	n/s	n/s
Volvo	EW240E MH	n/s	126	n/s	n/s	n/s	n/s	n/s
Terex-Fuchs	MHL335 F	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Komatsu	PW148-11	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Komatsu	PW160-11	n/s	n/s	n/s	n/s	n/s	n/s	n/s
Komatsu	PW180-11	n/s	n/s	n/s	n/s	n/s	n/s	n/s

APEX 2020
10th EDITION
MAASTRICHT
9 - 11 JUNE

Landmark event for the global aerial platform industry

Back to where it all began: MECC Maastricht to host 10th edition

LET'S START PLANNING NOW!
APEX 2020 offers your business excellent exposure to a highly targeted audience.
SECURE YOUR STAND SPACE TODAY!

Visit apexshow.com and click on **'Book your stand space now'**

Sponsored by: **access INTERNATIONAL**

Supported by: **IPAF** **khl**

Maastricht

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Max Discharge Height (m)	Dedging Depth (m)	Tear-Out Force (kN)	Max Reach Horizontal (m)
JCB	1CX HF	2.85	37.5	0.32	2.1	2.55	21.4	3.38
YTO	WZ30-05	3	37	0.28	2.66	2.2	n/s	4.2
JCB	1CX	3.16	36.3	0.32	2.1	2.55	23	3.38
Venieri	1.33 B-MT	3.3	40	0.4	n/s	2.65	3.49	2.68
Eurocomach	E 245 K	3.8	35.6	0.45	2.28	3	36	n/s
Hidromek	HMK 62 SS	3.8	44	0.35	2.4	2.75	28.27	3.61
Palazzani	PB 130	3.8	32.5	0.5	1.9	2.8	36.5	3.55
YTO	WZ3.5-60X	4.19	n/s	0.66	2.7	2.9	n/s	4.5
JCB	Midi CX	4.2	37.3	0.45	2.1	3.05	20.23	3.72
JCB	1CXT	4.26	36.3	0.28	2.1	2.55	23	3.38
Palazzani	PB 50	5.5	55	0.75	4.25	3.65	51.4	4.35
Palazzani	PB 50.2	5.5	55	0.75	2.9	3.65	50.37	4.25
Eurocomach	E 265	5.9	52	0.75	2.53	3.3	41.5	n/s
JCB	3 CX	6.07	55	n/s	2.93	3.07	60.5	3.99
Palazzani	PB 60	6.2	75	0.8	4.5	4.2	65	4.70
John Deere	310L EP	6.27	51	0.77	2.74	4.3	41.6	5.42
JCB	2CX SM	6.3	n/s	0.6	2.09	3.05	61.06	3.98
Palazzani	PB 70	6.35	75	1	4.50	4.2	65	4.70
Caterpillar	415F2 IL	6.37	55	0.76	2.82	4.35	59.1	5.61
John Deere	310L	6.65	69	0.77	2.74	4.3	41.6	5.42
Bull	SMART 60 BHL	6.72	n/s	1	2.96	3.56	70.39	5.10
Caterpillar	416E	6.79	58	0.76	2.65	4.36	40.9	5.62
Gehl	BL 818	6.89	n/s	1	2.71	4.74	46.64	5.73
Terex	TX 760 B	6.89	70	1	5.7	4.5	46.64	3.50
Caterpillar	415F2	6.9	55	0.76	2.82	4.35	47.9	5.61
RHINO	RBH65	7	60	1	2.55	3.8	n/s	n/s
Sinoway	SWB30-25F	7	74.5	1	3.55	4.44	59.6	5.44
John Deere	310SL	7.2	75	0.86	2.62	4.34	49.1	5.52
Belarus	EP - 491	7.2	n/s	0.5	2.8	n/s	n/s	n/s
RHINO	RBH70	7.2	60	1	2.51	4.59	n/s	2.01
Caterpillar	416F2	7.21	65	0.76	2.82	4.35	47.9	5.61
Mecalac	TLB830	7.22	n/s	1	3.4	5.44	46	6.67
XCMG	XT870	7.3	74	n/s	2.83	4.5	42	n/s
Mecalac	TLB840R	7.32	55.4	1	3.15	4.41	46	5.70
Venieri	6.23 B	7.4	65	1	3.1	4.3	45	5.67
POWERPLUS	PBL300S	7.4	n/s	1	2.71	4.34	n/s	5.48
XGMA	XG765E	7.4	74.5	0.9	2.68	n/s	42	n/s
Gehl	BL 740S	7.5	n/s	1	2.71	4.74	46.64	5.73
Gehl	BL 818S	7.5	n/s	1	2.71	4.74	46.64	5.73
Gehl	BL 844	7.5	n/s	1	2.71	4.74	46.64	5.73
Gehl	BL 844S	7.5	n/s	1	2.71	4.74	46.64	5.73
Komatsu	WB93R-5E0	7.5	74	1.03	2.7	4.5	63.83	5.75
Caterpillar	422F2	7.53	56.5	1	2.69	4.24	46.2	5.65
Mahindra	EarthMaster VX	7.58	n/s	1.1	2.72	4.89	61.22	n/s
Changlin	630A	7.6	n/s	1	2.71	4.41	60	5.48
BEML	BL9H	7.6	57	1	2.61	4.59	54.5	5.94
POWERPLUS	PBL380S	7.6	n/s	1	2.71	4.41	n/s	5.48
Komatsu	WB97R-5E0	7.6	74	1.03	2.7	4.8	63.83	6
XCMG	XC870K	7.6	82	n/s	2.77	4.43	n/s	n/s
Mecalac	TLB870	7.7	70	1	3.37	5.74	46	7
Caterpillar	424B	7.7	57	1.1	2.63	4.85	38.9	5.64
SDLG	B876F	7.7	n/s	1	n/s	4.30	n/s	5.39
Caterpillar	420F2	7.73	69	0.96	2.68	4.36	49.8	5.61
Caterpillar	420F2 IT	7.73	69	0.96	2.68	4.36	49.8	5.61
Caterpillar	430F2	7.78	80	0.96	2.75	4.69	49.8	6.04
Caterpillar	430F2 IT	7.78	80	0.96	2.68	4.69	49.8	6.04
Bull	HD76 4WD	7.85	51	1.1	2.93	4.6	80.25	5.50
Changlin	630	7.9	82	1	2.71	4.41	60	5.48
Terex	TLB 840	7.9	70	1	3.47	4.37	n/s	5.73
Mecalac	TLB840	7.9	70	1	3.47	4.37	46	5.73
John Deere	315SL	7.96	75	0.77	2.71	4.17	48.3	5.44
Caterpillar	424B2	7.99	68.5	1.05	2.73	4.71	54.46	5.61
Caterpillar	426F2	7.99	68.5	1.05	2.73	4.71	54.46	5.61
JCB	3CX SM	8	68.5	1	2.74	5.97	31.63	6.52

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Max Discharge Height (m)	Dedging Depth (m)	Tear-Out Force (kN)	Max Reach Horizontal (m)
SDLG	B877F	8	n/s	1	n/s	5.34	n/s	6.33
Powerplus	PBL400S	8	82	1	2.71	4.37	n/s	5.39
Powerplus	PBL480S	8	82	1	3.51	4.37	n/s	5.39
Komatsu	WB97S-5EO	8	74	1.03	2.7	4.7	63.83	6
Bell	315SL	8.04	72	1	2.68	4.13	55	5.44
John Deere	410L	8.07	84	1	2.68	4.83	47.3	6.02
Liugong	CLG766A	8.1	72	1	0.71	4.44	59.6	5.44
Caterpillar	427F2	8.11	55	1.03	2.8	4.28	54.8	5.65
Case	590ST T4	8.12	82	1	n/s	4.67	40.62	n/s
Komatsu	WB93R-8	8.13	74	n/s	3.76	4.54	n/s	5.75
Bull	HD96 4WD	8.15	n/s	1.1	2.96	4.6	80.25	5.5
Terex	TLB 890	8.15	74.5	1	3.58	4.5	n/s	5.7
JCB	4CX	8.18	81	1.2	2.69	4.32	61.06	5.4
Terex	970 elite	8.2	75	1.2	3.6	4.43	n/s	5.7
Bull	HD100 4WD	8.2	n/s	1.2	2.96	4.6	86.23	5.5
Komatsu	WB93S-5EO	8.2	74	1.03	2.7	4.5	63.83	5.75
XCMG	XCB70HK	8.2	82	n/s	2.77	4.32	n/s	n/s
Mecalac	TLB850	8.23	70	1	3.37	4.37	46.5	5.7
John Deere	310SL HL	8.27	82	0.86	2.73	4.51	49.4	5.62
Liugong	CLG765A	8.3	72	1	0.71	4.44	59.6	5.44
Foton Lovol	FLB468-II	8.3	69	1	2.66	4.45	n/s	5.47
JCB	3CX Eco	8.4	81	1	2.64	4.37	53.3	5.4
Venieri	8.23 F	8.4	78	1.4	3.4	4.6	69	8
Liugong	CLG777A	8.4	72	1	0.71	4.44	59.6	5.44
Palazzani	PB 80	8.4	77	1.1	5.25	4.8	75	5.3
Palazzani	PB 90	8.4	77	1.1	5.25	4.8	75	5.3
Sinoway	SWBC30-25F	8.4	74.5	1	3.68	4.44	59.6	5.44
XCMG	XT860	8.4	n/s	n/s	2.57	4.5	n/s	n/s
XCMG	XT876	8.4	n/s	n/s	2.83	4.1	n/s	n/s
Caterpillar	428F2	8.43	70	1.03	2.8	4.28	54.8	5.65
Foton Lovol	FLB468-II	8.46	70	1	2.66	4.35	n/s	5.39
Terex	980 elite	8.5	75	1.2	3.6	4.43	n/s	5.7
BEML	BL120H	8.5	74	1.2	2.8	4.73	61	6.1
JCB	4CX SM	8.58	81	1	2.69	4.32	52.8	5.4
Liugong	CLG775A	8.6	72	1	0.71	4.44	59.6	5.44
JCB	4 CX SM	8.66	74	1.1	2.69	5.88	61.06	6.54
Case	580ST	8.67	72	1	2.69	4.37	40.62	5.23
Palazzani	PB 180	8.7	83	1.2	6.41	4.6	69	n/s
Mecalac	TLB990	8.77	74.5	1.2	3.43	5.64	51.1	6.95
Mecalac	TLB890	8.78	74.5	1.2	3.37	5.7	51.1	6.95
Venieri	10.33 B	8.8	75	1.2	3.52	4.8	54	6.13
Venieri	10.33 C	8.8	78	1.2	3.52	4.8	91	6.13
New Holland	B110C TC	8.8	82	1	4.5	5.76	59	6.5
SDLG	B877	8.8	n/s	1	2.72	4.33	n/s	6.31
Case	695ST T 4	8.84	82	1.2	n/s	n/s	40.62	n/s
JCB	4CN	8.85	81	1.2	2.69	4.85	61.06	5.93
Dressta	9.50 M	8.9	74	2.3	2.7	6.01	69.1	n/s
Venieri	10.23 C	9	86	1.3	3.5	5	57	6.25
Venieri	8.23 E	9	75	1.4	3.2	4.5	45	5.78
Caterpillar	432F2	9.1	74.5	1.03	2.63	4.28	54.8	5.63
New Holland	B115C TC	9.1	82	1.2	4.75	5.76	59	6.5
Hydrema	H 908 E-ESD	9.1	86	1.4	2.93	5.33	73	6.5
Hidromek	HMK 102 B Alpha	9.1	74.5	1.1	4.74	5.63	70.69	6.85
Hydrema	H 906 E-ESD	9.2	86	1.4	2.93	4.81	73	6.17
Caterpillar	434F2	9.26	74	1.15	2.75	4.35	61.3	5.66
Case	590ST	9.4	82	1	2.69	4.67	40.62	5.5
Hydrema	H 928 E-ESD	9.4	104	1.7	2.85	5.33	85	6.5
Palazzani	PB 190	9.4	83	1.4	6.41	5	76.5	n/s
Case	695ST	9.43	82	1.2	2.75	4.60	40.62	5.19
Hydrema	H 926 E-ESD	9.5	104	1.7	2.85	4.75	85	6.25
Hidromek	HMK 102 B Supra	9.5	74.5	1.1	4.74	5.63	70.69	6.85
XCMG	WZ30-25	9.5	n/s	n/s	2.65	4.4	n/s	n/s
Hidromek	HMK 102 S Alpha	9.55	74.5	1.1	4.68	5.7	70.69	6.85
Caterpillar	444F2	9.61	74	1.3	2.79	4.33	61.2	5.65

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Max Discharge Height (m)	Dedging Depth (m)	Tear-Out Force (kN)	Max Reach Horizontal (m)
Volvo	BL 71 B	9.8	73	0.2	2.61	4.29	62.4	5.36
Hidromek	HMK 102 S Supra	9.8	74.5	1.2	4.68	5.70	65.13	6.85
Venieri	10.23 D	9.9	78	1.3	3.6	5	97	7.1
JCB	5CX	10.6	81	1	2.69	6.51	61.06	7.1
Caterpillar	450F	10.95	95	1.34	2.67	5.26	50.6	6.7
Caterpillar	420F	11	70	0.96	2.75	4.36	51.1	5.61
Caterpillar	420F IT	11	70	0.96	2.71	4.36	51.1	5.61
Caterpillar	430F	11	70	1	2.75	4.70	49.8	6.04
Caterpillar	430F IT	11	70	1	2.68	4.70	49.8	6.04
John Deere	710L	11.61	110	1.24	2.89	5.26	73.6	6.84
Huddig	1260 D	12.5	116	2	3.50	5	103	6.5
Huddig	1260 C	14.2	116	2	3.50	5	103	6.5
Sinomach	630	n/s	82	1	2.71	4.41	n/s	5.48
Sinomach	620CH	n/s	n/s	1	2.71	4.37	n/s	5.39
Sinomach	630A	n/s	n/s	1	2.71	4.41	n/s	5.48
Mahindra	EarthMaster SX	n/s	n/s	1.1	2.72	4.89	61.22	n/s

INTERNATIONAL rental CONFERENCE ASIA

SAVE THE DATE
22 OCTOBER 2019
 SHANGHAI, CHINA

NOW IN ITS
7th
 YEAR

The International Rental Conference (IRC) is a one-day event dedicated to the equipment rental industry in China and wider Asia.

For more information visit
www.khl-irc.com

GOLD SPONSOR



SUPPORTED BY



HELD THE DAY BEFORE



SILVER SPONSOR



RECEPTION SPONSOR



CREATED BY



Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Track	Standard Tyres
			Power (kW)	Capacity (m)	Height (m)	Force (kN)	Speed (km/h)	Width (mm)	
Giant	SK 211 G	0.75	15.5	0.19	n/s	n/s	6	n/s	22x11-8 All Ground
Vermeer	S450TX	1.04	18.5	n/s	1.83	2.22	5.9	n/s	n/s
Bobcat	MT55	1.18	18.5	1.4	1.27	n/s	5.6	180	n/s
Bobcat	S70	1.26	16.8	n/s	1.89	n/s	9.8	n/s	23x8.5-12
Ausa	2012	1.29	n/s	n/s	n/s	n/s	9.5	n/s	n/s
ANDI-Berning	AF-P 88	1.3	6.5	0.43	2.25	3.25	6	n/s	4.5x14AS
Mustang	2012	1.35	17.8	0.12	1.84	n/s	8.9	n/s	5.7x12
Gehl	1640E	1.35	17.9	0.15	1.84	n/s	8.9	n/s	5.7x12
Neumeier	N 35	1.36	24.6	n/s	2.16	n/s	10	n/s	23x5.7-12.4
ANDI-Berning	AF-P 98	1.4	4	0.45	2.25	3.5	6	n/s	4.5x14AS
ANDI-Berning	AF-L 88	1.5	6.5	0.43	2.25	3.25	9	n/s	VR 4.5x14
ANDI-Berning	AF-P 108	1.5	4	0.48	2.25	3.75	6	n/s	4.5x14AS
Vermeer	S925TX	1.52	18.3	n/s	2.15	4.11	7.3	228	n/s
Vermeer	CTX100	1.53	29.8	n/s	2.24	4.6	7.1	178	n/s
ANDI-Berning	AFL 98	1.6	6.5	0.45	2.25	3.5	9	n/s	VR 5.7x12
ANDI-Berning	AF-P 118	1.6	4	0.5	2.25	4	6	n/s	4.5x14AS
Terex	PT 30	1.63	23.5	n/s	1.96	n/s	9	280	n/s
ASV	RT 30	1.63	25.1	n/s	n/s	8.45	8.5	279	n/s
Bobcat	S100	1.8	25	0.45	1.97	n/s	10.4	n/s	27x8.5-15
Ausa	2026	1.81	n/s	n/s	n/s	n/s	10.9	n/s	n/s
Gehl	3640E	1.81	26	n/s	2.15	n/s	9.5	n/s	27x8.5x15 HD
Gehl	3840E	1.81	26.1	0.28	2.15	n/s	10.3	n/s	27x8.5x15
Eurocomach	ESK 130.5	1.83	26.1	0.28	2.05	n/s	12	n/s	20-16.5PR
Komatsu	SK510-5	1.85	22.5	0.23	2.08	12.5	10	n/s	27-8.50x15
Mustang	1050R	1.9	24.7	n/s	2.15	n/s	9.5	n/s	27x8.5x15 HD
Gehl	R105	1.9	25.5	0.28	2.15	n/s	9.5	n/s	8.5x15 HD
Mustang	2026	1.91	26.1	0.28	2.15	n/s	10.9	n/s	27x8.5x15
Cams	635	2	25.7	0.27	1.95	n/s	10.5	n/s	27x8.5-15
Ausa	2041	2.09	n/s	n/s	n/s	n/s	10.93	n/s	n/s
Mustang	2041	2.09	34	0.31	2.2	n/s	10.3	n/s	10x16.5
Gehl	4240E	2.09	34.5	0.28	2.2	n/s	8.7	n/s	10x16.5
ANDI-Berning	AC 238 H	2.2	27.8	0.45	2.25	5.75	20	n/s	6x16
New Holland	L213	2.27	36	0.31	2.15	18.5	10.8	n/s	n/s
Case	SR130	2.3	36.5	n/s	2.25	19	12.7	n/s	10X16.5 Heavy Duty 590TW
Mustang	1350R	2.33	33	n/s	2.1	n/s	12.9	n/s	10x16.5 HD
Gehl	R135	2.33	34.5	0.35	2.1	n/s	12.9	n/s	10x16.5 HD
Bobcat	S450	2.37	36.4	1.94	2.16	n/s	14.8	n/s	10x16.5, 12-ply,
Eurocomach	ETL 140.5	2.38	35.6	0.3	2.04	n/s	10.5	250	n/s
Bobcat	T110	2.38	31.2	0.45	1.99	1.56	8.4	320	n/s
ASV	RS 50	2.42	37.3	n/s	2.21	14.7	19.3	n/s	10x16.5
Wacker Neuson	701s	2.45	39	0.36	n/s	n/s	n/s	n/s	10x16.5
Cams	755	2.5	36.5	0.34	2.25	n/s	11	n/s	10-16.5
New Holland	L216	2.5	44	0.45	2.15	18.5	10.8	n/s	n/s
Neumeier	N 25	2.5	18.5	n/s	2.09	n/s	10	n/s	23x5.7-12.4
Case	SR160	2.51	45	n/s	2.25	23.4	11.9	n/s	10X16.5 Heavy Duty 590TW
Komatsu	SK714-5	2.53	33.6	0.35	2.14	18.14	16	n/s	10-16.5-8PR
Ausa	2044	2.54	n/s	n/s	n/s	n/s	11.2	n/s	n/s
Bull	AV490	2.55	n/s	n/s	2.16	n/s	11.5	1242	n/s
Caterpillar	216B II	2.58	37	0.36	2.17	16.1	12.5	n/s	10x16.5
Caterpillar	216B Serie 3	2.58	35	0.36	2.17	18.16	12.7	n/s	10x16.5
Caterpillar	226D	2.59	49.6	0.36	2.08	17.72	12.3/17.8	n/s	10x16.5
YTO	Roader45	2.6	37.3	0.45	2.31	n/s	12	n/s	10/75-15.3
Mustang	2044 B	2.62	36	0.37	2.24	n/s	11.2	n/s	10x16.5
Caterpillar	226B Series 3	2.64	42	0.36	2.17	18.16	12.7/18.1	n/s	10x16.5
New Holland	L218	2.66	44	0.48	2.25	14.2	18.5	n/s	n/s
Bobcat	S510	2.69	36.4	0.93	2.21	n/s	17.3	n/s	10x16.5 10 PR
ASV	VS 60	2.69	44.7	n/s	2.21	20.5	19	n/s	10x16.5
Mustang	1500R	2.69	33	n/s	2.38	n/s	11.9	n/s	10x16.5 HD
Hyundai	HSL 650-7 A	2.69	36	0.3	2.2	13.1	12	n/s	n/s
Gehl	R150	2.69	34.5	0.36	2.38	n/s	11.9	n/s	10x16.5
Cams	865	2.7	47.5	0.39	2.28	n/s	11.5	n/s	10x16.5
Lonking	CDM307	2.7	42	0.43	2.18	18.9	11.5	n/s	10x16.5
Lonking	CDM307 III	2.7	35.7	0.43	2.18	18.9	11.5	n/s	10x16.5
John Deere	312GR	2.72	35.8	n/s	2.25	20	10.8	n/s	10x 6.5

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Track	Standard Tyres
			Power (kW)	Capacity (m)	Height (m)	Force (kN)	Speed (km/h)	Width (mm)	
Ausa	2054	2.74	n/s	n/s	n/s	n/s	11.5	n/s	n/s
Ausa	2054 HF	2.74	n/s	n/s	n/s	n/s	11.5	n/s	n/s
Liugong	CLG355A	2.75	35.2	0.4	2.22	20.8	n/s	n/s	10x16.5
Eurocomach	ESK 150.5	2.75	48	0.38	2.27	n/s	11.5	n/s	10x16.5 88 PR
Foton Lovol	FSL45	2.75	n/s	0.36-0.45	2.31	n/s	12	n/s	10-16.5
XGMA	S07R	2.75	35.7	0.35	n/s	19	12	n/s	10-16.5-10
Volvo	MC60C	2.75	36	0.36	2.26	13.8	12	n/s	10x16.5-8PR
Sunward	SWL 2810	2.78	38.5	0.4	2.83	19.6	13.6	n/s	10-16.58
Bobcat	T450	2.79	46.2	n/s	2.13	n/s	17.7	300	n/s
JCB	135	2.79	36	n/s	2.26	n/s	12	n/s	10x16.5-8 PR
Mustang	1650R	2.8	51	n/s	2.38	n/s	12.6	n/s	10x16.5 HD
Gehl	R165	2.8	52	0.36	2.38	n/s	12.6	n/s	10x16.5
Gehl	RT165	2.8	51	0.34	2.38	n/s	12.6	n/s	10x16.5
Gehl	RT185	2.8	51	0.67	2.38	n/s	12.6	n/s	10x6.5
Gehl	RT215	2.8	52.7	0.74	2.38	n/s	12.6	n/s	10x6.5
ANDI-Berning	AC 438 H	2.8	27.8	0.56	2.85	7.25	20	n/s	10x16.5
Lonking	CDM307 II	2.8	36.8	0.43	2.18	18.1	11.5	n/s	10x16.5
Bobcat	S530	2.82	36.4	0.93	2.32	n/s	17.3	n/s	10x16.5 10 PR
Bobcat	S550	2.82	36.4	0.93	2.21	n/s	17.3	n/s	10x16.5 10 PR
Caterpillar	232D	2.82	49.6	0.36	2.25	17.72	12.3/17.8	n/s	10x16.5
XCMG	XT740	2.84	n/s	0.27	2.27	n/s	n/s	n/s	n/s
Case	SR175	2.84	50	n/s	2.47	32.3	11.9	n/s	10x16.5 Non-Pneumatic 640TW
Volvo	MC70C	2.84	42	0.39	2.26	17	12	n/s	10x16.5-8PR
Neumeier	N 65	2.85	47	0.32	2.25	n/s	10.5	n/s	10x16.5
XGMA	S08V	2.85	35.7	0.35	n/s	19	12	n/s	10x16.5-10
Yuchai	YCHO8	2.85	41.7	0.43	2.3	n/s	2.31	n/s	10x16.5 L-2B
Gehl	4640E Power 2	2.85	50.7	n/s	2.15	n/s	11.9	n/s	10x16.5 HD
John Deere	314G	2.87	35.8	n/s	2.4	20	10.8	n/s	10x16.5
Terex	PT 60	2.88	42	n/s	2.31	n/s	16	n/s	n/s
John Deere	316GR	2.89	45.6	n/s	2.25	21.1	11	n/s	10x16.5
Komatsu	SK815-5	2.89	35.2	0.4	2.19	17.16	16	n/s	10-16.5 8PR
New Holland	L220	2.9	50	0.48	2.28	31.8	17	n/s	n/s
Bobcat	S570	2.9	45.5	0.93	2.32	n/s	11.8	n/s	10x16.5 10 PR
Terex	TSR 50	2.94	36.3	n/s	2.21	n/s	11.9	n/s	10x16.5
Terex	TSR 60	2.94	44.7	n/s	2.21	n/s	11.9	n/s	10x16.5
John Deere	318G	2.94	45.6	n/s	2.4	22.2	11.1	n/s	10x16.5
Mustang	2054 B	2.95	36	0.43	2.34	n/s	11.5	n/s	12x16.5
Liugong	CLG365All	2.95	48	0.4	2.22	20.8	n/s	n/s	10x16.5
Neumeier	N 65 T	2.95	47	0.4	2.25	n/s	11.8	320	n/s
Sinoway	SWSSL825	2.95	50.3	0.4	2.22	20.8	n/s	n/s	n/s
Bobcat	T590	2.95	49.2	0.93	2.32	n/s	11.8	320	n/s
JCB	155	2.96	42	0.4	2.26	17.85	12	n/s	10x16.5-8 PR
ASV	RT 50	2.96	37.3	n/s	n/s	n/s	13	381	n/s
Caterpillar	236D	2.98	54.6	0.36	2.36	22.57	11.2/17.1	n/s	10x16.5
Case	SV185	2.98	45	n/s	2.38	24.7	11.9	n/s	10x16.5 Non-Pneumatic 640TW
ASV	RT 75	3	55	n/s	2.54	23.13	17.7	n/s	12x16.5
ASV	RT 75 Heavy Duty	3	55	n/s	2.54	23.13	17.7	n/s	12x16.5
Changlin	250F	3	35.7	0.35	2.3	n/s	n/s	n/s	n/s
Lonking	CDM308	3	44.7	0.48	2.26	18.9	11.5	n/s	10x16.5
Lonking	CDM308 II	3	45	0.48	2.26	18.9	11.5	n/s	10x16.5
Neumeier	N 50	3	36.8	0.35	2.3	n/s	12	n/s	n/s
YTO	Roader60	3	44.7	0.5	2.33	n/s	10	n/s	12-16-15NHS
ASV	RS 60	3.01	44.7	n/s	2.21	17.8	19.3	n/s	n/s
Caterpillar	247B II	3.02	43	0.4	2.13	17	12.2	n/s	380
Case	SR200	3.03	52	n/s	n/s	n/s	16	n/s	n/s
Bobcat	S590	3.05	49.2	0.93	2.32	n/s	11.8	n/s	n/s
Komatsu	SK820-5	3.08	35.2	0.4	2.28	19.12	16	n/s	n/s
Mustang	2056	3.08	64	0.37	2.29	n/s	19	n/s	n/s
JCB	175	3.09	42	0.4	2.26	21	12	n/s	n/s
Lonking	CDM308 III	3.1	50	0.48	2.36	21.7	11.5	n/s	10x16.5
Liugong	CLG375BIV	3.1	48	0.45	2.22	20.8	n/s	n/s	n/s
Kötrak	KL 3.00	3.1	41	0.45	2.45	n/s	16	n/s	n/s
Powerplus	PSL750S-III	3.1	33.56	n/s	n/s	16	12	n/s	10x16.5 10PR
Rhino	RS50-S	3.1	45	0.47	2.1	n/s	11	n/s	10-16.5

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Track	Standard Tyres
			Power (kW)	Capacity (m)	Height (m)	Force (kN)	Speed (km/h)	Width (mm)	
Mustang	1900R	3.12	51	n/s	2.31	n/s	12.1	n/s	n/s
Gehl	R190	3.12	51.7	0.48	2.31	n/s	12.1	n/s	n/s
JCB	210	3.12	55	0.44	2.26	17.6	12	n/s	n/s
Volvo	MC95C	3.13	45.1	0.39	2.26	15	12	n/s	n/s
Gehl	5240E Power2	3.13	51	n/s	2.33	n/s	n/s	n/s	n/s
XCMG	XC740K	3.14	n/s	0.45	2.38	n/s	14.3	n/s	n/s
ASV	RT 60	3.14	44.7	n/s	n/s	n/s	17.7	n/s	381
Cams	985	3.15	55.4	0.47	2.39	n/s	16	n/s	n/s
Foton Lovol	FSL60	3.15	n/s	0.4-0.5	2.33	n/s	12	n/s	n/s
Foton Lovol	FSL65	3.15	n/s	0.4-0.5	2.33	n/s	12	n/s	n/s
Case	SR210	3.16	55	n/s	2.5	32.3	11.4	n/s	n/s
Terex	TSV 60	3.16	44.7	n/s	2.21	n/s	11.9	n/s	n/s
Caterpillar	242D	3.17	54.6	0.36	2.29	22.38	12.1/18.5	n/s	n/s
Terex	TSV 50	3.17	36.3	n/s	2.21	n/s	11.9	n/s	n/s
Caterpillar	236B Series 3	3.18	53	0.4	2.4	24.39	12.1/18.1	n/s	n/s
Caterpillar	242B Series 3	3.18	53	0.36	2.33	20.04	12.4/18.4	n/s	n/s
JCB	190	3.2	46	0.41	2.26	n/s	12	n/s	n/s
Changlin	265F	3.2	47	0.41	2.55	n/s	n/s	n/s	n/s
Changlin	265F	3.2	47	0.41	2.55	n/s	n/s	n/s	n/s
John Deere	320G	3.25	49.4	n/s	2.48	16.5	11.1	n/s	n/s
Powerplus	PSL850S-III	3.25	33.56	n/s	n/s	16	12	n/s	10-16.5-10PR
Sunward	SWL 3210	3.25	54.9	0.53	2.95	n/s	12.6	n/s	n/s
JCB	215	3.29	55	0.44	2.26	21.8	12	n/s	n/s
Neumeier	N 75	3.3	n/s	0.6	2.55	n/s	12	n/s	n/s
Caterpillar	239D	3.31	49.6	0.4	2.06	n/s	11.2	n/s	320
JCB	205	3.31	46	0.44	2.26	n/s	12	n/s	n/s
New Holland	L221	3.35	55	0.62	2.5	38.2	18.2	n/s	n/s
Case	SR240	3.35	55	n/s	2.56	39.4	12.4	n/s	n/s
Hyundai	HSL 850-7 A	3.36	55	0.4	2.4	17.2	11	n/s	n/s
Caterpillar	246D	3.37	54.9	n/s	2.47	32.71	12.5/17.7	n/s	n/s
Gehl	5640E	3.38	53	n/s	2.38	n/s	n/s	n/s	n/s
Ausa	2076	3.39	n/s	n/s	n/s	n/s	12.4	n/s	n/s
Mustang	2076	3.39	62.9	0.43	2.41	n/s	18	n/s	n/s
Ausa	2076 HF	3.39	n/s	n/s	n/s	n/s	12.4	n/s	n/s
Eurocomach	ETL 160.4	3.4	68	0.65	2.26	n/s	12	n/s	320
XCMG	XT750	3.41	n/s	0.55	2.56	n/s	n/s	n/s	n/s
Wacker Neuson	901 s	3.45	63	0.45	2.37	n/s	n/s	n/s	n/s
XGMA	S10R	3.45	62	0.5	n/s	22.5	12	n/s	n/s
XCMG	XC760K	3.45	n/s	0.6	2.45	n/s	12.5	n/s	n/s
XGMA	XG30090	3.45	52.1	0.5	n/s	22.5	12	n/s	n/s
Bobcat	S630	3.45	56	0.91	2.37	n/s	11.4	n/s	n/s
Caterpillar	249D	3.49	49.6	0.4	2.25	n/s	11.2	n/s	320
Case	SR250	3.49	67	n/s	2.56	33.3	11.3	n/s	n/s
Changlin	275	3.5	55	0.53	2.33	27	12	n/s	n/s
Changlin	275	3.5	55	0.53	2.33	27	12	n/s	n/s
John Deere	324G	3.5	52.5	n/s	2.59	23.3	11.1	n/s	n/s
Eurocomach	ETL 160.5	3.5	48	0.45	2.27	n/s	12	n/s	320
YTO	Roader95	3.5	70	0.6	2.45	n/s	12	n/s	12-16.5NHS
Sinoway	SWSSL835	3.5	61.3	0.5	2.43	25.5	n/s	n/s	n/s
Rhino	RS60-S	3.52	56	0.6	2.48	n/s	11	n/s	12-16.5
Mustang	2086	3.57	62.9	0.43	2.41	n/s	18	n/s	n/s
Caterpillar	252B Series 3	3.57	53	0.4	2.42	24.5	11.9/17.8	n/s	n/s
Gehl	6640E	3.58	53	n/s	2.32	n/s	n/s	n/s	n/s
ASV	VS 75	3.59	55	n/s	2.62	31.15	17.7	n/s	n/s
Neumeier	N 85	3.6	n/s	0.6	2.55	n/s	11	n/s	12-16.5
Powerplus	PSL1000S-III	3.6	56	n/s	n/s	24	12	n/s	10-16.5 10 PR
Changlin	S275	3.6	55	0.55	2.40	n/s	n/s	n/s	n/s
JCB	225	3.61	55	0.47	2.46	n/s	10.9	n/s	n/s
Terex	TSR 80	3.62	62	n/s	2.41	n/s	13.6	n/s	n/s
Mustang	2200R	3.62	52.7	n/s	2.39	n/s	12.9	n/s	n/s
Gehl	R220	3.62	53.7	0.58	2.39	n/s	12.9	n/s	n/s
Gehl	SL V 270 DXT Dual	3.62	62.6	0.43	2.52	n/s	13	n/s	n/s
Gehl	SL V 330 SXT Dual	3.62	62.6	0.78	2.5	n/s	19.6	n/s	n/s
Mustang	2700 V	3.63	62.6	n/s	2.52	n/s	13	n/s	n/s

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Track	Standard Tyres
			Power (kW)	Capacity (m)	Height (m)	Force (kN)	Speed (km/h)	Width (mm)	
Mustang	3300 V	3.63	62.6	0.78	2.5	n/s	19.6	n/s	n/s
Caterpillar	262D	3.63	54.9	0.4	2.38	32.71	12.5/17.7	n/s	n/s
Caterpillar	257D	3.65	54.6	0.4	2.3	n/s	10,1/16	n/s	381
Bobcat	T595	3.65	49.2	n/s	n/s	n/s	11.4	n/s	320
ASV	VT 70	3.66	48.6	n/s	n/s	n/s	12.4	n/s	381
Case	SV280	3.67	55	n/s	2.56	33.7	12.4	n/s	n/s
XCMG	XT760	3.67	n/s	0.56	2.3	n/s	n/s	n/s	n/s
Case	SR270	3.681	67	n/s	n/s	33.3	11.3	n/s	n/s
Mustang	1650RT	3.68	51	n/s	2.33	n/s	16.1	n/s	n/s
JCB	150T	3.69	42	0.4	2.29	17.85	10	n/s	320
Mustang	2700V NXT2	3.7	52.7	1.78	2.54	n/s	12	n/s	n/s
Gehl	V270	3.7	53.7	0.5	2.54	n/s	12	n/s	n/s
Lonking	CDM312	3.7	63	0.54	2.44	25.9	11.8	n/s	12x16.5
Lonking	CDM312 II	3.7	55	0.54	2.44	25.9	11.8	n/s	12x16.5
Lonking	CDM312 III	3.7	63	0.54	2.44	25.9	11.8	n/s	12x16.5
Lonking	CDM312 IV	3.7	68.6	0.54	2.44	25.9	11.8	n/s	12x16.5
Lonking	CDM312 V	3.7	68.6	0.54	2.44	25.9	11.8	n/s	12x16.5
Volvo	MC115C	3.71	55	0.43	2.46	15.1	10.9	n/s	12x16.5 10PR
Mustang	2600R	3.72	52.7	n/s	2.39	n/s	12.9	n/s	12x16.5 HD
Gehl	R260	3.72	53.7	0.6	2.39	n/s	12.9	n/s	12x16.5
John Deere	317G	3.72	45.6	n/s	2.43	22.2	11.3	320	n/s
New Holland	C227	3.72	55	0.79	2.43	31.8	13.4	n/s	n/s
JCB	250	3.73	55	0.47	2.3	29.1	10.9	n/s	12x16.5 10 PR
Volvo	MC110D	3.73	n/s	0.43	2.3	26.17	20	n/s	12x16.5 10 PR
JCB	260	3.73	55	0.47	2.46	n/s	10.9	n/s	12x16.5 10 PR
Liugong	CLG385BIV	3.75	51.7	0.5	2.57	29.8	n/s	n/s	12-16.5 TI200
Case	TR270	3.75	55	n/s	2.5	32.3	8.2	n/s	n/s
Case	SV300	3.77	67	n/s	2.63	33.7	11.3	n/s	12x16.5 Heavy Duty 700TW
Changlin	285F	3.77	62	0.56	2.54	n/s	n/s	n/s	n/s
Changlin	285F	3.77	62	0.56	2.54	n/s	n/s	n/s	n/s
Bobcat	S650	3.78	55.4	0.91	2.45	n/s	11.4	n/s	12.00-16.5 12 PR
JCB	190T	3.79	43	0.41	2.29	n/s	10	320	n/s
Volvo	MCT85C	3.79	45.1	0.43	2.29	15.4	10	320	n/s
JCB	280	3.8	55	0.47	2.46	n/s	10.9	n/s	12x16.5-10 PR
New Holland	L230	3.8	67	0.62	2.66	38.2	18.2	n/s	n/s
Powerplus	PSL1000T-III	3.8	56	n/s	n/s	24	12	n/s	1.83
Liugong	CLG395BIII	3.85	70	0.55	2.57	32.6	n/s	n/s	12-16.5
Mustang	1750 RT	3.9	51	0.4	2.49	n/s	12	n/s	n/s
Mustang	1750 RT-HF	3.9	51	0.4	2.49	n/s	12	n/s	n/s
Gehl	RT 175 DXT Dual	3.9	51	0.4	2.49	n/s	12	320	n/s
Gehl	RT 175 SXT Dual	3.9	51	0.4	2.49	n/s	12	320	n/s
Shantui	SSL750	3.9	n/s	n/s	2.16	n/s	n/s	n/s	n/s
Terex	TSV 80	3.9	62	n/s	2.46	n/s	13.6	n/s	12x16.5
Mustang	1750RT NXT3	3.9	51	n/s	2.49	n/s	12.4	n/s	n/s
Gehl	RT175	3.9	51	0.67	2.49	n/s	12.4	n/s	n/s
Takeuchi	TL 8	3.92	53.2	0.35	3.91	n/s	n/s	n/s	n/s
JCB	270	3.94	55	0.47	2.3	29.1	10.9	n/s	12x16.5 10 PR
Volvo	MC115D	3.94	n/s	0.47	2.3	26.93	20	n/s	12x16.5 10 PR
JCB	205T	3.96	46	0.44	2.29	n/s	10	320	n/s
Caterpillar	272D2	3.98	71	n/s	2.44	n/s	10.6/15.1	n/s	12x16.5
Neumeier	N 85 S	4	n/s	0.6	2.54	n/s	12	12-16.5	n/s
JCB	210T	4.02	55	0.4	2.29	19.7	10	320	n/s
Case	TR310	4.03	55	n/s	2.5	38.6	8.2	n/s	n/s
Caterpillar	259D	4.06	54.6	0.4	2.28	n/s	9.5/13.7	400	n/s
Terex	PT 80	4.07	59	n/s	2.52	n/s	14	460	n/s
Mustang	3300V NXT2	4.12	52.7	n/s	2.5	n/s	13	n/s	14x17.5 HD
Gehl	V330	4.12	53.7	0.75	2.5	n/s	13	n/s	14x17.5 HD
JCB	215T	4.13	55	0.4	2.29	22	10	320	n/s
Mustang	1850RT	4.13	51	n/s	2.49	n/s	14.2	n/s	n/s
Case	SV340	4.14	67	n/s	n/s	36.3	12.4	n/s	n/s
ASV	RS 75	4.16	55	n/s	n/s	n/s	15	475	n/s
Sunward	SWTL 4210	4.18	54.9	0.67	2.95	n/s	11	n/s	n/s
Caterpillar	272D2 XHP	4.2	80	n/s	2.47	n/s	11.6/16.6	n/s	14x17.5
JCB	300	4.21	55	0.51	2.3	29.1	10.9	n/s	12x16.5 10 PR

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m)	Max Discharge Height (m)	Lifting Force (kN)	Travel Speed (km/h)	Track Width (mm)	Standard Tyres
Volvo	MC135D	4.21	n/s	0.5	2.3	26.93	20	n/s	12x16.5 10 PR
Caterpillar	277D	4.22	54.6	0.48	2.49	n/s	8.3/12.9	457	n/s
Bobcat	S770	4.23	68.7	0.93	2.65	n/s	11.4	n/s	12x16.5 12-ply
JCB	320	4.24	55	n/s	2.49	29.1	11.7	n/s	14x17.5 10 PR
Bobcat	T770	4.24	58	1.4	3.27	26.7	10.6	450	n/s
Powerplus	PSL1650S-III	4.26	74.56	n/s	n/s	25	20.5	n/s	12x16.5 12PR
Rhino	RS70-S	4.26	75	n/s	2.71	n/s	20	n/s	10x16.5
Bobcat	T650	4.28	55.4	1.13	2.45	n/s	10.6	320	n/s
John Deere Construction	325G	4.31	52.5	n/s	2.59	23.3	13.2	320	n/s
Eurocomach	ESK 190	4.35	63.9	0.55	2.42	n/s	18	n/s	12-16.5
Eurocomach	ESK 190 T4	4.35	53.7	0.56	2.42	n/s	18	n/s	12-16.5
Case	TR320	4.36	67	n/s	2.6	38.7	8.2	n/s	n/s
Case	TR340	4.36	67	n/s	n/s	n/s	12	n/s	n/s
Bobcat	A770	4.37	68.7	n/s	2.65	n/s	19.8	n/s	12x16.5, 12-ply
New Holland	C228	4.37	67	0.79	2.6	38.2	13.4	n/s	n/s
Wacker Neuson	1101 c	4.40	63	0.45	2.38	n/s	12	450	n/s
JCB	330	4.42	55	0.51	2.35	29.1	10.9	n/s	12x16 5-10 PR
Mustang	2100RT NXT3	4.45	52.7	n/s	2.49	n/s	14.3	n/s	n/s
Bobcat	T650	4.45	56	1.13	2.45	n/s	10.6	450	n/s
JCB	3TS-8W	4.47	55	0.47	2.3	n/s	10.9	n/s	12x16.5 10 PR
Gehl	RT210	4.49	52.7	0.74	2.49	n/s	14.3	n/s	n/s
Caterpillar	279D	4.49	54.6	0.48	2.49	32.4	7.2/11.3	450	n/s
Mustang	2150RT	4.49	53.7	n/s	2.49	n/s	14.2	n/s	n/s
Mustang	2100 RT	4.5	53	0.5	2.41	n/s	13	n/s	n/s
Mustang	2100 RT-HF	4.5	53	0.5	2.41	n/s	13	n/s	n/s
John Deere Construction	330G	4.5	66	n/s	2.69	31.1	19.3	n/s	14x17.5 2 PR Extra Wall
Gehl	RT 210 DXT Dual	4.5	53	0.5	2.41	n/s	13	450	n/s
Gehl	RT 210 SXT Dual	4.5	53	0.5	2.41	n/s	13	450	n/s
Caterpillar	287D	4.50	54.6	0.63	2.39	n/s	8.3/12.9	457	n/s
John Deere Construction	332G	4.54	72	n/s	2.68	37.8	19.3	n/s	14x17.5 14PR Hauler
Case	TR380	4.63	67	n/s	n/s	n/s	12	n/s	n/s
Case	TV380	4.63	67	n/s	2.67	33.4	8.2	n/s	n/s
JCB	225T	4.63	55	0.59	2.42	n/s	9.2	320	n/s
Bobcat	S850	4.64	68.7	1.4	2.95	n/s	19.8	n/s	14x17.5, 12-ply
ASV	RT 120	4.71	89.5	n/s	n/s	n/s	16	457	n/s
Mustang	2109	4.77	74	0.89	2.72	n/s	20	n/s	14x17.5
Caterpillar	289D	4.78	54.6	0.48	2.39	n/s	7.2/11.3	400	n/s
JCB	250T	4.82	55	0.59	2.28	29.1	9.2	320	n/s
Volvo	MCT110D	4.82	n/s	0.47	2.28	24.79	12.6	400	n/s
Caterpillar	297D2	4.85	71	n/s	2.45	n/s	9.6/15.1	457	n/s
Volvo	MCT125C	4.88	55	0.47	2.42	25.83	9	320	n/s
JCB	260T	4.88	55	0.59	2.42	n/s	9.2	320	n/s
Caterpillar	289C	4.9	61	0.63	n/s	n/s	14	460	n/s
Sunward	SWTL 4518	4.92	74	0.67	3.07	n/s	11	n/s	n/s
Caterpillar	297D2 HXP	4.95	80	n/s	2.45	n/s	9.6/15.1	457	n/s
Volvo	MCT125D	4.99	n/s	0.47	2.28	25.83	12.6	400	n/s
JCB	270T	4.99	55	0.59	2.28	29.1	9.2	450	n/s
Gehl	V 400	5.04	72	n/s	2.9	n/s	18	n/s	14,00x17.5
Gehl	V400	5.04	74	n/s	2.92	n/s	10.5	n/s	14.00-17.5 HD
JCB	300T	5.09	55	0.64	2.28	29.1	9.2	450	n/s
Volvo	MCT135D	5.09	n/s	0.5	2.28	25.83	12.6	400	n/s
Caterpillar	299D2 XHP	5.11	73	0.63	2.4	n/s	8.4/13.5	450	n/s
Mustang	2500RT NXT3	5.2	52.7	n/s	2.49	n/s	13.2	n/s	n/s
JCB	320T	5.25	55	0.43	2.28	29.1	9.2	400	n/s
Volvo	MCT145C	5.26	55	0.5	2.39	25.83	9	450	n/s
Caterpillar	299D 2 XHP	5.27	79	0.63	2.4	n/s	13.5	400	n/s
Mustang	3200VT	5.27	80.8	n/s	2.53	n/s	12.6	n/s	n/s
Mustang	4200V	5.29	89.5	n/s	2.92	n/s	10.5	n/s	14.00-17.5 HD
John Deere Construction	331G	5.4	66	n/s	2.69	31.1	12.6	400	n/s
Caterpillar	299D2	5.47	72	n/s	2.4	n/s	8.4	400	n/s
Eurocomach	ETL 200	5.47	63.9	0.64	2.42	n/s	12.5	450	n/s
Eurocomach	ETL 200 T4	5.47	53.7	0.64	2.42	n/s	12.5	450	n/s
John Deere Construction	333G	5.49	72	n/s	2.69	37.8	12.6	450	n/s
Caterpillar	299D2 XHP	5.57	79	n/s	2.40	n/s	8.4	400	n/s

Manufacturer	Model	Weight	Engine	Bucket	Max Discharge	Lifting	Travel	Track	Standard Tyres
		(t)	Power (kW)	Capacity (m)	Height (m)	Force (kN)	Speed (km/h)	Width (mm)	
JCB	325T	5.61	55	0.64	2.28	29.1	9.2	450	n/s
Bobcat	T870	5.86	74.5	n/s	2.73	n/s	18.3	450	n/s
Takeuchi	TL 12 V2	5.92	78.2	0.59	4.34	n/s	11	n/s	n/s
Takeuchi	TL 10 V2	n/s	53.2	n/s	n/s	n/s	n/s	n/s	n/s
Takeuchi	TL 12 R2	n/s	83	n/s	3.3	n/s	n/s	n/s	n/s
Gehl	V420	n/s	90	0.87	n/s	n/s	17.3	n/s	14x7.5 HD

TRACKED LOADERS

Manufacturer	Model	Engine	Bucket	Max Discharge	Travel	Track	Soil Pressure	
		Weight (t)	Power (kW)	Capacity (m³)	Height (m)	Speed (km/h)		Width (mm)
Cams	T 985	4	74	0.5	2.4	13.5	320	0.43
Liebherr	LR 624	17	105	1.8	2.92	10	508	0.67
Liebherr	LR 626	17	105	1.8	2.92	11	508	0.73
John Deere	605K	12.22	83	1.3	2.64	8.9	510	0.56
Caterpillar	953D	14.22	110	1.85	2.69	10	480	n/s
Caterpillar	953K	14.38	133	1.8	2.69	10	480	n/s
Caterpillar	953D SH	15.53	110	1.85	3.5	10	480	n/s
Caterpillar	953K	15.72	115	1.8	2.69	10	480	0.62
John Deere	655K	18.42	110	1.9	2.67	10	510	0.75
Caterpillar	963K	20.31	140	2.5	2.96	10	550	n/s
Caterpillar	963D	20.47	141	2.3	2.92	10	550	n/s
John Deere	755K	20.49	142	2.5	2.95	10	560	0.78
Liebherr	LR 636	21.1	135	2.4	3.06	11	560	0.75
Caterpillar	963K	21.1	140	3.1	3.94	10	550	n/s
Caterpillar	963D SH	21.43	141	2.45	4.36	10	480	n/s
Caterpillar	973D	25.4	189	2.44	3.14	11	550	n/s
Caterpillar	973K	26.52	205	3.2	2.95	11	550	n/s
Caterpillar	973D SH	28.06	189	3.21	4.42	10	550	n/s
Caterpillar	973D	28.06	196	3.21	3.14	11	550	0.87
Caterpillar	973K	29.18	205	3.2	2.95	11	550	0.79
Cams	T 865	3.4	47.5	0.39	2.28	11.5	320	0.41
Caterpillar	973K	33.7	205	3	2.95	11	500	n/s
Cams	T 985	4.6	74	0.56	2.4	13.5	450	0.35

OR REGISTER ONLINE AT: www.khl.com/subs/DRI

1 CHOOSE YOUR MAGAZINE/S

- Demolition & Recycling International**
- Access International*
- Access, Lift & Handlers*
- American Cranes & Transport*
- Construction Europe*
- Construction Latin America*
- International Construction*
- International Construction Turkey (Turkish)*
- International Cranes and Specialized Transport*
- International Rental News*
- Cranes & Project Transport Turkey (Turkish)*

2 CHOOSE YOUR E-NEWSLETTER/S

- Demolition & Recycling International**
- Access International*
- Access, Lift & Handlers*
- Construction Latin America*
- International Construction China (Chinese)*
- International Rental News*
- World Construction Week*
- World Crane Week*

3 ORGANISATION TYPE

- Specialist Demolition Contractor
- General Contractor
- Equipment Rental
- Consultant/Planner
- Recycling Waste Specialist
- Government (Demolition/Public Procurement)
- Offshore Company
- Property/Development/Owner
- Public/Private Utilities
- Distributor / Agent / Equipment Sales
- Concrete Cutting/Sawing
- Manufacturer
- Other (Please specify): _____

4 YOUR DETAILS

Name: _____

Job title: _____

Company: _____

Address: _____

Town: _____

Country: _____

County/State: _____

Post code/Zip code: _____

e-mail: _____

5 Do you purchase or influence the purchase of construction equipment or services?

YES NO

6 What is the annual turnover of your company (US\$ millions):

Under \$1 million \$1-3million

\$3-5million \$5-20million

\$20-100million Over \$100 million

7 FORMAT OF MAGAZINE

PRINT DIGITAL PRINT & DIGITAL

8 YOUR PREFERENCES

KHL Group Ltd will keep you up to date with industry insight, products and events relevant to you as a professional in the construction or power industry.
 If you do not wish to receive such information, please tick the selected boxes below.

e-mail Telephone Post

KHL works with other companies in the construction and power industry and will contact you about their products and services.

I would like to receive e-mails from KHL about other third party products

All e-mails will contain a link in the footer to enable you to unsubscribe at any time.
 For more information, please see our Privacy Policy: www.khl.com/privacy-policy

9 SIGN AND DATE:

SIGNATURE: _____

DATE: _____

POST TO: KHL Group,
 Circulation, Southfields, Southview Road,
 Wadhurst, East Sussex, TN5 6TP, UK
E-MAIL: circulation@khl.com



Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Max Discharge Height (m)	Lifting Force (kN)	Travel Speed (km/h)	Turning Radius Outside (m)
Avant Tecno	Avant 313 S	0.53	9.5	0.24	2.1	2.94	9	n/s
Gebr. Geens	AllCat180HB	0.65	15.5	n/s	1.5	3.43	14	n/s
Avant Tecno	320 S	0.7	14	0.24	2.4	4.41	9	n/s
Avant Tecno	Avant 220	0.7	14.7	0.24	1.4	3.43	10	2.2
Avant Tecno	Avant 225	0.7	18.6	0.24	1.4	3.43	10	2.2
Avant Tecno	Avant 225 LPG	0.7	17.6	0.21	1.4	3.43	10	2.1
Avant Tecno	Avant 320 S+	0.7	14	0.24	2.4	4.41	9	n/s
Giant	SK 201 D	0.8	15	0.19	n/s	n/s	7	n/s
Giant	SK 251 D	0.81	19	0.19	n/s	n/s	7	n/s
Gebr. Geens	KM80	0.82	15.2	n/s	1.88	4.41	13	n/s
Gebr. Geens	KM90	0.95	19	n/s	2.03	6.37	16	2.32
Avant Tecno	Avant 419	0.98	14.9	0.21	2.25	4.90	10	2
Avant Tecno	Avant 420	0.98	14	0.24	2.25	5.39	12	2
Gebr. Geens	KM100	1	19	n/s	2.03	6.37	18	2.32
Gebr. Geens	KM90TE	1	19	n/s	2.79	6.87	16	2.32
Avant Tecno	Avant 423	1.03	16.1	0.26	2.75	5.39	12	1.97
Avant Tecno	Avant 520	1.05	14	0.26	2.7	8.34	12	n/s
Avant Tecno	Avant 525	1.05	17	0.22	2.7	8.34	12	2.05
Giant	D 204 SW	1.1	15	0.2	1.41	11	15	2.23
Giant	D 254 SW	1.1	17.5	0.2	1.41	11	15	2.23
Avant Tecno	Avant 523	1.15	16.1	0.26	2.8	8.34	19	2.05
Giant	E-Skid	1.15	10.8	0.19	n/s	n/s	6	n/s
Giant	D 204 SW Tele	1.2	15	0.2	2.12	7.50	15	2.23
Giant	D 254 SW Tele	1.2	17.5	0.2	2.12	7.50	15	2.23
YTO	X200PZ-605I	1.2	n/s	0.2	1.8	n/s	16.76	3.48
Avant Tecno	Avant 528	1.25	19	0.26	2.8	9.32	19	2.05
Avant Tecno	Avant 530	1.25	19	0.26	2.8	9.32	19	2.05
Gebr. Geens	KM100TE	1.28	19	n/s	2.97	6.86	18	2.32
YTO	X200PZ	1.3	12.13	n/s	1.65	n/s	19.66	2
Avant Tecno	Avant 630	1.33	19	0.3	2.84	9.81	14	2.19
Gebr. Geens	KM130	1.35	26.5	n/s	2.15	n/s	20	2.73
Avant Tecno	Avant 635	1.36	26.4	0.3	2.84	9.81	14	2.19
Avant Tecno	e6	1.4	14.5	n/s	2.8	8.83	10	2.05
Avant Tecno	R 20	1.4	14	0.3	2.25	8.34	12	2.05
Avant Tecno	R 28	1.4	19	0.26	2.82	8.83	12	2.05
Avant Tecno	Avant 640	1.44	26.4	0.3	2.84	9.81	22	0.9
Avant Tecno	R 35	1.48	26.4	0.3	2.82	10.3	14	2.47
Giant	D 263 S	1.48	26	0.26	1.83	11	12	2.26
Giant	D 263 SW	1.48	26	0.26	1.83	11	12	2.26
YTO	X200PZ-605Z	1.48	n/s	0.28	2.15	n/s	19.66	3.63
Gebr. Geens	KM130H	1.5	26.1	n/s	2.74	8.63	20	2.73
Giant	D 332 ST	1.5	24	0.26	1.83	11	12	2.26
Giant	D 332 SWT	1.5	24	0.36	1.83	11	12	2.26
Giant	D 263 SW X-TRA	1.53	26	0.26	1.36	14	12	2.47
Giant	D 332 SWT X-TRA	1.55	24	0.36	1.36	14	12	2.47
Kramer	5025	1.56	23	0.25	2.25	n/s	20	1.95
Avant Tecno	e5	1.59	13.6	n/s	2.8	8.26	10	2.05
Kramer	5035	1.63	23	0.35	2.26	n/s	20	1.95
Gebr. Geens	KM130TE	1.7	26.1	n/s	3.2	9.32	20	2.73
Gehl	AL140	1.74	17.4	0.24	1.94	n/s	12	0.61
Mustang	AL 106	1.74	17	0.24	1.94	n/s	12	0.61
Gebr. Geens	KM180	1.8	33	n/s	2.41	13.73	20	n/s
Schäffer	2428	1.82	18.5	0.32	1.45	n/s	15	2.19
Avant Tecno	Avant 745	1.85	36	0.31	3.1	14.71	15	2.78
YTO	X200PZ-605	1.85	n/s	0.28	2.25	n/s	24.22	3.45
YTO	X354WZ-910	1.85	n/s	0.28	2.15	n/s	24.22	3.62
Schäffer	2428 SLT	1.86	18.5	0.37	1.45	n/s	15	2.51
JCB	403	1.9	26	0.3	2.17	n/s	20	2.69
Avant Tecno	Avant 750	1.91	36	0.31	3.1	14.71	25	2.78
Hitachi	ZW20	1.95	15.8	0.3	1.85	21	15	2.55
Avant Tecno	Avant 755i	1.97	42	0.31	3.1	14.71	17	2.78
Giant	D 267	2	26	0.36	1.99	16	12	2.64
Wacker Neuson	WL20	2	18.4	0.2	2.01	18.84	20	2.36
Avant Tecno	Avant 760i	2.1	42	0.31	3.1	14.71	30	2.78

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Giant	D 337 T	2.1	24	0.36	1.99	16.5	18	2.64
YTO	X200PZ-606	2.1	n/s	0.28	2.25	n/s	20.88	3.5
weycor	AR 30	2.15	24.6	0.32	2.8	12	20	3.16
Gehl	AL 240	2.17	26	0.26	2.05	n/s	13.5	1.03
Mustang	AL 206	2.17	26	0.28	2.05	n/s	13.5	1.03
Gebr. Geens	KM180 TE	2.2	33	n/s	3.31	13.73	20	n/s
Giant	D 337 T X-TRA	2.2	24	0.36	1.68	22	18	2.65
Wacker Neuson	TH408	2.27	19.2	0.55	2.24	n/s	20	2.23
Giant	V 362	2.35	26	0.36	2.1	17.5	18	2.97
Wacker Neuson	WL20 e	2.35	6.5	0.2	1.82	n/s	15	2.14
Gebr. Geens	KM250	2.38	35.9	n/s	2.65	25.89	20	2.67
Wacker Neuson	WL25	2.38	24.6	0.35	2.05	24.73	20	1.33
Giant	V 452 T	2.4	33	0.42	2.14	17.5	25	2.97
Giant	V 452 T X-TRA	2.4	33	0.42	1.74	22	25	3.05
Schäffer	2434	2.4	26	0.42	1.7	n/s	15	2.31
Schäffer	2445	2.45	33	0.5	1.7	n/s	20	2.45
Schäffer	2436 SLT	2.45	26	0.5	1.7	n/s	20	2.55
Thaler	2748 T	2.46	35.4	0.29	3.27	n/s	20	2.43
Schäffer	2445 SLT	2.48	33	0.5	1.7	n/s	20	2.55
weycor	AR 35	2.5	24.4	0.34	2.3	21	20	2.87
Gehl	AL340	2.52	26	0.32	2.1	n/s	18.5	1.44
Mustang	AL 306	2.52	26	0.31	2.14	n/s	18.5	1.32
Wacker Neuson	TH412	2.53	22.6	0.43	3.59	n/s	20	2.61
Gebr. Geens	KM250H	2.57	35.9	n/s	3.19	15.69	20	3.17
Schäffer	2436	2.6	26	0.5	1.7	n/s	20	2.45
Thaler	3348 L-5A	2.7	35.4	0.43	1.99	n/s	20	2.42
Thaler	3348 L	2.71	35.4	0.4	1.99	n/s	20	2.38
Thaler	3348 S	2.73	35.4	0.4	2.39	n/s	20	2.38
Thaler	3348 S-5A	2.73	35.4	0.43	2.39	n/s	20	2.42
Gebr. Geens	KM250TE	2.75	35.9	n/s	3.55	19.61	20	n/s
Giant	V 452 T HD	2.77	33	0.42	2.14	18	28	2.97
Giant	V 452 T X-tra HD	2.77	33	0.42	1.74	22.5	28	3.05
Thaler	3348 H-5A	2.77	35.4	0.43	2.59	n/s	20	2.42
Thaler	3348 H	2.78	35.4	0.4	2.59	n/s	20	2.38
Hitachi	ZW30	2.79	22.2	0.4	2.16	29.3	15	3.01
Gehl	AL440	2.79	34.8	0.51	2.22	n/s	20	2.64
Mustang	AL 406	2.79	35	0.4	2.22	n/s	20	1.43
Giant	3648 Tendo	2.85	26	0.49	4.1	14.45	25	3.4
Giant	4548 Tendo HD	2.85	33	n/s	n/s	n/s	25	n/s
Schäffer	2345 T	2.85	33	n/s	3.01	n/s	20	2.85
weycor	AR 35 Super	2.88	30	0.4	2.3	21	20	2.87
Schäffer	2345 T-SLT	2.90	33	n/s	3.01	n/s	20	2.85
YTO	X354Z-915Y	2.98	n/s	0.6	2.8	n/s	21.88	4.8
Venieri	1.33 B-MP	3.05	40	0.4	2.65	n/s	20	2.7
Mustang	AL 506	3.05	35	0.5	2.22	n/s	20	1.4
YTO	X354Z-915	3.07	n/s	0.6	2.8	n/s	21.3	4.8
Gehl	AL540	3.1	34.8	0.51	2.22	n/s	20	1.4
Giant	V 4502 T X-TRA	3.1	33	0.45	1.8	28.8	25	3.28
Schäffer	3450 S	3.1	37	0.55	1.8	n/s	20	2.5
Schäffer	3450 S-SLT	3.1	37	0.55	1.8	n/s	20	2.5
Venieri	1.63 C	3.1	36	0.5	3	n/s	27	5.5
Wacker Neuson	WL28	3.12	35.7	1.35	1.7	n/s	20	2.85
Giant	V 4502 T	3.2	33	0.45	2.45	24.6	25	3.28
Thaler	3248 T	3.2	35.4	0.4	3.27	n/s	20	2.97
Wacker Neuson	WL34	3.27	35.7	0.6	2.44	37.06	20	3.22
Hitachi	ZW40	3.3	30.4	0.5	2.45	35.8	15	3.13
Giant	V 6004 T X-TRA	3.3	44	0.45	1.85	29.2	28	2.86
Giant	V 6004 T	3.4	44	0.45	2.49	25	28	2.86
Wacker Neuson	WL32	3.4	36.3	0.45	n/s	n/s	20	3.17
Weidemann	1880	3.4	36.3	n/s	2.45	n/s	20	3.45
Weidemann	2070LP	3.4	55.1	n/s	2.39	n/s	20	3.51
Kramer	5055	3.45	35	0.55	2.32	n/s	20	2.70
YTO	X354Z-915YG	3.48	n/s	0.6	3.4	n/s	21.88	4.80
Thaler	3248 T-5A	3.49	35.4	0.43	3.27	n/s	20	2.51

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Weycor	AR 40	3.5	30	0.5	2.34	25	20	3.15
Hitachi	ZW50	3.61	30.4	0.6	2.5	33.4	15	3.13
Giant	V 4502 T Tele	3.65	33	0.45	3.1	20	25	3.28
Schäffer	3550 T-SLT	3.7	37	n/s	3.15	n/s	20	2.97
Kramer	5065	3.8	35	0.65	2.33	n/s	20	2.70
Giant	V 6004 T Tele	3.85	44	0.45	n/s	20	28	2.86
Schäffer	3550 T	3.9	37	n/s	3.15	n/s	20	2.97
Takeuchi	TW 7	3.9	36.4	0.65	2.53	33	20	1.83
Terex	TL 65	3.9	36.4	0.65	2.52	33	20	3.87
Weidemann	2070LPT	3.9	55.1	n/s	3.47	n/s	20	3.80
YTO	ZL20	3.9	n/s	0.8	3.1	n/s	22	4.03
Kramer	5075	4	35	0.75	2.4	n/s	20	n/s
Mecalac	AS 50	4.1	29	0.5	2.5	24	20	n/s
Yanmar	V 7	4.1	35	0.7	2.45	46.1	20	4.21
Caterpillar	903C 2	4.11	31	0.6	2.29	n/s	16	3.94
Kramer	5055 e	4.13	n/s	0.65	2.35	30.4	16	3.55
Schäffer	5650 Z	4.13	37	n/s	2.7	n/s	20	3.75
Gehl	AL650	4.15	48	n/s	2.52	n/s	30	3.31
Mustang	608	4.15	48	n/s	2.52	n/s	30	3.31
Kubota	R065	4.16	34.8	0.65	2.61	41.8	20	3.39
Wacker Neuson	TH522	4.2	50	1.11	4.52	n/s	20	3.28
Wacker Neuson	WL38	4.2	36.3	0.6	2.38	n/s	20	3.32
Kramer	5085	4.25	35	0.85	2.63	n/s	20	n/s
Schäffer	5650 Z	4.28	37	n/s	2.7	n/s	20	3.75
Kramer	8075	4.3	34.8	0.75	2.4	n/s	20	2.84
Schäffer	5680 Z	4.3	55	n/s	2.7	n/s	20	3.75
Volvo	L20F	4.3	36.4	0.7	2.51	35	20	8.21
Weidemann	2080	4.3	55.4	n/s	2.51	n/s	20	3.52
weyco	AR 60	4.3	37	0.8	2.48	47	20	3.69
Kramer	5065 T	4.35	35	0.65	3.5	n/s	20	2.90
Lonking	CDM812D	4.35	38	0.5	2.7	31	20.8	n/s
Yanmar	V 8	4.35	35	0.8	2.45	52.97	28	4.21
Kubota	R065	4.39	34.8	0.65	2.61	41.8	20	3.39
Wacker Neuson	WL44	4.39	35.7	0.75	2.33	41.36	30	3.42
Volvo	L20H	4.48	48	0.7	2.52	35	30	8.21
Schäffer	5680 T	4.5	55	n/s	3.33	n/s	20	3.82
Takeuchi	TW 8 SL	4.5	45	0.8	2.60	44.6	20	1.97
Venieri	2.63 C	4.5	36	0.75	3.10	n/s	20	4.20
Weidemann	2080T	4.5	36.3	n/s	3.46	n/s	20	3.76
Kubota	R 065 HW	4.51	34.8	0.65	2.61	41.8	20	3.39
Kubota	R 085	4.56	46	0.85	2.53	48.6	20	3.45
Weidemann	3080LP	4.6	35.7	n/s	2.47	n/s	20	4.11
Kubota	R 065 HW	4.67	34.8	0.65	2.61	41.8	20	3.39
weyco	AR 60 e	4.7	48.5	0.8	2.48	47	20	3.69
Hitachi	ZW65-6	4.71	50	0.7	2.5	31.6	20	3.70
Mecalac	AX 700	4.71	50	0.7	2.78	35	30	n/s
New Holland	W50C TC	4.73	43	0.8	2.49	2.8	20	3.72
Kramer	8085	4.75	55.4	0.85	2.56	n/s	20	2.84
Gehl	AL750	4.78	55.4	n/s	2.71	n/s	30	3.41
Mustang	708	4.78	55	n/s	2.71	n/s	30	3.41
Kubota	R 082	4.79	34.8	0.85	2.53	48.6	20	3.45
John Deere	210L EP	4.79	51	n/s	2.66	n/s	36.2	3.58
Kramer	5095	4.8	55.4	0.95	2.58	n/s	20	n/s
Venieri	2.63 C plus	4.8	36	0.75	3.1	n/s	28	4.2
Volvo	L25F	4.8	36.4	0.85	2.48	37	20	8.37
JCB	406	4.87	36.4	0.8	2.49	41.9	20	4.16
Thaler	4275 S	4.88	53	0.5	2.56	n/s	25	3.38
Palazzani	PL 145	4.9	53.25	0.9	4.08	n/s	31	4.3
Takeuchi	TW 9	4.9	45	0.8	2.55	48	20	1.98
Terex	TL 80	4.9	n/s	0.8	2.55	48	20	4.14
Yanmar	V 80	4.9	45	0.8	2.53	45.9	36	4.16
Volvo	L25H	4.92	48	0.85	2.48	37	30	8.38
Kramer	8095	4.99	55.4	0.95	2.58	n/s	20	2.84
Kramer	950	5	56	0.95	2.52	41	20	2.78

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Paus	RL 6.7	5	55.4	0.8	2.69	35	20	4.25
Venieri	3.63 G	5	44	0.8	3.2	n/s	30	4.35
Weidemann	3080LPT	5	35.7	n/s	4.14	n/s	20	4.28
Hitachi	ZW75-6	5.05	50	0.85	2.5	36.3	20	3.7
Mecalac	AX 850	5.05	50	0.85	2.78	43	30	n/s
JCB	407	5.06	48	0.8	2.49	41.9	20	4.16
New Holland	W60C TC	5.1	48	1	2.52	3	20	3.72
New Holland	W60C Z-bar	5.1	48	1	2.52	3	20	3.72
Palazzani	PL 145 XL	5.1	51.1	1	4.08	36.1	21	4.3
Palazzani	PL 155	5.1	53.25	1	4.17	n/s	31	4.3
Schäffer	6680 Z	5.1	55	1	2.7	n/s	20	3.85
Wacker Neuson	WL52	5.1	55.4	0.75	2.52	n/s	20	3.46
Weidemann	3080	5.1	55.4	n/s	2.5	n/s	20	3.94
John Deere	210L	5.14	69	n/s	2.56	n/s	34.5	3.58
weycor	AR 65 e	5.15	54	1	2.47	45.9	20	3.75
Liebherr	L 506 Compact	5.18	46	0.8	2.53	n/s	20	4.23
Schaeff	TL 70 S	5.2	45	0.7	2.6	45.1	20	4.15
Wacker Neuson	WL54	5.23	55.4	0.95	2.57	59.5	20	3.57
Kramer	5085 T	5.25	55.4	0.85	4.01	n/s	20	2.84
Palazzani	PL 155 HS	5.3	55.3	1	4.17	n/s	40	4.3
John Deere	204L	5.36	45	0.8	2.43	n/s	n/s	n/s
Komatsu	WA70-7	5.38	37	0.85	2.87	41	20	3.68
Case	21F	5.4	43	1	2.49	42.6	20	3.75
SDLG	LG916	5.4	n/s	0.8	2.46	n/s	n/s	n/s
Terex	TL 70 S	5.4	45	0.7	2.6	44.6	20	4.15
Volvo	L28F	5.4	36.4	1	2.52	55	20	8.74
Weidemann	3080T	5.4	55.4	n/s	4.22	n/s	20	3.94
XGMA	XG916I	5.4	44	0.9	2.45	n/s	20	4.46
Yanmar	V 70 S	5.4	45	0.7	2.6	45.1	36	4.16
Hitachi	ZW95-6	5.41	55.4	1	2.4	40.2	20	3.7
Mecalac	AX 1000	5.41	55	1	2.78	43	20	n/s
Changlin	918	5.44	45	1	2.49	57	n/s	n/s
Thaler	4275 T	5.45	53	0.5	3.91	n/s	25	3.65
John Deere	244K-II	5.47	52	0.8	2.55	n/s	30	3.51
Liebherr	L 507 Stereo	5.47	50	0.9	2.55	n/s	20	3.76
Case	121F	5.5	48	0.9	3.3	50.5	20	4.25
Kramer	8105	5.5	55.4	1.05	2.5	n/s	20	2.95
Lonking	CDM816D	5.5	55	0.95	2.7	50	21	n/s
Powerplus	PP918T-V	5.5	59.65	1	2.75	46	27	4.6
Schäffer	8600 Z	5.5	75	1.2	2.7	n/s	20	3.9
Volvo	L30G	5.5	55.4	1	3.26	57	30	3.9
Kramer	8085 T	5.55	55.4	0.85	4.01	n/s	20	2.84
Caterpillar	906M	5.6	54.6	0.9	2.48	n/s	20	4.42
Giant	V 761 T	5.6	55.6	1.21	2.37	n/s	25	4.24
Liebherr	L 508 Compact	5.6	50	1	2.64	n/s	20	4.47
Liugong	CLG816G	5.6	47.8	1.6	2.28	46	25	4.21
Lonking	CDM818D	5.6	63	1.05	2.7	53	21	n/s
Schäffer	6680 T	5.6	55	n/s	3.93	n/s	20	4
Venieri	4.63 G	5.6	54	1	3.26	n/s	30	4.73
Venieri	4.63 H	5.6	53	1	3.3	n/s	30	4.98
Liugong	CLG818C	5.64	51	1	2.56	55.4	28.1	4.21
Komatsu	WA80M-7	5.67	52	1	2.43	57	30	4.49
Takeuchi	TW 10	5.7	55.4	1	2.63	61.3	20	2.16
Caterpillar	907M	5.75	54.6	1	2.48	n/s	20	4.49
weycor	AR 75 e	5.76	54	1	2.61	55.1	20	4.05
John Deere	304L	5.8	48	0.8	2.62	n/s	n/s	n/s
Mecalac	AF 1050	5.8	55	1.05	2.85	65	40	n/s
Terex	TL 100	5.8	n/s	1	2.64	61	36	4.45
Venieri	5.63 B	5.8	65	1.1	3.36	n/s	35	4.89
Weidemann	4080LP	5.8	55.4	n/s	2.86	n/s	20	4.24
Yanmar	V 100	5.8	45	1	2.64	55.4	36	4.45
Kramer	8095 T	5.85	55.4	0.95	3.98	n/s	20	2.95
Kramer	1150	5.9	56	1.15	2.72	48	20	2.85
Palazzani	PL 165 HS	5.9	55.3	1.15	4.17	n/s	40	4.3

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Wacker Neuson	WL60	5.9	75	0.95	2.84	n/s	20	3.69
Weidemann	4080	5.9	90	n/s	2.74	n/s	20	4.17
JCB	409	5.93	55.4	1	2.62	53.8	20	4.43
Weidemann	4080LPT	5.93	55.4	n/s	4.23	n/s	20	4.28
Paus	RL 8.7	5.94	55.4	1	2.75	46	20	4.42
Weidemann	4080T	5.94	55	n/s	4.07	n/s	20	4.47
JCB	TM 180	5.98	48	0.7	3.57	40.6	20	4.48
Giant	V 761 T Tele	6	55.6	1.21	4.19	n/s	25	4.34
Mecalac	AF 1200	6	55	1.2	2.82	77	20	n/s
Mecalac	AS 700	6	55	0.7	3.13	60	40	n/s
New Holland	W70C Z-bar	6	55	1.1	2.60	3.2	20	3.99
Venieri	4.63 G plus	6	54	1.1	3.26	n/s	30	4.73
weycor	AR 75 e T	6	54	1	4.08	36	20	5.15
weycor	AR 75 S	6	55	0.8	2.55	39	20	3.76
Hitachi	ZW90	6.01	53.1	1.1	2.71	51.3	32	4.1
Kramer	8115	6.05	55.4	1.15	2.65	n/s	20	2.95
Weidemann	4080 Basic Line	6.05	55.4	n/s	2.86	n/s	20	4.24
Powerplus	PP928T-V	6.1	74.6	1.5	2.75	60	27	5.22
Volvo	L35G	6.1	55.4	1.2	2.67	60.5	30	8.76
Weidemann	4080T Basic Line	6.1	55.4	n/s	4.23	n/s	20	4.28
XGMA	XG918	6.11	58	1.5	2.63	n/s	20	5
Foton Lovol	FL920F-II	6.2	58	1	2.51	58	26.5	5.08
Palazzani	PL 155 XL	6.2	62.5	1.15	4.17	41.1	40	4.3
Shantui	SL20W	6.2	n/s	1	2.85	n/s	n/s	n/s
weycor	AR 500	6.22	55	1.1	2.61	60.4	20	4.23
weycor	AR 80 e	6.22	70	1	2.61	60.4	20	4.23
SDLG	LG918	6.25	n/s	1.4	2.8	n/s	n/s	n/s
weycor	AR 75 e S	6.28	54	0.8	2.55	39	20	3.76
Venieri	5.63 C	6.3	58	1.1	3.36	n/s	40	4.98
Caterpillar	908M	6.37	54.6	1.1	2.62	n/s	20	4.53
Hitachi	ZW80	6.38	45.6	0.9	2.5	46.6	34	3.8
John Deere	324K	6.39	52	1.1	2.67	n/s	28	3.51
Liebherr	L 509 Stereo	6.39	54	1.2	2.64	n/s	20	4.19
Palazzani	PL 165	6.4	62.5	1.15	4.33	n/s	40	4.45
Paus	TL 8.7	6.4	74.4	1	4.08	34	35	4.73
Komatsu	WA90-6	6.48	59	1.1	2.64	71.4	30	4.5
JCB	TM 220	6.5	55	0.87	3.64	48.9	20	4.76
Case	321F	6.5	55	1.2	3.46	60.5	35	4.45
Mecalac	AT 900	6.5	55	0.9	3.2	44	40	4.6
New Holland	W80C Z-bar	6.5	55	1.3	2.69	3.6	20	3.99
Schäffer	8620 T	6.5	75	n/s	4.19	n/s	20	4.35
XCMG	LW200KN	6.5	n/s	1.1	2.7	60	26	4.47
Hitachi	ZW100-G	6.53	62	1.3	2.71	61	34.5	4.44
Case	321F	6.54	55	1.2	2.69	60.5	33	3.99
Rhino	RWL65	6.55	n/s	1	2.52	n/s	24	4.42
Mecalac	AS 900	6.6	55	0.9	3.13	75	20	n/s
Paus	SL 7.7	6.6	55.4	1	2.5	41	20	4.4
Bull	SMART 60	6.72	n/s	1	2.96	n/s	30	8.1
Sinomach	930	6.72	n/s	1.1	n/s	n/s	7	4.95
Palazzani	PL 165 XL	6.8	62.5	1.25	4.33	51.2	40	4.45
SDLG	L918	6.8	n/s	1	2.51	n/s	n/s	n/s
SDLG	L918F	6.8	55	0.8	2.42	n/s	n/s	5.34
Komatsu	WA100M-6	6.9	66	1.25	2.71	74.4	20	n/s
Komatsu	WA100M-7	6.94	66	1.4	2.58	74.4	30	4.74
Atlas	AR 85 E	7	80	1.3	2.7	60	20	4.23
Terex	TL 120	7	74.4	1.2	2.75	71	36	4.64
Weidemann	5080	7	90	n/s	2.76	n/s	20	4.17
Weycor	AR 520	7	80	1.3	2.7	60	20	4.24
Weycor	AR 530	7	55	1.3	2.7	60	20	4.24
Yanmar	V 120	7	74.4	1.2	2.64	59	36	4.68
Komatsu	WA100M-8EO	7.09	69.8	1.3	2.64	59.8	40	4.13
Wacker Neuson	WL70	7.14	90	1.05	2.84	n/s	20	3.69
Mecalac	AT 1050	7.15	55	1.05	4.05	52	20	4.63
Caterpillar	910K	7.2	72	1.3	3.28	n/s	40	5.18

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Mecalac	AS 900 tele	7.2	55	0.7	4.1	37	35	n/s
Weidemann	5080T	7.2	55	n/s	4.09	n/s	20	4.47
Paus	SL 10.7	7.4	74.4	1.2	2.65	53	35	4.46
Paus	TSL 8.7	7.4	55.4	1	4.08	34	20	4.7
Venieri	7.63 B	7.5	77	1.2	3.5	n/s	40	5.15
Hitachi	ZW120-G	7.56	68	1.5	2.73	79	34.5	4.69
Bull	HD76	7.85	n/s	1.1	2.93	n/s	41	8.9
Atlas	AR 95 E	7.9	85	1.4	2.82	82	20	4.61
Caterpillar	914K	8.1	72	1.5	3.32	n/s	40	5.18
Caterpillar	910M	8.12	72	1.4	2.85	n/s	20	5.18
JCB	TM 320	8.16	93	1	4.51	n/s	20	4.63
JCB	TM 320 S	8.16	108	n/s	4.51	n/s	40	4.63
Atlas	AR 95 E Super	8.2	95	1.6	2.84	82	20	4.61
weycor	AR 95 e Super	8.2	95	1.6	2.84	82	20	4.61
Liebherr	L 514 Stereo	8.35	76	1.5	2.86	n/s	30	4.51
Venieri	7.63 C	8.35	78	1.3	3.56	n/s	40	5.25
Liugong	CLG816C	8.5	50	1.4	2.42	62	25	4.21
Liugong	CLG825C	8.5	70	1.4	2.92	83	46.2	5
Volvo	L45G	8.6	75	n/s	n/s	n/s	n/s	n/s
Palazzani	PL 185	8.65	93	1.5	3.68	n/s	40	5.12
Caterpillar	914M	8.76	72	1.4	2.78	n/s	40	5.22
JCB	411 HT	8.78	81	1.2	2.78	73.2	40	5.35
Volvo	L45H	8.79	75	1.5	3.69	61	20	4.75
John Deere	344L	8.86	76	1.5	2.92	n/s	n/s	n/s
JCB	413	8.94	108.3	1.2	3.05	73.2	40	5.53
Palazzani	PT 182	9	93	1.4	4.8	n/s	40	5.17
JCB	417 HT	9.17	93	1.6	2.71	62.7	40	5.46
Liebherr	L 518 Stereo	9.19	76	1.7	2.88	n/s	25	4.56
Terex	TL 160	9.2	74.4	1.6	2.93	85.5	40	5.4
Palazzani	PL 195	9.36	93	1.6	3.79	n/s	40	5.24
Volvo	L50G	9.4	87	n/s	n/s	n/s	n/s	n/s
weycor	AR 105 e	9.45	104	1.8	2.93	82	20	4.85
Caterpillar	918M	9.47	84	1.4	2.84	83.16	40	5.41
Venieri	10.63 C	9.5	95	2	3.8	n/s	40	5.65
Venieri	9.63 B	9.5	86	1.7	3.6	n/s	40	5.5
Volvo	L50H	9.5	90	1.6	3.78	69	20	4.76
Changlin	932	9.6	92	1.7	2.82	88	n/s	n/s
Palazzani	PT 192	9.6	93	1.6	4.94	n/s	40	5.17
Venieri	9.63 C	9.6	95	1.8	3.7	n/s	40	5.4
Hyundai	HL 730-9 A	9.8	97	1.8	2.7	89.8	37	n/s
Lishide	CL935	9.8	n/s	1.7	3.1	n/s	n/s	5.24
Kramer	8155	9.85	100	1.55	2.73	65	40	3.87
Sinoway	SWL30	10	97	1.7	3.06	100	32.5	5.5
Venieri	10.63	10	86	1.7	3.75	n/s	40	5.65
Venieri	8.63 TL	10	100	1.2	4.53	n/s	40	4.31
XCMG	LW300F	10	n/s	1.8	2.89	90	35	5.93
XGMA	XG931H	10	n/s	3	3.06	n/s	41	5.86
JCB	417	10.06	93	1.4	3.58	73.2	40	5.35
SDLG	L933	10.15	n/s	n/s	2.95	n/s	n/s	n/s
YTO	ZL30-II	10.18	92	1.7	3.05	n/s	36	5.7
Changlin	933	10.2	92	1.7	2.88	96	36	n/s
Changlin	936	10.2	92	1.7	2.93	105	29	n/s
Changlin	937H	10.2	97	1.7	2.93	96	35	5.6
Lishide	CL936	10.2	n/s	1.7	2.95	n/s	n/s	5.84
Liugong	CLG833	10.2	84	1.8	2.91	100	41.4	5.39
Rhino	RWL102	10.2	n/s	1.8	2.85	n/s	16	4.95
Sinomach	GZ36(X)	10.2	n/s	1.7	n/s	n/s	30.1	5.19
Sinomach	GZ36H	10.2	n/s	1.7	n/s	n/s	28.1	5.21
Sinomach	GZ37H	10.2	87	1.7	n/s	n/s	30.6	5.21
Sinoway	SWL30F	10.2	92	1.7	3.16	90	40	5.6
YTO	ZL30F	10.2	n/s	1.7	3.16	n/s	40	5.18
Wacker Neuson	WL95	10.22	100	n/s	3.3	n/s	n/s	4.9
SDLG	LG933L	10.25	92	3	3.28	n/s	n/s	n/s
Hitachi	ZW140	10.29	103	2	2.79	96	39	4.95

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Foton Lovol	FL936F-II	10.3	n/s	1.8	2.87	120	37	6.01
Liugong	CLG836	10.3	82	1.7	2.91	100	35	5.17
Lonking	CDM833	10.3	92	1.7	2.9	97	36	n/s
Shantui	SL30W(N)	10.3	92	1.7	3.2	n/s	n/s	n/s
Liebherr	L 524	10.4	90	2.1	2.85	n/s	40	5.7
Beml	BL200-1	10.5	99	1.7	2.8	97	37	5.62
Foton Lovol	FL935E-II	10.5	92	1.8	2.98	96	37	5.93
Kramer	8155L	10.5	100	1.35	3.95	68	40	3.87
Ljungby	L 11	10.5	130	2	3.99	95	n/s	5.63
Ljungby	L 9	10.5	130	1.6	3.99	95	n/s	5.63
Lonking	LG833N	10.5	n/s	1.7	3.25	97	36	n/s
XCMG	LW300FN	10.6	n/s	2.5	3.26	130	40	5.17
XCMG	LW300K	10.6	n/s	1.8	2.93	90	n/s	6.07
Foton Lovol	FL938F-II	10.65	92	1.8	3	98	40	5.99
Weidemann	9080	10.72	115	n/s	3.3	n/s	20	5.63
SDLG	LG936L	10.75	n/s	3	1.05	n/s	n/s	n/s
Case	521 F XT	10.8	106	1.9	n/s	n/s	40	n/s
Foton Lovol	FL938G-II	10.8	105	2	3	115	37	6.14
Powerplus	PP938T-V	10.8	97	2.5	3	120	36	6.33
XCMG	ZL30G(CE)	10.8	n/s	1.8	2.93	130	36	n/s
XGMA	XG932H	10.8	n/s	3	3.06	n/s	40	5.86
Liugong	CLG835H	10.86	93	1.9	2.8	90	38.6	5.4
Liebherr	L 528	10.89	100	2.3	2.78	n/s	40	5.8
SDLG	LG938L	10.9	120	2.5	3.08	n/s	n/s	n/s
XCMG	LW300KN	10.9	n/s	2.5	2.93	130	38	5.17
Mecalac	AS 1600	10.92	100	1.6	3.39	69	20	n/s
Case	521 F XR	10.99	106	1.9	n/s	n/s	40	n/s
Schäffer	9660 T	11	115	n/s	5.1	n/s	30	4.65
Hitachi	ZW140-5B	11.09	113	2	2.7	94.8	39	5.09
Bell	L1204E	11.21	95	2.2	2.67	n/s	36	4.74
Liebherr	L 526	11.25	100	2.1	2.82	n/s	40	5.85
Komatsu	WA200PZ-6	11.3	94	1.9	2.89	112.4	40	5.74
John Deere	444K	11.35	92	1.5	2.67	n/s	36	4.74
SDLG	LG936LA	11.35	n/s	1.8	3.02	n/s	38	5.38
Länner	8600 E	11.4	n/s	n/s	3.81	41-63	45	5.3
Länner	8600 Ee	11.4	n/s	n/s	3.81	41-63	45	5.3
Komatsu	WA200-7	11.5	95.2	2.5	n/s	n/s	38	n/s
Länner	8600 G	11.5	n/s	n/s	3.88	42-64	45	5.3
Ljungby	L 13	11.5	130	2.2	4.18	110	n/s	5.57
Sinoway	SWL30G	11.5	97	1.7	2.91	93.5	36	5.66
Case	521 F ZB	11.6	106	1.9	n/s	n/s	40	n/s
New Holland	W110D LR	11.6	106	2	3.04	n/s	40	5.07
New Holland	W110D ZB	11.6	106	2.1	3.04	n/s	40	5.07
Lonking	CDM835	11.62	99	1.8	2.81	97	28	n/s
Doosan	DL200-5	11.64	106	1.9	2.69	100	38	5.83
Volvo	L60G	11.7	120	2.1	n/s	n/s	40	n/s
Case	521G	11.77	106	1.9	2.61	n/s	40	5.53
Komatsu	WA200-7	11.83	94	2	2.97	n/s	38	4.88
Hitachi	ZW150-5B	11.85	113	2.2	2.69	101.3	39	5.09
Palazzani	PL 1105	11.85	108	2.1	3.85	n/s	40	5.53
Doosan	DL200 TC-5	11.9	106	2	2.69	105	38	5.25
Volvo	L60G-LB	11.9	120	n/s	n/s	n/s	40	n/s
Hitachi	ZW140PL-5	11.93	113	1.8	2.58	87.3	39	5.09
Komatsu	WA200-8	12	94	n/s	2.97	n/s	38	n/s
XGMA	XG935H	12	n/s	2.5	3.8	n/s	38	6.99
Volvo	L60H	12.1	123	2.1	3.87	81.9	45	11.57
Doosan	DL 200-3	12.2	119	1.8	2.8	105	35	5.61
Palazzani	PT 1102	12.2	111	2	5.42	n/s	40	5.48
Hitachi	ZW150-6	12.29	103	2.3	2.81	96.1	39	5.09
Komatsu	WA250PZ-6	12.33	103	2.2	2.86	131	40	5.85
Doosan	DL220-5	12.37	119	2.2	2.76	102	39	5.98
SDLG	LG946L	12.45	n/s	2.3	2.92	n/s	n/s	n/s
Liugong	CLG840H	12.48	106.4	2.1	2.83	102.5	38.2	5.55
Länner	8800 E	12.5	n/s	n/s	4.15	55-79	45	5.3

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Länner	8800 G	12.5	n/s	n/s	3.87	53-70	45	5.3
Powerplus	PP948T-V	12.5	111.85	2.6	3.06	120	36	6.33
SDLG	L938F	12.5	n/s	1.9	2.8	n/s	n/s	n/s
Terex	TL 210	12.5	119	2.1	3.01	123	40	5.97
John Deere	524K-II	12.67	104	1.9	2.77	n/s	38.5	5
Case	621 F XR	12.7	128	2.4	n/s	n/s	40	n/s
Hyundai	HL 740-9 A	12.7	120	2.3	2.79	110	39	n/s
Liugong	CLG842H	12.7	108	4	2.88	124	40	5.39
New Holland	W130D LR	12.7	128	2.5	3.26	n/s	45	5.22
New Holland	W130D ZB	12.7	128	2.6	3.26	n/s	45	5.22
JCB	427 HT	12.73	118	2.4	2.86	123	40	5.9
Caterpillar	924K	12.8	105	1.9	n/s	n/s	39	5.92
Liebherr	L 538	12.8	115	2.6	2.85	n/s	40	6.06
Case	621 F XT	13	128	2.4	n/s	n/s	40	n/s
Case	621 F ZB	13	128	2.4	n/s	n/s	40	n/s
Hitachi	ZW150PL-5	13	113	2	2.68	93.7	39	5.09
Lonking	CDM843	13	129	2.3	2.92	120	36	n/s
New Holland	W170D LR	13	145	3	3.42	n/s	45	5.74
New Holland	W170D ZB	13	145	3	3.42	11.74	45	5.74
New Holland	W190D	13	172	3.5	3.39	n/s	45	6
SDLG	L946	13	n/s	n/s	n/s	n/s	n/s	n/s
Caterpillar	926M	13.05	105	1.9	2.89	100	40	5.92
Foton Lovol	FL946F-II	13.1	118	2.3	3.02	130	38	6.11
Hitachi	ZW150-6 PL	13.1	104	2.1	2.8	107	39	5.98
Hitachi	ZW150PL-6	13.1	103	2.1	2.8	107	39	5.09
Hyundai	HL 940	13.1	118	2.3	3.82	n/s	40	11.76
Changlin	947H	13.2	129	2.3	2.82	134	36	6.3
Liugong	842H	13.2	119	4	2.81	114	43	5.39
Rhino	RWL132	13.2	n/s	2.3	2.82	n/s	36	5.73
Volvo	L70G	13.2	126	n/s	n/s	n/s	n/s	n/s
John Deere	544K-II	13.22	121	2.1	2.76	n/s	40	5
Komatsu	WA270-7	13.29	115	2.3	2.98	n/s	38	5.18
Powerplus	PP950T-V	13.3	134	3	3.06	140	36	6.72
Venieri	11.63	13.3	110	2.2	3.85	n/s	40	6.05
XCMG	LW400FN	13.3	n/s	2.4	2.85	120	35	6.18
Hyundai	HL 940 XT	13.4	118	2.3	4.24	n/s	40	11.76
Liebherr	L 542	13.4	120	2.8	2.83	n/s	40	6.08
Venieri	11.63 B	13.4	121	2.2	3.85	n/s	40	6.05
Komatsu	WA270-8	13.45	127	2.3	2.82	n/s	38	5.86
Bell	L1506E	13.49	125	2.6	2.76	n/s	35.7	5
Liebherr	L 538	13.5	111	2.6	2.85	n/s	40	6
Venieri	12.63	13.5	110	2.2	4	n/s	40	6.05
Volvo	L70G-LB	13.5	126	n/s	n/s	n/s	n/s	n/s
Doosan	DL250-5	13.55	128	2.4	2.73	107	38	6.08
Case	621G	13.56	128	2.4	2.75	n/s	40	5.76
SDLG	L948	13.65	n/s	2.3	2.95	n/s	n/s	n/s
Liugong	CLG842	13.7	112.5	2.3	2.88	125	41.5	5.59
Sinoway	SWL40G	13.7	128	2.3	2.88	125	37	6.41
Caterpillar	930K	13.8	115	2.3	n/s	n/s	39	5.95
JCB	427	13.9	133	2.7	3.29	123	40	6.04
weycor	AR 250 e	13.9	160	2.4	2.48	11.6	20	5.5
Volvo	L70H	13.96	127	2.1	3.58	90.3	46	11.85
Caterpillar	930M	13.99	115	2.3	2.83	121	40	5.95
JCB	435	14.06	172	1.9	2.94	138	52.3	5.9
Liebherr	L 546	14.2	120	2.8	2.83	n/s	40	6.02
XCMG	LW400K	14.2	n/s	2.4	n/s	123	35	5.95
JCB	435	14.27	172	1.9	3.39	138	52.3	6.04
Hitachi	ZW180	14.28	144	2.8	2.79	119	38	5.23
Case	721 F ZB	14.29	145	3	n/s	n/s	40	n/s
Doosan	DL250 TC 5	14.33	128	2.5	2.75	n/s	37.8	5.48
Terex	TL 260	14.4	128	2.6	2.92	141	40	6.08
Doosan	DL250-3	14.5	127	2.4	3.7	132	37	6.15
Hitachi	ZW 180-5	14.5	126	2.5	2.79	129	38	6.15
Hitachi	ZW 180-5 PL	14.5	126	2.6	2.69	129	38	6.23

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Komatsu	WA320PZ-6	14.5	124	2.7	2.75	162	40	6.18
Mecalac	AS 210 e	14.5	129	2.1	3.42	106	20	n/s
Venieri	13.63 B	14.5	135	2.7	3.95	n/s	40	6.1
XCMG	LW400KN	14.5	n/s	2.4	2.84	120	35	5.94
XCMG	ZL40G(CE)	14.5	n/s	2.4	2.84	n/s	36	n/s
SDLG	L948F	14.52	n/s	2.3	2.82	n/s	n/s	n/s
Venieri	13.63	14.6	130	2.7	3.95	n/s	40	6.1
Hyundai	HL 757-9 A	14.7	149	2.8	2.8	n/s	38.5	12.17
Case	721 F XT	14.77	145	2.49	n/s	n/s	40	n/s
JCB	437 HT	14.79	136	2.6	2.88	134	40	6.02
Case	721 F XR	14.85	145	3	n/s	n/s	40	n/s
Hitachi	ZW180-6	14.98	129	2.8	2.79	116	38.5	5.24
Volvo	L90G	15	129	n/s	n/s	n/s	n/s	n/s
Hyundai	HL 955	15.1	149	n/s	2.84	127.5	40	12.22
Liugong	CLG848H	15.16	122.2	4.5	2.84	131.6	44.1	5.59
JCB	437 ZX	15.26	129	2.7	2.83	162	40	5.9
Volvo	L90G-LB	15.3	129	n/s	n/s	n/s	n/s	n/s
Komatsu	WA320-7	15.42	126	2.8	2.88	n/s	38	5.38
JCB	437	15.52	133	2.7	4.09	139	40	6.63
Case	721G	15.53	145	3	2.93	n/s	40	6.32
Volvo	L90H	15.56	137	2.3	3.73	134.9	46	n/s
Hyundai	HL 955 XT	15.6	149	n/s	3.24	n/s	40	12.57
Hyundai	HL 960	15.6	225	n/s	3.24	n/s	40	12.57
John Deere	624K-II	15.75	139	4	2.86	n/s	40	5.27
Hitachi	ZW180PL-6	15.75	129	3.1	2.62	101	38.5	5.24
Lonking	CDM853	15.8	162	2.7	3.08	155	36	n/s
Caterpillar	938K	15.9	129	2.9	2.83	n/s	39	6.13
Ljungby	L 15	16	150	2.8	4.18	120	n/s	5.95
Rhino	RWL163	16.2	n/s	3	2.97	n/s	38	6.79
Sinoway	SWL50E	16.2	158	3	2.97	185	33.4	6.3
Komatsu	WA320-8	16.23	127	2.9	2.75	n/s	38	6.33
Bell	L1706E	16.26	139	3.2	2.86	n/s	39.5	5.27
Caterpillar	938M	16.4	125	2.9	2.83	n/s	40	6.13
SDLG	LG952N	16.45	162	2.8	3.08	n/s	n/s	n/s
Lishide	CL955	16.5	n/s	3	3.05	n/s	n/s	6.18
Lishide	CL955A	16.5	n/s	3	3.05	n/s	n/s	n/s
Lishide	CL955B	16.5	154	3	3.05	n/s	n/s	n/s
Shantui	SL50WA	16.5	162	3	3.6	n/s	n/s	n/s
Sinomach	955T	16.5	162	2.8	n/s	n/s	11.7	5.97
Sinomach	GZ55N	16.5	162	4.5	n/s	n/s	37.4	5.97
XCMG	LW500F	16.5	n/s	3	3.1	156	38	6.92
YTO	ZL50D-II	16.5	162	3	2.95	n/s	36	5.9
YTO	ZL50F	16.5	162	3	3.2	n/s	38	6.77
Foton Lovol	FL955F-II	16.59	162	3	2.95	175	42	6.85
Shantui	SL50W(N)-5	16.65	162	3	3.67	n/s	n/s	n/s
Foton Lovol	FL958G-II	16.7	162	3	3.13	180	38	6.91
Changlin	956	16.7	162	3	3.1	n/s	37.1	n/s
Changlin	957H	16.7	162	3	3.1	165	34.1	6.1
Changlin	957S	16.7	162	3	3.05	165	39	6.78
Changlin	957Z	16.7	162	3	3.05	165	35	6.78
Liugong	CLG855N	16.7	146	2.7	3.12	167	40	6.50
Liugong	ZL50CN	16.7	148	3	2.97	167	37	6.65
Liugong	ZL50CNX	16.7	148	3	2.97	167	40	6.65
Sinomach	GZ56(X)	16.7	162	4.5	n/s	n/s	35	6.1
Sinomach	GZ57H	16.7	160	3	n/s	n/s	34.6	6.1
Sinomach	GZ57S	16.7	160	3	n/s	n/s	35	6.1
Sinomach	GZ57Z	16.7	162	3	n/s	n/s	35	6.1
Lishide	CL956	16.8	n/s	3	3.12	n/s	n/s	6.04
Lishide	CL956-2	16.8	160	3	3.14	n/s	n/s	6.67
Lishide	CL956-3	16.8	n/s	3	3.14	n/s	n/s	6.67
Lishide	CL956B	16.8	162	3	3.12	n/s	n/s	n/s
Lonking	LG855N	16.8	162	3	3.06	155	36	n/s
Shantui	SL50W(N)-2	16.8	162	3	3.7	n/s	n/s	n/s
Shantui	SL50W(N)-3	16.8	162	3	3.7	n/s	n/s	n/s

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Shantui	SL50WN	16.8	162	3	3.7	n/s	n/s	n/s
XGMA	XG951H	16.8	n/s	3.6	3.14	n/s	38	6.45
XGMA	XG953H	16.8	n/s	3.6	3.14	n/s	38	6.45
XGMA	XG954HB	16.8	n/s	3.2	3.14	n/s	38	6.45
Hitachi	ZW220-5A	16.89	144	3.2	2.92	149	37.4	5.62
Liugong	855H	16.9	149	5.2	2.9	138	39	6.1
XCMG	LW500FN	16.9	n/s	4.5	3.56	170	40	5.95
Foton Lovol	FL956F-II	16.94	162	3	3.13	180	42	6.91
SDLG	L959F	16.97	n/s	3.2	3.1	n/s	n/s	n/s
Lishide	CL956-4	17	162	4	3.5	n/s	n/s	6.63
Powerplus	PP966T-V	17	160	4	3.15	175	36	6.64
SDLG	LG953N	17	n/s	4.5	3.6	n/s	n/s	n/s
Hitachi	ZW220	17.01	164	3.1	2.81	169	36.5	5.62
SDLG	L958F	17.08	162	3	3.11	n/s	n/s	n/s
Sany	SYL956H5	17.1	164	4	3.12	167	40	6.45
Sinoway	SWL50G	17.1	164	3	3.1	158	37	6.91
Sinoway	SWL50G-II	17.1	164	3	3.1	160	37	6.91
Lonking	ZL50C	17.2	162	3	3.08	155	36	n/s
SDLG	LG958L	17.2	n/s	4.5	3.12	n/s	n/s	n/s
XCMG	LW500K	17.2	n/s	3	3.09	165	38	6.91
XGMA	XG955H	17.2	n/s	3.6	3.22	n/s	38	6.65
Lonking	CDM856	17.3	162	3	3.08	155	36	n/s
Powerplus	PP968T-V	17.3	160	4.6	3.14	182	38	6.64
Lishide	CL958	17.34	n/s	3	3.09	n/s	37	n/s
SDLG	LG959	17.35	n/s	4.5	2.95	n/s	n/s	n/s
XCMG	LW500KL	17.4	n/s	3	3.09	175	36	6.91
XGMA	XG956H	17.4	n/s	3.6	3.36	n/s	38	7.09
XGMA	XG958H	17.4	n/s	3.6	3.36	n/s	38	7.09
Lonking	CDM858	17.5	164	3	3.08	155	36	n/s
XCMG	ZL50GN	17.5	n/s	4.5	3.78	175	41	5.93
XGMA	XG958i	17.5	162	3	3.39	155	38	n/s
Case	821 F ZB	17.6	169	3.5	n/s	n/s	40	n/s
Terex	TL 310	17.6	144	3	3.07	232	40	6.48
Liebherr	L 550 XPower®	17.7	140	3.2	2.88	n/s	40	6.59
Liugong	CLG856H	17.8	160	3.1	2.96	175	38.6	6.21
Powerplus	PP973T-V	17.8	160	4.5	3.18	170	38	6.63
Lonking	ZL50NC	17.9	162	3	4.52	155	36	n/s
SDLG	L956F-QB	17.99	n/s	3	3.89	n/s	n/s	n/s
XCMG	ZL50GV	18	n/s	3	3.09	145	n/s	6.4
Komatsu	WA380-7	18.07	142	3.3	2.95	n/s	40	6.32
Hitachi	ZW220-6	18.17	149	3.3	2.9	145	36	6.01
Case	821 F XR	18.2	169	3.1	n/s	n/s	40	n/s
SDLG	L956F-ABK	18.23	n/s	3.6	2.76	n/s	n/s	n/s
SDLG	L956F	18.26	n/s	4.2	3.13	n/s	n/s	n/s
SDLG	L953F	18.31	n/s	4.2	4.58	n/s	n/s	n/s
John Deere	644K	18.34	171	3.2	2.91	n/s	40	5.57
Hyundai	HL 760-9 A	18.35	168	3.3	2.97	n/s	38.4	13.13
Komatsu	WA380-8	18.36	142	3.75	2.86	146	40	7.28
SDLG	L956FH	18.36	n/s	4.5	3.25	n/s	n/s	n/s
Volvo	L110H	18.36	190	3	3.70	175	40	12.71
Volvo	L120H	18.36	203	3	3.76	175	40	12.71
Liebherr	L 556 XPower®	18.4	165	3.6	2.81	n/s	40	6.61
Sany	SW405K	18.5	170	3	5.44	40	25.7	5.8
Changlin	967H	18.6	179	3.5	3.03	190	35	6.87
Rhino	RWL186	18.6	n/s	3.5	3.03	n/s	38	6.4
Sinomach	GZ126	18.6	n/s	3.5	n/s	n/s	n/s	n/s
Sinomach	GZ967H	18.6	179	3.5	n/s	n/s	n/s	6.26
SDLG	L956F-GBH	18.68	n/s	4.2	4.56	n/s	n/s	n/s
John Deere	644K	18.68	173	3.1	2.91	n/s	40	5.57
Doosan	DL300-3	18.7	202	3.2	2.9	162	37	6.35
Bell	L1806E	18.85	173	3.6	2.91	n/s	36.6	5.57
Caterpillar	950GC	18.85	168	3.1	3.05	154	34	6.20
Doosan	DL300-5	18.87	202	3	2.73	169	37	6.46
Ljungby	L 18	19	205	3.8	4.18	170	n/s	6.08

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Changlin	966	19.1	178	3.5	3.39	190	3.53	n/s
Sinomach	GZ66	19.1	178	5	n/s	n/s	n/s	6.26
Komatsu	WA430-6E0	19.2	172	3.3	4.16	185	39	7.3
Caterpillar	950M	19.21	171	3.4	2.79	n/s	39.5	6.44
Case	821G	19.26	172	3.6	2.9	n/s	40	6.68
Hyundai	HL960 HD	19.3	n/s	3.3	2.94	163.48	38.9	12.05
Liugong	CLG862	19.5	165	3.5	3.2	198	36	6.32
Liugong	CLG862H	19.5	161	3.5	3.1	195	38	6.45
Shantui	SL60W	19.5	175	3.5	3.53	n/s	n/s	n/s
Hyundai	HL 960 XT	19.6	225	n/s	3.37	163.5	40	13.6
Sinoway	SWL60G	19.64	179	3.5	3.15	198	37	6.99
Bell	L2106E	19.68	197	3.8	2.84	n/s	35.4	5.64
Doosan	DL350-3	19.7	202	3.6	3	171	37	6.6
Doosan	DL350-5	19.75	202	3.5	3.04	164	37	6.62
JCB	457 ZX	19.77	191	3.5	2.85	154	40	6.55
SDLG	L968F	19.8	178	3.5	3.2	n/s	n/s	n/s
Case	921 F XR	19.86	180	3	n/s	n/s	40	n/s
Case	921 F ZB	19.86	180	3.63	n/s	n/s	40	n/s
Volvo	L110H	19.92	191	3	4.03	150.6	40	12.89
Foton Lovol	FL966F-II	20	175	3.5	3.11	200	37.5	7.04
XCMG	LW600K	20	179	3.5	n/s	171	36	n/s
Caterpillar	962M	20.23	202	3.8	2.95	189	39.5	6.44
Hitachi	ZW250-5B	20.32	181	3.8	2.94	151	34.7	6.1
XGMA	XG962H	20.4	n/s	5.5	3.34	173	37.6	7.47
Hitachi	ZW250-6	20.53	181	3.6	2.97	157	39.5	6.05
JCB	457 HT	20.53	191	3.3	3.03	143	40	6.63
Volvo	L120H	20.71	203	3.3	4.1	173.5	40	12.89
Shantui	SL60W-2	21	175	3.5	3.76	n/s	n/s	n/s
Lonking	CDM860	21.15	175	3.5	3.41	175	37.5	n/s
JCB	457	21.44	191	3.5	4	145	40	7.12
Powerplus	PP980T-V	21.5	179	5	3.18	190	38	7.25
Case	921G	21.53	190	3	2.87	n/s	40	6.68
Ljungby	L 20	22	205	4.5	4.35	180	n/s	6.43
Venieri	18.63	22	165	3.5	4.2	n/s	40	6.9
John Deere	724K	22.2	197	3.1	2.91	n/s	40	5.64
Hitachi	ZW310	22.28	220	3.9	3	213	34.5	5.9
Hitachi	ZW310-5A	22.54	236	4	3.1	184	34.7	6.27
Doosan	DL420-3	23	264	3.9	3.2	212	38	6.98
Doosan	DL420-5	23.04	257	4.2	3.08	210	37	6.96
Caterpillar	966M	23.22	232	4.4	2.99	n/s	39.5	7.64
Caterpillar	966M XE	23.22	222	4.2	2.99	173	39.5	6.8
SDLG	L978F	23.3	n/s	4.2	3.25	n/s	n/s	n/s
Komatsu	WA470LC-6	23.4	203	4.2	2.9	232	40	7.67
Hyundai	HL 770-9 A	23.5	224	4.2	3	181	42	19.99
Changlin	980H	23.5	216	4.2	3.22	220	37	7.04
Rhino	RWL235	23.5	n/s	4.2	3.22	n/s	26	6.49
Sinomach	GZ80H	23.5	216	4.8	n/s	n/s	n/s	6.49
XCMG	LW700KN	23.5	n/s	3.5	n/s	210	12.7	6.88
SDLG	LG978	23.69	n/s	6	3.6	n/s	n/s	n/s
Liebherr	L 566 XPower®	23.9	200	4.2	3.21	n/s	40	7.34
Volvo	L150H	24.09	223	4	4.34	202	38	14.75
Volvo	L180H	24.09	250	4	4.47	202	38	14.75
Hitachi	ZW310-6	24.14	225	4.1	3	203	35.7	6.27
Komatsu	WA470-7	24.18	203	4.2	3.19	n/s	38.3	6.63
Komatsu	WA470-8	24.28	203	4.35	2.99	176	39	6.98
Hyundai	HL 970 XT	24.3	232	4.2	4.82	n/s	40	11.95
Case	1021 F ZB	24.4	239	4.2	n/s	n/s	40	n/s
Hyundai	HL 970	24.5	232	4.2	4.33	n/s	40	11.95
Liugong	CLG877H	24.5	234	4.2	3.15	200	40	6.63
Hitachi	ZW 310-5	24.71	213	4.5	3.09	200	37	7.25
Bell	L2606E	24.89	227	4.7	3.04	n/s	39.4	6.28
Caterpillar	972M	24.9	251	4.8	3.15	n/s	39.5	7.71
Caterpillar	972M XE	24.9	232	4.8	3.15	196	39.5	6.8
Komatsu	WA480LC-6	25	224	4.5	3.23	263	40	7.76

Manufacturer	Model	Weight (t)	Engine	Bucket	Max Discharge	Lifting	Travel	Turning
			Power (kW)	Capacity (m ³)	Height (m)	Force (kN)	Speed (km/h)	Radius Outside (m)
Sinoway	SWL70G	25.32	220	4	3.2	218	37	7.26
John Deere	744K-II	25.36	226	4	2.97	n/s	40	5.92
Komatsu	WA480-8	25.59	233	4.6	3.17	n/s	38.5	6.63
Doosan	DL450-3	25.6	264	4.8	3.2	239	38	7.05
Case	1021 F XR	25.7	239	4.1	n/s	n/s	40	n/s
Liebherr	L 576 XPower	25.7	215	4.7	3.36	n/s	40	7.5
Doosan	DL450-5	25.73	257	4.5	3.12	231	37	7.2
Hitachi	ZW 330-6	26.19	232	4.8	3.18	203	36	7.5
Hidromek	HMK 640 WL	26.3	242	4.2	2.85	n/s	37.8	7.01
Bell	L2706E	26.5	248	4.7	3.19	n/s	40	7.3
Hitachi	ZW 330-5	26.8	213	4.8	3.22	209	37	7.52
John Deere	824K-II	26.88	248	4.6	3.19	n/s	40	5.92
Case	1121 F ZB	26.9	259	4.8	n/s	n/s	40	n/s
Case	1021G	27.06	239	4.2	2.94	n/s	38	7.09
Liebherr	L 580 XPower	27.65	230	5.2	3.29	n/s	40	7.62
Case	1121 F XR	27.7	259	4.4	n/s	n/s	40	n/s
Beml	BL40	28	224	4.7	3.27	n/s	24.75	7.75
XGMA	XG982H	28.4	250	4.4	n/s	n/s	38	n/s
Ljungby	L 25	28.5	272	5.5	4.6	230	n/s	6.79
XCMG	LW800K	28.5	250	4.5	n/s	245	35.5	n/s
XCMG	LW800KN	28.5	250	4.5	3.5	260	35.5	6.2
Hitachi	ZW370-G	29.14	255	5	3.22	245	34	6.11
Case	1121G	29.46	259	4.4	3.12	n/s	38	7.22
Shantui	SL80W	29.5	247	4.5	3.47	n/s	n/s	n/s
Sinoway	SWL90F	29.5	n/s	5	3.3	260	35.5	6.2
Volvo	L180H High-Lift	29.5	246	n/s	n/s	n/s	38	6.84
XCMG	LW900K	29.5	n/s	5	n/s	245	n/s	n/s
Liugong	CLG888	30	238	4.5	3.33	260	35.5	6.76
Sinoway	SWL80G	30	235	4.5	n/s	n/s	35	7.57
Hyundai	HL 780-9 A	30.3	265	5.4	3	244	36	14.97
Liugong	CLG890H	30.8	262	9	3.33	245	38.2	7.01
Hyundai	HL 980	31	283	5.6	4.62	n/s	40	14.98
XCMG	LW900KN	31	250	5	3.4	260	35	6.2
Doosan	DL550-3	31.5	283	4.8	4.58	273	36	7.37
Rhino	RWL315	31.5	n/s	5.1	3.33	n/s	37	6.61
Sinomach	GZ96	31.62	250	5.1	n/s	n/s	n/s	7.5
Hyundai	HL 980 XT	31.7	283	5.6	4.94	n/s	40	15.3
Ljungby	L 30	32	272	6.5	4.71	250	n/s	7.36
Powerplus	PP992T-V	32.5	249.8	7	3.31	260	32	7.66
Liebherr	L 586 XPower	32.6	260	6	3.26	n/s	33	8.35
Doosan	DL550-5	32.77	283	5.4	3.29	247	37	7.57
Volvo	L220H	32.81	274	5.2	4.66	182	38	14.89
Volvo	L260H	33.24	309	6.4	4.62	302	n/s	16.37
Hitachi	ZW370-6	33.68	288	5.4	3.18	234	37	6.61
John Deere	844K-III	33.81	283	5.5	3.28	n/s	40	6.3
Hitachi	ZW 370-5	34.38	289	5.6	3.29	239	38	7.84
Komatsu	WA500-8	35.16	266	5.6	3.39	262	38	8.18
Caterpillar	982M	35.56	317	6.4	3.37	n/s	39.5	15.03
Komatsu	WA500-7	38.54	263	4.03	3.25	n/s	37.3	7.05
Caterpillar	986H	43.72	329	7	3.08	n/s	39	n/s
Caterpillar	986K	44.36	278	6.1	3.08	336	39	8.71
Hitachi	ZW 550-5	47.3	396	6.8	3.59	336	36	8.85
Hitachi	ZW550-6	47.68	380	6.8	3.29	370	35	7.55
XCMG	LW1100K	48	n/s	6.5	3.73	n/s	n/s	n/s
XCMG	LW1200K	48	n/s	6.5	3.73	n/s	n/s	n/s
XCMG	LW1200KN	50	418	6.5	3.85	394	33	7.62
Caterpillar	988H	50.14	397	6.9	3.73	481	38.6	8.68
Liugong	CLG8128H	50.6	371	7	3.91	385	35.6	7.62
Sinoway	SWL120F	51	391	6.5	n/s	391	n/s	n/s
Caterpillar	988K	51.06	425	6.5	3.7	408	39.3	17.25
Changlin	9126	51.3	n/s	6.6	3.87	397	n/s	n/s
Volvo	L350F	52.2	394	6.5	3.44	347	40	9.31
Volvo	L350F-LB	52.2	394	6.5	4.01	347	40	9.31
Volvo	L350H	52.2	394	6.5	3.65	450	38.2	18.37

Manufacturer	Model	Weight (t)	Engine Power (kW)	Bucket Capacity (m ³)	Max Discharge Height (m)	Lifting Force (kN)	Travel Speed (km/h)	Turning Radius Outside (m)
Caterpillar	986K XE	52.78	405	6.9	3.45	468	32.1	n/s
Caterpillar	988K XE	52.78	425	9.6	3.45	381	32.1	8.7
John Deere	944K	53.5	400	7.65	3.77	n/s	39	7.95
Komatsu	WA600-8	56.74	395	7.8	3.97	n/s	33.8	7.08
Komatsu	WA600-6	59.42	393	6.3	n/s	n/s	n/s	7.08
Caterpillar	990K	92.85	521	8.6	4.08	691	26.4	n/s
Caterpillar	992K	99.83	607	10.7	4.48	568	22.8	11.1
Komatsu	WA800-3	101.9	n/s	11	4.63	n/s	28	9.2
Komatsu	WA900-3	107.35	672	11.5	5.26	n/s	28	11.2
Caterpillar	993K	133.67	764	13	4.67	718	22.8	11.01
Komatsu	WA1200-6	220.55	1411	35	6.31	n/s	18.7	14.33
Caterpillar	994K	240.02	1297	24.9	6.17	573	24.5	13.73
SDLG	L936	n/s	n/s	n/s	2.95	n/s	n/s	n/s
SDLG	LG953	n/s	n/s	3	n/s	n/s	38	n/s
XCMG	ZL50G(CE)	n/s	n/s	n/s	n/s	n/s	n/s	n/s
XGMA	227	n/s	n/s	n/s	2	n/s	n/s	1.95
XGMA	333	n/s	n/s	n/s	2.2	n/s	n/s	2.54
XGMA	340	n/s	n/s	n/s	2.2	n/s	n/s	2.54
XGMA	350	n/s	n/s	n/s	2.2	n/s	n/s	2.54
XGMA	XG902	n/s	18.5	n/s	1.97	n/s	12	1.95
XGMA	XG904	n/s	24.4	n/s	2.19	n/s	18	2.54
XGMA	XG906	n/s	29.4	n/s	2.19	n/s	18	2.54
XGMA	XG908	n/s	35.7	n/s	2.26	n/s	20	2.95

SECURE YOUR STAND AND BOOST YOUR BUSINESS IN THE WORLD'S FASTEST GROWING MARKET



Shanghai New
International Expo
Centre (SNIEC), China

In conjunction with CeMAT Asia 2019
The successful material handling and factory
automation show, attracting more than 95,000 visitors.

CeMAT
ASIA

SPONSORED BY:
Access International

access
INTERNATIONAL

SUPPORTED BY:
IPAF / China Construction Industry Association / KHL

IPAF

CCIA

khl

VISIT
APEXASHOW.COM
AND CLICK ON
**'BOOK YOUR
STAND SPACE NOW'**

Manufacturer	Model	Unladen Weight (t)	Net Load (t)	Dump Capacity (m ³)	Loading Height (m)	Engine Power (kW)	Travel Speed (km/h)	Turning Radius Outside (m)
Hydrema	H 912 E	7.73	10	5.6	n/s	n/s	n/s	6.1
Hydrema	H 912 F	7.73	10	5.6	n/s	n/s	40	6.1
Hydrema	H 912 ES	8	10	5.6	n/s	n/s	n/s	6.1
Hydrema	H 912 ES Multitip	8	10	5.6	n/s	n/s	n/s	6.1
Hydrema	H 912 FS	8	10	5.6	n/s	n/s	40	6.1
Hydrema	H 912 FS Multitip	8	10	5.6	n/s	n/s	40	6.1
Hydrema	H 912 HM	8.3	10	5.6	n/s	n/s	40	n/s
Hydrema	H 912 E HM Multitip	8.72	10	5.6	n/s	n/s	n/s	6.3
Hydrema	H 912 F HM Multitip	8.72	10	5.6	n/s	n/s	40	6.3
Bergmann	3012 HK	9.08	12	8.5	2	n/s	45	7
Bergmann	3012DSK Plus	9.08	12	8	2.05	n/s	40	7
Bergmann	3012HK Plus	9.08	12	8	2.11	n/s	40	n/s
Bergmann	3012 DSK	10	12	7.5	2	n/s	45	7
Bergmann	3012R Plus	11.14	12	8	2.41	n/s	40	n/s
Bergmann	3012 R	11.5	12	7.5	2.18	n/s	40	7.5
Bell	B18E	14.87	18	11	2.53	152	50	7.31
Hydrema	H 922 D	15.8	20	12	n/s	n/s	n/s	n/s
Hydrema	H 922 F	15.9	20	12	n/s	n/s	50	8.34
Bell	B20E	16.49	18	11	2.54	161	47	7.59
Hydrema	H 922 D 2.55	16.6	20	5.6	n/s	n/s	n/s	n/s
Hydrema	H 922 F 2,55	16.6	20	12	n/s	n/s	50	8.34
Bell	B25E 6x4 Supertruck	17.76	24	12	2.7	197	50	7.96
Bergmann	5025HK Plus	19.25	25	15	0.7	n/s	40	n/s
Bell	B25E	19.7	24	15.5	2.76	210	50	8
Bell	B30E	20.1	28	18	2.86	246	50	8
Bell	B30E 4x4	21.5	28	21	2.31	245	45	n/s
Caterpillar	725C	21.7	23.6	14.8	2.76	n/s	n/s	7.61
Terex	TA 250	22.2	25	15.5	2.74	232	50.4	8.47
Case	327 B	22.24	23.2	10.6	2.7	n/s	46.6	n/s
John Deere	260E	22.49	24.19	15	2.85	239	55	8.02
Terex	TA 300	22.5	28	17.5	2.9	370	50.4	8.47
Case	330 B	22.57	28.16	13.7	2.82	n/s	46.6	n/s
Volvo	A25G	22.7	25	15.3	2.79	237	52.7	8.11
John Deere	310E	22.85	28.13	17.5	2.93	263	55	8.02
Caterpillar	725C2	23.04	24	15	2.73	238	55	8.08
Volvo	A30G	23.3	29	13.9	2.87	238	52.7	8.11
Doosan	DA30	23.4	28	16.8	2.95	276	55	7.68
Caterpillar	730C2	23.73	28	17.5	2.91	279	55	8.08
Caterpillar	730	23.9	28	17.5	2.92	273	55	7.47
Caterpillar	730C	24.1	28	17.5	2.91	280	55	8.08
Komatsu	HM300-3	24.91	28	13.4	2.83	n/s	58.6	n/s
Caterpillar	735	25.24	32	20	3.06	316	57	7.47
Komatsu	HM300-5	25.4	28	17.1	2.83	247	58.6	8.1
Caterpillar	730C2 EJ	26.4	28	16.9	3.03	279	55	8.08
Bell	B 35 D	28.3	32.5	21	3.03	295	54	9.13
Case	335 B	28.5	31.5	15	3.07	n/s	47.5	n/s
Case	340 B	28.5	36	17	3.11	n/s	50.6	n/s
Volvo	A35G	28.95	34.5	21.2	3.01	337	57	8.87
Volvo	A35GFS	29.6	33.5	16	3	333	57	n/s
Volvo	A40GFS	29.9	39	18.4	3.13	354	57	8.96
Bell	B 40 D	29.9	37	24	3.06	335	54	9.2
Volvo	A45G	30.1	41	25.1	3.2	358	57	8.96
Doosan	DA40	30.3	40	24.4	3.36	368	55	8.42
Bell	B35E	30.38	33.5	21	3.08	324	51	9.21
Volvo	A45GFS	30.5	41	25.1	3.55	354	57	8.96
Volvo	A40G	30.7	39	24	3.15	354	57	n/s
John Deere	370E	30.78	33.63	20.5	3.26	314	53	8.9
Terex	TA 400	30.8	38	23.3	3.14	331	60	9.19
Caterpillar	735C	31.4	32.7	20.5	2.99	337	53.9	8.42
Bell	B40E	31.8	39	24.5	3.27	385	51	9.24
John Deere	410E	31.85	37.27	22.7	3.3	330	55	8.9
Bell	B45E	31.9	41	26	3.32	395	51	9.24
John Deere	460E	32.22	41.82	25.5	3.47	358	55	8.9
Caterpillar	745C	32.87	41	25	3.17	381	54.8	9.08

Manufacturer	Model	Unladen Weight (t)	Net Load (t)	Dump Capacity (m³)	Loading Height (m)	Engine Power (kW)	Travel Speed (km/h)	Turning Radius Outside (m)
Bell	B 45 D	33	41	26.5	3.2	375	51	9.45
Caterpillar	745	33.4	41	25	n/s	381	54.7	8.6
Komatsu	HM400-3	33.66	40	18.2	3.16	n/s	55.9	n/s
Caterpillar	740 EJ	33.66	38	23	3.1	381	54.8	9.05
Bell	B 50 D	34.5	45.4	29.5	3.39	375	51	9.48
Komatsu	HM400-5	35.06	40	24	3.16	352	56	8.89
Bell	B50E	35.3	45.4	29	3.39	436	51	9.35
XCMG	XDA60E	42	60	n/s	n/s	n/s	45	n/s
Bell	B60E	42.5	55	35	3.82	436	47	9.52
Volvo	A60H	43.75	55	n/s	3.51	476	54.9	4.76
Perlini	DPT 70	45	70	46	3.77	n/s	55	n/s
Rhino	RADT30	50	30	13.9	n/s	330	55	n/s
TRX Build	A300D	51.5	28	16.8	n/s	249	n/s	8.5
Rhino	RADT40	73	39	18.5	n/s	n/s	60	n/s
Rhino	RADT60	108	60	31	n/s	n/s	45	n/s
Caterpillar	725C2 Bare Chassis	n/s	23.6	n/s	n/s	235	58	7.47
Caterpillar	730C2 Bare Chassis	n/s	28	n/s	n/s	279	55	7.47

Manufacturer	Model	Net Load (t)	Dump Capacity (m³)	Loading Height (m)	Turning Radius Outside (m)	Engine Power (kW)	Weight (t)	Travel Speed (km/h)
Carmix	D 6	10	6	n/s	n/s	n/s	5.8	n/s
Changlin	TL843	10	19	n/s	10.3	274	40	45
Changlin	TL853	12	25	n/s	10.2	246	50	45
Changlin	TL853	12	25	n/s	10.2	246	50	45
Changlin	TL865	15	26	n/s	10.2	308	60	45
Changlin	TL865	15	26	n/s	10.2	308	60	45
Changlin	TL875	26	30	n/s	21	308	66	60
Changlin	TL875	26	30	n/s	21	308	66	60
Sinoway	SWORT280R	28	18	n/s	n/s	224	18	50
Perlini	DP 255	30	13.5	2.95	8.1	n/s	17.8	58
Terex	TR 35	31.75	19.4	3	8.25	n/s	23.66	60
Beml	BH35-2	31.75	n/s	3	8.75	279	27.81	40
TRXBuild	D32i	32	20	n/s	n/s	246	55.4	n/s
Sinoway	SWORT350R	32	21.1	n/s	n/s	245	23	56
Komatsu	HD325-7	34.5	24	3.2	7.2	n/s	31.3	70
Sinoway	SWMT350AC	35	22	n/s	n/s	308	22	67
Beml	BH40	36.5	29	3.2	8	339	32.09	66
Komatsu	HD325-8	36.5	16.9	3.26	7.2	386	34.18	68
Caterpillar	770G	38.65	25.2	3.23	n/s	381	32.57	75
Perlini	DP 405 WD	40	19.5	3.32	8.9	n/s	38.4	66
Komatsu	HD405-7	40	27.3	3.4	7.2	n/s	34.1	70
Komatsu	HD405-8	40	20	3.58	7.9	386	37.34	66
Terex	TR 45	40.83	26	3	9.48	n/s	37.14	65
Volvo	R45D	41	26	3.43	9.48	n/s	36.44	65
TRXBuild	D45	45	27	n/s	n/s	390	82.7	54
Rhino	RT50	45	22	3.57	10.5	n/s	82	4
Sinoway	SWORT500R	45	27.5	n/s	n/s	392	33.98	65

Manufacturer	Model	Net	Dump	Loading	Turning	Engine	Weight (t)	Travel
		Load (t)	Capacity (m ³)	Height (m)	Radius Outside (m)	Power (kW)		Speed (km/h)
Liugong	SGR50A	46	n/s	n/s	n/s	n/s	33	58
Caterpillar	772G	46.80	41.2	3.54	n/s	444	35.07	79.2
Sinomach	GKM50D	50	n/s	n/s	11	246	n/s	50
Sinoway	SWMT500T	50	25	n/s	n/s	275	22	40.5
Perlini	DP 605	53	26.2	3.6	10	n/s	38.9	57
Sinoway	SWORT600R	54.43	35	n/s	n/s	485	41.25	57.5
Terex	TR 60	54.43	35	4	9.54	n/s	41.25	57.5
Beml	BH60M	54.5	36.4	3.73	10.5	484	43.5	56.7
Volvo	R60D	54.5	35	3.68	9.54	n/s	42.05	57.5
Sinomach	GKM55R	55	n/s	n/s	11	279	n/s	50
Komatsu	HD465-7E0	55	34.2	3.6	8.5	n/s	42.2	70
Komatsu	HD465-8	55	25	3.6	8.7	539	48.42	70
Caterpillar	773G	56	35.75	3.77	n/s	577	46.74	67.6
Caterpillar	773G	56.1	26.86	n/s	26.1	578	45.95	67.6
Sinoway	SWMT600T	60	26	n/s	n/s	309	15	45
Komatsu	HD605-7 EO	63	40	3.9	8.5	n/s	46.2	70
Komatsu	HD605-8	63	29	3.86	8.7	539	51.62	70
Hitachi	EH1100-5	63.5	41.5	3.96	9.9	520	45.45	58.2
Caterpillar	775G	63.67	42.2	n/s	26.1	615	50.2	66.9
Caterpillar	775G	63.67	42.23	3.96	n/s	577	50.2	67.6
Hitachi	EH1100-3	64.9	38.7	3.76	9.6	n/s	42.8	58
Perlini	DP 705 WD	65	30.5	3.82	11	n/s	44.3	60
Volvo	R70D	65	41.5	3.79	9.8	n/s	49.57	57
Rhino	RT70	65	30	3.94	10.5	n/s	111	n/s
Terex	TR 70	65	41.5	4	9.76	n/s	47.7	57
Sinoway	SWMT700T	70	30	n/s	n/s	309	16	50
Sinomach	GKM76C	76	n/s	n/s	11.6	279	n/s	60
Terex	TR 100	90.72	57	4	12.23	n/s	68.26	47.6
Terex	TR 100	90.72	57	4	12.23	n/s	67	48.5
Caterpillar	777G	90.8	60.1	4.38	n/s	704	73.85	67.1
Beml	BH100	91	61	4.38	10.8	769	74	56.4
Komatsu	HD785-7	91	40	4.3	10.1	879	72.6	65
Rhino	RT100	91	42	n/s	10.5	n/s	160	n/s
Sinoway	SWORT1000R	91	57	n/s	n/s	782	48.62	47.6
Perlini	DP 905 WD	95	42.4	4.2	12.5	n/s	65.5	63
Volvo	R100E	95	60.4	4.38	11.5	n/s	69.55	50
Caterpillar	777G	95.17	64.1	4.38	28.4	704	70.2	67.1
Hitachi	EH1700-3	95.2	60.4	4.26	10.9	710	68.1	55.7
Caterpillar	777E	98.2	64.1	4.38	28.4	748	65.16	65.9
XCMG	XDE110	110	n/s	n/s	n/s	n/s	80	50
Caterpillar	785D	133	n/s	4.97	n/s	1005	116.48	54.8
Beml	BH150E	136	82	5.4	13.35	1398	104	64
Komatsu	HD1500-8	142	50	n/s	11.2	1102	107.6	56.6
Hitachi	EH3500ACII	168	111	5.63	13.5	n/s	141	56
XCMG	XDE170	170	n/s	n/s	n/s	n/s	115	54
Beml	BH205E-AC	172	103	5.61	28	1715	145.5	65
Caterpillar	789D	181	108	5.6	n/s	1468	143.32	57.2
Hitachi	EH3500AC-3	181	117	5.74	14.65	1374	141	56
Caterpillar	793D	218	129	5.87	28.42	1743	165.75	54.3
Hitachi	EH4000AC-3	221	154	6.13	15	n/s	163	56
Hitachi	EH4000ACII	222	148.2	6.04	15.1	n/s	162	56
Caterpillar	793F	226	n/s	6.53	33	1847	163.29	60
XCMG	XDE240	230	n/s	n/s	n/s	n/s	165	56
Hitachi	EH 5000 ACII	290	206	7.12	n/s	n/s	210	56
Hitachi	EH5000ACII	290	206	7.12	15.95	1895	210	60
Hitachi	EH5000AC-3	296	202	6.75	14.5	n/s	204	56
XCMG	XDE300	300	n/s	n/s	n/s	n/s	210	60
Caterpillar	795F AC	313	n/s	7.04	38.7	2535	257.68	64
Caterpillar	797F	363	n/s	7	n/s	2828	260.69	67.6
XCMG	XDE400	400	n/s	n/s	n/s	n/s	260	50
Powerplus	PRD500Z	n/s	31	n/s	n/s	n/s	45	n/s
Powerplus	PRD550Z	n/s	36	n/s	n/s	n/s	50	n/s
Powerplus	PRD550Z-II	n/s	36	n/s	n/s	n/s	50	n/s
XGMA	SINOTRUK HOWO	n/s	26.64	n/s	n/s	n/s	50	n/s

Manufacturer	Model	Net Load (t)	Weight (t)	Loading Height (m)	Turning Radius Outside (m)	Engine Power (kW)	Travel Speed (km/h)
Cormidi	C 35	0.35	0.19	0.58	n/s	n/s	3.9
Cormidi	C 40	0.4	0.19	0.63	n/s	n/s	3.9
Cormidi	C 9.60 RI	0.41	0.6	n/s	n/s	6.71	3.6
Cormidi	C 6.60 RI	0.42	0.6	n/s	n/s	n/s	3.6
Cormidi	C 65	0.43	0.65	1.1	n/s	6.71	4.5
Bergmann	1005B	0.45	0.18	0.79	1.46	n/s	6.5
Bergmann	1005D	0.45	0.22	0.79	1.46	n/s	6.5
Bergmann	1005E	0.45	0.25	0.79	1.46	n/s	6
Hinowa	HS400	0.45	0.25	n/s	n/s	4.8	1.7
Menzi	5vk	0.5	0.34	n/s	n/s	n/s	n/s
Schafer	D 500-2	0.5	0.26	n/s	n/s	n/s	2.9
Wacker Neuson	DT05	0.5	0.37	410	n/s	4.5	3.9
JCB	HTD 5	0.5	0.47	1.45	n/s	n/s	4
Yamaguchi	WB 05	0.5	0.31	n/s	n/s	4.5	n/s
Wacker Neuson	DT05	0.5	0.37	410	n/s	4.8	3.9
Cormidi	C 85	0.53	0.8	n/s	n/s	n/s	6.2
Kubota	KC 70 HVD-4	0.55	0.74	n/s	n/s	7.1	3.8
Kubota	KC 70 HVD-4 P	0.55	0.64	n/s	n/s	n/s	3.3
Schafer	D 650 D	0.6	0.41	n/s	n/s	n/s	4.5
Schafer	DHK 600 D	0.6	0.53	n/s	n/s	n/s	3.6
Schafer	DS 600 D	0.6	0.5	n/s	n/s	n/s	3.6
Yamaguchi	WB 06 DHL	0.6	0.46	n/s	n/s	4.8	5.7
Yamaguchi	WB 06 DB	0.6	0.46	n/s	n/s	4.8	5
Yanmar	60 DE	0.6	4.15	n/s	n/s	5.5	3.6
Yanmar	60 DHE	0.6	4.15	n/s	n/s	5.5	3.6
Menzi	7RK	0.7	0.52	n/s	n/s	n/s	n/s
Menzi	7VKD	0.7	0.48	n/s	n/s	n/s	n/s
Kubota	KC 70	0.7	0.51	n/s	n/s	4.1	4.4
Yamaguchi	WB 07 B	0.7	0.44	n/s	n/s	4.4	5
Hinowa	HS1102	0.7	0.72	n/s	n/s	10.8	4.1
Kubota	KC 70 H-4	0.7	0.58	n/s	n/s	7.1	3.8
Kubota	KC 70 HV-4	0.7	0.66	n/s	n/s	7.1	3.8
Kubota	KC 70 SL-4	0.7	0.73	n/s	n/s	7.1	3.8
Kubota	KC 70 VSL-4	0.7	0.73	n/s	n/s	7.1	3.8
Kubota	KC 70 H-4 P	0.7	0.6	n/s	n/s	n/s	3.3
Kubota	KC 70 HV-4 P	0.7	0.62	n/s	n/s	n/s	3.3
Kubota	KC 70 SL-4 P	0.7	0.7	n/s	n/s	n/s	3.3
Hinowa	HS701	0.7	0.54	n/s	n/s	n/s	3.3
Schafer	DSK 800 D	0.8	0.56	n/s	n/s	n/s	5
Wacker Neuson	DT08	0.8	0.46	0.42	n/s	6.6	3.9
Yanmar	C 08 Power +	0.8	0.66	n/s	n/s	7.5	4
Yanmar	C 08 HI Tip +	0.8	0.8	n/s	n/s	7.5	4
Yanmar	C 08 HI Tip	0.8	0.77	n/s	n/s	7.5	4
Wacker Neuson	DT08	0.8	0.46	0.42	n/s	n/s	3.9
Hinowa	HS850B	0.85	0.47	n/s	n/s	6.92	3.5
Wacker Neuson	1001	1	1.23	n/s	3.2	n/s	16
Menzi	10dk	1	0.88	n/s	n/s	n/s	n/s
Menzi	10rk	1	0.93	n/s	n/s	n/s	n/s
Cormidi	C 100	1	0.69	n/s	n/s	n/s	6.5
Cormidi	C 1150	1	0.9	n/s	n/s	n/s	6.9
Ausa	D 100 AHA	1	1.31	1.23	n/s	18.64	15
Ausa	D 100 AHG	1	1.31	1.23	n/s	18.64	15
Terex	TA 1.0 EH	1	1.31	1.62	2.29	n/s	11
Mecalac	TA1EH	1	1.31	1.2	2.29	n/s	11
Wacker Neuson	DT10	1	0.7	n/s	n/s	9.6	4
Hinowa	HS1103	1	0.97	n/s	n/s	15	5
Wacker Neuson	DT10e	1	0.86	0.47	n/s	5	4
Kubota	KC 110 HR-4	1	0.96	n/s	n/s	11.8	5
JCB	1T-1	1	1.31	1.27	n/s	n/s	11.9
Wacker Neuson	DT10	1	0.7	0.8	n/s	9.6	4
Hinowa	HS1100B	1.1	0.57	n/s	n/s	9.5	4
Yanmar	C 12 RB	1.15	1.1	2	1.81	n/s	5.5
Cormidi	C 1200	1.2	0.92	n/s	n/s	n/s	6.9
Ausa	D 120 AHA	1.2	1.33	1.27	n/s	18.64	17

Manufacturer	Model	Net Load (t)	Weight (t)	Loading Height (m)	Turning Radius Outside (m)	Engine Power (kW)	Travel Speed (km/h)
Ausa	D 120 AHG	1.2	1.22	1.27	n/s	18.64	17
Wacker Neuson	DT12	1.2	0.65	0.46	n/s	10.3	4
Yamaguchi	WB 12 HB (H.S.T.)	1.2	0.87	n/s	n/s	8.8	6.7
Meinl	Hamster	1.2	0.8	1.65	n/s	17.6	n/s
Kubota	KC 100 HD	1.2	0.84	n/s	n/s	8.3	3.9
Wacker Neuson	1501	1.5	1.32	1	n/s	19.16	16
Wacker Neuson	1601	1.5	1.23	1.34	3.3	19.16	16
Menzi	15DK	1.5	1.18	n/s	n/s	n/s	n/s
Menzi	15RK	1.5	1.18	n/s	n/s	n/s	n/s
Cormidi	C 1500	1.5	1.05	n/s	n/s	6.71	7.6
Ausa	D 150 AHG	1.5	1.65	1.27	n/s	18.64	14
Ausa	D 150 RM Plus	1.5	0.9	1.11	n/s	n/s	22.5
Ausa	D 150 RM X4	1.5	0.9	1.11	n/s	n/s	22.5
Wacker Neuson	DW15e	1.5	n/s	n/s	n/s	n/s	14
Wacker Neuson	DT15	1.5	1.06	0.48	n/s	16	7.5
Bergmann	1160 RK	1.6	1.3	1.16	2.75	n/s	23
Cormidi	C 1600	1.6	1.07	n/s	n/s	6.71	7.6
Agrimac	DH 160	1.6	1.03	1.28	1.6	n/s	23
Agrimac	DH 160 DA	1.6	1.2	1.39	1.6	n/s	23
Agrimac	DH 160 HG	1.6	1.24	1.86	1.6	n/s	23
Schafer	DMF 1600 D	1.6	0.91	n/s	n/s	n/s	7.6
Ausa	D 175 RMS	1.75	1.4	1.11	n/s	n/s	22.5
Ausa	D 175 RMS X4	1.75	1.4	1.11	n/s	n/s	22.5
Yamaguchi	WB 18 HB	1.8	1.2	n/s	n/s	16.1	7.4
Yamaguchi	WB 18 β-TT	1.8	1.38	1.23	n/s	12.9	5.7
Cormidi	C 31.200 RI	1.9	2	n/s	n/s	n/s	7.5
Wacker Neuson	2001	2	1.81	n/s	n/s	n/s	21
Bergmann	1200DL	2	1.62	1.4	3.6	n/s	23
Bergmann	1200FH	2	1.48	1.09	3.58	18.64	23
Bergmann	1200R	2	1.48	1.16	3.58	18.64	23
Bergmann	1200RK	2	1.48	1.16	3.58	n/s	23
Ausa	D 201 RHGS	2	2	2.04	4.19	n/s	20
Ausa	D 201 RHS	2	1.8	2.04	4.19	n/s	20
Agrimac	DH 200 H	2	2	1.31	4.35	n/s	20
Agrimac	DH 200 PH	2	2	2.08	n/s	n/s	20
Terex	TA 2 H	2	1.96	0.92	3.68	n/s	16
Terex	TA 2 SEH	2	2.17	1.64	3.68	n/s	16
Terex	TA 2 SH	2	2.08	0.98	3.68	n/s	16
Mecalac	TA2H	2	1.96	0.92	3.68	n/s	16
Mecalac	TA2SEH	2	2.17	1.64	3.68	n/s	16
Mecalac	TA2SH	2	2.08	0.98	3.68	n/s	16
Morooka	MST 200 VDR	2	2	1.85	1.6	18.5	5.5
Wacker Neuson	DT23	2.3	2.7	n/s	n/s	18.5	n/s
Ausa	D 250 RHGS	2.5	2.2	2.1	4.5	n/s	20
Ausa	D 250 RMS	2.5	2.2	2.1	4.5	n/s	20
Agrimac	DH 250 H	2.5	2.5	1.31	4.85	n/s	20
Agrimac	DH 250 PH	2.5	2.5	2.08	n/s	n/s	20
Dieci	DP 1000 F	2.5	1.2	1.45	4.5	n/s	23
Dieci	DP 1000 PA	2.5	1.55	1.45	4.5	n/s	23
Dieci	DP 1000 T	2.5	1.3	1.45	4.5	n/s	23
Wacker Neuson	DT25	2.5	2.76	0.85	n/s	35.8	11
Yanmar	C 30 R 2 B	2.5	2.36	n/s	n/s	19.1	8.2
Hinowa	TX2500	2.5	2.5	n/s	n/s	36	11
Morooka	MST 300 VD	2.5	2.68	1.19	1.6	35.4	9
Kubota	KC 250 HR-4	2.5	2.7	n/s	n/s	33.4	11
Yanmar	C 30 R 3B	2.5	2.65	0.82	n/s	32.5	11
Yanmar	C 30 R 3B TV	2.5	2.86	1.42	n/s	32.5	11
Morooka	MST 300 VDR	2.5	2.71	1.26	1.6	35.4	9
Wacker Neuson	3001	3	2.56	n/s	3.65	26	22
Bergmann	2030HS	3	2.9	1.67	n/s	n/s	25
Menzi	30RK	3	2.7	n/s	n/s	n/s	n/s
Menzi	30VK	3	2.28	n/s	n/s	n/s	n/s
Kato	IC35	3	2.28	n/s	n/s	n/s	n/s
Paus	SMK365	3	3.39	1	3.89	36.39	20

Manufacturer	Model	Net Load (t)	Weight (t)	Loading Height (m)	Turning Radius Outside (m)	Engine Power (kW)	Travel Speed (km/h)
Mecalac	TA3	3	2.28	0.21	4.71	n/s	19
Mecalac	TA3H	3	2.29	0.21	4.71	n/s	19
Mecalac	TA3S	3	2.33	0.76	4.55	n/s	19
Mecalac	TA3SH	3	2.34	0.76	4.55	n/s	19
JCB	3T-1	3	2.34	1.57	4.57	27.4	20
Morooka	MST 600 VD	3.3	4	1.46	2	54.6	9.2
Wacker Neuson	4001 Speed	3.5	2.64	n/s	n/s	34.6	25
Ausa	D 250 AHG	3.5	2.65	1.5	n/s	36.46	20
Ausa	D 350 AHG	3.5	2.78	1.51	4.68	n/s	21
Agrimac	DH 350 AHG	3.5	3.5	2.31	3.9	n/s	20
Paus	SMK 163	3.5	2.8	n/s	3.8	n/s	20
Terex	TA 3.5 SH	3.5	2.34	0.76	4.53	n/s	19
Mecalac	TA3.5SH	3.5	2.34	0.76	4.53	n/s	19
Yanmar	C 50 R 3	3.5	5.57	n/s	n/s	67.7	10
Yanmar	C 50 R 5 TV	3.5	6.12	n/s	n/s	83.2	9.2
Paus	AKD 163	3.65	2.8	n/s	3.8	n/s	20
Paus	AKR 153	3.65	2.8	n/s	3.5	n/s	20
Paus	AKR365	3.65	3.13	1	3.9	36.39	20
Paus	AKV 163	3.65	2.8	n/s	3.7	n/s	20
Paus	AKR 185	3.7	2.9	n/s	4	n/s	25
Paus	SMK 185	3.7	3	n/s	4	n/s	25
Yanmar	C 50 R 5	3.8	5.79	n/s	n/s	83.2	9.2
Wacker Neuson	4001	4	2.73	n/s	n/s	34.6	21
Bergmann	2040R	4	2.72	1.51	3.7	n/s	23
Ausa	D 400 AHG	4	2.83	1.59	4.72	36.46	21
Agrimac	DH 400 AHG	4	4	1.31	3.95	n/s	20
Kato	IC50	4	6.33	n/s	n/s	n/s	n/s
Morooka	MST 800 VD	4.3	6.1	1.54	2.4	66	9.4
Morooka	MST 700 VD	4.3	5.8	1.48	2	69.2	10
Menzi	45RD	4.5	7.7	1.55	n/s	76.06	30
Ausa	D 450 AHG	4.5	3	1.59	4.72	36.46	21
Paus	AKR 205	5	3.2	n/s	4	n/s	25
Paus	AKR550	5	4	1	4.08	55.33	25
Wacker Neuson	DW50	5	3.44	1.79	4.25	56.15	28
Menzi	IC55	5	6.62	n/s	n/s	n/s	n/s
Morooka	MST 800 VD	5	7.2	1.55	2.4	92.6	9.6
Bergmann	2060R Plus	6	4.05	1.65	n/s	64.13	28
Paus	AKD 242	6	4	n/s	4.1	n/s	20
Paus	AKR 242	6	4	n/s	4	n/s	20
Paus	AKV 242	6	4	n/s	4	n/s	20
Ausa	D 600 AP	6	4.2	1.73	n/s	n/s	35
Ausa	D 600 APG	6	4.38	1.79	n/s	n/s	35
Agrimac	DH 600 AHG	6	6	1.31	5.5	n/s	33.2
Wacker Neuson	DV60 Dual View	6	n/s	n/s	n/s	56.15	25
Wacker Neuson	DW60	6	4.94	1.81	n/s	55.77	25
Wacker Neuson	DW60 LRC	6	4.5	n/s	n/s	n/s	25
Mecalac	TA6	6	4.31	0.5	5.86	n/s	26.2
Mecalac	TA6S	6	4.41	1.23	5.73	n/s	26.2
JCB	6T-1	6	4.41	1.79	5.9	55	25.6
Menzi	65rd	6.3	12.3	n/s	n/s	101.41	30
Morooka	MST 1500 VD	6.3	9.2	1.65	3.05	168	12
Kato	IC75-2	6.5	10.5	n/s	n/s	n/s	n/s
Paus	AKR700	7	5	1	5.15	55.33	25
Paus	AKR700 Plus	7	5	1	5.15	89.93	25
Ausa	D 600 AP	7	4.2	1.73	5.7	n/s	35
JCB	7T-1 HI-VIZ	7	4.81	1.76	6.05	55	24.7
Morooka	MST 1500 VD	7	9.2	1.7	3.05	168	11
Morooka	MST 1500 VDR	7	11.8	2.04	3.05	165	8.6
Dieci	DP 4200	8	5	n/s	n/s	n/s	27
Bergmann	2090R Plus	9	6.28	1.97	6.29	n/s	28
Paus	AKR950	9	6.5	2	5.45	55.33	25
Paus	AKR950 Plus	9	6.5	2	5.45	89.93	25
Wacker Neuson	DV90 dual view	9	n/s	n/s	n/s	56.15	25
Wacker Neuson	DW90	9	5.19	n/s	n/s	55.77	28

Manufacturer	Model	Net Load (t)	Weight (t)	Loading Height (m)	Turning Radius Outside (m)	Engine Power (kW)	Travel Speed (km/h)
Mecalac	TA9	9	4.77	0.43	5.99	n/s	29.3
Mecalac	TA9P	9	4.92	0.49	5.99	55.18	24.8
Mecalac	TA9S	9	5.26	1.21	5.82	55.18	24.8
JCB	9T-1	9	4.99	2	6.37	55	24.7
Ausa	D 1000 AP	10	4.8	1.95	5.95	n/s	40
Ausa	D 1000 APG	10	5	1.82	5.95	n/s	40
Wacker Neuson	DV100 Dual View	10	n/s	n/s	n/s	56.15	25
Wacker Neuson	DW100	10	5.31	2.04	n/s	55.77	28
Terex	TA 10	10	4.81	0.44	6.01	n/s	29.2
Mecalac	TA10P	10	5.06	n/s	6.01	55.18	24.8
Bergmann	4010 HK	10	14	1.9	2.9	180	15
Morooka	MST 2200 VD	10	13.5	1.83	3.5	186	12
Bergmann	4010 R	10	14.75	2.07	2.9	180	40
Bergmann	4010HK	10	14.25	1.97	n/s	180	15
Morooka	MST 2200 VDR	10	16	2.22	3.5	186	10
Kato	IC120	11	14.1	n/s	n/s	n/s	n/s
Kato	IC120-2	11	14.1	n/s	n/s	n/s	n/s
Morooka	MST 2200 VD	11	14.1	1.83	3.5	186	10
Bergmann	4010T	11	13	2.17	n/s	180	15
Dieci	DP 7000	12	6.36	n/s	n/s	n/s	20
Dieci	DP 8000	14	8.43	n/s	n/s	n/s	30
Morooka	MST 3000 VD	15	14.5	2.02	n/s	242	12.8
Ausa	D 150 AHA	n/s	1.51	n/s	n/s	n/s	14
JCB	JZ 140 LC	n/s	15.4	n/s	n/s	n/s	5.12

REGISTER FOR THE **FREE** DIGITAL ISSUE

Delivered instantly
anywhere in the
world

- Interactive
- Searchable
- Archiveable



For more details and to register for your own, **FREE**, digital copies go to:
www.khl.com



INFORMATION THAT BUILDS AND POWERS THE WORLD

www.khl.com

DEMOLITION &
dsri
RECYCLING INTERNATIONAL
BUYERS' GUIDE



2019-2020

**CONTACT
DETAILS**

MANUFACTURERS 178

SPECIALIST SUPPLIERS

ATTACHMENTS 180

COMPRESSORS 181

HANDHELD TOOLS 181

DEMOLITION 182
ASSOCIATIONS

EXPLOSIVE 182
DEMOLITION
CONTRACTORS

ACM Equipment

4010 S 22nd St
Phoenix, AZ, USA
Tel: +1 602 232 0600
Fax: +1 602 232 0620

Anaconda Equipment International

Ardboe Business Park
Kilmascally Road,
Dungannon, County Tyrone
BT71 5BJ
UK
Tel: +44 (0)28 8673 7878
Fax: +44 (0)28 8673 6675
www.anacondaequipment.com

Anglo-American Parts Supply

PO Box 22877
Knoxville, Tennessee 37933
USA
Tel: +1 865 609 9490
Fax: +1 865 609 9183

Aughey Plant International

Fitzpatrick Square, Clones,
County Monaghan
REPUBLIC OF IRELAND
Tel: +353 47 51101
Fax: +353 47 51616
www.augheyplant.com

Ausa

Carrer de Castelladral 1
08243 Manresa
Barcelona, SPAIN
Tel: +34 938 74 73 11
www.ausa.com

Avant Tecno

Ylotie 1, 33470 Ylojarvi,
FINLAND
Tel: +358 (3) 347 8800
www.avanttecno.com

Backers Maschinenbau

Auf dem Bult 42
49767 Twist, GERMANY
Tel: +49 5936 9367 0
Fax: +49 5936 9376 20
www.backers.de

Baioni

via Cesanense 176
61040 Monte Porzio (Pu)
ITALY
Tel: +39 071 795 0313
Fax: +39 071 795 0207
www.baioni.it

BAT Bohr und Anlagentechnik

Borntalstrasse 11
36460 Merkers-Kieselbach,
GERMANY
Tel: +49 36969 546 0
Fax: +49 36969 546 15
www.bat-maschinenbau.de

Bell Equipment Co

13-19 Carbonode Cell
Alton Private Bag X20046
Empangeni, SOUTH AFRICA
Tel: +27 35 907 9431
Fax: +27 35 797 4323
www.bellequipment.com

BHS Sonthofen

An der Eisenschmelze 47
87527 Sonthofen,
GERMANY
Tel: +49 8321 6099 0
Fax: +49 8321 6099 220
www.bhs-sonthofen.de

Biurrarena Maquinaria

Poligoni Bidebitarte
Donosti Ibilbidea 28
20115 Astigarraga,
SPAIN
Tel: +34 43 554 350
Fax: +34 943 555 360
www.biurrarena.com

Bomag

Hellerwald, 56154 Boppard,
GERMANY
Tel: +49 (0) 6742 100 0
Fax: +49 (0) 6742 3090
www.bomag.com

Brokk

PO Box 730, SE-931-27
Skelleftea
SWEDEN
Tel: +46 (0)910 711 800
Fax: +46 (0)910 711 811
www.brokk.com

Bumar-Koszalin

Lechicka 51,
75-842 Koszalin, POLAND
Tel: +48 (0)94 342 20 35
Fax: +48 (0)94 342 71 52
www.bumar.pl

Case CNH France

5 Avenue George Bataille
BP 40401, Plessis Belleville,
FRANCE
Tel: +33 3 44 74 21 68
www.casece.com

Caterpillar

76 Route de Frontenex
PO Box 6000,
Geneva 12116
SWITZERLAND
Tel: +41 22 849 4444
Fax: +41 22 849 4116
www.cat.com

Changlin Company

898 West Huang He Road
Changzhou,
Jiangsu Province
CHINA
Tel: +86 519 8678 1288
Fax: +86 519 8678 1387
www.changlin.com.cn

CMi

Via San Ferdente 86
20010 Boffalora Sopra
Ticino, Milan,
ITALY
Tel: +39 02 972 59077
Fax: +39 03 972 58817
www.cmisrl.biz

Dieci

via E Majorana 2-4
Montecchio Emilia (RE)
42027
ITALY
Tel: +39 0522 869611
Fax: +39 0522 869798
www.dieci.com

Digbits

Unit 1, Power Park,
Towers Business Park
Rugeley, Staffordshire
WS15 1HZ
UK
Tel: +44 (0) 1889 503020
Fax: +44 (0) 1889 503021
www.digbits.co.uk

Ditch Witch

PO Box 66
1959 West Fir Avenue
Perry, Oklahoma 73077
USA
Tel: +1 580 336 4402
Fax: +1 580 572 3561
www.ditchwitch.com

Doosan Bobcat EMEA

U Kodetky 1810
26301 Dobris
CZECH REPUBLIC
Tel: +420 318 532 400
Fax: +32 (0)237 16915
www.bobcatdobris.cz

Doosan Infracore

7-11 Hwasu-dong
Dong-gu
Incheon
SOUTH KOREA
Tel: +82 32 211 1114
www.doosaninfracore.comkr

Doosan Infracore Europe

Rue Achille Degrace 1A
Frameries,
FRANCE
Tel: +31 65 61 32 30
Fax: +31 65 61 32 38
www.doosaninfracore.com

Dynapac

Indstrivagen 2
37146 Karlskrona,
SWEDEN
Tel: +46 455 30 61 00
www.dynapac.com

Eagle Crusher Co

525 S Market St
Galion, Ohio 44833, USA
Tel: +1 419 468 2288
Fax: +1 419 468 4840
www.eaglecrusher.com

Eagle Iron Works

129 East Holcomb Avenue
Des Moines, Iowa 50313,
USA
Tel: +1 515 243 1123
Fax: +1 515 243 8214
www.eagleironworks.com

Endecotts

9 Lombard Road
London SW19 3UP, UK
Tel: +44 (0)20 8542 8121
Fax: +44 (0)20 8543 6629
www.endecotts.com

Eurodig

Via Canale Carpi 6A
Campogalliano (MO),
ITALY
Tel: +39 059 851111
www.eurodig.com

F Weyhausen

PO Box 1763
Wildeshausen
GERMANY
Tel: +49 4431 981 0
Fax: +49 4431 981 139
www.atlasweyhausen.de

Fiori

Via per Ferrara, 7
41034 Finale Emilia (Mo)
ITALY
Tel: +39 0535 92357
Fax: +39 0535 90960
www.fiorigroup.it

Foredil Macchine

Via E Fermi 22, Sarameola Di
Rubano, PD, ITALY
Tel: +39 049 631 200
Fax: +39 049 631 842
www.foredilmacchine.com

Fuwa Heavy Industry,

2 Shuang Yang Road,
Shuncheng District, Fushun
(Liaoning), 113126,
CHINA,
Tel: +86 24 5764 2558
www.cnfuwa.com

Gasparin Impianti

Via Giorgione 17
SS Feltrina, Trevignano (TV)
ITALY
Tel: +39 0423 670201
Fax: +39 0423 676575
www.gasparinimpianti.com

Gipo

Industriegebiet See Zone C
Kohlplatzstrasse 15, Seedorf
CH6462 SWITZERLAND
Tel: +41 41 874 81 10
Fax: +41 41 874 81 01
www.gipo.ch

Grasan Equipment Co

440 South Illinois Avenue
Mansfield, Ohio 44907
USA
Tel: +1 419 526 4440
www.grasan.com

Guidetti

Via Salvi 1,
44045 Renazzo (Fe), ITALY
Tel: +39 051 685 8511
www.guidetirecyclingsrl.com

H Paus Maschinenfabrik

Siemensstrasse 1-9,
D-48488 Emsburen
GERMANY
Tel: +49 (0)5903 707 0
www.paus.de

Hanix Europe

Unit 6 The Gateway Centre
Coronation Road
Cressex Business Park
High Wycombe HP12 3SU,
UK
Tel: +44 (0) 1494 429040
Fax: +44 (0) 1494 429059
www.hanixeuropa.com

Helmut Kempkes

Bismarckstrasse 59,
D-42805 Remscheid,
GERMANY
Tel: +49 (0)2191 434 0
Fax: +49 (0)2191 434 45
www.kuli.com

Hitachi Construction Machinery Europe

Souvereinstr 16
Oosterhout, NETHERLANDS
Tel: +31 20 447 6700
www.hitachicm.eu

Hewitt Robins International

Huntingdon Court,
Huntingdon Way, Measham
Swadlincote, Derbyshire,
DE12 7NQ, UK
Tel: +44 (0)1530 272799
Fax: +44 (0)1530 272787
www.hewitrobins.co.uk

Husqvarna Construction Products

S-433 81 Gothenburg,
SWEDEN,
Tel: +46 31 94 9008,
Fax: +46 31 94 9114
www.husqvarna.se

Hydrema Denmark

GI Kirkevej 16
DK-9530 Stovring,
DENMARK
Tel: +45 (98) 371333
www.hydrema.com

Hyundai Construction Equipment Europe

Hyundailaan 4
B3980 Tessenderlo
BELGIUM
Tel: +32 14 56 2200
Fax: +32 14 59 3405
www.hyundai.eu

IHI Construction Machinery Co

3174 Showa-machi
Kanazawa
Yokohama 236-8611 JAPAN
Tel: +81 45 771 1351
www.ihikenki.co.jp

JCB Sales

Lakeside Works
Rocester, Staffordshire, UK
Tel: +44 (0)1889 590312
Fax: +44 (0)1889 590546
www.jcb.com

John Deere Construction

PO Box 8806,
1515 5th Avenue
Moline, Illinois, USA
Tel: +1 309 765 1968
Fax: +1 309 765 2497
www.deere.com

Kawasaki Heavy Ind

4-1 Hamamatsu-chou
2-Chome, Minato-ku
Tokyo, JAPAN
Tel: +81 3 3435 2076
Fax: +81 3 3435 3480
www.khi.co.jp

Keestrack

Taunusweg 2
B-3740 Munsterbilzen,
BELGIUM
Tel: +32 89 515 851
Fax: +32 89 515 850
www.keestrack.com

Kleemann

Hildebrand Str 18
Postfach 760, Göppingen-
Faurndau, GERMANY
Tel: +49 (7161) 206-124
Fax: +49 7161 2065112
www.kleemann.info

Kobelco Construction Machinery Europe

Veluwezoom 15
1327 AE Almere, Netherlands
Tel: +31 36 2020 300
www.kobelco-europe.com

Kolberg-Pioneer Inc

700 West 21st Street
P O Box 20, Yankton,
South Dakota, SD 57078,
USA
Tel: +1 605 665 9331
www.kolbergpioneer.com

Komatsu Europe

Mechelsesteenweg 586
1800 Vilvoorde, BELGIUM
Tel: +32 22 55 2411
www.komatsu-europe.com

Komplet Italia

Via Modigliani 8
60019 Senigallia (AN), ITALY
Tel: +39 071 660 9823
Fax: +39 071 661 1069
www.komplet.it

Kramer-Werke

Wacker Neuson Strasse 1
88630 Pfullendorf
GERMANY
Tel: 00800 90 20 90 20
Fax: +49 7552 9288 234
www.kramer.de

Kubota Europe

19-25 rue Jules Verceyusse
ZI, Argenteuil, Cedex
FRANCE
Tel: +33 1 34 26 34 34
Fax: +33 1 34 26 34 99
www.kubota.fr

Libra Industriale

Strada Cardio 14 - Serravalle
47899 San Marino, ITALY
Tel: +39 0549 872811
Fax: +39 0549 908304
www.libra-industriale.com

Liebherr

Postfach 16 58, Riss 1
Biberach, GERMANY
Tel: +49 7351 410
www.liebherr.com

Liugong Dressta Machinery

ul. Kwiatkowskiego 1
37-450 Stalowa Wola
POLAND
Tel: +48 (0)15 813 5252
www.dressta.com

Liugong Machinery

1 Liutai Road
Liuzhou, Guangxi,
CHINA
Tel: +86 772 388 6124
Fax: +86 772 388 6122
www.liugong.com

Major Wire Industries

225 North Montcalm Blvd
Candiac (Quebec)
CANADA J5R 3L6
Tel: +1 450 659 7681
Fax: +1 450 659 5570
www.majorflexmat.com

Marini

Via Roma 50, Alfonsine
Ravenna, ITALY
Tel: +39 0544 88111
Fax: +39 0544 81341
www.marini-spa.com

Martimex Alfa

Cervenej Armady 1
036 65 Martin
SLOVAKIA
Tel: +42 1842 4239976
www.martimex.sk

Maskin Mekano

Box 9083,
550 09 Jönköping, SWEDEN
Tel: +46 36 31 74 00
Fax: +46 36 31 74 27
www.maskinmekano.se

McCloskey International

47 Moor Road
Coalisland, County Tyrone,
NORTHERN IRELAND
Tel: +44 (0)28 8774 0926
Fax: +44 (0)28 8774 7242
www.mccloskey-international.com

Mecalac

2 Parc des Glaisins
avenue du Pre de Challes,
F-74940 Annecy-le-Vieux,
FRANCE
Tel: +33 4 50 64 01 63
Fax: +33 4 50 64 02 79
www.mecalac.com

Merlo Spa Industria Metalmeccanica

Via Nazionale 9
12020 S Defendente Di
Cervasca, Cuneo, ITALY
Tel: +39 0171 614111
Fax: +39 0171 684101
www.merlo.com

Messers

Via Arcevisse 44, 60010
Casine di Ostra (AN), ITALY
Tel: +39 071 688771
Fax: +39 071 688586
www.messers.it

Metalgalante

via A Volta 2
Noventa di Piave
(Ve), ITALY
Tel: +39 0421 65191
Fax: +39 0421 658838
www.carmix.com

MFL

Werkstrasse 5,
8940 Liezen, AUSTRIA
Tel: +43 3612 2700
Fax: +43 3612 270 1595
www.mfl.at

Multi Marque Production Eng

Unit 33
Monckton Ind Estate,
Wakefield WF2 7AL
West Yorkshire, UK
Tel: +44 (0)1924 290231
Fax: +44 (0)1924 382241
www.multi-marque.co.uk

New Holland Construction

BP-119 91152, Etampes
Cedex, FRANCE
Tel: +33 1 608 07106
Fax: +33 1 608 07099
www.newholland.com

Nuova Ferrero Imp E Macchine

Molino Vecchio 1
Altare (SV), ITALY
Tel: +39 0195 899104

Officine Meccaniche di Ponzano Veneto

Via Postumia 62
Ponzano Veneto (TV), ITALY
Tel: +39 0422 4413
Fax: +39 0441 499
www.omspa.it

Omes

V Nazioni Unite 20
10093 Colligio (To)
ITALY
Tel: +39 011 407 39 15
Fax: +39 011 411 00 55

Parker Plant

Canon Street
LE4 6GH Leicester, UK
Tel: +44 (0)116 266 5999
Fax: +44 (0)116 261 0812
www.parkerplant.com

Perlini International

Via Vilanova 75
San Bonifacio (VR), ITALY
Tel: +39 0457 611333
Fax: +39 0457 612221
www.perlini-equipment.com

Pilot Crushtec

PO Box 30032,
Jet Park 1469, SOUTH AFRICA
Tel: +27 11 842 5600
Fax: +27 11 842 5610
www.pilotcrushtec.com

PMI

Viale dei Rivi 14, Gossolengo
(PC), Piacenza, ITALY
Tel: +39 0523 779121
Fax: +39 0523 778121
www.pmi-spa.com

Powerscreen International Distribution

200 Coalisland Road
Dungannon, County Tyrone,
BT71 4DR, UK
Tel: +44 (0)28 87 718518
Fax: +44 (0)28 87 747231
www.powerscreen.com

Pozzato

Via Piave 10,
I-36066 Sandrigo (VI), ITALY
Tel: +39 0444 659800
Fax: +39 0444 659452
www.pozzato.it

Ramtec

Veivikatu 4, 15230 Lahti,
FINLAND,
Tel: +358 207 424 530
www.ramtec.fi

Red Rhino Crushers (UK)

Alma Park Road, Grantham,
Lincolnshire, NG31 9SE, UK
Tel: +44 (0)1476 590790,
Fax: +44 (0)1476 593821,
www.redrhinocrushers.com

REV

Zona Industriale Loc Pantieri
47864 Ponte Messa doi
Pennabilli (Rn), ITALY
Tel: +39 541 928474
Fax: +39 541 928157
www.rev.it

Roadtec

800 Manufacturers Road
Chattanooga,
Tennessee 37405, USA
Tel: +1 423 265 0600
Fax: +1 423 267 7104
www.roadtec.com

Rockster Recycler

Wirtschaftszone West 2
Ennsdorf, A-4482, AUSTRIA
Tel: +43 7223 81000
Fax: +43 7223 81000 329
www.rockster.at

Rubble Master

Im Sudpark 196
Linz-Pichling A-4030, AUSTRIA
Tel: +43 732 73 71 17 102
www.rubblemaster.com

Sandvik Construction

Kungsbron 1, 111 22
Stockholm, SWEDEN
Tel: +46 (0)8 456 11 00
www.construction.sandvik.com

Sany

38F Jinmao Tower,
88 Century Boulevard,
Pudong, Shanghai, 200121,
CHINA
Tel: +86 731 85835199
www.sany.com.cn

SBM Mineral Processing

Oberweis 401
4664 Oberweis, AUSTRIA
Tel: +43 3612 2703 0
Fax: +43 3612 2703 8109
www.sbm-mp.at

Screen Machine Industries, Inc

10685 Columbus Parkway
Etna, Ohio 43062 USA
Tel: +1 740 927 3464
Fax: +1 740 927 7110
www.screenmachine.com

Sennebogen

Hebbelstrasse 30,
Straubing,
GERMANY
Tel: +49 9421 540 0
Fax: +49 9421 43 882
www.sennebogen.de

Shantui Construction

Shantui International Industrial
Park
No 58 Highway G327
Jining, Shandong, CHINA
Tel: +86 537 290 9999
Fax: +86 537 2311219
www.shantui.com

Siebertechnik

Platanenallee 46
Mülheim an der Ruhr,
GERMANY
Tel: +49 208 580100
Fax: +49 208 5801300
www.siebertechnik.com

STC

Vosmatenweg 3
Coevorden,
Drenthe
NETHERLANDS
Tel: +31 524 525 375
Fax: +31 524 523 560
www.stcbv.nl

Sunward

Sunward Intelligent Industrial
Park, Xingsha, Changsha,
410100, CHINA
Tel: +86 731 8357 2828
www.sunward.com.cn

Takeuchi Mfg Co

205-3 Uwandaira Sakaki-Ma-
chi, Hanishina-gun, Nagano
JAPAN
Tel: +81 262 3311833
Fax: +81 262 41498108
www.takeuchi-mfg.co.jp

Telsmith

PO Box 539,
10910 North Industrial
Drive, Mequon, Wisconsin
53092, USA
Tel: +1 262 242 6600
www.telsmith.com

Terex Corporation

200 Nyala Farm Road
Westport, Connecticut
06880, USA
Tel: +1 203 222 7170
Fax: +1 203 222 9796
www.terex.com

Terex Finlay

Drumquin Road
Omagh, Co Tyrone,
BT78 5PN, UK
Tel: +44 (0)28 8241 8700
www.terex.com/mobile-processing-equipment

Tesab Engineering

Unit 9, Gortrush Industrial
Estate, Omagh, Co Tyrone
BT78 5EJ, UK
Tel: +44 (0)28 82 252 781
Fax: +44 (0)28 82 252 801
www.tesab.com

Thwaites

Leamington Spa
Warwickshire, CV32 7NQ
UK
Tel: +44 (0)1926 422471
Fax: +44 (0)1926 337155
www.thwaitesdumpers.co.uk

Volvo Construction Equipment

Kuggen Floor 5
Lindholmsplatsen 1
417 56 Gothenburg,
SWEDEN
Tel: +46 316 60 000
www.volvoce.com

Western Retek Europe

Am Steg 13b
Ried im Tyrol, AUSTRIA
Tel: +43 7588 61931
Fax: +43 7588 61931-90
www.westernretek.com

Winget

PO Box 41
Edgefold Industrial Estate
off Plodder Lane
Bolton BL4 0LS, UK
Tel: +44 (0)1204 854650
Fax: +44 (0)1204 854664
www.winget.co.uk

Wirtgen

Rheinhard-Wirtgen Strasse 2
53578 Windhagen,
GERMANY
Tel: +49 2645 131 0
Fax: +49 2645 131 392
www.wirtgen.de

Yanmar

1-32 Chayamachi
Kita-Ku, Osaka, JAPAN
Tel: +81 6 7636 9909
Fax: +81 6 6372 0010
www.yanmar.co.jp

Yanmar Construction Equipment Europe

25 Rue de la Tambourine
52100 Saint Dizier
FRANCE
Tel: +33 3 25 56 29 75
www.yanmarconstruction.eu

Yuchai Engineering Machinery Co

168 Tianqiao Road,
Yulin Guangxi, CHINA
Tel: +86 775 328 3502
Fax: +86 775 328 9578

ATTACHMENTS

Allied Construction Products

3900 Kelley Avenue
Cleveland, OH 44114, USA
Tel: +1 216 431 2600
Fax: +1 216 431 2601
www.alliedcp.com

Allied Gator

2100 Poland Avenue
Youngstown, OH 44502
USA
Tel: +1 330 744 0808
Fax: +1 330 744 3311
www.alliedgator.com

All-Kor Co

4-2, 6-Ga,
Yangpyung-dong,
Youngdungpo-ku, Seoul
SOUTH KOREA
Tel: +82 (0)50 29741961
Fax: +82 (0)50 29741962
www.all-kor.com

Arden Equipment

9 Avenue de l'Industrie
Charleville-Mezieres, Cedex
FRANCE
Tel: +33 3 24 33 64 30
Fax: +33 3 24 33 64 32
www.arden-equipment.com

Arrowhead Rockdrill Company

Hema Works, Station Lane,
Old Whittington,
Chesterfield,
Derbyshire, UK
S41 9QX, UK
Tel: +44 (0)1246 260012
Fax: +44 (0)1246 260013
arrowheadrockdrill.co.uk

Atlas Copco

Construction Tools
Helenenstrasse 149,
Essen, 45143
GERMANY
Tel: +49 201 63300
Fax: +49 201 6332281
www.atlascopco.com

A-Ward Attachments

13-17 Miami Parade
Penrose, Auckland 1061
NEW ZEALAND
Tel: +64 9 634 4086
Fax: +64 9 634 5128
www.a-ward.co.nz

Beilite Machinery (Zhangjiagang)

Xinhe Industrial Park
Wenling City
Zhejiang Province
CHINA
Tel: +86 576 5862 0569
www.beilite.com

BPH Group

10 Gillman's Industrial Estate
Natts Lane, Billingshurst,
West Sussex,
RH14 9EZ, UK
Tel: +44 (0)845 017 6972
www.bph-uk.com

Boohung Heavy Industries

Segyo-dong 66-5
Osan-si, Gyeonggi-do
SOUTH KOREA
Tel: +82 (0)31 378 5533-4
Fax: +82 (0)31 378 5535
www.bhh.co.kr

Brokk

Box 730, Skelleftea,
SE-931 27, SWEDEN
Tel: +46 (0)910 711800
Fax: +46 (0)910 711811
www.brokk.com

BTI Breaker Technology

30625 Solon Industrial Park-
way, Solon, OH 44139 USA
Tel: +1 519 599 2015
Fax: +1 519 599 6803
www.rockbreaker.com

Case CNH France

5 Avenue George Bataille
BP 40401, Plessis Belleville
FRANCE
Tel: +33 34 47 42168
Fax: +33 34 47 42335
www.casece.com

Caterpillar

76 Route de Frontenex
PO Box 6000,
Geneva 12116
SWITZERLAND
Tel: +41 22 849444
Fax: +41 22 849 4116
www.cat.com

Caterpillar Work Tools

Sigarenmakerstraat 9
s-Hertogenbosch, 5232 BJ
NETHERLANDS
Tel: +31 73 63 99600
www.cat.com

Chicago Pneumatic

94 North Elm St, Suite 401,
Westfield, MA 01085
USA
Tel: +1 415 493 7336
Fax: +1 413 746 5383
www.chicagopneumatic.com

Continental

Buttner Strasse 25,
Hannover, D-30165,
GERMANY
Tel: +49 511 93801
www.conti.de

D&A Heavy Industries

901 Ace Highend Tower 9th
233 Gasan Digital IRd,
Geumchoen-gu 153803
SOUTH KOREA
Tel: +82 (0)2 2 617 0488
Fax: +82 (0)2 2 617 0489
www.dandabreaker.com

Daemo Engineering

515, 2Ba Shiwaha Industrial
Complex, Jeong Wang-Dong,
Shiheung City
Gyeonggi-Do
SOUTH KOREA
Tel: +82 (0)31 488 6104
Fax: +82 (0)31 496 0066
www.daemo.co.kr

Daewoon International

YoungRim B/D 4th Floor
Jangdae-Dong 353-2
Yousung-Gu, Daejeon-City
SOUTH KOREA
Tel: +82 (0)42 82440012
Fax: +82 (0)42 8244003
www.daewoonintl.co.kr

Darda

Im Tal 1, D-78176 Blumberg
GERMANY
Tel: +49 770 2 43910
www.darda.de

Dehaco

Kruisbaak 25, Postbus 189
NL-2160 AD
NETHERLANDS
Tel: +31 25 24 17950
Fax: +31 25 24 18531
www.dehaco.nl

Demarec

De Horck 32, 5431 NS Cuijk.
NETHERLANDS
Tel: +31 485 442300
Fax: +31 485 442120
www.demarec.com

Digbits

Power Park
Towers Business Park
Rugeley, Staffordshire,
WS15 1UZ, UK
Tel: +44 (0)1889 503020
Fax: +44 (0)1889 503021
www.digbits.co.uk

DongYang Heavy Industries

711 Guanpyung-Dong
Yuseong-Gu, Daejeon
Seoul 305-509
SOUTH KOREA
Tel: +82 (0)42 933 2391
www.dyhi.co.kr

Doosan (Daewoo)

21/fl,
Daewoo Center Bldg
541 Namdaemun-ro 5-ga
Chung-gu, Seoul
SOUTH KOREA
Tel: +82 (0)27 263120
Fax: +82 (0)27 263167
www.dhiltl.co.kr

Dowin International

907, Zelzone Tower 1
17-1, Jeongja-dong 16
Neuti-ro, Bundang-gu,
Seongnam-si, Gyeonggi-do,
SOUTH KOREA
Tel: +82 (0)31 718 5535
Fax: +82 (0)31 718 8819
www.dowinco.com

Euroram-Rockmaster

Emopad 74
5663 PB, Geldrop,
NL-5660 AE,
NETHERLANDS
Tel: +31 40 286 8484
www.euroram-rockmaster.com

Eusiti

Via Italia 42
10093 Collegna, Turin,
ITALY
Tel: +39 011 453 0216
www.eusiti.it

Everdigm

49 Buyeong-gil,
Jinehoen-eub,
Jineheon-gun,
Chungbuk
SOUTH KOREA
Tel: +82 (0)2 801 0800
Fax: +82 (0)2 801 0799
www.everdigm.com

Feel Industrial Engineering

13-3 Ssangsong-Ri,
Mado-Myeon,
HwaSung City,
Kyungki,
SOUTH KOREA
Tel: +82 1577 6619
Fax: +82 1577 6620
www.feelieco.co.kr

Furukawa Rock Drill Europe

Proostwetering 29, Utrecht,
NL-3543 AB,
NETHERLANDS
Tel: +31 30 24 12277
www.frd.eu

GB Industries

2611 Jeong Wang-dong,
Siheung City
Gyeonggi-do 15118
SOUTH KOREA
Tel: +82 (0)31 988 2206
Fax: +82 (0)31 988 2208
www.gbhammer.com

Geith International

First Floor, Block B, Swords
Business Park,
Swords, County Dublin
REPUBLIC OF IRELAND,
Tel: +353 (1) 650 2100
www.geith.com

Genesis Equipment & Manufacturing

1000 Genesis Drive
Superior,
WI, 54880,
USA
Tel: +1 715 395 5252
Fax: +1 715 395 5255
www.genesisequip.com

Giant Hydraulic Tech

Hi-Tech Industrial Develop-
ment District,
Maanshan, Anhui,
CHINA,
Tel: +86 555 388 7808
Fax: +86 555 388 7828
www.giantchina.com

Huskie Tools

198 N. Brandon Dr
Glendale Heights,
IL 60139
USA
Tel: +1 800 860 61700
Fax: +1 800 845 3767
www.huskietools.com

Hydraram

Meander 7,
9231 DB Surhuisterveen,
NETHERLANDS
Tel: +31 512 365 981
www.hydraram.com

Idrobenne Hydraulic Grabs

Via 1 Maggio 1-9, 25010
Isorella (Bs) ITALY
Tel: +39 030 995 82 83
Fax: +39 030 995 26 60
www.idrobenne.com

Idromeccanica Italiana

Zona Industriale
Lotto A1-A2,
Molfetta (BI), ITALY
Tel: +39 080 338 8199
Fax: +39 08033 88192
www.idromeccanica.com

Inan Makina (MTB)

Ikitelli Organize Sanayi
Bolgesi, Turgut Ozal Cad
No 24
Basaksehir 3449 Istanbul,
TURKEY
Tel: +90 212 549 2500
Fax: +90 212 549 2275
www.inanmakina.com

Indeco

Via Lindemann 10 ZI,
70132 Bari, ITALY
Tel: +39 080 531 3370
www.indeco.it

Italdem (Officine Giordano)

70032 Bitonto (BA), ITALY
Tel: +39 (080) 374 2444
Fax: +39 080 371 4632
www.italdem.com

JAB

108B-9L, 658-9, Gojan-
dong, Namdong-gu, Incheon,
SOUTH KOREA
Tel: +82 (0)32 811 2032
Fax: +82 (0)32 811 2033
www.jabkor.co.kr

JCB Sales

Rocester, Staffordshire
ST14 5JP, UK
Tel: +44 (0)1889 590312
www.jcb.com

Jisung Heavy Industries

35-13 Daepung-ri, Daeso-
myeon,
Eumseong, Chungcheong-
buk-do
SOUTH KOREA
Tel: +82 (0)43 881 5417
www.koreahammer.com

John Deere Construction

1515 5th Avenue
Moline, IL 61266, USA
Tel: +1 309 765 1968
www.deere.com

Jun CS

13-1 Geumo-ro
Gwangmyeong-si
Gyeonggi-do, SOUTH KOREA
Tel: +82 (0)22 068 5416
Fax: +82 (0)22 068 5435
www.junco.co.kr

Furukawa Rock Drill USA Breaker Attachment Division

711 Lake Street
Kent, OH 44240, USA
Tel: +1 330 673 5826
www.frdusa.com

Komac (Korean Hydraulic Machinery)

6B-28L, Banwal Industrial Complex, 403-9 Moknae-Dong, Danwon-gu, Ansan-City, Gyeonggi-Do 429-450, SOUTH KOREA
Tel: +82 (0)31 4983223
www.komac.co.kr

Kubota Europe

19-25 rue Jules Verceyusse 95101, Argenteuil Cedex, FRANCE
Tel: +33 13 42 63434
Fax: +33 13 42 63499
www.kubota.fr

Kwanglim SG

1589-8, Seocho-dong Seocho-ku, Seoul 137-876 SOUTH KOREA
Tel: +82 (0)25 236903
Fax: +82 (0)23 4726903
www.sangi.co.kr

Mantovanibenne

Via Augusto Righi 6 Mirandola (Mo) ITALY
Tel: +39 053 5615823
Fax: +39 053 5615830
www.mantovanibenne.com

Montabert

203 Route De Grenoble St Priest, 69805 FRANCE
Tel: +33 47 22 29797
Fax: +33 47 22 29797
www.montabert.com

MSB Heavy Industries

123B 4L, 693-3 Gojan-Dong, Namdong-Gu Incheon City, SOUTH KOREA
Tel: +82 (0)32 821 6980
Fax: +82 (0)32 818 1698
www.msbcom.co.kr

Myung San Heavy Ind

Room 605, 6th Floor Daelim Bldg, 592-5 Dowha-dong, Nam-gu, Incheon SOUTH KOREA
Tel: +82 (0)32 873 1221
Fax: +82 (0)32 872 9173
www.myungsan.com

Northern Track

Parkside Lane Leeds LS11 5TD UK
Tel: +44 (0)113 276 2300
Fax: +44 (0)113 276 2400
www.northerntrack.com

NPK Europe

World Trade Center - Office 403, PO Box 30157, 3001 DD Rotterdam, NETHERLANDS
Tel: +31 10 205 1710
Fax: +31 10 205 1715
www.npke.eu

Nye Manufacturing

3585 Mavis Road Mississauga, Ontario L5C 1T7 CANADA
Tel: +1 905 897 2311
Fax: +1 905 897 2312
www.nyemanufacturing.com

Okada Aiyon

4-1-18 Kaigan-dori, Mainato-ku, Osaka 552-0022, JAPAN
Tel: +81 6 6576 1268
Fax: +81 6 6576 1516
www.okada-aiyon.com

PMV Promove

Via Gambardella 10, Zona ASI, 10056 Molfetta (Ba), ITALY
Tel: +39 080 3387054
Fax: +39 080 3387004
www.pmvpromove.it

Ramtec

Veiivikatu 4, 15230 Lahti, FINLAND
Tel: +358 207 424 530
www.ramtec.fi

Rotar International

Schering 27, Genemuiden, 8281 JW, NETHERLANDS
Tel: +31 38 385 5471
Fax: +31 38 385 5402
www.rotar.nl

Sandvik Construction

Kungsbron 1, 111 22 Stockholm SWEDEN
Tel: +46 (0)8 456 11 00
www.construction.sandvik.com

Socomec

Strada Ferrari 38 43014 Medesano, Parma, ITALY
Tel: +39 0525 420929
Fax: +39 0525 420375
www.socomec-spa.com

Soosan Heavy Industries

260 Jeongmunsongsan-ro, Yanggam-myeon Hwasong-si, Gyeonggi, SOUTH KOREA
Tel: +82 (0)31 350 5273
www.soosan.co.kr

Stanley LaBounty

1538 County Highway 2, Two Harbors, MN 55616, USA
Tel: +1 218 834 2123
www.stanleyinfrastructure.com

Sumitomo (SHI) Construction Machinery

5-9-11 Kita-Shinagawa Shinagawa-Ku, Tokyo JAPAN
Tel: +81 354 218589
Fax: +81 357 984264
www.shi.co.jp

Tabe

C/Bekolarra 8, 01010 Vitoria-Gasteiz, SPAIN
Tel: +34 945 247250
Fax: +34 945 224177
www.tabe-hammers.com

Tramac

12 Orben Drive No 3 Landing, NJ 07850, USA
Tel: +1 973 770 4457
Fax: +1 973 770 0812
www.tramac.com

Trevi Benne

Via Bergoncino 18 36025 Noventa Vincentina (vi) ITALY
Tel: +39 0444 760773
Fax: +39 0444 861182
www.trevibenne.it

Universal Drilling & Cutting Equipment

43 Catley Road, Darnall, Sheffield S9 5JF, UK
Tel: +44 (0)114 291 1000
Fax: +44 (0)114 242 5905
www.udce.co.uk

VTN Europe

Via dell Artigianato 41-43 Cagnano Di Pojana, Maggiore, Vicenza, ITALY
Tel: +39 044 4864211
www.vtngroup.com

Wimmer International

5303 Thalgau Industriestrasse 3 AUSTRIA
Tel: +43 6235 6655
www.wimmer.info

Yantai Eddie Precision Machinery

189 Qinhuaihe Road Yantai Economic and Technological Development Zone, Shangdong Province 264006, CHINA
Tel: +86 535 639 2926
www.cceddie.com

COMPRESSORS**Atlas Copco Airpower**

Boomssesteeweg 957 B-2610 Antwerp-Wilrijk BELGIUM
Tel: +32 (3) 870 2111
Fax: +32 (3) 870 2730
www.atlascopco.com

Burckhardt Compression

Im Link 5, PO Box 65, CH 8404 Winterthur, SWITZERLAND
Tel: +41 52 262 55 00
www.burckhardtcompression.com

CompAir Drucklufttechnik

Argentaler Strasse 11 Simmern, D-55469, GERMANY
Tel: +49 6761 832 0
www.compair.com

CompAir Hydrovane

Claybrook Drive Washford Ind Estate Redditch, Worcestershire B98 0DS, UK
Tel: +44 (0)1527 525522
Fax: +44 (0)1527 521140
www.compair.com

Con X Equipment Canada

2479 Guenete Street Laurent, Quebec, H4R 2E9 CANADA
Tel: +1 (514) 336 2669
Fax: +1 (514) 336 3258
www.conxequipment.com

Dynaset

Menotie 3, Ylöjärvi, FIN-33470, FINLAND
Tel: +358 3 3488 200
Fax: +358 3 3488 222
www.dynaset.com

Kaesar Compressors

PO Box 946, Fredricksburg, VA 22404, USA
Tel: +1 540 898 5500
Fax: +1 540 898 5520
www.kaesar.com

Sclaverano

Via Emilia 14, Venaria Reale, 10078 (To) ITALY
Tel: +39 011 455 1152
Fax: +39 011 455 1167
www.sclaverano.it

Vermeer International

Nijverheidsstraat 20, 4458 AV 's Heer Arendskerke NETHERLANDS
Tel: +31 113 272700
www.vermeer.com

Woma Apparatebau Wolfgang Maasberg & Co

Werthaus Strasse 77-79 Duisburg, D-47226, GERMANY
Tel: +49 2065 3040
Fax: +49 2065 304200
www.woma.de

HAND-HELD TOOLS**Atlas Copco Construction Tools**

Heleneenstrasse 149, 45143 Essen, GERMANY
Tel: +49 201 633200
Fax: +49 201 6332281
www.atlascopco.com

Champion Chisel Works

804 East 18th Street, Rock Falls, Illinois, IL 61071, USA
Tel: +1 815 535 0647
www.championchisel.com

Darda

Im Tal 1, D-78176 Blumberg GERMANY
Tel: +49 7702 43910
www.darda.de

Dewalt Industrial Tool

701 E. Joppa Road, Baltimore, MD 21286, USA
Tel: +1 410 716 3900
www.dewalt.com

Fairport Construction Equipment

Blagden Street Sheffield S2 5QS, UK
Tel: +44 (0)114 276 7921
www.fairport-uk.com

Holmatro Industrial Equipment

Zalmweg 30, PO Box 66, 4940 AB, Raamsdonksveer NETHERLANDS
Tel: +31 (0) 162 751 480
www.holmatro.com

Hilti

Feldkircher Strasse 100 Schaan, FL-9494, LIECHTENSTEIN
Tel: +423 (234) 2111
www.hilti.com

Husqvarna

Lindhagensgatan 126 SE-104 25, Stockholm SWEDEN
Tel: +46 36 14 65 00
Fax: +46 8 738 64 50
www.husqvarna.com

Ingersoll Rand

800 E Beaty Street Davidson, North Carolina NC 28036, USA
Tel: +1 704 655 4000
www.ingersollrand.com

RG**(Reinmann & Georger Corp)**

1849 Harlem Road Buffalo, NY 14212, USA
Tel: +1 (716) 895-1156
Fax: +1 (716) 895 1547
www.rgproducts.com

Wacker Construction Equipment AG

Preussenstrasse 41 Munich, D-80809 GERMANY
Tel: +49 (0)89 354 020
Fax: +49 (0)89 354 02203
www.wackerneuson.com

AEDD (Spanish Association of Demolition Contractors)

Av Rey Juan Carlos 92, 4
28916 Leganes - Madrid,
SPAIN
Tel: +34 911 271 070
www.aedd.org

AEM (Association of Equipment Manufacturers)

6737 West Washington
Street, Suite 2400,
Milwaukee, Wisconsin,
53214-5647
USA
Tel: +1 (414) 272 0943
Fax: +1 (414) 272 1170
www.aem.org

Anmopyc

Paseo Independencia 24-26,
Pta 3 Of 4
Zaragoza, E-50003,
SPAIN
Tel: +34 976 227387
www.anmopyc.com

Asphalt Recycling & Reclaiming Association

800 Roosevelt Road
Building C-312
Glen Ellyn IL 60137
USA
Tel: +1 (630) 942 6578
www.arra.org

Associated Equipment Distributors

650 E Algonquin Road,
Suite 305, Schaumburg IL
60173
Tel: +1 (630) 574 0650
www.aednet.org

Associazione Nazionale Demolitori Italiani (NAD)

c/o Federvarie
Via Petitti, 16, I-20149
Milano, (Mi),
ITALY
Tel: +39 02 3300 7345
Fax: +39 02 3300 5672
www.nad-italia.it

Bureau of International Recycling (BIR)

24 Avenue Franklin
Roosevelt, Brussels,
B-1050, BELGIUM
Tel: +32 2 6275770
Fax: +32 2 6275773
www.bir.org

CEA (Construction Equipment Association)

Airport House
Purley Way, Croydon
CRO OXZ, UK
Tel: +44 (0)20 8253 4502
www.thecea.org.uk

CECE Secretariat

Diamant Building
Boulevard Auguste Reyers
80, B-1030 Brussels
BELGIUM
Tel: +32 2 706 8226
Fax: +32 2 706 8210
www.cece.eu

Construction & Demolition Materials Recycling Association

35 E Wacker Drive
Suite 850
Chicago IL 60601 USA
Tel: +1 866 758 4721
Fax: +1 (312) 644 8557
www.cdrecycling.org

Danish Contractors Association (DCA)

Norre Voldgade 106,
1358 Copenhagen, DENMARK
Tel: 45 72 16 00 00
www.danskybyggeri.dk

Deutscher Abbruchverband

Obrlander Ufer 180-182,
50968 Cologne, GERMANY
Tel: +49 022 367 9830
www.deutscher
abbruchverband.de

European Demolition Association (EDA)

Av. Rey Juan Carlos 92,
P.4 - Of. 10, Argalia
Building, Rabuso, 28916
Leganes, Madrid, SPAIN
Tel: +32 280 827 60
www.europeandemolition.org

Federatie der Algemene Bouwaanemers

Lombardstraat 42
1000 Brussels, BELGIUM
Tel: 32 2 511 6595
Fax: 32 2 514 1875
www.fegc.be

Federation International du Recyclage

Rue d'Arton 21
1050 Brussels, BELGIUM
Tel: +32 3 203 4426
Fax: +32 3 233 5301
www.fir-recycling.com

European Construction Industry Federation (FIEC)

Avenue Louise 225
1050 Brussels, BELGIUM
Tel: +32 (2) 514 5535
Fax: +32 (2) 511 0276
www.fiec.eu

Institute of Demolition Engineers

1st 2nd 3rd Floor Eagle
Court, 130 High Street,
Rochester,
Kent ME1 1JT, UK
Tel: +44 (0)1634 790548
www.ide.org.uk

Institute of Makers of Explosives

1212 New York Avenue NW,
Suite 650
Washington DC 20036
USA
Tel: +1 202 429 9280
www.ime.org

International Society of Explosives Engineers

26500 Renaissance
Parkway
Cleveland, OH 44128
USA
Tel: +1 (440) 349 4400
Fax: +1 (440) 349 3788
www.isee.org

Japan Construction Mechanization Association

Kikai Shinko Kaikan
3-5-8 Shibakoen
Minato-Ku, Tokyo
105-0011,
JAPAN
Tel: +81 3 34331501
www.jcmanet.or.jp

KOCEMA

4th Floor Seodeok Building
1515-8 Seocho 3-dong,
Seochu-gu, 137-073
SOUTH KOREA
Tel: +82 2 2053 9300
Fax: +82 2 2052 9339

National Demolition Association

2025 M St. NW, Suite 800
Washington, DC 20036,
USA
Tel: +1 (202) 367 1152
www.demolition
association.com

National Federation of Demolition Contractors (NFDC)

Resurgam House
Paradise
Hemel Hempstead
Herts, HP2 4TF
UK
Tel: +44 (0)1442 217 144
www.demolition-nfdc.com

National Recycling Coalition

208 W Chester St
Lafayette, CO 80026
USA
Tel: +1 (202) 618 2107
www.nrcrecycles.org

VDMA

Lyoner Strasse 18, 65028
Frankfurt am Main
GERMANY
Tel: +49 69 66 03 0
www.vdma.org

Arbra Instruments

Vauxhall Industrial Estate,
Ruabon, Wrexham,
LL14 6HA, UK
Tel: +44 (0)1978 823900
Fax: +44 (0)1978 822913
www.arbra.co.uk

Austin Powder Co

25800 Science Park Drive
Cleveland, OH 44122,
USA
Tel: +1 (216) 464 2400
www.austinpowder.com

Cardem Demolition

7 Rue de l'Uranium, 63800
Bischheim,
FRANCE
Tel: +33 3 88 83 44 10
www.cardem.fr

Controlled Demolition Inc

13401 Still Haven Court,
Phoenix, Maryland
MD 21131
USA
Tel: +1 (410) 667 6610
Fax: +1 (410) 667 6624
www.controlled-demolition.com

DH Griffin Wrecking Co

4716 Hilltop Road
Greensboro, NC 27407
USA
Tel: +1 888 336 3366
www.dhgriffin.com

Demtech Services

6414 Capitol Avenue,
Diamond Springs
CA 95619
USA
Tel: +1 530 621 3200
www.demtech.com

Dore & Associates

Contracting
900 Harry Truman Parkway,
Bay City,
Michigan
MI 48706
USA
Tel: +1 800 684 8358
Fax: +1 989 684 6663
www.doreassoc.com

Dykon Explosive Demolition

8120 West 81st Street,
Tulsa
Oklahoma

OK 74131
USA

Tel: +1 (918) 592 2728
Fax: +1 (918) 592 5277
www.dykon-blasting.com

Dyno Nobel

2795 East Cottonwood
Parkway, Tower,
Salt Lake City, Utah UT
84144
USA
Tel: +1 800 732 7534
Fax: +46 587 25535
www.dynonobel.com

Gensco America

5307 Dividend Drive
Decatur, Georgia
GA 30035,
USA
Tel: +1 (770) 808 8711
www.genscoequip.com

Gillrange

1-2 North End
Swineshead
Boston
PE20 3LR
UK
Tel: +44 (0)1205 821010
Fax: +44 (0)1205 820316

www.gillrange.com

Gnat UK

Unit 5, Jackson Court,
Olympic Way, Gallowfields,
Richmond, North Yorkshire
DL10 4FD
UK
Tel: +44 (0)1748 826046
Fax: +44 (0)1748 826056
www.gnatuk.com

Instantel

309 Legget Drive
Ottawa, Ontario
K2K 3A3
CANADA
Tel: +1 613 592 4642
www.instantel.com

Nitro Consult

Tellusborgsvagen 36
Box 32058, Stockholm
SE 12611,
SWEDEN
Tel: +46 8 681 4300
www.nitroconsult.se

Orica

3301 East Quincy Avenue,
Watkins, Colorado,
CO 80127

USA

Tel: +1 (303) 268 5000
Fax: +1 (303) 265 5250

Precision Blasting Services

6990 Summers Road
Montville, Ohio
44064
USA
Tel: +1 (440) 474 6700
www.idc.pbs.com

Precision Explosives

2192 Seamans Neck Road,
Seaford, New York
NY 11783
USA
Tel: +1 (516) 826 8911
Fax: +1 (516) 826 8911

Safedem

8 Liff Road
Dundee
DD2 4TD
UK
Tel: +44 (0)1382 811 444
Fax: +44 (0)1382 610372
www.safdem.co.uk

THINK SAFETY WORK SAFELY



EST IN 1988

WE HAVE AN ESTABLISHED PROVEN TRACK RECORD FOR BEING COMPETITIVE, EFFICIENT AND COMPLETING ALL WORKS TO AWARD WINNING STANDARDS WITH A REPUTATION TO BE PROUD OF.

- ▶ DEMOLITION
- ▶ DISMANTLING
- ▶ SOFT STRIP/REFURBISHMENTS
- ▶ FAÇADE RETENTION
- ▶ SITE CLEARANCE/BULK EXCAVATION
- ▶ LAND RECLAMATION
- ▶ ASBESTOS SURVEYS
- ▶ ASBESTOS REMOVAL
- ▶ HAZARDOUS/CHEMICAL WASTE REMOVAL
- ▶ MOBILE CRUSHING & RECYCLING
- ▶ 24 HOUR EMERGENCY CALL OUT SERVICE
- ▶ HEALTH & SAFETY TRAINING & ADVICE
- ▶ CLIENT LIAISON & FEASIBILITY STUDIES

TEL 0121 333 7999

**INFO@CITYDEMOLITION.CO.UK
WWW.CITYDEMOLITION.CO.UK**



VISIT OUR WEBSITE TO DOWNLOAD OUR INTERACTIVE BROCHURE



WE ARE AN NQA ISO 9001, ISO 14001,
ISO OHSAS 18001 ACCREDITED COMPANY

Solid body. Solid power.



United. Inspired.

A solid investment.

Our Small Breakers are truly versatile. The slim and compact design makes them easy to handle and enables quick positioning. The range is perfect for working in confined spaces such as inside buildings, up along walls or in narrow trenches.

[epiroc.com](https://www.epiroc.com)



 **Epiroc**